




Muscle Groups Focus




Three Element Parallel Bar 1900

The parallel bar is a classic piece of exercise equipment that can be used to develop a wide range of muscles, as it can be used for a variety of bodyweight exercises. The parallel bars are excellent for developing strength, endurance, coordination and balance.


Attributes

Product code	1-1-021
Certificate	EN 16630, ASTM F3101
Age group	14 + years
Capacity	2 people
Max. weight load	218.26 lbs
Type	Calisthenics
Difficulty level	Medium

Side View




Plan View



Installation information

Number of installers (concrete)	At least 2 people
Total installation time (concrete)	60-120 min.
Number of installers (equipment)	At least 3 people
Total installation time (equipment)	30-45 min.
Excavation volume	26,49 ft ³
Concrete volume	26,49 ft ³
Size of the base structure	2pc 19.69 x 19.69 x 31.5 „ + 19.69 78.74 13.78 „
Anchoring options	In-ground or surface
In combined structures, the volume of concrete required varies.	


Technical specification

Safety surface area	Around 4.92 ft radius
Net weight	244.71 lbs
Material	S235
Critic fall height	59.06"
Color options	
For more color options, discuss with your sales representative.	

Warranty

Structure	25 years
Steel	15 years
Paint	2 years
Plastic	5-10 years
Rubber	1-3 years
Moving parts	2 years
Detailed information in the warranty document	

Material specification



The element is made of high quality S235 steel, which has been cleaned via sandblasting. A corrosion resistant powder coating finish is then applied. Also available with galvanized surface for even greater protection and longevity!

The clamp system allows for easy assembly and extreme stability.

The connecting elements are fastened with vandal-proof stainless steel screws and nuts.

The ends of the bars and posts are sealed with injection-moulded plastic caps.

