



# JONARD TOOLS®

Catalog No. 130



**MADE FOR LIFE  
GUARANTEED FOR LIFE**



# JONARD TOOLS®

*Premier Manufacturer Since 1958*

**MADE FOR LIFE  
GUARANTEED FOR LIFE**

## OUR MISSION

We build innovative tools that enable the world to harness the power of fiber, data, solar, electricity, and telecommunications.



## ABOUT US

Founded in 1958, Jonard Tools manufactures tools for the Telecom, CATV, Fiber Optic, Home Automation, Security and Alarm, Electrical, and Utility markets. Jonard Tools is the global leader of Fiber Optic tools. We design and engineer customer partnerships to create innovative solutions for industry needs.

New tools are released monthly and are Made For Life® and Guaranteed For Life. Through quality and innovation Jonard Tools aims to move the industry forward and connect the world. Our distribution covers all 50 United States and over 100 countries, our brand names are recognized throughout the world.

## OUR STORY

The company was founded by Bernard Osten and Renee Fersen Osten in 1958 and headquartered in New York. Initially the company carried products such as specialty telecom tools, wrenches, adjusters, and alignment tools. As the industry grew, Jonard Tools grew and expanded their product line to over 1,000 products today. Our headquarters is still located in New York with a strong growing global team located around the world.

## MOVING FORWARD

We're driven to continually anticipate our customers' changing needs and our dedication to the customer shows in everything we do. We manufacture over 1,000 unique products and ship 98.7% of all orders complete within 24 hours. We develop 2-3 new products each month. With our premium quality control standards and precise production, we feel confident to offer a lifetime guarantee that is unmatched by our competitors.



# AMERICA'S BEST TOOL WARRANTY



*Quality Isn't Just a Promise  
It's a Guarantee*

**MADE FOR LIFE  
GUARANTEED FOR LIFE**

Our tools are designed to last, and we back that with a true Lifetime Warranty. We will repair or replace your tool, *no questions asked.*

*We stand behind every tool we make.*

Our team is here to ensure your complete satisfaction. When you choose Jonard, you're choosing confidence, reliability, and a partner you can trust for life.



# **BUILD YOUR** **ULTIMATE TOOLBOX**

## **ORGANIZE YOUR ESSENTIALS:**

Keep all your go-to tools in one place.

## **PRINT IT AS A SHOPPING LIST:**

Bring it to your distributor or keep it on hand for field checks.

## **PLAN AHEAD:**

Whether you're budgeting for your next project or gearing up for a certification, this list helps you stay organized and ready.

## **FORWARD TO YOUR FRIENDS & FAMILY:**

For easy gift giving ideas.



# MY TOOLBOX

## STEPS TO GET STARTED

Customize your toolbox with your favorite Jonard Tools - then share them with your friends!

Log in

**01 LOG IN TO  
JONARD.COM**

Delete

**05 VIEW, DELETE  
OR RENAME  
YOUR TOOLBOX**

My Toolbox

**02 CLICK ON  
“MY TOOLBOX”  
ON MENU BAR**

+ Add Products

**06 CLICK VIEW  
TO + ADD  
PRODUCTS**

+ Create  
New Toolbox

**03 CLICK ON  
+ CREATE  
NEW TOOLBOX**

View

**07 YOU CAN  
NOW VIEW & EDIT  
YOUR TOOLBOX**

Enter Name

**04 NAME  
YOUR TOOLBOX**

Share

**08 SHARE, EXPORT,  
OR DUPLICATE  
YOUR TOOLBOX**



**VIDEO  
INSTRUCTIONS**

**MADE FOR LIFE  
GUARANTEED FOR LIFE**



**WEBSITE**

# MAXIMIZE YOUR WARRANTY.

## WHY REGISTER?

### INSTANT WARRANTY ACTIVATION

No paperwork - just simple coverage you can count on.

### FAST & EASY SUPPORT

If something goes wrong, we've got you covered with priority service and quick replacements.

### STAY UPDATED

Be the first to know about product updates, helpful accessories, and more.

### ENJOY SPECIAL PERKS

Get access to exclusive promos, giveaways, and helpful tips - just for registered users.



# REGISTER YOUR PRODUCTS

## STEPS TO GET STARTED

Keep track of your purchased tools, get confirmation of ownership, and enjoy the perks and benefits

Log in

**01 LOG IN TO  
JONARD.COM**

Choose File

**05 UPLOAD PHOTO  
OF YOUR PRODUCT**

Resources

**02 HOVER OVER  
"RESOURCES"  
ON MENU BAR**

Register Your Product

**06 CLICK ON  
REGISTER YOUR  
PRODUCT**

Register a Product

**03 CLICK ON  
REGISTER A  
PRODUCT**

✓ Approved

**07 VIEW YOUR  
APPROVED  
PRODUCTS**

Part # or Name

**04 SEARCH BY  
PART # OR  
PRODUCT NAME**

Pending

**08 YOU CAN ALSO  
VIEW YOUR  
PENDING PRODUCTS**



**VIDEO  
INSTRUCTIONS**



**WEBSITE**

SUBSCRIBE TO OUR MAILER & CHOOSE YOUR INDUSTRY

# UPDATES BUILT FOR YOU

WHEN THE TOOLS CHANGE,  
BE THE FIRST TO KNOW.

EARLY ACCESS + FEATURES & SPECS + PRO HOW-TOs + INDUSTRY NEWS



# SEE OUR TOOLS IN ACTION.



**FOLLOW US**  
PRODUCT DEMOS  
+ GIVEAWAYS



 [sales@jonard.com](mailto:sales@jonard.com)  914-793-0700



# INVENTORSLAB

Inventors and creators, this is your chance

***Get Your Tool in Our Next Catalog!***

***Partner with us  
to make those  
ideas a reality!***

***Since 1958, we have  
been working closely  
with customers and  
technicians to create  
innovative solutions  
for industry needs.***

If you've invented something or have an idea and need help launching or producing the product, just fill out the form online and our **INVENTORSLAB** team will be in touch!

The Jonard Tools **INVENTORSLAB** is ready to bring your tool to market!

Scan the QR code to learn more, and submit your idea today!



# TOOLS BEHIND THE WORLD'S STRONGEST CONNECTIONS

TRUSTED BY PROFESSIONALS IN 100+ COUNTRIES



**INNOVATIVE**

**VERSATILE**

**SAFE**

**PRECISE**

LIFETIME  
**WARRANTY**



**FIND A DISTRIBUTOR NEAR YOU**

Scan the QR code or visit [jonard.com/distributors](http://jonard.com/distributors)

With over 1000 tools trusted by leading technicians worldwide, we deliver innovations that make every job faster, safer, and more efficient.



# JONARD TOOLS®

*Next Generation of Utility Tools  
Modern. Strong. Durable. Precise.*



## VOLT LIFE

*Next Gen. Line Strong.*

**CHECK OUT OUR  
NEW VOLTLIFE TOOLS!**



**BUILT FOR PROFESSIONALS WHO DEMAND PERFORMANCE AND  
PRECISION. THESE TOOLS REDEFINE STRENGTH AND RELIABILITY.**



[www.jonard.com/podcast](http://www.jonard.com/podcast)

Stay Connected with  
All Things Jonard!



@JonardTools



**CONNECT  
WITH US!**

[www.jonard.com](http://www.jonard.com)

# TABLE OF CONTENTS

FIBER OPTIC TOOLS .....	13
CATV/COAX/VDV TOOLS .....	55
CABLE INSTALLATION .....	73
SOLAR .....	89
HAND TOOLS .....	93
ELECTRICAL .....	110
UTILITY (VOLTLIFE™) .....	119
TOOL BAGS & POUCHES .....	137
NETWORK & SECURITY TOOLS (LOW VOLTAGE) .....	139
CABLE & WIRE STRIPPERS & SLITTERS .....	159
INSERTION & EXTRACTION TOOLS .....	165
SOLDERING & DESOLDERING TOOLS .....	168
KYNAR® WIRE .....	169
WIRE WRAP TOOLS .....	171
ALIGNMENT TOOLS .....	181
LIGHTING .....	183
GEAR .....	185
MERCHANDISE .....	187
FORCE GAUGES .....	195
INDEX .....	196

# FIBER OPTIC TOOLS

Fiber optic cables typically consist of coated optical fiber, buffer tubes, aramid yarn for strength and protection, and an outer jacket. Some cables may also include armor for added protection, steel or FRP strength rods, or just a coated fiber with an extra buffer coating, aramid yarn, and outer jacket. Jonard Tools' fiber optic tools are designed to aid in stripping, prepping, connecting, cleaning, and terminating all these cable designs, as well as many others.

## CONTENTS

Strippers	14
Mid Span Tools	17
Slit & Ring Tools / Slitters & Crimpers	18
Microduct Tools & Cutters	21
Microduct Slit & Ring Tools / Kits	23
Fiber Optic Duct Kits	27
Shears / Cutters / Knives	28
Fiber Optic Scribes / Cleavers / Connectors	29
Safety Equipment & Kits	30
Power Meters / Light Sources / Test Equipment	31
Thermal Strippers	36
Fusion Splicers & Connectors	39
OTDR Inspection Tools	41
Fiber Cleaners / Microscopes / Fiber Accessories	43
Fiber Optic Cleaning & Scissor Kits	47
Fiber Optic Mid Span Slit & Ring Tool Kits	50
Fiber Optic Prep Kits	51



**Fiber Optic Strippers**

The Jonard fiber optic strippers use preset factory settings so no adjustments are required. This unique design eliminates human error and prevents nicks or scratches from occurring on the optical fibers. Our fiber optic strippers feature the following:

- These tools are made of strong high carbon steel and the blades are ground and hardened for higher durability and longer life
- Ergonomic handle is made of TPR (thermoplastic rubber) for greater comfort
- **JIC-125** and **JIC-175** strips the 250 micron coating down to expose the 125 micron optical fiber
- **JIC-180C** strips the 180 micron coating down to expose the 125 micron optical fiber
- **JIC-275** strips the 600-900 micron buffer coating, and 250 micron coating to expose the 125 micron glass fiber
- **JIC-375** strips the 1.6 mm-3 mm fiber jacket, 600-900 micron buffer coating, and 250 micron coating to expose the 125 micron glass fiber

SPECS	JIC-125	JIC-175	JIC-180C	JIC-275	JIC-375
DESCRIPTION	Compact Fiber Optic Stripper, 250 micron	Ergonomic Fiber Optic Stripper, 250 micron	Ergonomic Fiber Optic Stripper, 180 micron	Fiber Optic Stripper, Two Hole	Fiber Optic Stripper Three Hole
STRIP DIAMETER	250 micron	250 micron	180 micron	250 micron, 600-900 micron	250 micron, 900 micron, 1.6 mm - 3.0 mm
NUMBER OF STRIPPING HOLES	1	1	1	2	3
QR CODE					





**CableSaber™ Armored Strip & Ring - AST-200**

The award winning **CableSaber™** is the ultimate tool for gaining mid-span access to armored or thick jacketed cables 4 to 28.6 mm (0.157" to 1.125") in diameter.



AST-200

Replacement Blades (Pack of 2): **AST-200RB**




**CableSaber+™ Armored Cable & Fiber Duct Slitter - AST-210**

The Jonard Tools **CableSaber+™** is the ultimate tool for gaining mid-span access to armored or thick jacketed cables 4 to 30.0 mm (0.157" to 1.181") in diameter.



AST-210

Replacement Blades (Pack of 2): **AST-210RB**



**RocketRibbon® Cable Shaving Tool, 12-22 mm - RRS-1222**

Designed to shave thick jacketed cable, such as Corning's armored and non-armored RocketRibbon® cable, this tool is perfect for making access windows on cables 0.47" to 0.87" (12 to 22 mm) in diameter.



RRS-1222

Replacement Blades (Pack of 5): **RRS-1222RB**



**Window Shaving Tool - WST-225**

Designed to shave a longitudinal access window in round FTTH riser cables and microducts for mid-span access. This riser slitting tool is perfect for making access windows on cables 8 to 14 mm (0.33" to 0.55") in diameter without damaging the fiber inside.



WST-225

Replacement Blades (Pack of 25): **RST-RB25**



**Mid Span Shaving Tool (1.0-3.3 mm) - MS-600**

The **MS-600** Mid Span Shaving Tool is designed to provide easy access to optical fibers in outer jackets and loose buffer tubes. With 6 precision grooves to handle various cable sizes, the sleek ergonomic design allows you to open a fiber jacket or buffer tube without damaging the fiber inside.



MS-600


Replacement Blade Set: **MS-600RB**



**Round Cable Strip & Ring Tools**


The **PATENTED** Round Cable Strip & Ring Tools are designed for fast and precise removal of cable jackets from round cables. Triple action design makes longitudinal cuts for end stripping, spiral cuts for end and mid span stripping, and circular cuts for jacket removal.

SPECS	CST-900	CST-1140	CST-1900	CST-4000
CUT TYPE	Slit, Ring	Slit, Ring	Slit, Ring	Slit, Ring
CABLE DIAMETER	3/16" - 1-1/8" (8 mm - 28 mm)	3/16" - 1-1/8" (4.5 mm - 29 mm)	3/16" - 1-1/8" (4.5 mm - 29 mm)	3/4" - 1-5/8" (19 mm - 40 mm)
QR CODE				



**Precision Fiber Optic Stripper (180-330 Micron) - ST-300**

Designed for precision fiber optic stripping, this tool is perfect for stripping the 180-330 micron acrylate coating to expose the 125 micron glass fiber of fiber optic cables.



**Precision Fiber Optic Stripper (600-1100 Micron) - ST-950**

Designed for precision fiber optic stripping, this tool is perfect for stripping the 600-1100 micron buffer coating to expose the 250 micron acrylate-coated glass fiber of fiber optic cables.



**Fiber Drop Cable Strippers**

Designed to strip FTTH drop cables, these drop cable strippers strip the outer jacket of drop cables and cuts the strength members to expose the fiber inside.

- Works on cables with FRP or steel strength members
- Removes the outer jacket without damaging or nicking the fiber
- Fiber support is scaled to help determine strip length



**FDS-216** - Strips FTTH drop cables sized 1.6 mm by 2.0 mm

**FDS-312** - Strips FTTH drop cables sized 3.1 mm by 2.0 mm




**Cable Slitting Pliers**

Designed with a spring-loaded ergonomic handle and ultra-sharp blades, these pliers are perfect for slitting open DAC cables and RPX® gel-free ribbon cables to access the fibers inside without damaging them. These cable slitting pliers also feature the following:

- Ultra-sharp blade slits through DAC and RPX® cable jackets with ease
- Blade is fixed to prevent damage to the internal fibers, with no adjustments needed
- Guide blocks hold the cable in place for accurate and precise cable slitting
- Spring-loaded ergonomic handles provide a comfortable grip and reduce hand fatigue
- Set screws on blade block makes it quick and easy to replace the blade

**Kits include:** Cable Slitting Pliers, Replacement Blades, Hard Carrying Case

SPECS	CSP-D5	CSP-D5K	CSP-D6	CSP-D6K	CSP-RPX
DESCRIPTION	Cable Slitting Pliers for DAC Cable, 5 mm	Cable Slitting Pliers Kit for DAC Cable, 5 mm	Cable Slitting Pliers for DAC Cable, 6 mm	Cable Slitting Pliers Kit for DAC Cable, 6 mm	Cable Slitting Pliers for RPX® Cable
CABLE TYPE	5 mm DAC	5 mm DAC	6 mm DAC	6 mm DAC	RPX®
REPLACEMENT BLADES	CSP-10RB	CSP-10RB	CSP-10RB	CSP-10RB	CSP-10RB
REPLACEMENT BLADE BLOCK SET	CSP-D5B		CSP-D6B		CSP-RPXB
QR CODE					



### Mid Span Slitters

These **PATENTED** tools are designed to open fiber jackets and loose buffer tubes to provide easy fiber access. The buffer tube slitting is done without damage to the fiber. Blades are replaceable.



Slitting Tools

Slit & Ring Tools

SPECS	MS-6	MS-6A	MS-26	MS-116	MS-166
<b>DESCRIPTION</b>	Mid Span Slitter (1.2 mm - 3.3 mm)	Mid Span Slitter for Air Blown Fiber (1.2 mm - 3.3 mm)	Large Mid Span Slitter (2.9 mm - 6.8 mm)	Mid Span Slitter for Stingray Cables (1.1 mm - 1.6 mm)	Mid Span Slitter for ABF Cables (0.90 mm - 1.5 mm)
<b>NO. OF PRECISION GROOVES</b>	6 (Slitting Only)	6 (Slitting Only)	5 (Slitting Only)	6 (Slitting Only)	5 (Slitting Only)
<b>GROOVE SIZES (MM)</b>	1.2-1.5, 1.5-1.8, 1.8-2.1, 2.1-2.5, 2.5-2.9, 2.9-3.3	1.2-1.5, 1.5-1.8, 1.8-2.1, 2.1-2.5, 2.5-2.9, 2.9-3.3	2.9-3.6, 3.6-4.4, 4.4-5.2, 5.2-6.0, 6.0-6.8	1.1-1.6	0.90, 1.05, 1.20, 1.30, 1.50
<b>REPLACEMENT CARTRIDGE</b>	<b>MSB-1533</b>	<b>MS-6ARB</b>	<b>MSB-2968</b>	<b>MS-116RB</b>	<b>MS-166RB</b>
<b>QR CODE</b>					

SPECS	MS-306	MS-316	MS-326	MS-336	MS-426
<b>DESCRIPTION</b>	Mid Span Slit & Ring Tool (1.2 mm - 3.3 mm)	Mid Span Slit & Ring Tool (2.9 mm - 6.8 mm)	Micro Duct Fiber Cable Slit & Ring Tool (5 mm - 10 mm)	Mid Span Slit & Ring Tool (7.9 mm - 11.0 mm)	Mid Span Slit & Ring Tool (5.8 mm - 12 mm)
<b>NO. OF PRECISION GROOVES</b>	12 (6 Slitting, 6 Ringing)	10 (5 Slitting, 5 Ringing)	10 (5 Slitting, 5 Ringing)	4 (2 Slitting, 2 Ringing)	8 (4 Slitting, 4 Ringing)
<b>GROOVE SIZES (MM)</b>	1.2-1.5, 1.5-1.8, 1.8-2.1, 2.1-2.5, 2.5-2.9, 2.9-3.3	2.9-3.6, 3.6-4.4, 4.4-5.2, 5.2-6.0, 6.0-6.8	5.0-5.6, 6.0-6.6, 7.2-7.8, 7.8-8.4, 9.4-10	7.9-8.2, 10.7-11.0	5.8-6.4, 7.8-8.4, 9.8-10.4, 11.2-12
<b>REPLACEMENT CARTRIDGE</b>	<b>MS-306RB</b>	<b>MS-316RB</b>	<b>MSB-5010</b>	<b>MS-336RB</b>	<b>MS-426RB</b>
<b>QR CODE</b>					

SPECS	MS-446	MS-526	MS-600	MS-836	MS-ROC
<b>DESCRIPTION</b>	Mid Span Slit & Ring Tool (8.7 mm - 14.6 mm)	Mid Span Slit & Ring Tool (10.2 mm - 18.2 mm)	Mid Span Shaving Tool (1.0 mm - 3.3 mm)	Mid Span Slit & Ring Tool for RocketRibbon® Cable (11.6 mm - 22.6 mm)	ROC Drop Cable Slitter, Fiber Access Tool (4.2 mm - 5.5 mm)
<b>NO. OF PRECISION GROOVES</b>	8 (4 Slitting, 4 Ringing)	8 (4 Slitting, 4 Ringing)	6 (Slitting Only)	8 (4 Slitting, 4 Ringing)	(2) Shave
<b>GROOVE SIZES (MM)</b>	8.7-9.1, 9.5-9.9, 11.8-12.2, 14.2-14.6	9.8-10.2, 11.8-12.2, 15.4-15.8, 17.8-18.2	1.0-1.4, 1.4-1.8, 1.8-2.1, 2.1-2.5, 2.5-2.9, 2.9-3.3	11.6-12.0, 14.5-14.9, 16.8-17.2, 22.2-22.6	4.2, 5.5
<b>REPLACEMENT CARTRIDGE</b>	<b>MS-446RB</b>	<b>MS-526RB</b>	<b>MS-600RB</b>	<b>MS-836RB</b>	<b>MS-ROCRB</b>
<b>QR CODE</b>					



**Fiber Slit & Ring Tool for EZ!Fuse™ SC & LC Splice On Connectors - EZSR-23**

The **EZSR-23** Fiber Slit & Ring Tool has been specially designed to prepare 2 mm and 3 mm fiber optic cables for connecting with Fitel EZ!Fuse™ SC & LC Splice On Connectors. This tool saves time and makes the connecting process extremely easy by having a ringing dial and slitting channel with preset lengths.



EZSR-23



**Cable Slit & Ring Tool - CSR-1575**

Designed to slit and ring fiber optic cables from 1.2 mm to 7.5 mm (0.05" to 0.3") in diameter, this cable slit and ring tool is perfect for slitting and ringing cables, buffer tubes, and jackets on fiber optic cables.



CSR-1575

Replacement Blade: **CSR-2**



**Compact Cable Slit & Ring Tools**

Designed to slit and ring fiber optic cables, these cable slit and ring tools are perfect for slitting and ringing cables, buffer tubes, and jackets on fiber optic cables.

- **CSR-125** For fiber optic cables from 0 to 0.125" in diameter
- **CSR-250** For fiber optic cables from 0.125" to 0.250" in diameter
- **CSR-316** For fiber optic cables from 0.1875" to 0.3125" in diameter



CSR-125



CSR-250



CSR-316

Replacement Blade Set for **CSR-125 & CSR-250**: **CSR-125RB**



**Slit & Ring Tools - JIC-4366 & JIC-4377**

The **JIC-4366** Cable Slit & Ring Tool and the **JIC-4377** Fiber Jacket Slit & Ring Tool are used as cable sheath and jacket slitters. Both tools have a ringing blade under the back handle and come with one spare ringing blade and one spare slitting blade.



JIC-4366

The **JIC-4377** has a shorter L-shaped steel guide along the slitting blade allowing you to slit the OFS Minicord EZ-Bend and other similar cables.



JIC-4377

Replacement Blades for Ring Cut (Pack of 6): **RB-2060/6**

Replacement Blades for Slit Cut (Pack of 6): **RB-2878/6**



**Riser Slitting Tool - RST-8514**

Designed to shave a longitudinal access window in round FTTH riser cables and microducts for mid-span access. This riser slitting tool is perfect for making access windows on cables 8 to 14 mm (0.33" to 0.55") in diameter without damaging the fiber inside.



RST-8514

Replacement Blades (Pack of 25): **RST-RB25**



**Fiber Optic Drop Cable Slitter - FOD-2000**

The Jonard Tools **PATENTED** and award-winning **FOD-2000** Fiber Optic Drop Cable Slitter simplifies the slitting of drop cable jackets at mid span or end sections and is perfect for FTTH technicians working with flat fiber drop cables



FOD-2000

Replacement Blades (Pack of 25): **FOD-RB25**



**Fiber Optic Round Cable Slitter - FOR-3000**

The Jonard Tools **FOR-3000** Round Cable Slitter is designed to easily and safely open round fiber optic cable jackets from 9 mm to 19 mm in diameter. It is ideal for any FTTH or maintenance technician that needs to work with round fiber optic cables, whether mid span or end-run.



FOR-3000

Replacement Blade: **FOR-3000RB1**



**Flat Drop Toner Wire Slitter - WTS-1**

Designed to slit the toner wire and webbing off flat drop fiber cables, this toner wire slitter precisely separates the copper toner wire from flat drop cables to make cable preparation quick and easy.



WTS-1

Replacement Blade (Pack of 12): **WTS-1RB/12**



**Flat Drop Toner Wire Slitter, Mini LT Flat Drop Cables - WTS-312**

Designed to slit the toner wire and webbing off flat drop fiber cables, this toner wire slitter precisely separates the copper toner wire from flat drop cables to make cable preparation quick and easy.



WTS-312

Replacement Blade (Pack of 12): **WTS-312RB/12**



**Ratcheting Duct and Cable Slitters**

These ratcheting cable slitters are designed to dismantle heavy-duty cables. The **RCS-25** and **RCS-30** both slit and ring round cables greater than 1" (25 mm) in diameter, and the **RCS-30** can also be used to make window cuts in ducts up to 5 mm thick.

SPECS	RCS-25	RCS-30
CUT TYPE	Slit & Ring	Window, Slit & Ring
APPLICATION	Cables	Cables & Ducts
REPLACEMENT BLADES	RCS-25RB	RCS-30RB
QR CODE		



**Submariner Cable & Large Duct Slitter - RCS-50**

Designed to open the toughest heavy-duty cable and duct jackets, this Cable & Large Duct Slitter is perfect for performing radial and longitudinal cuts on submariner cables, large fiber ducts, or large count telephone cables.

Includes the **H-20** rugged carrying case.



RCS-50




**Buffer Tube Ringer (up to 6 mm) - BTR-6**

The Jonard Tools **BTR-6** Buffer Tube Ring tool provides quick access to fibers inside buffer tubes up to 6 mm in diameter and will work with buffer tubes with wall thicknesses up to 1 mm. The tool is light and durable with a hardened steel blade for long life and includes a hole for tethering.



BTR-6



**Buffer Tube Binder Ripper Tool, Pack of 10 - BRT-100**

Designed to cut through the water blocking binders of buffer tube bundles or other thin ropes and strings, this binder ripper is a must-have tool for any fiber optic cable technician. This binding ripper features the following:

- Long handle for ergonomic grip while cutting through binders
- Super sharp blade cuts through water blocking binders with ease
- Included safety cap prevents accidental damage while stored



BRT-100



**Rollable Ribbon Fiber Separator - RFS-100**

Designed for use on Rollable or Spyder type ribbon fiber optic cables, this tool is perfect for separating the matrix of fibers in ribbon fiber optic cables quickly and easily.

- Can be used on Rollable or Spyder type ribbon fiber optic cable that contain up to 24 optical fibers each
- Coil spring applies pressure, keeping the fibers safe while being separated



RFS-100



**Crimper w/ Fiber Optic Die - UC-8039**

Designed for use with FC, ST, SC, LC, SMA, and MT-RJ connectors, this crimper is the perfect tool for crimping fiber optic connector collars.

**Kit includes:**  
Universal Crimper Without Die  
**UC-8000**



Fiber Optic Crimping Die  
**UCD-2685**



UC-8039




**Microduct Sheath Slitting Tool - MDS-200**

Designed with slim safety heads and high carbon steel blades, this microduct sheath slitter is perfect for slitting the sheaths off microduct bundles to access the microducts inside.

- Unique slim head design gets in between microducts easily while preventing accidental nicks and cuts
- High carbon steel blade slices through microduct sheaths with ease



MDS-200



**Microduct Scoring Tools, 5-16 mm**

The Jonard Tools Microduct Scoring Tools are perfect for scoring and ringing fiber optic microducts without damaging the fibers inside.

- **FS-1080** For scoring & ringing 10/8 and 12/10 fiber optic microducts (1.0 mm - 1.3 mm thick ducts)  
Replacement Blade Cartridge: **FS-1080RB**
- **FS-1416** For scoring & ringing 14/10 and 16/10 fiber optic microducts (1.3 mm - 3.0 mm thick ducts)  
Replacement Blade Cartridge: **FS-1416RB**
- **FS-2025** For scoring & ringing 14/10 and 16/10 fiber optic microducts (2.0 mm - 2.5 mm thick ducts)  
Replacement Blade Cartridge: **FS-2025RB**



FS-1080



FS-1416



FS-2025



**Rapid Microduct Deburring Tool - DB-5**

Designed to deburr the insides of microduct tubes, this rapid microduct deburring tool is perfect for preparing the inside of fiber optic microduct tubes for termination.

- S-shaped blade cleanly deburrs the edges and insides of microduct tubes

Replacement Blades (Pack of 5): **DB-5RB**



DB-5



**360° Rotary Duct & Tube Cutters**

Designed to ring large HDPE or other similar fiber optic ducts, these rotary duct and tube cutters are perfect for making circular cuts in large fiber ducts without damaging the fiber inside.

SPECS	RTC-2640	RTC-3652
DUCT DIAMETER	1" - 1.5" (26 mm - 40 mm)	1.4" - 2" (36 mm - 52 mm)
CUTTING DEPTH	0.157" (4 mm)	0.181" (4.6 mm)
REPLACEMENT BLADES	RTC-2640RB	RTC-3652RB
QR CODE		



**Tube Cutter 1/4" - 3" (6.3-76 mm) - TC-300**

Designed to perform radial cuts on 1/4" to 3" (6.3-76 mm) copper, brass, aluminum and plastic tubes, this tube cutter is perfect for cutting open fiber optic ducts and other tubes without damaging anything inside them.



Replacement Blade: **TC-300RB**



**Microduct Tube Cutter - MDC-14**

Designed to cut microducts cleanly and straight, this microduct cutter is perfect for cutting most microducts including tubing made from PVC, Nylon, PE & MDPE, and other materials up to 14 mm (9/16") in diameter.



**Microduct Cutter - MDC-28**

Designed to create quick, clean, and straight cuts in fiber ducts up to 28 mm, this duct cutter is perfect for cutting PVC, CPVC, HDPE, and other plastic tubing.



Replacement Blade: **MDC-28RB**



**Microduct Cutting Tool - MDC-34**

Designed to create quick, clean, and straight cuts in fiber ducts up to 34 mm (1-3/8") in diameter, this duct cutter is perfect for cutting PVC, CPVC, HDPE, and other plastic tubing.



- Slim head design to access to microducts in tight spaces
- Triangular blade provides square and straight cuts by holding the tubing in place
- Spring-loaded jaws make it quick and easy to use
- Carbon steel blade with black oxide finish is durable and easily replaceable
- Safety lock keeps tool close when not in use
- Molded ribbed grips for added comfort and grip

Replacement Blade: **MDC-34RB**



**Large Fiber Duct Cutter - MDC-64**

Designed to cut large fiber ducts up to 64 mm (2.52") in diameter, this fiber duct cutter is perfect for cutting PVC, CPVC, PE, HDPE, PEX, and other nonmetallic tubing. Length: 9.5" (241.3 mm)



Replacement Blade: **MDC-64RB**

**Large Fiber Duct Cutter w/ Extra Long Handles - MDC-125**

Built for larger jobs, this cutter handles fiber ducts up to 64 mm (2.52") in diameter with ease. The extra-long handles provide added leverage for cutting through tough PVC, CPVC, PE, HDPE, PEX, and other nonmetallic tubing. For smaller ducts, see our **MDC-64**. Length: 12.5" (31.75 cm)



### Microduct Slit & Ring Tools

All of our MS Series Mid Span tools are **PATENTED** for their unique design and functionality. These microduct slit and ring tools are designed to provide easy access to optical fibers in microducts, and are perfect for opening ducts without damaging the fibers or microducts inside.



SPECS	MS-D7	MS-D10	MS-D12
DESCRIPTION	Mid Span Slit & Ring Tool (7 mm)	Mid Span Slit & Ring Tool (10 mm)	Mid Span Slit & Ring Tool (12 mm)
CUT TYPE	Slit & Ring	Slit & Ring	Slit & Ring
NO. OF CARTRIDGES	1	1	1
DUCT THICKNESS	3 mm	2 mm	2 mm
DUCT DIAMETER	7 mm	10 mm	12 mm
REPLACEMENT CARTRIDGE	<b>MS-D7RB</b>	<b>MS-D10RB</b>	<b>MS-D12RB</b>
QR CODE			

### Replacement Cartridges for Microduct Slit & Ring Tools

These precision products are replacement cartridges for the CSHP Cable Shaving Pliers and are made from a lightweight and durable aluminum material for ease of use and long life.



Replacement Blades for MS-D7, MS-D10, MS-D12 and MS-D3K

Replacement Blades for MS-DS720, MS-D1016, MS-D1214 and MS-DS3K

SPECS	MS-D7RB	MS-D10RB	MS-D12RB	MS-DS720RB	MS-DS1016RB	MS-DS1214RB
CUT TYPE	Slit & Ring	Slit & Ring	Slit & Ring	Slit	Slit	Slit
DUCT THICKNESS	3 mm	2 mm	2 mm	0.75 - 1.5 mm; 2.0 - 2.5 mm	1 - 2 mm; 1.5 - 2.0 mm	1.1 - 2 mm; 1.3 - 2.0 mm
DUCT DIAMETER	7 mm	10 mm	12 mm	7 mm; 20 mm	10 mm; 16 mm	12 mm; 14 mm
QR CODE						

**Microduct Slit and Ring Tool Kit, 7-12 mm - MS-D3K**

Designed to provide easy access to optical fibers in 7, 10 and, 12 mm microducts, this Microduct Slit and Ring Tool Kit is perfect for opening ducts without damaging the fibers or microducts inside.



MS-D3K

- Compact design weighing less than 6 oz with included tethering hole makes it perfect to use in tight spaces or on the go
- Magnetic cartridges can be swapped out easily
- Indicator line on top of the unit indicates the position of the blade for accurate slitting and ringing
- Blades last up to 5,000 slits/cuts
- Comes packaged in a hard plastic case for organized and compact storage

**Kit includes:**

Microduct Slitting Tool, **MS-D7RB**, **MS-D10RB**, **MS-D12RB**

**Microduct Slitting Tool Kit, 7-20 mm - MS-DS3K**

Designed to provide easy access to optical fibers in 7, 10, 12, 14, 16, and 20 mm diameter microducts, this Microduct Slitting Tool Kit is perfect for opening ducts without damaging the fibers or microducts inside. This kit also features the following:



MS-DS3K

- Compact design weighing less than 6 oz with included tethering hole makes it perfect to use in tight spaces or on the go
- Magnetic cartridges can be swapped out easily
- Indicator line on top of the unit indicates the position of the blade for accurate slitting and ringing
- Blades last up to 5,000 slits/cuts
- Comes packaged in a hard plastic case for organized and compact storage

**Kit includes:**

Microduct Slitting Tool, **MS-DS720RB**, **MS-DS1016RB**, **MS-DS1214RB**



# YOUR COMPLETE FIBER OPTIC SOLUTION



**FPM-50S** Mini Optical Power Meter    
 **OTDR-1000** Multi-Function OTDR    
 **OTDR-1500** Professional Multi-Function OTDR    
 **WFM-100** Wireless Fiber Inspection Microscope    
 **FPM-50A** Fiber Optic Power Meter    
 **VFL-300** Rugged Visual Fault Locator    
 **OFI-100** Optical Fiber Identifier

**Every Fiber Tool. Every Fiber Test. All From Jonard.**



## Multi-Function OTDRs

The perfect all-in-one handheld devices for evaluating FTTx and access network construction.




## Optical Power Meters

Measures power using a variety of wavelengths. Perfect for Fiber Technicians and Engineers.



## Inspection Microscopes

Offer clear high-resolution images of fiber optic connectors in real time using smart devices.



**Duct Reformatting Tool, 3.5-16 mm - DRT-316**

Designed to restore the shape of microducts after cutting, this tool ensures a clean, round end for smooth, reliable coupling connections.



- Reforms microducts with inside diameters of 3.5, 4.0, 5.5, 6.0, 8.0, 10.0, 11.4, 12.0, 15.0, and 16.0 mm
- Individual steps with chamfered edges allow easy insertion into microducts with minimal force
- Comfort grip handle provides ergonomic control
- Integrated sharp blade cuts through water-blocking binders with ease
- Included safety cap protects the blade during storage




**Cable Shaving Plier Kit for Buffer Tubes - CSHP-1123K**

Designed for fast and efficient dismantling of buffer tubes, these cable shaving pliers are the perfect tool for performing midspan or endspan shaves for buffer tubes from 1.1 mm - 2.3 mm in diameter.



- Ultra-sharp blade shaves open Corning, Hexatronic, Air Blown, and other buffer tubes to access the fibers inside with ease
- Blades are fixed to prevent damage to internal fibers, no adjustments needed
- Blade cartridges hold the cable in place for accurate and precise microduct shaving
- Spring-loaded ergonomic handles provide a comfortable grip
- Set screws on blade block makes it quick and easy to replace the blade
- Replacement Blades **CSHP-1RB** and Replacement Cartridges **CSHP-11C-23C** sold separately

**Kit includes:** Cable Shaving Pliers, 1.1 mm - 2.3 mm Blade Cartridges, and (2) Replacement Blades in a Hard Carrying Case




**Replacement Blades for Cable Shaving Pliers - CSHP-1RB**

Replacement blades for the CSHP Cable Shaving Pliers (Pack of 5).



- Ultra-sharp blade shaves cables with ease
- Blade is fixed to prevent damage to the internal fibers, no adjustments needed
- Cable Shaving Plier Kit **CSHP-1123K** and Replacement Cartridges **CSHP-11C-23C** sold separately



**Replacement Cartridges for Cable Shaving Pliers**

These precision products are replacement cartridges for the CSHP Cable Shaving Pliers.

- Precision cartridges hold buffer tubes 1.1 - 2.3 mm in diameter
- Made from a lightweight and durable aluminum material for ease of use and long life

SPECS	CSHP-11C	CSHP-13C	CSHP-14C	CSHP-15C	CSHP-16C	CSHP-17C	CSHP-18C	CSHP-20C	CSHP-23C
TUBE DIAMETER	1.1 mm	1.3 mm	1.4 mm	1.5 mm	1.6 mm	1.7 mm	1.8 mm	2.0 mm	2.3 mm
QR CODE									

### Fiber Optic Duct Kits

Featuring our most popular slitting, ringing, and cutting tools, these Fiber Duct Kits provide a large range of tools needed to access ducts to repair or replace fiber optic cable.



TK-260



TK-268

JONARD P/N	DESCRIPTION	TK-260	TK-268
		Fiber Duct Kit	Duct Kit
DB-5	Rapid Microduct Deburring Tool		X
FL-2000	LED Flashlight w/ Zoom Lens		X
FS-1080	Thin-walled Microduct Scoring Tool, 5-16 mm		X
FS-1416	Thick-walled Microduct Scoring Tool, 5-16 mm	X	X
H-90	Rugged 21 Pocket Tool Case	X	X
JIC-2288	High Leverage Diagonal Cutting Pliers, 8"		X
KN-200INS	Insulated Cable & Duct Sheathing Knife		X
MDC-14	Microduct Tube Cutter	X	X
MDC-28	Microduct Cutter	X	X
MDC-64	Large Fiber Duct Cutter	X	X
MDS-200	Microduct Sheath Slitting Tool		X
RCS-30	Ratcheting Duct and Cable Slitter	X	X
SD-41	4-in-1 Multi-bit Pocket Precision Screwdriver		X
SD-61	6-in-1 Multi-bit Screwdriver w/ Phillips and Slotted Bits		X
TC-300	Tube Cutter 1/4" - 3" (6.3 mm - 76 mm)	X	
QR CODE			





**Wire & Kevlar® Cutting Shears - JIC-186**

The Jonard Tools **JIC-186** Wire and Kevlar® Cutting Shears are designed to cut Kevlar®, cabling insulation, tape, cable ties, and other materials with ease. These cutting shears feature the following:

- High carbon stainless steel blades are heat-treated to HRC 58-60 for longer life and durability



JIC-186




**Multi-function Kevlar® & Wire Cutting Shears, 7" - KWC-700**

Designed with serrated blades, large cutting notch, non-insulated terminal crimpers, and spring-loaded handles the Jonard Tools **KWC-700** Multi-function Kevlar® & Wire Cutting Shears are the ultimate scissors for any fiber technician or electrician. These cutting shears feature the following:

- Blades made from 4034 Japanese stainless steel for the best cutting performance and long life
- Curved handle design with spring-loaded handles greatly reduce hand and wrist fatigue
- Serrated blade edge grips Kevlar® and other delicate materials firmly while cutting



KWC-700



**Flush Cut Kevlar® Cutters - JIC-190**

The Jonard Tools **JIC-190** Flush Cut Kevlar® Cutters are designed to cut Kevlar®, cabling insulation, tape, cable ties, and other materials flush to the surface.

- Spring-loaded TPR (thermoplastic rubber) handles return to the open position for enhanced ergonomics and reduced hand fatigue



JIC-190



**Insulated Cable & Duct Sheathing Knife - KN-200INS**

Designed with a curved blade and insulated handle, this cable sheathing knife is the perfect tool for slitting or cutting the sheathing off cables without damaging the conductor insulation inside.

- Ultra sharp, dual-sided blade can cut cable or duct jacket sheath from either side by pushing or pulling the tool through the cable



KN-200INS




**Insulated Cable Dismantling Knife w/ Blade Guard - KN-300INS**

Designed with a blade guard and replaceable straight blade, this insulated cable knife is perfect for cutting around jacketed cables without the risk of accidental cuts and nicks.

Replacement Blades (Pack of 4): **KN-4RB**



KN-300INS



**Fiber Optic Scribe - FS-616**

Designed with a 35° beveled edge and 6 mm wide carbide blade, this fiber optic scribe is the perfect tool for scribing optical fiber.

- Durable anodized aluminum housing provides a comfortable and durable grip
- Ideal for “scratch & pull” technique of scribing fiber



FS-616



**Fiber Cleaver - FC-220**

Designed to cleave either 900 µm buffered or 250 µm coated fiber, this fiber cleaver’s quick and easy three step operation is perfectly suited for mechanical splicing and quick field termination of fiber connectors.

Replacement Carbide Steel Blade: **FC-4**; Replacement Leaf Spring: **FC-65**



FC-220



**Precision Fiber Optic Cleaver - FC-500**

The Jonard Tools **FC-500** Precision Fiber Cleaver is designed to provide a precise cleave and prepare a fiber to be fusion spliced for 250 µm and 900 µm coated optical fiber.

Replacement Blade: **FC-500RB**



FC-500



**One Step Fiber Optic Cleaver w/ Auto-Rotating Blade - FC-600**

The Jonard Tools **FC-600** Precision Fiber Cleaver is designed to provide a precise, one step cleave to prepare fiber to be fusion spliced. The one step design automatically cleaves the fiber, rotates the blade, and collects fiber scraps.

Replacement Blade: **FC-600RB**



FC-600



**Fiber Connector Tools**

The **FCT-100** and **FCT-200** fiber connector tools are perfect for inserting and extracting fiber connectors in high-density patch panels. The unique jaws of the tools were specially designed to easily navigate tight spaces and grasp connectors firmly without damaging them or touching any surrounding connectors.

SPECS	FCT-100	FCT-200
<b>CONNECTOR TYPE</b>	LC, SC-Simplex, SC-Duplex, MU, MT-RJ	LC Simplex, SC Simplex, MU
<b>QR CODE</b>		



**V-Groove Cleaning Brush, Metal & Nylon - VGB-100**

Designed to clean the built-up acrylate coating in fusion splicer v-grooves, this double-ended brush is the perfect tool to clean and maintain fusion splicers. This brush also features the following:

- Angled stainless steel bristles on one side of the brush scrape any hard-to-clean debris out of v-grooves
- Nylon bristles on the other side of the brush gently push debris out of the way



**Safety Glasses - SG-5**

Jonard Tools' Safety Glasses are designed for working safely with glass fiber or where eye protection is needed. These glasses also feature the following:

- Anti-fogging design allows the lenses to breathe, preventing fog build up
- Soft plastic nose pieces prevent glasses from slipping



**Fiber Optic Tweezers, 5" - FTW-5**

Jonard Tools' Fiber Optic Tweezers are designed to handle electrical wire, fiber optic cable, and small electronic components without damaging them. These tweezers feature the following:

- Fine point tip with rounded edges for handling delicate components or fiber optic cable



**Fiber Optic Eyeloop, X3, X6, X9 Magnification - EYE-369**

Designed to magnify optical fibers and other tiny objects, this eyeloop is perfect for any fiber technician.

- Magnification can be set to X3, X6, or X9 levels, perfect for inspecting v-grooves of fusion splicers or fiber end faces



**Fiber Optic Work Mat, 22" x 14" - FWM-2214**

Jonard Tools' Fiber Optic Work Mat is designed to increase the visibility of fiber scraps while providing a work space for fiber maintenance. This work mat also features the following:

- Made from a dual-sided black vinyl material which sticks to smooth surfaces on one side, while providing a comfortable work space on the other



**Fiber Optic Safety Kit - FSK-5**

Featuring our latest and greatest fiber optic safety equipment, this Fiber Safety Kit provides the essential gear needed to safely prepare or repair fiber optic cables.

**Includes:**

- **FDC-66** Fiber Scraps Disposal Can
- **FTW-5** Fiber Optic Tweezers, 5"
- **FW-5** Fiber Wipes, Wet (Pack of 5)
- **FWM-2214** Fiber Optic Polishing Work Mat, 22" x 14"
- **SG-5** Safety Glasses
- **H-22** Rugged Carrying Case with Straps



### Fiber Optic Power Meters

Jonard Tools manufactures a large range of fiber optic testers specifically designed for the fiber optics industry. Various adapter options are available to test all types of fiber connectors.



SPECS	FPM-50A	FPM-50S	FPM-55	FPM-70
<b>DESCRIPTION</b>	Fiber Optic Power Meter	Mini Optical Power Meter, (-50 to +26 dBm)	Fiber Optic Power Meter with Data Storage	Fiber Optic Power Meter
<b>NETWORK TYPES</b>	PC/UPC/APC	APC/PC/UPC	APC/PC/UPC	APC/PC/UPC
<b>CONNECTOR TYPES</b>	FC, SC, LC	FC (APC/PC/UPC) & LC (PC/UPC)	FC, SC, LC	FC, SC, LC
<b>WAVELENGTHS (NM)</b>	850, 980, 1300, 1310, 1490, 1550, 1625, 1650	850, 980, 1300, 1310, 1490, 1550, 1625, 1650	850, 980, 1300, 1310, 1490, 1550, 1625, 1650	850, 980, 1300, 1310, 1490, 1550, 1625, 1650
<b>DETECTOR TYPE</b>	InGaAs	InGaAs	InGaAs	InGaAs
<b>MEASUREMENT RANGE</b>	-50 dBm to +26 dBm	-50 dBm to +26 dBm	-50 dBm to +26 dBm	-70 dBm to +6 dBm
<b>QR CODE</b>				



### Fiber Optic Passive Optical Power Meters

Jonard Tools makes fiber optic test equipment for many applications. Various adapter options are available to test all types of fiber connectors.



PON-50



PON-55



XGS-1577

SPECS	PON-50	PON-55	XGS-1577
DESCRIPTION	Passive Optical Network Power Meter	Passive Optical Network Power Meter	Passive Optical Network Power Meter
NETWORK TYPES	BPON/EPON/GPON	BPON/EPON/GPON, APC	XGSPON/XGPON/BPON/EPON/GPON
CONNECTOR TYPES	FC/SC	FC/SC (APC)	SC/APC, FC/APC
WAVELENGTHS (NM)	1310, 1490, 1550	1310, 1490, 1550	Upstream: 1270, 1310; Downstream: 1490, 1550, 1577
DETECTOR TYPE	InGaAs	InGaAs	InGaAs
MEASUREMENT RANGE	-35 dBm to +10 dBm at 1310 nm/ 1490 nm, -35 dBm to +20 dBm at 1550 nm	-40 dBm to +10 dBm	Upstream: +13 ~ -50 dBm at 1490 nm, +25 ~ -50 dBm at 1550 nm, +10 ~ -50 dBm at 1577 nm; Downstream: +13 ~ -40 dBm at 1270/1310 nm
QR CODE			



### Fiber Optic Light Sources

Jonard Tools makes fiber optic test equipment for many applications. Various adapter options are available to test all types of fiber connectors.



FLS-50



FLS-50S



FLS-55

SPECS	FLS-50	FLS-50S	FLS-55
DESCRIPTION	Optical Light Source	Mini Optical Light Source	Multimode & Singlemode Fiber Optic Light Source
NETWORKTYPES	PC/UPC	PC/UPC	PC/UPC
CONNECTOR TYPES	LC, FC/SC	SC/UPC, FC/UPC, LC/UPC	LC, FC/SC
WAVELENGTHS (NM)	1310, 1550	1310, 1550	850, 1300, 1310, 1550
QR CODE			





**Fiber Power Meter w/ Data Storage & SM/MM Optical Light Source Kit - FPL-5050**



This tool kit provides everything you need to measure power and provide a stable light source for fiber optic cable testing.

**Kit includes:**

- **FPM-50A - Fiber Optic Power Meter** to measure wavelengths from 800-1650 nm, with a mere 0.01dB resolution
- **FLS-50 - Fiber Optic Light Source** to provide either 1310 nm or 1550 nm wavelengths for a stable light source for singlemode fiber measurements
- **H-22 Rugged Carrying Case w/ Straps**
- (3) AA Batteries each (required for operation)
- (2) Cleaning Swabs each
- FC Adapter, LC Adapter, and SC Adapters
- Instruction Manuals



**Fiber Power Meter & Optical Light Source Kit (-50 to +26 dBm, Singlemode) - FPL-5555**



This tool kit provides everything you need to measure power and provide a stable light source for fiber optic cable testing.

**Kit includes:**

- **FPM-55 - Fiber Optic Power Meter** for measuring wavelengths from 800-1650 nm, with a mere 0.01dB resolution
- **FLS-55 - Fiber Optic Light Source** for providing a stable light source at 850/1300 nm for multimode or 1310/1550 nm wavelengths singlemode fiber measurements
- **H-22 Rugged Carrying Case w/ Straps**
- (3) AA Batteries each (required for operation)
- (2) Cleaning Swabs each
- FC Adapter, LC Adapter, and SC Adapters
- Instruction Manuals

**Replacement Adapters for Optical Light Sources and Fiber Optic Power Meters**

Compatible with our FLS Series Optical Light Sources, FPM Series Optical Power Meters and PON Series Passive Optical Power Meters.



CONNECTOR TYPE	FC/UPC	SC/UPC	ST/UPC	FC/APC	SC/APC	LC/APC
FLS SERIES		X				X
FPM SERIES	X	X	X			X
PON-50 SERIES	X	X				X
PON-55 SERIES				X	X	X
OTDR SERIES			X			X



**FTTH Prep Kit w/ Power Meter - TK-185 & TK-185PON**

These FTTH Prep Kits with Power Meter offer cleaning and preparation products for use on 1.25 mm and 2.5 mm connector end-faces and bulkhead adapters. **TK-185** includes **FPM-50A** and **TK-185PON** includes **PON-50**.

**Each kit includes:**

- **DW-90** Dry Wipes for Cleaning Fiber
- **FC-500** Precision Fiber Cleaver
- **FCC-250** Fiber Connector Cleaner, 2.5 mm
- **FDC-66** Fiber Scraps Disposal Can
- **FDS-312** Fiber Drop Cable Stripper
- **JIC-186** Wire & Kevlar® Cutting Shears
- **JIC-375** Fiber Optic Stripper, Three Hole
- **H-22** Rugged Carrying Case with Straps
- **VFL-150** Visual Fault Locator Kit



**Optical Fiber Identifier - OFI-50**

Designed to quickly identify the direction of transmitted fiber and display the relative core power without damaging the fiber, this fiber identifier is the perfect tool for identifying fiber in network systems without disrupting the network.

- Easy-to-use one key operation
- The display shows you the relative core power clearly
- Durable metal housing provides long life and durability
- LED indicator lets you know when the battery is running low

**Kit includes:** Fiber Identifier, 3 mm, 2 mm, 900 nm (0.90 mm), and 250 nm (0.25 mm) Adapters, Sunshade, (1) 9V Battery, and Carrying Pouch



**Advanced Optical Fiber Identifier w/ Power Meter & VFL - OFI-100**

Designed to quickly identify the direction of light being transmitted in the fiber and display the relative core power without damaging the fiber. This fiber identifier is the perfect tool for identifying fiber in network systems without disrupting the network and includes a built-in VFL and Power Meter for convenience.

- LCD clearly displays the relative core power, signal direction, and battery life
- Protective rubber sleeve prevents damage from accidental drops



**Visual Fault Locator Kits**

Works on FC, SC, ST connectors and will work on LC connectors when used with the included adapter. Distance up to 5 km (3.1 miles).

**VFL-150 Includes:**

- **VFL-25** Visual Fault Locator
- **VFL-25125** FC to LC Adapter
- (2) AAA Batteries and Case

**VFL-300 Includes:**

- **VFL-300** Visual Fault Locator
- **VFL-25125** FC to LC Adapter
- (2) AA Batteries and Carrying Pouch





### Thermal Strippers

Designed to thermomechanically remove coatings from optical fibers, these Thermal Strippers are perfect for stripping extremely difficult or baked-on coatings with ease. These thermal strippers also features the following:

- Adjustable heater up to 200° C, with the ability to remove some fluoroacrylate undercoatings using high temperature
- Adjustable temperature and time settings allow it to adapt to a wide range of acrylate coatings and cladding sizes

#### TSAB-40 - Thermal Stripper, Adjustable Blade

Supports optical fibers with cladding diameters from 30 µm to 1000 µm, with buffer diameters up to 1200 µm, including 250 µm, 400 µm, and 900 µm coated fibers



TSAB-40

#### TSFB-125 - Thermal Stripper, Fixed Blade

Supports optical fibers with cladding diameter of 125 µm, with buffer diameters from 250 µm to 900 µm, including 250 µm, 400 µm, and 900 µm coated fibers




TSFB-125



### Thermal Stripper Platform & Universal Clamp

For Fitel, Fujikura and Ericsson fiber holders use the corresponding platforms. For LDF and all others without fiber holders use the Jonard Tools Universal Clamp.




SPECS	TSPF-125	TSUC-40
DESCRIPTION	Platform for Thermal Stripper Holders, Fitel/Fujikura	Universal Clamp for Thermal Strippers
QR CODE		

### TFS-100 - Thermal Stripper, Ribbon or Simplex Fiber

The Jonard Tools **TFS-100** portable wireless thermal stripper is designed to strip the jacket off single fiber and up to 12-strand ribbon fiber cable. With an outstanding heating time of 4 seconds, and a rugged aluminum housing, this is the perfect thermal stripper for on-the-go use



TFS-100



# SPARC™ FIRE FUSION SPLICERS

## PRECISION MEETS SPEED



### SPARC™ FIRE Fusion Splicers: Precision, Speed and Savings




**LEARN  
MORE**

Engineered for fast splice times and low splice loss, SPARC™ FIRE Fusion Splicers deliver exceptional results with every fiber connection. Designed to save time and reduce waste, these reliable tools ensure accurate, efficient splices whether core or clad aligned, in single or ribbon fiber optical cables. Compact and easy to use, they're the perfect choice for professionals aiming to boost productivity and profitability.

# THREE POWERFUL SPLICING SOLUTIONS

**PERFECT FOR:**

**FTTX INSTALLATIONS, LAN, BACKBONE NETWORKS,  
DATA CENTERS, AND MORE**



**ACTIVE CLAD & CORE  
ALIGNMENT TECHNOLOGY**



**ALL-IN-ONE SPLICING KIT  
FREE TOOLS INCLUDED**



**400+ SPLICE/HEAT CYCLES  
PER FULL BATTERY**



**5" HIGH DEFINITION  
TOUCHSCREEN DISPLAY**



**28% Faster**

**4 SECOND CYCLES**



**BUILT-IN HEATER  
(9s SHRINK TIME)**



**INDUSTRY LEADING**



**DEDICATED SPLICER  
SUPPORT TEAM**

### SPARC™ Fire Fusion Splicers


The Jonard Tools Sparc™ Fusion Splicers ensure impeccable fiber splicing precision, reliability, and efficiency. Engineered for fiber optic professionals, they combine rapid splicing times with cutting-edge features, offering a seamless and dependable splicing experience even in challenging environments. They also offer higher visibility in dark settings, intuitive full touch screens for an enhanced user experience and on-board memory, all housed in a water-resistant rugged design.


**SPC0-1**

**SPCL-1**

**SPRI-1**

SPECS	SPC0-1	SPCL-1	SPRI-1
<b>ALIGNMENT METHOD</b>	Core Alignment	Active V-Groove Clad Alignment	Core Alignment
<b>NUMBER OF FIBERS</b>	Single	Single	Up to 12
<b>TYPICAL SPLICE LOSS</b>	SM: 0.01dB / MM: 0.01dB / DS: 0.03dB / NZDS: 0.03dB / G.657: 0.0dB	SM: 0.03dB / MM: 0.01dB / DS: 0.05dB / NZDS: 0.05dB / G.657: 0.03dB	SM: 0.01dB / MM: 0.01dB / OS: 0.03dB / NZDS: 0.03dB / G.657: 0.01dB
<b>SPLICE TIME</b>	Quick Mode: Avg. 4 sec. / SM Mode: Avg. 5 sec / Auto Mode: Avg. 7 sec	Quick Mode: Avg. 4 sec / SM Mode: Avg. 5 sec	Quick Mode: Avg. 4 sec / SM Mode: Avg. 5 sec / Auto Mode: Avg. 7 sec
<b>SPLICE PROGRAMS</b>	Max 128 modes	Max 128 modes	Max 100 modes
<b>HEATING TIME</b>	Quick: 9s / Average: 13s	Quick: 9s / Average: 13s	Quick: 9s / Average: 13s
<b>PROTECTION SLEEVE</b>	20 mm - 60 mm	20 mm - 60 mm	20 mm - 60 mm
<b>SPLICE MEMORY</b>	20,000 Data / 10,000 Images	20,000 Data / 10,000 Images	5,000 Results
<b>BATTERY CAPACITY</b>	7000mAh / Operation Cycle: 400+ Cycles (Splicing + Heating)	7000mAh / Operation Cycle: 400+ Cycles (Splicing + Heating)	9000mAh / Operation Cycle: 220 cCycles (Splicing + Heating)
<b>POWER SUPPLY</b>	AC Input 100 - 240V, DC Input 9 - 19V	AC Input 100 - 240V, DC Input 9 - 19V	AC Input 100 - 240V, DC Input 9 - 19V
<b>MAGNIFICATION</b>	x360, x520	x360, x520	x360, x520
<b>MOTORS</b>	6	4	6
<b>DIMENSIONS (DxWxH)</b>	6.5" x 6.2" x 6"	6.5" x 6.2" x 6"	6.8" x 6.5" x 6.5"
<b>WEIGHT</b>	5.2 lbs.	5.2 lbs.	6 lbs.
<b>QR CODE</b>			





**SPARC™ Fire Fusion Splicer Accessories**

Each Sparc™ Fusion Splicer comes with additional accessories and complimentary tools to help ensure precision and efficiency. Scan to view the full line of model-specific accessories.



**Each SPARC™ Fusion Splicer includes:**

- CWP-125** Cotton Swabs, Pack of 12
- FC-SC** Cleaver Set Screw
- FSP-SC** Splicer Set Screw
- FDC-66** Fiber Scraps Disposal Can
- FSP-ADP-65JH** SPARC™ AC Adapter
- FSP-ADP-PC** SPARC™ Power Cable
- FSP-DC** Data Transfer USB Cable
- FSP-FT** Fiber Tray
- FSP-FTP** Fiber Tray Shoulder Strap
- FSP-SFH** Splicing Fiber Holder (x2)
- FSP-SOC** SPARC™ SOC Holder
- FSP-STP** SPARC™ Shoulder Strap
- FW-5** Fiber Wipes, Pack of 5 (x2)
- H-2000** SPARC™ Carrying Case
- JIC-186** Wire & Kevlar® Cutting Shears
- JIC-375** Fiber Optic Stripper, 3 Hole
- PSI-15** Quick Sleever®  
*(SPCO-1 & SPCL-1 only)*
- TFS-100** Handheld Thermal Stripper  
*(SPRI-1 only)*



**SPARC™ Linc Splice On Connectors**

Designed for easy fusion splicing these SC/APC Splice On Connectors provide a seamless and low-loss connection for single-mode fiber applications. Engineered for quick installation without compromising performance, they are ideal for FTTH (Fiber to the Home), data centers, and telecommunications networks.

SPECS	SOC-SCA3	SOC-SCA9
<b>CONNECTOR TYPE</b>	SC/APC, Simplex	SC/APC, Simplex
<b>SIZE</b>	300 µm	900 µm
<b>QR CODE</b>		



**SPARC™ Rapid Linc Mechanical Connectors**

These connectors provide a reliable and efficient solution for connectorizing 250 µm and 900 µm coated fibers. These connectors are ideal for quick field installations, offering a simple, tool-free setup that saves time and enhances productivity.

SPECS	SRL-LCU/10	SRL-SCA/10	SRL-SCU/10
<b>CONNECTOR TYPE</b>	LC/UPC	SC/APC	SC/UPC
<b>CABLE TYPE</b>	250 µm, 900 µm	250 µm, 900 µm	250 µm, 900 µm
<b>QR CODE</b>			





**Multi-Function OTDR - OTDR-1000**

Jonard Tools' Mini Pro OTDR is the perfect all-in-one handheld device for evaluating FTTx and access network construction and maintenance, identifying fiber breakpoints, measuring cable length, and calculating relative optical power losses.



OTDR-1000

- 8 essential functions for fiber optic and network cable testing. Features OTDR mapping to assess termination quality and locate faults, an event map with loss values, optical power meter (OPM) for power measurement, visual fault locator (VFL) for fault detection, optical light source (OLS) for stable wavelengths, network cable length measurement up to 100m, cable tracker for tracing, and RJ45 sequence tester for CAT-5/5E and CAT-6/6E continuity
- Bright 3.5" color LCD screen makes it quick and easy to evaluate data
- Rubberized hard plastic case is shock-proof and drop-proof for maximum durability
- 600 MB internal storage with MicroSD/TF card slot for additional memory
- Built-in rechargeable lithium ion battery provides power on-the-go
- Includes FC, SC, and LC (PC/UPC) OTDR adapters for fiber optic cables



**Multi-Function Touchscreen OTDR, 1310/1550 nm, 28/26 dB - OTDR-1100**

This Professional Multi-Function OTDR is the perfect all-in-one handheld device for evaluating FTTx and access network construction and maintenance, identifying fiber breakpoints, measuring cable length, and calculating relative optical power losses.



OTDR-1100

- Includes 10 different functions for testing fiber and 3 for testing network cables: Auto OTDR, Expert OTDR, Event Map, ONU Verification, Multicore Test, Downstream XGPON Power Meter, Light Source, Power Meter, VFL, and Microscope modules for fiber and RJ45 Sequence, Cable Length, and Cable Tracing
- Large, bright 4.3" color LCD touch screen makes it quick and easy to evaluate data
- More accurate testing with a 28/26 dB Dynamic Range
- All-inclusive fiber testing functions, such as light source, power meter, and VFL simplify the fiber testing process



**Professional Multi-Function OTDR, 1310/1550 nm - OTDR-1500**

The Jonard Tools Professional Multi-Function OTDR is the perfect all-in-one handheld device for evaluating FTTx and access network construction and maintenance, identifying fiber breakpoints, measuring cable length, and calculating relative optical power losses.



OTDR-1500

- 5 different functions for testing: 1310/1550 nm OTDR, 1310/1550 nm Light Source, Power Meter, Visual Fault Locator, and Help modules
- Large, bright 7" color LCD touch screen makes it quick and easy to evaluate data
- More accurate testing with a 32/30 dB Dynamic Range
- Features Dual Wavelength Testing (see both 1310 & 1550 wavelengths simultaneously)
- Includes FC/APC & SC/APC OTDR adapters, LC/UPC adapter for OPM



**Professional Multi-Function OTDR, 1310/1550/1650 nm - OTDR-1650**



This Professional Multi-Function OTDR is the perfect all-in-one handheld device for evaluating FTTx and access network construction and maintenance, identifying fiber breakpoints, measuring cable length, and calculating relative optical power losses. It can also be used on live 1310/1550 nm fiber networks using its 1650 nm outerband wavelength.

- Includes 5 different functions for testing: 1310/1550/1650 nm OTDR, 1310/1550/1650 nm Light Source, Power Meter, Visual Fault Locator, and Help modules
- Large, bright 7" color LCD touch screen makes it quick and easy to evaluate data
- More accurate testing with a 36/36/36 dB Dynamic Range
- Features Dual Wavelength Testing (see both 1310 & 1550 wavelengths simultaneously)



**Singlemode Fiber Optic Launch Boxes**

Designed with unique compact housings and 20-1000 meters of fiber, these launch cables are perfect for eliminating dead zones in reflectometric tests using an OTDR.

- Compact housing and shoulder strap make them ideal for field use
- Available in a variety of connector pairings for versatility (see chart below for details)
- Polishing types are color coded for quick and easy identification
- Convenient magnet on bottom of housing allows quick mounting to fiber racks
- Fiber lengths are optimized for most OTDR testing applications

SPECS	FLC-202	FLC-1001	FLC-1005	FLC-1006	FLC-1007	FLC-1008	FLC-3501	FLC-3505
FIBER LENGTH	20 m	1000 m	1000 m	1000 m	1000 m	1000 m	350 m	350 m
CONNECTOR TYPES	SC/APC, SC/APC	SC/UPC, LC/UPC	SC/APC, SC/UPC	SC/UPC, SC/APC	SC/UPC, LC/APC	SC/UPC, LC/APC	SC/UPC, LC/UPC	SC/UPC, SC/APC
QR CODE								

**Replacement Adapters for OTDR-1000 and OTDR-1500**

Compatible with our Multi-Function OTDR-1000 and Professional Multi-Function OTDR-1500.



SPECS	OTDR-FCAPC	OTDR-FCUPC	OTDR-LCUPC	OTDR-SCAPC	OTDR-SCUPC	FCLC-50125
CONNECTOR TYPE	FC/APC	FC/UPC	LC/UPC	SC/APC	SC/UPC	SC/UPC, LC/APC
OTDR-1000		X	X			X
OTDR-1500	X			X	X	X



**Universal Fiber Connector Cleaner - FCC-300**

Featuring **PATENT-PENDING** Slide-Guide™ technology that provides stable and consistent cleaning performance, the **FCC-300** Universal Fiber Connector Cleaner is the perfect tool for cleaning a large variety of fiber connectors.



FCC-300

- Compact, hand-sized unit can be used for over 500 cleanings



**Fiber Connector Cleaners**

Designed to provide exceptional cleaning performance by cleaning connectors beyond the critical fiber core area and cleaning deep into the contact area of a bulkhead adapter or connectors on fiber optic cables. The tethered dust cap provides protection for the micro fiber cleaning fabric and is an adapter for connector end face cleaning.

- Features a **PATENTED** 360° Rotational Tip for extra wide cleaning
- Slide-Guide™ non-slip micro tape feeder guarantees consistent cleaning
- Dual rotational tip and one-push operation makes cleaning ferrule end-faces quick and easy
- Flip-open cap makes it easy to insert connectors for cleaning

SPECS	FCC-120	FCC-125	FCC-250
<b>DESCRIPTION</b>	Fiber Connector Cleaner MPO	Fiber Connector Cleaner 1.25 mm	Fiber Connector Cleaner 2.5 mm
<b>NO. OF CLEANINGS</b>	500+	800+	800+
<b>FIBER CONNECTORS</b>	MPO	LC, MU	FC, SC, ST
<b>QR CODE</b>			



**Fiber End-Face Ferrule Cleaners, Angled Head**

Fiber End-Face Ferrule Cleaners are designed to provide exceptional cleaning performance on fiber optic connectors. They clean ferrules in recessed fiber optic adapters or individual connectors. These ferrule cleaning tools feature an adjustable angled head, which is perfect for getting into hard-to-reach places at any angle up to 45°. These tools also feature the following:

- Adjustable angled head (up to 45°) for getting into hard-to-reach places
- Flip-open cap makes it easy to insert connectors for cleaning
- **FCCN-125** cleans 1.25 mm ferrules in recessed fiber optic adapters or individual LC or MU connectors
- **FCCN-250** cleans 2.5 mm ferrules in recessed fiber optic adapters or individual FC, SC, or ST connectors

SPECS	FCCN-125	FCCN-250
<b>DESCRIPTION</b>	1.25 µm End-Face Ferrule Cleaner	2.50 µm End-Face Ferrule Cleaner
<b>NO. OF CLEANINGS</b>	350+	350+
<b>FIBER CONNECTORS</b>	LC, MU	FC, SC, ST
<b>QR CODE</b>		



**Slim Fiber Connector Cleaner, MPO 12 Core - FCCS-120**



The Jonard Tools **FCCS-120** Slim Fiber Connector Cleaner is designed to provide exceptional cleaning performance for MPO and MTP 8, 12 & 12x2 (24) core fiber connectors. Ideal for use in data centers, telecom rooms, fiber panels, and other high-density fiber environments, this compact cleaner uses ultra-fine microfiber to remove dust, oil, and debris without scratching or damaging the connector endface. Perfect for both plug and port cleaning, especially in tight or hard-to-reach areas.



**FCCS-160 Slim Fiber Connector Cleaner, MPO 16 Core - FCCS-160**



The Jonard Tools **FCCS-160** Slim Fiber Connector Cleaner is designed to provide exceptional cleaning performance for MPO and MTP 16 and 16x2 (32) core fiber connectors. Ideal for use in data centers, telecom rooms, fiber panels, and other high-density fiber environments, this compact cleaner uses ultra-fine microfiber to remove dust, oil, and debris without scratching or damaging the connector endface. Perfect for both plug and port cleaning, especially in tight or hard-to-reach areas.



**Slim Fiber Connector Cleaner, 1.25 mm - FCCS-125**



Engineered to deliver top-tier cleaning performance in a compact, lightweight design. Effectively removes dust, grease, and debris from 1.25 mm fiber optic connectors over 1200 times.

- Field optimized design with a slim footprint for easy access in tight spaces, with built-in attachment storage and a strap for secure handling
- ESD-safe housing and cleaning cloth provides more than 1200 swipes per cleaner



**Slim Fiber Connector Cleaner, 2.50 mm - FCCS-250**



Engineered to deliver top-tier cleaning performance in a compact, lightweight design. Effectively removes dust, grease, and debris from 2.50 mm fiber optic connectors over 1200 times.

- Field optimized design with a slim footprint for easy access in tight spaces, with built-in attachment storage and a strap for secure handling
- ESD-safe housing and cleaning cloth provides more than 1200 swipes per cleaner




**Fiber Inspection Microscopes**




Fiber inspection microscopes have a focus wheel and feature 2.5 mm and 1.25 mm adapters for use on most fiber connectors. The achromatic lens offers excellent imaging and integrated laser filters for safety (not intended for use with illuminated fibers). Coaxial illumination provides a clear view of connector face and fiber.

**FIM-200** has  
200x magnification

**FIM-400** has  
400x magnification



Before Cleaning



After Cleaning



FIM-400



**Wireless Fiber Inspection Microscope - WFM-100**

This portable Wi-Fi end-face probe provides clear high-resolution images of fiber optic connector ferrules in real time on a smart mobile device or tablet.



WFM-100

- Inspects male and female PC/UPC SC, ST, FC, and LC fiber connectors and ports using the 5 included adapters
- One press auto analyze function automatically generates and records a Pass/Fail report
- 200x magnification and high resolution camera provide a crystal clear image directly on your smart device

**Includes:** Wireless Fiber Scope, 2.5 mm FC/SC/ST Male Adapter, 2.5 mm FC/SC/ST Female Adapter, 1.25 mm LC Male Adapter, 1.25 mm LC Female Adapter, USB-C Cable, Charger, Instruction Manual, and Carrying Case



**Wireless Fiber Inspection Microscope w/ APC Adapters - WFM-110**

This portable Wi-Fi end-face probe provides clear high-resolution images of fiber optic connector ferrules in real time on a smart mobile device or tablet.



WFM-110

- Inspects male and female APC SC, ST, FC, and LC fiber connectors and ports using the 4 included adapters
- One press auto analyze function automatically generates and records a Pass/Fail report
- 200x magnification and high resolution camera provide a crystal clear image directly on your smart device

**Includes:** Wireless Fiber Scope, 2.5 mm FC/SC/ST APC Male Adapter, 1.25 mm LC Male APC Adapter, 2.5 mm SC/FC APC Female Adapter, 1.25 mm LC APC Female Adapter, USB-C Cable, Charger, Instruction Manual, and Carrying Case

**Replacement Adapters for WFM-100 & WFM-110**

Compatible with our WFM-100 and WFM-110 Wireless Fiber Inspection Microscopes.



SPECS	WFM-25AM	WFM-25UM	WFM-125AM	WFM-125UM	WFM-FCSCAF	WFM-FCUF	WFM-LCAF	WFM-LCUF	WFM-SCUF
<b>ADAPTER TYPE</b>	SC/FC/ST APC Male Adapter	SC/FC/ST UPC Male Adapter	LC/MU APC Male Adapter	LC/MU UPC Male Adapter	FC/SC/APC Female Adapter	FC/UPC Female Adapter	LC/APC Female Adapter	LC/UPC Female Adapter	SC/UPC Female Adapter
<b>QR CODE</b>									



**QuickSleever® - PSI-15**

An award winning design to make loading protection sleeves onto fiber quick and easy, the **PSI-15 QuickSleever®** tool is perfect for aligning fiber to the holes of protection sleeves and is a real timesaver.



- Conical fiber feed surface guides fiber directly to protection sleeve



**Fluid Dispenser for 220 mL Fiber Cleaning - FD-220**

Designed to store and dispense cleaning fluids, such as isopropyl alcohol, to clean the end-faces of fiber optic cables.



**Fiber Optic Cleaning Fluid - FCF-3**

This quick-drying, nonflammable cleaning fluid is perfect for cleaning bare fiber, connector end-faces, and electronic components.



**Dry Wipes (Pack of 90) - DW-90**

Made from a lint-free polyester fabric packaged in a convenient dispenser, these fiber optic wipes are perfect for cleaning bare fiber, connector end-faces, and electronic components.



**Fiber Scraps Disposal Can - FDC-66**

This can allows safe disposal of cleaved fiber ends. The twist lock cover locks scraps in the disposal can for safe and easy disposal.



**Fiber Wipes (Pack of 50) - FW-50**

Alcohol Wipes made with premium quality Isopropyl alcohol.

- Excellent cleaner for optical surfaces, glass fibers, and connector end faces
- Fast evaporating, residue-free solvent
- Mild, non-abrasive solvent
- Compatible with most plastics, glass and metals



**Cotton Swabs (Pack of 125)**

Made with lint-free cotton, these cotton swabs are perfect for cleaning dirt, dust, and debris from the V-groove of your fusion splicer. These cotton swabs are available with pointed or rounded tips.

- Perfect for cleaning fusion splicers' or other test devices' optical elements
- Lint-free to prevent contamination of optical components



**CWP-125** - Pointed Tips (Pack of 125)

**CWR-125** - Rounded Tips (Pack of 125)



### Fiber Cleaning Kit - TK-283

The Jonard Tools **TK-283** Fiber Cleaning Kit provides all the tools needed for cleaning fiber connector end faces. This kit is a must have for any fiber optic technician.



TK-283

#### Kit includes:

- **DW-90** Dry Wipes for Cleaning Fiber
- **FCF-3** Nonflammable Fiber Cleaning Fluid
- **H-20** Rugged Carrying Case
- **JIC-186** Wire & Kevlar® Cutting Shears
- **JIC-375** Fiber Optic Stripper, Three Hole



### Fusion Splicer Cleaning Kit - TK-285

This kit is the perfect kit for removing the dust, dirt, debris, and silica deposits generated by fusion splicers from V-grooves.



TK-285

#### Kit includes:

- **CWP-125 & CWR-125** Pointed & Rounded Cotton Swabs, Pack of 125
- **DW-90** Dry Wipes for Cleaning Fiber
- **EYE-369** Fiber Optic Eyeloop, X3, X6, X9 Magnification
- **FCF-3** Nonflammable Fiber Cleaning Fluid
- **FL-2000** LED Flashlight with Zoom Lens
- **H-20** Rugged Carrying Case
- **VGB-100** V-Groove Cleaning Brush, Metal & Nylon



### Fiber Optic Cleaning Kit+ - TK-287

The **TK-287** Fiber Optic Connector Cleaning Kit+ offers cleaning products for use on connector end-faces and bulkhead adapters.



TK-287

#### Kit includes:

- **DW-90** Dry Wipes for Cleaning Fiber
- **FCC-120** Fiber Connector Cleaner, MPO
- **FCC-125** Fiber Connector Cleaner, 1.25 mm
- **FCC-250** Fiber Connector Cleaner, 2.5 mm
- **FCC-300** Universal Fiber Connector Cleaner
- **FCF-3** Nonflammable Fiber Cleaning Fluid
- **H-20** Rugged Carrying Case



### Fiber Optic Prep & Clean Training Kit - TK-615

Featuring our most popular fiber optic tools, this tool kit provides a large array of tools needed to access and prepare fiber optic cables for termination.



TK-615

#### Kit includes:

- **BLONGNOSE** Long Nose General Use Pliers
- **BTR-6** Buffer Tube Ringer (up to 6 mm)
- **CST-1900** Round Cable Strip & Ring Tool
- **DW-90** Dry Wipes for Cleaning Fiber
- **FCF-3** Nonflammable Fiber Cleaning Fluid
- **FDC-66** Fiber Scraps Disposal Can
- **FIM-200** Fiber Inspection Microscope 200x Magnification
- **FTW-5** Fiber Optic Tweezers, 5"
- **FWM-2214** Fiber Optic Polishing Work Mat, 22" x 14"
- **H-60** Molded 2 Pocket Tool Pouch
- **H-90** Rugged 21 Pocket Tool Case
- **JIC-375** Fiber Optic Stripper, Three Hole
- **JIC-186** Wire & Kevlar® Cutting Shears
- **KN-7** Ergonomic Cable Splicing Knife
- **MDC-28** Microduct Cutter
- **VFL-150** Visual Fault Locator Kit



**Fiber Optic Training Box - FTB-1**



The **FTB-1** is a compact and practical tool designed to help fiber optic technicians gain hands-on experience with real-world scenarios. It features built-in loss events, including a macrobend and a damaged fiber optic cable, to simulate common issues in the field. With a 1 km fiber link containing a mid-point fault, technicians can practice OTDR setup, testing, and troubleshooting. The additional fiber spools allow for fusion splicing exercises and loss testing to develop essential fiber optic skills.

**Kit includes:**

- Cleave and splice fiber optic cables using a cleaver and fusion splicer
- Inspect and clean connectors and bulkheads with a video inspection probe and cleaning tools
- Identify fiber faults efficiently with a visual fault locator
- Measure fiber loss accurately with optical power meters and light sources
- Operate an OTDR in Auto or Manual modes to measure fiber length and loss
- Encased in a durable and compact case for easy storage and transportation

**Fiber Optic Scissor Kits**



JONARD P/N	DESCRIPTION	TK-325	TK-350	TK-355	TK-375
		Scissor & Pouch Kit	Fiber Stripper & Kevlar® Shears Kit, Molded Pouch	Fiber Stripper & Kevlar® Shears Kit, Leather Pouch	Fiber Stripper & Scissors Kit
ES-1964	Electrician's Scissors				X
H-25	Molded Tool Pouch	X			
H-36	Molded 2 Pocket Tool Pouch				X
H-45	Leather 2 Pocket Tool Pouch			X	
H-60	Molded 2 Pocket Tool Pouch		X		
JIC-186	Wire & Kevlar® Cutting Shears	X	X	X	
JIC-375	Fiber Optic Stripper, Three Hole		X	X	X
QR CODE					



### Fiber Connector Cleaning/Inspection Kits

Provides you with all the tools needed for cleaning and inspecting fiber connector end faces.



JONARD P/N	DESCRIPTION	TK-182	TK-183	TK-184	TK-184A	TK-186	TK-188	TK-189
		Fiber Optic Cleaning Kit Replacement Refill Kit: <b>TK-182RF</b>	Fiber Optic Connector Clean & Prep Kit, w/ Cleaver	Fiber Optic Connector Clean & Prep Kit, w/ Precision Cleaver	Fiber Optic Connector Clean & Prep Kit+	Fiber Optic Connector Cleaning Kit	Fiber Optic Connector Cleaning & Inspection Kit 200x Magnification	Fiber Optic Connector Cleaning & Inspection Kit 400x Magnification
DW-90	Dry Wipes for Cleaning Fiber	X						
FC-220	Fiber Cleaver		X					
FC-500	Precision Fiber Cleaver			X	X			
FCC-125	Fiber Connector Cleaner 1.25 mm	X				X	X	X
FCC-250	Fiber Connector Cleaner 2.5 mm	X				X	X	X
FCC-300	Universal Fiber Connector Cleaner						X	X
FCF-3	Nonflammable Fiber Cleaning Fluid	X						
FCT-100	Fiber Connector Insertion and Removal Tool					X	X	X
FIM-200	Fiber Inspection Microscope 200x Magnification						X	
FIM-400	Fiber Inspection Microscope 400x Magnification							X
FL-2000	LED Flashlight w/ Zoom Lens						X	X
FW-50	Fiber Wipes (Pack of 50)		X	X	X	X	X	X
JIC-186	Wire & Kevlar® Cutting Shears	X			X			
JIC-375	Fiber Optic Stripper, Three Hole	X	X	X	X			
JIC-63020	9" Curved Jaw Cable Cutter				X			
H-20	Rugged Carrying Case	X	X	X				
H-22	Rugged Carrying Case w/ Straps				X			
H-90	Rugged 21 Pocket Tool Case					X	X	X
VFL-25	Visual Fault Locator			X				
VFL-150	Visual Fault Locator Kit				X			
QR CODE								

Not all kits shown.

### Fiber Optic Mid Span Slit & Ring Tool Kits

Provides an array of tools designed to provide easy access into fiber optic cables and buffer tubes.



JONARD P/N	DESCRIPTION	TK-105	TK-106	TK-107	TK-107B	TK-108
		Fiber Optic Mid Span Slit & Ring Tool Kit	Fiber Optic Mid Span Slit & Ring Tool Kit+	Fiber Optic Mid Span Slit & Ring Tool Kit+	Backpack Fiber Optic Mid Span Slit & Ring Tool Kit+	Fiber Optic Mid Span Slit & Ring Tool Kit
AST-200	CableSaber™		X	X	X	
BP-100	Technician's Tool Bag Backpack				X	
BTR-6	Buffer Tube Ringer (up to 6 mm)		X	X	X	
CSR-1575	Cable Slit & Ring Tool	X				X
CST-1900	Round Cable Strip & Ring Tool		X	X	X	
FDS-312	Fiber Drop Cable Stripper (2.1 mm x 3.1 mm)		X			
FOD-2000	Fiber Optic Drop Cable Slitter	X	X	X	X	X
JIC-186	Wire & Kevlar® Cutting Shears		X	X	X	
JIC-375	Fiber Optic Stripper, Three Hole		X	X	X	
H-20	Rugged Carrying Case	X				X
H-90	Rugged 21 Pocket Tool Case		X	X		
MS-306	Mid Span Slit & Ring Tool (1.2 mm-3.3 mm)	X	X	X	X	X
MS-316	Mid Span Slit & Ring Tool (2.9 mm-6.8 mm)	X	X	X	X	X
MS-326	Mid Span Slit & Ring Tool (5 mm-10 mm)	X	X	X	X	X
MS-336	Mid Span Slit & Ring Tool (7.9 mm-11 mm)			X	X	X
MS-426	Mid Span Slit & Ring Tool (5.8 mm-12 mm)		X	X	X	X
MS-446	Mid Span Slit & Ring Tool (8.7 mm-14.6 mm)				X	
MS-526	Mid Span Slit & Ring Tool (9.8 mm-18.2 mm)			X	X	X
RCS-25	Ratcheting Cable Slitter		X	X		
RCS-30	Ratcheting Duct and Cable Slitter				X	
RST-8514	Riser Slitting Tool		X	X		
QR CODE						

Not all kits shown.

### Basic Fiber Optic Prep Kits

These **Fiber Optic Prep Kits** provide a large array of tools needed to access and prepare fiber optic cables for termination.



TK-120

TK-121

TK-121B

JONARD P/N	DESCRIPTION	TK-120	TK-121	TK-121B	TK-152
		Fiber Optic Prep Kit	Fiber Optic Prep Kit+	Fiber Optic Prep Kit+ w/ Backpack	Fiber Optic Maintenance Kit
BP-100	Technician's Tool Bag Backpack			X	
BTR-6	Buffer Tube Ringer (up to 6 mm)		X	X	
CSR-1575	Cable Slit & Ring Tool	X			X
CST-1900	Round Cable Strip & Ring Tool	X	X	X	
FC-500	Precision Fiber Cleaver				X
FCC-250	Fiber Connector Cleaner, 2.5 mm				X
FD-220	Fluid Dispenser for Fiber Cleaning 220 ml				X
FDS-312	Fiber Drop Cable Stripper, 2.1 mm x 3.1 mm				X
FL-2000	LED Flashlight w/ Zoom Lens	X	X	X	
FOD-2000	Fiber Optic Drop Cable Slitter	X	X	X	
FW-5	Fiber Wipes, Wet (Pack of 5)	X	X	X	
H-90	Rugged 21 Pocket Tool Case	X	X		
JIC-186	Wire & Kevlar® Cutting Shears	X	X	X	X
JIC-375	Fiber Optic Stripper, Three Hole	X	X	X	X
JIC-842	Long Nose and Side Cutting Pliers	X	X		
JIC-2288	High Leverage Diagonal Cutting Pliers, 8"	X	X	X	
MS-6	Mid Span Slitter (1.2 mm - 3.3 mm)	X			
MS-306	Mid Span Slit & Ring Tool (1.2 mm - 3.3 mm)		X	X	
SD-61	6-in-1 Multi-Bit Screwdriver	X	X		
QR CODE					

Not all kits shown.

**Fiber Optic Prep Kits w/ Connector Cleaners, Fiber Cleavers & Visual Fault Locators**

Jonard Tools offers more than 25 different fiber optic tool kits, each assembled to give fiber optic technicians all the tools they would need to take on a range of projects. These **Fiber Optic Prep Kits w/ Connector Cleaners, Cleavers and Visual Fault Locators**, featuring our most popular slitting, ringing, stripping, and cutting tools provide a large array of tools needed to access and prepare fiber optic cables for termination.



TK-151



TK-161



TK-170

JONARD P/N	DESCRIPTION	TK-151	TK-161	TK-170
		Fiber Prep Kit w/ Connector Cleaner, Fiber Cleaver & Visual Fault Locator+	Fiber Optic Prep Kit w/ Connector Cleaner, Visual Fault Locator+	Fiber Optic Prep Kit w/ Small & Large Mid Span Slitters
BTR-6	Buffer Tube Ringer (up to 6 mm)	X	X	
CSR-1575	Cable Slit & Ring Tool			X
CST-1900	Round Cable Strip & Ring Tool	X	X	X
FC-500	Precision Fiber Cleaver	X		
FCC-125	Fiber Connector Cleaner, 1.25 mm	X	X	
FCC-250	Fiber Connector Cleaner, 2.5 mm	X	X	
FL-2000	LED Flashlight w/ Zoom Lens	X	X	
FOD-2000	Fiber Optic Drop Cable Slitter	X	X	
FW-5	Fiber Wipes, Wet (Pack of 5)	X	X	
H-90	Rugged 21 Pocket Tool Case	X	X	X
JIC-186	Wire & Kevlar® Cutting Shears	X	X	X
JIC-375	Fiber Optic Stripper, Three Hole	X	X	X
JIC-842	Long Nose and Side Cutting Pliers	X	X	X
JIC-1022	Wire Stripper 10-22 AWG			X
JIC-2288	High Leverage Diagonal Cutting Pliers, 8"	X	X	X
KN-7	Ergonomic Cable Splicing Knife			X
MS-6	Mid Span Slitter (1.2 mm - 3.3 mm)			X
MS-26	Mid Span Slitter (2.9 mm - 6.8 mm)			X
MS-306	Mid Span Slit & Ring Tool (1.2 mm - 3.3 mm)	X	X	
SD-61	6-in-1 Multi-Bit Screwdriver	X	X	X
UST-500	Universal Cable Stripping Tool			X
VFL-150	Visual Fault Locator Kit	X	X	
QR CODE				

### Advanced Fiber Optic Prep Kits

Featuring our most popular slitting, ringing, stripping, and cutting tools, these **Advanced Fiber Optic Prep Kits** provide a large array of tools needed to access and prepare fiber optic cables for termination.



TK-179



TK-179B

JONARD P/N	DESCRIPTION	TK-179	TK-179B
		Advanced Fiber Prep Kit	Advanced Fiber Prep Kit w/ Backpack
BP-100	Technician's Tool Bag Backpack		X
BTR-6	Buffer Tube Ringer (up to 6 mm)	X	X
CSR-1575	Cable Slit & Ring Tool	X	X
CST-1900	Round Cable Strip & Ring Tool	X	X
FL-2000	LED Flashlight w/ Zoom Lens	X	X
H-90	Rugged 21 Pocket Tool Case	X	
JIC-186	Wire & Kevlar® Cutting Shears	X	X
JIC-375	Fiber Optic Stripper, Three Hole	X	X
JIC-842	Long Nose and Side Cutting Pliers	X	X
JIC-1022	Wire Stripper 10-22 AWG	X	X
JIC-2288	High Leverage Diagonal Cutting Pliers, 8"	X	X
JIC-22035	Insulated Probe Pick	X	X
KN-7	Ergonomic Cable Splicing Knife	X	X
MDC-14	Microduct Tube Cutter	X	X
MDC-28	Microduct Cutter	X	
MDC-64	Large Fiber Duct Cutter		X
MS-306	Mid Span Slit & Ring Tool (1.2 mm - 3.3 mm)	X	X
MS-316	Mid Span Slit & Ring Tool (2.9 mm - 6.8 mm)	X	X
MS-326	Mid Span Slit & Ring Tool (5 mm - 10 mm)	X	X
MS-426	Mid Span Slit & Ring Tool (5.8 mm - 12 mm)	X	X
SD-61	6-in-1 Multi-Bit Screwdriver	X	
QR CODE			

Not all kits shown.

**Ultimate Fiber Optic Prep Kit - TK-199B**

Featuring our most popular slitting, ringing, stripping, and cutting tools, these **Ultimate Fiber Optic Prep Kits** provide a large array of tools needed to access and prepare fiber optic cables for termination.



JONARD P/N	DESCRIPTION	TK-199B	
		Ultimate Backpack Fiber Prep Kit	
AST-200	CableSaber™		X
BP-100	Technician's Tool Bag Backpack		X
BTR-6	Buffer Tube Ringer (up to 6 mm)		X
CG-100	COAX Cable Gripping Tool		X
CSR-1575	Cable Slit & Ring Tool		X
CST-1900	Round Cable Strip & Ring Tool		X
FCC-125	Fiber Connector Cleaner, 1.25 mm		X
FCC-250	Fiber Connector Cleaner, 2.5 mm		X
FL-2000	LED Flashlight w/ Zoom Lens		X
FOD-2000	Fiber Optic Drop Cable Slitter		X
JIC-186	Wire & Kevlar® Cutting Shears		X
JIC-375	Fiber Optic Stripper, Three Hole		X
JIC-842	Long Nose and Side Cutting Pliers		X
JIC-1022	Wire Stripper 10-22 AWG		X
JIC-2288	High Leverage Diagonal Cutting Pliers, 8"		X
JIC-63050	High Leverage Cable Cutter		X
KN-7	Ergonomic Cable Splicing Knife		X
MDC-14	Microduct Tube Cutter		X
MDC-64	Large Fiber Duct Cutter		X
MS-306	Mid Span Slit & Ring Tool (1.2 mm - 3.3 mm)		X
MS-316	Mid Span Slit & Ring Tool (2.9 mm - 6.8 mm)		X
MS-326	Mid Span Slit & Ring Tool (5 mm - 10 mm)		X
MS-426	Mid Span Slit & Ring Tool (5.8 mm - 12 mm)		X
MS-526	Mid Span Slit & Ring Tool (9.8 mm - 18.2 mm)		X
RCS-30	Ratcheting Duct and Cable Slitter		X
RST-8514	Riser Slitting Tool		X
SD-61	6-in-1 Multi-Bit Screwdriver		X
VFL-300	Rugged Visual Fault Locator Kit		X

# CATV/COAX TOOLS

CATV is short for Community Antenna Television, now known as Cable TV, which is transmitted via coaxial cables (COAX). COAX cables transmit radio frequency signals using an electromagnetic field carried through the tubular cable. These cables consist of an inner conductor, insulation, conducting shield, and outer sheath jacket. The spacing within the cables must be consistent in order to transmit the signals, and our tools ensure proper methods that will not damage these cables in any way.

## CONTENTS

COAX Stripping Tools & Cable Kits	56
COAX Tool Kits	58
Compression Tools & Connectors	59
Stripping & Coring Tools	62
Torque Wrenches	63
Speed & Combination Wrenches	65
Terminate / Lock / Unlock Tools	67
Flaring Tools & Crimpers	68
Star Keys & Slam Lock Sets	69
Mapping / Testing / Probing Tools & Kits	70
Connector / Security / Termination Tools	72



UST-100 SERIES



UST-500 SERIES

**COAX Stripping Tools**

The UST Series creates a two step strip on a multitude of cables (and the **UST-175** provides a three step strip). These tools include a Velcro® strip for folding back the braided shield of the cable. Blade cartridges are interchangeable and last over 5,000 strips.

SPECS	UST-100	UST-125	UST-135	UST-150	UST-175	UST-185	UST-1596
<b>DESCRIPTION</b>	RG59/6 & 7/11 COAX Stripping Tool	COAX Stripping Tool For RG59/6 & 7/11 with Cable Stop	COAX Stripper for RG7/RG11	CAT/TP & RG59/6 Cable Stripping Tool	Mini COAX Cable Stripper	Mini COAX Cable Stripping Tool	COAX Stripping Tool with Twin RG59/6 Blade
<b>HANDLE COLOR</b>	Blue	Blue	Blue	Blue	Yellow	Blue	Blue
<b>CABLE TYPE</b>	COAX	COAX	COAX	COAX	Mini COAX	Dual/Quad Shield Mini COAX	COAX
<b>CABLE SIZE</b>	RG59 and RG6, RG7 and RG11	RG59 and RG6, RG7 and RG11	RG7 and RG11	RG59 and RG6, UTP	Mini COAX	Mini COAX	RG59 and RG6
<b>BLADE CARTRIDGE</b>	UST-205	UST-225	UST-235	UST-215	UST-220	UST-230	UST-210
<b>QR CODE</b>							

SPECS	UST-500	UST-525	UST-540	UST-596
<b>DESCRIPTION</b>	Universal Cable Stripping Tool	Universal Cable Stripping Tool with UST-225 Blade	Universal Cable Stripping Tool for RG59 & RG6	Universal Cable Stripping Tool for RG59/6
<b>HANDLE COLOR</b>	Blue	Blue	Yellow	Blue
<b>CABLE TYPE</b>	COAX, Network, Flat Telephone Cable	COAX, Network, Flat Telephone Cable	COAX, Network, Flat Telephone Cable	COAX, Network, Flat Telephone Cable
<b>CABLE SIZE</b>	RG-59/6/7/11 COAX, CAT3/4/5E/6/6A Network, up to 1 cm wide Flat Cable	RG-59/6/7/11 COAX, CAT3/4/5E/6/6A Network, up to 1 cm wide Flat Cable	RG-59/6 COAX, CAT3/4/5E/6/6A Network, up to 1 cm wide Flat Cable	RG-59/6 COAX, CAT3/4/5E/6/6A Network, up to 1 cm wide Flat Cable
<b>BLADE CARTRIDGE</b>	UST-205	UST-225	UST-240	UST-210
<b>QR CODE</b>				



UST-205



UST-210



UST-215



UST-220



UST-225



UST-230



UST-235



UST-240



CSS-105 CSS-110 CSS-115 CSS-120 CSS-125 CSS-130 CSS-135

### COAX Stub End Strippers

The CSS Series tools are coaxial cable strippers specifically designed to strip a stub end of a COAX cable in a wall outlet box, which eliminates the need to run new cable, saving time and money. Each CSS tool provides a two step strip of an RG59/6 cable to a specific braid length and center conductor length (shown in the chart below). The built-in strip stop ensures the strip lengths are consistent.

#### Easy to use:

Squeeze handles to open jaws and insert cable, release to close jaws, rotate like a screwdriver and remove. Tool will not cut the braid or score the center conductor.

Blade cartridges are easily changed and replaced.

SPECS	CSS-596	CSS-5097	CSS-5110	CSS-5127	CSS-5156	CSS-5610	CSS-59M
<b>DESCRIPTION</b>	COAX Stub End Stripper (RG59/RG6)	COAX Stub End Stripper (9 mm/7 mm)	COAX Stub End Stripper (10 mm/10 mm)	COAX Stub End Stripper (12 mm/7 mm)	COAX Stub End Stripper (15 mm/6 mm)	COAX Stub End Stripper (6 mm/10mm)	Mini COAX Stub End Stripper (9 mm/7 mm)
<b>BLADE CARTRIDGE</b>	CSS-105	CSS-115	CSS-120	CSS-110	CSS-130	CSS-125	CSS-135
<b>BLADE CARTRIDGE COLOR</b>	Black	Light Blue	Blue	Grey	Brown	Burgundy	Orange
<b>BRAIDED STRIP LENGTH</b>	1/4"	9 mm	10 mm	12 mm	15 mm	6 mm	9 mm
<b>CENTER CONDUCTOR STRIP LENGTH</b>	5/16"	7 mm	10 mm	7 mm	6 mm	10 mm	7 mm
<b>QR CODE</b>							



### COAX Cable Kit - TKRG-64

The Jonard Tools **TK-RG64** Complete COAX Cable Kit provides an array of tools needed to access and prepare coaxial cables for termination.



TKRG-64

#### Kit includes:

- **CAT-16** Cable Cutter is perfect for cutting COAX and twisted pair network cables quickly and easily
- **CST-92** Coaxial Cable Stripper for stripping RG59, RG6, RG6 Tri & Quad shield, N48, RG7, and RG11
- **CTF-180M** Compression Tool compresses long F connectors for RG59 and RG6 COAX cables
- **RG6-10** Universal F Connectors for coaxial cable termination (Pack of 10)





**COAX Tool Kits**

Service kits for CATV technicians to repair and maintain COAX cable networks.

JONARD P/N	DESCRIPTION	TK-77	TK-78	TK-82	TK-83	TK-85	TK-86	TK-87	TK-89
CT-200	Universal Compression Tool					X	X		X
CTF-180	360° Compression Tool for RG59/6	X	X						
CTF-200	Compression Tool Fixed - Long			X					
CTF-230	Dual Compression Tool							X	
CTF-300	Compression Tool Fixed - Short				X			X	
FL-2000	LED Flashlight with Zoom Lens		X	X	X	X	X	X	X
H-20	Rugged Carrying Case	X							
H-85	Molded 8 Tool Pouch		X	X	X	X	X	X	X
JIC-2288	Plier, Diagonal, Cutter, 8"		X	X	X	X	X	X	X
PT-100	Pocket Continuity Tester & Toner	X							
PT-300	Pocket Continuity Tester & Toner		X	X	X	X	X	X	X
RG6-10	RG6 Connectors (Pack of 10)	X							
SD-61	Screwdriver Multi-Bit 6-in-1		X	X	X	X	X	X	X
TWAF-71630	Torque Wrench, Full Head 7/16", 30 in-lb		X	X	X	X	X	X	X
UST-125	Cable Stripper RG59/6 & RG7/11 w/ Cable Stop	X	X	X	X	X		X	
UST-150	COAX RG59, RG6, & CAT/TP Twisted Pair Cable Stripper						X		
UST-185	Mini COAX Cable Stripper								X
QR CODE									

Not all products shown.





### Compression Tools

Many different fittings are used to terminate RG6 and RG59 COAX cables. Jonard offers compression tools to work with all types of (BNC, PPC, Beldon, and more). See [jonard.com](http://jonard.com) for a list of all compatible connectors.

**CT-200** - Universal Compression Tool designed for use on most F connectors (RG59, RG6, & RG11), BNC connectors (RG59 & RG6) and RCA connectors (RG59 & RG6).

**CTF-200** - Compression tool with a fixed design for use on the longer style F connectors (such as PPC® EXLWS Aquatight connector, EX-XL and other similar length connectors).


**CTF-200CG** - Compression tool with a fixed design for use on Corning Gilbert connectors. Tool also works with brands such as PPC & Thomas Betts.

**CTF-230** - This dual compression tool is two tools in one, combining the features of the **CTF-200** and the **CTF-300**. It is designed for use on either short or long F connectors (such as PPC EX6 and PPC EX6XL), and also works on most RG11 connectors. The green ring side of the plunger is for the “short” PPC EX6 style.

**CTF-300** - Compression tool with a fixed design for use on the shorter style F connectors (such as PPC Aquatight Connector EX or shorter connectors and other similar length connectors).

**CTF-360XL** - Designed to hold and compress connectors requiring a full 360 degree support. Perfect tool for long F connectors for RG59/6 cables and for RG7/11 cables.

SPECS	CT-200	CTF-200	CTF-200CG	CTF-230	CTF-300	CTF-360XL
<b>DESCRIPTION</b>	Universal Compression Tool	Compression Tool Fixed - Long	Compression Tool Fixed - Long CG	Dual Compression Tool - Short and Long	Compression Tool Fixed - Short	360° Compression Tool for Long RG6, & RG11 Style F connectors
<b>CONNECTOR TYPE</b>	Adjustable	Fixed	Fixed	Fixed	Fixed	360, F Long
<b>CONNECTOR LENGTH</b>	Short & Long	Long	Long	Short & Long	Short	Long
<b>HANDLE COLOR</b>	Green/Blue	Blue	Blue	Green/Blue	Green	Red
<b>REPLACEABLE PLUNGER P/N</b>	21881	N/A	N/A	21912	N/A	N/A
<b>QR CODE</b>						





**360° Compression Tool - RG59 and RG6 Connectors - CTF-180**

The Jonard Tools 360° Compression Tool is designed for use on both short and long style F connectors. The tool is ideal for installing CATV network cables.



**Compatible Connectors:** PCT or other brand short and long style F connectors



**360° Compression Tool for Short RG6 & RG11 Style F Connectors - CTF-360**

Using specially designed jaws to hold connectors in place while compressing, this **PATENTED CTF-360** is designed to hold and compress connectors requiring a full 360° support. Perfect tool for short F connectors for RG59/6 cables and F connectors for RG7/11 cables.



**Web Slitter & Shaving Tool - WSS-4625**

Designed to slit and shave the webbing off messengered hardline COAX cables and figure 8 fiber cables, the Jonard Tools **WSS-4625** Web Slitter and Shaver is the perfect tool for working with aerial messenger cables ranging from 0.400" to 0.625" in diameter.



Replacement Blade Cartridge: **WSS-4625RB**



**COAX Cable Gripping Tool - CG-100**

Designed to grip RG59, RG6, RG7, and RG11 cables, this COAX cable gripping tool facilitates the stripping, slitting, splicing, and other functions of coaxial cables.



- Soft rubber material conforms to the shape of the cable to grip it tightly
- Compact shape and belt loop hole make it convenient for storage and transport




**RG6 Connectors**

Designed for RG6/6 Quad COAX cable for quick and easy termination of cables for satellite, cable TV, and cable modems. These connectors have a large hex nut for quick and easy install and a 360° cable gripping sleeve and watertight "O-ring" to keep connections secure.



**RG6-10 Connectors** (Pack of 10)  
**RG6-50 Connectors** (Pack of 50)



**BNC Connectors**

Designed for use with most major brands of RG6 cable, these BNC connectors are perfect for terminating cables for CCTV or other video applications quickly and easily.

SPECS	BNC-10	BNC-FM	BNC-SA	RG-F81
DESCRIPTION	BNC Compression Connectors (Pack of 10)	BNC-Female to Male Adapter (Pack of 2)	BNC Straight Adapter (Pack of 1)	CATV Female Splice Adapters (Pack of 2)
QR CODE				

# *Pull The Trigger*

# On **TRIGGERTACK™**



*Insulated  
Cable Stapler*  
STG-100

## *Stapling Has NEVER Been EASIER!*



**EXCLUSIVE DESIGN!**

*Unique Trigger System  
Offers Effortless Stapling*

**3 DIFFERENT SIZES**

*of Insulated Cable Staples Available!*



- *Handles RG6, RG59, CAT-5, Telephone Wire, Speaker Wire, Thermostat Wire, Rope & More!*
- *Front & Back Staple Guides, Adjustable Depth Drive, Drop-in Loading & Reliable Jam-resistant Mechanism!*



STG-1456I



STG-56I



STG-14I



**Hardline Strip & Core Tools**

These coring tools will strip and core hardline COAX cable of most sizes and can be used with or without a drill. T handle is a ratcheting handle for increased comfort and faster coring. Tool can perform both coring and stripping simultaneously.

**Note:** The stripper in the QR series must be used separately but can be stored on the coring tool for convenience.

ALL-IN-ONE	SPecs	HSC-50	HSC-75	HSC-625	HSC-875	HSC-540QR	HSC-715QR	HSC-860QR
	DESCRIPTION	Hardline Strip & Core Tool 1/2"	Hardline Strip & Core Tool 3/4"	Hardline Strip & Core Tool 5/8"	Hardline Strip & Core Tool 7/8"	Hardline Strip & Core Tool Kit 540QR	Hardline Strip & Core Tool Kit 715QR	Hardline Strip & Core Tool Kit 860QR
	SIZE OF CABLE	1/2" (12.7 mm)	3/4" (19.05 mm)	5/8" (15.86 mm)	7/8" (22.23 mm)	QR540 (13.72 mm)	QR715 (18.16 mm)	QR860 (21.84 mm)
	REPLACEMENT PARTS	HS-RB, HC-RB, HCB-50	HS-RB, HC-RB, HCB-75	HS-RB, HC-RB, HCB-625	HC-875, HS-875	HS-RBQR, HC-RBQR, HCB-540QR	HS-RBQR, HC-RBQR, HCB-715QR	HS-RBQR, HC-RBQR, HCB-860QR
	QR CODE							



JACKET STRIPPERS	SPecs	HS-50	HS-75	HS-625	HS-875	HS-540QR	HS-715QR	HS-860QR
	DESCRIPTION	Hardline Jacket Stripper 1/2"	Hardline Jacket Stripper 3/4"	Hardline Jacket Stripper 5/8"	Hardline Jacket Stripper 7/8"	Hardline Jacket Stripper 540QR	Hardline Jacket Stripper 715QR	Hardline Jacket Stripper 860QR
	SIZE OF CABLE	1/2" (12.7 mm)	3/4" (19.05 mm)	5/8" (15.86 mm)	7/8" (12.7 mm)	QR540 (13.72 mm)	QR715 (18.16 mm)	QR860 (21.84 mm)
	REPLACEMENT PARTS	HS-RB	HS-RB	HS-RB	HS-RB	HS-RBQR	HS-RBQR	HS-RBQR



CORING	SPecs	HC-50	HC-75	HC-625	HC-875	HC-540QR	HC-715QR	HC-860QR
	DESCRIPTION	Hardline Coring Tool 1/2"	Hardline Coring Tool 3/4"	Hardline Coring Tool 5/8"	Hardline Coring Tool 7/8"	Hardline Coring Tool 540QR	Hardline Coring Tool 715QR	Hardline Coring Tool 860QR
	SIZE OF CABLE	1/2" (12.7 mm)	3/4" (19.05 mm)	5/8" (15.86 mm)	7/8" (22.23 mm)	QR540 (13.72 mm)	QR715 (18.16 mm)	QR860 (21.84 mm)
	REPLACEMENT PARTS	HC-RB, HCB-50	HC-RB, HCB-75	HC-RB, HCB-625	HS-875	HC-RBQR, HCB-540QR	HC-RBQR, HCB-715QR	HC-RBQR, HCB-860QR



**COAX Center Conductor Cleaner - CC-120**

Designed to remove excess dielectric from the center conductor of hardline COAX without damaging the center conductor.



CC-120

- Includes a set of flat blades installed and an additional pair of sawtooth blades

Replacement Blades: **CC-4** (sold separately)

Speed Head 7/16"



Full Head 9/16"



Full Head 7/16"



Full Head 11 mm



Full Head 1/2"



Full Head 22 mm



### Torque Wrenches

The full head Torque Wrenches behave like traditional open end wrenches. These wrenches help prevent over tightening. An audible click tells you the F connector has been torqued to the proper torque requirement.

These wrenches all have angled heads, sized for 1/2", 7/16", 9/16", 11 mm, 22 mm applications, and are designed with an ergonomic cushioned handle for user comfort and protection. These wrenches work in tightening mode only.

**Note:** Speed Head wrenches are designed to act like a ratcheting wrench, skipping over corners of nuts/bolts (allowing for continuous turning).

SPECS	TWAF-71620	TWAS-71620	TWAF-1220	TWAF-91620	TWAF-71625	TWAF-1130	TWAF-71630	TWAS-71630
TORQUE	20 in-lb and 2.26 N-m				25 in-lb and 2.82 N-m	30 in-lb and 3.39 N-m		
WRENCH SIZE	7/16" (11 mm)	7/16" (11 mm)	1/2" (12.7 mm)	9/16" (14 mm)	7/16" (11 mm)	7/16" (11 mm)	7/16" (11 mm)	7/16" (11 mm)
HEAD TYPE	Full	Speed	Full	Full	Full	Full	Full	Speed
QR CODE								

SPECS	TWAF-91630	TWAF-71640	TWAF-91640	TWAF-2244	TWAF-2288	TWAF-14132	TWAF-17132	TWAF-22176
TORQUE	30 in-lb and 3.39 N-m	40 in-lb and 4.52 N-m		44 in-lb and 5 N-m	88 in-lb and 10 N-m	132 in-lb (14.9 N-m)		176 in-lb and 12 N-m
WRENCH SIZE	9/16" (14 mm)	7/16" (11 mm)	9/16" (14 mm)	7/8" (22 mm)	7/8" (22 mm)	9/16" (14 mm)	11/16" (17 mm)	7/8" (22 mm)
HEAD TYPE	Full	Full	Full	Full	Full	Full	Full	Full
QR CODE								

Not all products shown.



### Right Angle Torque Wrench, Swivel Head, 10 in-lb - TWSW-10SK

Designed to properly torque 5/32" security screws with a preset torque of 10 in-lb, this swivel head torque wrench is perfect for Network Interface Device (NID) mounting.



TWSW-10SK

- Can be used with any 3/8" drive sockets, including our **TWS-532** (sold separately)



**Torque Wrenches w/ Swivel Head**

Designed to reach shielded F connector fittings with preset torques, these right angle swivel torque wrenches provide a perfectly calibrated amount of torque to prevent damage from over-tightening or signal loss from under-tightening.

The **TWAFAST-71622** is set at 22 in-lb and 2.49 N-m  
 The **TWAFAST-71630** is set at 30 in-lb and 3.39 N-m

SPECS	TWAFAST-71622	TWAFAST-71630
DESCRIPTION	Torque Wrench w/ SST 7/16", 22 in-lb	Torque Wrench w/ SST 7/16", 30 in-lb
TORQUE	22 in-lb and 2.49 N-m	30 in-lb and 3.39 N-m
QR CODE		



**Right Angle Torque Wrench, Swivel Head, 40 in-lb - TWSW-40**

Designed with a preset torque of 40 in-lb, this swivel head torque wrench is perfect for cable shield bond connectors and other ground connections.



TWSW-40



**3/8" Socket for TWSW-40 (Pack of 10) - TWS-38/10**

Designed to be used on 3/8" shield bond connectors with an appropriate driver, these sockets are perfect for communication cables and other ground connections.



TWS-38/10



**Connector Torque Wrenches - CTW-7163812**

Designed for torquing F connectors to a preset torque of 30 in-lb (3.4 N-m), this torque wrench is perfect for tightening or loosening F connectors in high-density locations.



CTW-7163812

**This torque wrench includes:**

- **CTW-H** F Connector Torque Wrench Handle
- **CTW-7168** F Connector Torque Wrench Shaft, 8"
- **CTW-71612** F Connector Torque Wrench Shaft, 12"
- **CTW-71638** F Connector Torque Wrench, 30 in-lb, 8" (includes **CTW-H** and **CTW-7168**)
- **CTW-716312** F Connector Torque Wrench, 30 in-lb, 12" (includes **CTW-H** and **CTW-71612**)
- **CTW-7163812** F Connector Torque Wrench, 30 in-lb, 8" and 12" (includes **CTW-H**, **CTW-7168**, and **CTW-71612**)

SPECS	CTW-7168	CTW-71612	CTW-71638	CTW-716312	CTW-7163812
LENGTH	8"	12"	8.63" (21.91 cm)	13" (33.0 cm)	8.625" (21.91 cm) and 13" (33.0 cm)
PARTS INCLUDE	N/A	N/A	CTW-H and CTW-7168	CTW-H and CTW-71612	CTW-H, CTW-7168, and CTW-71612
QR CODE					


### Speed Wrenches

Our **PATENTED** speed wrenches are designed to get your job done more efficiently. This line of speed wrenches is made to work on splitters, F connectors, and all 7/16" connections. These wrenches are made of chrome vanadium steel, chrome plated, and polished to a high gloss finish.

Speed heads make tightening and loosening quick and easy while the circular hole allows you to add them to a carabiner and/or tool belt.




SPECS	ASW-12	ASW-716	ASW-916	ASW-R12	ASW-R716	ASW-7916	ASWS-716	ASWS-R716
<b>DESCRIPTION</b>	Angled Head Speed Wrench 1/2"	Angled Head Speed Wrench 7/16"	Angled Head Speed Wrench 9/16"	Ratcheting Speed Wrench 1/2"	Ratcheting Speed Wrench 7/16"	Double-Ended Speed Wrench 7/16" & 9/16"	Angled Speed Wrench Stubby 7/16"	Ratcheting Stubby Speed Wrench 7/16"
<b>WRENCH TYPE</b>	Speed	Speed	Speed	Combination, Speed, Ratcheting	Combination, Speed, Ratcheting	Speed	Speed	Combination, Speed, Ratcheting
<b>QR CODE</b>								



### Combination Wrenches

These combination wrenches measure 7/16" at both ends and have an angled offset (15°) to ease access in confined areas. Chrome plated, polished to a high gloss finish and made of chrome vanadium steel. The ratcheting end of the **CWRR-716** allows you to toggle from tightening to loosening.

SPECS	CWS-716	CW-716	CWRR-716	OW-38716
<b>DESCRIPTION</b>	Combination Stubby Wrench 7/16"	Combination Wrench 7/16"	Ratcheting Reversible Combination Wrench 7/16"	Open-Ended Wrench 3/8" & 7/16"
<b>QR CODE</b>				





**UNIQUELY  
VERSATILE**



**CHECK OUT  
PPA-7 & PPA-10!**

# **PUMP PLIERS**

## **AUTOMATICALLY ADJUSTABLE**



**ERGONOMIC  
HANDLE**

*Reduces Hand Fatigue*



**AUTO ADJUST**

*Easy Resizing of Jaws for  
Differently Sized Objects*



**NO SLIP GRIP**

*Uniquely Shaped Serrated  
Jaws Ensure a Secure Grip*



**Terminator Tools**

Locking terminators are essential for protecting service lines from unauthorized access and maintaining signal quality by reducing noise and interference.

Jonard Tools manufactures specialized tools for installing and removing these terminators, with ergonomic handles for enhanced grip and stainless-steel shafts built for long-lasting performance.



Available in multiple lengths and styles, including pronged models like the **TT-7V** and **TT-7PT**.

SPECS	TT-4	TT-7PT	TT-7	TT-7V
<b>DESCRIPTION</b>	Terminator Tool 4-1/2"	Terminator Tool For PPC & T&B	Terminator Tool 7"	Terminator Tool w/ Prongs 9"
<b>TERMINATION STYLE</b>	Spring Ears	Spring Ears	Spring Ears	Spring Ears, 2 Prong
<b>USED ON</b>	Gilbert Morlock, PCT LT, PPC PST, Signal Vision LT, Signal Vision SV-LTA	Gilbert Morlock, PCT LT, PPC PST, Signal Vision LT, Signal Vision SV-LTA, PPC 502, T&B CLF, TRL	Gilbert Morlock, PCT LT, PPC PST, Signal Vision LT, Signal Vision SV-LTA	Gilbert Morlock, PCT LT, PPC PST, Signal Vision LT, Signal Vision SV-LTA, Viewsonics 2 Prong, Viewsonics 3 Prong
<b>LENGTH</b>	4-1/2" (114.3 mm)	7-1/2" (190.5 mm)	8" (203 mm)	9" (228.6 mm)
<b>QR CODE</b>				



**Cam Style Locking Terminator Tools**

Designed with a cam style locking terminator tip for use on Corning Gilbert style terminators, this tool is perfect for use on the Gilbert NS-5762-3 or other similar types of terminators.

- TTCG-6270-5** Locking Terminator Tool 5"
- TTCG-6270-9** Locking Terminator Tool 9"



TTCG-6270-5



TTCG-6270-9



**Trap & Security Combo Tool - TTS-716**

Two tools in one, the **TTS-716** combines a trap wrench with a security sleeve tool to make it the perfect combo tool for all standard traps and all sizes of security sleeves. This combo tool features:

- Security wrench fits all metal 7/16" hex "F" fittings
- 2 prong termination style



TTS-716



**Terminator Tool for PPLT-75 & PPLT-LR - TT-PPLTT4**

This terminator tool is designed for use with PPLT Series locking terminators, specifically the **PPLT-75** and **PPLT-LR**. Specially designed to overcome problems of theft and tool breakage. Ideal 0.218" plunger diameter is sized to accommodate PPLT locking terminators. Aluminum body for high strength and durability and belt loop included for convenience.



TT-PPLTT4



**Barrel Lock Plunger Key - TTB-6**

The Jonard Tools **TTB-6** Barrel Lock Plunger Key is designed to unlock Channell LK03029817 and Highfield 93180775-S CATV barrel locks quickly and easily. It only works with these 2 types of locks with inside diameters from 0.176" to 0.196".

This key may also fit other locks used in the electric, gas and water utilities. **Know your lock size before purchasing.**



TTB-6



**Barrel Lock Plunger Key Size #6 - TTBW-158**

Specifically designed to unlock Highfield 93180128 and 93180124 locks, this #6 key is able to unlock utility box locks with inside diameters of 0.158".

- Made from High Carbon alloy steel for heavy-duty use
- Smooth plunger operation and heavy-duty spring designed for high strength and durability



TTBW-158



**Outer Conductor Flaring Tool - FT-2075**

The Jonard Tools **FT-2075** Outer Conductor Flaring Tool is specially designed to flare outer conductors on Eupen 7168, A7168, and CommScope CA519 75 Ohm corrugated copper cable.

- Ergonomic screwdriver-like handle for more comfortable gripping and easier flaring
- Made of high carbon steel with a black oxide finish for maximum durability



FT-2075



**Flaring & Insertion Tool - FT-6**

The Jonard Tools **FT-6** Flaring & Insertion Tool is designed to facilitate the expansion of the cable jacket. This flaring tool spreads the COAX cable jacket, which allows easy insertion of F connectors.

- Perfect for use on polyethylene jacketed, plenum, tri-shield, and quad-shield RG6 cables



FT-6



**Crimper with COAX Die - UC-8012**

Designed for use with RG-59/RG-6 CATV crimp type F connectors, this crimper is the perfect tool for crimping COAX connector collars.

**Kit includes:**

- UC-8000** Universal Crimper Without Die
- UCD-2045** COAX Crimping Die



UC-8012



### Star Keys & Star Key Slam Lock Sets

The **SSK-716** can wrench is specifically designed to work with all of our SSK Series Keys. The **SSK-716** can wrench has two 7/16" hex sockets 1-1/2" deep on either end and can be used to open enclosures that require a 7/16" socket.

The **SKF-800** is a fixed star key can wrench is a double-sided star key can wrench, fixed with an LG pattern on one side and an LB pattern on the other. It is perfect for opening outdoor pedestals whose locks have LB or LG patterns.



SSK-716



SKF-800



SSK-716

SSK-876

SKF-800  
FIXED STAR KEY CAN WRENCH W /LB & LG PATTERNS

#### Star Key Kits:

SPECS	SKF-800	SSK-700	SSK-750	SSK-800	SSK-850	SSK-876	SSK-900	SSK-950
SSK-716 CAN WRENCH	X	X	X	X	X	X	X	X
SSK-85					X	X		X
SSK-90 P-KEY							X	X
SSK-75			X			X		
SSK-80	X			X				
SSK-70		X						
QR CODE								

For authorized personnel only.



SSK-60

SSK-70

SSK-75

SSK-80

SSK-85

SSK-90

#### Star Keys:

SPECS	SSK-60	SSK-70	SSK-75	SSK-80	SSK-85	SSK-90
KEY PATTERN	LQ 8-point flower & LB 8-point star	LB 8 point star & LK flower	LC 7 point star & LG flower	LB 8 point star & LG flower	LB 8 point star & LS 5 point star	P Key
QR CODE						



**P Key For Self Lock Pedestal Lock - TTK-225**

The Jonard Tools P Key (also known as a skeleton key) is designed to work with Channell locks and other similar pedestal locks. It can be used on many popular pedestals and opens most heavy duty spring-lock cabinets.

- Made of high quality brass for increased durability



TTK-225



**Pocket Continuity Tester & Toner - PT-100**

Designed to identify cables in an MDU and detect troublesome short circuits, this pocket continuity tester and toner is perfect for testing cables up to 5,000 ft (1,500 m) on the go.

Replacement Speaker for Pocket Toner: **PT-350** Piezo Speaker



PT-100



**Pocket Continuity Tester & Toner w/ Voltage Protection - PT-300**

Designed to identify cables in an MDU and detect troublesome short circuits, this pocket continuity tester and toner is perfect for testing cables up to 5,000 ft (1,500 m) on the go. Features manual ON/OFF switch & voltage protected up to 52V.

Replacement Speaker for Pocket Toner: **PT-350** Piezo Speaker



PT-300



**Cable Mapper Pro - CM-100**

Designed for finding and identifying up to 8 COAX and network cables in main cable boxes, this cable mapper and toner is the perfect tool for use on cables for CATV, network installations, satellite installations, telephone systems, audio-video equipment, CCTV, and security & alarm installations.

**Kit includes:**

Cable Mapper/Tester/Toner, 8 COAX Identifiers, 8 Network Cable Identifiers, 2 Data Patch Cords, Coax Patch Cord, Network Cable Remote, Rugged Nylon Case, 2 AA Batteries, and an Instruction Sheet



CM-100





**Modular Cable Tester for RJ45, RJ12, RJ11 Cables - MCT-468**



MCT-468

Designed to test the continuity of RJ45, RJ12, and RJ11 connectorized cables, this cable tester checks and troubleshoots pin connections in network and telecom cables. This modular cable tester features the following:

- Tests for opens, shorts, and miswiring of RJ45, RJ12, and RJ11 terminated cables
- Full LED indication lights on both main and remote unit
- Automatically starts testing when switched on
- Can slow down testing procedure using "S" switch to better see each test
- Includes nylon carrying case and (1) 9V battery



**Cable Tester Tone & Probe Kit+ w/ ABN - TETP-901**



TETP-901

Designed to identify, trace, and test the continuity of BNC & F connectorized COAX cables, network cables using RJ45 connectors, and telephone lines using 6P2C/4P2C plugs. This multi-function cable tester tone and probe kit is the perfect kit for any Voice Data Video (VDV) professional.

**Kit includes:**

**TEP-200** Tone Tracing Probe+

- Remote terminator can be used to test network cables with ease
- Provides tone via RJ45 and BNC connectors or test clips

**TET-700BC** Cable Tester & Toner+ w/ ABN

- Plastic probe tip prevents accidental shorts
- LED light provides a visual indication of signal strength

**TET-6** Accessory Kit for Cable Testers & Toners+






**Compact BNC Connector Tool - RBNC-3**

Designed to provide easy access to BNC connectors, this 2.25" BNC Connector Tool is perfect for installing or removing BNC connectors in high-density locations. This tool features the following:

- Compact design allows you to reach connectors in hard-to-reach places
- Knurled handle provides a secure grip while using the tool
- Steel loop can easily attach to a carabiner or key ring



**Connector Tools**

The **RBNC-12** is designed to install or remove BNC connectors in high density locations. The **RF-12** and **RF-18** perform the same function but for F connectors and feature an insertion device on the back of the handle to aid in making connections.

- Ergonomically designed handle provides increased comfort and leverage
- Made from high-quality materials for maximum durability and long life

**RBNC-12** - 12" long  
**RF-12** - 12" long  
**RF-18** - 18" long



**Extra Force F Connector Tool, 12" - RFX-12**

Designed with a nut on the base of the handle and a short head with a heavy duty weld, this 12" F Connector Tool is perfect for installing or removing rusted or corroded F connectors in high-density locations.

- Short head design allows it to grasp connectors in high density locations where cables may be twisted or bent



**Security Shield Tools**

- **SST-716** Security Shield Tool 7/16" & **SST-716AT** Security ShieldTool Water Tight are used with 7/16" hex shielded F connectors. Design includes extended 7/16" shank for ease of use with Torque Wrenches in security shield applications. Black oxide finish. Knurled handle for secure gripping and includes a steel loop for turning leverage and carrying.
- **SST-916** is designed to be used on 9/16" hex shielded F connectors (RG11), this security shield tool is perfect for use with torque wrenches to lock security shields onto connectors. Knurled handle for secure gripping. Steel loop included for better leverage and easy storage. Shaft length 1.625".



**Low Torque Termination Tool - TT-812**

Designed to tighten F connectors, this **PATENTED** indoor torque tool is perfect for connecting COAX connectors to consumer electronic devices with the proper amount of torque every time.

- Small and compact for getting into tight spaces: 1-3/8" tall and 7/8" diameter
- Helps prevent signal loss, ingress / egress





# CABLE INSTALLATION

WTL-12 – WALL BOX TEMPLATE & LEVEL, PG. 82



## Adjustable Round Hole Cutter, 2.2"-10" - AHC-10


The Jonard Tools **AHC-10** adjustable hole cutter is designed for cutting round holes in ceilings, walls, and floors and is the perfect tool for installing recessed speakers, lighting, or other round objects.

- Can be used with any variable-speed drill
- Includes rugged carry case

Replacement Blades (Pack of 2): **AHC-10RB**



AHC-10



## Adjustable Round Hole Cutter w/ Vacuum Port, 2.2" - 8.6" - AHC-19

Designed for cutting round holes in ceilings, walls, and floors without making a mess, the **AHC-19** is the perfect tool for installing recessed speakers, lighting, or other round objects. This adjustable hole cutter features the following:

- Can be hooked up to vacuums, with 2.5" (63.5 mm) diameter hose nozzles, to suck up debris as you go
- Cuts plywood, sheetrock, plasterboard, and acrylic sheet up to 1-1/16" (27 mm) thick
- Cutting depth is adjustable via hex locknut and compression spring
- Cuts hole sizes from 2.2" to 8.6" (56 mm to 218.44 mm) in diameter
- Polycarbonate transparent dust shield collects dust and prevents chips from flying into eyes while cutting
- Rubber gasket provides surface protection against damage, tight seal against flat surfaces, and prevents fallout from debris
- Compression spring absorbs vibrations while cutting
- Can be used with any variable-speed drill
- Power drill and vacuum not included with hole cutter

**Includes:** 1 Cover, 1 Adjustable Hole Cutter, 1 Vacuum Port, 1 Cap, 1 Nut, 1 Set of Replacement Blades, 1 Hex Key, and a Rugged Carry Case

Replacement Blades (Pack of 2): **AHC-19RB**



AHC-19





**Telescoping Poles**

Designed to provide more control and accuracy than the competitors, these telescoping poles are perfect for installing or retrieving cables in drop ceilings or other hard to reach places. Includes: C & K hooks (to help grab/push cables), adapter (to replace the platform for navigating tight spaces), and small carrying pouch.



**RDT-12K** Length: 12'

**RDT-18K** Length: 18'

Accessory Replacement Kit for RDT-18K: **RDT-3RH**



**WiSpy® - Multipurpose Wireless Inspection Camera and Cable Pulling Tool - CF-200**

The WiSpy® professional and durable inspection camera is ideal for any hard-to-see inspections.



**Kit includes:**

- **CFP-60V** Free Telescoping Pole
- **CWB-11** Free Cell Phone Wrist Band
- 8 Adapters & USB Charger, Gooseneck and Rigid Fishing Extenders, Hook & Magnet, Spare O-rings
- Protective EVA Carrying Case and Instruction Manual



**Telescoping Pole, 5' - CFP-60**

Designed to extend a full 5 feet (1.52 meters) while providing exceptional control and accuracy, this telescoping pole is perfect for holding the **CF-200** camera or installing and retrieving cables in drop ceilings or other hard to reach places.




- Made from aluminum for maximum rigidity and light weight



**Magtime™ Magnetic Cable Holders MF-25/10 (Pack of 10) & MF-25/25 (Pack of 25)**

Made of neodymium (a rare earth magnet), these cable holders quickly and easily allow the technician to install cables without any drilling, screwing or nailing required. These powerful magnets can hold a substantial number of cables based on the size chosen. Hang wires in high places from the ground using a telescopic pole with the cable pole adapter.



**Magtime™ Cable Pole Bracket - MF-45**

The **MF-45** is the **RDT-18K** Telescopic Pole adapter to be used with the **MAGTIME** series of magnetic cable holders to place in locations typically requiring a ladder or other lifting device. The **MF-45** is made from Tough ABS plastic and is flexible to allow for ease of use and rugged enough to withstand accidentally being dropped from heights over 10'.





### Pulley for Low Voltage Electrical, Network, and COAX Cables (Pack of 2) - CP-475



CP-475

The **CP-475** is a set of two cable pulleys designed to help install electrical, COAX, network, and other various low voltage cables. With their swivel snap hooks, deep grooves, and anti-friction bearings, these pulleys keep cables aligned with the direction of the pull, preventing snags and kinks.

- Holds up to 20 CAT5/6 network cables
- Swivel snap hook installs easily and keeps pulley aligned with direction of pull to prevent kinks



### Cable Comb® Cable Organizing Tool - CCB-25



CCB-25

Neatly bundle your cables! Jonard Tools' Cable Comb® Cable Organizing Tool substantially reduces the amount of time it takes to straighten, organize, and lash multiple cables together with ease.

- Compatible with any cables or wires up to 1/4" (6.35 mm) in diameter, such as: Coaxial (not RG6 Quad), Plenum, Control, CAT5/5E/6 Network, Speaker, and Alarm Cables and Wires
- Holds up to 24 cables (0.25" in diameter)
- Unique design allows individual cables to be loaded into the orange inner hub at any point during use without the need to find and thread the cable ends
- Cables can also be removed at any point during use by sliding the blue outer collar back and removing them through the large opening of the collar



### Cable Comb® Cable Organizing Tool CAT6A/CAT7 - CCB-34



CCB-34

Neatly bundle your cables! Jonard Tools' Cable Comb® Cable Organizing Tool Set substantially reduces the amount of time it takes to straighten, organize, and lash multiple cables together with ease. This Cable Comb® also features the following:

- Holds up to 24 CAT6A, CAT7, or other similar sized cables
- Compatible with any cables or wires up to 0.36" (9.14 mm) in diameter, such as: Coaxial (not RG6 Quad), Plenum, Control, CAT5/5E/6/6A/7 Network, Speaker, and Alarm Cables and Wires
- Unique design allows individual cables to be loaded into the green inner hub at any point during use without the need to find and thread the cable ends



### Cable Comb® Cable Organizing Tool Set - CCB-2534



CCB-2534

Neatly bundle your cables! Jonard Tools' Cable Comb® Cable Organizing Tool Set substantially reduces the amount of time it takes to straighten, organize, and lash multiple cables together with ease.

- Holds up to 24 cables
- Unique design allows individual cables to be loaded into the orange/green inner hub at any point during use without the need to find and thread the cable ends

**Set includes:**

**CCBR-5** Cable Comb® Outer Ring (Blue)

**CCBH-25** Cable Comb® Inner Hub (Orange)

**CCBH-34** Cable Comb® Inner Hub (Green)



**Hook and Loop Cable Tie Strap, 8" x 1/2" (Pack of 100) - CTS-812/100**



Secure your cable bundles with ease using Jonard Tools Hook and Loop Cable Straps! A perfect solution for keeping your cables organized and tidy.

- 8" length by 1/2" width is the ideal size for a variety of applications
- Crafted from thick high-quality plastic material, these straps are designed to withstand daily use and provide long-lasting durability
- Hook and loop design allows for easy adjustment and reusability, making it simple to add or remove cables from your bundles as needed
- Simply wrap the strap around your cable bundle and fasten it securely with the hook and loop closure. No tools required!



**Cable Funnel Drop Ceiling Protector - CPF-215**



Designed to prevent the snaring or snagging of cables in drop ceilings, this tool is perfect for protecting cables and ceiling grids while pulling cable. This tool also features the following:

- Protects any type of cable from being damaged while being pulled through a drop ceiling
- Prevents ceilings from being twisted or marred while cable is pulled
- Made from a smooth plastic material to minimize friction and make cable pulling easy
- Side slit and removal fin make removal quick and easy
- Works with standard 1" ceiling grids



**Fish Tapes**

Designed for easier payout and rewind, these Fish Tapes Reels are perfect for pulling wire or cables through conduit, walls, or under carpets.

SPECS	FTS-50	FTS-240
DESCRIPTION	Fish Tape, 50 Feet	Fish Tape, 240 Feet
DIMENSIONS	1/8" (3.2 mm) wide x 1/16" (1.6 mm) thick x 50 feet (15.2 m)	1/8" (3.2 mm) wide x 1/16" (1.6 mm) thick x 240 feet (73.2 m)
WEIGHT	2.5 lbs (1.13 kg)	6.8 lbs (3.08 kg)
QR CODES		



**Fiberglass Fish Tape Rodders - FTF-1125 & FTF-1150**



The **FTF-1125 & FTF-1150** have been designed to be the ultimate non-conductive fish tape dispensers and winders. With a built-in handle, fastening and anchoring system, center compartment, and two furling systems, these fish tape systems are perfect for pulling wire or cables through conduit, walls, or under carpets.




- Tape is made from a non-conductive nylon-coated fiberglass rod for ultimate flexibility and durability
- Cases are made from a high impact plastic material for durability

**Each includes:** Reel, 100-150 ft Fiberglass Fish Tape, Standard Flexible Head, Super Flexible Head, Rolling Flexible Head, Single Pulling Loop, (2) Standard Pulling Eyelets, Wide Pulling Eyelet, Female-Female Join Adapter, and (2) Screw Terminals


**Coated Fiberglass Rodder, 3/16" x 300' - ROD-3316**

Lightweight and portable, this rodder unit is perfect for running conduit cable or wire through or along conduit drops as well as home drops from the hand-hole box to a building.

- Lightweight and compact design for easy transport
- Made with a non-conductive fiberglass core with a yellow nylon coating for high visibility and flexibility
- Nylon coating on rod resists harsh environments and provides a low friction surface for easier pulling either horizontally or vertically
- Drag brake for controlling pay out speed and triangular stand for stability
- Compatible with any conduit 3/4" or larger
- Includes: **ROD-3316AK** – Accessory Kit


**ROD-3316**

**Cable Roller for Cables up to 1" Diameter (Pack of 6) - CR-150/6**

Designed to work on cables up to 1" diameter. The **CR-150/6** is simple and easy to use for pulling cable in overlash construction.

- Rugged design and built to last
- Supports cables up to 1" in diameter including fiber optic cable
- Cable roller design helps prevent snagging and catching
- Snaps over strand cable to install quick and easy for overlash construction
- Cable roller made from durable nylon plastic


**CR-150/6**

**Dual Cable Roller for Cables up to 1" Diameter (Pack of 4) - CR-210/4**

Designed to work with two cables up to 1" diameter each. The **CR-210/4** is simple and easy to use for pulling cable in overlash construction.

- Supports cables up to 1" in diameter including fiber optic cable
- Cable roller design helps prevent snagging and catching
- Snaps over strand cable to install quick and easy for overlash construction
- Roller made from durable nylon plastic


**CR-210/4**

**Cable Roller for Cables up to 3" Diameter (Pack of 4) - CR-300/4**

Designed to work on cables up to 3" diameter. The **CR-300/4** is simple and easy to use for pulling cable in overlash construction.

- Rugged design and built to last
- Supports cables up to 3" in diameter including fiber optic cable
- Cable roller design helps prevent snagging and catching
- Snaps over strand cable to install quick and easy for overlash construction
- Roller made from durable nylon plastic


**CR-300/4**

**Heavy Duty Spring Roll™ Cable Roller - CR-399**

The Jonard Tools' Spring Roll™ Cable Roller is engineered for efficient cable pulling, securely holding cables up to 3" in diameter. Its spring-loading design, compatible with layup sticks, allows for quick slap-on installation and easy snap-off removal, making cable handling fast and convenient. Built for durability with a high-visibility design, the Spring Roll™ Cable Roller is ideal for telecommunications and electrical applications, simplifying both setup and breakdown in demanding environments.


**CR-399**



**Electrical Knockout Kit - WBK-100**

The Jonard Tools **WBK-100** Electrical Panel Knockout Kit is designed to open knockouts from electrical panels without damaging the panel or cutting holes in the drywall quickly and easily.

**Kit includes:**

- (1) panel buddy and (1) modified screwdriver



WBK-100



**HDMI Cable Tester - HDMI-100**

Designed to test HDMI and Mini HDMI cables with ease, this HDMI Cable Tester is the perfect tool for evaluating HDMI cables that may have shorts, open circuits, or have wire pairs in the wrong order. This HDMI tester features the following:

- Perfect for use on 1.2V, 1.3V, 1.4V, 2.0V HDMI or Mini HDMI cables
- Scan mode allows you to see each individual connection being tested
- Full Display mode shows all of the tested connections at once
- Remote can be detached from the main unit, allowing you to quickly and easily test HDMI cables that are installed or very long
- Auto-shutdown function after 10 minutes helps preserve battery life
- Includes (1) 9V battery required for operation



HDMI-100



**Heavy Duty Cable Tie Gun, 3/16" - CTG-1000**

Designed with an all metal construction, this cable tie gun is perfect for cutting standard and heavy-duty cable ties flush, preventing sharp edges from occurring. This cable tie gun also features the following:

- Cuts cable ties and zip ties up to 3/16" (4.76 mm) wide flush to the surface
- Tension adjustment knob with 4 tension levels (0-3) to prevent excess tightening on cables
- Automatically flush cuts cable ties when the set tension is reached
- Made from precision engineered parts for smooth operation
- Ergonomic handle design makes it comfortable and easy to use



CTG-1000



**Cable Tie Holder, 1.5" - CTH-15**

Designed to hold zip ties and cable ties, this cable tie holder is perfect for quickly fastening bundles of cables while keeping them within reach. This cable tie holder also features the following:

- Spring-loaded design automatically bundles cable ties tightly, keeping them neat and organized
- Included carabiner makes this easy to attach to a belt or keyring
- Plastic material is glow-in-the-dark to be able to see it in dark spaces
- Rubber ring prevents zip ties from slipping or falling out
- Large 1.50" opening holds plastic zip ties, heavy-duty, metal zip ties, and other cable ties ranging from 4" to 24" (10 cm to 61 cm) in length



CTH-15

# MAGNETRIEVER®

**Kits include:**

- 24" or 36" Flexible Magnetic Retriever
- MRS-BC10** 12' Ball Chain with 3/4" Stop Ring
- MRS-RH20** Expandable Retriever Hook Eyelet Retriever (**MRS-36** only)
- Storage Pouch

**MagneTrieve® - MRS-24**

The **MRS-24** - MagneTrieve® is the ideal tool to effortlessly fish wires through walls.



MRS-24

**MagneTrieve® Pro - MRS-36**

The **MRS-36** - MagneTrieve® Pro is the professional tool to effortlessly fish wires through walls using its 36" magnetic retriever, bullet nose, and reinforced 12' ball chain.



MRS-36



CABLE INSTALLATION



**Magmamole Magnetic Cable Guide Kit - MM-800**

Quickly threads wire and cable through cavity walls and void spaces. Threads at an angle and safely through other wire and cable obstacles. Saves time, saves money, and sharply reduces the risk of accidents.



MM-800

**Kit includes:**

- 1 Magnetic Rod (17"), 2 Magnetic Extensions (14"), 5 Magnetic Caps, Storage Pouch

SPECS	MM-110	MM-120
DESCRIPTION	Replacement Magnets (3 Magnetic Caps of Each Color)	Replacement Magnets (2 Magnetic Caps of Each Color)
CAP COLOR & CABLE DIAMETER	(Red) 0.169" to 0.205"; (Blue) 0.230" to 0.295"	(White) 0.145" to 0.169"; (Gray) 0.173" to 0.201"; (Black) 0.205" to 0.232"
CABLE USED WITH	CAT5 RG6, RG6 TRI, RG6 Quad	CAT3, 3.1 mm Simplex Fiber Optic Cable, CAT5, CAT5E, RG59, 12AWG Romex
QR CODE		



**Magnetic Cable Retrieval Systems**

Designed with ultra-strong neodymium magnets and a cylindrical head with rubber-coated wheels, this **PATENTED** magnetic cable retrieval system makes it quick and easy to pull wire through drywall, finished walls, and other tight spaces without damaging or scuffing the surface.



MP-700

**Kits (MP-700) include:** Magnetic Retriever, 3/4" Drop Magnet with Pull Line, Convenient Carrying Case

JONARD P/N	DESCRIPTION
<b>MP-700</b>	MagneTrieve® MaxForce+ Retrieval System
<b>MP-220</b>	3/4" Drop Magnet without Leader
<b>MP-210</b>	3/4" Drop Magnet with Leader
<b>MP-100</b>	1/2" Drop Magnet without Leader

### Glow Rods and Accessories

These glow rods are 3/16" in diameter with medium flexibility and 8-32 threaded ends. Made from luminescent fiberglass with stainless steel connectors, they're built for visibility and durability. The **RDG-FLW** WhiskLight® is included in the **RDG-RP4A** accessory kit and also comes with the **RDG-15A** and **RDG-30A** rod sets. It is also available for purchase separately.



Glow Rods - Various kits available.



SPECS	RDG-5	RDG-9	RDG-15A	RDG-30A	RDG-515
OVERALL LENGTH	5 ft (1.52 m)	9 ft (2.74 m)	15 ft (4.57 m)	30 ft (9.14 m)	75 ft (22.86 m)
INDIVIDUAL GLOW ROD LENGTH	5 ft (1.52 m)	1.5 ft (0.457 m)	5 ft (1.52 m)	5 ft (1.52 m)	5 ft (1.52 m)
# OF RODS	1	6	3	6	15
INCLUDED ATTACHMENTS	N/A	Bullet Nose	RDG-RP4A	RDG-RP4A	N/A
WEIGHT	0.160 lb (72.6 g)	0.617 lb (0.28 kg)	1.18 lb (0.535 kg)	1.18 lb (0.535 kg)	2.4 lb (1089.6 g)
WEIGHT PER GLOW ROD	0.160 lb (72.6 g)	0.073 lb (33 g)	0.160 lb (0.0726 kg)	0.160 lb (0.0726 kg)	0.160 lb (0.0726 kg)
QR CODE					



#### 4 Piece Glow Rod Attachment Replacement Kit+ - RDG-RP4A

This product is the attachment head replacement kit for the **RDG-15A** and **RDG-30A** Glow Rod Kits.

**Kit contains:** Ball Chain, Eyelet, Hook, and **RDG-FLW** WhiskLite®



RDG-RP4A



#### WhiskLight® - RDG-FLW

Designed to illuminate dark areas and guide glow rods through acoustical ceilings or crawl spaces, the WhiskLight® is the perfect flashlight or whisk attachment head for glow rods and fish sticks.

- Holes in the whisk allow you to attach wires and cables easily
- Super-bright LED illuminates dark areas for greater visibility



RDG-FLW



#### Reference Point Locator - MP-800

Designed with a precise signal transmitter and locator, this Reference Point Locator pinpoints the exact location to drill or cut through a wall, so no more guesswork.

**Kit includes:** Transmitter, Receiver, 2 9V Batteries, Tack Adhesive, Instruction Sheet, Carrying Case



MP-800

### Steel Cable Caddies

Made of 7/8" (22 mm) diameter tubular steel, these sturdy cable caddies facilitate the transportation and storage of spooled products in a wide range of spool sizes and feature the following:

- Folding mechanism for easy storage
- Sturdy steel construction with dual leg chains for increased stability and longer life
- Portable and compact design to make it easy to store and move around job sites
- Able to hold cable reels weighing up to 100 lb (45.4 kg)
- Easy setup by just placing cable caddy on the floor, removing the cotter pin, and loading the reel
- Slip-resistant rubber feet to prevent the caddy from slipping while also protecting floors from damage



SPECS	CC-2721	CC-2721WS	CC-2726	CC-2726WS	CC-5442
STYLE	Standard	With Wheels & Pull Strap	Standard	With Wheels & Pull Strap	Double Deck
OVERALL WIDTH	21" (53.3 cm)	21" (53.3 cm)	26" (66.0 cm)	26" (66.0 cm)	21" (53.3 cm)
OVERALL HEIGHT	27" (68.6 cm)	28" (71.1 cm)	27" (68.6 cm)	28" (71.1 cm)	27" (68.6 cm)
SPOOL ROD DIAMETER	5/8" (15.88 mm)	5/8" (15.88 mm)	5/8" (15.88 mm)	5/8" (15.88 mm)	5/8" (15.88 mm)
MAXIMUM SPOOL WIDTH	17" (43.2 cm)	17" (43.2 cm)	22" (55.88 cm)	22" (55.88 cm)	17" (43.2 cm)
MAXIMUM SPOOL DIAMETER	20" (50.8 cm)	20" (50.8 cm)	20" (50.8 cm)	20" (50.8 cm)	20" (50.8 cm)
MAXIMUM SPOOL WEIGHT	100 lb (45.4 kg)	100 lb (45.4 kg)	100 lb (45.4 kg)	100 lb (45.4 kg)	100 lb (45.4 kg)
QR CODE					



### Cable Caddy Hand Truck - CCHT-166

The Jonard Tools **CCHT-166** Cable Caddy keeps cable spools organized and easily accessible on a portable hand truck. This caddy facilitates the transportation and storage of different spooled products. This cable caddy also features the following:

- 43" height is perfect for maneuvering cable reels without needing to bend
- Extendable handle allows the caddy to lay down for horizontal cable pulling capabilities
- Large rugged 7" wheels provide grip on a variety of different surfaces
- Constructed from 1" diameter steel tubes to support cable reels up to 300 lb (136 kg)
- Includes 6 removable rods to hold different numbers and different sizes of cable reels



CCHT-166



### Cable Reel Dispenser, 10" Diameter - CRD-10

Designed to hold cable and wire reels up to 700 lb (318 kg), this cable reel dispenser is perfect for winding or unwinding cables from small- to mid-sized cable reels.



CRD-10

- Unique tabs of the cable drum allow it to be mounted to a cable reel via screws
- Compact and portable design makes it easy to store and move around job sites
- Center rods for holding cable reels can be stored underneath the dispenser, making it even more compact and portable
- Holds any diameter cable reels up to 700 lb (318 kg), even if the reels are broken themselves
- Rubber feet provide a non-slip and secure grip while winding or unwinding cables
- Large lip around the drum prevents cables from getting stuck or snared



### Low Voltage Electrical Box Cutter, Single Gang - EBC-363

The Jonard Tools **EBC-363** Low Voltage Electrical Wall Box Cutter is designed for cutting a precision hole for low voltage single gang boxes in drywall. This electrical wall box cutter features the following:



EBC-363

- Easily cuts drywall in just seconds to make installation of low voltage mounting brackets quick and easy
- Needs to be used with an oscillating multi-tool (sold separately)
- Made of stamped steel for high durability and long life
- Cuts a rectangular hole with dimensions 2-1/4" wide x 3-5/8" high



### Electrical Wall Box Cutters

Cuts drywall in seconds making installation of electrical boxes fast and easy. The **EBC-400** cuts a 2-3/8" x 3-3/4" hole for single gang boxes and the **EBC-800** cuts a 4" x 3-3/4" hole for double gang boxes.




EBC-400

#### Available Kits:

- **EBW-412** kit includes the **WTL-12** and **EBC-400**
- **EBW-812** kit includes the **WTL-12** and **EBC-800**



EBC-800



### Wall Templates & Levels

Designed specifically for cutting out old work boxes, these template levels are perfect for ensuring the boxes are level every time.

SPECS	WTL-12	WTL-32M	WTL-34
<b>DESCRIPTION</b>	Wall Box Template & Level for Non-Metallic Boxes, 1-Gang and 2-Gang	Wall Box Template & Level for Metal Boxes, 1-Gang and 2-Gang	Wall Box Template & Level for Non-Metallic Boxes, 3-Gang and 4-Gang
<b>ELECTRICAL BOX TYPE</b>	Non-Metallic, Old Work	Metallic, Old Work	Non-Metallic, Old Work
<b>NO. OF GANGS</b>	1-Gang, 2-Gang	1-Gang, 2-Gang	3-Gang, 4-Gang
<b>QR CODE</b>			



### Auger, Bellhanger, Combination & High Speed Steel Drill Bits

Designed to drill through metal, wood and masonry walls for installing computer, security, phone, and cable small wire systems, these drill bits eliminate the need to carry multiple drill bits with you, perfect for any installer. These drill bit also features the following:

- Aggressive tips drill through metal, wood, masonry, and other similar materials
- Holes on the bit head and chuck allow for pulling of wires after drilling
- Black oxide coated shaft and powder coated blue for greater rigidity, durability, and rust resistance



SPECS	DBA-154	DBA-3854	DBA-91654	DBB-3812	DBB-3824	DBB-3836
<b>DESCRIPTION</b>	Flex Auger Drill Bit	Flex Auger Drill Bit	Flex Auger Drill Bit	High Speed Steel Bellhanger Bit	High Speed Steel Bellhanger Bit	High Speed Steel Bellhanger Bit
<b>USED FOR</b>	Wood	Wood	Wood	Metal & Wood	Metal & Wood	Metal & Wood
<b>OVERALL LENGTH</b>	54"	54"	54"	12"	24"	36"
<b>DIAMETER</b>	1"	3/8"	9/16"	3/8"	3/8"	3/8"
<b>QR CODE</b>						

SPECS	DBC-144	DBC-1218	DBC-1224	DBC-3818	DBC-3824
<b>DESCRIPTION</b>	Combination Bit	Combination Bellhanger Bit	Combination Bellhanger Bit	Combination Bellhanger Bit	Combination Bellhanger Bit
<b>USED FOR</b>	Wood & Masonry	Wood & Masonry	Wood & Masonry	Wood & Masonry	Wood & Masonry
<b>OVERALL LENGTH</b>	4"	18"	24"	18"	24"
<b>DIAMETER</b>	1/4"	1/2"	1/2"	3/8"	3/8"
<b>QR CODE</b>					

SPECS	DBF-1224	DBF-1412	DBF-1418	DBF-1424
<b>DESCRIPTION</b>	High Speed Steel Flex Bit	High Speed Steel Flex Bit	High Speed Steel Flex Bit	High Speed Steel Flex Bit
<b>USED FOR</b>	Metal & Wood	Metal & Wood	Metal & Wood	Metal & Wood
<b>OVERALL LENGTH</b>	24"	12"	18"	24"
<b>DIAMETER</b>	1/2"	1/4"	1/4"	1/4"
<b>QR CODE</b>				

SPECS	DBF-3812	DBF-3818	DBF-3824	DBF-3836	DBF-3872
<b>DESCRIPTION</b>	High Speed Steel Flex Bit	High Speed Steel Flex Bit			
<b>USED FOR</b>	Metal & Wood	Metal & Wood	Metal & Wood	Metal & Wood	Metal & Wood
<b>OVERALL LENGTH</b>	12"	18"	24"	36"	72"
<b>DIAMETER</b>	3/8"	3/8"	3/8"	3/8"	3/8"
<b>QR CODE</b>					



**Multi-Function Magnetic Chip Catcher Ring - MMR-2**



Designed to efficiently catch metallic chips when drilling into metal enclosure boxes, this tool is essential for capturing metal debris to maintain a clean workspace.

- Powerful magnets stick to metal enclosure boxes and effectively hold metallic chips while drilling, preventing them from scattering over workspaces
- Built-in inner cup allows disposal of metallic chips without handling them
- Large 2.08" (52.8 mm) inside diameter makes this compatible with metal drill bits up to 3/8" in diameter



**Folding Flex Drill Bit Guide - DBG-75**



Designed to control and guide flexible drill bits in walls or other compact spaces, this foldable drill bit guide is the perfect tool to use with long flexible drill bits.

- Guide extends 7.5" (19 cm) long to support long and extra long flex drill bits.
- Folds to 10.6" (27 cm) long for compact storage




**Metal Cable Sewing Needle - JIC-287**



The Jonard Tools **JIC-287** Cable Sewing Needle is designed to harness or lace multiple lead bundles quickly and easily.

- Curved notched sewing needle made from durable spring steel
- Anodized aluminum handle for long life and durability

Replacement Needles (Pack of 6): **RB-287/6**




**Insulated Cable Sewing Needle - JIC-3209**



The Jonard Tools **JIC-3209** Cable Sewing Insulated Needle is designed to harness or lace multiple lead bundles quickly and easily. Overall length 5-1/2".

- Curved notched sewing needle harnesses or laces multiple lead bundles
- Made from durable spring steel with xylan insulated coating




**Insulated Wire Loop Puller, 4-1/2" - JIC-2257**



The Jonard Tools **JIC-2257** Insulated Wire Loop Puller facilitates pulling wire through terminal blocks, rings on main frames, or fanning strip holes. Loop is 4-1/2" long. Overall length 8".

- Fully insulated to prevent accidental shorts and damage to electronic components
- Used in the Jonard Tools **WWK-CO** Wire Wrap Kit




**Metal Wire Loop Puller, 4-1/2" - JIC-2257M**



The Jonard Tools **JIC-2257M** Metal Wire Loop Puller facilitates pulling wire through terminal blocks, rings on main frames, or fanning strip holes. Loop is 4-1/2" long. Overall length 8-1/2".

- Durable red anodized aluminum handle is comfortable and easy to hold

Replacement Loops (Pack of 6): **RB-2257/6**




### Metal Wire Loop Puller, 12" Long - JIC-2257M-12

The Jonard Tools **JIC-2257M-12** Metal Wire Loop Puller facilitates pulling wire through terminal blocks, rings on main frames, or fanning strip holes. Loop is 12" long. Overall length 15".



JIC-2257M-12

- Loop is crimped for a more narrow profile and is easier to use in tight terminal blocks
- Coated with blue xylan to prevent shorts and electrical shocks



### Cable Pulling Rod, 12" - CPR-12

Designed to pull cables or wires through walls, floors, and ceilings, this cable pulling rod is perfect for pulling cable without requiring sheath stripping. This rod also features the following:



CPR-12

- Pushes wires through old holes that could be partially blocked
- Stiff rod makes it easy to manipulate wire and cable through walls



### Cable Pulling Kit - TK-605

This comprehensive cable management kit includes everything you need to keep cables organized and protected. Featuring Hook and Loop Cable Tie Straps for secure bundling, a Cable Comb® set for neat organization, a Ceiling Protector to safeguard cables, and a Pulley for easy cable installation, this kit ensures efficient and professional cable handling. It's perfect for electricians, installers, and technicians on the go.



TK-605

#### Kit includes:

- **CCB-2534** Cable Comb Organizing Tool Set - CAT5E, 6, 7
- **CP-475** Pulley Set for Low Voltage Electrical, Network & COAX Cables
- **CPF-215** Cable & Drop Ceiling Protector
- **CTS-812/100** Hook and Loop Cable Tie Strap, 8" x 1/2" (Pack of 100)
- **H-22** Rugged Nylon Carry Case
- **JH12-25** 3/4" Standard J Hook, Size 12 (Pack of 25)



### Standard J Hooks

Designed for heavy-duty hanging applications, these **J Hooks** provide stress-free cable support while keeping your cable bundles neat and organized.

- Bendable tab for securing cables
- UL® listed and complies with NEC® and TIA requirements for structured cabling systems

SPECS	JH12-25	JH21-25	JH32-25	JH12-100	JH21-100	JH32-100
<b>DESCRIPTION</b>	Size 12 for bundles up to 3/4" diameter	Size 21 for bundles up to 1 5/16" diameter	Size 32 for bundles up to 2" diameter	Size 12 for bundles up to 3/4" diameter	Size 21 for bundles up to 1 5/16" diameter	Size 32 for bundles up to 2" diameter
<b>QUANTITY</b>	25	25	25	100	100	100
<b>CABLE CAPACITY</b>	Up to 16 CAT5E or 10 CAT5E/CAT6 cables	Up to 50 CAT5E or 32 CAT5E/CAT6 cables	Up to 80 CAT5E or 50 CAT5E/CAT6 cables	Up to 16 CAT5E or 10 CAT5E/CAT6 cables	Up to 50 CAT5E or 32 CAT5E/CAT6 cables	Up to 80 CAT5E or 50 CAT5E/CAT6 cables
<b>QR CODE</b>						



**Pull Line Blower for 3/4" to 2" (18-50 mm) Conduit - PLB-1000**



Designed to blow or suck pull line through 3/4" to 2" (18 to 50 mm) conduit for cable pulling, this pull line blower is perfect for running wire or cable through conduits multiple times a day. With its unique design, it makes short work of bends and kinks in conduit, saving a huge amount of time compared to mule tape or jet line. This pull line blower also features the following:

- Blows or sucks pull line without the need for a compressor
- For all commercial and residential pipe work with internal diameters from 3/4" to 2" (18 to 50 mm)
- Lightweight and ergonomic for superior accessibility, even in confined spaces
- Works great on flexible conduit
- Saves a tremendous amount of time compared to fish tapes or rodders

Replacement Pull Line (900 m): **PLB-1000PL**

**Kit includes:**

- **PLB-1000** Pull Line Blower (aka Stringing Gun)
- 2 Pull Line Rolls (Ø 1 mm, tensile strength approx. 24 kg, length approx. 900 m)
- 1 Suction Device
- 1 Components Set A: 2 joints 1/2" reducer 19/12 mm plus nozzle int. Ø 9.5 mm
- 1 Components Set B: 3 joint 3/4" nozzle int. Ø 16 mm plus nozzle int. Ø 19 mm
- 1 Special Nozzle Black for int. Ø from 25 to 50 mm
- 1 Special Nozzle with 90° angle, Ø ext. 12 mm
- 3 Beads (round) of Ø 11mm
- 3 Beads (round) of Ø 13mm
- 3 Beads (round) of Ø 16mm
- Operating Manual



**Drywall Jab Saw, 6" - DWS-6**



Heavy duty 6" saw for cutting wallboard, plywood, drywall, sheetrock and plastic.

- Razor-sharp blade is made from High Carbon Steel and Triple Bevel Teeth for fast, precise and safe cuts, in both push and pull directions.

Overall Length: 12-1/4" (31.12 cm)



# TRIGGERTACK™



## TriggerTack™ Insulated Cable Stapler - STG-100



STG-100

The **TriggerTack™** is engineered to securely fasten various types of low voltage wire and cable, including RG6, RG59, CAT5, telephone wire, speaker wire, thermostat wire, rope, and more. Made with a stainless steel construction and a powder coat finish, the **TriggerTack™** boasts exceptional durability while resisting wear and tear. Its advanced features include front and back staple guides, an adjustable depth drive, effortless drop-in loading, and a reliable jam-resistant mechanism, ensuring consistent and flawless stapling. When using this tacker, rest assured that the insulated, UL listed fasteners will not crimp.

- The **TriggerTack™** handles low voltage wires up to 5/16 inch in diameter (8 mm), making it a versatile choice for a range of applications.
- The **TriggerTack™** is designed for compatibility with Jonard UL Listed Insulated Cable Staples **STG-14I**, **STG-56I**, and **STG-1456I**, as well as Arrow T59 type staples.
- Trigger actuated mode, switch with dial, allows preloading the staple by squeezing the handle, positioning the tacker over your work surface or wire/cable using the guides, and triggering the stapling action with a squeeze.
- Adjust the fastener depth with the switch controlled, depth adjuster.
- Ergonomic handle for precise control and improved grip.



## TriggerTack™ 1/4" x 5/16" Insulated Cable Staples (Pack of 300) - STG-1456I



STG-1456I

Jonard Tools No. 19 1/4" by 5/16" black insulated cable staples are genuine Jonard fasteners, designed for use with the **STG-100 TriggerTack™** wire and cable tacker.

- Each box has 300 pieces and is ideal for installing COAX RG59 Quad or RG6 wire. Also perfect for Ethernet cables, telephone wires, TV cable, computer cable, intercom cable and security systems



## TriggerTack™ 1/4" x 1/4" Insulated Cable Staples (Pack of 300) - STG-14I



STG-14I

Jonard Tools No. 19 1/4" by 1/4" clear insulated cable staples are genuine Jonard fasteners, designed for use with the **STG-100 TriggerTack™** wire and cable tacker.

- Each box has 300 pieces and is ideal for installing security wire (18/4), telephone wire 24/8), thermostat wire (18/2, 18/5, 18/8), and Ethernet CAT5 voice and data cable



## TriggerTack™ 5/16" x 5/16" Insulated Cable Staples (Pack of 300) - STG-56I



STG-56I

Jonard Tools No. 19 5/16" by 5/16" clear insulated cable staples are genuine Jonard fasteners, designed for use with the **STG-100 TriggerTack™** wire and cable tacker.

- Each box has 300 pieces and is ideal for installing COAX RG59 Quad or RG6 wire. Also perfect for Ethernet cables, telephone wires, TV cable, computer cable, intercom cable and security systems

# A VERSATILE DEVICE TAILOR-MADE FOR PROFESSIONALS



Measures up to 2500V DC and 999.9 A DC or AC through its slim tip clamp jaws

Slim jaw design is perfect for solar cables & ensures access to congested combiner boxes



# ELEVATE YOUR HIGH VOLTAGE DC WORK!

WITH OUR SOLAR+ CLAMP METER!

SCAN TO VIEW  
ACM-1500DC



# SOLAR

ACM-1500DC – SOLAR CLAMP METER CAT III 1500V, PG. 89



## Solar+ Clamp Meter CAT III 1500V - ACM-1500DC



ACM-1500DC

Elevate your high voltage DC work with the **ACM-1500DC** CAT III 1500 V True-RMS Clamp Meter. This versatile device is tailor-made for professionals working in solar arrays, wind power farms, electric railways, data centers, and uninterruptible power supplies.

- Measures up to 2500 V DC and 999.9 A DC or AC through its slim tip clamp jaws
- CAT IV 600V, CAT III 1500V, Class 2, Double Insulation Safety Rating to protect from electrical shocks
- Jaw opening is perfect for cables, such as solar cables, whose conductors are a maximum of 1.38" (35 mm) in diameter
- IP 65 rating for dust and water resistance for ultimate protection while working outdoors



## Solar Maximum Power Point Tracking Power Meter - SPM-800



SPM-800

The Jonard **SPM-800** is a high-precision solar Maximum Power Point Tracking meter designed to accurately measure voltage, current, and power. Built for durability with a user-friendly interface, it ensures reliable monitoring in any environment, making it an essential tool for verifying the energy efficiency of solar panels in both residential and commercial solar installations.

- Features a clear, easy-to-read LCD display with intuitive controls, making it simple to operate and interpret data in real-time
- Compatible with a wide range of solar panels using MC4 leads, making it a versatile tool for both residential and commercial solar installation
- Designed with built-in safety protections, such as over-voltage, over-current, and reverse polarity protection, to ensure safe operation during testing



**Solar Panel Crimpers - SPC-MC4 & SPC-MC4L**

Designed to crimp MC4 connectors onto 14, 12, or 10 AWG (2.5, 4.0, 6.0, 10 mm<sup>2</sup>) solar panel wire, these solar panel crimpers are the perfect tools for installing and maintaining solar panel connectors. **SPC-MC4** includes MC4 Die and **SPC-MC4L** includes Locator and MC4 Die. These crimpers feature the following:



- Parallel jaws with adjustable pressure-regulating gear and self-locking design crimp solar panel connectors perfectly every time
- Built-in ratchet makes crimping quick and easy
- Made of hardened carbon steel with a black oxide finish for strength and durability
- Dual component grip provides greater comfort and ergonomics
- Able to crimp MC3 connectors using an MC3 die (**SPD-MC3**), sold separately



Solar Panel MC3 Crimper Die  
**SPD-MC3**



Solar Panel MC4 Crimper Die  
**SPD-MC4**

SPECS	SPD-MC3	SPD-MC4
<b>DESCRIPTION</b>	Solar Panel MC3 Crimper Die	Solar Panel MC4 Crimper Die
<b>CONNECTOR TYPE</b>	MC3 Connectors	MC4 Connectors
<b>DIMENSIONS</b>	1.28" x 1.40" x 0.391" (32.5 mm x 35.7 mm x 9.91 mm)	1.28" x 1.40" x 0.391" (32.5 mm x 35.7 mm x 9.91 mm)



**Solar Panel Crimper Locator for MC4 Dies - SPL-MC4**

This is the replacement locator for **SPC-MC4L**. This locator is used to hold MC4 connectors in place during crimping, making it quick and easy to crimp solar panel wires onto MC4 connectors.



- 2 Holes for holding 2.5 / 4 / 6 and 10 mm<sup>2</sup> MC4 connectors
- Spring-loaded clip design holds connectors in place while crimping
- Compatible with **SPC-MC4L** and **SPC-MC4** (4 / 6 mm<sup>2</sup> MC4 connectors only)



**Solar Panel Spanners for MC4 Connectors (Pack of 2) - SPS-2**

Designed to lock and unlock MC4 connectors for termination or removal, these solar panel spanners are ideal for solar panel installers when terminating or replacing a new MC4 solar panel connector.



**Automatic Wire Stripper and Cutter, Solar - WS-614**

The Jonard Tools Automatic Wire Stripper and Cutter, Solar was designed with solar technicians in mind. This wire stripping and cutting tool features the following:



- Easily strips PV solar wire 6-12 AWG solid wire and 8-14 AWG stranded wire, can remove up to 1" of insulation in a one-step operation
- Precision machined stripping holes ensure clean insulation removal without nicking conductors in a single motion
- Stripping blades are made of high durability SK5 steel
- Built-in cutting blades make it easy and convenient to cut and prep wire
- Rugged and precise design with die-cast body and durable coated finish
- Gripping and stripping jaws grab, hold, and strip wire with one squeeze of the handle

SOLAR



### Solar Panel MC3 & MC4 Crimping Tool Kit w/ Insulated Screwdrivers - SPK-100


**SPK-100**

The Jonard Tools **SPK-100** Solar Panel Crimping Tool Kit is designed to facilitate the installation and maintenance of solar panels. It includes a variety of tools to make installing and maintaining solar panels quick and easy.

#### Kit includes:

- **INS-475** Cabinet Slotted Insulated Screwdriver, 1/8" x 3"
- **INS-2100** Phillips Insulated Screwdriver, #2 x 4"
- **JIC-625** Copper COAX & Network Cable Cutter
- **SPC-MC4** Solar Panel Crimper with Included MC4 Die
- **SPD-MC3** Solar Panel MC3 Crimper Die
- **SPS-2** Solar Panel Spanners for MC4 Connectors (Pack of 2)
- **TKC-110** Rugged 11 Pocket Tool Case
- **WS-822** Wire Stripper & Cutter, 8-22 AWG




### Solar Essentials Kit - TK-96


**TK-96**

The Solar Essentials Kit is your comprehensive solution for efficient and effective solar installations. Designed by seasoned solar installer Brandan Serrine, famously known as the "Solar Goat" online. He has curated this kit to include the essential tools he uses daily for accessing electrical boxes and terminating conductors.

#### Kit includes:


- **H-20** Rugged Carrying Case
- **INS-475** Cabinet Slotted Insulated Screwdriver, 1/8" x 3"
- **SD-61** 6-in-1 Multi-Bit Screwdriver with Phillips and Slotted Bits
- **SPC-MC4** Solar Panel Crimper with Included MC4 Die
- **UKN-3** Heavy Duty Utility Knife
- **WSS-612** Stainless Steel Curved Wire Stripper, 6-12 AWG



# Maximize Solar Output With Precision

## SPM-800

### Solar MPPT Power Meter



Tests Max power, Vmp, Imp, Voc, and Isc



Measures Voltage, Current, Power, & Efficiency in Real Time



Easy-to-Read LCD  
With Intuitive Controls

Includes: MC4 Test Leads,  
(2) Solar Spanners, Instruction  
Sheet, Soft Carrying Case



# HAND TOOLS

Jonard Tools has engineered premium hand tools since 1958. All our tools are designed to provide industry solutions and undergo quality testing to ensure our Made For Life® lifetime warranties.

## CONTENTS

Pliers	94
Crimpers & Cutters	101
Wrenches	102
Screwdrivers	103
Nut Drivers	106
Flashlights & Burnishers	109
Electrical Meters & Testers	110
Insulated Tools & Kits	114
Electrician's Tool Kits	117

JIC-3026 - CURVED LONG NOSE PLIERS, JIC-2288 - DIAGONAL CUTTING PLIERS, PG. 95, WRC-14 - WIRE ROPE AND CABLE CUTTER, PG. 101

All Jonard pliers are heat treated and made of chrome vanadium or high carbon alloy steel for increased strength and precision cutting. These ultra durable pliers have machine cut edges to provide exceptionally smooth action and are made to exceed ASME/ANSI standards.



# PLIERS

JIC-63050 – CABLE CUTTER; JIC-683 – SIDE CUT PLIERS; JIC-453 – SEMI-FLUSH CUT PLIERS; JIC-2755 – FLUSH CUT PLIERS, PG. 96

HAND TOOLS



### Copper COAX & Network Cable Cutter - JIC-625


Jonard's cable cutters are made of chrome vanadium steel and are heat treated for maximum strength and durability.

- Ideally used for soft copper coax and network cables and able to cut solid, stranded, and flexible cables up to 6 AWG

Jaw Thickness: 0.4" (10.2 mm), Overall Length: 6" (16.51 cm)



JIC-625



### COAX Cable Cutter Steel - JIC-725

A plier designed specifically for coax cables with a steel center conductor. This plier has been tested (over 25,000 cuts) on cables with steel centers, and specifically CCSC (copper clad steel center) conductor cables without degradation to the cutting blades. Plier will also cut many other cable types.

Jaw Thickness: 1/4" (6.35 mm), Overall Length: 6-1/4" (158.75 mm)



JIC-725



### 3/4" COAX Cable Cutter - JIC-750

Designed to cleanly cut up to 3/4" hard line coaxial cable and larger fiber cables without compressed or frayed ends.

- Eliminates cable distortion during prep by functioning like a tube cutter
- Ergonomically designed handle with dipped plastic grip for greater comfort and torque



JIC-750



### 1" COAX Cable Cutter - JIC-755

Designed to cut up to 1" coaxial cable. This tool works like a tube cutter to eliminate cable deformation during cable preparation. Tool provides precision one-handed cutting action. Not designed for ACSR or other steel cables.

Cable Diameter: 1" (25.4 mm), Overall Length: 8-1/4" (209 mm)



JIC-755


**High Leverage Diagonal Cutting Pliers, 8" - JIC-2288**

Crafted for heavy-duty wire cutting and use for the most demanding applications, precision machined cutting edges provide exceptionally smooth action.


Jaw Length: 7/8" (22.2 mm), Overall Length: 8-1/4" (210 mm)


**JIC-2288**

**High Leverage Diagonal Cutting Pliers, Angled Head, 8" - JIC-2488**

Crafted with a 13° angled head for heavy-duty wire cutting in confined spaces. Use for the most demanding applications, precision machined cutting edges provide exceptionally smooth action.

Jaw Length: 13/16" (20.6 mm), Overall Length: 8" (203 mm)


**JIC-2488**

**Telecom Diagonal Cutting Pliers, 6-1/4" - JIC-7858**

Tapered nose diagonal cutting pliers with standard bevel knives with .030" and .045" skinning holes, with crusher used for multi-purpose wire work, with two V-shaped stripping notches.

Jaw Length: 7/8" (22.2 mm), Overall Length: 6-1/4" (158 mm)


**JIC-7858**

**Diagonal Tapered Nose Cutting Pliers, 6-1/4" - JIC-600**

Tapered nose diagonal cutting pliers with standard bevel knives. Includes crusher for multi-purpose wire work. The handles are 6-1/4" long. Made to exceed ASME/ANSI standards.

Jaw Length: 7/8" (22.2 mm), Overall Length: 6-1/4" (158 mm)


**JIC-600**

**Diagonal Crushing Slitting Pliers - DIABVNOTCH**

Used for cutting soft copper conductors. Has a "V" shaped notch between jaws, near the joint, for crushing the flameproof type of insulation on distributing frame wire. Also provides a "W" shaped notch on the pliers jaws for slitting textile insulation.

Jaw Length: 3/4" (19.1 mm), Overall Length: 5-1/8" (130 mm)



**DIABVNOTCH**

**Diagonal General Use Pliers - DIAGB5**

Jonard's diagonal cutting pliers are made of polished chrome vanadium steel and are heat-treated for maximum strength and durability. The induction-hardened cutting edge provides a clean cut every time.

Jaw Length: 3/4" (19.1 mm), Overall Length: 5-1/8" (130 mm)


**DIAGB5**



**Diagonal Stripping Pliers - DIAGB6**

Tapered nose diagonal cutting pliers with standard bevel knives with one .045" hole, crusher used for multipurpose wire work, and two V shaped stripping notches.

Jaw Length: 7/8" (22.2 mm), Overall Length: 6-1/2" (158 mm)



DIAGB6



**Flush Cut Pliers - JIC-2755**

Made of high carbon steel, this lightweight flush cutter can be used on wire up to 18 AWG while minimizing fly-off. Cantilevered spring automatically opens the plier, and the head fits easily in confined work areas.

Jaw Length: 1/2" (12.7 mm), Overall Length: 5" (127 mm)



JIC-2755



**Semi-Flush Cut Pliers - JIC-453**

A close cutting pliers used to trim conductors from the 710 connector modules without leaving exposed conductors. Ideal for close trimming of gates and sprue on injection molded plastic parts. Jaw design aids in use in confined areas.

Jaw Length: 5/8" (15.9 mm), Overall Length: 4-1/2" (114 mm)



JIC-453



**9" Curved Jaw Cable Cutter - JIC-63020**

High leverage design for superior cutting ability. The curved jaws provide superior holding for a cleaner and more concentric cut. Tool is for cutting aluminum and soft copper and not for use on steel or ACSR type cables. The shear type jaws cuts up to 100-pair cables (24 AWG). Lock has a unique feature where lock is released by squeezing handles together.

Jaw Length: 1" (25.4 mm), Overall Length: 9" (228 mm)



JIC-63020



**High Leverage Cable Cutter - JIC-63050**

High leverage design for superior cutting ability. Designed with a shear-type jaw for cutting aluminum and soft copper. Not for use on steel or ACSR type cables. Cuts up to 100-pair cables (24 AWG).

Jaw Length: 1-3/8" (34.93 mm), Overall Length: 9-1/4" (234 mm)



JIC-63050




**Lineman's Side Cut Pliers - JIC-683**

Designed for heavy duty use in construction and maintenance work. These pliers are high leverage for cutting bolts, nails, and many gauges of wire including high-strength wire. Cutting edges cut clean and remain sharp. The cushioned-grip, comfortable handles are approximately .07" thick.

Cutter Length: 13/16" (20.64 mm), Overall Length: 9-1/2" (241 mm)



JIC-683



**Lineman's Pliers w/ Fish Tape Puller & Crimper - JIC-685**

Designed for heavy duty use in construction and maintenance work. These pliers are high leverage for cutting bolts, nails, and many gauges of wire including high-strength wire. Fish tape pulling feature easily pulls 1/8" or 1/4" steel fish tape without damaging the tape. Built in crimper feature works best on non-insulated connectors, lugs and terminals. Cushioned grip, comfortable handles are coated to approximately .07" thick.



JIC-685



**Connector-Crimper Pliers - JIC-891**

Designed to press UR/UY/UG, 709 series connectors, crimping "B" type connectors, and AMP Tel-Splice connectors. Utilized on combinations of plastic and pulp insulated 19, 22, 24 and 26 gauge copper conductors as well as 20 gauge plastic insulated copper steel wire.



JIC-891

Jaw Length: 1" (25.4 mm), Overall Length: 5-3/16" (131 mm)



**Long Nose Switchboard Pliers - JIC-203**

Pliers are for general use looping, bending and cutting. Grips small wires and parts and reaches into tight spaces. Jaws are knurled, serrated and have side cutting blades. Two stripping holes for 19 and 22 AWG wire. Cushion gripped handles.



JIC-203

Overall Length: 6-7/8" (174 mm)



**Telecom Long Nose Pliers - JIC-21257**

These long nose pliers has side cutting blades, a crushing slot, one .030" stripping hole, and a thin knurled nose to facilitate handling of the wire at the central office terminals. The comfortable handles are cushion gripped.



JIC-21257

Jaw Length: 1-7/8" (47.63 mm), Overall Length: 6-7/8" (174 mm)



**Combo Crimper, Long Nose Pliers - JIC-22148**

**Five tools in one.** Combines the functionality of a long nose plier with a crimper, stripper, cutter, and crusher. Crimper works for UR/UY/UG, AMP tel splice connectors, 709 series connectors, and crimping "B" type connectors. Stripping hole is .030".



JIC-22148

Jaw Length: 1-7/8" (47.63 mm), Overall Length: 6-7/8" (174 mm)





**Long Nose and Side Cutting Pliers - JIC-842**

Pliers are for general use looping, bending and cutting. Grips small wires and parts and reaches into tight spaces. Jaws are knurled, serrated and have side cutting blades. Cushion gripped handle.

Jaw Length: 1-7/8" (47.63 mm), Overall Length: 6-3/4" (171 mm)



JIC-842



**Long Nose General Use Pliers - BLONGNOSE**

Jonard's long nose pliers are made of ultra strong tool steel and are heat treated for maximum strength and durability. Slim chain nose design for working in confined areas and knurled jaws ensure tight grip every time. Ergonomically designed handle with dipped plastic grip for greater comfort and torque.

Jaw Length: 2" (50.8 mm), Overall Length: 6-7/8" (174 mm)



BLONGNOSE



**Long Nose Gripping Pressing Pliers - ELONGNOSE**

Long nose pliers for gripping and pressing. Inner surface of the jaws are knurled near the end to facilitate gripping wire, binding post nuts etc. Aluminum oxide insulation coating on the outside nose surface. The inside gripping jaws are provided with mated grooves near the joint for use in pressing .032/.035" brass sleeves. One stripping hole .054" diameter.

Jaw Length: 1-7/8" (47.63 mm), Overall Length: 6-7/8" (174 mm)



ELONGNOSE



**Short Nose B Type Plier - BSHORTNOSE**

Intended for use in skinning 22-24 AWG wire and crushing insulation in nose slot. The front portion of the jaws is narrowed, and a portion of the inner face of one jaw is relieved to skin insulation from wire. The inner surface of the jaws are serrated to facilitate gripping wire.

Jaw Length: 1-1/2" (38.10 mm), Overall Length: 6-1/2" (165 mm)



BSHORTNOSE



**L3 Type Cut Crush Strip Pliers - KS21257L3**

Side cutting edges, crushing slot, 0.030" stripping hole for 22 AWG wire, and thin knurled nose to facilitate handling of wire while working on terminals. Side-cutting blades on jaw cut wire with ease. Dipped plastic grip handle for greater comfort and torque.

Jaw Length: 1-1/2" (38.1 mm), Overall Length: 6-1/2" (165 mm)



KS21257L3



**Heat Coil Pliers - PLS-5**

Designed for installing and extracting heat coils, fuses and other cylindrical shaped components. The thin nosed jaw allows easy access to tight restricted areas. Ergonomically designed handle with dipped plastic grip for greater comfort and torque

Jaw Length: 1-13/16" (46 mm), Overall Length: 5" (127 mm)



PLS-5



### Slip Joint Side Cut Pliers - BCOMB

For heavy-duty use. Machined gripping teeth on jaws to provide non-slip grip. Two jaw positions with smooth, positive interlock between halves for comfort and versatility. Side-cutting blades on jaws cut wire with ease. Ergonomically designed handle with dipped plastic grip for greater comfort and torque

Number of Positions: 2, Overall Length: 7-5/8" (194 mm)



BCOMB



### Curved Needle Nose Pliers - JIC-3385

Nose is bent 60° for maximum visibility. Used in confined areas for bending and forming fine wire. Inside jaws and jaw edges are polished to prevent nicking the wire. Plier has a spring loaded ergonomic design with cushion gripped handle..

Bend Angle: 60°, Overall Length: 5-1/2" (139 mm)



JIC-3385



### Flat Nose Pliers - FNP-165

The **FNP-165** is precision-made for working with semi-conductive materials. It features drop-forged high carbon steel jaws that are induction hardened and tempered for strength and long-lasting performance. The wide, smooth nose provides a firm grip and precise control without damaging delicate surfaces. Its extended reach makes it easy to access tight spaces. Ergonomic dual compound thermoplastic handles provide slip resistance and comfort during prolonged use.



FNP-165



### Deltec® Cable Tie Strap Tensioning & Cutting Tool - CTT-05

The perfect tool for installing Deltec® cable tie straps, or other straps up from 0.183" - 0.500" in width, for outdoor cable support and management.

- Spring loaded head tensions large cable tie straps to make cable bundles secure



CTT-05




### Flush Cutting Pliers for Large Cable Ties, 6.5" - CTG-500

Designed to flush cut plastic objects, this flush cut plier is perfect for cutting large cable ties (up to 0.50" wide), Delta straps, Deltec® cable support systems, flashing, or other plastic parts.

- Induction-hardened cutting edge provides a clean cut every time



CTG-500



### Single-Ear Hose Clamp Pliers, Straight Jaw - ECP-100

Designed to crimp single-ear clamps, these ear crimp pliers are perfect for crimping single-ear clamps, as well as clamps on CV boots, cooler and fuel lines, air pressure systems, and compressors. Featuring a jaw width of 1.56 inches, the slim head allows access in tight spaces while preventing damage to press points on ear clamps.



ECP-100



### Pump Pliers

Manufactured with a secure tongue and groove design for a non-slip grip (even under heavy pressure). Made from high quality tool steel, with a smooth positive interlock between halves.

SPECS	JIC-5026	JIC-50210	JIC-50212
DESCRIPTION	Pump Pliers 6", 4 Positions	Pump Plier 10", 6 Positions	Pump Plier 12", 7 Positions
MAX JAW OPENING	1" (25.4 mm)	1-3/4" (44.5 mm)	2-1/4" (57.2 mm)
LENGTH	6" (152 mm)	10" (254 mm)	12" (305 mm)
QR CODE			



### Pump Pliers w/ Automatic Adjustment

Designed to automatically adjust to differently sized workpieces, these **PATENTED** pump pliers are perfect for a wide range of applications in telecom, plumbing, automotive work, construction, and more.

SPECS	PPA-7	PPA-10
DESCRIPTION	Pump Pliers with Automatic Adjustment, 7"	Pump Pliers with Automatic Adjustment, 10"
MAX JAW OPENING	1-3/4" (44.5 mm)	2" (50.8 mm)
LENGTH	7" (178 mm)	10" (254 mm)
QR CODE		



### Quick Flip Retaining Ring Pliers - RRP-1

Designed to quickly flip between internal and external retaining ring removal, these pliers are ideal for removing retaining rings in automotive parts, machinery, electronics, and other applications.



RRP-1

- Tips can be replaced for different sizes using the included hex key

**Includes:** Retaining Ring Removal Pliers, Straight and 90° Tips, and Hex Key



### MegaShears, Ultimate Cutting Tool - SHM-85

Designed with Japanese Stainless Steel blades, adjustable cutting width and tension control, the **MegaShears** are the ultimate cutting tool. These shears are perfect for electricians, installers, and utility technicians needing clean, powerful cuts across a wide range of materials.



SHM-85

- Adjustable-range cutting capabilities with spring loaded handles for optimized control across a wide range of materials



### Tabbing Shears - TS-850

Jonard's Tabbing Shears are made of chrome vanadium steel and are heat treated for maximum strength and durability. These tabbing shears feature the following:



TS-850

- Precision ground cutting blades for easier cutting

Overall Length: 8-1/2" (216 mm)



### Electric Lug and Terminal Crimper - TCC-1416

Designed to prep electrical cables, this Electrical Lug and Terminal Crimper is perfect for cutting and stripping wires, and crimping insulated and non-insulated lugs and terminals. This crimper features the following:

- Strips 16-22 AWG (0.6 to 1.3 mm) electrical wires
- Ergonomic spring-loaded comfort grip handles reduce hand fatigue



TCC-1416



### Ratcheting Cable Cutters - RC-500 & RC-600

These Ratcheting Cable Cutters are designed to cleanly cut copper and aluminum power cables, telecom cables, and other similarly sized multi-conductor cables.

- Made of heat-treated carbon steel with induction-hardened cutting edges for maximum strength and durability
- Unique design allows you to hold and cut cables quickly and easily
- Spring-loaded mechanism on handles for automatic opening
- Ergonomically designed handle with cushioned rubber grip for greater comfort and leverage
- This cable cutter is not designed for use on ACSR or other steel cables



RC-500



RC-600



### Ratcheting Cable Cutter - RC-336ACSR

Designed for heavy-duty use, this cable cutter is designed to cut 336 MCM (170 mm<sup>2</sup>) ACSR, 400 MCM (202 mm<sup>2</sup>) copper, or 600 MCM (304 mm<sup>2</sup>) aluminum cables, and most cables up to 30 mm in diameter.

Maximum Cut Capacity: 1-3/4" (4.4 cm), Overall Length: 12" (30.5 cm)



RC-336ACSR



### Wire Rope and Cable Cutter - WRC-14

The Jonard Tools **WRC-14** Wire Rope & Cable Cutter is ideal for cutting soft and hard wire rope, spring wire, and copper/aluminum cable.

Material	Max. Wire Rope Size
Soft Wire Rope	1/4" (6 mm)
Hard Wire Rope	3/16" (5 mm)
Spring Wire	3/32" (2.4 mm)
Copper/Aluminum Cable	3/16" (5 mm)



WRC-14



### Compact Cable Cutter - JIC-500

Designed with ultra-sharp dual curved blades and compact size, this network cable cutter is perfect for cutting twisted pair network cables quickly and easily.

- Ultra-sharp blades cut completely through network cables, including the pesky nylon rip cords
- Curved blade design minimizes cable deformation, ensuring consistent impedance when connectorizing the cable
- Large jaw opening allows you to cut network or copper cables up to 0.50" (12.7 mm) in diameter
- Made from stamped steel with a black oxide coating to provide ultimate sharpness and durability



JIC-500



**Adjustable Wrenches with Extra Wide Jaws**

Jonard's Adjustable Wrenches are made from high carbon steel and are heat treated for maximum strength and durability.

SPECS	AW-4	AW-6	AW-8	AW-10	AW-12	AW-15	AW-18
DESCRIPTION	Adjustable Wrench 4" with Extra Wide Jaws	Adjustable Wrench 6" with Extra Wide Jaws	Adjustable Wrench 8" with Extra Wide Jaws	Adjustable Wrench 10" with Extra Wide Jaws	Adjustable Wrench 12" with Extra Wide Jaws	Adjustable Wrench 15" with Extra Wide Jaws	Adjustable Wrench 18" with Extra Wide Jaws
QR CODE							



**3 Piece Adjustable Wrench Set - 6", 8", 10" w/ Extra Wide Jaws - AW-6810**



AW-6810

Jonard's adjustable wrenches are made of chrome vanadium steel with a chrome plated finish. Forged and heat treated for maximum strength.

**Kit includes: AW-6, AW-8, and AW-10** (6", 8" & 10" Adjustable Wrenches with Extra Wide Jaws)



**Adjustable Hex Wrench, 6-13 mm & 1/4"-9/16" - AHW-600**



AHW-600

Designed with adjustable metric and SAE hex heads, this hex wrench is perfect for loosening or fastening various sizes of hexagonal nuts, bolts, and other hardware.

- Works on multiple types of fasteners including 6-point, 12-point, square, E-Torx, triangle, and most other similar hardware



**Pocket Ratchet Wrench, 8-13 mm - PRW-813**



PRW-813

Designed for use in tight spaces, this Finger Ratcheting Wrench is perfect for use on dashboards, door panels, engine bays, and anywhere else with limited access. This wrench is also built with specially designed sockets for use on Imperial, Metric, Star, and Square nuts and bolts, making it highly versatile for any situation.



**Fuse Puller - FP-600**



FP-600

Designed for installing and extracting fuses from line amplifiers and other cylindrical shaped components including heat coils. The thin nosed jaws allow for easy access to tight restricted areas. Works great on automotive mini fuses that are packed tight. Handle is cushion gripped.

Jaw Length: 1-13/16" (46 mm), Overall Length: 5" (127 mm)

HAND TOOLS

The Jonard Slotted, Phillips and Robertson Screwdrivers are made of special alloy steel for exceptional strength, long life and are corrosion resistant. Soft rubber handles offer comfort and greater torque. The end of the handles are marked to identify the tool's size, and the tips are magnetic. Meets and exceeds applicable ASME/ANSI specifications.

HAND TOOLS

# SCREWDRIVERS

SDP-1 – PHILLIPS SCREWDRIVER, #1 x 3", PG. 103



### Slotted Screwdrivers

Jonard's Slotted Screwdrivers are made with an S2 steel shank and a chrome finish for exceptional strength and long life.

SPECS	SDC-3163	SDC-3166	SDC-144	SDC-3810	SDC-5166
TYPE	Cabinet	Cabinet	Cabinet	Keystone	Cabinet
SHAFT	3/16" x 3"	3/16" x 6"	1/4" x 4"	3/8" x 10"	5/16" x 6"
OVERALL LENGTH	6-3/4" (171 mm)	9-3/4" (248 mm)	8-11/32" (212 mm)	14-3/8" (365 mm)	10-3/8" (264 mm)
QR CODE					



### Phillips Screwdrivers

Jonard's Phillips Screwdrivers are made with an S2 steel shank with a chrome finish for exceptional strength and long life.

SPECS	SDP-1	SDP-2	SDP-3	SDP-28
SHAFT	#1 x 3"	#2 x 4"	#3 x 6"	#2 x 8"
OVERALL LENGTH	6-3/4" (171 mm)	8-5/16" (211 mm)	11" (279 mm)	12" (305 mm)
QR CODE				



### Robertson Screwdrivers

Jonard's Robertson Screwdrivers are made with an S2 steel shank with a chrome finish for exceptional strength and long life.

SPECS	SDR-24	SDR-34
SHAFT	#2 x 4"	#3 x 4"
OVERALL LENGTH	8-1/2" (216 mm)	8-1/2" (216 mm)
QR CODE		



**4-in-1 Mini All-Purpose Screwdriver (Pack of 10) - S-41/10**

The Jonard Tools **S-41** screwdriver is a mini multi-bit screwdriver made for everyday use. It can be configured to 4 types of driving heads: #0 & #00 Phillips Head, 1/8" & 1/16" Cabinet Slotted Head. Conveniently shaped like a pen with a clip, holds 2 screwdriver bits, and is perfect for small connectors on alarm panels and alarm boxes.



S-41/10



**4-in-1 Multi-bit Pocket Precision Screwdriver - SD-41**

Designed with four standard non-magnetic tips, this 4-in-1 precision screwdriver is perfect for use on electronics and small equipment. Includes #0 and #00 Phillips tips as well as 1/8" (3.2 mm) and 3/32" (2.4 mm) cabinet slotted tips.



SD-41

- Rotatable swivel cap on top gives you maximum precision and control
- Interchangeable shaft for quick bit changes



**Precision Screwdriver Phillips #00 x 60mm (Pack of 10) - SD-00/10**

This precision screwdriver has a #00 Phillips tip and a 3 mm diameter by 60 mm long shaft. Shaft is made from SU11 steel. The handle is made from polypropylene and thermoplastic rubber for added comfort with a swivel at the end for ease of use. Tips are magnetic.



SD-00/10

Overall Length: 6" (152 mm)



**Precision Screwdriver Slotted 2mm x 60mm (Pack of 10) - SD-080/10**

This precision screwdriver has a slotted tip 2 mm wide and a 3 mm diameter by 60 mm long shaft. Shaft is made from SU11 steel. The handle is made from polypropylene and thermoplastic rubber for added comfort with a swivel at the end for ease of use. Tips are magnetic.



SD-080/10

Overall Length: 6" (152 mm)



**Phillips #00 & Cabinet-Tip Slotted Precision Screwdriver Set - SDKP-2**

Magnetized tips hold fasteners in place while inserting or removing them. Rotatable swivel on end of handles make them easy to use.



SDKP-2

**Includes:**

- **SD-00** Phillips Precision Screwdriver, #00 x 60 mm
- **SD-080** Cabinet Slotted Precision Screwdriver, 2 mm x 60 mm



**Phillips Screwdriver, #3 x 24" - SD-243**

Designed to reach diodes in the back of rectifiers, this 24" extra long #3 Phillips Screwdriver is made with a chrome vanadium steel shank and black oxide finish for exceptional strength and long life. Internal shank flanges to prevent the handle from slipping



SD-243

Overall Length: 27" (685 mm)



### 8 Piece Screwdriver Set - SDK-8

These magnetic-tipped screwdrivers are made with an S2 steel shank and a chrome finish for exceptional strength and long life. The shafts are corrosion resistant, and the soft rubber handles offer user comfort with greater torque.



SDK-8

**Set includes:**

- **SDP-1** Screwdriver Phillips #1 x 3"
- **SDP-2** Screwdriver Phillips #2 x 4"
- **SDP-3** Screwdriver Phillips #3 x 6"
- **SDSP-2** Screwdriver Phillips #2 Stubby
- **SDSC-14** Screwdriver Slotted 1/4" Stubby
- **SDC-144** Screwdriver Slotted 1/4" x 4"
- **SDC-3163** Screwdriver Slotted 3/16" x 3"
- **SDC-5166** Screwdriver Slotted 5/16" x 6"



### 6-in-1 Multi-Bit Screwdriver w/ Phillips & Slotted Bits - SD-61

The Jonard Tools 6-in-1 Multi-Bit Screwdriver eliminates the need for multiple tools in your belt by combining versatility and convenience. This tool can be configured to 6 types of driving heads and also includes 1/4" and 5/16" nut driver sockets for added functionality.



SD-61

**Includes:** **SD-RB1** Phillips Bit #1, Slot 3/16", **SD-RB2** Phillips Bit #2, Slot 9/32"; **SD-RB12**; Replacement Bit Set includes: **SD-RB1** & **SD-RB2**



### 6-in-1 Robertson Screwdriver - SD-1223

The Jonard Tools 6-in-1 Multi-Bit Robertson Screwdriver eliminates the need for multiple tools in your belt. This tool can be configured to 6 types of driving heads. Can be used for Phillips, Robertson, and slotted fasteners plus nuts and bolts as it includes 2 screwdriving bits and shaft is used as a nut driver



SD-1223

**Includes:** #2 Phillips Head & 9/32" Cabinet Slotted Head, S1 & S2 Robertson Head, 5/16" & 1/4" Nut Driver Head



### 2 Piece Stubby Screwdriver Set - SDS-142

Jonard's Stubby Cushion Gripped Screwdrivers are made with an S2 steel shank with a chrome finish for exceptional strength and long life.



SDS-142

Overall Length: 3 1/2" (89 mm) each

**Includes:** **SDSP-2** Phillips Screwdriver, #2 X 1.5" & **SDSC-14** Cabinet Slotted Stubby Screwdriver, 1/4" x 1.5"



### 15-in-1 Ratcheting Screwdriver w/ Security Bits - RSDS-151

The **RSDS-151** is the perfect security screwdriver for any tradesman by eliminating the need for multiple tools. It also has a ratcheting head, which makes it quick and easy to fasten or unlock tamper proof screws.



RSDS-151

**Includes:** Includes 1/8", 9/64", 5/32", and 3/16" hex pin bits, 6-8, 10-12 spanner bits, and 10-15, 20-25, 27-30 torx pin bits



### Magnetizer & Demagnetizer Tool - MAG-100



MAG-100

Using powerful Rare-Earth magnets, this magnetizer is perfect for magnetizing or demagnetizing screwdrivers, tweezers, tool bits, nut drivers, or other metal tools. This magnetizer also features the following:

- Converts any metal tool into a magnetic retriever, great for picking up screws, nuts, and other small metal objects
- Wide openings allow a variety of tools and objects to be magnetized
- Compact and rugged design makes it perfect for any toolbag or toolbox



ND-63012

ND-63014

ND-630316

ND-63038

ND-630516

ND-630716

ND-630916

ND-6301132

### Hollow Shaft Nut Drivers

These are full length hollow shaft nut drivers intended for working with long bolts. They are designed with cushion gripped ergonomic color coded handles. Handles provide greater torque and user comfort. Overall length 7". ASME Standard/YR: B107.12-2004.

SPECS	ND-63012	ND-63014	ND-630316	ND-63038	ND-630516	ND-630716	ND-630916	ND-6301132
DRIVER SIZE	1/2" (12.7 mm)	1/4" (6.4 mm)	3/16" (4.8 mm)	3/8" (9.5 mm)	5/16" (7.9 mm)	7/16" (11.1 mm)	9/16" (14.29 mm)	11/32" (8.7 mm)
COLOR CODE	Red	Red	Black	Blue	Yellow	Brown	Orange	Green
QR CODE								

### 7 Piece Nut Driver Set - ND-631



ND-631

Jonard's Nut Drivers have a full length hollow shaft, making them a great tool to use on stacked circuit boards and long bolts/studs. Ergonomically designed handle with thermoplastic rubberized grip for greater comfort and torque.

#### Kit includes:

- **ND-63012** 1/2" Hollow Nut Driver, 3" Shaft
- **ND-63014** 1/4" Hollow Nut Driver, 3" Shaft
- **ND-63038** 3/8" Hollow Nut Driver, 3" Shaft
- **ND-630316** 3/16" Hollow Nut Driver, 3" Shaft
- **ND-630516** 5/16" Hollow Nut Driver, 3" Shaft
- **ND-630716** 7/16" Hollow Nut Driver, 3" Shaft
- **ND-6301132** 11/32" Hollow Nut Driver, 3" Shaft





# ULTIMATE LIGHTING SOLUTIONS

WITH

# POWERFUL ILLUMINATION



## RECHARGEABLE TACTICAL FLASHLIGHT SOL-F1

- Magnet for Hands-Free Use
- Made of Anodized Aircraft-Grade Aluminum
- 7-in-1 Lighting Functions
- Doubles as a Portable Charger



CHECK OUT OUR SOLIS LINE!



## JOBSITE LED BASEBALL HAT SOL-C1

- LED Light Attached to Brim
- Battery Operated
- Features Crossed Wrench Logo



## REMOTE CONTROLLED UTILITY TRUCK LIGHT SOL-T1

- 4800 Lumens of Brightness
- 360° Rotation & 120° Tilt Flexibility
- 4 LEDs and 1 Laser Bulb with Emergency Strobe Option
- Integrated Magnetic Base



## RECHARGEABLE LED FLEX HEADLIGHT SOL-H1

- Motion Sensor Controls
- 230° High Powered Coverage
- 5-in-1 Lighting Functions
- Flexible Design for Portability



## ULTRA BRIGHT LED JOBSITE HEADLAMP SOL-H2

- Motion Sensor Controls
- Sweatproof Headband
- 300 Lumens of Brightness with 3 Light Settings
- Easily Adjustable Light Direction

## RECHARGEABLE 360° PIVOTING WORKLIGHT SOL-W1

- 360° Articulating Rotating Carabiner Clip with Magnets
- Powerbank Capability/USB-C
- 7-in-1 Lighting Functions
- Charge Device on the Go



**LED Flashlight w/ Zoom Lens - FL-2000**

Powered by a single AA alkaline battery, this high strength LED flashlight is perfect for illuminating dark places and features the following:



- Ultra-bright 120 lumen LED can be easily adjusted by simple in-and-out movement and the zoom lens can focus the light to hone in on a specific area, or zoom out to flood the area with light
- Rugged aluminum housing with clip-on lanyard keeps this flashlight secure
- Simple push-button operation
- Beam is adjustable to meet the working environment
- Zoom in for a narrow beam and zoom out for a wide light
- High quality flashlight powered by a single AA battery (included)


**Burnishers**

Designed for use on relay contacts, this pocket burnisher is the perfect tool for removing the oxide layer from the precious metals of relay contacts. These burnishers feature the following:

- Blade length and rigidity is adjustable by varying the depth of the blade in the chuck
- Plastic housing allows it to be used on live contacts without any shocks or shorts
- Removes the oxide layer or corrosion off contacts without leaving filings or debris



Pocket Burnisher **PB-7** Shown



**Pocket Type Burnishers**

Adjustment of flexible blade-length and rigidity is possible by varying depth in chuck. Supplied with replaceable blades stored in pen barrel at other end.



JONARD P/N	PB-3	PB-3R	PB-7
<b>DESCRIPTION</b>	Pen w/ 6 Blades .0035" Thick	<b>PB-3</b> plus 6 Abrasive Rods .020"	Pen w/ 6 Blades .007" Thick
<b>REPLACEMENT BLADES/RODS</b>		<b>B-3R/25</b> (Pack of 25)	<b>B-7/25</b> (Pack of 25)



**Contact Burnishers**

Plastic insulated handles for working on live contacts. Available in four styles for fine, extra sensitive, general purpose and industrial use.



JONARD P/N	DESCRIPTION
<b>OB-1/3</b>	Relay Contact Burnisher Files, Fine (Pack of 3)
<b>OB-1/12</b>	Relay Contact Burnisher Files, Fine (Pack of 12)
<b>OB-2/12</b>	Relay Contact Burnisher Files, Extra Sensitive (Pack of 12)
<b>OB-3/12</b>	Relay Contact Burnisher Files, General Purpose (Pack of 12)
<b>OB-4/12</b>	Relay Contact Burnisher Files, Industrial (Pack of 12)



ELECTRICAL

ELECTRICAL

ACM-1000 - 1000A DIGITAL CLAMP METER, PG. 110



**1000A Digital Clamp Meter - ACM-1000**



Clamp Meter with automatically ranging true root mean squared (TRMS) technology for increased accuracy measuring up to 1000A and 1000V. This product features the following:

- Test leads measure AC/DC voltage, resistance, continuity, frequency and capacitance and tests diodes
- CAT IV 600V, CAT III 1000V, Class 2, double insulation safety rating
- 45mm clamp opening for a wide range of applications
- Unique design with grooved housing for superior grip
- Non-contact voltage tester integrated into the clamp
- Includes (3) AAA batteries required for operation



**Automatic Intelligent Digital Multimeter - AMM-600**



Intelligent, auto-function volt meter is capable of gauging both the required range and the required function based on the test lead input, providing the simplest experience and the most accurate results. Simply plug in the leads and connect to your test subject and let the **AMM-600** take the guess work out of testing.

- Tests AC and DC voltage, resistance, capacitance, frequency, diode, duty cycle, continuity, live testing, and non-contact voltage detection (NCV)
- Provides maximum/minimum/average readings, relative measurements
- CAT IV 600V, Class 2, Double insulation safety rating
- Backlit display for low light, and highlight environments
- Unique design with grooved housing for superior grip
- Includes hard carrying case



**JONARD TOOLS®**

*WCT-700 Underground Wire Tracer & Circuit Finder*

# ALL-IN-ONE

## Cable Tracing Solution!



SEE PG. 113 FOR ADDITIONAL INFORMATION



7 ft



- ✓ **7 Signal Models**
- ✓ **3 Signal Strengths**

**Trace a 1000 Ft. Long Cable Up To  
7 ft Underground Within a 6" Radius!**  
*(Works on Live Or Dead Wires)*

**MADE FOR LIFE**  
**GUARANTEED FOR LIFE**





**Underground Wire Tracer and Circuit Finder - WCT-700**



WCT-700

Perfect for tracing cables up to 7' underground, locating breaks, or tracing a circuit back to the breaker; the **WCT-700** is an all in one solution for any cable tracing task.

- Trace a cable up to 7' underground and 1000' long
- Manually adjustable sensitivity allows finding a cable down to 6" radius
- Dual backlit LCD screens with both audible and visual signal strength readouts make finding wires and cables a breeze.
- Works on live or dead wires, with a CAT3 600V rating and a live voltage readout
- 7 signal modes and 3 signal strengths make locating breaks fast and easy



**GFCI Outlet Tester - GFC-1**



GFC-1

The GFCI Tester detects the most common wiring problems in standard and GFCI receptacles.

- Works on GFCI outlets and confirms operation of the ground fault protective device
- Durable, hard shell built to withstand a 6.6-foot (2m) drop
- Nominal Voltage: 110/125V AC at 50/60Hz in 3-wire outlet
- Easy to read lights make determining faults a breeze
- Built in GFCI trip tests outlet protection



**Circuit Breaker Finder w/ GFCI Tester - CBF-100**



CBF-100

Perfect for tracing outlets back to the breaker, identifying wiring errors, and testing GFCI outlets; the **CBF-100** is an all-in-one solution for any troubleshooting task.

- Trace an outlet back to its individual breaker.
- Manually adjustable sensitivity allows finding a breaker quick and easy
- Easy to read lights make determining faults a breeze
- Durable, hard shell built to withstand a 6.6-foot (2m) drop
- Nominal Voltage: 110/125V AC at 50/60Hz in 3-wire outlet
- Works on GFCI outlets and confirms operation of the ground fault protective device



**Non-Contact Dual Range Voltage Detector Pen, 24-1000VAC & 90-1000VAC w/ LED Flashlight - VT-1100**



VT-1100

Designed to identify the presence of AC voltage in outlets, switches, circuit breakers, fuses, wires, and cables, this voltage tester is the perfect tool for verifying low and high voltage in live circuits.

- Low Voltage Detection between 24 to 1000 VAC
- High Voltage Detection between 90 to 1000 VAC

**Insulated Tools & Kits**

Perfect for Tech Professionals and Electricians, these pliers and screwdrivers are tested to 10,000 VAC and rate to 1,000 VAC live use. They are VDE approved, made from 60 CRV (chrome vanadium steel) for strength and durability and insulated to IEC 60900 Standards. Lifetime mechanical warranty and one year insulation warranty.



**Insulated 7 Piece Screwdriver Kit - TK-70INS**

Jonard's 7 Piece Insulated Screwdriver Kit is the perfect kit for tech professionals and electricians. It contains 7 screwdrivers: 3 Phillips Head and 4 Cabinet Slotted Head screwdrivers, all packaged in a convenient rugged tool case.




**Kit includes:**

- **INS-180** Phillips Insulated Screwdriver, #1 x 3"
- **INS-2100** Phillips Insulated Screwdriver, #2 x 4"
- **INS-3150** Phillips Insulated Screwdriver, #3 x 6"
- **INS-4100** Cabinet Slotted Insulated Screwdriver, 5/32" x 4"
- **INS-475** Cabinet Slotted Insulated Screwdriver, 1/8" x 3"
- **INS-6150** Cabinet Slotted Insulated Screwdriver, 1/4" x 6"
- **INS-8175** Cabinet Slotted Insulated Screwdriver, 5/16" x 7"
- **TKC-70** Rugged 7 Pocket Tool Case

**Insulated Screwdrivers**

Jonard's Insulated Screwdrivers are made of heat treated chrome vanadium steel with a black oxide finish for maximum strength and durability. They are insulated to keep you safe from potentially hazardous voltages. These screwdrivers feature the following:

- Meets and exceeds IEC 60900, ASTM F1505-01, and VDE standards for high voltage protection
- Tested to 10,000 VAC and rated to 1,000 VAC live use
- Ergonomic dual-colored TPE cushion grip handle provides greater comfort and torque
- Narrow insulated shaft provides access in hard-to-reach locations
- Black oxide finished magnetic tip to prevent corrosion and magnetized to hold fasteners for easy removal and installation



INS-8175    INS-3150    INS-6150    INS-2100    INS-4100    INS-180    INS-475

SPECS	INS-180	INS-2100	INS-3150	INS-475	INS-4100	INS-6150	INS-8175
<b>DESCRIPTION</b>	Phillips Insulated Screwdriver, #1 x 3"	Phillips Insulated Screwdriver, #2 x 4"	Phillips Insulated Screwdriver, #3 x 6"	Cabinet Slotted Insulated Screwdriver, 1/8" x 3"	Cabinet Slotted Insulated Screwdriver, 5/32" x 4"	Cabinet Slotted Insulated Screwdriver, 1/4" x 6"	Cabinet Slotted Insulated Screwdriver, 5/16" x 7"
<b>HEAD TYPE</b>	Phillips	Phillips	Phillips	Cabinet Slotted	Cabinet Slotted	Cabinet Slotted	Cabinet Slotted
<b>SHANK LENGTH</b>	3" (76.2 mm)	4" (101.6 mm)	6" (152.4 mm)	3" (76.2 mm)	4" (101.6 mm)	6" (152.4 mm)	7" (177.8 mm)
<b>QR CODE</b>							



**INS-180** Phillips #1, 3" (76 mm)  
**INS-2100** Phillips #2, 4" (101 mm)  
**INS-3150** Phillips #3, 6" (152 mm)  
**INS-475** Slotted 1/8 x 3" (3.2 x 76 mm)  
**INS-4100** Slotted 5/32 x 4" (4.0 x 102 mm)  
**INS-6150** Slotted 1/4 x 6" (6.4 x 152 mm)  
**INS-8175** Slotted 5/16 x 7" (8.0 x 178 mm)



**Insulated 11 Piece Tool Kit - TK-110INS**




TK-110INS

Jonard's 11 Piece Insulated Tool Kit is the perfect kit for tech professionals and electricians. It contains 11 tools: 7 screwdrivers, 3 pliers, and 1 wire stripper, all packaged in a convenient rugged tool case. These tools are made of heat treated chrome vanadium steel for maximum strength and durability. The tools tested to 10,000 VAC and rated to 1,000 VAC live use.

**Kit includes:**

- **INP-1072** Insulated Lineman's Combo Pliers, 7 1/2"
- **INP-2065** Insulated Long Nose Pliers, 6 1/2"
- **INP-3062** Insulated Diagonal Pliers, 6 1/4"
- **INP-4065** Insulated Wire Stripper, 6 1/2"
- **INS-180** Phillips Insulated Screwdriver, #1 x 3"
- **INS-2100** Phillips Insulated Screwdriver, #2 x 4"
- **INS-3150** Phillips Insulated Screwdriver, #3 x 6"
- **INS-4100** Cabinet Slotted Insulated Screwdriver, 5/32" x 4"
- **INS-475** Cabinet Slotted Insulated Screwdriver, 1/8" x 3"
- **INS-6150** Cabinet Slotted Insulated Screwdriver, 1/4" x 6"
- **INS-8175** Cabinet Slotted Insulated Screwdriver, 5/16" x 8"
- **TKC-110** Rugged 11 Pocket Tool Case



INP-1072

INP-2065

INP-3062

INP-4065

**Insulated Pliers & Wire Stripper**

Jonard's Insulated Pliers and Wire Stripper are made of chrome vanadium steel with induction hardened cutting edges and are heat treated for maximum strength and durability. These tools feature the following:

- Induction hardened cutting edges
- High leverage design enables superior cutting performance
- Guards are integrated into the soft TPE handles to prevent contact with conductive parts
- The **INP-4065** Wire Stripper works on various types of wire (single conductor or stranded) from 8-30 AWG

SPECS	INP-1072	INP-2065	INP-3062	INP-4065
<b>DESCRIPTION</b>	Insulated Lineman's Combo Pliers, 7 1/2"	Insulated Long Nose Pliers, 6 1/2"	Insulated Diagonal Pliers, 6 1/4"	Insulated Wire Stripper, 6 1/2"
<b>LENGTH</b>	7 1/2" (190.5 mm)	6 1/2" (165.1 mm)	6 1/4" (158.8 mm)	6 1/2" (165.1 mm)
<b>QR CODE</b>				



**Insulated Fuse Puller - FP-600INS**



FP-600INS

Jonard's Fuse Pullers are made of heat treated chrome vanadium steel for maximum strength and durability and feature the following:

- Knurled jaws allow fuses to be removed without being damaged
- Fully insulated grips are VDE approved to IEC 60900 standards up to 1000V

Overall Length: 6-3/4" (171 mm)



### Insulated 19 Piece Metric Socket Set - INSS-19M


The **INSS-19M** Insulated Socket Set features 15 sockets (6-20 mm), 3 extensions, and a 72-tooth ratchet designed to meet the needs of any application. Rigorously tested for protection up to 1000V with dual color insulation for confident protection. This product features the following:



- Fully insulated and built for professionals, every component is tested and certified according to DIN EN 60900 (VDE 0682-201):2013-04; EN 60900:2012 standards (Certificate No. 40032700 by the VDE Testing and Certification Institute, 2023)
- Sockets and extensions are manufactured from chrome vanadium and then coated twice to ensure long-life
- Deluxe, laminated foam, and blow molded polyethylene storage case ensures VDE tools stay, organized and protected
- High contrast marking for easy identification
- Dual color injection molded insulation provides easy identification when insulation is compromised

#### Kit includes:

- **1 Ratchet** Fully insulated 72-tooth 3/8" drive ratchet with quick release
- **3 Extensions** 3", 6" and 10"
- **15 Sockets** Sizes: 6-20 mm





### 22 Piece Journeyman Electrician Tool Kit - TK-500

The **TK-500** 22 Piece Journeyman Electrician Tool Kit provides an array of tools designed to give any electrician all the tools they need in one convenient kit!



TK-500

JONARD P/N	DESCRIPTION
<b>GFC-1</b>	GFCI Outlet Tester
<b>BP-100</b>	Technician's Tool Bag Backpack
<b>BTR-6</b>	Buffer Tube Ringer (up to 6 mm)
<b>JIC-2488</b>	High Leverage Diagonal Cutting Pliers, Angled Head, 8"
<b>JIC-21257</b>	Telecom Long Nose Pliers
<b>JIC-5028</b>	Pump Pliers 8"
<b>JIC-685</b>	Lineman's Pliers w/ Fish Tape Puller & Crimper
<b>ND-6301132</b>	1 1/32" Hollow Nut Driver, 3" Shaft
<b>ND-63012</b>	1/2" Hollow Nut Driver, 3" Shaft
<b>ND-63014</b>	1/4" Hollow Nut Driver, 3" Shaft
<b>ND-630316</b>	3/16" Hollow Nut Driver, 3" Shaft
<b>ND-63038</b>	3/8" Hollow Nut Driver, 3" Shaft
<b>ND-630516</b>	5/16" Hollow Nut Driver, 3" Shaft
<b>ND-630716</b>	7/16" Hollow Nut Driver, 3" Shaft
<b>SDC-144</b>	Cabinet Slotted Screwdriver, 1/4" x 4"
<b>SDC-3163</b>	Cabinet Slotted Screwdriver, 3/16" x 3"
<b>SD-61</b>	6-in-1 Multi-Bit Screwdriver w/ Phillips and Slotted Bits
<b>SDP-2</b>	Phillips Screwdriver, #2 x 4"
<b>SG-5</b>	Safety Glasses
<b>TM-25</b>	Mammoth Insta-Lock Tape Measure, 25'
<b>UKN-3</b>	Heavy Duty Utility Knife
<b>VT-1100</b>	Non-Contact Dual Range Voltage Detector Pen, 24 - 1000 VAC & 90-1000 VAC w/ LED Flashlight



**30 Piece Master Electrician Insulated Tool Kit - TK-591**

The **TK-591** 30 Piece Master Electrician Insulated Tool Kit provides an array of tools designed to give any electrician all the tools they need in one convenient kit! Comes with an array of insulated tools!



TK-591

JONARD P/N	DESCRIPTION
ACM-1000	1000A Digital Clamp Meter
GFC-1	GFCI Outlet Tester
BP-100	Technician's Tool Bag Backpack
INP-1072	Insulated Lineman's Combo Pliers, 7-1/2"
INP-2065	Insulated Long Nose Pliers, 6-1/2"
INP-4065	Insulated Wire Stripper, 6-1/2"
INS-180	Phillips Insulated Screwdriver, #1 x 3"
INS-2100	Phillips Insulated Screwdriver, #2 x 4"
INS-3150	Phillips Insulated Screwdriver, #3 x 6"
INS-4100	Cabinet Slotted Insulated Screwdriver, 5/32" x 4"
INS-475	Cabinet Slotted Insulated Screwdriver, 1/8" x 3"
INS-6150	Cabinet Slotted Insulated Screwdriver, 1/4" x 6"
INS-8175	Cabinet Slotted Insulated Screwdriver, 5/16" x 7"
JIC-21257	Telecom Long Nose Pliers
JIC-5028	Pump Pliers 8"
JIC-685	Lineman's Pliers w/ Fish Tape Puller & Crimper
ND-6301132	11/32" Hollow Nut Driver, 3" Shaft
ND-630316	3/16" Hollow Nut Driver, 3" Shaft
ND-63038	3/8" Hollow Nut Driver, 3" Shaft
ND-630516	5/16" Hollow Nut Driver, 3" Shaft
ND-630716	7/16" Hollow Nut Driver, 3" Shaft
SG-5	Safety Glasses
TM-25	Mammoth Insta-Lock Tape Measure, 25'
UKN-3	Heavy Duty Utility Knife
VT-1100	Non-Contact Dual Range Voltage Detector Pen, 24 - 1000 VAC & 90 - 1000 VAC w/ LED Flashlight
WBK-100	Electrical Panel Knockout Kit

# UTILITY (VOLTLIFE™)

Jonard Tools is leading the charge in modernizing utility tools. Across our line, we're building the future of the trade with tools that are stronger, more precise, and made to last. For years, we've worked to design tools that defy the toughest expectations. The UTST-1860 600V–35kV Utility Cable Jacket and Insulation Stripper is one example of how tools should raise the standard of utility work. It's complete with an ergonomic design and features a SOP bar, handle, and hard-shell case - the ultimate all-in-one solution.

UTILITY

## CONTENTS

Strippers & Chamfers	126
Multi-Functional Wrenches	127
Slitters & Strippers	127
Cable Cutters	129
Knives & Scissors	130
Specialty & General Use Pliers	131
Specialty & Adjustable Wrenches	133
Screwdrivers	133
Insulated Tools & Kits	134
Jobsite Accessories	135
Lighting	136

**VOLT LIFE™**  
*Next Gen. Line Strong.*

# UTST-1860

## UTILITY CABLE JACKET AND INSULATION STRIPPER



**Wide Cable Range**  
Adjustable from  
0.5" to 2.5"  
Diameter



### Why it Stands Out:



**ADJUSTABLE BLADE DEPTH**  
Ensures precise, controlled insulation removal every time



**USER-FRIENDLY**  
Toggles between ring and spiral cuts instantly for efficiency



**INTUITIVE DESIGN**  
Removable handle & strip stop rod for tight spaces and consistent strip lengths




**LIGHTWEIGHT & DURABLE**  
Minimizes fatigue while built to withstand demanding job sites

### Why it's Superior:

- A single tool to handle different cable sizes and insulation types.
- Versatile removal methods for precision and flexibility.
- Stable & ergonomic removable handle and strip stop provide firm positioning and reduce fatigue.
- Lifetime Warranty

# UTIC-1632

## CABLE INSULATION CHAMFERING TOOL



### Why it Stands Out:



#### PRECISION CHAMFERING

Consistently clean 45° bevels, reducing insulation or conductor damage



#### THREE-BLADE DESIGN

Improves stability and efficiency, producing uniform chamfers without slippage



#### EASY MAINTENANCE

Easy blade adjustment and replacement without requiring specialized tools




#### DURABLE MATERIALS

Blue anodized housing and black oxide-coated blades for long-term performance

Fits Cables from  
0.65" to 1.875"  
(16.5 to 47.6 mm)  
in Diameter

FIND OUT  
MORE  
THE UTIC-1632



### Why it's Superior:

- Multiple Blades: More cutting edges for faster, cleaner stripping.
- Handles a wide variety of cables without tool changes.
- Compact Design: Easy to handle and maneuver in tight spaces.
- Lifetime Warranty

# UTSS-1641

## MEDIUM VOLTAGE UTILITY CABLE SEMICON STRIPPER



### Why it Stands Out:



#### PRECISION BLADE DEPTH

Ensures accurate, controlled stripping for consistent results.



#### VERSATILE CUTTING

Performs longitudinal, radial, and spiral cuts for flexible stripping



#### VICE-LIKE GRIP

Spring-loaded system provides firm positioning, control, and alignment



#### COMPACT & ERGONOMIC

Optimized for ease of use in medium-voltage applications without excessive fatigue



Fits Cables from  
0.63" to 1.161"  
(16 to 41 mm)  
in Diameter

FIND OUT  
MORE

THE UTSS-1641



### Why it's Superior:

- Works across wide range of cable sizes, no extra tools needed.
- Ultimate Precision: 0.003" adjustable blade with spring-loaded grip.
- Mid-span, end-strip, multiple removal methods in one tool.
- Lifetime Warranty

# UTQC-1263

## UTILITY CABLE QUICK CLAMP



Fits Cables from  
0.5" to 2.5"  
(12.7 to 63.5 mm)  
in Diameter

FIND OUT  
MORE

THE UTQC-1263



### Why it Stands Out:



#### ADJUSTABLE CLAMP

Secure and  
reliable hold for  
consistent results



#### QUICK SETUP & RELEASE

Fast attachment,  
adjustment, and removal  
for efficiency



#### ERGONOMIC HANDLE

Comfortable grip reduces  
hand strain during  
repetitive use



#### RUGGED CONSTRUCTION

Durable anodized  
aluminum for long-lasting  
performance

### Why it's Superior:

- Accommodates more cable sizes and setups than similar tools.
- Adjustable placement allows faster, more precise operation.
- Ergonomic handle reduces strain during long jobs, with durable anodized blue finish for visibility and long-lasting performance.
- Lifetime Warranty



# RLW-1

## HIGH LEVERAGE RATCHETING LINEMAN'S WRENCH



### Why it Stands Out:



#### 2-IN-1 TOOL

Combines a claw hammer and ratcheting wrench to cut tool load



#### FASTER WORK

Bolt-through design and quick-reverse ratchet saves time on installs



#### FOR COMFORT & LEVERAGE

Handle delivers ergonomic comfort grip & extra torque



#### SECURE STRIKES

Milled hammer face grips hardware, even in wet conditions

Compatible with  
3/4", 1", 1-1/8"  
square hardware

FIND OUT  
MORE  
THE RLW-1



### Why it's Superior:

- Bolt-through, claw end, and hammer face, all in one.
- Full wrap-around, dual-material comfort handle with high leverage.
- Time Saver: No need to switch between multiple tools.
- Lifetime Warranty

# RLW-6

## 6-IN-1 RATCHETING LINEMAN'S WRENCH



Compatible with  
3/4", 13/16", 1", 1-1/8"  
square hardware  
and 9/16" and 3/4"  
12 pt. hex hardware



### Why it Stands Out:



**HIGH-LEVERAGE HANDLE**  
Ergonomic comfort grip  
provides extra torque for  
heavy-duty applications



**INTEGRATED HAMMER**  
Built-in striking surface for  
seating hardware without  
carrying a separate hammer



**DURABLE CONSTRUCTION**  
Forged high-carbon steel  
with chrome finish resists  
wear and corrosion



**MULTI-FUNCTIONAL**  
Works with both square and  
hex hardware, reducing the  
need to switch tools



### Why it's Superior:

- Handles more hardware sizes with built-in hammer and bolt-through design.
- Wrap-around comfort grip with high leverage makes overhead work easier.
- Forged steel construction for outdoor conditions.
- Lifetime Warranty



**600V 35kV Utility Cable Jacket and Insulation Stripper - UTST-1860**



UTST-1860

The **UTST-1860** is the ultimate adjustable stripping solution for utility professionals, engineered with precision, durability, and safety at its core. Designed for both mid-span and end stripping jackets and insulation on primary and secondary utility cables, this tool eliminates guesswork, increases efficiency, and replaces outdated methods with confidence.

**Includes:** Utility Cable Jacket and Insulation Stripper, Removable Handle, Removable Strip Stop Bar, and Hard Case



**Medium Voltage Utility Cable Semicon Stripper - UTSS-1641**



UTSS-1641

Designed for precision and ease of use, the **UTSS-1641** Cable Stripper is the ideal tool for stripping the peelable semiconductive layer of medium voltage (MV) cables. With the ability to perform longitudinal, radial, and spiral cuts, this tool ensures clean and accurate stripping while maintaining the integrity of the underlying insulation.

- Suitable for cables with diameters from Ø 16-41 mm and insulation thicknesses up to 2 mm
- Allows for longitudinal, helical, and circular cuts for versatility in stripping applications



**Utility Cable Insulation Chamfering Tool - UTIC-1632**



UTIC-1632

The Jonard Tools **UTIC-1632** is engineered to be the ultimate tool for ease and safety when chamfering high voltage cable insulation. Featuring a blue anodized surface for increased durability, this tool incorporates a three-blade design to improve chamfering efficiency.

- Uses three specially designed blades for efficient chamfering, improving tool performance and stability
- Easily adjusts to fit cables from 0.65" to 1.875" (16.5 to 47.6 mm) in diameter for chamfering the XLPE insulation
- Includes features like an easy blade adjustment and replacement mechanism to maintain sharpness and efficiency without the need for specialized tools



**Utility Cable Quick Clamp - UTQC-1263**



UTQC-1263

The Jonard Tools **UTQC-1263** allows for quick and precise clamping on high voltage electrical cables from 1/2" to 2-1/2" in diameter. Made of corrosion resistant anodized aluminum, and oxide treated steel, it acts as a reliable clamp for stop cuts with our **UTSS-1641**.

- Adjustable clamp prevents over-stripping and ensures consistent results
- Easily attaches and releases for efficient setup, adjustments, and removal during cable preparation
- Its compact size make it easy to carry and use in tight spaces, enhancing its usability on various job sites

UTILITY



**High Leverage Ratcheting Lineman's Wrench - RLW-1**

The **RLW-1** is built for common square utility hardware, combining a high-leverage ratcheting design with a milled head hammer and integrated claw for prying nails and staples. This all-in-one tool reduces your tool load and boosts efficiency for overhead utility work and pole line construction.



RLW-1



**6-in-1 High Leverage Ratcheting Lineman's Wrench - RLW-6**

The **RLW-6** is a versatile all-in-one tool designed for overhead utility work, pole line construction, and maintenance tasks. Its design allows professionals to reduce tool load while improving efficiency. Directional switches enable quick and easy reversal of ratcheting direction and built-in hammer provides a striking surface for seating hardware or components into place.



RLW-6



**Longitudinal Ratcheting Cable Sheath Slitter - RCS-4**

Designed for fast and efficient dismantling of electrical and fiber cables, this ratcheting cable slitter is the perfect tool for slitting open round cables less than 0.98" (25 mm) in diameter.



RCS-4

**Includes:** Ratcheting Cable Slitter, Electrical Cable Guide, Fiber Cable Guide, Hex Key, and Carrying Case



**Ratcheting Duct and Cable Slitters**

These ratcheting cable slitters are designed to dismantle heavy-duty cables. The **RCS-25** and **RCS-30** both slit and ring round cables greater than 1" (25 mm) in diameter, and the **RCS-30** can also be used to make window cuts in ducts up to 5 mm thick.

SPECS	RCS-25	RCS-30
CUT TYPE	Slit & Ring	Window, Slit & Ring
APPLICATION	Cables	Cables & Ducts
REPLACEMENT BLADES	RCS-25RB	RCS-30RB
QR CODE		



**Submariner Cable & Large Duct Slitter - RCS-50**

Designed to open the toughest heavy-duty cable and duct jackets, this Cable & Large Duct Slitter is perfect for performing radial and longitudinal cuts on submariner cables, large fiber ducts, or large count telephone cables.



RCS-50

Replacement Blade: **RCS-50RB**

UTILITY



**CableSaber™ Armored Strip & Ring - AST-200**

The award winning **CableSaber™** is the ultimate tool for gaining mid-span access to armored or thick jacketed cables 4 mm to 28.6 mm (0.157" to 1.125") in diameter.



AST-200

Replacement Blades (Pack of 2): **AST-200RB**



**CableSaber+™ Armored Cable & Fiber Duct Slitter - AST-210**

The Jonard Tools **CableSaber+™** is the ultimate tool for gaining mid-span access to armored or thick jacketed cables 4 mm to 30.0 mm (0.157" to 1.181") in diameter.



AST-210

Replacement Blades (Pack of 2): **AST-210RB**



**Round Cable Strip & Ring Tools**

The **PATENTED CST-1900** and **CST-4000** Round Cable Strip & Ring Tools are designed for fast and precise removal of cable jackets from round cables. Triple action design makes longitudinal cuts for end stripping, spiral cuts for end and mid span stripping, and circular cuts for jacket removal.

SPECS	CST-1900	CST-4000
CUT TYPE	Slit & Ring	Slit & Ring
CABLE DIAMETER	3/16" - 1-1/8" (4.5 mm-29 mm)	3/4" - 1-5/8" (19 mm-40 mm)
QR CODE		



**Round Cable Strip & Ring Tool for Cables 4.5-29 mm in Diameter - CST-1140**

The **CST-1140** Round Cable Strip & Ring Tool is designed for fast and precise removal of cable jackets from round cables that are 3/16" to 1-1/8" (4.5 mm to 29 mm) in diameter.



CST-1140

Replacement Blades (Pack of 3): **CST-1140RB**



**Cable Slit & Ring Tool - JIC-4366**

Designed to slit and ring many types of tight buffers, loose tube buffers, breakout cables, and other types of jacketed fiber cables, this tool is perfect for any fiber technician.



JIC-4366

- The slitter blade is located at the top of the tool, has 1/4" of the blade exposed, and is held in place by the 3/4" L-shaped steel guide
- The ringer portion of the tool is located on the back of the handle and uses a spring steel cable holder to hold the cable in place.
- Includes one spare ringing and one spare slitting blade

Replacement Blades for Ring Cut (Pack of 6): **RB-2060/6**  
 Replacement Blades for Slit Cut (Pack of 6): **RB-2878/6**

UTILITY



### Precision Cable Strippers

The **CST-25** is designed to slit and ring hard outer sheathes on cables and plastic tubes, and the **CST-28** is designed to slit and ring cables and plastic tubes. These are the perfect tools for opening cables and ducts.

SPECS	CST-25	CST-28
CUT TYPE	Slit & Ring	Slit & Ring
CABLE DIAMETER	1/4" - 1" (6 mm - 25 mm)	1/4" - 1-1/8" (6 mm - 28 mm)
REPLACEMENT BLADES	CST-25RB	CST-28RB
QR CODE		



### Flat Nose Pliers - FNP-165

The **FNP-165** is precision-made for working with semi-conductive materials. It features drop-forged high carbon steel jaws that are induction hardened and tempered for strength and long-lasting performance. The wide, smooth nose provides a firm grip and precise control without damaging delicate surfaces. Its extended reach makes it easy to access tight spaces. Ergonomic dual compound thermoplastic handles provide slip resistance and comfort during prolonged use.



### 9" Curved Jaw Cable Cutter - JIC-63020

High leverage design for superior cutting ability. The curved jaws provide superior holding for a cleaner and more concentric cut. Tool is for cutting aluminum and soft copper and not for use on steel or ACSR type cables. The shear type jaws cuts up to 100-pair cables (24 AWG). Lock has a unique feature where lock is released by squeezing handles together.



Jaw Length: 1" (25.4 mm), Overall Length: 9" (228 mm)



### High Leverage Cable Cutter - JIC-63050

High leverage design for superior cutting ability. Designed with a shear-type jaw for cutting aluminum and soft copper. Not for use on steel or ACSR type cables. Cuts up to 100-pair cables (24 AWG).



Jaw Length: 1-3/8" (34.93 mm), Overall Length: 9-1/4" (234 mm)



### Ratcheting Cable Cutters - RC-500 & RC-600

These Ratcheting Cable Cutters are designed to cleanly cut copper and aluminum power cables, telecom cables, and other similarly sized multi-conductor cables.

- Made of heat-treated carbon steel with induction-hardened cutting edges for maximum strength and durability
- Unique design allows you to hold and cut cables quickly and easily
- Spring-loaded mechanism on handles for automatic opening
- Ergonomically designed handle with cushioned rubber grip for greater comfort and leverage
- This cable cutter is not designed for use on ACSR or other steel cables





**Open Jaw Ratcheting Cable Cutter - RCO-600**

The **RCO-600** Open Jaw Ratcheting Cable Cutter is engineered for fast and efficient cutting of large-diameter copper and aluminum cables. Designed with a front-loading open jaw, it provides easy access to cables in tight or confined. The ratcheting mechanism delivers maximum leverage with minimal hand force for smooth and controlled operation.



RCO-600



**Ratcheting Cable Cutter - RC-336ACSR**

Designed for heavy-duty use, this cable cutter is designed to cut 336 MCM (170 mm<sup>2</sup>) ACSR, 400 MCM (202 mm<sup>2</sup>) copper, or 600 MCM (304 mm<sup>2</sup>) aluminum cables, and most cables up to 30 mm in diameter.



RC-336ACSR

Maximum Cut Capacity: 1-3/4" (4.4 cm), Overall Length: 12" (30.5 cm)



**Ergonomic Cable Splicing Knife - KN-7**

Designed with an extremely sharp cutlery steel blade, this cable splicing knife is perfect for cutting through some of the strongest types of cables including many types of insulation.



KN-7

- Short 1-3/4" blade with 6-1/4" handle for better control and reduced hand fatigue
- Coping blade is made from high strength cutlery steel and is tempered to maintain its edge with repeated use



**Insulated Cable & Duct Sheathing Knife - KN-200INS**

Designed with a curved blade and insulated handle, this cable sheathing knife is the perfect tool for slitting or cutting the sheathing off cables without damaging the conductor insulation inside.



KN-200INS

- Ultra sharp, dual-sided blade can cut cable or duct jacket sheath from either side by pushing or pulling the tool through the cable



**Insulated Cable Dismantling Knife w/Blade Guard - KN-300INS**

Designed with a blade guard and replaceable straight blade, this insulated cable knife is perfect for cutting around jacketed cables without the risk of accidental cuts and nicks.



KN-300INS

- Ultra-sharp stainless steel blades slice through jackets of cables and can be replaced when worn out



**MegaShears, Ultimate Cutting Tool - SHM-85**

Designed with Japanese Stainless Steel blades, adjustable cutting width and tension control, the **MegaShears** are the ultimate cutting tool. These shears are perfect for electricians, installers, and utility technicians needing clean, powerful cuts across a wide range of materials.



SHM-85

- Adjustable-range cutting capabilities with spring loaded handles for optimized control across a wide range of materials
- Wire cutter notch built into blade to cut wires up to 2mm thick



### Electrician's Scissors - ES-1964

Designed for heavy duty use, these electrician's scissors are made of chrome vanadium steel and reinforced with a special hardening process for greater durability and cutting performance.

- One blade has a serrated edge that holds wire in place for cleaner cuts
- Scissor-run design is perfect for cutting Kevlar® and wire
- Scraper and file located on back of blade for convenience



ES-1964



### Splicer's Kit - TK-400


Featuring an ergonomic cable splicing knife and electrician's scissors in a comfortable leather pouch, the **TK-400** Splicer's Kit is the perfect compact tool kit for cable splicing needs.

#### Kit includes:

- **ES-1964** Electrician's Scissors  
Scissor-run design is perfect for cutting Kevlar® and wire
- **H-40** Leather 2 Pocket Tool Pouch  
Leather 2 Pocket Tool Pouch
- **KN-7** Ergonomic Cable Splicing Knife  
Short 1-3/4" blade with 6-1/4" handle for better control



TK-400



### Lineman's Side Cut Pliers - JIC-683

Designed for heavy duty use in construction and maintenance work. These pliers are high leverage for cutting bolts, nails, and many gauges of wire including high-strength wire. Cutting edges cut clean and remain sharp. The cushioned-grip, comfortable handles are approximately .07" thick.

Cutter Length: 13/16" (20.64 mm), Overall Length: 9-1/2" (241 mm)



JIC-683



### Lineman's Pliers w/ Fish Tape Puller & Crimper - JIC-685

Designed for heavy duty use in construction and maintenance work. These pliers are high leverage for cutting bolts, nails, and many gauges of wire including high-strength wire. Fish tape pulling feature easily pulls 1/8" or 1/4" steel fish tape without damaging the tape. Built in crimper feature works best on non-insulated connectors, lugs and terminals. Cushioned grip, comfortable handles are coated to approximately .07" thick.



JIC-685



### High Leverage Diagonal Cutting Pliers, 8" - JIC-2288

Crafted for heavy-duty wire cutting and use for the most demanding applications, precision machined cutting edges provide exceptionally smooth action.

Jaw Length: 7/8" (22.2 mm), Overall Length: 8-1/4" (210 mm)



JIC-2288




**High Leverage Diagonal Cutting Pliers, Angled Head, 8" - JIC-2488**

Crafted with a 13° angled head for heavy-duty wire cutting in confined spaces. Use for the most demanding applications, precision machined cutting edges provide exceptionally smooth action.

Jaw Length: 13/16" (20.6 mm), Overall Length: 8" (203 mm)



JIC-2488



**Telecom Diagonal Cutting Pliers, 6-1/4" - JIC-7858**

Tapered nose diagonal cutting pliers with standard bevel knives with .030" and .045" skinning holes, with crusher used for multi-purpose wire work, with two V-shaped stripping notches.

Jaw Length: 7/8" (22.2 mm), Overall Length: 6-1/4" (158 mm)



JIC-7858



**Slip Joint Side Cut Pliers - BCOMB**

Jonard's slip joint pliers are made of carbon steel with a black phosphate finish and are heat treated for maximum strength and durability. These slip joint pliers feature the following:

- Machined gripping teeth on jaws to provide non-slip grip
- Two jaw positions with smooth, positive interlock between halves for comfort and versatility



BCOMB



**Pump Pliers w/ Automatic Adjustment**

Designed to automatically adjust to differently sized workpieces, these **PATENTED** pump pliers are perfect for a wide range of applications in telecom, plumbing, automotive work, construction, and more.

SPCS	PPA-7	PPA-10
DESCRIPTION	Pump Pliers with Auto Adjustment	Pump Pliers with Auto Adjustment
MAX JAW OPENING	1.75" (44.5 mm)	2" (50.8 mm)
LENGTH	7" (178 mm)	10" (254 mm)
QR CODE		



**Pump Pliers**

Manufactured with a secure tongue and groove design for a non-slip grip (even under heavy pressure). Made from high quality tool steel, with a smooth positive interlock between halves.

SPCS	JIC-50210	JIC-50212
DESCRIPTION	Pump Plier 10", 6 Positions	Pump Plier 12", 7 Positions
MAX JAW OPENING	1-3/4" (44.5 mm)	2-1/4" (57.2 mm)
LENGTH	10" (254 mm)	12" (305 mm)
QR CODE		



### Adjustable Wrenches with Extra Wide Jaws

Jonard's Adjustable Wrenches are made from high carbon steel and are heat treated for maximum strength and durability.

SPECS	AW-6	AW-8	AW-10	AW-12	AW-15
<b>DESCRIPTION</b>	Adjustable Wrench 6" with Extra Wide Jaws	Adjustable Wrench 8" with Extra Wide Jaws	Adjustable Wrench 10" with Extra Wide Jaws	Adjustable Wrench 12" with Extra Wide Jaws	Adjustable Wrench 15" with Extra Wide Jaws
<b>QR CODE</b>					

UTILITY



### 3 Piece Adjustable Wrench Set - 6", 8", 10" w/ Extra Wide Jaws - AW-6810



Jonard's adjustable wrenches are made of chrome vanadium steel with a chrome plated finish. Forged and heat treated for maximum strength.

- Ergonomically designed vinyl-dipped wide handles for greater comfort
- English and Metric scales on each side of the wrench to allow for faster adjustments

**Set includes:** AW-6, AW-8, and AW-10 (6", 8" & 10" Adjustable Wrenches with Extra Wide Jaws)




### Lineman's B Wrench - JIC-650



Designed with two open-ended wrench heads and an oval hole for turning pole steps, this lineman's wrench is perfect for telecom and datacom work applications.

- Large end of the wrench accommodates 5/8" and 3/4" bolts to NEMA standards
- Small end of the wrench accommodates 3/8" bolts, 1/2" bolts, and 1/2" drive screw heads to NEMA standards



### Slotted Screwdrivers

Jonard's Slotted Screwdrivers are made with an S2 steel shank and a chrome finish for exceptional strength and long life.

SPECS	SDC-144	SDC-3166	SDC-3810
<b>TYPE</b>	Cabinet	Cabinet	Keystone
<b>SHAFT</b>	1/4" x 4"	3/16" x 6"	3/8" x 10"
<b>OVERALL LENGTH</b>	8-11/32" (212 mm)	9-3/4" (248 mm)	14-3/8" (365 mm)
<b>QR CODE</b>			



**Phillips Screwdriver, #2 x 4" - SDP-2**

Jonard's Phillips Screwdrivers are made with an S2 steel shank with a chrome finish for exceptional strength and long life.



- Internal shank flanges to prevent the handle from slipping
- Black oxide finished tip to prevent corrosion and magnetized to hold fasteners for easy removal and installation
- Ergonomically designed handle for greater comfort and torque



**Robertson Screwdriver, #2 x 4"- SDR-24**

Jonard's Robertson Screwdrivers are made with an S2 steel shank with a chrome finish for exceptional strength and long life.



- Internal shank flanges to prevent the handle from slipping
- Black oxide finished tip to prevent corrosion and magnetized to hold fasteners for easy removal and installation
- Ergonomically designed handle for greater comfort and torque



**Insulated Screwdrivers**

Jonard's Insulated Screwdrivers are made of heat treated chrome vanadium steel with a black oxide finish for maximum strength and durability. They are insulated to keep you safe from potentially hazardous voltages. These screwdrivers feature the following:

- Meets and exceeds IEC 60900, ASTM F1505-01, and VDE standards for high voltage protection
- Tested to 10,000 VAC and rated to 1,000 VAC live use
- Ergonomic dual-colored TPE cushion grip handle provides greater comfort and torque
- Narrow insulated shaft provides access in hard-to-reach locations
- Black oxide finished magnetic tip to prevent corrosion and magnetized to hold fasteners for easy removal and installation

SPECS	INS-2100	INS-3150	INS-6150	INS-8175
DESCRIPTION	Phillips Insulated Screwdriver, #2 x 4"	Phillips Insulated Screwdriver, #3 x 6"	Cabinet Slotted Insulated Screwdriver, 1/4" x 6"	Cabinet Slotted Insulated Screwdriver, 5/16" x 7"
SHANK LENGTH	4" (101.6 mm)	6" (152.4 mm)	6" (152.4 mm)	7" (177.8 mm)
QR CODE				



**Insulated Lineman's Combo Pliers, 7-1/2"- INP-1072**

Jonard's Insulated Pliers are made of chrome vanadium steel with induction hardened cutting edges and are heat treated for maximum strength and durability.



- High leverage design enables superior cutting performance
- Guards are integrated into the soft TPE handles to prevent contact with conductive parts

UTILITY



### Insulated 7 Piece Screwdriver Kit - TK-70INS

Jonard's 7 Piece Insulated Screwdriver Kit is the perfect kit for electricians and tech professionals, all packaged in a convenient rugged tool case.



TK-70INS

#### Kit includes:

- **INS-180** Phillips Insulated Screwdriver, #1 x 3"
- **INS-2100** Phillips Insulated Screwdriver, #2 x 4"
- **INS-3150** Phillips Insulated Screwdriver, #3 x 6"
- **INS-4100** Cabinet Slotted Insulated Screwdriver, 5/32" x 4"
- **INS-475** Cabinet Slotted Insulated Screwdriver, 1/8" x 3"
- **INS-6150** Cabinet Slotted Insulated Screwdriver, 1/4" x 6"
- **INS-8175** Cabinet Slotted Insulated Screwdriver, 5/16" x 7"
- **TKC-70** Rugged 7 Pocket Tool Case



### Insulated 11 Piece Tool Kit - TK-110INS

Perfect for tech professionals and electricians. It contains 11 tools all packaged in a convenient rugged tool case. These tools are made of heat treated chrome vanadium steel for maximum strength and durability. Tested to 10,000 VAC and rated to 1,000 VAC live use.



TK-110INS

#### Kit includes:

- **INP-1072** Insulated Lineman's Combo Pliers, 7-1/2"
- **INP-2065** Insulated Long Nose Pliers, 6-1/2"
- **INP-3062** Insulated Diagonal Pliers, 6-1/4"
- **INP-4065** Insulated Wire Stripper, 6-1/2"
- **INS-180** Phillips Insulated Screwdriver, #1 x 3"
- **INS-2100** Phillips Insulated Screwdriver, #2 x 4"
- **INS-3150** Phillips Insulated Screwdriver, #3 x 6"
- **INS-4100** Cabinet Slotted Insulated Screwdriver, 5/32" x 4"
- **INS-475** Cabinet Slotted Insulated Screwdriver, 1/8" x 3"
- **INS-6150** Cabinet Slotted Insulated Screwdriver, 1/4" x 6"
- **INS-8175** Cabinet Slotted Insulated Screwdriver, 5/16" x 7"
- **TKC-110** Rugged 11 Pocket Tool Case



### Mammoth Insta-Lock Tape Measure, 25' - TM-25

Designed with high impact housing and a convenient auto-locking mechanism, this tape measure is perfect for any jobsite. The high impact housing protects it from falls and other damage, while the auto-locking mechanism automatically holds the blade in place.



TM-25

- 25 feet of reach to get measurements from far distances
- 1" wide blade makes this great for hard-to-reach places
- Convenient belt clip for on-the-go use





**Solis™ Rechargeable Tactical Flashlight - SOL-F1**

Jonard's answer to darkness comes in this sleek, versatile, and compact powerhouse! Delivering a piercing beam of light from its ruggedly engineered housing, this is the tactical flashlight that will have you bidding farewell to traditional flashlights forever!

- Zoomable head design allows for adjustable beam intensity, for various lighting needs
- At full zoom a crosshair indicator appears for perfect sighting



SOL-F1



**Solis™ Rechargeable LED Flex Headlight - SOL-H1**

Crafted with top-grade silicone, the **SOL-H1** is the epitome of flexibility. With the ability to be operated completely hands free, this multi-functional headlamp illuminates a new path in personal lighting. This headlight also features the following:

- Dual functionality with wide beam and spotlight features
- The wide beam of the **SOL-H1** illuminates in a wide, 230° beam angle for extreme visibility and coverage



SOL-H1



**Solis™ Ultra Bright Jobsite LED Headlamp - SOL-H2**

Setting the standard for jobsite hands-free lighting, Jonard Tools' **SOL-H2** redefines versatility and comfort. It does its job reliably so you can do yours better. This flashlight features the following:

- Once activated, a motion sensor can turn the light on or off by simply waving your hand in front of it
- Ultra-bright LEDs provide up to 300 lm of brightness, illuminating even the darkest locations



SOL-H2



**Solis™ Utility Truck Light - SOL-T1**

This remote-controlled LED truck light with built-in rechargeable Li-ion battery is a rugged and versatile lighting solution ideal for vehicles, utility crews, emergency response, and outdoor job sites.

- 4800 lumens of ultra-bright illumination, with optional flashing strobe
- Remote-controlled 360° rotation and 120° tilt for flexible positioning
- On-Demand Power Technology enables simultaneous use and charging with included vehicle and home power adapters.
- Versatile installation options with an integrated magnetic base for temporary placement, bolt-on slots for permanent mounting, and a foldable handle for easy carrying and setup



SOL-T1



**Solis™ Rechargeable 360° Pivoting Worklight - SOL-W1**

The **SOL-W1** is built to withstand the toughest job in the worst conditions, as well as the daily wear and tear of demanding tasks. With a multitude of features this work light's application spans construction sites, automotive repairs, or outdoor projects, and so much more.

- Powerful 400 lumens of brightness
- 180° adjustable base for flexible positioning and optimal lighting angles
- 360° rotating head for complete control and light coverage



SOL-W1

UTILITY

# TOOL BAGS & POUCHES

H-90 – RUGGED 21 POCKET TOOL CASE, PG. 137



## Technician's Tool Bag Backpack - BP-100

Jonard Tools' Technician's Tool Bag Backpack features 36 organizer pockets and 12 pocket straps to hold all your tools in place, with a durable water-resistant base to protect it from the elements. It also includes a padded laptop pocket and a hard, molded front pocket for delicate items like safety glasses, plus a front zipper compartment for loose parts.

- Hard, molded front pouch protects safety glasses or other delicate items
- 20" high bag provides ample room for long screwdrivers and tools
- Dimensions: 20" x 14.5" x 8"



BP-100



## Rugged 21 Pocket Tool Case - H-90

The **H-90** is a rugged and versatile 21-pocket tool case with a removable top, made from special heavy-duty material for greater durability and long life.

- Reinforced with a tough, thick backing material to maintain its shape – even when loaded with tools
- Sturdy metal handle with a cushion grip and ergonomic design for easy carrying. Handle also rotates for easy access to tools inside
- Dimensions: 11" x 8" x 10"



H-90



## 12 Pocket Tool Pouch w/ Tape Sling - H-120

The easiest way to hold everything you need within arm's reach, this rugged nylon tool pouch is designed to be the first thing you grab on your way to a job.

- 12 versatile pockets including 1 zippered, 1 side pocket and 9 tool organizers inside 1 large pocket
- Rugged metal rivet belt loop for long lasting use
- Steel measuring tape mount for easy access
- Zippered front pouch for storing connectors or small parts
- Dimensions: 10" x 6.5" x 3.8"



H-120



H-20



H-22



H-125



H-1000

SPECS	H-20	H-22	H-125	H-1000
DESCRIPTION	Rugged Nylon Carry Case	Rugged Carrying Case with Straps	25 Pocket Roll-Up Tool Pouch	Rugged Nylon 5 Pocket Tool Pouch
SECURING METHOD	Carabiner Loop	Carrying Handles	Carrying Handle	Belt Loop
DIMENSIONS	9.75" x 4.5" x 5.25"	10.5" x 8.5" x 6"	27.75" x 14.75" x 0.62"	11" x 6" x 1.25"
QR CODE				



H-36



H-50



H-60




H-75



H-85

SPECS	H-36	H-50	H-60	H-75	H-85
DESCRIPTION	Molded 2 Pocket Tool Pouch	Molded 5 Pocket Tool Pouch	Molded 2 Pocket Tool Pouch	Molded 7 Pocket Tool Pouch	Molded 8 Pocket Tool Pouch
SECURING METHOD	Metal Belt Clip	Belt Loop	Metal Belt Clip	Metal Belt Clip	Metal Belt Clip
DIMENSIONS	6.5" x 2.25" x 1.63"	6" x 2.5" x 1.5"	6" x 2.5" x 2.25"	3.7" x 2.6" x 4.4"	4.2" x 3.3" x 5.3"
QR CODE					

TOOL BAGS & POUCHES



# NETWORK & SECURITY TOOLS (LOW VOLTAGE)

Telecom is the transfer of data through electromagnetic signals while networking is connecting devices to one main system. In both methods of communication cabling tools are critical to ensure devices transmit signals properly and bring us television, radio telephone, internet, and more.

## CONTENTS

Connectors / Crimpers / Pliers	140
Punchdown Tools & Kits	145
Wrenches	148
Scissors / Shears / Strippers	149
Knives & Sharpeners	151
Splicer & Telecom Kits	152
Network Tools & Test Equipment	154
Security & Alarm Kits	157
Keystone Accessories	158



### Pass-Through Connectors

The Jonard Tools RJ45 Pass-Through Connectors are used by network installers/technicians in order to terminate network cables with a pass-through crimper. They are used in households and businesses and are ideal for terminating a round network cable or even replacing an existing connector. These connectors feature the following:

- 50 µin gold plating on contact surfaces provides greater signal quality than the competition
- Simplify twisted pair network cable termination by allowing the proper wire sequence to pass through the connector for easier viewing
- Advantage of the pass-through feature is that you do not have to measure and cut the wires before termination, which can lead to having poor connection and signal loss
- Clear housing allows the operator to see the wire pairs easily

SPECS	RJ45-R510	RJ45-525	RJ45-550	RJ45-5100	RJ45-625	RJ45-650	RJ45-6100
QUANTITY	10	25	50	100	25	50	100
NETWORK CABLE TYPE	CAT5, CAT5E Cables	CAT5, CAT5E Cables	CAT5, CAT5E Cables	CAT5, CAT5E Cables	CAT6, CAT6A Cables	CAT6, CAT6A Cables	CAT6, CAT6A Cables
QR CODE							



### RJ11 Pass-Through Connectors (Pack of 100) - RJ11-100



The Jonard Tools RJ11 Pass-Through Connectors are used by network installers/technicians in order to terminate telephone cables with a pass-through crimper. They are used in households and businesses and are ideal for terminating flat or round telephone cable or even replacing an existing connector (CAT3 or other similar).

- 50 µin gold plating on contact surfaces provides greater signal quality than the competition
- Standard two point prongs allow you to use stranded or solid CAT3 cables
- Simplify twisted pair network cable termination by allowing the wires to pass through the connector



### Shielded RJ45 Connector w/ Crimp Tail for CAT6A Cable (Pack of 100) - RJ456A-SC



The Jonard Tools CAT6A RJ45 Pass-Through Connectors are used by network installers/technicians in order to terminate CAT6E, CAT6A, and CAT7A network cables with a pass-through crimper.

- 50 µin gold plating on contact surfaces provides greater signal quality



### RJ45 & RJ11/12 Modular Pass-Through Crimper w/ Tail Crimping Slots - UC-4511



Designed to crimp RJ11/12 and RJ45 Pass-Through Connectors with additional crimping slots for shielded connector tails, this crimping tool is perfect for any network technician working with CAT3, CAT5, CAT5E, CAT6, or CAT6A cables.


Replacement Blade Set: **UC-4511RB**

# FIND FAULTS FAST

UP TO **1,312** ft

## TDR-100

### Network Cable Tester and TDR



Quickly find faults, measure cable length, and verify wire mapping with TDR and built-in tracing



Includes: Tester, TDR Probe, RJ45 Adapter, Carrying Case, (6) AAA Batteries

FIND OUT MORE  
THE TDR-100



#### Nail Every Connection

Verifies wire mapping: opens, shorts, miswires & reverses



#### Locate With Precision

Built-in tone generator and probe for cable tracing



#### See Things Clearly

Bright 2.5" color LCD and probe flashlight for dark areas



**6-in-1 Crimping Tool, RJ45 Pass-Through & RJ11/12 Modular - UC-4569**



Designed to crimp RJ11/12 and RJ45 connectors onto CAT3, CAT5/5E, and CAT6 cables, this pass-through connector crimper is perfect for any network installer. This crimper features the following:

- Easily crimps pass-through RJ45 connectors without any measuring needed
- Crimps 4, 6, and 8 position modular connectors (RJ11/12 and RJ45)
- Cleanly trims the wires flush to the end face of pass-through RJ45 connectors
- Intended for use with 28-22 AWG flat/round, solid/stranded telephone and data cables
- Ratcheted, ultra-stable platform for consistent terminations

Replacement Blade Set (Pack of 6): **UC-4569RB**



**Modular 6-in-1 Crimping Tool - UC-864**



Designed for cutting, stripping, and crimping RJ11, RJ12, RJ22, and RJ45 connectors onto CAT3, CAT5/5E, and CAT6 cables, this connector crimper is perfect for any network installer.

- Ratcheted, ultra-stable platform for consistent terminations with low hand force
- Tool includes built-in jacket strippers for round and flat cables 22-28 AWG (0.32-0.64 mm diameter)
- 2 crimping slots: one for 8 position modular connectors and one for 6 and 4 position modular connectors

Cable Parameters: 22-28 AWG (0.32 mm-0.64 mm diameter) flat or round, solid or stranded, telephone or data



**CAT/TP Cable Stripper - CSR-56**



The Jonard Tools **CSR-56** CAT/TP stripping tool is designed to strip CAT5/5E, CAT6, and other similar sized twisted pair cables jackets for quick and easy termination. This CAT/TP stripping tool features the following:

- Removes jacket from CAT5, CAT5E, and CAT6 network cables
- Compact design is great for on-the-go use
- Large finger loop provides smooth rotation during use
- Ergonomic handles make loading cable quick & easy



**Solderless Ring/Lug Terminal Kit w/ Crimper - TCK-178X**




The Jonard Tools Solderless Ring/Lug Terminal Kit with Crimper is perfect for any technician or DIYer who needs to terminate electrical wires. This kit features the following:

- Includes a variety of insulated ring, fork, and spade terminals as well as butt splices for 10-22 AWG electrical wires.

**Kit includes:**

- **TCC-1416** Electric Lug and Terminal Crimper
- **TCK-178** Solderless Ring and Lug Terminal Kit, 178 Pcs.



### Solderless Ring and Lug Terminal Kit, 178 Pcs. - TCK-178

The Jonard Tools Terminal Ring and Lug Kit is perfect for any technician or DIYer who needs to terminate electrical wires. These connectors feature the following:

- Includes a variety of insulated ring, fork, and spade terminals as well as butt splices for 10 - 22 AWG electrical wires



TCK-178



### Connector-Crimper Pliers - JIC-891

Jonard's pliers are made of heat treated carbon steel with induction-hardened cutting edges for maximum strength and durability.

- Designed to press UR/UY/UG, 709 series connectors, crimping "B" type connectors, and AMP Tel-Splice connectors



JIC-891




### Combo Crimper, Long Nose Pliers - JIC-22148

Jonard's long nose pliers are made of heat treated chrome vanadium steel with induction-hardened cutting edges for maximum strength and durability.

- 5-in-1 Tool: crimper for UR/UY/UG, AMP Tel-Splice connectors, 709 series connectors, crimping "B" type connectors, and long nose pliers



JIC-22148



### Telephone Splice Connector Kit - TK-U3

Designed for stripping, splicing, and crimping telephone connectors, the **TK-U3** Telephone Splice Connector Kit is the ideal compact tool kit for telephone installers and technicians.

**Kit includes:**

- **JIC-22148** Combo Crimper, Long Nose Pliers
- **UR-25** UR 3-Port Telephone Splice Connector (Pack of 25)
- **UY2-25** UY2 2-Port Telephone Splice Connector (Pack of 25)



TK-U3




### UR 3-Port Telephone Splice Connector (Pack of 25) - UR-25

Designed to splice three wires together quickly and easily, these splice connectors are perfect for splicing 19-26 AWG (0.91 to 0.40 mm) telephone wires.



UR-25



### UY2 2-Port Telephone Splice Connector (Pack of 25) - UY2-25

Designed to splice two wires together quickly and easily, these splice connectors are perfect for splicing 22-26 AWG (0.64 to 0.40 mm) telephone wires.



UY2-25



**Picabond Crimping Tool - PIC-G**

This VS-3 style hand tool is designed to crimp various AMP Picabond connectors onto 19-28 AWG wires.



PIC-G

- Compatible with AMP Picabond Connectors with the following stripe colors: Orange, Green, Purple, Green/Amber, Purple/Amber, Red, and Yellow



**Picabond Crimping Tool, MR-1 - PIC-MR1**

This vise-style MR1 hand tool is designed to crimp various AMP Picabond connectors onto 19-28 AWG wires.



PIC-MR1

**Repair Kit: MR1-RK**

Includes (2) Replacement Guides, (2) Replacement Wire Supports, (4) Screws, and (1) 3/32" hex key



**Picabond Connector, Green, (Box of 1000) - PAB-CG**

Designed for splicing multi-conductor telephone cable, these connectors provide a lightweight and compact solution for splicing solid core wire.



PAB-CG

- Made from tin-plated bronze with bonded polymer insulation for superior splicing and connectivity
- Can be used with any solid core wire, 28-19 AWG (0.32 to 0.9 mm), with pulp, paper or plastic insulation
- Can be used to make straight, butt, tap and bridge splices




**Picabond Connector, Purple, (Box of 1000) - PAB-CP**

Designed for splicing multi-conductor telephone cable, these connectors provide a lightweight and compact solution for splicing solid core wire.



PAB-CP

- Made from tin-plated bronze with bonded polymer insulation for superior splicing and connectivity
- Can be used with Air Core PIC's, 26 to 22 AWG (0.40-0.64 mm), with pulp, paper or plastic insulation
- Can be used to make straight, butt, tap and bridge splices



## EPD Series Punchdown Tools & Kits



Sleek ergonomic design for easy effective wire termination. Use to properly set, seat and terminate wire. Compatible with all our EPB-series blades and other similar brands (sold separately).



EPD SERIES

- Hi/Lo impact settings
- Combination Hook/Spudger stored in the chassis
- Color coded body is half yellow and half blue for ease of use
- Enlarged blade storage compartment for easy storage
- Tested up to 100,000 cycles at high impact setting, ensuring long life during use
- Lifetime Warranty



EPD-91461

EPD-914110

EPD-914KR

EPD-914630

EPD-9KRONE

JONARD P/N	EPD-914	EPB-66	EPB-110	EPB-116	EPB-630	EPB-KR	EPB-KRONE
EPD-91461	X	X	X				
EPD-91466	X	X					
EPD-914110	X		X				
EPD-914116	X	X	X	X			
EPD-914630	X				X		
EPD-914KR	X					X	
EPD-9KRONE	X						X

Not all kits shown.

## Punchdown Tool Blades

JONARD P/N	DESCRIPTION
EPB-66	66 Blade with & without Cutter
EPB-110	110 Blade with & without Cutter
EPB-116	66 & 110 Blade Combined with Cutter
EPB-KR	Krone Blade with & without Cutter
EPB-630	Punchdown Blade, 630 Modular Jack
EPB-KRONE	Krone Blade Scissor Style



EPB-66



EPB-110



EPB-116



EPB-KR



EPB-630



EPB-KRONE



**BIX Punchdown Tool - EP-16A**

Designed to terminate cables, pigtails, and jumper wires, this punchdown tool is perfect for use on all BIX, GigaBIX, and UMOXS cross-connect system connectors. This punchdown tool features the following:

- Single action and spring activated for ease of use
- Terminates 22-26 AWG plastic insulated solid copper conductor wires



EP-16A



**Multi-Pair Punchdown Tool for 4 Pair Wire Seating - MPD-4**

Designed to terminate 4 pairs of wires simultaneously, this punchdown tool is perfect for terminating multiple wires on 110-terminal blocks quickly and easily.

Replacement Blade: **MPD-4RB**



MPD-4



**Non Impact Punchdown Tool, 110 Blade w/ Cutter - PD-110**

Designed as an economical option for seating and trimming wire in 110 type punchdown blocks, the **PD-110** is perfect for small do-it-yourself jobs on 110-terminal blocks.

- 110 blade with cutter trims excess wire when punching down
- Small and lightweight for on-the-go use



PD-110



**Punchdown Tool Kit for Data & Telecom - TK-17**

Designed to prepare and connect wire onto 66-type and 110-type punchdown terminal blocks, this punchdown tool kit has the tools needed for maintaining telecom and data communications networks.

**Kit includes:**

- **CST-1i** Cyclops Wire Stripper, can use on UTP/STP Cable
- **EPD-91461** Punchdown Tool with 2 Blades (66 & 110)
- **ES-1964ERG** Ergonomic Electrician's Scissors
- **FL-2000** LED Flashlight with Zoom Lens
- **H-75** Molded 7 Pocket Pouch with Belt Clip
- **JIC-22035** Probe Pick
- **JIC-22148** Combo Crimper, Long Nose Pliers
- **SD-61** Screwdriver Multi-Bit 6-in-1 w/Phillips and Slotted Bits



TK-17





**Impact Insertion Tool for 3M MS2 Cross-Connect Modules - JIC-4055**

This impact insertion tool is designed to terminate wires on 3M MS2 cross-connect panels quickly and easily.

- Automatically terminates wires onto cross-connect panels without disturbing other connections
- Slim design allows you to use the tool in compact or hard-to-reach places
- Ergonomically designed handle is comfortable and easy to use
- Holes in the bottom of the handle so tool can be tethered



JIC-4055



**Quick Clip Insertion Tool - JIC-950C**

Designed to cut and insert 22 and 24-gauge wire into terminal blocks, this multipurpose wire insertion tool is the perfect tool for performing several critical functions for wire insertion.

- Hook on back of unit is used for jumper and back-tap removal

Replacement Blade: **JIC-955**



JIC-950C



**Termination & Removal Tool - EP-QTH38B**

The **EP-QTH38B** tool is used for terminating, bridging, and removing wires from 2-beam or 3-beam, insulation-slicing, quick-clip terminals found on QCM486 (MPC) and 391Q connectors, and on Versa blocks with quick-clip pins.


- Used for seating and cutting operations or seating wires only
- Built-in wire pick for removing previously terminated cables



EP-QTH38B

NETWORK & SECURITY





### Booth Wrenches

Designed for use on communication and pedestal boxes, this booth wrench is perfect for opening 5/32" hex tamper-proof fasteners. These wrenches are heat treated carbon steel for maximum durability.

- **BW-532** Booth Wrench 6" Long Shaft - Extra long 6" shaft and 9" overall length for greater reach
- **BW-532-3** Booth Wrench 3" Long Shaft - 6" overall length for easy portability and storage



### Lineman's B Wrench - JIC-650

Designed with two open-ended wrench heads and an oval hole for turning pole steps, this Bell System Type wrench is perfect for telecom and datacom work applications and features the following:

- Large end of the wrench accommodates 5/8" and 3/4" bolts
- Small end of the wrench accommodates 3/8" bolts, 1/2" bolts, and 1/2" drive screw heads
- Faces of the wrench openings are offset to provide handle clearance



### Can Wrenches & Security Key Inserts

These double ended can socket wrenches are designed to fit over long binding posts and open telephone box fasteners. They can tighten nuts on binding-post terminals and access tight spaces such as locking devices on terminals and cabinets.



JONARD P/N	DESCRIPTION
<b>M-216C/EX</b>	Ergonomic Hex 7/8" Diameter Handle Hex Socket
<b>M-216C/REX</b>	Ergonomic Round 7/8" Diameter Handle Round Socket
<b>M-216C/RX</b>	Standard Round 11/16" Diameter Handle Round Socket
<b>M-216CKIT</b>	Security Key Kit 7/8" Diameter Handle Hex Socket
<b>M-216CS22</b>	Ergo, w/ Wire Stripper 7/8" Diameter Handle Hex Socket (Built-in 22-24 AWG Wire Stripper)
<b>SSK-600</b>	Star Key Can Wrench Kit for LQ & LB Patterns
<b>SK-51632</b>	Security Key Insert for Hex Security Screws 5/16", 5/32"
<b>SK-71632</b>	7/16" Security Key Insert for Hex Security Screws 5/16", 5/32"



### T Handle Security Wrenches

Designed for use on tamper-proof hex-type security screws or other hex-type screws, this security wrench is the perfect tool to use when dealing with 5/16" and 1/2" hex tamper-proof fasteners.

- **BW-512** T Handle Security Wrench 5/16" - T-shaped handle makes it easy to install or remove security screws
- **BW-516** T Handle Security Wrench 1/2" - Recessed at both ends 1/4" deep for versatile use





### Electrician's Scissors

Designed for heavy duty use, these electrician's scissors are made of chrome vanadium steel and reinforced with a special hardening process for greater durability and cutting performance.

SPECS	ES-1964	ES-1964DS	ES-1964ERG
DESCRIPTION	Scissor-Run	Free-Fall	Ergonomic
SKINNING NOTCH	18-20 AWG, 22-24 AWG	18-20 AWG, 22-24 AWG	18-20 AWG, 22-24 AWG
QR CODE			

NETWORK & SECURITY



### Stainless Steel Communication Scissors - JIC-195

Designed for telecom and electrical applications, these heavy duty scissors are the perfect tool for cutting cables up to 1/4" diameter and for other objects as well.



JIC-195

- One blade is serrated for a tight and secure grip while cutting
- High carbon stainless steel blades for maximum strength and durability
- Adjustable screw underneath hinge cap to configure blades to your needs
- Cuts Kevlar® and other materials with ease



### Fiber Optic Kevlar® Cutting Shears - KCS-4

The Jonard Tools **KCS-4** Kevlar® Cutting Shears are designed to cut Kevlar®, cabling insulation, tape, cable ties, and other materials with ease.



KCS-4

- High carbon steel blades are heat-treated to HRC 46-48 for longer life
- Handles made of fiberglass infused polypropylene material are ergonomically designed for superior comfort and longterm durability
- Serrated blade for gripping as well as sharp and durable cutting



### Heavy Duty Scissors w/ Wire Stripper - JIC-183

Designed to cut copper, aluminum, leather, plastic, and other materials, these heavy duty scissors are the perfect tool for cutting cables up to 1/4" in diameter. These scissors feature the following:



JIC-183

- One blade is serrated for a tight and secure grip while cutting
- Wire stripper accommodates 12 AWG, 14 AWG and 18 AWG (2.0, 1.5 and 1.0 mm<sup>2</sup> cross sectional area) wire
- Dual component polypropylene (PP) and thermoplastic rubber (TPR) grip for greater comfort and ergonomics
- Includes a safety locking mechanism and adjustment screw for convenience
- Not for use on stainless steel or other hardened/heat treated metals

# PRECISION TESTING FOR EVERY FEED

PTZ Control, Focus,  
& Network Setup



Tests 8K IP, 4K HDMI,  
and Analog



On-Screen Video Display  
and Diagnostics



Connects Via RJ45,  
Wi-Fi, or BNC



Powers With  
PoE or 12V



## CTV-8K MULTIFUNCTIONAL 8K CCTV TESTER

Handles camera testing from basic analog to high-resolution 8K IP. Includes power options and test tools for fast configuration in the field.



### Ergonomic Cable Splicing Knife - KN-7

Designed with an extremely sharp cutlery steel blade, this cable splicing knife is perfect for cutting through some of the strongest types of cables including many types of insulation.

- Short 1-3/4" blade with 6-1/4" handle for better control and reduced hand fatigue
- Coping blade is made from high strength cutlery steel and is tempered to maintain its edge with repeated use



KN-7



### Insulated Cable & Duct Sheathing Knife - KN-200INS

Designed with a curved blade and insulated handle, this cable sheathing knife is the perfect tool for slitting or cutting the sheathing off cables without damaging the conductor insulation inside.

- Ultra sharp, dual-sided blade can cut cable or duct jacket sheath from either side by pushing or pulling the tool through the cable



KN-200INS



### Heavy-Duty Utility Knife - UKN-3

Designed for heavy duty use, this utility knife is the perfect addition to any tradesman or technician's tool kit. This utility knife features the following:

- Blade locks in four different positions for maximum cutting efficiency

Replacement Blades: **UKN-50RB**



UKN-3



### Knife and Scissor Sharpener - KSS-1

Designed to restore the edges of knives and scissors in one tool, this knife and scissor sharpener is made of diamond-polished high grade tungsten-carbide steel. This knife and scissors sharpener features the following:

- Diamond-polished high grade tungsten-carbide steel blades will restore the edges of scissors or knives with only 3-4 strokes



KSS-1



### Splicer's Kit - TK-400

Featuring an ergonomic cable splicing knife and electrician's scissors in a comfortable leather pouch, the **TK-400** Splicer's Kit is the perfect compact tool kit for cable splicing needs.

#### Kit includes:

- **ES-1964** Electrician's Scissors  
Scissor-run design is perfect for cutting Kevlar® and wire
- **H-40** Leather 2 Pocket Tool Pouch  
Leather 2 Pocket Tool Pouch
- **KN-7** Ergonomic Splicing Knife  
Short 1 3/4" blade with 6 1/4" handle for better control



TK-400



**Telephone Installer Splicer's Kit - TK-22148**

Designed for stripping, splicing, and crimping telephone or electrical cables, the **TK-22148** Telephone Installer's Splicer Kit is the ideal compact tool kit for telephone installers and technicians.



TK-22148

**Kit includes:**

- **ES-1964** Electrician's Scissors
- **H-36** Molded 2 Pocket Tool Pouch
- **JIC-22148** Combo Crimper, Long Nose Pliers



**5 Piece Telecom Installer's Kit - TK-50**

The Jonard Tools **TK-50** 5 Piece Telecom Installer Kit is the perfect kit for simple installations and includes the basic necessary tools for telecom installers.



TK-50

**Kit includes:**

- **ES-1964** Electrician's Scissors
- **H-50** Molded Five Tool Pouch
- **JIC-22035** Probe Pick
- **KN-7** Ergonomic Cable Splicing Knife
- **M-216CS22** Ergonomic Can Wrench with Wire Stripper



**Network Tool Kit - TK-RJ45**

This kit provides all the necessary tools for cutting, crimping, punching, and terminating network and telephone cables.



TK-RJ45

**Kit includes:**

- **CSR-56** CAT/TP Cable Stripper
- **PK-110** Non Impact Punch Down Tool, 110 Blade with Cutter
- **RJ45** Connectors (Pack of 10)
- **RJ12** Connectors (Pack of 10)
- **UC-468** Modular 6-in-1 Crimping Tool



**VDV Installation Tool Kit - TK-RJ550**

This kit provides all the necessary tools for cutting, crimping and terminating CAT5 and CAT5E network cables.



TK-RJ550

**Kit includes:**

- **CST-1i** Cyclops Wire Stripper
- **EPD-914** Punchdown Tool without Blade
- **EPB-110** Punchdown Blade, 110 with & without Cutter
- **ES-1964ERG** Ergonomic Electrician's Scissors
- **H-20** Rugged Carrying Case
- **RJ45-550** RJ45 CAT5E Pass-Through Connectors (Pack of 50)
- **UC-4569** 6-in-1 Crimping Tool, RJ45 Pass-through & RJ11/12 Modular



**Telecom RJ45 Belt Pouch Tool Kit - TK-145**

This tool kit includes everything you need for efficient cable install and maintenance. Featuring a 12-pocket tool pouch, this kit is perfect for professional electricians, technicians, and network installers.



TK-145

**Kit includes:**

- **CST-92** Coaxial Cable Stripper
- **ES-1964ERG** Ergonomic Electrician's Scissors
- **H-120** 12 Pocket Tool Pouch with Tape Sling
- **JIC-22148** Combo Crimper, Long Nose Pliers
- **RJ45-625** RJ45 CAT6 Pass-Through Connectors (Pack of 25)
- **SD-61** 6-in-1 Multi-Bit Screwdriver with Phillips & Slotted Bits
- **UC-4569** 6-in-1 Crimping Tool, RJ45 Pass-through & RJ11/12 Modular



**5/32" Hex Security Socket 3/8" Drive (Pack of 10) - TWS-532/10**

Designed to be used on 5/32" security screws with an appropriate driver, these hex security sockets are perfect for Network Interface Device (NID) mounting. These drive sockets include the following:



TWS-532/10

- Provides a snug fit when used on 5/32" security screws
- Can be used with any 3/8" torque wrenches or drivers



TWS-10




**Ubiquiti® Wi-Fi Access Point Unlock & Reset Tool - UUT-425**

Designed for unlocking or resetting Ubiquiti® Wi-Fi Access Points, the **UUT-425** is the perfect tool for releasing the tedious tabs that lock Ubiquiti® access points or pressing hard-to-reach reset buttons.



UUT-425

- Easily press and hold down hard-to-reach reset buttons with ease



**RJ45 8-Position Modular Adapter - BAN-800**

The Jonard Tools **BAN-800** 8P Modular Adapter, also known as an 8P Banjo, is perfect for connecting butt sets, telephone test sets, tone generators and network test equipment to data and telephone lines using modular plug connections in order to test the data and signals being carried.



BAN-800

- Holed copper contacts keep alligator clips secured while testing
- Easy-to-read wire layout with clear markings indicating the different wire positions
- Reinforced ABS plastic body with belt clip for convenience
- Includes an easily removeable patch cord with rugged jack clips
- Can be used to test RJ11, RJ12, and RJ45 plugs

NETWORK & SECURITY





**Telephone Butt Set w/ ABN, Analog - TBS-100**

Designed to facilitate the installation, service, and maintenance of analog telephone lines, this telephone butt set has all the essential functions for testing telephone lines such as detecting dial tone, making and receiving calls, and tone and pulse modes.



TBS-100

- Dial, ring, talk, mute, or redial using this telephone line tester
- Sends signals via dial tone (DTMF) or dial pulse
- Angled Bed-of-Nails (ABN) Clips clamp connections securely
- Includes telephone line tester, RJ11 test cord, and an extra fuse
- Waterproof housing protects the unit from inclement weather
- RJ11 switchbox can test telephone lines directly by plugging them in
- Battery free! No need for batteries as the unit operates using the ABN hook up or is powered by the telephone line



**Telephone Butt Set w/ High Impedance Monitoring, Analog - TBS-200**

Designed to facilitate the installation, service, and maintenance of analog telephone lines, this telephone butt set has all the essential functions for testing telephone lines such as detecting dial tone, making and receiving calls, high impedance monitoring, and tone and pulse modes.



TBS-200

- Talk, ring, and monitor test functions, which can be switched inside of the handgrip
- Sends signals via dial tone (DTMF) or dial pulse
- High impedance monitoring will not disturb data, conversations, or signals
- Bright LED indicates reversed polarity clearly
- Voltage protection against excessive voltage, transient ringer signals, and direct connection to most batteries and power supplies



**Network Cable Tester & TDR - TDR-100**

An essential tool for network engineers, IT professionals, or anyone troubleshooting or maintaining network infrastructure.



TDR-100

- TDR function allows you to find the length of network cables or identify breakpoints in cables from 6.6 ft - 1312 ft (2 m - 400 m) long
- Wire Pair Mapping function allows you to test network cable for its line sequence, opens, shorts, wrong pairs, and reverse connections
- Cable Tracing function allows you to trace cables using the tester as a tone generator and the probe for tracing

**Kit includes:** Cable Tester and TDR, Probe, RJ45 Adapter Cable, Alligator Clips, Carrying Case, and (6) AAA Batteries



**Cable Tester Tone & Probe Kit - TETP-800**

Designed to quickly trace and identify cables, wires, and wire pairs, the Jonard Tools **TETP-800** tone and probe kit is the perfect kit for any Voice Data Video (VDV) professional.



TETP-800

**Kit includes:**

**TEP-100** Tone Tracing Probe

- Plastic probe tip prevents accidental shorts
- Adjustable volume knob to work silently or to hear tone more easily

**TET-600** Cable Tester & Toner

- Provides tone via RJ11 connector or alligator clips
- Works with our **TEP-100** tracing probe or others to identify cables



### Cable Tester Tone & Probe Kit+ w/ ABN - TETP-901

Designed to identify, trace, and test the continuity of BNC & F connectorized COAX cables, network cables using RJ45 connectors, and telephone lines using 6P2C/4P2C plugs. This multi-function cable tester tone and probe kit is the perfect kit for any Voice Data Video (VDV) professional.



TETP-901

#### Kit includes:

#### TET-700BC Cable Tester & Toner+ w/ ABN

- Plastic probe tip prevents accidental shorts
- LED light provides a visual indication of signal strength

#### TEP-200 Tone Tracing Probe+

- Remote terminator can be used to test network cables with ease
- Provides tone via RJ45 and BNC connectors or test clips
- **TET-6** Accessory Kit for Cable Testers & Toner+



### Digital Tone and Probe Set w/ Rechargeable Battery - TETP-1000D

The **TETP-1000D** is the fastest and easiest way to locate, test, and verify hard to find network cables in busy patch panels, wire bundles, and network closets. Featuring an easy-to-identify isolated digital signal perfect for testing on live networks, eliminating the need for downtime to diagnose any issues. With a long-lasting rechargeable Li-ion battery for nonstop service.



TETP-1000D

- Live Network and noisy signal testing with isolated digital tone generator
- Rechargeable Li-ion battery with USB-C
- Built in Continuity and Polarity testing displayed on easy to read LEDs plus POE verification
- Rugged alligator clip for testing bare wires
- RJ45 and RJ11 Ports for easy testing of RJ45 RJ11 and RJ12 Cables



### Multi-Functional 8k CCTV Tester - CTV-8K

Introducing the **CTV-8K**, the ultimate multi-functional CCTV tester that supports a wide array of camera types, making setup and testing of your network a breeze. With its built-in POE and HDMI tester, along with the RJ45 TDR tester, this all-in-one solution allows you to effortlessly verify and troubleshoot your entire system. Empower yourself with enhanced productivity from start to finish with the **CTV-8K** installation and troubleshooting tester for digital/IP, HD coax, and analog CCTV camera systems.



CTV-8K

- 8k IP Camera Test and 4K 60fps HDMI Test
- Connect to various cameras using RJ45, Wi-Fi or BNC ports



### POE & Cable Testing Tool - POE-1

Engineered to tackle the dual challenges of POE testing and network cable continuity verification, our all-in-one POE tester is a game-changer for network technicians and professionals.



POE-1


- Instantly verify the presence of POE and determine the Voltage, Amperage, and standards of Ethernet cables, supporting Passive, 802.3af, 802.3at, and 802.3bt standards

**Kit includes:** POE Tester, Cable Remote, Female-Female RJ45 Adapter, Instruction Manual, and AA Battery

# POE-1

## ALL-IN-ONE PoE & CABLE TESTING TOOL

Compact & Battery-Optional. Built for the Field!



Includes: Cable Remote, Female-Female RJ45 Adapter, Instruction Manual, & AA Battery



Instantly verify PoE type, voltage, and current

Checks cable continuity and resistance for Cat5-Cat6a



### 16 Piece Security & Alarm Tool Kits+

Designed specifically for the security and alarm industry, the **TK-611** & **TK-611B** 16 Piece Security & Alarm Tool Kits provide all the tools needed to prep COAX, network, and power cables for termination as well as tools for tracing and testing applications.

#### Kits include:

JONARD P/N	DESCRIPTION	TK-611	TK-611B
		16 Piece Security & Alarm Tool Kit+ w/ Rugged Tool Case	16 Piece Security & Alarm Tool Kit+ w/ Backpack
<b>BP-100</b>	Technician's Tool Bag Backpack		X
<b>CST-1900</b>	Round Cable Strip & Ring Tool	X	X
<b>CT-200</b>	Universal Compression Tool	X	X
<b>EPD-91461</b>	Punchdown Tool with 2 Blades (66 & 110)	X	X
<b>H-90</b>	Rugged 21 Pocket Tool Case	X	
<b>JIC-186</b>	Wire & Kevlar® Cutting Shears	X	X
<b>JIC-683</b>	Lineman's Side Cut Pliers	X	X
<b>JIC-22148</b>	Combo Crimper, Long Nose Pliers	X	X
<b>KN-7</b>	Ergonomic Cable Splicing Knife	X	X
<b>MCT-468</b>	Modular Cable Tester for RJ45, RJ12, RJ11 Cables	X	X
<b>MRS-24</b>	MagneTrievers™	X	X
<b>RBNC-3</b>	Compact BNC Connector Tool	X	X
<b>SD-61</b>	6-in-1 Multi-Bit Screwdriver w/ Phillips and Slotted Bits	X	X
<b>TETP-800</b>	Cable Tester Tone & Probe Kit	X	X
<b>UC-4569</b>	6-in-1 Crimping Tool, RJ45 Pass-through & RJ11/12 Modular	X	X
<b>UST-500</b>	Universal Cable Stripping Tool for COAX, Network, and Telephone Cables	X	X
<b>WSC-826</b>	Wire Stripper & Crimper, 8-26 AWG	X	X
<b>QR CODE</b>			

BP-100 not shown.




### Keystone Ethernet Wall Couplers & Jacks

Designed with convenience and reliability in mind, these sleek and compact Jacks and Couplers enable effortless extension of ethernet connections within your home or office and feature the following:

- Fits patch panels, wall plates, or surface mount boxes with standard keystone blank openings
- Heavy duty construction includes an impact-resistant and fire-retardant housing. Gold-plated RJ45 contacts, dual IDC covers, and a snap-in retaining clip for a secure connection



SPECS	K-5EC/5	K-5EJ/5	K-5EJ/25	K-6EC/5	K-6EJ/5	K-6EJ/25
STYLE	Ethernet Wall Coupler	Ethernet Jack	Ethernet Jack	Ethernet Wall Coupler	Ethernet Jack	Ethernet Jack
QUANTITY	5	5	25	5	5	25
CONNECTOR TYPE	CAT5E, RJ45	CAT5E, RJ45	CAT5E, RJ45	CAT6E, RJ45	CAT6E, RJ45	CAT6E, RJ45



### Single Gang Keystone Screw-In Mounts

- Easy to install connection point for voice, data, audio, and video inserts
- Fits standard openings, can be combined for multi-gang growth



JONARD P/N	DESCRIPTION
K-M1/3	Single Gang Screw-in Keystone Mount (Pack of 3)
K-M2/3	Single Gang Screw-in Dual Keystone Mount (Pack of 3)



### Single Gang Keystone Wall Plates

- Easy to install connection point for voice, data, audio, and video inserts
- Fits standard single or dual-gang openings



JONARD P/N	DESCRIPTION
K-W1/10	Single Gang Keystone 1 Port Wall Plate (Pack of 10)
K-W2/10	Single Gang Keystone 2 Port Wall Plate (Pack of 10)

NETWORK & SECURITY



# CABLE & WIRE STRIPPERS & SPLITTERS

RCS-25 – RATCHETING CABLE SLITTER, PG. 160

CABLE & WIRE



## Round Cable Strip & Ring Tools

The **PATENTED CST-1900** and **CST-4000** Round Cable Strip & Ring Tools are designed for fast and precise removal of cable jackets from round cables. Triple action design makes longitudinal cuts for end stripping, spiral cuts for end and mid span stripping, and circular cuts for jacket removal.

SPECS	CST-1900	CST-4000
CUT TYPE	Slit & Ring	Slit & Ring
CABLE DIAMETER	3/16" - 1-1/8" (4.5 mm - 29 mm)	3/4" - 1-5/8" (19 mm - 40 mm)
QR CODE		



## Round Cable Strip & Ring Tool, 8-28 mm - CST-900

Designed for the fast and precise removal of round cable jackets 8-28 mm in diameter. This round cable stripper also features:

- Blades are coated with Titanium-Nitride (TIN) for longer life, faster cutting, and less wear
- Large adjustment screw allows for precise blade depth adjustments
- Specially designed blade automatically adjusts from ringing to slitting



CST-900

Replacement Blades (Pack of 3): **CST-900RB**



## Round Cable Strip & Ring Tool for Cables 4.5-29 mm in Diameter - CST-1140

The **CST-1140** Round Cable Strip & Ring Tool is designed for fast and precise removal of cable jackets from round cables that are 3/16" to 1-1/8" (4.5 mm to 29 mm) in diameter.



CST-1140

Replacement Blades (Pack of 3): **CST-1140RB**



### CableSaber™ Armored Strip & Ring - AST-200

The award winning **CableSaber™** is the ultimate tool for gaining mid-span access to armored or thick jacketed cables 4 mm to 28.6 mm (0.157" to 1.125") in diameter.



AST-200

Replacement Blades (Pack of 2): **AST-200RB**



### CableSaber+™ Armored Cable & Fiber Duct Slitter - AST-210

The Jonard Tools **CableSaber+™** is the ultimate tool for gaining mid-span access to armored or thick jacketed cables 4 mm to 30.0 mm (0.157" to 1.181") in diameter.



AST-210

Replacement Blades (Pack of 2): **AST-210RB**



### Cable Ring Tool - JIC-2060

Designed to ring and remove the sheathing off plastic, fabric, and rubber-covered cables from 3/16" to 1/2" (4.7 mm to 12.7 mm) in diameter.



JIC-2060

- Made of durable carbon steel construction for high durability and long life

Replacement Blades (Pack of 6): **RB-2060/6**



### Precision Cable Strippers

The **CST-25** is designed to slit and ring hard outer sheathes on cables and plastic tubes, and the **CST-28** is designed to slit and ring cables and plastic tubes. These are the perfect tools for opening cables and ducts.

SPECS	CST-25	CST-28
CUT TYPE	Slit & Ring	Slit & Ring
CABLE DIAMETER	1/4" - 1" (6 mm - 25 mm)	1/4" - 1-1/8" (6 mm - 28 mm)
REPLACEMENT BLADES	CST-25RB	CST-28RB
QR CODE		



### Ratcheting Duct and Cable Slitters

These ratcheting cable slitters are designed to dismantle heavy-duty cables. The **RCS-25** and **RCS-30** both slit and ring round cables greater than 1" (25 mm) in diameter, and the **RCS-30** can also be used to make window cuts in ducts up to 5 mm thick.

SPECS	RCS-25	RCS-30
CUT TYPE	Slit & Ring	Window, Slit & Ring
APPLICATION	Cables	Cables & Ducts
REPLACEMENT BLADES	RCS-25RB	RCS-30RB
QR CODE		

CABLE & WIRE



**Submariner Cable & Large Duct Slitter - RCS-50**

Designed to open the toughest heavy-duty cable jackets, the **RCS-50** is perfect for performing lateral and longitudinal cuts on submariner cables, large fiber ducts, or large count telephone cables at least 1-1/2" (3.81 cm) in diameter. Includes the **H-20** rugged carrying case.



RCS-50

Replacement Blade: **RCS-50RB**



**Adjustable Wire Stripper & Cutter - WS-5**

Designed with a precision-ground "V" notch blade and adjustable blade stop for superior stripping, this adjustable wire stripper and cutter is perfect for stripping and cutting 10-30 AWG (2.6 - 0.25 mm) solid and stranded wire.



WS-5



**Wire Stripper & Cutter, 8-22 AWG - WS-822**

Easily strips 8-20 AWG solid wire and 8-22 AWG stranded wire, can remove up to 1" of insulation in a one-step operation. Built-in cutting blades make it easy and convenient to cut and prep wire. Gripping and stripping jaws grab, hold, and strip wire with one squeeze of the handle.



WS-822



**Precision Wire Stripper Pro, 8-30 AWG - WSA-830**

The Precision Wire Stripper Pro is designed to easily and accurately strip a wide range of wire sizes from 8 to 30 AWG.



WSA-830

- Consistent and efficient self-adjusting stripping every time
- Additional fine adjustment slide for precise knick-free stripping for insulation thickness up to 1"



**Wire Stripper & Crimper, 8-26 AWG - WSC-826**

The Jonard Tools **WSC-826** is a multi-function wire stripper designed to cut and strip wire from 8-26 AWG (3.26 mm to 0.40 mm) without any adjustments needed.



WSC-826

- Tool has a wire stripper, cutter, and crimper for non-insulated terminals
- Built-in handy adjustable wire stop ensures precise and consistent results



**Heavy-Duty Wire Stripping Pliers, 10-16 AWG - WSC-1016**

Designed to strip the most commonly-used stranded and single conductor wires, this wire stripper is the perfect tool for cutting, stripping, and crimping 10-16 AWG (2.6 mm to 1.3 mm) wire.



WSC-1016

CABLE & WIRE



**Cable Stripper for 14/2 & 12/2 NM Cable - WSC-1412**

Designed to strip the jacket and insulated conductors from 12/2 and 14/2 NM cables. Includes stripping holes for removing insulation on 12 and 14 AWG wire, wire looping / bending holes to aid in wire prep, and shears 6-32, 8-32, 10-32 screws.



WSC-1412




**Electric Lug and Terminal Crimper - TCC-1416**

Designed to prep electrical cables, this electrical lug and terminal crimper is perfect for cutting and stripping wires, and crimping insulated and non-insulated lugs and terminals. This crimper features the following:

- Strips 22-16 AWG (1.3 mm-0.6 mm) electrical wires



TCC-1416



**Cyclops Wire Stripper - CST-1i**

Fast easy removal of outer insulation from all unshielded twisted pair, shielded twisted pair and multicore cables. The **PATENTED** Cyclops features a self adjusting blade and is perfect for PVC and plenum type insulation, plus other materials without damaging the inner braids, foils or conductors. Cable performance is not impacted using this cable stripper.



CST-1i



**Adjustable Wire Strippers**

These precision wire strippers feature an adjustment dial that allows the operator to select one of the six different settings. These adjustable wire strippers are the perfect tool for stripping wires quickly and easily.

SPECS	ST-450	ST-500	ST-500ESD	ST-550
WIRE GAUGE	26-36 AWG	20-30 AWG	20-30 AWG, ESD Safe	18-28 AWG
QR CODE				



**Self Adjusting Wire Stripping Tools**

The perfect solution for stripping PVC and other insulated wire. The innovative squeeze and strip design uses precision carbon steel laminated stripping blades that automatically grasp the insulation to provide quick and accurate wire stripping.

SPECS	WSA-1024	WSA-1430
WIRE GAUGE	10-24 AWG (2.6 mm-0.2 mm)	14-30 AWG (1.6 mm-0.3 mm)
REPLACEMENT BLADES	WSA-1024RB	WSA-1430RB
QR CODE		

CABLE & WIRE



**Wire Strippers**

Wire strippers and cutters with coil spring openings to reduce fatigue, wire looping and bending holes, black oxide finish, locking mechanism, and cutting surfaces that are hardened, tempered and ground for superior performance.

- Edges are hardened, tempered, and ground for superior cutting and stripping

SPECS	JIC-1022	JIC-1626	JIC-2030
<b>WIRE GAUGE</b>	10-22 AWG (2.60-0.64 mm)	16-26 AWG (1.29-0.40 mm)	20-30 AWG (0.81-0.25 mm)
<b>QR CODE</b>			



**Stainless Steel Curved Wire Stripper, 6-12 AWG - WSS-612**



WSS-612

Designed to cut and strip the most commonly used stranded and single conductors, this wire stripper is the perfect tool for cutting and stripping wires from 6 to 12 AWG (4.11 mm to 2.05 mm).

- 50 HRC stainless steel construction for precision stripping and durability
- Coil spring reduces hand fatigue when using for extended periods of time
- Conveniently located bending holes makes wire looping quick and easy
- Includes cutting holes for 8-32 and 10-32 threaded screws
- Ergonomic curved handle design is naturally comfortable to hold and reduces hand fatigue



**Stainless Steel Curved Wire Stripper, 10-20 AWG - WSS-1020**



WSS-1020

Designed to cut and strip the most commonly used stranded and single conductors, this wire stripper is the perfect tool for cutting and stripping solid wires from 10-20 AWG (2.60 to 0.81 mm) and stranded wires from 12-22 AWG (2.05 to 0.65 mm).

- 50 HRC stainless steel construction for precision stripping and durability
- Coil spring reduces hand fatigue when using for extended periods of time
- Conveniently located bending holes makes wire looping quick and easy
- Includes cutting holes for 8-32 and 10-32 threaded screws
- Ergonomic curved handle design is naturally comfortable to hold and reduces hand fatigue

CABLE & WIRE



# FOLDING FINGERTIP HEAVY DUTY WORK GLOVES

**NEVER CUT THE TIPS OFF OF YOUR GLOVES AGAIN!**



*Designed in Collaboration with  
Our Jonard Ambassadors!*



**Superior Grip Padding**  
*Enhanced For Palm Protection*



**Highly Durable**  
*Impact & Abrasion Resistant*

**Available in Three Sizes!**



**WG-100M**



**WG-100L**



**WG-100XL**

**MADE FOR LIFE**  
GUARANTEED FOR LIFE

# INSERTION & EXTRACTION TOOLS

KA-260 INSERTION TOOL KITS; KR-260 EXTRACTION TOOL KIT, PG. 165

INSERTION & EXTRACTION



## Insertion & Extraction Tool Kits

These tools service virtually all connectors with front release contacts. They contain strong, durable, stainless steel probes & color coded handles. Items sold individually as well as in kits.

### Insertion Tool Kit - KA-260

Inserts front release contacts made by: Amp, Amphenol, Bendix, Burndy, Cannon, Cinch, Continental, Elco, Flight, Pyle National, and Deutsch

SPECS	KA-260	A-4598	A-4599	A-4600
DESCRIPTION	Insertion Tool Kit (Includes: A-4598, A-4599, A-4600)	Insertion Tool Contact Size 20	Insertion Tool Contact Size 16	Insertion Tool Contact Size 12
QR CODE				

### Extraction Tool Kit - KR-260

This Extraction Tool Kit is perfect for removing front release contacts made by most manufacturers.

SPECS	KR-260	R-4601	R-4602	R-9461
DESCRIPTION	Removal Tool Kit (Includes: R-4601, R-4602, R-9461)	Removal Tool Contact Size 20	Removal Tool Contact Size 16	Removal Tool Contact Size 12
QR CODE				

Both kits are supplied in a Jonard Tools leather tool case.



**Insertion & Extraction Tool, Contact Size 20 - AR-910672**

This tool is perfect for inserting and extracting size 20 front release contacts made by most manufacturers.

- Probes constructed from brass to prevent damage to contacts
- Housing made from color-coded ABS: Red side is for insertion and white side is for extraction



AR-910672



**Pin Removal Tool, Contact Size 16-20 - R-5926**

Compatible with nearly all AMP-style pin connectors between contact sizes 16-20, this tool is perfect for extracting AMP CPC pins from the back of connector blocks. This insertion tool features the following:

- Smooth built-in plunger makes removal of pins quick and easy
- Pushes pins out from behind the connector blocks for contact sizes 16-20



R-5926



**Wedglock Removal Tool, DT and AT Series Connectors - DTR-1**

This double-ended removal tool is expertly designed for fast and efficient disassembly of DT and AT Series connectors.

- **Screwdriver Tip:** Ideal for lifting and removing receptacle wedglock cap, as well as releasing the pin contact
- **Hook Tip:** Designed to grasp and pull internal plug wedglock from the connector



DTR-1



**Wire Extractor - M-724A**

Designed for removing wire from quick-connect clips and 66 & 110 terminal blocks, this wire extractor is simple. This wire extractor features the following:

- Easy to use on quick-connect clips and 66 & 110 terminal blocks
- Solid metal construction with insulated handle for high durability and safety



M-724A



**Precision Crimper - CMP-1226**

Designed for use with our **CMP-3** turret head and most other turret heads, this precision crimping tool is perfect for crimping front release connector contact pins onto 12-26 AWG wire.

- This tool is compatible with most other turret heads, including our **CMP-3** turret head
- Creates 4-indent 8-impession crimps, which assure maximum tensile strength
- 8 position selector knob allows you to control the crimp depth with ease
- Smooth precision ratchet ensures the same accurate crimps every time
- Rugged steel frame construction with rubber cushion grips for comfort



CMP-1226

INSERTION & EXTRACTION



**IC Insertion/Extraction Kit - WK-7**

This tool kit is designed to facilitate the installation and extraction of DIP IC and PLCC chips on circuit boards. All included tools are CMOS safe and include grounding lugs where appropriate.



**Kit includes:**

- **EX-1** DIP IC Extractor (8-24 pins)
- **EX-2** DIP IC Extractor (24-40 Pins)
- **EX-5** PLCC Extractor, ESD Safe
- **MOS-1416** Insertion Tool (14-16 Pins)
- **MOS-2428** Insertion Tool (24-28 Pins)



**IC Insertion & Extraction Tools and Kits**

SPECS	EX-1/10	EX-2	MOS-1416
DESCRIPTION	DIP IC Extractor (8-24 Pins) (Pack of 10)	DIP IC Extractor (24-40 Pins)	Insertion Tool (14-16 Pins)
QR CODE			

SPECS	MOS-2428	S-339	S-340
DESCRIPTION	Insertion Tool (24-28 Pins)	Lamp Extractor	DIP/IC Extractor
QR CODE			

INSERTION & EXTRACTION



**PLCC Extractors**

Designed to extract Plastic Leaded Chip Carriers (PLCC) without damaging them, these PLCC Extractors are perfect for removing PLCCs with 20-128 pins. The stainless steel construction provides long life and durability.

SPECS	EX-5	EX-6
DESCRIPTION	PLCC Extractor - ESD (Electrostatic Discharge) Safe	PLCC Extractor
QR CODE		



**Socket & Pin Terminal Extraction Tools**

Expertly designed with precision and efficiency to remove terminals from various plug, receptacle housings and connectors.

- **EXM-43** Removes pins and sockets from Micro-Fit 3.0, Low Profile Terminals, Pitch Terminals, DuraClik Terminals, and more
- **EXM-44** Removes pins and sockets from Mini-Fit Jr. Crimped Terminal Series (Mini-Fit Jr., Mini-Fit HCS, Mini-Fit Plus HCS), Male and Female Crimp Terminals and 2.00 mm Pitch Board-In Male Crimp Terminals

SPECS	EXM-43	EXM-44
DESCRIPTION	Needle Nose Extraction Tool (18-34 AWG)	Crimped Terminal Extraction Tool (14-30 AWG)
QR CODE		

# SOLDERING & DESOLDERING TOOLS

## Benchtop Fume Absorbers

### Features:

- Aerodynamic hood design effectively draws irritating soldering fumes away from the work area
- Carbon-impregnated filters trap a limited portion of the flux fumes
- Compact size, low profile and adjustable stand allows convenient placement 6" to 8" (152 mm to 203 mm) from work area
- Dimensions: 8-1/2" H x 8-1/4" W x 4" D
- Articulating arm allows optimized positioning and saves bench space
- Bench mounting clamp and 3 filters come complete with unit
- Noise level 45-50dBA
- **SA-9-E-115** features static-dissipative housing



SA-9-115



SA-9-E-115



SAF-1

SPECS	SA-9-115	SA-9-E-115	SAF-1
DESCRIPTION	Fume Absorber w/ Adjustable Stand, 115V	Fume Absorber w/ Adjustable Stand, 115V, ESD Safe	Fume Absorber Filter (Pack of 3)
QR CODE			



## High-Vacuum Desoldering Pumps

Specially engineered desoldering pumps made to exacting specifications and providing precise repeatable operation. Fitted with a Teflon Tip with ID .125", OD .22" and included cleaning mechanism. **DP-100** and **DP-200**. 13" long, **DP-140** 8" long.

SPECS	DP-100	DP-140	DP-200	DPT-100	DPT-200
DESCRIPTION	High Vacuum Desoldering Pump	Compact Desoldering Pump	High Vacuum Desoldering Pump, ESD Safe	Replacement Tip for DP-100/DP-140	Antistatic Replacement Tip for DP-200
QR CODE					



# KYNAR® WIRE

24 AWG KYNAR® WIRE, 100 FT, PG. 169

## KYNAR® Insulated, Silver Plated Copper Conductor

Typically used where flexibility, strength, and low weight is required, Kynar® wire is ideally suited in wire wrap, power supply, medical, and aerospace applications. It is also commonly used for circuit board prototyping because of its lighter weight and smaller overall diameter.



WIRE SIZE AWG	INSULATION DIA. mm	INSULATION DIA.		ROLL SIZE		BLUE	YELLOW	WHITE	BLACK	RED	GREEN
		in.	mm	Feet	Meters						
24	0.50	.030	0.76	100	30.4	R24B-0100	R24Y-0100	R24W-0100	R24BLK-0100	R24R-0100	
26	0.40	.027	0.69	100	30.4	R26B-0100	R26Y-0100	R26W-0100	R26BLK-0100	R26R-0100	
28	0.32	.024	0.60	100	30.4	R28B-0100	R28Y-0100	R28W-0100	R28BLK-0100	R28R-0100	
30	0.25	.020	0.50	100	30.4	R30B-0100	R30Y-0100	R30W-0100	R30BLK-0100	R30R-0100	R30G-0100
				1000	304.4	R30B-1000	R30Y-1000	R30W-1000	R30BLK-1000	R30R-1000	R30G-1000

KYNAR WIRE

## Pre-Cut & Pre-Stripped Wire Wrapping Wire

30 AWG (0.25 mm) Pre-Cut/Pre-Stripped Wire (50 Pieces per Package).

- 50 pieces per package
- Kynar® insulated
- Silver plated copper conductor
- Add 2" to the insulation length (see chart below) for total length of wire
- 1" of stripped wire on either end
- UL listed



INSULATION LENGTH		BLUE	WHITE
in.	mm		
1	25	30-B-50-010	30-W-50-010
5	127	30-B-50-050	30-W-50-050

**KSW Wire Wrapping Wire Rolls for Cut/Strip/Wrap Applications**

Low strip force Kynar® insulated silver plated copper conductor wire is further processed to provide a low strip force for use with CSW bits and sleeves. Ideally suited for wire wrapping and many other applications. The Kynar® insulation provides a flexible yet abrasion resistant wire and the conductor is made from silver plated OFHC (Oxygen Free High Conductivity) copper.



WIRE SIZE		INSULATION DIAMETER		ROLL SIZE		BLUE	YELLOW	WHITE	BLACK	RED	GREEN
AWG	mm	in.	mm	Feet	Meters						
24	0.50	.030	0.76	100	30.4	KSW24B-0100			KSW24BLK-0100	KSW24R-0100	
26	0.40	.027	0.69	100	30.4	KSW26B-0100			KSW26BLK-0100	KSW26R-0100	
28	0.32	.024	0.60	100	30.4	KSW28B-0100			KSW28BLK-0100	KSW28R-0100	
30	0.25	.020	0.50	100	30.4	KSW30B-0100	KSW30Y-0100	KSW30W-0100	KSW30BLK-0100	KSW30R-0100	KSW30G-0100
				1000	304.4	KSW30B-1000	KSW30Y-1000	KSW30W-1000	KSW30BLK-1000	KSW30R-1000	KSW30G-1000



**30 AWG Kynar® Wire Replacement Roll, 50 ft**

SPECS	R-30B-0050	R-30Y-0050	R-30R-0050	R-30W-0050
<b>OVERALL LENGTH</b>	50 ft (15.25 m)			
<b>WIRE GAUGE</b>	30 AWG	30 AWG	30 AWG	30 AWG
<b>QR CODE</b>				



**Kynar® Wire & Dispenser Boxes, 5 Color Sets**

Typically used where flexibility, strength, and low weight are required, Kynar® wire is ideally suited in wire wrap, power supply, medical, and aerospace applications. It is also commonly used for circuit board prototyping because of its lighter weight and smaller overall diameter. These properties make Kynar® wire an excellent choice when working in even the harshest environmental applications.

**Kits include:**

Dispenser box, five color spools of 24 AWG wire, each 100 feet long, and a **FREE JIC-2030** Wire Stripper

SPECS	R24-5100	R26-5100	R28-5100	R30-5100	R30-51000
<b>OVERALL LENGTH</b>	500 ft (152.4 m)	5000 ft (1524 m)			
<b>WIRE GAUGE</b>	24 AWG	26 AWG	28 AWG	30 AWG	30 AWG
<b>WIRE SPOOLS</b>	5 Colors, 100 ft each	5 Colors, 1000 ft each			
<b>JIC-2030 WIRE STRIPPER</b>	X	X	X		X
<b>QR CODE</b>					


# WIRE WRAP TOOLS

In February 2003 Jonard Industries acquired OK Industries and merged their operation into the “Jonard Family of Companies”. Established in 1946, OK Industries blossomed as a major force in the telecommunications and electronic industries with a special proficiency in the manufacture of Wire Wrapping Tools. These same tools have continuously been supplied by Jonard Tools.

## CONTENTS

Wire Wrap Guide	172
Battery & Electric Wire Wrap Tools	173
Manual Wire Wrap & Unwrap Tools / Accessories	174
Wire Wrap Bits & Sleeves	175
Hand Wrap & Unwrap Tools	177
Wire / Strip / Unwrap Tools	179
Wire Wrap Kits	180

Wire wrapping is a method of making a wire connection by coiling the bare wire around the sharp corners of a terminal under mechanical tension. The technology was developed as an alternative to soldering, which presents various safety and reliability problems in many applications. A principal advantage of wire wrapping is that it provides a high-reliability connection that is also easily removed to correct or modify a wiring layout. Wire wrapping subjects the wire to tremendous tension and compression forces, causing the oxide layer on both wire and terminal to be crushed or sheared, resulting in a clean, oxide-free metal-to-metal contact. A standard wrap is generally used for 18 AWG and larger diameter wires; a modified wrap is typically used for 26 AWG and smaller wires, and is used almost exclusively for 28-30 AWG wires. In either case, the wrap style affects only the connection's mechanical stability; both styles provide suitable electrical connections.



**Metal-to-Metal Contact**

By bending the wire around the sharp corner of the terminal, the oxide layer on both wire and terminal is crushed or sheared, and a clean, oxide-free metal-to-metal contact is obtained.


**Strip Force Chart\***

AWG	WIRE SIZE		MIN NUMBER OF TURNS (BARE WIRE)	MIN. STRIP FORCE	
	DIA. INCHES	DIA. MM		LBS.	GMS
16	.051	1.30	4	15	6800
18	.0403	1.00	4	15	6800
20	.032	0.80	5	8	3600
22	.0253	0.65	5	8	3600
24	.0201	0.50	6	7	3200
26	.0159	0.40	7	6	2700
28	.0126	0.32	7	5	2200
30	.0100	0.25	7	3.3	1500

\*Conforms to MIL-STD-1130B

**Types of Wrap**

A "Regular" bit wraps the bare wire around the terminal. A "Modified" bit wraps a portion of insulation around the terminal in addition to the bare wire. This greatly increases the ability to withstand vibration.



**How to Make Wire Wrapped Connections**

- Step 1:** Bit, Sleeve & Pre-Stripped Wire
- Step 2:** Wire Insertion
- Step 3:** Wire Anchoring
- Step 4:** Terminal Insertion
- Step 5:** Finished Connection

**Some Hints on Making Wrapped Connections**



**OVERWRAP**  
Do not press too hard. Let the OK tools do the work. Excessive pressure can lead to overwrapping. Backforce "BF" to prevent overwrapping is available on most power tools and is recommended for use with 26-30 AWG wire.



**OPEN WRAP & SPIRAL WRAP**  
Just keep the OK tool on the terminal until the wrap is complete. Early removal can result in spiral and open wraps.



**INSUFFICIENT TURNS**  
It's easy to feed wire into the slot in the OK bit correctly. Be sure the stripped end of the wire is "pushed-in" all the way.



**PIGTAIL**  
Wire wrapping is a precision technique and the wrong bit and sleeve just cannot do the job. Improper selection can cause problems ranging from "Pigtails" to loose wraps.

**Terminal Diagonal Chart**

		DIMENSION B																		
DIMENSION A	in.	.10	.15	.20	.25	.30	.35	.40	.45	.50	.55	.60	.65	.70	.75	.80	.85	.90	.95	.100
	mm	0.25	0.38	0.51	0.64	0.76	0.89	1.02	1.14	1.27	1.40	1.52	1.65	1.78	1.91	2.03	2.16	2.29	2.41	2.54
.10	0.25	0.14	0.18	0.22	0.27	0.32	0.36	0.41	0.46	0.51	0.56	0.61	0.66	0.71	0.76	0.81	0.86	0.91	0.96	1.01
.15	0.38	0.46	0.53	0.64	0.74	0.84	0.97	1.09	1.19	1.32	1.45	1.58	1.70	1.83	1.96	2.08	2.21	2.34	2.46	2.59
.20	0.51	0.56	0.64	0.71	0.81	0.91	1.02	1.14	1.25	1.35	1.47	1.60	1.73	1.85	1.98	2.11	2.24	2.36	2.49	2.62
.25	0.64	0.69	0.74	0.81	0.91	0.99	1.09	1.19	1.27	1.42	1.52	1.65	1.75	1.88	2.01	2.13	2.26	2.39	2.52	2.64
.30	0.76	0.81	0.84	0.91	0.99	1.07	1.17	1.27	1.37	1.47	1.58	1.70	1.80	1.93	2.03	2.16	2.29	2.41	2.54	2.67
.35	0.89	0.91	0.97	1.02	1.09	1.17	1.25	1.32	1.42	1.52	1.63	1.75	1.85	1.98	2.08	2.21	2.31	2.44	2.57	2.69
.40	1.02	1.04	1.09	1.14	1.19	1.27	1.32	1.42	1.52	1.63	1.63	1.83	1.93	2.03	2.13	2.26	2.34	2.46	2.59	2.72
.45	1.14	1.17	1.19	1.25	1.27	1.37	1.42	1.52	1.60	1.67	1.70	1.80	1.88	1.98	2.11	2.21	2.31	2.44	2.57	2.77
.50	1.27	1.30	1.32	1.35	1.42	1.47	1.52	1.63	1.70	1.80	1.88	1.98	2.08	2.18	2.29	2.49	2.49	2.62	2.72	2.82

Example: If "A"=.020". "B"+.060". The Terminal diagonal is .063" as shown on chart.



### Battery & Electric Wire Wrap Tools

The ergonomic and patented PTX Series Wire Wrap Tools are the telecom industry standard for wire wrapping needs on main distribution frames as well as local and remote installations. Its rugged construction and high speed motor make the tool suitable for electronic assembly work and many other wire wrapping applications.



### Battery Wire Wrap Tools & Kits

JONARD P/N	DESCRIPTION	WEIGHT	RPM
PTX	Battery Powered Wrap/Unwrap Tool	1.13 lbs (0.51 g)	3700
PTX-KIT1	PTX Tool, 115V Battery Charger, 2 Batteries	3.15 lbs (1.42 kg)	3700
PTX-KIT1DH	PTX Tool, DFB224, 115V Battery Charger, 2 Batteries, H-1000	3.44 lbs (1.56 kg)	3700
PTX-KIT2	PTX Tool, 230V Battery Charger, 2 Batteries	3.18 lbs (1.44 kg)	4200
PTX-KIT2DH	PTX Tool, DFB224, 230V Battery Charger, 2 Batteries, H-1000	3.60 lbs (1.63 kg)	4200

All battery wire wrap tools above operate with a 3.6 Volt NiMH battery.

### Electric Wire Wrap Tools

JONARD P/N	DESCRIPTION	WEIGHT	VOLTAGE	RPM
PTX-1BF	Electric Wrap/Unwrap Tool w/ Backforce, 115V	2.00 lbs (0.90 kg)	115V	3700
PTX-2	Electric Wrap/Unwrap Tool, 230V	2.20 lbs (0.99 kg)	230V	4200
PTX-2BF	Electric Wrap/Unwrap Tool w/ Backforce, 230V	2.17 lbs (0.98 kg)	230V	4200

All tools with "BF" in the part number include backforce protection to prevent overwrapping.

### Accessories

JONARD P/N	DESCRIPTION	WEIGHT
PTX-B	PTX Battery for Wrap/Unwrap Tool	0.39 lbs (0.18 kg)
PTX-BC1	PTX Battery Charger, 115V	0.77 lbs (0.35 kg)
PTX-BC2	PTX Battery Charger, 230V	0.86 lbs (0.39 kg)
PTX-FLA	Universal Flashlight Kit for PTX	0.08 lbs (0.04 kg)

Manual Wire Wrap Tools

Manual Wire Wrap Tools from Jonard OK Industries are ideal for between 50 and 200 wire wrap jobs per day. The nose piece should be tightened when the trigger is squeezed to minimize drag and ensure the wire wrapping bit and sleeve (sold separately) are properly oriented.



JONARD P/N	DESCRIPTION
G100/R3278	Aluminum Wire Wrapping Tool
G100/R3278FL	Insulated Aluminum Wire Wrapping Tool with Flashlight
G100/R3278INS	Insulated Aluminum Wire Wrapping Tool
G200/R3278	Wire Wrapping Tool with Lexan® Housing



LED Flashlight Kit for G100 Tools - G100-FL

Compatible with **G100/R3278** & **G100/R3278INS** wire wrapping tools, this flashlight is perfect for providing task lighting in dimly lit areas.



LED Flashlight Kit for WW Gun - G100-FLA

Compatible with our **G100**, **G200**, and most other wire wrapping guns, this flashlight is perfect for providing task lighting in dimly lit areas.



Manual Wire Unwrapping Tool - G100/R3394CT

Designed for unwrapping 20-26 AWG (0.80 - 0.40 mm) wire using unwrap set **PUW2226**, this tool is perfect for unwrapping wire quickly and easily.

The **PUW2226** includes the **2026UB** unwrap bit and the **SOK2230** unwrap sleeve.



WIRE WRAP TOOLS



### 3" Wire Wrap Bits & Sleeves

Fully compatible with any make or model wrapping tool. Modified bits provide an additional 1-1/2" turns of insulated wire to the wrap.



WIRE WRAP BITS & SLEEVES

BIT P/N	SLEEVE P/N	REG	MOD	WIRE GAUGE		MAX. INSULATION DIAMETER		MIN. TERMINAL DIAGONAL		MAX. TERMINAL DIAGONAL		TERMINAL HOLE DEPTH		EFFECTIVE RADIUS		TERMINAL HOLE DIAMETER	
				AWG	MM	IN.	MM	IN.	MM	IN.	MM	IN.	MM	IN.	MM	IN.	MM
KB18	P194LN	•		18	1.00			.060	1.52	.073	1.85	1.000	25.40	.150	3.81	.075	1.90
KB2075		•		20-22	0.65-0.80			.042	1.07	.073	1.85	1.000	25.40	.123	3.12	.075	1.90
WB2426M	P2224	•		22-24	0.50-0.65			.061	1.54	.085	2.15	1.000	25.40	.117	2.97	.086	2.18
KB224-1		•		22-24	0.50-0.65			.054	1.37	.073	1.85	1.000	25.40	.111	2.82	.075	1.90
KB224		•		22-24	0.50-0.65			.054	1.37	.073	1.85	.807	20.50	.111	2.82	.075	1.90
KB24	P2426	•		24	0.50			.055	1.39	.074	1.87	.750	19.05	.100	2.54	.075	1.90
WB24SM*	P3032LN		•	24	0.50	.044	1.11	.024	0.60	.043	1.09	.750	19.05	.098	2.48	.044	1.11
KB2466		•		24-26	0.40-0.50			.054	1.37	.065	1.65	1.000	25.40	.098	2.48	.066	1.67
KB26	P2426	•		26	0.40			.058	1.47	.073	1.85	1.000	25.40	.100	2.54	.075	1.90
WB26SM*	P26LN		•	26	0.40	.031	0.79	.023	0.58	.038	0.96	.750	19.05	.075	1.90	.040	1.02
WB2669M	P2426		•	26	0.40	.041	1.04	.053	1.34	.068	1.72	1.000	25.40	.109	2.77	.040	1.02
SB30MSH-B	P3032		•	30	0.25	.027	0.69	.031	0.79	.035	0.89	.750	19.05	.064	1.62	.036	0.91
WB3032M*		•		30.32	0.20-0.25	.027	0.69	.034	0.86	.038	0.96	.750	19.05	.064	1.62	.040	1.02
WB3032MIL <sup>†</sup>		•		30.32	0.20-0.25	.027	0.69	.034	0.86	.038	0.96	.750	19.05	.064	1.62	.040	1.02

\*These tools are recommended for .025" square terminals on .100" center to center of the pins  
<sup>†</sup>Provides 2.5 turns of insulation



### 3" Wire Wrap Bits & Insulated Sleeves

The insulated sleeves are covered with a material that provides 1000V dielectric strength which helps to prevent shorting between pins and enhances worker safety. These bits and sleeves provide a regular wrap.



WIRE WRAP BITS & INSULATED SLEEVES

BIT P/N	SLEEVE P/N	WIRE SIZE		MIN. TERMINAL DIAGONAL		MAX. TERMINAL DIAGONAL		TERMINAL HOLE DEPTH		EFFECTIVE RADIUS		TERMINAL HOLE DIAMETER	
		AWG	MM	IN.	MM	IN.	MM	IN.	MM	IN.	MM	IN.	MM
KB224	P2224INS	22-24	0.50-0.65	.054	1.37	.073	1.85	.807	20.50	.111	2.82	.075	1.90
KB24	P2426INS	26	0.50	.055	1.39	.074	1.87	.750	19.05	.100	2.54	.075	1.90
KB26		26	0.40	.058	1.47	.073	1.85	1.000	25.40	.100	2.54	.075	1.90

WIRE WRAP TOOLS



### 5" Wire Wrap Bits & Sleeves (Extended Length)

These bits and sleeves are designed for wire wrapping in areas requiring deep penetration. Their 5" (127 mm) length ensures "true" connections in hard-to-get-at locations. Available with or without insulation. These bits and sleeves provide a regular wrap.



5" WIRE WRAP BITS & SLEEVES (EXTENDED)



BIT P/N	INSULATED SLEEVE P/N	UNINSULATED SLEEVE P/N	WIRE SIZE		MIN. TERMINAL DIAGONAL		MAX. TERMINAL DIAGONAL		TERMINAL HOLE DEPTH		EFFECTIVE RADIUS		TERMINAL HOLE DIAMETER	
			AWG	MM	IN.	MM	IN.	MM	IN.	MM	IN.	MM	IN.	MM
KB22-5	P2224-5INS	P2224-5	22	0.65	.054	1.37	.073	1.85	.750	19.05	.117	2.97	.075	1.90
KB24-5	P2426-5INS	P2426-5	24	0.50	.055	1.39	.073	1.85	.750	19.05	.100	2.54	.075	1.90
KB26-5			26	0.40	.058	1.47	.073	1.85	.750	19.05	.100	2.54	.075	1.90

### DFB Series Wrap & Unwrap Bit & Sleeve Sets



DFB SERIES WRAP & UNWRAP BIT & SLEEVE SETS



JONARD P/N	DESCRIPTION	WIRE SIZE		MIN. TERMINAL DIAGONAL		MAX. TERMINAL DIAGONAL		TERMINAL HOLE DEPTH		TERMINAL HOLE DIAMETER		EFFECTIVE RADIUS	
		AWG	MM	IN.	MM	IN.	MM	AWG	MM	AWG	MM	AWG	MM
DFB224	Wrap/Unwrap Bit & Sleeve Set, 22-24 AWG	22/24	.50/.65	.054	1.37	.073	1.85	0.50	12.70	.075	1.90	.111	2.82
DFB2426	Wrap/Unwrap Bit & Sleeve Set, 24-26 AWG	24/26	.40/.50	.54	1.37	.065	1.65	0.50	12.70	.066	1.67	.098	2.48


DFB224 includes: KB-DF224 Bit, P-DF224 Sleeve; DFB2426 includes: KB-DF2426 Bit, P-DF2426 Sleeve

### Wire Wrapping Extension Attachment - EXT-400

Precision device which attaches easily to your manual or powered wire wrapping tool for applications requiring extra "reach".



EXT-400



## Hand Wire Wrap & Unwrap Tools / Insulated Hand Wire Wrap & Unwrap Tools

Designed to wrap or unwrap wire on binding posts, these hand wrap tools are perfect for use on 18-30 AWG wire. These hand wrap tools also features the following:

- Compact and convenient for making precise wire wraps where power wire wrapping tools are impractical
- Switch from wrapping to unwrapping quickly by changing the cap from one end to the other



WRAPPING SIDE													
JONARD P/N	DESCRIPTION	REG	MOD	WIRE SIZE		MAX. INSULATION DIAMETER		TERMINAL HOLE DIAMETER		TERMINAL HOLE DEPTH		OUTSIDE DIAMETER	
				AWG	MM	IN.	MM	AWG	MM	AWG	MM	AWG	MM
HW-UW-18-19	Wrap-Unwrap Tool, 18-19 AWG	•		18-19	1.00-0.91	-	-	.075	1.90	1.000	25.40	.250	6.35
HW-UW-20	Wrap-Unwrap Tool, 20 AWG	•		20	0.80	-	-	.075	1.90	1.000	25.40	.250	6.35
HW-UW-224	Wrap-Unwrap Tool, 22-24 AWG	•		22-24	0.65-0.50	-	-	.075	1.90	.807	20.50	.218	5.53
HW-UW-224-1	Wrap-Unwrap Tool, 22-24 AWG	•		22-24	0.65-0.50	-	-	.075	1.90	1.000	25.40	.218	5.53
HW-UW-224INS <sup>†</sup>	Wrap-Unwrap Tool, 22-24 AWG Insulated	•		22-24	0.65-0.50	-	-	.075	1.90	1.000	25.40	.218	5.53
HW-UW-2426	Wrap-Unwrap Tool, 24-26 AWG	•		24-26	0.50-0.40	-	-	.075	1.90	.750	19.05	.218	5.53
HW-UW-26SM*	Wrap-Unwrap Tool, 26 AWG		•	26	0.40	.031	0.79	.040	1.02	.750	19.05	.125	3.17
HW-UW-2829M*	Wrap-Unwrap Tool, 28-29 AWG		•	28-29	0.32-0.29	.036	0.91	.040	1.02	.750	19.05	.156	3.96
HW-UW-30*	Wrap-Unwrap Tool, 30 AWG		•	30	0.25	.027	0.69	.036	0.91	.750	19.05	.125	3.17
WDUD-26DS	DSL Wrap- Unwrap Tool Insulated	•		26	0.40	-	-	.075	1.90	1.000	25-40	.218	5.53

UNWRAPPING SIDE													
JONARD P/N	DESCRIPTION	REG	MOD	WIRE SIZE		TERMINAL HOLE DIAMETER		TERMINAL HOLE DEPTH		OUTSIDE DIAMETER			
				AWG	MM	AWG	MM	AWG	MM	AWG	MM		
HW-UW-18-19	Wrap-Unwrap Tool, 18-19 AWG	•		18-19	1.00-0.91	.075	1.90	1.000	25.40	.187	4.74		
HW-UW-20	Wrap-Unwrap Tool, 20 AWG	•		20-26	1.00-0.91	.075	1.90	1.000	25.40	.156	3.96		
HW-UW-224	Wrap-Unwrap Tool, 22-24 AWG	•		20-26	0.80-0.40	.070	1.77	1.000	25.40	.156	3.96		
HW-UW-224-1	Wrap-Unwrap Tool, 22-24 AWG	•		20-26	0.80-0.40	.070	1.77	1.000	25.40	.156	3.96		
HW-UW-224INS <sup>†</sup>	Wrap-Unwrap Tool, 22-24 AWG Insulated	•		20-26	0.80-0.40	.070	1.77	1.000	25.40	.156	3.96		
HW-UW-2426	Wrap-Unwrap Tool, 24-26 AWG	•		20-26	0.80-0.40	.070	1.77	1.000	25.40	.156	3.96		
HW-UW-26SM*	Wrap-Unwrap Tool, 26 AWG		•	24-32	0.50-0.20	.038	0.96	1.000	25.40	.093	2.36		
HW-UW-2829M*	Wrap-Unwrap Tool, 28-29 AWG		•	24-32	0.50-0.20	.038	0.96	1.000	25.40	.093	2.36		
HW-UW-30*	Wrap-Unwrap Tool, 30 AWG		•	24-32	0.50-0.20	.038	0.96	1.000	25.40	.093	2.36		
WDUD-26DS	DSL Wrap- Unwrap Tool Insulated	•		20-26	0.80-0.40	.070	1.77	1.000	25.40	.156	3.96		

\*These tools are recommended for .025" (0.63 mm) square terminals on .100" (2.54 mm) centers. A modified wrap provides 1.5 - 2 turns of insulation.  
<sup>†</sup>Insulated handle for dielectric protection.

WIRE WRAP TOOLS

### Hand Wrap Tools

These Hand Wire Wrapping Tools are carefully designed to produce perfect wire wrapped connections. Precision, long-lasting tools for use where occasional wraps are required or where power wire-wrapping tools are not practical. Compact and convenient.



JONARD P/N	DESCRIPTION	REG	MOD	TYPE	WIRE SIZE		TERMINAL HOLE DIAMETER		TERMINAL HOLE DEPTH		OUTSIDE DIAMETER	
					AWG	MM	AWG	MM	AWG	MM	AWG	MM
HW-20	Hand Wrap Tool, 20 AWG	•		A	20	0.80	.075	1.90	1.000	25.40	.218	5.53
HW-224	Hand Wrap Tool, 22-24 AWG	•		A	22-24	0.65-0.50	.075	1.90	.807	20.50	.218	5.53
JIC-22681	Hand Wrapping Tool	•		A	22-24	0.65-0.50	.075	1.90	.807	20.50	.218	5.53


### Hand Unwrap Tools

These tools are used to remove wire connections made with 20 thru 32 gauge wire.



JONARD P/N	DESCRIPTION	TYPE	WIRE SIZE		TYPE OF UNWRAP	MAX. TERMINAL DIAMETER		TERMINAL HOLE DEPTH		OUTSIDE DIAMETER	
			AWG	MM		IN.	MM	AWG	MM	AWG	MM
UD-2224	Sleeved Unwrapping Tool, 20-26 AWG	D	20-26	0.81-0.40	Left and Right Hand	.070	1.77	2.360	60.00	1.95	4.95
UW1	Unwrap Tool, 20-26 AWG	D	20-26	0.80-0.40	Left Hand	.070	1.77	1.000	25.40	.156	3.96
UW4	Unwrap Tool, 20-26 AWG	B	20-26	0.80-0.40	Left Hand	.070	1.77	2.360	60.00	1.95	4.95
UW5	Unwrap Tool, 20-26 AWG	B	20-26	0.80-0.40	Left and Right Hand	.070	1.77	2.360	60.00	1.95	4.95
UW093R	Unwrap Tool, 24-32 AWG	D	24-32	0.50-0.20	Left Hand	.038	0.96	1.000	25.40	.093	2.36
UWD93-93	Unwrap Tool, 24-32 AWG	C	24-32	0.50-0.20	Left and Right Hand	.038	0.96	1.000	25.40	.093	2.36
UW2832C	Unwrap Tool, 28-32 AWG	B	28-32	0.32-0.20	Left and Right Hand	.038	0.96	.750	19.05	.156	3.96

WIRE WRAP TOOLS



### Wrap/Strip/Unwrap Tools

Each WSU tool wraps, unwraps and even strips the appropriate wire diameter with a unique built-in stripper blade. Ideal for bench use or tool kit in all service and repair applications.

In addition to versatility, convenience, and reliability, the **WSU Series** offers exceptional value.



JONARD P/N	DESCRIPTION	REG	MOD	WIRE SIZE		MAX. INSULATION DIAMETER		TERMINAL HOLE DIAMETER		TERMINAL HOLE DEPTH		OUTSIDE DIAMETER		SQUARE POST	
				AWG	MM	IN.	MM	AWG	MM	AWG	MM	AWG	MM	AWG	MM
WSU-24M	Wrap-Strip-Unwrap Tool, 24 AWG		•	24	0.50	.036	0.92	.075	1.90	1.50	38.1	.213	5.4	.045	1.14
WSU-26M	Wrap-Strip-Unwrap Tool, 26 AWG		•	26	0.40	.034	0.86	.075	1.90	1.50	38.1	.213	5.4	.045	1.14
WSU-30	Wrap-Strip-Unwrap Tool, 30 AWG	•		30	0.25	–	–	.036	0.91	1.50	38.1	.125	3.2	.025	0.63
WSU-30M	Wrap-Strip-Unwrap Tool, 30 AWG		•	30	0.25	.021	0.53	.036	0.91	1.50	38.1	.125	3.2	.025	0.63
WSU-2224	Wrap-Strip-Unwrap Tool, 22-24 AWG	•		22-24	0.65-0.50	–	–	.075	1.90	1.50	38.1	.213	5.4	.045	1.14

WIRE WRAP TOOLS



### Cut-Strip Tool, 22-26 AWG - JIC-4473

Designed to cut and strip 22-26 AWG (0.65 - 0.40 mm diameter) wire, this tool is perfect for cutting and stripping wire to wire wrap length quickly and easily.



#### Replacement Blades:

- **SB-2224** Replacement Blade 22-24 AWG (included)
- **SB-2426** Replacement Blade 24-26 AWG (included)
- **SB-2830** Replacement Blade 28-30 AWG (sold separately)



### Cut-Strip Tools - ST-100 Series

Designed to cut and strip wires, these cut-strip tools are the perfect tools for cutting and stripping wire for wire wrapping purposes.



ST-100 SERIES

JONARD P/N	WIRE SIZE		ADJUSTABLE STRIP-OFF LENGTH		REPLACEMENT BLADE
	AWG	MM	AWG	MM	
ST-100	22-24	0.65 - 0.50	1-5/16" - 1-9/16"	33.33 - 39.68	SB-2224
ST-100-2426	24-26	0.50 - 0.40	1-15/16" - 1-11/16"	39.68 - 42.86	SB-2426
ST-100-2830	28-30	0.32 - 0.25	7/8" - 1-1/8"	22.22-28.57	SB-2830



WWK-1



WWK-1INS



WWK-CO

**Manual Wire Wrap Tool Kits**

These are complete kits for technician's working at a main distributing frame or for field service where wire wrapping is required.

- **WWK-1** Wire Wrapping Kit
- **WWK-1INS** Insulated Wire Wrap Kit
- **WWK-CO** Wire Wrap Kit Central Office



**Kits include:**

JONARD P/N	DESCRIPTION	WWK-CO	WWK-1	WWK-1INS
<b>G100/R3278INS</b>	Insulated Wire Wrapping Tool	X		X
<b>G200/R3278</b>	Lexan® Wire Wrapping Tool		X	
<b>H-1000</b>	Rugged Nylon 5-Pocket Tool Pouch	X	X	X
<b>HW-UW-224</b>	Wrap-Unwrap Tool, 22-24 AWG		X	
<b>JIC-21257</b>	Telecom Long Nose Pliers	X		
<b>JIC-22035</b>	Probe Pick	X		
<b>JIC-2257</b>	Insulated Wire Loop Puller	X		
<b>KB224</b>	Wire Wrapping Bit, 22-24 AWG	X	X	X
<b>P2224</b>	Wire Wrapping Sleeve, 22-24 AWG		X	
<b>P2224INS</b>	Wire Wrapping Sleeve, Insulated, 22-24 AWG	X		X
<b>ST-100</b>	Cut-Strip Tool 22-24 AWG		X	X
<b>UW4</b>	Unwrap Tool, 20-26 AWG	X		X



WIRE WRAP TOOLS

# ALIGNMENT TOOLS

AT-3112/10 – SPUDGER (PACK OF 10), PG. 181



## Alignment Tool (Pack of 10) - AT-6241/10

2-in-1 non-conductive Alignment Tool 1/4" diameter, stepped down to 5/32" diameter. Ideal for most variable capacitors, coils and resistors. Also used to harness and separate fine wire terminals in computers, telephones and cables. Made of non-conductive thermoplastic material.



AT-6241/10



## E & C Clip Setter - CS-1022

For setting and withdrawing E and C clips with inside diameter of .156" min. and thickness of .025" min. Max inside diameter of 3" and thickness of .093" One end has a hook with leaf spring tension for removing the clip, the other end has leaf spring for holding clip in position to insert.



CS-1022



## Spudger (Pack of 10) - AT-3112/10

Designed with a tapered point on one end and a screwdriver-like tip on the other, these spudgers are perfect for guiding, probing, or separating wire bundles and fine computer wire terminals without damaging them.



AT-3112/10




## Orange Sticks

Static free double ended economical tool made of birch wood. Used for cleaning electrical components and separating contact points, fine wire and other delicate components. The **S-389** has one end tapered to a point and the other end to a flat screwdriver type tip. The **S-389M** has both ends tapered with a flat screwdriver type tip.



ORANGE STICKS

JONARD P/N	DESCRIPTION
S-389/10	Orange Sticks Pointed & Slotted Ends (Pack of 10)
S-389/100	Orange Sticks Pointed & Slotted Ends (Pack of 100)
S-389M/10	Orange Sticks Double Slotted Ends (Pack of 10)
S-389M/100	Orange Sticks Double Slotted Ends (Pack of 100)



## Probe Picks

Tough resilient yellow nylon probe "spudger". One end is tapered to a 1/16" diameter point having an "L" shaped wire hook extension. The other end tapers to a flat, 3/16" wide and 1/16" thick, with two small notches. Used in electrical contacts. 7" long.



PROBE PICKS

JONARD P/N	AVOIRDUPOIS CAPACITY
JIC-22035/10	Insulated Probe Pick (Pack of 10)
JIC-22035NT/10	Uninsulated Probe Pick (Pack of 10)



**Alignment Tool 5-Piece Kit - TK-AT5**

This 5-piece pocket alignment tool kit contains a selection of the most popular non-conductive tools for aligning and adjusting components.




**Kit includes (1) each of the following:**

- AT-3112** Spudger
- AT-6241** Alignment Tool
- JIC-22035** Insulated Probe Pick
- S-41** 4-in-1 Mini-All-Purpose Screwdriver
- S-389** Orange Stick

**Spring Hooks**

Used for inserting, removing and adjusting fine springs and other small parts in tight areas. Indispensable for precision work in production and maintenance of precision products, electronics, electromechanics and even maintenance jobs. All spring hooks are tapered to a fine point. Produced of the finest quality high carbon steel with a nickel-plated finish. We will custom design Spring Hooks to meet your specific requirements.



JONARD P/N	DESCRIPTION	DETAILS
<b>M-120/5</b>	Spring Hook, Pull, 6" (Pack of 5)	Pull Hook with looped handle for maximum control
<b>M-125/5</b>	Spring Hook, Push, 6" (Pack of 5)	Push Hook with looped handle for maximum control
<b>M-130/SX5</b>	Spring Hook, Pull & Lifter (Pack of 5)	Pull Hook and lifter with a knurled grip
<b>M-137/5</b>	Spring Hook, Push & Pull, 7" (Pack of 5)	Push & Pull 2-Sided Hook
<b>M-145/5</b>	Spring Hook, Captive, 7" (Pack of 5)	Spring Loaded Hook for capturing small wires, springs, or parts and holding them



**Coin Leveling Tool - JIC-139B**

Coin Leveling Tool is used for leveling coins in coin collectors when the coin receptacle becomes so full as to interfere with operation of the collector. May also be used to measure the degree of fullness by means of a calibrated scale and metal slider. 7" long.



# LIGHTING



SOL-F1 – SOLIS™ RECHARGEABLE TACTICAL FLASHLIGHT, PG. 183



## Solis™ Rechargeable Tactical Flashlight - SOL-F1

Jonard's answer to darkness comes in this sleek, versatile, and compact powerhouse! Delivering a piercing beam of light from its ruggedly engineered housing, this is the tactical flashlight that will have you bidding farewell to traditional flashlights forever!

The **SOL-F1** also features the following:

- Housing constructed with anodized aircraft-grade aluminum material for ultimate durability and strength
- Zoomable head design allows for adjustable beam intensity, for various lighting needs
- At full zoom a crosshair indicator appears for perfect sighting
- Side work light provides wide area of illumination and doubles as emergency flare when switched to red light setting



SOL-F1



## Solis™ Rechargeable LED Flex Headlight - SOL-H1

Crafted with top-grade silicone, the **SOL-H1** is the epitome of flexibility. With the ability to be operated completely hands free, this multi-functional headlamp illuminates a new path in personal lighting. This headlight also features the following:

- Dual functionality with wide beam and spotlight features
- The wide beam of the **SOL-H1** illuminates in a wide, 230° beam angle for extreme visibility and coverage



SOL-H1



## LED Flashlight w/ Zoom Lens - SOL-H2

Setting the standard for jobsite hands-free lighting, Jonard Tools' **SOL-H2** redefines versatility and comfort. It does its job reliably so you can do yours better. This flashlight features the following:

- Once activated, a motion sensor can turn the light on or off by simply waving your hand in front of it
- Ultra-bright LEDs provide up to 300 lm of brightness, illuminating even the darkest locations



SOL-H2

LIGHTING



**Solis™ Utility Truck Light - SOL-T1**

This remote-controlled LED truck light with built-in rechargeable Li-ion battery is a rugged and versatile lighting solution ideal for vehicles, utility crews, emergency response, and outdoor job sites.



- 4 high-powered LEDs and 1 laser bulb provide up to 4800 lumens of ultra-bright illumination, with optional flashing strobe
- Remote-controlled 360° rotation and 120° tilt for flexible positioning
- Versatile installation options with an integrated magnetic base for temporary placement, bolt-on slots for permanent mounting, and a foldable handle for easy carrying and setup



**Solis™ Rechargeable 360° Pivoting Worklight - SOL-W1**

The rugged aluminum housed **SOL-W1** is built to withstand the toughest job in the worst conditions, as well as the daily wear and tear of demanding tasks. With a multitude of features this work light's application seamlessly spans construction sites, automotive repairs, or outdoor projects, and so much more.



- Powerful 400 lumens of brightness
- Front light doubles as red warning light indicator with flashing flare function
- 180° adjustable base for flexible positioning and optimal lighting angles
- 360° rotating head for complete control and light coverage



**LED Flashlight w/ Zoom Lens - FL-2000**

Powered by a single AA alkaline battery, this high strength LED flashlight is perfect for illuminating dark places and features the following:



- Ultra-bright 120 lumen LED can be easily adjusted by simple in-and-out movement and the zoom lens can focus the light to hone in on a specific area, or zoom out to flood the area with light
- Rugged aluminum housing with clip-on lanyard keeps this flashlight secure
- Simple push-button operation
- Beam is adjustable to meet the working environment
- Zoom in for a narrow beam and zoom out for a wide light
- High quality flashlight powered by a single AA battery (included)



**Solis™ LED Baseball Hat - SOL-C1**

Jonard Tools designed adjustable baseball hat with our customized Crossed Wrench logo. Battery operated LED light attached to brim.



- Built-in LED light for hands-free visibility
- Easy to reach, simple on/off switch in visor for quick use
- Comfortable fit for all-day wear
- Replacement Battery: CR2032 (sold separately)

LIGHTING

# GEAR

WG-100 – JONARD TOOLS HEAVY DUTY WORK GLOVES, PG. 185



## Jonard Tools Heavy Duty Work Gloves

The Jonard Tools **WG-100** heavy duty work gloves are the ultimate solution for a wide variety of applications with potential impact hazards.

- Reinforced overlapping finger caps can be used for extra grip, or folded back for working with fiber optic cable or other delicate objects
- Thermoplastic rubber knuckles protect against impact and provide abrasion resistance
- Palm and fingers are reinforced with extra grip for enhanced durability and grip
- Adjustable hook and loop strip provides a secure fit for ideal performance
- Terry cloth sweat wipe conveniently located on the back of the thumb for one-handed cleaning
- Touchscreen enabled patch on back of index finger is perfect for using your cell phone while on the job

**Available in:** Medium, Large & Extra Large



WG-100M



WG-100L



WG-100XL



## Safety Glasses - SG-5

Jonard Tools' Safety Glasses are designed for working safely with glass fiber or where eye protection is needed. These glasses also feature the following:

- Complies to CE, EN166 (Class 1), and ANSI Z87.1 standards
- Anti-fogging design allows the lenses to breathe, preventing fog build-up
- Soft plastic nose pieces prevent glasses from slipping
- Lightweight plastic design makes them comfortable and easy to wear for long periods of time



SG-5



**EXCLUSIVELY ONLINE**

# JONARD TOOLS® MERCH STORE

**SHOP NOW**



**Get FREE Shipping on Your First Order**



*We offer branded merchandise that are both fun and helpful. Scan the QR Code or visit us online at [jonard.com/gear/merchandise](http://jonard.com/gear/merchandise) for a full list of Jonard Gear & Merchandise.*



# MERCHANDISE

MKT-HOODIE2 – GRAY ZIP-UP HOODIE, PG. 190



## Jonard Travel Mug - MKT-TRL-MUG



MKT-TRL-MUG

Crafted with precision, our travel mug boasts a sleek design featuring the iconic Jonard Tools logo. With stainless steel construction, it ensures your beverages stay at the perfect temperature, whether hot or cold. The spill-resistant lid adds convenience, making it an ideal companion for on-the-go professionals.

Elevate your daily routine with the **Jonard Tools Travel Mug** – where durability meets design. This product also features the following:

- BPA Free
- Scratch Resistant
- Anti-slip EVA Coaster
- Cupholder Friendly



## Jonard Water Bottle - WTR-BTL-2



WTR-BTL-2

Jonard Tools reusable water bottle. Vacuum-insulated to keep drinks colder or hotter for longer. Perfect for all-day hydration. This product features the following:

- Made from high quality 18/8 food grade stainless steel
- Double walled & vacuum insulated to maintain temperature inside
- Designed to hold both hot and cold beverages for extended periods of time
- Easy to clean and odorless
- Lightweight and easy to carry
- Holds up to 750 mL of liquid
- Hand wash only

MERCHANDISE



**Jonard Mug - MKT-MUG**

Start every morning like a pro with the **Jonard Tools Coffee Mug** – a bold, blue ceramic mug proudly stamped with the official Jonard logo. Built for the jobsite, the office, or the garage, this mug doesn't just hold your coffee – it holds your grind.

- Striking Jonard blue finish with the official Jonard Tools logo
- Durable ceramic construction
- Dishwasher safe



MKT-MUG



**Jonard Tools Beanies**

Keep your head warm while showing support for your favorite tool brand! Made from soft, high-quality material, these beanies offer a comfortable fit and a sleek, minimalist design. Perfect for chilly days or adding a touch of casual flair and style to your outfit.

- **BNBL-1** - Blue Beanie - One Size
- **BNBL-2** - Black Beanie - One Size



BNBL-1



BNBL-2



**Gaiter - MKT-GTR-B**

The **Jonard Tools Gaiter** is designed for pros who need protection that works as hard as they do. Made from a breathable blend of polyester and spandex, this lightweight gaiter offers flexible, all-day comfort while shielding you from dust, debris, wind, and sun.

- Lightweight, breathable, and moisture-wicking
- Protects against dust, wind, UV rays, and light debris
- Can be worn in multiple ways: face mask, neck gaiter, headband, and more



MKT-GTR-B



**Jonard Tools Black Vest - MKT-VEST**

Stay Warm with the **Jonard Tools Black Vest**. Built for cold weather, this durable, insulated vest keeps you warm without restricting movement. With multiple pockets for tools and a sleek, professional design, it's perfect for staying efficient on the job.

- Warm, lightweight, and functional
- Plenty of pocket space
- Gear up with Jonard Tools – performance in every layer

**Available in:** 6 sizes (Small - 3XL)



MKT-VEST





### Short Sleeve T-Shirt - Gray w/ 4th of July Design - MKT-SHIRTSUSA

Celebrate freedom in style with the **Jonard Tools 4th of July Shirt**, inspired by the original 1776 American flag. Featuring a bold, patriotic design, this limited-edition tee honors the spirit of independence while showcasing your pride in American craftsmanship and the trades that build this country.

- Soft, comfortable fabric for all-day wear

**Available in:** 6 sizes

SPECS	MKT-SHIRTSUSA-SM	MKT-SHIRTSUSA-MD	MKT-SHIRTSUSA-LG	MKT-SHIRTSUSA-XL	MKT-SHIRTSUSA-2XL	MKT-SHIRTSUSA-3XL
SHIRT SIZE	Small	Medium	Large	Extra Large	2XL	3XL
QR CODE						



### Short Sleeve T-Shirt - Black w/ Crossed Wrench Design - MKT-SHIRTS5

Discover our exclusive collection of high-quality, stylish apparel designed for professionals who take pride in their craft. Whether you're in the field, workshop, or simply embracing the Jonard lifestyle, our shirts are engineered for comfort and built to last.

- Breathable fabric and custom Crossed Wrench design

**Available in:** 6 sizes

SPECS	MKT-SHIRTS5-SM	MKT-SHIRTS5-MD	MKT-SHIRTS5-LG	MKT-SHIRTS5-XL	MKT-SHIRTS5-2XL	MKT-SHIRTS5-3XL
SHIRT SIZE	Small	Medium	Large	Extra Large	2XL	3XL
QR CODE						



### Short Sleeve T-Shirt - Black w/ Graffiti Design - MKT-SHIRTS6

Founded in 1958 in the Bronx, Jonard Tools was born in a city of ambition, expression, and edge. We grew from local streets to global reach, never limited by where we started.

Born in the boroughs, graffiti shattered limits, rewrote norms, and left a mark that couldn't be ignored – just like our tools. Our graffiti-inspired logo honors those roots and stands as a symbol of our commitment to break convention, raise the bar, and deliver unmatched precision and performance.

**Available in:** 6 sizes

SPECS	MKT-SHIRTS6-SM	MKT-SHIRTS6-MD	MKT-SHIRTS6-LG	MKT-SHIRTS6-XL	MKT-SHIRTS6-2XL	MKT-SHIRTS6-3XL
SHIRT SIZE	Small	Medium	Large	Extra Large	2XL	3XL
QR CODE						



**Short Sleeve T-Shirt - Black w/ Cable Comb Game Design - MKT-SHIRTCC**

Discover our exclusive collection of high-quality, stylish apparel designed for professionals who take pride in their craft. Whether you're in the field, workshop, or simply embracing the Jonard lifestyle, our shirts are engineered for comfort and built to last.

- Breathable fabric and custom Cable Comb Video Game design

**Available in:** 4 sizes

SPECS	MKT-SHIRTCC-M	MKT-SHIRTCC-L	MKT-SHIRTCC-XL	MKT-SHIRTCC-2XL
SHIRT SIZE	Medium	Large	Extra Large	2XL
QR CODE				



**Zip-Up Hoodie - Gray w/ Crossed Wrench Design - MKT-HOODIE2**

Crafted from a blend of 50% cotton and 50% polyester, this hoodie offers a soft but lightweight feel while offering the resilience needed for everyday wear.

- Fabric Type: 50% cotton, 50% polyester
- Care Instructions: Machine Wash Cold, Tumble Dry Low
- Closure Type: Zipper

**Available in:** 6 sizes

SPECS	MKT-HOODIE2-SM	MKT-HOODIE2-MD	MKT-HOODIE2-LG	MKT-HOODIE2-XL	MKT-HOODIE2-2XL	MKT-HOODIE2-3XL
SHIRT SIZE	Small	Medium	Large	Extra Large	2XL	3XL
QR CODE						



**Long Sleeve Hoodie - Black w/ Graffiti Design - MKT-HOODIE3**

Introducing the "NY Tool Company" Collage Hoodie by Jonard Tools – a bold fusion of street art, city pride, and rugged style. Designed in a raw NYC graffiti grunge aesthetic, this hoodie pays homage to the energy, edge, and attitude of New York – the city that never sleeps.

Featuring a collage of iconic NYC visuals and Jonard branding, this hoodie isn't just apparel – it's a tribute to the tools that build the city and the spirit that drives it.

**Available in:** 6 sizes

SPECS	MKT-HOODIE3-SM	MKT-HOODIE3-MD	MKT-HOODIE3-LG	MKT-HOODIE3-XL	MKT-HOODIE3-2XL	MKT-HOODIE3-3XL
SHIRT SIZE	Small	Medium	Large	Extra Large	2XL	3XL
QR CODE						



**Jonard Tools Black Polo Shirt - MKT-POLOBLK**

Elevate your workwear with the **Jonard Tools Black/Blue Polo Shirt**, designed for both style and durability. Made from high-quality, breathable fabric, this polo keeps you comfortable throughout the day – whether you’re on the job site or on the go. The bold black and blue color combo adds a modern edge, while the embroidered Jonard Tools logo showcases your commitment to quality craftsmanship.

- Built to withstand the rigors of daily use

**Available in:** Men’s & Women’s - 6 sizes (Small - 3XL)



MKT-POLOBLK



**Jonard Tools Blue Polo Shirt - MKT-POLOBLU**

Stay comfortable and stylish with the **Jonard Tools Blue Polo Shirt**. Made from high-quality, breathable fabric, this polo offers a professional look with a relaxed fit – perfect for both work and casual wear.

- Featuring the Jonard Tools logo, it’s a great way to represent your favorite brand with confidence and style

**Available in:** Men’s & Women’s - 6 sizes (Small - 3XL)



MKT-POLOBLU



**Jonard Tools Polo w/ JIC-375 Patch - MKT-POLO375**

The **Jonard Tools JIC-375 Patch Polo Shirt** combines comfort and style with a professional touch. Made from high-quality, breathable fabric, this polo offers all-day comfort, making it perfect for work or casual wear. The embroidered Jonard Tools patch adds a sleek, branded look, while the classic fit and durable stitching ensure long-lasting wear.

- Ideal for technicians, field professionals, or anyone looking to represent Jonard Tools with style and confidence

**Available in:** Men’s & Women’s - 6 sizes (Small - 3XL)



MKT-POLO375

MERCHANDISE





**Solis™ LED Baseball Hat - SOL-C1**

Jonard Tools designed adjustable baseball hat with our customized Crossed Wrench logo. Battery operated LED light attached to brim.



- Built-in LED light for hands-free visibility
- Easy to reach, simple on/off switch in visor for quick use
- Comfortable fit for all-day wear
- Replacement Battery: CR2032 (sold separately)



**NYC-Inspired Trucker Hat w/ Leather Patch - MKT-TKRHAT3-NYC**

Stand tall with the NYC-inspired Trucker Hat, a perfect blend of workwear toughness and city pride. Featuring a durable front panel with a genuine leather patch embossed with New York-style iconography, this hat pays homage to our roots as a New York tool company. The breathable mesh back keeps you cool on the jobsite, while the structured crown and adjustable snapback closure deliver all-day comfort.



MKT-TKRHAT3-NYC



**NYC-Inspired Baseball Hat w/ Leather Patch & LED - MKT-LEDHAT4-NYC**

Designed for those who work with their hands, this baseball hat combines NYC style with everyday functionality. Featuring a rugged leather patch that pays homage to the city of builders, the hat is equipped with a built-in LED light right in the brim. Whether you're working in low-light spaces, on the jobsite, or tackling projects after dark, the one-touch on/off switch gives you reliable, hands-free lighting exactly when you need it.



MKT-LEDHAT4-NYC



**Trucker Hat - Gray w/ Crossed Wrench Design - MKT-TKRHAT2-GRY**

This **Jonard Tools Trucker Hat** combines rugged durability with everyday comfort. Featuring an embroidered design of crossed wrenches – an iconic nod to the hands-on professionals who keep the world running – this hat stands as a symbol of skill, precision, and pride.



MKT-TKRHAT2-GRY

- Breathable mesh back panels and structured front deliver all-day comfort
- Snapback closure ensures a secure and customizable fit



**Trucker Hat - Pink w/ "J" Logo Design - MKT-PINKHAT**

This **Jonard Tools Pink Hat** was created to help spread awareness for breast cancer, a cause that touches the lives of so many in our families, communities, and industry. Wearing it is a small but meaningful way to show support, honor survivors, and remind others they're not alone.



MKT-PINKHAT

- Crafted in a soft, vibrant pink and embroidered with the Jonard Tools logo, this hat also keeps you comfortable and protected from the sun



**SPARC™ Fusion Air Freshener - MKT-AFR-SPARC**

Bring that fresh-off-the-lot feeling back to your ride. The **SPARC™ Fusion Air Freshener** delivers a new car scent that lasts. This air freshener cuts through the toughest odors with a clean scent that refreshes your work truck without overpowering it.

- Long-lasting “new car” fragrance
- Perfect for vehicles, toolboxes, or lockers



MKT-AFR-SPARC



**Cell Phone Card Holder - PHONEWALLET**

Streamline your essentials with the **Jonard Tool's Cell Phone Wallet** – the perfect fusion of style and convenience. This slim, stick-on wallet attaches directly to the back of your phone, keeping your ID, cards, or cash within reach at all times. Crafted with a modern matte black finish, it's a subtle yet sophisticated upgrade to your everyday carry.



PHONEWALLET



**Carabiner Keychain - CARABINER**

Whether it's an effective way to carry your keys or a convenient way to attach your essentials to your pack or your person, we've got you!

**NOT FOR CLIMBING!**

- Available in **Blue** or **Pink** – Pack of 10



CARABINER



**Bottle Opener - BO-1**

Jonard Tools branded bottle opener with our signature handle and grip.

- Made from high carbon steel & chrome plated
- Ergonomically designed handle for greater comfort
- Unique design allows for easy identification in crowded drawers
- Slip resistant and reliable handle for frequent use



BO-1



**Mini Pliers - JIC-451**

Compact, durable, and branded for impact. These **Mini Pliers** are designed for tradesmen who appreciate durable tools - even in small form.

- Compact functional Mini Pliers branded with the Jonard Tools logo
- **Includes 5 Pliers per Pack** – great for crews, events, and promotions



JIC-451



**Keychain Pliers - KC-PLIERS**

The **KC-PLIERS** Keychain Pliers come in a compact size that fits easily in your pocket. Each set features our laser-etched Jonard Tools logo, keeping your brand visible wherever you go.



KC-PLIERS



**Jonard Tools Blue Pen w/ Stylus - MKT-PENS-1**

Experience smooth, reliable writing with the latest 2025 Jonard Blue Pen. Designed for comfort and durability, these pens feature a sleek body and a precision tip for clean, consistent lines.

- Perfect for everyday use at work, school, or home



MKT-PENS-1



**Jonard Tools Black Pen w/ Stylus - MKT-JSP01**

Write with precision and swipe with ease! This sleek pen from Jonard features smooth ink flow for effortless writing and a built-in stylus tip, perfect for touchscreens. Ideal for professionals on the go, it combines style and functionality in one handy tool.

- Perfect for work, home, or on-the-go use



MKT-JSP01



**Jonard Drink Koozies (Pack of 3)**

Foam fabric sleeve designed to thermally insulate your beverage container so every sip stays cold, crisp, and refreshing. Whether you're powering through a long workday or winding down with your crew, this koozie keeps your drink at the perfect temperature.

- **MKT-KZ-B** Blue
- **MKT-KZ-O** Orange



MKT-KZ-B



MKT-KZ-O



**Jonard Stickers - MKT-STICKERS**

Full sheet of Jonard Tools Stickers in multiple sizes and styles.

- Pack of 2 full sheets



MKT-STICKERS



**Jonard Tools Logo Stickers**

- **MKT-STICKER-CIR** - Blue and white circular Jonard "J" stickers (Pack of 5)
- **MKT-STICKER-RECT** - Blue and white rectangular Jonard Tools stickers (Pack of 5)



MKT-STICKER-CIR




MKT-STICKER-RECT

# FORCE GAUGES

GD-1 – SMALL FORCE GAUGE & GD-50 – LARGE FORCE GAUGE, PG. 195

## Dynamometer and Push-Pull Forge Gauges

Jonard's force gauges are all ergonomically designed and have become the industry standard for measuring force. Our 3 different lines of force gauges are used by a multitude of industries and these gauges are being used in over 1000 different applications for measuring, calibrating, standardizing, testing and evaluating. Measurement is extremely simple. Just place point of gauge arm perpendicular to the force to be measured. Reading can be taken in both directions - clockwise and counter clockwise. Gauges offer extreme precision and durability. The measuring springs are made of hard tempered annealed beryllium copper. All gauges equipped with maximum reading pointer.



### Small Force Gauges (Flat Tip, Dial Diameter 1-1/2")

JONARD P/N	RANGE IN GRAMS	GRADUATION IN GRAMS	ACCURACY
GD-1	0-10	.20	± .20
GD-3	5-35	1.00	± 1
GD-5	10-50	1.00	± 1
GD-10	20-100	2.00	± 2
GD-15	50-150	5.00	± 5
GD-25	30-250	10.00	± 10
GD-30	40-350	10.00	± 10



SMALL GAUGES




### Large Force Gauges (Round Tip, Dial Diameter 2-1/2")

JONARD P/N	RANGE IN GRAMS	GRADUATION IN GRAMS	ACCURACY
GD-50	60-500	20.00	± 20
GD-100	100-1000	25.00	± 25
GD-200	300-2000	50.00	± 50
GD-400	700-4000	100.00	± 100



LARGE GAUGES



### Push-Pull Economy Force Gauges

These high impact polystyrene cased instruments accurately measure push pull forces. Gauge is graduated in two scales: grams and ounces. Precision springs. Full scale accuracy is held to ± 1 graduation.

Size: 1-1/2" W x 1" D x 14" L

JONARD P/N	AVOIRDUPOIS CAPACITY	METRIC CAPACITY
GPP-8	8 oz. x 0.25 oz.	220 g x 5 g
GPP-15	15 lb. x 4 oz.	6,804 x 100 g
GPP-36	36 oz. x 0.5 oz.	1,020 g x 20 g
GPP-72	72 oz. x 1 oz.	2,025 g x 25 g



ECONOMY PUSH-PULL TENSION GAUGES

# INDEX

**#**

- 21881..... 59
- 21912..... 59
- 2026UB ..... 174
- 30-B-50-010 ..... 169
- 30-B-50-050 ..... 169
- 30-W-50-010 ..... 169
- 30-W-50-050 ..... 169

**A**

- A-4598 ..... 165
- A-4599 ..... 165
- A-4600 ..... 165
- ACM-1000 ..... 110, 118
- ACM-1500DC..... 89
- AHC-10..... 73
- AHC-10RB..... 73
- AHC-19..... 73
- AHC-19RB..... 73
- AHW-600..... 102
- AMM-600 ..... 110
- AR-910672..... 166
- AST-200 ..... 15, 50, 54, 128, 160
- AST-200RB ..... 15, 128, 160
- AST-210 ..... 15, 128, 160
- AST-210RB ..... 15, 128, 160
- ASW-12 ..... 65
- ASW-716 ..... 65
- ASW-916 ..... 65
- ASW-7916 ..... 65
- ASW-R12 ..... 65
- ASW-R716 ..... 65
- ASWS-716 ..... 65
- ASWS-R716 ..... 65
- AT-3112 ..... 182
- AT-3112/10 ..... 181
- AT-6241 ..... 182
- AT-6241/10 ..... 181
- AW-4 ..... 102
- AW-6 ..... 102, 133
- AW-8 ..... 102, 133
- AW-10 ..... 102, 133
- AW-12 ..... 102, 133
- AW-15 ..... 102, 133
- AW-18 ..... 102
- AW-6810 ..... 102, 133

**B**

- B-3R/25 ..... 109
- B-7/25 ..... 109
- BAN-800 ..... 153
- BCOMB ..... 99, 132
- BLONGNOSE ..... 47, 98
- BNBL-1 ..... 188
- BNBL-2 ..... 188
- BNC-10..... 60
- BNC-FM ..... 60

- BNC-SA..... 60
- BO-1..... 193
- BP-100 ..... 50, 51, 53, 54  
..... 117, 118, 137, 157
- BRT-100 ..... 20
- BSHORTNOSE..... 98
- BTR-6 ..... 20, 47, 50, 51  
..... 52, 53, 54, 117
- BW-512 ..... 148
- BW-516 ..... 148
- BW-532 ..... 148
- BW-532-3..... 148

**C**

- CARABINER ..... 193
- CAT-16 ..... 57
- CBF-100 ..... 113
- CC-4 ..... 62
- CC-120..... 62
- CC-2721 ..... 81
- CC-2721WS ..... 81
- CC-2726 ..... 81
- CC-2726WS ..... 81
- CC-5442..... 81
- CCB-25..... 75
- CCB-34..... 75
- CCB-2534 ..... 75, 85
- CCBH-25..... 75
- CCBH-34..... 75
- CCBR-5..... 75
- CCHT-166 ..... 81
- CF-200 ..... 74
- CFP-60 ..... 74
- CFP-60V ..... 74
- CG-100..... 54, 60
- CM-100 ..... 70
- CMP-3 ..... 166
- CMP-1226 ..... 166
- CP-475 ..... 75, 85
- CPF-215 ..... 76, 85
- CPR-12 ..... 85
- CR-150/6..... 77
- CR-210/4..... 77
- CR-300/4..... 77
- CR-399..... 77
- CRD-10..... 82
- CS-1022 ..... 181
- CSHP-1RB..... 26
- CSHP-11C..... 26
- CSHP-13C..... 26
- CSHP-14C..... 26
- CSHP-15C..... 26
- CSHP-16C..... 26
- CSHP-17C..... 26
- CSHP-18C..... 26
- CSHP-20C..... 26
- CSHP-23C..... 26
- CSHP-1123K..... 26

- CSP-D5..... 16
- CSP-D5B..... 16
- CSP-D5K..... 16
- CSP-D6..... 16
- CSP-D6B..... 16
- CSP-D6K..... 16
- CSP-RPX..... 16
- CSP-RPXB..... 16
- CSP-10RB..... 16
- CSR-2 ..... 18
- CSR-56..... 142, 152
- CSR-125..... 18
- CSR-125RB..... 18
- CSR-1575..... 18, 50, 51, 52  
..... 53, 54
- CSR-250..... 18
- CSR-316..... 18
- CSS-105 ..... 57
- CSS-110 ..... 57
- CSS-115 ..... 57
- CSS-120 ..... 57
- CSS-125 ..... 57
- CSS-130 ..... 57
- CSS-135 ..... 57
- CSS-596..... 57
- CSS-59M..... 57
- CSS-5097 ..... 57
- CSS-5110 ..... 57
- CSS-5127 ..... 57
- CSS-5156 ..... 57
- CSS-5610 ..... 57
- CST-1i ..... 146, 152, 162
- CST-25 ..... 129, 160
- CST-25RB ..... 129, 160
- CST-28 ..... 129, 160
- CST-28RB ..... 129, 160
- CST-92 ..... 57, 153
- CST-900 ..... 15, 159
- CST-900RB ..... 159
- CST-1140 ..... 15, 128, 159
- CST-1140RB ..... 128, 159
- CST-1900 ..... 15, 47, 50, 51, 52  
..... 53, 54, 128, 157, 159
- CST-4000 ..... 15, 128, 159
- CT-200 ..... 58, 59, 157
- CTF-180 ..... 58, 60
- CTF-180M..... 57
- CTF-200 ..... 58, 59
- CTF-200CG..... 57
- CTF-230 ..... 58, 59
- CTF-300 ..... 58, 59
- CTF-360 ..... 59, 60
- CTF-360XL..... 59
- CTG-500 ..... 99
- CTG-1000..... 78
- CTH-15 ..... 78
- CTS-812/100 ..... 76, 85
- CTT-05 ..... 99
- CTV-8K ..... 155

- CTW-7168 ..... 64
- CTW-71612 ..... 64
- CTW-71638 ..... 64
- CTW-716312 ..... 64
- CTW-7163812 ..... 64
- CTW-H ..... 64
- CW-716 ..... 65
- CWB-11 ..... 74
- CWP-125 ..... 40, 46, 47
- CWR-125 ..... 46, 47
- CWRR-716..... 65
- CWS-716..... 65

**D**

- DB-5..... 21, 27
- DB-5RB ..... 21
- DBA-154..... 83
- DBA-3854..... 83
- DBA-91654..... 83
- DBB-3812..... 83
- DBB-3824..... 83
- DBB-3836..... 83
- DBC-144..... 83
- DBC-1218..... 83
- DBC-1224..... 83
- DBC-3818..... 83
- DBC-3824..... 83
- DBF-1224 ..... 83
- DBF-1412 ..... 83
- DBF-1418 ..... 83
- DBF-1424 ..... 83
- DBF-3812 ..... 83
- DBF-3818 ..... 83
- DBF-3824 ..... 83
- DBF-3836 ..... 83
- DBF-3872 ..... 83
- DBG-75..... 84
- DFB224 ..... 173, 176
- DFB2426 ..... 176
- DIABVNOTCH..... 95
- DIAGB5 ..... 95
- DIAGB6 ..... 96
- DP-100 ..... 168
- DP-140 ..... 168
- DP-200 ..... 168
- DPT-100 ..... 168
- DPT-200 ..... 168
- DRT-316..... 26
- DTR-1 ..... 166
- DW-90 ..... 35, 46, 47, 49
- DWS-6 ..... 86

**E**

- EBC-363 ..... 82
- EBC-400 ..... 82
- EBC-800 ..... 82
- EBW-412 ..... 82

EBW-812 ..... 82  
 ECP-100 ..... 99  
 ELONGNOSE ..... 98  
 EP-16A ..... 146  
 EP-QTH38B ..... 147  
 EPB-66 ..... 145  
 EPB-110 ..... 145, 152  
 EPB-116 ..... 145  
 EPB-630 ..... 145  
 EPB-KR ..... 145  
 EPB-KRONE ..... 145  
 EPD-914 ..... 145, 146, 152  
 EPD-91461 ..... 145, 146, 157  
 EPD-914110 ..... 145  
 EPD-914116 ..... 145  
 ES-1964 ..... 48, 131, 149  
 ..... 151, 152  
 ES-1964DS ..... 149  
 ES-1964ERG .. 146, 149, 152, 153  
 EX-1 ..... 167  
 EX-1/10 ..... 167  
 EX-2 ..... 167  
 EX-5 ..... 167  
 EX-6 ..... 167  
 EXM-43 ..... 167  
 EXM-44 ..... 167  
 EXT-400 ..... 176  
 EYE-369 ..... 30, 47  
 EZSR-23 ..... 18

## F

FC-4 ..... 29  
 FC-65 ..... 29  
 FC-220 ..... 29, 49  
 FC-500 ..... 29, 35, 49, 51, 52  
 FC-500RB ..... 29  
 FC-600 ..... 29  
 FC-600RB ..... 29  
 FCC-120 ..... 43, 47  
 FCC-125 ..... 43, 47, 49, 52, 54  
 FCC-250 ..... 35, 43, 47, 49  
 ..... 51, 52, 54  
 FCC-300 ..... 43, 47, 49  
 FCCN-125 ..... 43  
 FCCN-250 ..... 43  
 FCCS-120 ..... 44  
 FCCS-125 ..... 44  
 FCCS-160 ..... 44  
 FCCS-250 ..... 44  
 FCF-3 ..... 46, 47, 49  
 FLC-50125 ..... 34, 42  
 FCT-100 ..... 29, 49  
 FCT-200 ..... 29  
 FD-220 ..... 46, 51  
 FDC-66 ..... 30, 35, 40, 46, 47  
 FDS-216 ..... 16  
 FDS-312 ..... 16, 35, 50, 51  
 FIM-200 ..... 44, 47, 49  
 FIM-400 ..... 44, 49  
 FL-2000 ..... 27, 47, 49, 51, 52  
 ..... 53, 54, 58, 109, 146, 184

FLC-202 ..... 42  
 FLC-1001 ..... 42  
 FLC-1005 ..... 42  
 FLC-1006 ..... 42  
 FLC-1007 ..... 42  
 FLC-1008 ..... 42  
 FLC-3501 ..... 42  
 FLC-3505 ..... 42  
 FLS-50 ..... 33, 34  
 FLS-50S ..... 33  
 FLS-55 ..... 33, 34  
 FLS-FCUPC ..... 34  
 FLS-SCUPC ..... 34  
 FLS-STUPC ..... 34  
 FNP-165 ..... 99, 129  
 FOD-2000 ..... 19, 50, 51, 52, 54  
 FOD-RB25 ..... 19  
 FOR-3000 ..... 19  
 FOR-3000RB1 ..... 19  
 FP-600 ..... 102  
 FP-600INS ..... 115  
 FPL-5050 ..... 34  
 FPL-5555 ..... 34  
 FPM-50A ..... 31, 34  
 FPM-50S ..... 31  
 FPM-55 ..... 31, 34  
 FPM-70 ..... 31  
 FPM-FCUPC ..... 34  
 FPM-SCUPC ..... 34  
 FS-616 ..... 29  
 FS-1080 ..... 21, 27  
 FS-1080RB ..... 21  
 FS-1416 ..... 21, 27  
 FS-1416RB ..... 21  
 FS-2025 ..... 21  
 FS-2025RB ..... 21  
 FSK-5 ..... 30  
 FT-6 ..... 68  
 FT-2075 ..... 68  
 FTB-1 ..... 48  
 FTF-1125 ..... 76  
 FTF-1150 ..... 76  
 FTS-50 ..... 76  
 FTS-240 ..... 76  
 FTW-5 ..... 30, 40, 51, 52  
 FW-50 ..... 46, 49  
 FWM-2214 ..... 30, 47

## G

G100-FL ..... 174  
 G100-FLA ..... 174  
 G100/R3278 ..... 174  
 G100/R3278FL ..... 174  
 G100/R3278INS ..... 174, 180  
 G100/R3394CT ..... 174  
 G200/R3278 ..... 174, 180  
 GD-1 ..... 195  
 GD-3 ..... 195  
 GD-5 ..... 195  
 GD-10 ..... 195

GD-15 ..... 195  
 GD-25 ..... 195  
 GD-30 ..... 195  
 GD-50 ..... 195  
 GD-100 ..... 195  
 GD-200 ..... 195  
 GD-400 ..... 195  
 GFC-1 ..... 113, 117, 118  
 GPP-8 ..... 195  
 GPP-15 ..... 195  
 GPP-36 ..... 195  
 GPP-72 ..... 195

## H

H-20 ..... 20, 47, 49, 50, 57  
 ..... 91, 138, 152, 161  
 H-22 ..... 30, 34, 35, 49, 85, 138  
 H-25 ..... 48  
 H-36 ..... 48, 138, 152  
 H-40 ..... 131, 151  
 H-45 ..... 48  
 H-50 ..... 138, 152  
 H-60 ..... 47, 48, 138  
 H-75 ..... 138, 146  
 H-85 ..... 58, 138  
 H-90 ..... 27, 47, 49, 50, 51  
 ..... 52, 53, 137, 157  
 H-120 ..... 137, 153  
 H-125 ..... 138  
 H-1000 ..... 138, 173, 180  
 HC-50 ..... 62  
 HC-75 ..... 62  
 HC-540QR ..... 62  
 HC-625 ..... 62  
 HC-715QR ..... 62  
 HC-860QR ..... 62  
 HC-875 ..... 62  
 HC-RB ..... 62  
 HC-RBQR ..... 62  
 HCB-50 ..... 62  
 HCB-75 ..... 62  
 HCB-540QR ..... 62  
 HCB-625 ..... 62  
 HCB-715QR ..... 62  
 HCB-860QR ..... 62  
 HDMI-100 ..... 78  
 HS-50 ..... 62  
 HS-75 ..... 62  
 HS-540QR ..... 62  
 HS-625 ..... 62  
 HS-715QR ..... 62  
 HS-860QR ..... 62  
 HS-875 ..... 62  
 HS-RB ..... 62  
 HS-RBQR ..... 62  
 HSC-50 ..... 62  
 HSC-75 ..... 62  
 HSC-540QR ..... 62  
 HSC-625 ..... 62  
 HSC-715QR ..... 62  
 HSC-860QR ..... 62

HSC-875 ..... 62  
 HW-20 ..... 178  
 HW-224 ..... 178  
 HW-UW-18-19 ..... 177  
 HW-UW-20 ..... 177  
 HW-UW-224 ..... 177, 180  
 HW-UW-224-1 ..... 177  
 HW-UW-224INS ..... 177  
 HW-UW-2426 ..... 177  
 HW-UW-26SM ..... 177  
 HW-UW-2829M ..... 177  
 HW-UW-30 ..... 177

## I

INP-1072 ..... 115, 118, 134, 135  
 INP-2065 ..... 115, 118, 135  
 INP-3062 ..... 115, 135  
 INP-4065 ..... 115, 118, 135  
 INS-180 ..... 114, 115, 118, 135  
 INS-475 ..... 91, 114, 115  
 ..... 118, 135  
 INS-2100 ..... 91, 114, 115  
 ..... 118, 134, 135  
 INS-3150 ..... 114, 115  
 ..... 118, 134, 135  
 INS-4100 ..... 114, 115, 118, 135  
 INS-6150 ..... 114, 115  
 ..... 118, 134, 135  
 INS-8175 ..... 114, 115  
 ..... 118, 134, 135  
 INSS-19M ..... 116

## J

JH12-25 ..... 85  
 JH12-100 ..... 85  
 JH21-25 ..... 85  
 JH21-100 ..... 85  
 JH32-25 ..... 85  
 JH32-100 ..... 85  
 JIC-125 ..... 14  
 JIC-139B ..... 182  
 JIC-175 ..... 14  
 JIC-180C ..... 14  
 JIC-183 ..... 149  
 JIC-186 ..... 28, 35, 40, 47, 48, 49  
 ..... 50, 51, 52, 53, 54, 157  
 JIC-190 ..... 28  
 JIC-195 ..... 149  
 JIC-203 ..... 97  
 JIC-275 ..... 14  
 JIC-287 ..... 84  
 JIC-375 ..... 14, 35, 40, 47, 48  
 ..... 49, 50, 51, 52, 53, 54  
 JIC-451 ..... 193  
 JIC-453 ..... 96  
 JIC-500 ..... 101  
 JIC-600 ..... 95  
 JIC-625 ..... 91, 94  
 JIC-650 ..... 133, 148  
 JIC-683 ..... 96, 131, 157

JIC-685..... 97, 117, 118, 131  
 JIC-725..... 94  
 JIC-750..... 94  
 JIC-755..... 94  
 JIC-842..... 51, 52, 53, 54, 98  
 JIC-891..... 97, 143  
 JIC-950C..... 147  
 JIC-955..... 147  
 JIC-1022..... 52, 53, 54, 163  
 JIC-1626..... 163  
 JIC-2030..... 163, 170  
 JIC-2060..... 160  
 JIC-2257..... 84, 180  
 JIC-2257M..... 84  
 JIC-2257M-12..... 85  
 JIC-22681..... 178  
 JIC-2288..... 27, 51, 52, 53, 54  
 ..... 58, 95, 131  
 JIC-2488..... 95, 117, 132  
 JIC-2755..... 96  
 JIC-3209..... 84  
 JIC-3385..... 99  
 JIC-4055..... 147  
 JIC-4366..... 18, 128  
 JIC-4377..... 18  
 JIC-4473..... 179  
 JIC-5026..... 100  
 JIC-5028..... 117, 118  
 JIC-7858..... 95, 132  
 JIC-21257..... 97, 117, 118, 180  
 JIC-22035..... 53, 146, 152  
 ..... 180, 182  
 JIC-22035/10..... 181  
 JIC-22035NT/10..... 181  
 JIC-22148..... 97, 143, 146  
 ..... 152, 153, 157  
 JIC-50210..... 100, 132  
 JIC-50212..... 100, 132  
 JIC-63020..... 49, 96, 129  
 JIC-63050..... 54, 96, 129

**K**  
 K-5EC/5..... 158  
 K-5EJ/5..... 158  
 K-5EJ/25..... 158  
 K-6EC/5..... 158  
 K-6EJ/5..... 158  
 K-6EJ/25..... 158  
 K-M1/3..... 158  
 K-M2/3..... 158  
 K-W1/10..... 158  
 K-W2/10..... 158  
 KA-260..... 165  
 KB-DF224..... 176  
 KB-DF2426..... 176  
 KB18..... 175  
 KB22-5..... 176  
 KB24..... 175  
 KB24-5..... 176  
 KB26..... 175  
 KB26-5..... 176

KB224..... 175, 180  
 KB224-1..... 175  
 KB2075..... 175  
 KB2466..... 175  
 KC-PLIERS..... 193  
 KCS-4..... 149  
 KN-4RB..... 28  
 KN-7..... 47, 52, 53, 54, 130  
 ..... 131, 151, 152, 157  
 KN-200INS..... 27, 28, 130, 151  
 KN-300INS..... 28, 130  
 KR-260..... 165  
 KS21257L3..... 98  
 KSS-1..... 151  
 KSW24B-0100..... 170  
 KSW24BLK-0100..... 170  
 KSW24R-0100..... 170  
 KSW26B-0100..... 170  
 KSW26BLK-0100..... 170  
 KSW26R-0100..... 170  
 KSW28B-0100..... 170  
 KSW28BLK-0100..... 170  
 KSW28R-0100..... 170  
 KSW30B-0100..... 170  
 KSW30B-1000..... 170  
 KSW30BLK-0100..... 170  
 KSW30BLK-1000..... 170  
 KSW30G-0100..... 170  
 KSW30G-1000..... 170  
 KSW30R-0100..... 170  
 KSW30R-1000..... 170  
 KSW30Y-0100..... 170  
 KSW30Y-1000..... 170  
 KSW30W-0100..... 170  
 KSW30W-1000..... 170  
 KWC-700..... 28

**M**  
 M-120/5..... 182  
 M-125/5..... 182  
 M-130/SX5..... 182  
 M-137/5..... 182  
 M-145/5..... 182  
 M-216C/EX..... 148  
 M-216C/RX..... 148  
 M-216C/RX..... 148  
 M-216CKIT..... 148  
 M-216CS22..... 148, 152  
 M-724A..... 166  
 MAG-100..... 106  
 MCT-468..... 71, 157  
 MDC-14..... 22, 27, 53, 54  
 MDC-28..... 22, 27, 47, 53  
 MDC-28RB..... 22  
 MDC-34..... 22  
 MDC-34RB..... 22  
 MDC-64..... 22, 27, 53, 54  
 MDC-64RB..... 22  
 MDC-125..... 22  
 MDS-200..... 21, 27  
 MF-25/10..... 74

MF-25/25..... 74  
 MF-45..... 74  
 MKT-AFR-SPARC..... 193  
 MKT-GTR-B..... 188  
 MKT-HOODIE2..... 190  
 MKT-HOODIE3..... 190  
 MKT-JSP01..... 194  
 MKT-KZ-B..... 194  
 MKT-KZ-O..... 194  
 MKT-LEDHAT4-NYC..... 192  
 MKT-MUG..... 188  
 MKT-PENS-1..... 194  
 MKT-PINKHAT..... 192  
 MKT-POLO375..... 191  
 MKT-POLOBLK..... 191  
 MKT-POLOBLU..... 191  
 MKT-SHIRTCC..... 190  
 MKT-SHIRTS5..... 189  
 MKT-SHIRTS6..... 189  
 MKT-SHIRTSUSA..... 189  
 MKT-STICKERS..... 194  
 MKT-STICKER-CIR..... 194  
 MKT-STICKER-RECT..... 194  
 MKT-TKRHAT2-GRY..... 192  
 MKT-TKRHAT3-NYC..... 192  
 MKT-TRL-MUG..... 187  
 MKT-VEST..... 188  
 MM-110..... 79  
 MM-120..... 79  
 MM-800..... 79  
 MMR-2..... 84  
 MOS-1416..... 167  
 MOS-2428..... 167  
 MP-100..... 79  
 MP-210..... 79  
 MP-220..... 79  
 MP-700..... 79  
 MP-800..... 80  
 MPD-4..... 146  
 MPD-4RB..... 146  
 MR1-RK..... 144  
 MRS-24..... 79, 157  
 MRS-36..... 79  
 MRS-BC10..... 79  
 MRS-RH20..... 79  
 MS-6..... 17, 51, 52  
 MS-6A..... 17  
 MS-6ARB..... 17  
 MS-26..... 17, 52  
 MS-116..... 17  
 MS-116RB..... 17  
 MS-166..... 17  
 MS-166RB..... 17  
 MS-306..... 17, 50, 51, 52, 53, 54  
 MS-306RB..... 17  
 MS-316..... 17, 50, 53, 54  
 MS-316RB..... 17  
 MS-326..... 17, 50, 53, 54  
 MS-336..... 17, 50  
 MS-336RB..... 17  
 MS-426..... 17, 50, 53, 54  
 MS-426RB..... 17

MS-446..... 17, 50  
 MS-446RB..... 17  
 MS-526..... 17, 50, 54  
 MS-526RB..... 17  
 MS-600..... 15, 17  
 MS-600RB..... 15, 17  
 MS-836..... 17  
 MS-836RB..... 17  
 MS-D3K..... 23, 24  
 MS-D7..... 23  
 MS-D7RB..... 23, 24  
 MS-D10..... 23  
 MS-D10RB..... 23, 24  
 MS-D12..... 23  
 MS-D12RB..... 23, 24  
 MS-DS3K..... 23, 24  
 MS-DS720RB..... 23, 24  
 MS-DS1016RB..... 23, 24  
 MS-DS1214RB..... 23, 24  
 MS-ROC..... 17  
 MS-ROCRB..... 17  
 MSB-1533..... 17  
 MSB-2968..... 17  
 MSB-5010..... 17

**N**  
 ND-631..... 106  
 ND-63012..... 106, 117  
 ND-63014..... 106, 117  
 ND-63038..... 106, 117, 118  
 ND-630316..... 106, 117, 118  
 ND-630516..... 106, 117, 118  
 ND-630716..... 106, 117, 118  
 ND-630916..... 106  
 ND-6301132..... 106, 117, 118

**O**  
 OB-1/3..... 109  
 OB-1/12..... 109  
 OB-2/12..... 109  
 OB-3/12..... 109  
 OB-4/12..... 109  
 OFI-50..... 35  
 OFI-100..... 35  
 OTDR-1000..... 41, 42  
 OTDR-1100..... 41  
 OTDR-1500..... 41, 42  
 OTDR-1650..... 42  
 OTDR-FCAPC..... 42  
 OTDR-FCUPC..... 42  
 OTDR-LCUPC..... 42  
 OTDR-SCAPC..... 42  
 OTDR-SCUPC..... 42  
 OW-38716..... 65

**P**  
 P-DF224..... 176  
 P-DF2426..... 176  
 P194LN..... 175

P2224.....	175, 180	R24-5100.....	170	RFX-12.....	72	SDKP-2.....	104
P2224INS.....	175, 180	R24B-0100.....	169	RG-F81.....	60	SDP-1.....	103, 105
P2224-5.....	176	R24BLK-0100.....	169	RG6-10.....	57, 58, 60	SDP-2.....	103, 105, 117, 134
P2224-5INS.....	176	R24R-0100.....	169	RG6-50.....	60	SDP-3.....	103, 105
P2426.....	175	R24W-0100.....	169	RJ11-100.....	140	SDP-28.....	103
P2426INS.....	175	R24Y-0100.....	169	RJ45-525.....	140	SDR-24.....	103, 134
P2426-5.....	176	R26-5100.....	170	RJ45-550.....	140, 152	SDR-34.....	103
P2426-5INS.....	176	R26B-0100.....	169	RJ45-625.....	140, 153	SDS-142.....	105
P26LN.....	175	R26BLK-0100.....	169	RJ45-650.....	140	SDSC-14.....	105
P3032.....	175	R26R-0100.....	169	RJ45-5100.....	140	SDSP-2.....	105
P3032LN.....	175	R26W-0100.....	169	RJ45-6100.....	140	SG-5.....	30, 117, 118, 185
PAB-CG.....	144	R26Y-0100.....	169	RJ45-R510.....	140	SHM-85.....	100, 130
PAB-CP.....	144	R28-5100.....	170	RJ456A-SC.....	140	SK-51632.....	148
PB-3.....	109	R28B-0100.....	169	RLW-1.....	127	SK-71632.....	148
PB-3R.....	109	R28BLK-0100.....	169	RLW-6.....	127	SKF-800.....	69
PB-7.....	109	R28R-0100.....	169	ROD-3316.....	77	SOC-SCA3.....	40
PD-110.....	146	R28W-0100.....	169	ROD-3316AK.....	77	SOC-SCA9.....	40
PDK-110.....	152	R28Y-0100.....	169	RRP-1.....	100	SOK2230.....	174
PHONEWALLET.....	193	R30-5100.....	170	RRS-1222.....	15	SOL-C1.....	184, 192
PIC-G.....	144	R30-51000.....	170	RRS-1222RB.....	15	SOL-F1.....	136, 183
PIC-MR1.....	144	R30B-0100.....	169	RSDS-151.....	105	SOL-H1.....	136, 183
PLB-1000.....	86	R30B-1000.....	169	RST-8514.....	18, 50, 54	SOL-H2.....	136, 183
PLB-1000PL.....	86	R30BLK-0100.....	169	RST-RB25.....	15, 18	SOL-T1.....	136, 184
PLS-5.....	98	R30BLK-1000.....	169	RTC-2640.....	21	SOL-W1.....	136, 184
POE-1.....	155	R30G-0100.....	169	RTC-2640RB.....	21	SPC-MC4.....	90, 91
PON-50.....	32, 34, 35	R30G-1000.....	169	RTC-3652.....	21	SPC-MC4L.....	90
PON-55.....	32	R30R-0100.....	169	RTC-3652RB.....	21	SPCL-1.....	39
PON-FCAPC.....	34	R30R-1000.....	169			SPCO-1.....	39
PON-FCUPC.....	34	R30W-0100.....	169			SPD-MC3.....	90, 91
PON-SCAPC.....	34	R30W-1000.....	169			SPD-MC4.....	90
PON-SCUPC.....	34	R30Y-0100.....	169			SPK-100.....	91
PPA-7.....	100, 132	R30Y-1000.....	169	S.....		SPL-MC4.....	90
PPA-10.....	100, 132	RB-2060/6.....	18, 128, 160	S-339.....	167	SPM-800.....	89
PRW-813.....	102	RB-2257/6.....	84	S-340.....	167	SPRI-1.....	39
PSI-15.....	40, 46	RB-287/6.....	84	S-389.....	181, 182	SPS-2.....	90, 91
PT-100.....	58, 70	RB-2878/6.....	18, 128	S-389/10.....	181	SRL-LCU/10.....	40
PT-300.....	58, 70	RBNC-3.....	72, 157	S-389/100.....	181	SRL-SCA/10.....	40
PT-350.....	70	RBNC-12.....	72	S-389M/10.....	181	SRL-SCU/10.....	40
PTX.....	173	RC-336ACSR.....	101, 130	S-41.....	104, 182	SSK-60.....	69
PTX-1BF.....	173	RC-500.....	101, 129	S-41/10.....	104	SSK-70.....	69
PTX-2.....	173	RC-600.....	101, 129	SA-9-115.....	168	SSK-75.....	69
PTX-2BF.....	173	RCO-600.....	130	SA-9-E-115.....	168	SSK-80.....	69
PTX-B.....	173	RCS-4.....	127	SAF-1.....	168	SSK-85.....	69
PTX-BC1.....	173	RCS-25.....	19, 50, 127, 160	SB-2224.....	179	SSK-90.....	69
PTX-BC2.....	173	RCS-25RB.....	19, 127, 160	SB-2426.....	179	SSK-900.....	148
PTX-FLA.....	173	RCS-30.....	19, 27, 50, 54, 127, 160	SB-2830.....	179	SSK-600.....	148
PTX-KIT1.....	173	RCS-30RB.....	19, 127, 160	SB30MSH-B.....	175	SSK-700.....	69
PTX-KIT1DH.....	173	RCS-50.....	20, 127, 161	SD-00/10.....	104	SSK-716.....	69
PTX-KIT2.....	173	RCS-50RB.....	127	SD-080/10.....	104	SSK-750.....	69
PTX-KIT2DH.....	173	RDG-5.....	80	SD-41.....	27, 104	SSK-800.....	69
PUW2226.....	174	RDG-9.....	80	SD-61.....	27, 51, 52, 53, 54, 58	SSK-850.....	69
		RDG-15A.....	80	.....	91, 105, 117, 146, 153, 157	SSK-876.....	69
		RDG-30A.....	80	SD-243.....	104	SSK-900.....	69
		RDG-515.....	80	SD-1223.....	105	SSK-950.....	69
		RDG-FLW.....	80	SD-RB1.....	105	SST-716.....	72
		RDG-RP4A.....	80	SD-RB2.....	105	SST-716AT.....	72
		RDT-3RH.....	74	SD-RB12.....	105	SST-916.....	72
		RDT-12K.....	74	SDC-144.....	103, 105, 117, 133	ST-100.....	179, 180
		RDT-18K.....	74	SDC-3163.....	103, 105, 117	ST-100-2426.....	179
		RF-12.....	72	SDC-3166.....	103, 133	ST-100-2830.....	179
		RF-18.....	72	SDC-3810.....	103, 133	ST-300.....	16
		RFS-100.....	20	SDC-5166.....	103, 105	ST-450.....	162
				SDK-8.....	105	ST-500.....	162

## R

R-30B-0050.....	170
R-30R-0050.....	170
R-30W-0050.....	170
R-30Y-0050.....	170
R-4601.....	165
R-4602.....	165
R-5926.....	166
R-9461.....	165

ST-500ESD ..... 162  
 ST-550 ..... 162  
 ST-950 ..... 16  
 STG-14I ..... 87  
 STG-56I ..... 87  
 STG-100 ..... 87  
 STG-1456I ..... 87

**T**

TBS-100 ..... 154  
 TBS-200 ..... 154  
 TC-300 ..... 22, 27  
 TC-300RB ..... 22  
 TCC-1416 ..... 101, 142, 162  
 TCK-178 ..... 142, 143  
 TCK-178X ..... 142  
 TDR-100 ..... 154  
 TEP-100 ..... 154  
 TEP-200 ..... 71, 155  
 TET-6 ..... 71, 155  
 TET-600 ..... 154  
 TET-700BC ..... 71, 155  
 TETP-800 ..... 154, 157  
 TETP-901 ..... 71, 155  
 TETP-1000D ..... 155  
 TFS-100 ..... 36, 40  
 TK-17 ..... 146  
 TK-50 ..... 152  
 TK-70INS ..... 114, 135  
 TK-77 ..... 58  
 TK-78 ..... 58  
 TK-82 ..... 58  
 TK-83 ..... 58  
 TK-85 ..... 58  
 TK-86 ..... 58  
 TK-87 ..... 58  
 TK-89 ..... 58  
 TK-96 ..... 91  
 TK-105 ..... 50  
 TK-106 ..... 50  
 TK-107 ..... 50  
 TK-107B ..... 50  
 TK-108 ..... 50  
 TK-110INS ..... 115, 135  
 TK-120 ..... 51  
 TK-121 ..... 51  
 TK-121B ..... 51  
 TK-145 ..... 153  
 TK-151 ..... 52  
 TK-152 ..... 51  
 TK-161 ..... 52  
 TK-170 ..... 52  
 TK-179 ..... 53  
 TK-179B ..... 53  
 TK-182 ..... 49  
 TK-182RF ..... 49  
 TK-183 ..... 49  
 TK-184 ..... 49  
 TK-184A ..... 49  
 TK-185 ..... 35  
 TK-185PON ..... 35  
 TK-186 ..... 49

TK-188 ..... 49  
 TK-189 ..... 49  
 TK-199B ..... 54  
 TK-260 ..... 27  
 TK-268 ..... 27  
 TK-283 ..... 47  
 TK-285 ..... 47  
 TK-287 ..... 47  
 TK-325 ..... 48  
 TK-350 ..... 48  
 TK-355 ..... 48  
 TK-375 ..... 48  
 TK-400 ..... 131, 151  
 TK-500 ..... 117  
 TK-591 ..... 118  
 TK-605 ..... 85  
 TK-611 ..... 157  
 TK-611B ..... 157  
 TK-615 ..... 47  
 TK-22148 ..... 152  
 TK-AT5 ..... 182  
 TK-RG64 ..... 57  
 TK-RJ45 ..... 152  
 TK-RJ550 ..... 152  
 TK-U3 ..... 143  
 TKC-110 ..... 91, 115, 135  
 TKC-70 ..... 114, 135  
 TM-25 ..... 117, 118, 135  
 TS-850 ..... 100  
 TSAB-40 ..... 36  
 TSFB-125 ..... 36  
 TSPF-125 ..... 36  
 TSUC-40 ..... 36  
 TT-4 ..... 67  
 TT-7 ..... 67  
 TT-7PT ..... 67  
 TT-7V ..... 67  
 TT-812 ..... 72  
 TT-PPLTT4 ..... 67  
 TTB-6 ..... 68  
 TTBW-158 ..... 68  
 TTCG-6270-5 ..... 67  
 TTCG-6270-9 ..... 67  
 TTK-225 ..... 70  
 TTS-716 ..... 67  
 TWAF-1130 ..... 63  
 TWAF-1220 ..... 63  
 TWAF-2244 ..... 63  
 TWAF-2288 ..... 63  
 TWAF-14132 ..... 63  
 TWAF-17132 ..... 63  
 TWAF-22176 ..... 63  
 TWAF-71620 ..... 63  
 TWAF-71625 ..... 63  
 TWAF-71630 ..... 58, 63  
 TWAF-71640 ..... 63  
 TWAF-91620 ..... 63  
 TWAF-91630 ..... 63  
 TWAF-91640 ..... 63  
 TWAFST-71622 ..... 64  
 TWAFST-71630 ..... 64  
 TWAS-71620 ..... 63  
 TWAS-71630 ..... 63

TWS-38/10 ..... 64  
 TWS-532 ..... 63  
 TWS-532/10 ..... 153  
 TWSW-10 ..... 153  
 TWSW-10SK ..... 63  
 TWSW-40 ..... 64

**U**

UC-864 ..... 142  
 UC-4511 ..... 140  
 UC-4511RB ..... 140  
 UC-4569 ..... 142, 152, 153, 157  
 UC-4569RB ..... 142  
 UC-8000 ..... 20, 68  
 UC-8012 ..... 68  
 UC-8039 ..... 20  
 UCD-2045 ..... 68  
 UCD-2685 ..... 20  
 UD-2224 ..... 178  
 UKN-3 ..... 91, 117, 118, 151  
 UKN-50RB ..... 151  
 UR-25 ..... 143  
 UST-100 ..... 56  
 UST-125 ..... 56, 58  
 UST-135 ..... 56  
 UST-150 ..... 56, 58  
 UST-175 ..... 56  
 UST-185 ..... 56, 58  
 UST-205 ..... 56  
 UST-210 ..... 56  
 UST-215 ..... 56  
 UST-220 ..... 56  
 UST-225 ..... 56  
 UST-230 ..... 56  
 UST-235 ..... 56  
 UST-240 ..... 56  
 UST-500 ..... 52, 56, 157  
 UST-525 ..... 56  
 UST-540 ..... 56  
 UST-596 ..... 56  
 UST-1596 ..... 54  
 UTIC-1632 ..... 126  
 UTQC-1263 ..... 126  
 UTSS-1641 ..... 126  
 UTST-1860 ..... 126  
 UUT-425 ..... 153  
 UW093R ..... 178  
 UW1 ..... 178  
 UW4 ..... 178, 180  
 UW5 ..... 178  
 UW2832C ..... 178  
 UWD93-93 ..... 178  
 UY2-25 ..... 143

**V**

VAL-300 VF ..... 35  
 VFL-25 ..... 35, 49  
 VFL-150 ..... 35, 47, 49, 52  
 VFL-300 ..... 35, 54  
 VFL-25125 ..... 35  
 VGB-100 ..... 30, 47

VT-1100 ..... 113, 117, 118

**W**


WB2426M ..... 175  
 WB24SM ..... 175  
 WB2669M ..... 175  
 WB26SM ..... 175  
 WB3032M ..... 175  
 WB3032MIL ..... 175  
 WBK-100 ..... 78, 118  
 WCT-700 ..... 113  
 WDUD-26DS ..... 177  
 WFM-25AM ..... 45  
 WFM-25UM ..... 45  
 WFM-100 ..... 45  
 WFM-110 ..... 45  
 WFM-125AM ..... 45  
 WFM-125UM ..... 45  
 WFM-FCSCAF ..... 45  
 WFM-FCUF ..... 45  
 WFM-LCAF ..... 45  
 WFM-LCUF ..... 45  
 WFM-SCUF ..... 45  
 WG-100 ..... 185  
 WK-7 ..... 167  
 WRC-14 ..... 101  
 WS-5 ..... 161  
 WS-614 ..... 90  
 WS-822 ..... 91, 161  
 WSA-830 ..... 161  
 WSA-1024 ..... 162  
 WSA-1024RB ..... 162  
 WSA-1430 ..... 162  
 WSA-1430RB ..... 162  
 WSC-826 ..... 157, 161  
 WSC-1016 ..... 161  
 WSC-1412 ..... 162  
 WSS-612 ..... 91, 163  
 WSS-1020 ..... 163  
 WSS-4625 ..... 60  
 WSS-4625RB ..... 60  
 WST-225 ..... 15  
 WSU-24M ..... 179  
 WSU-26M ..... 179  
 WSU-30 ..... 179  
 WSU-30M ..... 179  
 WSU-2224 ..... 179  
 WTL-12 ..... 82  
 WTL-32M ..... 82  
 WTL-34 ..... 82  
 WTR-BTL-2 ..... 187  
 WTS-1 ..... 19  
 WTS-1RB/12 ..... 19  
 WTS-312 ..... 19  
 WTS-312RB/12 ..... 19  
 WWK-1 ..... 180  
 WWK-1INS ..... 180  
 WWK-CO ..... 84, 180

**X**


XGS-1577 ..... 32




# YOUR TOOLS. YOUR TRADE. YOUR KNOWLEDGE HUB.



**WILL AI TAKE OVER  
THE SKILLED TRADES?**



**WHAT TOOLS DO I NEED  
MOST FOR LOW-VOLTAGE?**



**HOW DOES FIBER OPTIC SPLICING WORK?**

**Our blogs are written for the modern tradesperson:**  
a place where industry insights, recommended tool  
lists, and step-by-step guides come together to  
help you level up your craft.



**LEARN. UPDATE. STAY AHEAD**

Read our Blogs

**PAVING THE WAY FOR**

# **GROWTH**



**MADE FOR LIFE**  
**GUARANTEED FOR LIFE**

We're now operating out of our new state-of-the-art facility in Elmsford, NY. Built to meet the demands of our growing operations.

***Leading in Innovation, Excellence & Legacy***

Our new headquarters marks a new chapter — driving innovation, advancing design, and standing behind our lifetime guarantee.