

Creative Display Solutions


The Display Handbook 2024



A creative solution for every need

Create greater brand awareness and stand out from the crowd

We provide high-quality, innovative visual communication solutions. Our wide range of display options offers the ideal platform for delivering attention-grabbing brand messaging that adds real value for their clients.



| EU | Made in Europe |
|-----|--------------------------------|
| TEX | Use with fabric graphic |
| PVC | Use with PVC graphic |
| ADH | Use with self-adhesive graphic |
| PAN | Use with rigid panel graphic |
| DP | Direct printing onto hardware |
| | |



2



Contents

| Outstanding Print and Finishing Capabilities In-house 3D Design Solutions | 6 8 |
|--|------------|
| Sustainable Creative Display Solutions | 10 |
| A solution for every requirement | 12 |
| New Product Fastframe™ | 14 |
| Lightboxes | 16 |
| Illuminova™ Illumigo™ | 18 23 |
| Display Stands | 26 |
| Modulate™ | 28 |
| Vector Fastframe™ | 40 60 |
| Arena Structures | 60 72 |
| Hanging structures | 76 |
| Display Blackwalls | 78 |
| Pop-up backwalls | 80 |
| Fabric tube walls | 86 |
| Tension walls | 88 |
| Display Banners | 90 |
| Tension textile systems Roller banners (economy) | 92 95 |
| Roller banners (standard) | 95 97 |
| Roller banners (premium) | 99 |
| Tension banners (X Banner) | 103 |
| Display Signs | 104 |
| Free-standing signs | 106 |
| Wall mounted signs Suspended signs | 110 111 |
| | 112 |
| Flag Banner | |
| Free-standing flags Post / wall mounted flags | 114 118 |
| Mobile flags | 119 |
| Tents | 120 |
| Pop-up tents | 122 |
| Inflatable tents | 125 |
| Counters | 126 |
| Promotional counters | 128 |
| illuminated promotional counters | 131 |
| Barriers | 132 |
| Pedestrian control barriers | 134 |
| Ancillaries | 136 |
| Literature holders (standard) | 138 139 |
| Lighting Lighting ancillaries | 139 |
| Portable transportation cases | 142 |
| Custom projects and made to measure graph | ics 144 |
| Applications | 146 |

This catalogue will show you a Creative Display Solutions

A European made products for a Creative Display Solutions, with over 25 years' experience. We supply our customers with high quality innovative visual communication solutions that offer real value for their clients.

Exceptional customer service lies at the heart of our business



Dedicated customer support



High quality printing solutions



Large scale printing capacity









Large stock availability

With European logistics hubs located in the UK, France, Italy, Poland, Spain and Portugal, we have over 10,000 square metres of permanent storage capacity available. This means that we're able to maintain high local stock levels to minimise transport and delivery costs.



Fast, reliable delivery in 24-48 hours

We have ample storage to offer immediate availability for the majority of our standard products, with designated transport providing speedy delivery in 24–48 hours. While custom products will take longer to be despatched, we pride ourselves on reactivity and performance in all aspects of our logistics process to make sure you receive your order without delay. We also offer white label deliveries direct to your customer for a faster turnaround.



Environmentally conscious and reusable solutions

The growing need for environmentally conscious solutions is a key focus of ours. We offer a variety of sustainable choices, supporting you and your client's environmental policies.

We only use water-based inks with non-toxic chemicals for a safer, more environmentally friendly approach and all our aluminium-framed solutions can be recycled and are designed to be reused.

Our sublimation, UV and latex printing processes are environmentally friendly and our fabric graphic media is fire retardant, supporting unlimited reuse of graphics.



Outstanding Print and Finishing Capabilities

Let us service your print requirements

Unlock the full potential of extensive product range with our in-house print services. Our cutting-edge print systems, backed by a seasoned team of finishing specialists, allows you to offer your clients a broader portfolio of Creative Display Solutions. By tapping into our expertise, you can expand your business without distractions, risk or investment.



10,000m² printed per day

Through ongoing investment in our European print capabilities, we ensure reliability, efficiency and consistency across all our locations, leveraging the latest print innovations to produce up to 10,000m² of high-quality graphics per day.

From simple one-off prints, through to 3.2m wide exhibition boards, we combine fast turnaround times with stringent quality control and print colour profiling. We offer dye-sublimation printing for high-definition print that won't wash or peel off and that doesn't affect the feel or quality of the fabric, in addition to Latex and UV printing for a clean and durable finish, producing vivid colours suitable for both indoor and outdoor applications.



A wide choice of substrates

By offering a variety of fully tested textiles and PVC materials, we give you access to a comprehensive portfolio of vibrant, long-lasting printed products in one place. We carefully select the materials we use to meet your requirements in terms of sustainability, quality, colour rendition, vibrancy, and cost.



Expert finishing

Our highly experienced inhouse sewing and finishing team works tirelessly to complete projects to the highest standards. We can manufacture a variety of standard and custom-built designs, many with complex shapes and finishes for maximum impact. All our products are tested before they leave our workshops to ensure customer satisfaction.




European Print Plant List Highlights

5x HP stitch S1000 4x HP Stitch 500 1x HP 3.2 Latex 2x Durst Rhotex 325 1x Durst Rho P10 250 1x Durst UV : Rho 312R



HP Stitch S1000 dye sublimination printer for vibrant results and colour consistency



Expand your business horizons by providing your clients with unparalleled access to Creative Display Solutions that empower brands.



A solution for every requirement

Our comprehensive range of Creative Display Solutions

We're proud to be an European supplier for Creative Display Solutions. Our goal is to offer a comprehensive range of innovative products for a variety of industries and applications, all from a single source. This collection contains our portfolio of Creative Display Solutions including our latest products.

01 Lightboxes

Create outstanding visual impact with Back lit or edge lit LED graphics, ideal for temporary, permanent and customised application.



02 **Display Stands**

Complete exhibition stand solutions, incorporating hanging structures, modular stands, towers and customised stands



03 Display Backwalls

Large format graphic backdrops ideal for conferences, promotional activities and events

04 **Display Banners**

Portable display options, ideal for temporary deployment

05 Display Signs

Professional wall, floor and suspended signage solutions

06 Flag Banners

Attract attention at a distance through movement with eye-catching flag solutions

07 Tents

Perfect temporary shelters, pop-up shops and market stall for outdoor use

08 Counters

Adaptable and portable temporary counters for promotional, display and exhibition applications

09 Barriers

Easy and convenient barrier systems to manage queues, control crowds and create temporary areas

10 Ancillaries

Accessories designed to increase the functionality of a chosen product range











Fents

Flag Banners

Ancillaries



Introducing your **innovative** and **cost-effective** modular Display Solution.



For more information see pages 60-71

FASTFRAME™is a unique, **sustainable** and **userfriendly** Display Solution.

More versatile than a pop-up

- Highly configurable
- Seamless graphics
- Easy to change Silicone Edge Graphics (SEG)
- Many applications

More flexible than a roller banner

- Assembled in seconds
- Lightweight, highly portable
- One frame, multiple graphics
- Single or double-sided graphics
- Expandable, no joints
- Washable stretch fabric
- Cost savings through repeated use

More configurable than an exhibition stand

- Expandable add modules over time
- Quick change design

- Excellent space utilisation
- Toolless construction
- Seamless graphic overlay



Lightboxes

For outstanding visual impact in interior spaces, lightboxes are the perfect option. Vibrant graphics, edge lit or Back lit with energy saving LEDs, create focal points that add depth and drama to retail spaces, exhibition stands, commercial properties and beyond.

Whether wall mounted, free-standing or suspended at height, LED lightboxes are the ideal showcase for brand messaging and statement imagery. We offer two ranges of lightbox solutions. The Illuminova[™] range combines vivid SEG fabric graphics with a sleek profile in a choice of standard or custom dimensions. For instant pop-up displays, our portable Illumigo[™] range is available in a variety of standard sizes to bring your retail space to life.

) illumiNOVA[®]

The Illuminova[™] range encompasses wall mounted, hanging and free-standing LED lightboxes in a choice of standard or custom sizes. Ideal for adding visual interest to feature walls and shop windows as well as transforming areas with low ambient lighting. Easily refreshed with updated graphics, Illuminova[™] provides the perfect framework to display enhanced vibrant messaging.

illumi**go**...

The Illumigo[™] LED lightbox range combines stunning graphic illumination with instant, tool-free assembly. For ease of transportation and storage, the aluminium LED frames are lightweight and come in a handy carry case. Simply update the SEG graphics, for a fresh and sustainable way to transform spaces with light.



jillumiNOVA^a

30mm Illuminova™ wall mounted

With its sleek and narrow profile, the 30mm Illuminova™ LED Back lit wall-mounted lightbox is ideal for showcasing standout messaging in interior displays. Illuminated using a powerful linkable LED display system for consistent lighting across the graphic. Available in standard and custom sizes

| Material | Aluminium |
|--------------------|---|
| Profile width | 30 mm |
| Profile Colour | Anodised Silver |
| Assembly | Connectors assemble using Allen key |
| Mounting | Wall mounted |
| Graphic area | Single-sided |
| Graphic attachment | Silicone Edged Graphics (3 mm silicone) |
| LED System | Back lit |

• Available fully assembled or in Kit form

| Illuminova™ 30mm 594x854mm | ILLNO-30-05X08 | ල_ 594(w) x 854(h) x 30(d) mm |
|------------------------------|----------------|-----------------------------------|
| Illuminova™ 30mm 854x1189mm | ILLNO-30-08X11 | ര്_ 854(w) x 1189(h) x 30(d) mm |
| Illuminova™ 30mm 1000x1000mm | ILLNO-30-10X10 | ര്വ_ 1000(w) x 1000(h) x 30(d) mm |
| Illuminova™ 30mm 2000x1000mm | iLLNO-30-20X10 | ര്വ് 2000(w) x 2000(h) x 30(d) mm |





Back lit panels



30mm profile

75mm Illuminova™ wall mounted

Create a striking focal point with the 75mm Illuminova™ LED edge lit wall mounted lightbox. Available in standard and custom sizes, the linkable LED lighting system delivers consistent lighting for a dramatic visual display.

| Material | Aluminium |
|--------------------|--|
| Profile width | 75 mm |
| Profile Colour | Anodised Silver or custom White or Black |
| Assembly | Connectors assemble using Allen key |
| Mounting | Wall mounted |
| Graphic area | Single-sided |
| Graphic attachment | Silicone Edged Graphics (3 mm silicone) |
| LED System | Edge lit + Pre-installed LED lighting |

| Illuminova™ 75mm wall mounted 1000x1000mm | iLLNO-75-10X10 | ര്ര_ 1000(w) x 1000(h) x 75(d) mm |
|--|----------------|-----------------------------------|
| Illuminova™ 75mm wall mounted 1500x1500mm | iLLNO-75-15X15 | ര്ര_ 1500(w) x 1500(h) x 75(d) mm |
| Illuminova™ 75mm wall mounted 2000x1000mm | ILLNO-75-20X10 | ര്ര_ 2000(w) x 1000(h) x 75(d) mm |
| Illuminova™ 75mm wall mounted 2000x2000mm | ILLNO-75-20X20 | ര്വ_ 2000(w) x 2000(h) x 75(d) mm |
| Illuminova™ 75mm wall mounted 3000x2000mm | ILLNO-75-30X20 | ര്വ് 3000(w) x 2000(h) x 75(d) mm |





Cable system

LED strip lighting



Numbered system for easy assembly





jillumiNOVA[®]

100mm Illuminova™ Free-standing

The double-sided 100mm Illuminova[™] LED edge lit free-standing lightbox creates a dramatic visual statement for your interior displays. The plug and play linkable LED display system makes for a simple set up, whilst the SEG graphics can be easily replaced to support new messaging.

| Material | Aluminium |
|--------------------|---|
| Profile width | 100 mm |
| Profile Colour | Anodised Silver |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Double-sided |
| Mounting | Free-standing |
| Graphic attachment | Silicone Edged Graphics 3mm (SEG) |
| LED System | Pre-installed LED lighting + edge light |
| | |

Illuminova™ 100MM 3000X2000MM ILLNO-100-30X20

ര്_ 3000(w) x 2007(h) x 550(d) mm









Mitred sections assemble with screw-in connectors

Cable system

LED strip lighting

125mm Illuminova[™] Free-standing

For outstanding visual impact, the robust double-sided 125mm Illuminova™ LED edgelit free-standing lightbox is a must. Available in standard and custom sizes, the plug and play linkable LED display system ensures vibrant lighting across the SEG graphic.

| Material Aluminium | |
|---|--|
| Profile width 125 mm | |
| Profile Colour Anodised silver or custom white or black | |
| Assembly Connectors assemble using Allen key | |
| Double-sided Double-sided | |
| Mounting Free-standing | |
| Graphic attachment Silicone Edged Graphics 3mm (SEG) | |
| LED System Pre-installed LED lighting + edge light | |

| Illuminova™ 125mm 3000x2500mm | ILLNO-125-30X25 | ര്വ് 30000(w) x 2507(h) x 550(d) mm |
|-------------------------------|-----------------|-------------------------------------|
| Illuminova™ 125mm 4000x2000mm | ILLNO-125-40X20 | ര്വ_ 4000(w) x 2007(h) x 550(d) mm |

Measurements include feet

Available in standard and custom sizes













Graphic attaches with silicone edging (SEG)

Cable system

LED strip lighting

jillumiNOVA^a

125mm Illuminova[™] Hanging Structure

Ideal for exhibitions and retail venues, the 125mm Illuminova[™] hanging LED structure is the perfect medium for brand messaging and wayfinding. Sleek, yet lightweight and robust, the double-sided aluminium frame is edge lit with energy efficient LEDS for an eye-catching suspended display. Available in standard and custom sizes, this vibrant lightbox creates the perfect backdrop for dynamic SEG graphics.

| Material | Aluminium |
|--------------------|--|
| Profile width | 125 mm |
| Profile Colour | Anodised. White and black are available as custom |
| Assembly | Sling (cables not included). Connectors assemble using Allen key |
| Double-sided | Double-sided |
| Mounting | Hanging |
| Graphic attachment | Silicone Edged Graphics 3mm (SEG) |
| LED System | Pre-installed LED lighting + edge light |
| | |

| Illuminova™ 125mm hanging 2500x1000mm | ILLNOH-125-25X10 | |
|--|------------------|------------------------------------|
| Illuminova™ 125mm hanging 3500x1000mm | ILLNOH-125-35X10 | ത്രൂ 3500(w) x 1000(h) x 125(d) mm |
| Illuminova™ 125mm hanging 5000x1250mm | ILLNOH-125-50X12 | ල_ 5000(w) x 1250(h) x 125(d) mm |









Cable system

LED strip lighting

Mitred sections assemble with screw-in connectors

Graphic attaches with silicone edging (SEG)



illumigo.

Illumigo[™] One

Illumigo $^{\mathrm{M}}$ One is a vibrant portable single-sided lightbox with the option to have a rear-facing textile graphic unlit. Standing 2000mm high and 850mm wide, the slim 60mm profile has a white powder coated finish and benefits from tool-free plug and play assembly due to an easy to follow numeric system, rollable LED panel and pre-assembled twist-out feet.

| Material | Aluminium |
|--------------------|---|
| Profile width | 60 mm |
| Profile Colour | White |
| Assembly | Tool-free |
| Graphic area | Single-sided |
| Graphic attachment | Silicone Edged Graphics (3 mm silicone) |
| Application | Self-supporting with pivoting feet fixed to the structure |
| Transport | Protective box with carry handle |
| | |













Tool-free assembly

Rollable LED panel

Optional Illumigo[™] bag

Illumigo™

Illumigo^ ${\ensuremath{^{\rm M}}}$ is an innovative portable LED lightbox that comes in a protective compartmented box with handle for ease of transportation. Deploys tool-free in minutes thanks to pre-assembled LED lighting and push-fit optional dye-sublimated graphics.

| Material | Aluminium | | |
|--------------------|---|--------------|------------------------------------|
| Profile width | 100 mm | | |
| Profile Colour | White | | |
| Assembly | Tool-free | | |
| Graphic area | Double-sided | | |
| Graphic attachment | Silicone Edged Graphics (3 mm silicone) | | |
| Application | Self-supporting with pivoting feet fixed to the structure | | |
| Transport | Protective box with carry handle | | |
| | | | |
| | | | |
| Illumigo™ - 2x1 | | ILLGO-2X1-EU | ര്വ് 1000(w) x 2000(h) x 400(d) mm |

ILLGO-BAG





Illumigo™ bag





്റ്റ് 460(w) x 1160(h) x 400(d) mm





Supplied with twin twist-out feet

Numbered system for easy assembly

Pre-installed LED lights

Branded protective compartmented box

Optional Illumigo[™] bag

illumi<mark>go</mark>.

Illumigo™ Retail

Illumigo[™] Retail is an innovative portable LED lightbox that is specifically designed for retail environments because of its size and stability. The 1600 x 600mm double-sided illuminated display comes in a protective compartmented box with handle for ease of transportation. Deploys tool-free in minutes thanks to pre-assembled LED lighting and push-fit optional dye-sublimated graphics.

| Material | Aluminium |
|--------------------|---|
| Profile width | 100 mm |
| Profile Colour | White |
| Assembly | Tool-free |
| Graphic area | Double-sided |
| Graphic attachment | Silicone Edged Graphics (3 mm silicone) |
| Application | Self-supporting with flat base fixed to the structure |
| Transport | Protective box with carry handle |







Connector





Optional Illumigo[™] bag



Illumigo™ 2x2

Pre-installed LED lights

Illumigo[™] is a complete portable 2x2m double-sided aluminium lightbox display system. Simple to deploy with tool-free assembly. Just remove from the box, twist out the feet from the base panel and use the matching numerical system to connect the remaining extrusions remembering to insert the horizontal bar. SEG graphics fit into the frame channel and the power cable inserts under the base panel. Plug and play in less than 10 minutes!

| Material | Aluminium | | |
|--------------------|---|--|--|
| Profile width | 100 mm | | |
| Profile Colour | White | | |
| Assembly | Tool-free | | |
| Graphic area | Double-sided | | |
| Graphic attachment | Silicone Edged Graphics (3 mm silicone) | | |
| Application | Self-supporting with pivoting feet fixed to the structure | | |
| Transport | Protective box with carry handle | | |
| | | | |
| Illumigo™ 2x2 | ILLGO-2X2-EU (이 x 2000(w) x 2000(h) x 390(d) mm | | |





Metal straight connector

Numbered system for easy assembly

illumigo.

This versatile and quick to set-up double-sided counter lightbox is a great all-rounder not only at events but in retail environments from shopping centres to pop-up shops. Part of the Illumigo[™] range, the Illumigo[™] Counter is easy to assemble with a two-part counter-top that secures using a pair of twist out top locators and locking screws. Building the unit is intuitive and tool-free as all the parts are numbered and simply slot together. Two optional graphics complete the look to create an impactful counter ideal for attracting attention in retail, event or exhibition environments.

| Material | Aluminium 100 mm, MDF table top |
|--------------------|---|
| Assembly | Tool-free |
| Collapsible | Yes |
| Counter top | White |
| Graphic attachment | Silicone Edged Graphics (3 mm silicone) |
| Transport | Protective box with carry handle |
| LED System | Led strips included |
| | |

| Illumigo™ | ILLGO-COUNTER-EU | ര്_ 1045(h) x 1040(w) x 420(d) mm |
|---------------|------------------|-----------------------------------|
| Illumigo™ Bag | ILLGO-BAG | ര്_ 1160(h) x 460(w) x 190(d) mm |





Optional Illumigo™ bag

Protective



Pre-assembled LEDs in the frame Steel side feet for

stability





Display Stands

Display stands are the perfect solution for an array of different applications. From exhibitions, conferences, events, retail event zones to window displays and product showrooms; their uses are unlimited. The perfect stand will showcase and increase the opportunity to interact with existing and potential customers by creating engaging, and innovative brand promotion and messaging.

Our Display Stands range of products include hanging structures to attract interest from a distance along with versatile modular stand components to create truly contemporary and captivating exhibition spaces. The collective modular systems; Modulate[™], Vector, Arena and Fastframe[™], are all designed to work in unison, to deliver a re-usable and reconfigurable exhibition stand. Graphics can be easily updated, and layouts refreshed over and over again. These hard working modular solutions offer exceptional return on investment as well as a sustainable approach to creative display.

Creating an effective display stand that drives results is extremely straightforward with this collection of pre-configured solutions. Simply select a design for inspiration whilst considering floor size and parameters of price-point. For a more unique stand construction, the modular range can also be customised - incorporating precise requirements with all the benefits that modular exhibition systems offer for complete creative innovation.



Stand component systems

Modulate™

Modulate[™] is the fusion between two of our original concepts: Formulate and Vector. The range is composed of various frames made of aluminium tubes, equipped with the patented magnet system: MagLink. Modulate[™] provides a custom build solution through its hundreds of possible configurations using the various modules.

Vector

One of the simplest and most versatile communication solutions on the market, Vector is an aluminium frame system with a stretched fabric graphic that adapts to any environment. With a variety of different profiles, all applications are possible: suspended, wall-mounted, self-supporting, double-sided or illuminated utilising Illuminova[™].

Fastframe™

A unique pre-assembled foldable framework for fast construction and endless Creative Display Solutions - the perfect seamless backdrop for visually striking SEG graphics.

Arena

Arena is a tubular aluminium gantry structure that is both extremely strong and light. The different sections can be assembled according to the space and can be covered with fabric or vinyl graphics.

Hanging Structures

Select one of our lightweight Formulate hanging structures to compliment your stand design, which uses a lightweight 30mm tubular system that can be neatly wrapped in a fabric printed graphic.

Considerations for exhibitions

Why exhibit at a trade show?

Trade shows remain the preferred communication channel for companies seeking to increase their reputation and promote their image.

The benefits of a trade show are vast and very attractive. They enable several actions to be carried out in a relatively short period of time:

- Brand positioning
- Prospecting
- Market research
- Product launches
- Building customer loyalty
- Business networking

The centrepiece: your stand

The success of any trade show depends on its cost vs quality and ROI for generating leads and meeting other sales / marketing objectives.

1. Location:

How much space? How many open sides?

2. The design:

Which media: textile, rigid, flexible panels? Need to communicate in height: sign, extension or extension of storage room? Do you need a storeroom to store equipment? What kind of lighting?

3. Use:

How often?

Will it need to be scalable in shape and size?What means of transport do you have?Will the stand be reused in another environment i.e. customer showroom, inhouse events etc.?

4. The budget :

What is the budget for the stand? Over how many shows will it pay for itself?

The keys to success

To have a successful trade show, it is essential to:

- Set 3 to 5 objectives that will guide the marketing strategy of the event
- Ensure maximum visual impact with a quality stand that will enhance the company's image (openings, suspended communication, graphics, materials, etc.)
- Implement effective communication and promotion: before, during and after the event (emailing, invitation, social networks, stand promotion, etc.)

Why choose a modular stand?

- Lightweight and compact
- Reconfigurable
- Quick payback
- Durable
- Easy to assemble
- Standard or custom made
- Unlimited message renewal
- Ergonomically friendly



Modulate™

The best way to attract attention

Modulate[™] is the result of the fusion of two original concepts that have proven successful in the exhibition and retail world; Formulate tubular solutions and the modularity of Vector frames.

Modulate[™] is a collection of various frames made from aluminum tubes and covered with a printed textile cover. These frames can be easily connected to each other by means of powerful magnets placed inside each structure. Based on this simple magnetic principle, it is possible to combine the different Modulate[™] frames to create configurations for all communication areas: at the point of sale, at trade shows, in exhibition areas, in shopping centres or simply within companies themselves.

MagLink connector, simple, fast and reconfigurable




Thanks to the exclusive MagLink magnetic system integrated into the structure, you can connect the frames to each other simply by bringing them together.




Tool-less assembly

Modulate[™] structures are easy to assemble without tools. Each section is marked with numbers and colours and connected with push buttons. Once the structure is assembled, the Twist & Lock feet will rotate a quarter of a turn until they lock into a perfectly stable self-supporting frame. Finally pull-on the printed fabric graphic which perfectly fits to the contour of the frame.



To add versatility to Modulate[™] structures, a 400 mm tubular extension can be added. With this extension, which is easily placed between two sections, you can use the same frame with two different heights.



Standard Modulate[™] Frames

Modulate[™] is an innovative double-sided display system that consists of a set of lightweight aluminium frames covered with a custom printed tension fabric graphic. Frames connect together using powerful magnets encased inside each element and can be joined at any angle to create shaped displays or backwalls. Frames are completed by pulling a tension-fit fabric graphic over the frame and zipping at the base. Frames are available in various widths and two height options. Each frame is supplied with two stabilising feet which can be used if required for extra stability. The Modulate[™] Straight frames can be used on their own or combined with other frames to create hundreds of configurations.

| Material | Aluminium |
|--------------------|--|
| Tube | 30mm Ø |
| Assembly | Tool-free push-button connectors |
| Shape | Straight |
| Graphic area | Double-sided |
| Graphic attachment | Zipped tension-fit graphic |
| Application | Free-standing with feet (included) |
| Transport | Modulate™ carry bag with dedicated pockets for the feet and graphics |





Modulate[™] Straight

Modulate[™] Straight 420, 424

5


5

| Straight 420 rounded corners | MOD-S-420 | 418(w) x 2000(h) x 400(d) mm |
|------------------------------|--------------|-----------------------------------|
| Straight 424 rounded corners | MOD-S-424 | ര്വ് 418(w) x 2400(h) x 400(d) mm |
| Straight 420 square corners | MOD-S-420-SQ | ്ര_ 418(w) x 2000(h) x 400(d) mm |
| Straight 424 square corners | MOD-S-424-SQ | ര്_ 418(w) × 2400(h) × 400(d) mm |



Modulate[™] Straight 820, 824

| Straight 820 rounded corners | MOD-S-820 | <u>ര</u> ് 818(w) x 2000(h) x 400(d) mm |
|------------------------------|--------------|---|
| Straight 824 rounded corners | MOD-S-824 | ര്വ_ 818(w) x 2400(h) x 400(d) mm |
| Straight 820 square corners | MOD-S-820-SQ | ര്വ_ 818(w) x 2000(h) x 400(d) mm |
| Straight 824 square corners | MOD-S-824-SQ | ര്വ് 818(w) x 2400(h) x 400(d) mm |




Modulate[™] Straight 1020, 1024

| Straight 1020 rounded corners | MOD-S-1020 | ര്_ 1018(w) × 2000(h) × 400(d) mm |
|-------------------------------|---------------|------------------------------------|
| Straight 1024 rounded corners | MOD-S-1024 | ര്വ_ 1018(w) x 2400(h) x 400(d) mm |
| Straight 1020 square corners | MOD-S-1020-SQ | ര്വ_ 1018(w) x 2000(h) x 400(d) mm |
| Straight 1024 square corners | MOD-S-1024-SQ | ര്_ 1018(w) × 2400(h) × 400(d) mm |


Modulate™ Straight 1820, 1824

| Straight 1820 rounded corners | MOD-S-1820 | 1818(w) x 2000(h) x 400(d) mm |
|-------------------------------|---------------|------------------------------------|
| Straight 1824 rounded corners | MOD-S-1824 | ്വ_ 1818(w) x 2400(h) x 400(d) mm |
| Straight 1820 square corners | MOD-S-1820-SQ | ര്വ_ 1818(w) x 2000(h) x 400(d) mm |
| Straight 1824 square corners | MOD-S-1824-SQ | ര്വ_ 1818(w) x 2400(h) x 400(d) mm |



Modulate[™] Straight 2020, 2024

| Straight 2020 rounded corners | MOD-S-2020 | ര്വ് 2018(w) x 2000(h) x 400(d) mm |
|-------------------------------|---------------|------------------------------------|
| Straight 2024 rounded corners | MOD-S-2024 | ര്_ 2018(w) x 2400(h) x 400(d) mm |
| Straight 2020 square corners | MOD-S-2020-SQ | ര്_ 2018(w) x 2000(h) x 400(d) mm |
| Straight 2024 square corners | MOD-S-2024-SQ | ര്_ 2018(w) x 2400(h) x 400(d) mm |
| | | |



5

5

5



Modulate[™] Slope

Modulate[™] Slope

| Material | Aluminium |
|--------------------|---|
| Tube | 30mm Ø |
| Assembly | Tool-free push-button connectors |
| Shape | Straight |
| Graphic area | Double-sided |
| Graphic attachment | Zipped tension-fit graphic |
| Application | Free-standing with feet (included) |
| Transport | $Modulate^{M}$ carry bag with dedicated pockets for the feet and graphics |
| | |

| Slope 1 | MOD-SS-824-01 | ര്_ 818(w) x 2300(h) x 400(d) mm |
|---------|---------------|-----------------------------------|
| Slope 2 | MOD-SS-824-02 | ര്വ് 818(w) x 2400(h) x 400(d) mm |




Modulate[™] Door

The Modulate[™] Door frame joins magnetically to other frames in the Modulate[™] range and is tool-free in its design. Constructed from lightweight aluminium tubing with magnets held in the frames to join backwalls together. Complete with optional tension-fit fabric graphic, the door is ideal for store room areas or meeting rooms.

| Material | Aluminium | | |
|--------------------|---|--|--|
| Tube | 30mm Ø | | |
| Assembly | Tool-free push-button connectors | | |
| Shape | Straight | | |
| Graphic area | Double-sided | | |
| Graphic attachment | Zipped tension-fit graphic | | |
| Application | Free-standing with feet (included) | | |
| Transport | $Modulate^{M}$ carry bag with dedicated pockets for the feet and graphics | | |
| | | | |

| | MOD-S-DOOR-820 | ര്വ് 800(w) x 2000(h) x 120(d) mm | | |
|--------------------------------|-------------------|-----------------------------------|--|--|
| Modulate™ door Rounded corners | MOD-S-DOOR-824 | ര്_ 800(w) x 2400(h) x 120(d) mm | | |
| Modulate™ door Square corners | MOD-S-DOOR-820-SQ | ര്വ_ 800(w) x 2000(h) x 120(d) mm | | |
| modulate door square corners | MOD-S-DOOR-824-SQ | ര്വ് 800(w) x 2400(h) x 120(d) mm | | |





2 handles and 1 stop for Modulate™ door included



An adjustable foot included 2 Twist & Lock square



feet




The Modulate™ Door can be used with either a left or right-hand handle

34



Modulate[™] ancillaries


Modulate[™] Half Feet (pair)



2 possible finishes (with or without visible shelf)

Pre-configured Modulate™ stand examples

This section showcases examples of various pre-configured Modulate[™] Stands that can be achieved using the various Modulate[™] hardware and ancillaries.



Modulate[™] Stand 12m²

| Material | Aluminium |
|--------------------|----------------------------------|
| Tube | 30mm Ø |
| Assembly | Tool-free push-button connectors |
| Graphic area | Double-sided |
| Graphic attachment | Zipped tension-fit graphic |
| | |

| Straight 2024 square corners (x3) | MOD-S-2024-SQ |
|-----------------------------------|-------------------|
| Straight 1024 square corners | MOD-S-1024-SQ |
| Straight 824 right angles (x4) | MOD-S-824-SQ |
| Modulate™ Door | MOD-S-DOOR-824-SQ |
| Pair of half flat feet x4 | MOD-HALF-FOOT-P |







Possibility to add PS950-1000-LED-BDLK spotlights



Half feet Twist & Lock MOD-HALF-FOOT-P grey




2 handles and 1 stop for Modulate™ Door MOD-S-DOOR-SP-01 included

5

Modulate[™] Stand 15m²

| Material | Aluminium |
|--------------------|----------------------------------|
| Tube | 30mm Ø |
| Assembly | Tool-free push-button connectors |
| Graphic area | Double-sided |
| Graphic attachment | Zipped tension-fit graphic |

| Straight 2024 square corners (x3) | MOD-S-2024-SQ |
|-----------------------------------|-------------------|
| Straight 1024 square corners | MOD-S-1024-SQ |
| Straight 824 square corners (x3) | MOD-S-824-SQ |
| Slope 2 | MOD-SS-824-02 |
| Door Modulate™ | MOD-S-DOOR-824-SQ |
| Pair of half flat feet x4 | MOD-HALF-FOOT-P |
| Modulate™ counter | FORM-MOD-CNTR |
| Internal shelf | FORM-MOD-CNTR-02 |
| | |



5

Configure the stand interior with additional Modulate™ frames





Half feet Twist & Lock MOD-HALF-FOOT-P Accessorise with a Modulate™ counter

Display Stands


5

Modulate[™] Stand 18m²

The Modulate[™] range is ideal for the design of small and medium sized exhibition stands. The assembly of Modulate[™] structures is simple, without tools and allows unlimited modularity and evolution of your configurations.

| Material | Aluminium | | |
|----------------------------------|----------------------------------|---|--------------------------------|
| Tube | 30mm Ø | | |
| Assembly | Tool-free push-button connectors | 824 DOOR | \leftarrow 3 m \rightarrow |
| Graphic area | Double-sided | \uparrow | |
| Graphic attachment | Zipped tension-fit graphic | | |
| | | 202 ⁴ 2024 1024 2024 | 2024 824 |
| Straight 2024 square corners (x4 |) MOD-S-2024-SQ | 2,4 m | |
| Straight 1024 square corners | MOD-S-1024-SQ | the second se | |
| Straight 824 square corners (x4) | MOD-S-824-SQ | L. L. | |
| Door Modulate™ | MOD-S-DOOR-824-SQ | | - |
| | 1 | 6 m | \longrightarrow |

Modulate™ cupboard - door with handle (without lock)



The ease of assembly of the range allows for reconfigurable and reusable solutions: mix and match structures in an instant!






Vector

Visual marketing for every budget

Whether wall mounted or free-standing, the diverse range of Vector aluminium profiles provides a solution for every need and every budget.


Vector offers optimal visual impact and original designs that can be adapted to any event: showrooms, point of sale, exhibitions, museums and many others.





Illuminova[™] brings your Vector stand to light

Add eye-catching Illuminova[™] lightbox modules to your Vector display stand. Available in 4 standard LED modules, (I, J, P, and Q), both systems can be combined to create a striking mix of simplicity and illumination to your exhibition stand.



75 mm LED

100 mm LED

Anodised aluminium profiles

The Vector and Illuminova[™] modules are available in a range of aluminium profiles to suit each application. For more information, please consult the table below.

| | VECTOR | Wall mounted | Free- standing | Illuminated | Double-sided | Premium range | Various colours |
|---------------|------------|-----------------|-------------------|-------------|--------------|------------------|--------------------|
| VECTOR | 20 mm | х | | | | | х |
| VECTOR | 50 mm | | х | | x | х | |
|) illumiNOVA | 75 mm LED | х | х | x | | х | х |
|)] illumiNOVA | 100 mm LED | | х | х | х | | |

For Illuminova[™] products, please see page 18

Vector Modules

An ultra-compact solution

From free-standing textile walls to exhibition stands, the Vector range offers a versatile and adaptable solution for all your events. The Vector frame system with stretched fabric covering is one of the simplest communication solutions on the market, particularly in a stand environment. Scalable, reconfigurable, ultra-portable: go from a 9 m² to a 15 m² stand with ease. Easily create stands of all sizes and shapes and accessorise them with spotlights, counters, document holders, and anything else you need to display.

A compact solution for portability and optimised storage

Choose the Vector Modules:


- 50 mm aluminium profiles
- Different modules: walls, arches, LEDs, storage...
- Packaged in numbered sections of 1250 mm
- Delivered in a cardboard box with assembly instructions, accompanied by the visual of your choice
- In stock all year round
- Each module is already perforated on 4 sides and equipped with the necessary screws: easily assemble different modules together, one Allen key is the only tool you will need.
- Reconfigurable and reusable: store the stand at home in a small box (1350 x 400 x 300 mm)
- Excellent return on investment





Vector Modules – Walls


| Material | | Aluminium | | | |
|----------|---------------------|-------------------------------------|------------------|-----------------------------------|--|
| | Profile width | 50mm | 50mm | | |
| | Profile Colour Tube | Anodis | Anodised | | |
| | Assembly | Connectors assemble using Allen key | | | |
| | Graphic area | Single | and double-sided | | |
| | Graphic attachment | SEG 3n | nm | | |
| | | | | | |
| | Module A | | MODULE-VFF-A | ര്_ 2950(w) x 2500(h) x 50(d) mm | |
| | Module B | | MODULE-VFF-B | ര_ 1950(w) x 2500(h) x 50(d) mm | |
| | Module C | | MODULE-VFF-C | ര്വ് 950(w) x 2500(h) x 50(d) mm | |
| Module M | | | MODULE-VFF-M | ര്വ് 2850(w) x 2500(h) x 50(d) mm | |
| | Module N | | MODULE-VFF-N | രി_ 1850(w) x 2500(h) x 50(d) mm | |
| | Module O | | MODULE-VFF-O | ര്വ_ 450(w) x 2500(h) x 50(d) mm | |
| | Module L | | MODULE-VFF-L | ര_ 2800(w) x 2500(h) x 620(d) mm | |
| | | | | | |



Post Module

| Material | Aluminium |
|---------------------|--|
| Profile width | 50mm |
| Profile Colour Tube | Anodised |
| Assembly | Connectors assemble using Allen key, Screw-in strips |
| | |
| | |
| Module E | MODULE-VFF-E (주, 50(w) x 50(d) x 2500(h) mm |

Illuminova[™] Modules



Modules Vector - Arches

Module H

| | Material | Aluminium | | |
|--------------------|---------------------|-------------------------------------|-----------------------------------|--|
| | Profile width | 50 mm | | |
| | Profile Colour Tube | Anodised | | |
| | Assembly | Connectors assemble using Allen key | | |
| Graphic area | | Single and double-sided | | |
| Graphic attachment | | SEG 3mm | | |
| | | | | |
| | Module D | MODULE-VFF-D | စြ_ 2550(h) x 950(l) x 2600(p) mm | |

MODULE-VFF-H



စြ_ 2550(h) x 950(l) x 2600(p) mm

EU DTEX

Vector Modules - Storage

EU TEX

| Material | Aluminium |
|---------------------|-------------------------------------|
| Profile width | 50 mm |
| Profile Colour Tube | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single and double-sided |
| Graphic attachment | SEG 3mm |
| | |

| Module F - door and extension hardware | MODULE-VFF-F-2 | ල_ 2500(h) x 950(l) x 50(p) mm Extension: 545 (h) x 950 (l) mm. Door: 1930 (h) x 940 (l) mm |
|---|-----------------|--|
| Module G - corner storage room hardware | MODULE-VFF-G-2 | ලි_ 2500(h) x 1050(l) x 1050(d) mm |
| Module G3 - storage room hardware | MODULE-VFF-G3-2 | |



Vector Modules Extensions

| Module K | | MODULE-VFF-K | ര_ 1050(w) x 1000(h) x 1050(d) mm | |
|--------------------|-------------------------------------|--------------|-----------------------------------|--|
| | 520 51111 | | | |
| Graphic attachment | SEG 3mm | | | |
| Graphic area | Single or double-sided | | | |
| Assembly | Connectors assemble using Allen key | | | |
| Profile Colour | Anodised | | | |
| Profile width | 50mm | | | |
| Material | Aluminium | | | |
| | | | | |



EU DTEX


EU DTEX

VECTOR

Vector standard stand designs

This section showcases examples of various pre-configured Vector Stands that can be achieved using the various Vector hardware and ancillaries.

Vector Stand 9m²




Vector Stand 12m² - Design 1

EU OTEX

| Material | Aluminium |
|--------------------|-------------------------------------|
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |
| | |

| Module C (x2) | MODULE-VFF-C |
|------------------------|----------------|
| Cross bar 900 mm (x3) | LN605-900-L2 |
| Module F | MODULE-VFF-F-2 |
| Module V (x4) | MODULE-LN-V |
| Module L | MODULE-VFF-L |
| Module E (x2) | MODULE-VFF-E |
| Cross bar 950 mm (x12) | LN605-950-L2 |
| Pair of angled feet | SLF1P |
| | |







Possibility to add LED Floodlight Code: LED-FLOOD-ARM-BDLK

Square post to create 90° angles



Return with lock and key set


EU DTEX

VECTOR

Vector Stand 12m² - Design 2

| Material | Aluminium |
|--------------------|-------------------------------------|
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |
| | |

| Module C | MODULE-VFF-C |
|---------------------|----------------|
| Module H | MODULE-VFF-H |
| Module G | MODULE-VFF-G-2 |
| Module B (x2) | MODULE-VFF-B |
| Pair of angled feet | SLF1P |







Vector graphic








LED Exhibition Light

Vector Stand 15m² - Design 1

EU OTEX

| Material | Aluminium |
|--------------------|-------------------------------------|
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |
| | |
| | |
| Module B (x2) | MODULE-VFF-B |

| Pair of angled feet | SLF1P |
|---------------------|-----------------|
| Module-G3 | MODULE-VFF-G3-2 |
| Module B (x2) | MODULE-VFF-B |






Possibility to add LED Exhibition Light Code: LED-EXHIB-ARM-BDLK



Vector Stand 15m² - Design 2

| Material | Aluminium |
|--------------------|-------------------------------------|
| Profile width | 50mm |
| Profile Colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |
| | |

| Module F | MODULE-VFF-F-2 |
|---------------------|----------------|
| Module B (x3) | MODULE-VFF-B |
| Module C (x3) | MODULE-VFF-C |
| Module J | MODULE-VFF-J |
| Module O | MODULE-VFF-O |
| Module E (x6) | MODULE-VFF-E |
| Module K | MODULE-VFF-K |
| Pair of angled feet | SLF1P |
| | |











EU OTEX

Vector Stand 18m²

Aluminium

50mm

Anodised

Connector with Allen key

Material


Profile width

Profile Colour

Assembly

EU OTEX

| | | ingle or double-sided EG 3mm | |
|---|-----------------------|---------------------------------|--|
| [| | 1 | |
| | Module G | MODULE-VFF-G-2 | |
| | Module B (x3) | MODULE-VFF-B | |
| | Module C | MODULE-VFF-C | |
| | Illuminova™ 125mm | | |
| | hanging 1000 x 2500mm | illNOH-125-25X10 | |
| | Pair of angled feet | SLF1P | |









Rounded corner for a full graphic

Return with lock and key set

Vector Stand 24m²

 Material
 Aluminium

 Profile width
 50mm

 Profile Colour
 Anodised


 Assembly
 Connectors

 Graphic area
 Single or do

 Graphic attachment
 SEG 3mm

Anodised Connectors assemble using Allen key Single or double-sided SEG 3mm


| Module B (x2) | MODULE-VFF-B |
|---------------------|----------------|
| Module N (x2) | MODULE-VFF-N |
| Module D (x2) | MODULE-VFF-D |
| Module C | MODULE-VFF-C |
| Module F | MODULE-VFF-F-2 |
| Module E (x4) | MODULE-VFF-E |
| Module Q | MODULE-VFF-Q |
| Posts (x2) 1000 mm | LN616-CUSTOM-M |
| Pair of angled feet | SLF1P |
| | |






EU OTEX

Vector free-standing module configurations and ancillaries





Vector Modules ancillaries



Custom Vector stands

The Vector range offers a versatile and adaptable solution for any event. The frame system is scalable and reconfigurable and is dressed with an optional custom printed stretched fabric graphic. The Vector range offers a versatile and adaptable solution for any event.

Vector Custom Stand 24m²



Vector Custom Stand 40m²

| Material | |
|--------------------|--|
| Profile width | |
| Profile colour | |
| Assembly | |
| Graphic area | |
| Graphic attachment | |

Aluminium 50mm Anodised Connectors assemble using Allen key Single or double-sided SEG 3mm



Vector Custom Stand 40m²

| Material | Aluminium |
|--------------------|-------------------------------------|
| Profile width | 50mm |
| Profile colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |
| | |




Vector Custom Stand 50m²

| Material | Aluminium |
|--------------------|-------------------------------------|
| Profile width | 50mm |
| Profile colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |



Vector Custom Stand 60m² - Design 1

| Material | Aluminium |
|--------------------|------------------------|
| Profile width | 50mm |
| Profile colour | Anodised |
| Assembly | Connectors assemble us |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |
| | |



Vector Custom Stand 60m² - Design 2

| Material | Aluminium |
|--------------------|-------------------------------------|
| Profile width | 50mm |
| Profile colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm 60 \$1003 |
| | |

Vector Custom Stand 80m²

| Material | Aluminium |
|--------------------|-------------------------------------|
| Profile width | 50mm |
| Profile colour | Anodised |
| Assembly | Connectors assemble using Allen key |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |
| | |







Ancillaries

Dome base (single)



Linear foot (pair)

Weights: 1,2 kg

SLF1P 0, 220(w) x 220(h) x 5(d) mm

Flat foot (single)



LN155 0, 7(h) x 100(w) x 450(d) mm

LCD screen bracket

Mounting on post or crossbar

LN124 🙆 , Screen 37" - 70" (94 - 177 cm)

Roll of magnetic tape

EM303 Polarity A-30m x 4 mm

Steel tape

















Transform your space in seconds using **FASTFRAME™**™




1. Folded state

The lightweight frame is pre-assembled in a convenient, portable carry bag.



2. Unfold

From its pre-assembled state, the frame can then be effortlessly unfolded and locked in place with a central support rod.





3. Components

Feet can be added if required to give additional rigidity to the frame.

4. Install graphics

Your graphics, available in a Standard or Premium finish, can then be applied to the fully assembled frame.


Sustainable exhibitions

With sustainability a key theme for event organisers and exhibitors alike, modular exhibition systems offer an environmentally conscious choice.

- » Made from aluminium, an infinitely recyclable material
- > Using polyester graphic materials which can be recycled multiple times
- » Graphics printed using water based inks
- » One system for multiple display applications



Enjoy many benefits, such as:



FASTFRAME™ utilises **Silicone Edge Graphics**

- Fabric graphics are edged with a silicone strip which slots into the channel of the frame for easy installation
- » This is more cost-effective than alternative options and can be re-used multiple times
- » The graphics are printed using water based inks which is more eco-friendly
- » Seamless graphics can be applied to the connected frames for large displays
- » Graphics can be reproduced to deliver new messages

Polyester Stretch Graphics

Stretch textile fabric, 3mm silicone edge.

Black Back Graphics


Black back textile (black out), 3mm silicone edge.

| Material |
|--------------------|
| |
| Profile width |
| Profile Colour |
| Assembly |
| Graphic area |
| Graphic attachment |
| Application |
| Transport |

Aluminium 40 mm Silver Tool-free Single and Double-sided Silicone Edged Graphics (3 mm silicone) Free-standing Fastframe™ carry bag

FASTFRAME™

FASTFRAME™1000x500 - 2 Pack








Feet can be added if required. Feet sold separately




Silicone edged (SEG) graphic



FASTFRAME™1000x1000 - 2 Pack



FASTFRAME™1000x2000



FASTFRAME™1000x2400



FASTFRAMETM

FASTFRAME™1200x2400



FASTFRAME™Starter Kit

| Fastframe™ | Starter | Kit | |
|------------|---------|-----|--|
| | | | |

Price on demand

ര്_ 1004(w) x 2007(h) x 400(d) mm






Fastframe™ Starter Kit



Portable carry bag 1 frame 1000 x 2000mm Includes feet

5 graphics 1000 x 2000mm

0



FASTFRAME™ Feet

Full foot (Single)

FF-FF (0, 50(w) × 99(h) × 400(d) mm

Middle Full Foot (Single)

FF-MFF 0, 50(w) x 89(h) x 400(d) mm

Half Middle Foot (Single)



Small Middle Foot (Single)

FF-SMF (0, 40(w) x 89(h) x 97(d) mm

Side Half Feet (Pair)

FF-SHF 🔘 , 50(w) × 98(h) × 220(d) mm





FASTFRAME™Connectors

45° Connector Kit - Top & Bottom

FF-45C 이, 45(w) x 108(h) x 95(d) mm

90° Connector Kit - Top & Bottom

🔊 , Top 81.5(w) x 60.7(h) x 81.5(d) mm FF-90C O_, Bottom 81.5(w) x 60.7(h) x 81.5(d) mm

90° Middle Connector Kit - Pair

FF-90MC 💁 40(w) x 55(h) x 40(d) mm

90° Left Inside Connector Kit - Pair

FF-90LIC [0]_ 40w) x 55(h) x 40(d) mm

90° Right Inside Connector Kit - Pair

FF-90RIC 이, 55(w) x 85h) x 55(d) mm

Arch Connector Kit - 4 Brackets

FF-ACC O, 90(w) x 105(h) x 60(d) mm

Cross Connector Kit - Top & Bottom

O, Top 142(w) x 94.3(h) x 100.7(d) mm FF-CC (), Bottom 141.3(w) x 90(h) x 100.4(d) mm















FASTFRAME™ Connectors and Lighting

T-Shape Connector Kit - Top & Bottom

| Y Sha | pe Connector Kit - | Top & Bottom | | |
|-------------|---|--------------|-----------------|--|
| FF-YC | @_, Top 107(w) x 97.3(h) x 107(d) mm @_, Bottom 107(w) x 107(h) x 94.3(d) mm | | | |
| 2-Wa | y Connector - Sing | le | | |
| FF-2WC | (O, 41w) x 82(h) x 21(d) mm | | | |
| | | | | |
| 1-Wa | y Connector - Singl | e | | |
| | | | | |
| FF-4WC | (a), 150(w) x 12.12(h) x 19.6(d) mm | | | |
| FF-4WC | 150(w) x 12.12(h) x 19.6(d) mm | | | |
| | | x Lights | • | |
| | xhibition Light - 2 | x Lights | | |
| .ED E | xhibition Light - 2 | x Lights | • | |
| .ED E | xhibition Light - 2 | x Lights | | |
| .ED E | Exhibition Light - 2 ARM-BDLK | x Lights | FF-ACC | |
| .ED E | Sechibition Light - 2 ARM-BDLK <u> <u> </u></u> | FF-90C | FF-ACC | |
| LED E | ARM-BDLK | Ĩ | Arch connection | |

ΥĽ.

FF-45C

1

FF-45C

45° connection

T

FF-CC

#

FF-CC

Cross connection +

FF-TC

T

FF-YC


ũ.

FF-YC

Y-connection Y

Fastframe[™] Stand 12m²

Quick and easy to assemble and disassemble. Add energy saving LED lighting to illuminate the back walls for more standout.




Fastframe[™] Stand 15m²

Quick and easy to assemble and disassemble. Add energy saving LED lighting to illuminate the back walls for more standout.

| Material | Aluminium and ABS/nylon |
|--------------------|-------------------------|
| Profile width | 40mm |
| Profile colour | Silver |
| Assembly | Pre-assembled folding |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |

| Fastframe™ 1000x2000mm | FF-100X200 |
|-------------------------------------|--------------------|
| Fastframe™ 1000x2000mm graphic | G-FF-100X200-BB/PS |
| Fastframe™ 1200x2400mm | FF-120X240 |
| Fastframe™ 1200x2400mm (5) graphics | G-FF-120X240-BB/PS |
| Fastframe™ 1000x2400mm | FF-100X240 |
| Fastframe™ 1000x2400mm (2) graphics | G-FF-100X240-BB/PS |
| LED exhibition lights (5) | LED-EXHIB-ARM-BDLK |
| Fastframe™ middle full foot (4) | FF-MFF |
| Fastframe™ 90 degree connector kit | FF-90C |
| Fastframe™ ARCH KIT | FF-ACC |
| Fastframe™ two-way connector (4) | FF-2WC |
| | - |



Portable carry bag

Feet can be added if required

Graphics available in black back or polyester stretch, seamless

Silicone edged (SEG) graphic





Fastframe[™] Stand 24m²

Quick and easy to assemble and disassemble. Add energy saving LED lighting to illuminate the back walls for more standout.

| Material | Aluminium and ABS/nylon |
|--------------------|-------------------------|
| Profile width | 40mm |
| Profile colour | Silver |
| Assembly | Pre-assembled folding |
| Graphic area | Single or double-sided |
| Graphic attachment | SEG 3mm |

| Fastframe™ 1000x2400mm | FF-100X240 |
|--|--------------------|
| Fastframe™ 1000x2400mm (8) graphics | G-FF-100X240-BB/PS |
| Fastframe™ 1000x2000mm | FF-100X200 |
| Fastframe™ 1000x2000mm (4) graphics | G-FF-100X200-BB/PS |
| Fastframe™ middle full foot (5) | FF-MFF |
| Fastframe [™] pair side half feet (5) | FF-SHF |
| Fastframe™ Y-connector kit | FF-YC |
| Fastframe™ arch kit | FF-ACC |
| Fastframe™ two-way connector (5) | FF-2WC |
| Fastframe™ 90 degree connector kit | FF-90C |
| | |





Arena Structures


Arena Gantry structures for your stand

These 25mm diameter aluminium tubes have been assembled and welded into sections of various sizes to form the basis of an imposing and solid architecture.

A wide range of sections are available to make this solution compatible with your project requirements. With 13 components in various lengths and designs, you can create the right structure for you, and your chosen mode of transport.

Simple, tool-free assembly

Simple assembly - sections are connected using the supplied bolt and wing-nut fixings, and no tools are required. The double-sided graphics are attached to the gantry using a bungee cord. Create maximum brand visibility using sections up to 6m long without the need for reinforcement.



Arena components

Arena Straight Sections

The Arena Straight Sections are available in a variety of lengths, they are strong but lightweight with a natural silver grey finish. The system is quick and easy to assemble using bolt and wing-nut fixings. This aluminium tubular system is both modular and scalable, where different sections can be assembled and reused according to the needs of each project. The structure can then be dressed with interchangeable UV printed PVC graphics.

| UT-S250 | Section 250mm |
|----------|----------------|
| UT-S500 | Section 500mm |
| UT-S750 | Section 750mm |
| UT-S1000 | Section 1000mm |
| UT-S1250 | Section 1250mm |
| UT-S1500 | Section 1500mm |
| UT-S2000 | Section 2000mm |
| | |



Arena Junction Sections

The Arena Junction Sections are available in a variety of configurations including: 3-way T-junction, 4-way corner junction. The choice of sections enables a custom build design for your application to create a modular and scalable system. The structure can then be dressed with interchangeable UV printed PVC graphics.



90° angle 2 connections UT-C21



4-way corner connector UT-C41



Corner connection 3 connections UT-C30



Foot 250mm UT-BS250



T-junction 3 connections UT-C35



T-junction 4 connections UT-C40

Arena Gantry stand designs

Arena Custom Stand 16m²

Aluminium

| Material |
|--------------------|
| Colour |
| Graphic area |
| Graphic attachment |
| Graphic option |

Anodised Single or double-sided Bungee fixings Vinyl



Arena Custom Stand 36m²

| Material |
|--------------------|
| Colour |
| Graphic area |
| Graphic attachment |
| Graphic option |

Aluminium Anodised Single or double-sided Bungee fixings Vinyl



Arena Gantry free-standing design

Arena Custom Structure

| Material |
|--------------------|
| Colour |
| Graphic area |
| Graphic attachment |
| Graphic option |

Aluminium Anodised Single or double-sided Bungee fixings Vinyl



Arena Hanging Structure

The Arena hanging structure is a tubular aluminium stage structure used as a light bridge or suspended sign with 6m sides to draw attention to your brand.

| 1 0 | |
|--------------------|------------------------|
| Material | Aluminium |
| Colour | Anodised |
| Graphic area | Single or double-sided |
| Graphic attachment | Bungee fixings |
| Graphic option | viry |

Hanging structures

Formulate suspended signs have been specially designed to allow for easy and safe installation. The lightweight aluminium tubular structure makes them ideal for use on exhibition stands, in shopping arcades or in high traffic areas.

Formulate Square Hanging Structure

5 TEX

| Material | Aluminium tubes | | |
|-----------------------|--|------------------------------------|---|
| Tube | Ø 30 mm | | |
| Assembly | Push-fit button | | |
| Shape | Square | | |
| Graphic area | Double-sided | | |
| Graphic attachment | Zipped tension fabric graphic | | |
| Application | Suspended pitons included, Slings not inclu | ded | |
| Availability | Basic range - in stock | | AL TO A DEAL . AND |
| | | | |
| Square Formulate 800 | FORM-SQU-80 | [☐] 1500(w) x 800(h) x 1500(d) mm | ALL |
| Square Formulate 1000 | FORM-SQU-100 | ര്_ 3000(w) x 1000(h) x 3000(d) mm | ULLUL . |
| Square Formulate 1500 | FORM-SQU-150 | ്ര_ 4500(w) x 1500(h) x 4500(d) mm | |

Formulate Circular Hanging Structure

5 TEX

| Material Alumini | | nium tubes | | | |
|--------------------------|---|-------------------------------|-------------------------------------|--|--|
| Tube Ø 30 mr | | 30 mm | | | |
| Assembly | Push-fit | button | | | |
| Shape Circle | | e | | | |
| Graphic area | Double- | Double-sided | | | |
| Graphic attachment Zippe | | Zipped tension fabric graphic | | | |
| Application | Suspended pitons included, Slings not included | | | | |
| Availability | Basic range - in stock | | | | |
| | | | | | |
| Circular Formulate 800 | | FORM-RNG-80 | ത്ര_ 1500(w) x 800(h) x 1500(d) mm | | |
| Circular Formulate 1000 | | FORM-RNG-100 | ര_ 3000(w) x 1000(h) x 3000(d) mm | | |
| Circular Formulate 1500 | | FORM-RNG-150 | ര്വ് 4500(w) x 1500(h) x 4500(d) mm | | |




Formulate Rectangular Hanging Structure

Aluminium tubes Tube Ø 30 mm Push-fit button Assembly Shape Rectangle Graphic area Double-sided Graphic attachment Zipped tension fabric graphic Application Suspended pitons included, Slings not included Availability Basic range - in stock FORM-RTG-M100 Formulate Rectangle 250 ര്_ 3500(w) x 1000(h) x 2500(d) mm Formulate Rectangle 350 FORM-RTG-L100

FORM-RTG-XL120

ര്വ_ 5000(w) x 1200(h) x 2500(d) mm



5 TEX

5 TEX

MS Panel

Formulate Rectangle 500

Material

| Material | Aluminium tubes | | | |
|---------------------|-------------------------------|--|-----------------------------------|--|
| Tube | Ø 30 mm | | | |
| Assembly | Push-fit | button | | |
| Shape | Rectang | le | | |
| Graphic area | Double- | sided | | |
| Graphic attachment | Zipped tension fabric graphic | | | |
| Application | | ispended tons included, Slings not included | | |
| Availability Basic | | asic range - in stock | | |
| Formulate Panel 250 | | FORM-FLT-M100 | ര്ര_ 2500(w) × 1000(h) × 30(d) mm | |
| Formulate Panel 350 | | FORM-FLT-L100 | ്ര_ 3500(w) x 1000(h) x 30d) mm | |
| Formulate Panel 500 | | FORM-FLT-XL120 | 5000(w) x 1200(h) x 30(d) mm | |






Display Backwalls

Display Backwalls create a dramatic backdrop to events, presentations, product demonstrations, pop-up shops or window displays. They are also ideal for smaller spaces, or as large static advertising boards in public spaces such as museums, reception areas, public transportation hubs and other large spaces.

Segmented frame walls are fully configurable, professional grade backwalls, where flexibility, ease of storage, reusing, portability and assembly are important. The pop-up display backwalls are constructed from lightweight aluminium scissor mechanisms that are easy to transport, assemble and store, and are ideal for small exhibitions or events as well as static displays. For a simple backdrop, the Pegasus tension walls offer a cost effective, easy solution to meet those needs. Configurable in both height and width, the tension wall is quick to assemble and makes an ideal backdrop to temporary or short-term presentations.

Display Backwalls

Backwalls can be configured in a variety of ways, based on the application, with each offering a different method of consturction, illumination and use.



Pop-up backwalls

Impact Pop-up Straight

A great entry level display backwall that is perfect for use at an exhibition, event or for a demonstration backdrop. Frames are available in a variety of widths, and are quick and easy to deploy using the self-locating locking arms. Magnetic tape attaches to the back of the graphic panels enabling them to be attached directly to the mag bars which are mounted to the frames.

| Material | Aluminium structure, plastic connectors |
|--------------------|---|
| Assembly | Magnetic connectors |
| Shape | Straight |
| Graphic area | Single-sided (with or without D-ends) / double-sided (optional) |
| Graphic attachment | Mag bars, hangers and kickers |
| Application | Free-standing |
| | |

| 3x2 Straight | IMP-3X2S | ര്_ 1970(w) x 2225(h) x 306(d) mm |
|--------------|----------|-----------------------------------|
| 3x3 Straight | IMP-3X3S | ര്_ 2700(w) x 2225(h) x 306(d) mm |
| 3x4 Straight | IMP-3X4S | ര്_ 3435(w) x 2225(h) x 306(d) mm |











Magnetic bars

Magnetic Locking arms

Hook-over graphic attachment

Impact Pop-up Straight Bundle

Impact Pop-up straight bundles are a great entry level display backwall kit that contains everything you will need to get you up and running at a show, event or demonstration - they even come with a counter and lighting!

| Aluminium structure, plastic connectors Magnetic connectors Straight | | |
|--|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Impact Pop-up Bundle













Straight or curved frame system

Hangers, kickers and mag bars

1x Roll of self-adhesive magnetic tape (EM301)

Zenith transport and counter base case

Thermoformed table top in beech

2x PS950-1000-LED-BDLK lights

Impact Pop-up Curved

A great entry level display backwall that is perfect for use at an exhibition, event or for a demonstration backdrop. Frames are available in a variety of widths, and are quick and easy to deploy using the self-locating locking arms. Magnetic tape attaches to the back of the graphic panels enabling them to be attached directly to the mag bars which are mounted to the frames.

| Material | Aluminium structure, plastic connectors | | | |
|--------------------|---|---------------------|-----------------------------------|--|
| Assembly | Magnetic cor | Magnetic connectors | | |
| Shape | Curved | Curved | | |
| Graphic area | Single-sided (with or without D-ends) / double-sided (optional) | | | |
| Graphic attachment | Mag bars, hangers and kickers | | | |
| Application | Free-standing | | | |
| | | | | |
| 3x2 Curved | | IMP-3X2C | ര്_ 1930(w) x 2225(h) x 485(d) mm | |

| 3x2 Curved | IMP-3X2C | ര്_ 1930(w) x 2225(h) x 485(d) mm |
|------------|----------|------------------------------------|
| 3x3 Curved | IMP-3X3C | ത്ര_ 2540(w) x 2225(h) x 685(d) mm |
| 3x4 Curved | IMP-3X4C | ര്വ_ 3070(w) x 2225(h) x 960(d) mm |







Magnetic bars

Magnetic Locking arms

Impact Pop-up Curved Bundle

Impact Pop-up curved bundles are a great entry level display backwall kit that contains everything you will need to get you up and running at a show, event or demonstration - they even come with a counter and lighting!

Hook-over graphic attachment

| Material | Aluminium structure, plastic connectors |
|--------------------|---|
| Assembly | Magnetic connectors |
| Shape | Curved |
| Graphic area | Single-sided (with or without D-ends) / double-sided (optional) |
| Graphic attachment | Mag bars, hangers and kickers |
| Application | Free-standing |
| | |

| 3x2 Curved | 99-XX-110 | ്ര_ 1930(w) x 2225(h) x 485(d) mm |
|------------|-----------|------------------------------------|
| 3x3 Curved | 99-XX-071 | ര്വ_ 2540(w) x 2225(h) x 685(d) mm |
| 3x4 Curved | 99-XX-070 | ര്_ 3070(w) x 2225(h) x 960(d) mm |

Impact Pop-up Bundle













Carry bag

Straight or Hang curved frame and system

Hangers, kickers and mag bars

1x Roll of self-adhesive magnetic tape (EM301)

Zenith Thermoformed transport and table top in counter base beech case

d 2x PS950-1000-LED

2x PS950-1000-LED-BDLK lights

Quick+ Straight Kit

The premium Quick+ Straight display backwall is a full magnetic system that can be used single or double-sided. Use with optional interchangeable, vibrant UV printed PVC graphics. Deploys tool-free in seconds straight out of the supplied protective padded bag giving you a brilliant backwall display for your event or shell scheme. Quick+ displays are also available in a curved display and come in 3 different sizes.

| Material | Aluminium structure, plastic connectors | |
|--------------------|---|--|
| Assembly | Magnetic connectors | |
| Shape | Straight | |
| Graphic area | Single-sided (with or without D-ends) / double-sided (optional) | |
| Graphic attachment | Mag bars, hangers and kickers | |
| Application | Free-standing | |
| | | |
| | | |

| 3x2 Straight | WH222-S-CA | ്ര_ 1970(w) x 2225(h) x 306(d) mm |
|--------------|------------|---|
| 3x3 Straight | WH223-S-CA | ര്വ_ 2700(w) × 2225(h) × 306(d) mm |
| 3x4 Straight | WH224-S-CA | <u>ര</u> ്ച 3435(w) x 2225(h) x 306(d) mm |









Square end magnetic bars M

Magnetic locking arms

Magnetic hanger

Quick+ Curved Kit

The premium Quick+ Curved display backwall is a full magnetic system that can be used single or double-sided. Use with optional interchangeable, vibrant UV printed PVC graphics. Deploys tool-free in seconds straight out of the supplied protective padded bag giving you a brilliant backwall display for your event or shell scheme. Quick+ displays are also available in a straight display and come in 3 different sizes.

| Material | Aluminium structure, plastic connectors | | | |
|----------------------|---|--------------|-----------------------------------|--|
| Assembly | Magnetic connectors | | | |
| Shape | Curved | | | |
| Graphic area | Single-sided (with or without D-ends) / double-sided (optional) | | | |
| Graphic attachment | Mag bars, hangers and kickers | | | |
| Application Free-sta | | ree-standing | | |
| | | | | |
| 3x2 Curved | | WH222-C-CA | ്രൂ 1930(w) x 2225(h) x 485(d) mm | |
| 3x3 Curved | | WH223-C-CA | စြ္ 2540(w) x 2225(h) x 685(d) mm | |

WH224-C-CA





3x4 Curved





ര്പ്പ 3070(w) x 2225(h) x 960(d) mm





Square end magnetic bars

Magnetic locking arms

Magnetic hanger

Quick+ Straight Bundle

The Premium Quick+ Straight Display Bundle includes the full magnetic display backwall kit which can be used single or double-sided, the unique Zenith transit case which converts to a counter and two PS950-1000 LED lights. Use with optional interchangeable, vibrant UV printed PVC graphics. Deploys tool-free in seconds, giving you a brilliant backwall display for your event or shell scheme. Quick+ displays are also available in a curved display bundle and come in 3 different sizes.

| Material | Aluminium structure, plastic connectors |
|--------------------|---|
| Assembly | Magnetic connectors |
| Shape | Straight |
| Graphic area | Single-sided (with or without D-ends) / double-sided (optional) |
| Graphic attachment | Mag bars, hangers and kickers |
| Application | Free-standing |
| | |

| 3x2 Straight | 99-XX-101Q | ര്വ_ 1970(w) x 2225(h) x 306(d) mm |
|--------------|------------|------------------------------------|
| 3x3 Straight | 99-XX-102Q | ര്വ_ 2700(w) × 2225(h) × 306(d) mm |
| 3x4 Straight | 99-XX-103Q | ര്വ_ 3435(w) x 2225(h) x 306(d) mm |



Quick+ Kit















Padded nvlon carry bag

Ouick+ Structure Straight / Curved and mag bars

Quick+ Bundle

1x Roll of self-adhesive magnetic tape (EM301)

Zenith transport and counter base case

Thermoformed table top in beech

PS950-1000-LED-BDLK lights



Quick+ Curved Bundle

The Premium Quick+ Curved Display Bundle includes the full magnetic display backwall kit which can be used single or double-sided, the unique Zenith transit case which converts to a counter and two PS950-1000 LED lights. Use with optional interchangeable, vibrant UV printed PVC graphics. Deploys tool-free in seconds, giving you a brilliant backwall display for your event or shell scheme. Quick+ displays are also available in a straight display bundle ond came is a different size. and come in 3 different sizes.

| Material | Aluminium structure, plastic connectors |
|--------------------|---|
| Assembly | Magnetic connectors |
| Shape | Curved |
| Graphic area | Single-sided (with or without D-ends) / double-sided (optional) |
| Graphic attachment | Mag bars, hangers and kickers |
| Application | Free-standing |
| | |

| 3x2 Curved | 99-XX-016Q | ര_ 1930(w) x 2225(h) x 485(d) mm |
|------------|------------|-----------------------------------|
| 3x3 Curved | 99-XX-017Q | ര്വ_ 2540W) x 2225(h) x 685(d) mm |
| 3x4 Curved | 99-XX-020Q | ල_ 3070(w) x 2225(h) x 960(d) mm |

Quick+ Bundle



Ouick+ Kit





Straight / Curved









Padded nylon carry bag

Hangers, kickers and mag bars

1x Roll of self-adhesive magnetic tape (EM301)

Zenith transport and counter base case

Thermoformed table top in beech

PS950-1000-LED-BDLK lights



Hop-up Impact Straight



Impact Hop-ups are simple lightweight interlocking frame structures that deploy in minutes. Complete with tension-fit graphics that can stay on even when packed away.

| 1 | | 5 | 1 |
|--------------------|----------|------------------------------|------------------------------------|
| Material | Alumini | um structure, plastic conne | ectors |
| Assembly | Lock tog | gether with clips | |
| Shape | Straight | | |
| Graphic area | Single-s | ided (with or without returr | ns) or double-sided (optional) |
| Graphic attachment | Hook ar | nd loop | |
| Application | Free-sta | inding | |
| | | | |
| 3x2 quads | | HUI3X2 | ြ_ 1525(w) x 2260(h) x 295(d) mm |
| 3x3 quads | | HUI3X3 | ര്വ_ 2260(w) x 2260(h) x 295(d) mm |
| 3x4 quads | | HUI3X4 | ര്വ് 2995(w) x 2260(h) x 295(d) mm |
| 3x5 quads | | HUI3X5 | ര്_ 3730(w) × 2260(h) × 295(d) mm |









Easy to transport





Graphics attach with hook and loop fastener

Ancillaries :

j⊙_ N/A

ES508

Hop-up Impact Curved

Impact Hop-ups are simple lightweight interlocking frame structures that deploy in minutes. Complete with tension-fit graphics that can stay on even when packed away.

| Aluminium structure, plastic connectors |
|---|
| Lock together with clips |
| Curved |
| Single-sided (with or without returns) |
| Hook and loop |
| Free-standing |
| |
| |

| 3x3 quads | HOP-2-3X3-C | 2310(w) x 2270(h) x 570(d) mm |
|-----------|-------------|-----------------------------------|
| 3x4 quads | HOP-2-3x4-C | ര്_ 2950(w) × 2260(h) × 810(d) mm |





Easy to transport

Plastic connectors



Graphics attach with hook and loop fastener







FASTFRAME™Pop-up Kit





Dimensions based on configuration shown



Fabric tube walls

Formulate Straight


5 TEX

Formulate Straight backwalls are constructed of lightweight 30mm diameter push-fit aluminium tubing for tool-free simple deployment. Complete with optional double-sided dye-sublimated tension-fit fabric graphics that zip at the base to perfectly contour the shaped aluminium structure and maximize your brand message. Formulate displays offer a variety of great shapes with clean lines, ideal for creating picture backwalls or defining areas in rooms by screening or zoning.

| Material | Aluminium tubing |
|--------------------|------------------------------------|
| Tube | Ø 30 mm |
| Assembly | Push-fit / Allen key |
| Shape | Straight |
| Graphic area | Double-sided |
| Graphic attachment | Zipped tension fabric graphic |
| Application | Free-standing with feet (included) |
| | |

| 2000 mm | FORM-STR-20 | ര്_ 2000(w) x 2380(h) x 400(d) mm |
|---------|-------------|------------------------------------|
| 2400 mm | FORM-STR-24 | ര്_ 2350(w) x 2380(h) x 400(d) mm |
| 3000 mm | FORM-STR-30 | ര്_ 2950(w) x 2380(h) x 400(d) mm |
| 4000 mm | FORM-STR-40 | ര്_ 3950(w) x 2380(h) x 400(d) mm |
| 5000 mm | FORM-STR-50 | ര്വ_ 4950(w) x 2380(h) x 400(d) mm |
| 6000 mm | FORM-STR-60 | ര്വ_ 5950(w) x 2380(h) x 400(d) mm |







Numbered system for easy assembly Gloves included

Formulate Horizontal Curve

Formulate Horizontal Curve displays are an eye-catching shape, constructed of lightweight 30mm diameter push-fit aluminium tubing, combined with a zipped tension-fit graphics for tool-free impressive backwalls. Formulate displays offer a variety of great shapes with clean lines, ideal for creating picture backwalls or defining areas in rooms by screening or zoning. The optional double-sided tension fabric graphics perfectly contour the shaped aluminium structures and maximise your brand message.

| Material | Aluminium tubes |
|--------------------|-------------------------------|
| Tube | Ø 30 mm |
| Assembly | Push-fit button |
| Shape | Horizontal curve |
| Graphic area | Double-sided |
| Graphic attachment | Zipped tension fabric graphic |
| Application | Free-standing |
| | |

| th clean | | |
|--|---|-----|
| zoning. | | |
| ninium | | |
| | | |
| | | |
| Contraction of the local division of the loc | - | n - |
| | | |
| | | |
| | | I |
| | | |
| | | |
| | | |
| | | J |
| | | |



| 2400 mm | FORM-CUR-24 | ര്വ_ 2350(w) x 2380(h) x 500(d) mm |
|---------|-------------|------------------------------------|
| 3000 mm | FORM-CUR-30 | ര്വ_ 2950(w) x 2380(h) x 500(d) mm |
| 6000 mm | FORM-CUR-60 | ര്വ_ 5910(w) x 2380(h) x 900(d) mm |
| | | |









Zipped tension fabric graphic

Bungee tubes

Numbered system for easy assembly

Possibility to add LED Spotlights and Ancillaries







Display Backwalls

Tension walls

Horizon

Horizon is the ideal solution for large scale promotions. Use single-sided or double-sided



| to maximise the impact for brand displays. Link individual units together to form a | | | |
|---|--|--|--|
| display wall. Securely weighted by twin water filled bases for total stability. | | | |
| | | | |
| Aluminium, moulded grey plastic base | | | |
| A (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) | | | |
| Adjustable height (1500-2400 mm) | | | |
| | | | |

| Graphic area | Single or double-sided |
|--------------------|------------------------|
| Graphic attachment | Eyelets |
| Base capacity | 28 litres per tank |
| Wind resistance | Up to 12 mph / 19 km/h |
| | |

| Horizon | UB203 | බ_ 2500(w) x 1500/3000(h) x 800(d) mm |
|---------|-------|---------------------------------------|
|---------|-------|---------------------------------------|





eyelets



Pegasus

The large-format Pegasus tension banner has telescopic poles and can adjust to 2.5m wide and tall - perfect for large format imagery and brand messaging. Tool-free assembly for quick and simple deployment, Pegasus packs down into a supplied carry bag, and is suitable for vinyl or fabric graphics with pole pockets.

| Material | Aluminium |
|--------------------|------------------------------------|
| Assembly | Telescopic poles / screws |
| Shape | Straight |
| Graphic area | Single or double-sided |
| Graphic attachment | Pole pocket |
| Application | Free-standing with feet (included) |
| | |

| | Pegasus | UB165-S | ര്ര_ 1429/2540(w) x 1000/2515(h) x 442(d) mm |
|--|---------|---------|--|
|--|---------|---------|--|









pole pocket



Poles slide into graphic

Quick and easy installation



Pegasus 3m

The most compact 3m wide video wall! Ideal for large format photo calls for group meetings, political events or product launches.

| Material | Aluminium |
|--|-----------------------------|
| Assembly | Telescopic twist-lock poles |
| Shape | Straight |
| Graphic area | Single sided |
| Graphic attachment | Pole pocket |
| Application Free-standing with feet (included) | |
| | |

Pegasus 3 m UB167-S

ල_ 1845/3180(w) x 1835/2610(h) x 440(d) mm



from 1845 to 3180 mm ------







Quick and easy installation

Telescopic poles



Display Banners

Portable display banners are ideal for a temporary but stable communications tool.

Our unique range of Display Banners are highly portable, quick to deploy and suitable for a broad range of applications. Choose from the economy range through to premium options for use indoors or select specifically designed solutions for outdoor applications.

Alternatively the fabric systems are a premium display solution, featuring aluminium tubing, with double-sided high-quality dye sublimated fabric graphics. Easy to deploy with tool-free assembly.

Display Banners

Affordable by nature, the roller banner range delivers a convenient, tool-free solution, with retractable graphics that deploy in seconds. Choose from a range of indoor or outdoor designs that best suits your application, with single or double-sided graphic options.

Tension banners are constructed of lightweight materials and offer the best value for money.



Tension textile systems

Formulate Monolith

Monolith; the gentle giant, with weighted base for high traffic areas and practical, changeable fabric graphics for multiple brand messaging. This tall double-sided display banner comes in a variety of widths, from 600mm up to 1500mm, and is trusted for stability and easy deployment.

| Material | Aluminium tubes, steel base |
|--------------------|--|
| Tube | Ø 30 mm |
| Assembly | Push-fit button, Allen key |
| Graphic area | Double-sided |
| Graphic attachment | Zipped tension fabric graphic |
| Application | Free-standing with metal base (included) |
| Transport | Padded with compartments |
| | |

| 600 mm | FORM-MON-600 | ര്വ് 600(w) x 2380(h) x 300(d) mm |
|---------|---------------|------------------------------------|
| 900 mm | FORM-MON-900 | ര്വ_ 900(w) x 2380(h) x 300(d) mm |
| 1200 mm | FORM-MON-1200 | ര്വ_ 1200(w) × 2380(h) × 300(d) mm |
| 1500 mm | FORM-MON-1500 | 1500(w) × 2380(h) × 300(d) mm |



Hinged metal base (from sizes 900mm wide upward)



Bungee tubes



Formulate Monolith Eco

The Formulate Monolith Eco is an ideal alternative to a roller banner as it provides a cost effective option for the budget conscious whilst delivering an uninterrupted double-sided stretch fabric display. It comes with powder coated steel feet for increased stability that connect to the aluminium tubular frame. The tension graphic hugs the frame and is zipped at the base to hold it in place.

| Material | Aluminium tubes, powder coated steel feet |
|--------------------|---|
| Tube | 25mm |
| Assembly | Push-fit, tool-free |
| Graphic area | Single or double-sided |
| Graphic attachment | Tension fabric graphic |
| Application | Free-standing with feet (included) |
| Transport | Simple carry bag |
| | |

| 800 mm | FORM-MON-ECO-800 | ര്വ_ 800(w) × 2009(h) × 378(d) mm |
|---------|-------------------|-----------------------------------|
| 1000 mm | FORM-MON-ECO-1000 | 1000(w) x 2009(h) x 378(d) mm |






Bungee tubes Numbered system on tubes for easy assembly

Vector Media

Vector Media is a versatile display which accepts a variety of changeable media substrates; from SEG stretch fabric to rollable PVC. Each side of the frame has a channel for SEG fabrics, alternatively you can also use PVC with magnetic tape that magnetise to the inner frame profile.

| Material | Aluminium |
|--------------------|--|
| Profile width | 35 mm |
| Profile Colour | Silver |
| Assembly | Tool-free |
| Graphic area | Single or double-sided |
| Graphic attachment | For textile graphics: 3 mm SEG For PVC graphics: magnetic tape (included) |
| Application | Free-standing solid foot |

| Vector Media | VF-MEDIA-16X06 | ු_ 600(w) x 1610(h) x 280(d) mm |
|--------------|----------------|---------------------------------|
|--------------|----------------|---------------------------------|





Fabric graphic with silicone edging (SEG)



PVC graphic with magnetic tape



600mm







800mm



1500mm





1200mm



Mosquito Orient+ Barracuda



850mm







Orient+ Mosquito Barracuda

Outdoor





Table Top

Thunder 2 Blizzard



Breeze A4 Breeze A3



1000mm

Roller banners (economy)

Wasp

The Wasp roller banner is an entry level product, ideal for short-term events or displays, where cost is a primary consideration. Despite its affordable price, Wasp is made to exacting quality standards and carries a full manufacturer's warranty, so you can be confident it will perform as expected.

| Material | Aluminium, plastic end caps on rail and feet tips |
|--------------|---|
| Rail | Snap rail |
| Pole | Aluminium three-part bungee pole |
| Leader | Self-adhesive |
| Graphic area | Single-sided |
| Feet | Twin, twist-out feet |
| Transport | Simple nylon bag |
| | |

| 600 mm | UB204-600-05 | ര്_ 615(w) x 1710/2080(h) x 320(d) mm |
|---------|---------------|---------------------------------------|
| 800 mm | UB204-800-03 | ര്വ_ 815(w) × 2080(h) × 320(d) mm |
| 850 mm | UB204-850-03 | ര്വ് 865(w) × 2080(h) × 320(d) mm |
| 1000 mm | UB204-1000-03 | ര്വ_ 1015(w) x 2080(h) x 320(d) mm |









Mantis

The Mantis roller banner is suitable for budget conscious users, who need a cost-effective roller banner with a little more durability for busier areas. With a weighted base, the unit provides enhanced stability over the unweighted banners in the range. Despite its economical price, Mantis is made to exacting quality standards and carries a full manufacturer's warranty, so you can be confident it will perform as expected.

| Material | Aluminium, plastic end caps on rail |
|--------------|-------------------------------------|
| Rail | Snap |
| Pole | Bungee |
| Leader | Self-adhesive |
| Graphic area | Single-sided |
| Feet | Twin, twist-out feet |
| Transport | Padded nylon bag with side opening |
| | |

| 800 mm | UB216-800-01 | ര്വ് 818(w) x 2085(h) x 280(d) mm |
|---------|---------------|------------------------------------|
| 850 mm | UB216-850-01 | ු_ 868(w) x 2085(h) x 280(d) mm |
| 1000 mm | UB216-1000-01 | ര്ര_ 1018(w) x 2085(h) x 280(d) mm |



Pole top



Rigidising bracket in base for increased strength and longevity of banner





Mosquito

The Mosquito roller banner is an industry standard workhorse. This roller banner offers a blend of affordability, durability and robustness that is often copied, but never equalled. It is constructed from more robust componentry, allowing it to perform reliably in high traffic applications, or where there are likely to be repeated deployments of the roller banner.

| Material | Aluminium and plastic |
|--------------|---|
| Rail | Snap rail |
| Pole | Aluminium three-part bungee pole |
| Leader | Self-adhesive |
| Graphic area | Single-sided |
| Feet | Twin, twist-out feet |
| Transport | Nylon bag with inner protection (double skin) |
| | |

| 800 mm | UB197 | ര്_ 860(w) x 2105(h) x 285(d) mm |
|---------|------------|------------------------------------|
| 850 mm | UB196 | ര്_ 910(w) x 2105(h) x 285(d) mm |
| 1000 mm | UB197-1000 | ര്വ് 1060(w) x 2105(h) x 285(d) mm |
| 1200 mm | UB197-1200 | ര്_ 1260(w) x 2105(h) x 285(d) mm |
| 1500 mm | UB197-1500 | ര്_ 1560(w) x 2105(h) x 285(d) mm |
| 2000 mm | UB197-2000 | ര്_ 2060(w) x 2105(h) x 285(d) mm |





Rigidising bracket in base for increased strength and longevity of banner











Grasshopper

The Grasshopper roller banner is an industry standard workhorse. A popular, classic-style lightweight economy banner with twin twist-out feet for stability. This roller banner offers a blend of affordability, durability and robustness.

| Material | Aluminium and plastic |
|--------------|---|
| Rail | Adhesive Rail |
| Pole | Aluminium three-part bungee pole |
| Leader | Self-adhesive |
| Graphic area | Single-sided |
| Feet | Twin, twist-out feet |
| Transport | Nylon bag with inner protection (double skin) |
| | |

| 800 mm | UB191 | ලි_ 860(w) x 2105(h) x 285(d) mm |
|--------|-------|-----------------------------------|
| 850 mm | UB193 | ര്വ_ 910(w) x 2105(h) x 285(d) mm |







Self-adhesive rail

Three-part bungee pole

Rigidising bracket in base for increased strength and longevity of banner



Roller banners (standard)

Dragonfly 2

Economical and cost-effective double-sided roller banner with pole storage in base. Comes with padded nylon bag for ease of transportation.

| Material | Aluminium, plastic end caps on rail |
|--------------|-------------------------------------|
| Rail | Snap rail with end caps |
| Pole | Aluminium three-part bungee pole |
| Leader | Self-adhesive |
| Graphic area | Double-sided |
| Feet | Twin, twist-out feet |
| Transport | Padded nylon bag |
| | |

| 850 mm | UB199-850-01 | ത്_ 890(w) x 2105(h) x 395(d) mm |
|---------|---------------|------------------------------------|
| 1000 mm | UB199-1000-01 | ര്വ_ 1040(w) x 2105(h) x 395(d) mm |



7 Double-sided





Nylon padded carry bag included



Orient +

The Orient + is a trusted market leading roller banner that delivers stability whilst still being cost-effective. With its front-loading graphic that pulls up from the front of the base, the banner design ensures your brand message has maximum visibility from floor to top rail. It comes with our manufacturer's quality warranty, giving peace of mind.

| Material | Aluminium and plastic |
|--------------|---|
| Rail | Patented Dual action self-adhesive and snap rail |
| Pole | Hybrid adjustable height telescopic pole |
| Leader | Self-adhesive or Hook and Loop |
| Graphic area | Single-sided |
| Feet | Adjustable |
| Transport | Padded nylon bag with side opening and foam reinforced ends |
| | |

| 800 mm | WH353-800-003 | ്ര_ 840(w) x 1595/2220(h) x 185(d) mm |
|---------|----------------|---|
| 850 mm | WH353-850-003 | ര്വ_ 890(w) x 1595/2220(h) x 185(d) mm |
| 1000 mm | WH353-1000-003 | ര്വ_ 1040(w) x 1595/2220(h) x 185(d) mm |
| 1200 mm | WH353-1200-003 | ര്വ_ 1240(w) x 1595/2220(h) x 185(d) mm |
| 1500 mm | WH353-1500-003 | ര_ 1540(w) x 1595/2220(h) x 185(d) mm |
| 2000 mm | WH353-2000-003 | ര്വ_ 2040(w) x 1595/2220(h) x 185(d) mm |
| | | |







Hybrid telescopic pole

Pole top

Banner components



Delta Lite

The Delta Lite roller banner is highly stylish and has great stability thanks to the wide footprint aluminium base. This elegant banner has great design details including the chrome finished end covers. With adjustable levelling feet and telescopic pole, Delta Lite is excellent value for money. It comes with our manufacturer's quality warranty, giving you peace of mind that it will perform every time.

| Material | Aluminium, chrome base end covers | |
|--------------|--|--|
| Rail | Snap rail with end caps | |
| Pole | Hybrid adjustable height telescopic pole | |
| Leader | Self-adhesive | |
| Graphic area | Single-sided | |
| Feet | Adjustable | |
| Transport | Padded nylon bag | |
| | | |

850 mm UB205-850-004







ര്_ 903(w) x 1625/2224(h) x 203(d) mm

Hybrid telescopic pole



Use outdoors



Thunder 2

PVC

The Thunder 2 double-sided retractable roller banner is ideal for outdoor use as it is strong and durable yet very easy to assemble and transport. Standing 2m high, Thunder 2 will display your message on both sides for maximum viewing impact.

| Material | Plastic, aluminium and steel | |
|--------------------|---|--|
| Pole | Three part bungee pole | |
| Graphic area | Double-sided | |
| Graphic attachment | Self-adhesive leader / top snap rail | |
| Ground fixing | 4 pegs (included) | |
| Wind resistance | Up to 7 mph / 11 km/h (unpegged) up to 24 mph / 39 km/h (if pegged) | |
| Transport | Padded bag | |
| | | |

UB185-850-01 (D) x 740(d) mm





Ground pegs



Roller banners (premium)

Merlin

Merlin is a sleek and elegant premium roller banner with an interchangeable graphic cassette which extends the life of the banner as graphics are quick and easy to change. The graphic cartridge is housed independently from the main base unit so it is simple to remove and replace with new graphics and old graphics can also be reused, just by swapping the cassette. A great value-for-money solution if the message or marketing campaign changes regularly. The Merlin roller banner comes with our manufacturer's quality warranty, giving peace of mind that it will perform every time.

| Material | Aluminium and plastic | |
|--------------|---|--|
| Rail | Snap rail | |
| Pole | Hybrid adjustable height telescopic pole | |
| Leader | Cassette banner with adhesive leader | |
| Graphic area | Single-sided | |
| Feet | Adjustable | |
| Transport | Padded nylon with side opening and foam reinforced ends | |

UB160-850-01

850 mm









Barracuda





5 PVC

The original best-selling premium Barracuda roller banner delivers a reliable, enduring display which is backed up by a life-time manufacturer's hardware warranty. The stylish anodised aluminium base has an elegant pinstripe detail on the front casing. Barracuda is height adjustable and has a large internal graphic housing and tensioner.

| Material | Aluminium and plastic |
|--------------|---|
| Rail | Patented snap rail |
| Pole | Hybrid adjustable height telescopic pole |
| Leader | Self-adhesive slider |
| Graphic area | Single-sided |
| Feet | Adjustable |
| Transport | Padded nylon with side opening and foam reinforced ends |
| | |

| 800 mm | WH321C-800A3 | <u>ල</u> 860(w) × 1605/2210(h) × 200(d) mm |
|---------|---------------|--|
| 1000 mm | WH321C-1000A3 | ത്ര_ 1060(w) x 1605/2210(h) x 200(d) mm |
| 1200 mm | WH321C-1200A3 | ത്ര_ 1260(w) x 1605/2210(h) x 200(d) mm |
| 1500 mm | WH321C-1500A3 | ത്ര_ 1560(w) x 1605/2210(h) x 200(d) mm |
| 2000 mm | WH321C-2000A3 | ത്ര_ 2060(w) x 1605/2210(h) x 200(d) mm |
| 2400 mm | WH321C-2400A3 | ල_ 2460(w) × 1605/2210(h) × 200(d) mm |






Rail cap

Ratchet graphic tensioner



FASTFRAME™

FASTFRAME™1000x500 - 2 Pack








Feet can be added if required. Feet sold separately



Silicone edged (SEG) graphic



FASTFRAME™1000x1000 - 2 Pack




FASTFRAME™1000x2000



FASTFRAME™

FASTFRAME™1200x2400









Includes 2 x feet



Breeze

The Breeze mini roller banner is ideal for use on a tabletop, counter, or reception desk. Ultra-light and simple to assemble, it delivers a professional, smart display that is elegant and stylish.

| Material | Aluminium, plastic end caps on rail |
|--------------|-------------------------------------|
| Rail | Self-adhesive |
| Pole | Aluminium, two-part pole |
| Leader | Self-adhesive |
| Graphic area | Single-sided |
| Transport | Padded nylon bag |
| | |

| Breeze A4 | WH360 | බ_ 332(w) x 440(h) x 82(d) mm |
|-----------|-------|-------------------------------|
| Breeze A3 | WH361 | ල_ 238(w) x 335(h) x 80(d) mm |









Tension banners (X Banner)

Beijing Lite

The Beijing Lite is a basic X-Banner with an ultra-light frame. It is very easy to assemble and compact once packed down.

| Material | Fibreglass |
|--------------------|-----------------------------|
| Graphic area | Single-sided |
| Graphic attachment | Eyelets |
| Application | Free-standing |
| Transport | Budget drawstring carry bag |

| 600 mm | WH358-6X16-01 | ര്വ_ 600(w) x 1800(h) x 650(d) mm |
|--------|---------------|-----------------------------------|
| 800 mm | WH358-8X18-01 | ത്ര 800(w) × 1800(h) × 650(d) mm |



Banner reverse



Graphic attaches with eyelets





Blizzard

Blizzard is a great all-rounder as it is ideal for all kinds of corporate, sporting and outdoor events. Its simple design makes it very easy to assemble on-site, and because it's adjustable, it can accommodate different graphic sizes to suit your application.

| Material | Plastic and metal |
|--------------------|--------------------------------|
| Pole | Adjustable in width and height |
| Graphic area | Single-sided |
| Graphic attachment | Eyelets |
| Base capacity | 12 litres |
| Wind resistance | Up to 18 mph / 29 km/h |
| Transport | Non-padded bag |
| | |


Blizzard UB701 @_ 600/800(w) x 1600/2100(h) x 540(d) mm



Non-padded bag included








Display Signs

We deliver a comprehensive range of professional display signage solutions for a variety of uses from navigational signs to advertising, information, decorative and display needs.

Display signage solutions are versatile, reusable, durable, and reliable, ensuring investment in hardware is maximised, whilst allowing the flexibility to update marketing messages frequently.

Display Signs

With a wide choice of installation options such as wall, suspended or free-standing, we are proud to offer one of the most comprehensive ranges on the market.



Free-standing signs

Wedge

Wedge is a weighted clamping banner base range that comes in 2 parts and is designed to hold a variety of rigid substrates for indoor or temporary outdoor usage. Available in four sizes from 300mm up to 1000mm, Wedge can be used in tandem with a second pair of bases to create larger displays.

| Material | Powder coated steel | | |
|--------------------|--|-------------|--------------------------------|
| Graphic area | Single or double-sided | | |
| Graphic attachment | Screwed to base | | |
| Graphic option | Rigid panel from 18-40mm thickness - optional extra 1500mm height max. | | |
| Application | Free-standing | | |
| | | | |
| Wedge 300 mm | | UB102-300-S | ത്_ 300(w) x 85(h) x 360(d) mm |

| Wedge 600 mm | UB102-600-S | ര്വ_ 600(w) x 85(h) x 360(d) mm |
|---------------|--------------|---------------------------------|
| Wedge 800 mm | UB102-800-S | ര്വ_ 800(w) x 85(h) x 360(d) mm |
| Wedge 1000 mm | UB102-1000-S | ര്_ 1000(w) x 85(h) x 360(d) mm |





Sentry

Sentry is a handy and versatile way of imparting brand messaging or wayfinding information quickly and tool-free using the 'snap action' poster area which can be deployed either landscape or portrait. A3 and A4 sizes are available and the weighted base aids deployment in high foot-fall areas.

| Material | 25mm alum | inium profile, clear PVC pro | tection sheet |
|--------------------|---------------|------------------------------|----------------------------------|
| Colour | Anodised sil | ver finish, chromed corners | |
| Mounting | Free-standin | g | |
| Graphic attachment | Snap rail | | |
| Graphic option | Suitable for | substrates up to 420 micror | าร |
| Positioning | Portrait or L | andscape | |
| | | | |
| Sentry A4 | | SL104 | စြ 245(w) x 1005(h) x 326(d) mm |
| Sentry A3 | | SL103 | പ്ര 245(w) x 1075(h) x 326(d) mm |





Snap frame

Symbol

\td

Symbol is constructed of robust weighted steel and angled for optimal viewing and reading for better engagement with prospective customers. Interchangeable graphics slide in to the recess channel and fix in place tool-free with a turnscrew.

| K |
|-----------------------------------|
| key and thumb screws |
| nbscrews |
| PVC and Dibond (3-5 mm thickness) |
| g |
| iph |
| |



| 01 | <u>o</u> , o, |
|----|------------------|
| | |





IP







Content detail

Whirlwind

Tool-free locking mechanism

Quick change graphic

The Whirlwind signage solution is a heavy duty, weather resistant swing sign with a wheeled

base for ease of deployment. Base can be filled with a whopping 25 litres of water to keep in place. Double-sided graphics are held securely in a front loading 'snap-action' double-sided panel and it all flat packs for ease of transportation. A perfect piece of kit!

| Material | Aluminium, ste | el, plastic base, PVC sheet c | over |
|--------------------|----------------|-------------------------------|------------------------------------|
| Graphic area | Double-sided | | |
| Graphic attachment | Snap rail | | |
| Graphic option | Banner vinyl | | |
| Application | Free-standing | | |
| | | | |
| Whirlwind - A1 | | UB207-A1 | 780w) × 1165(h) × 500(d) mm |
| Whirlwind - A0 | | UB207-A0 | ര്വ_ 1010(w) x 1554(h) x 625(d) mm |







Tool-free snap rail

Wheels for easy transportation

A-sign Board

Pavement signage is a marketing stalwart. No high street would be without one, and the A-sign Board is one of the best. Simple to use with double-sided 'snap-action' front loading frames, complete with protective PVC sheeting to shield graphics which can be changed over and over again to keep up with brand messaging or offers.

| Material | Aluminium, steel, PVC sheet cover |
|--------------------|-----------------------------------|
| Graphic area | Double-sided |
| Graphic attachment | Snap rail |
| Wind speed | 18 mph |
| Weight | 10.56 kg |
| | |

| , | A-sign Board A1 | VF204-C | ര്ര_ 638(w) × 1060(h) × 825(d) mm |
|---|-----------------|---------|-----------------------------------|
|---|-----------------|---------|-----------------------------------|







Formulate Shadow

Formulate Shadow is a no fusss outdoor sign offering customers a viable alternative to traditional outdoor signs that typically rely on water or sand for stability.

| Material | Steel |
|--------------------|-------------------------------|
| Assembly | Push-fit button/Allen key |
| Tube | 32 mm |
| Graphic area | Double-sided |
| Graphic attachment | Zipped tension fabric graphic |
| Wind resistance | Up to 18 mph / 29 km/h |
| Weight | 12.7 kg |
| | |

Formulate Shadow

0_ 800(w) x 1174(h) x 420(d) mm





FORM-ODS





TEX (1)

wtdoor

Monsoon

Monsoon is a perfect all-weather sturdy single or double-sided 'A' frame banner with bungeed PVC eyelet banner graphics - perfect for displaying brand messaging or wayfinding information.

| Material | Aluminium tubes (25 mm), plastic connectors |
|--------------------|---|
| Graphic area | Single or double-sided |
| Graphic attachment | Eyelets and looped bungee cords |
| Wind resistance | Up to 24 mph / 39 km/h |

| Monsoon 2500 mm | UB707-C | ര്വ_ 2500(w) x 1000(h) x 640(d) mm |
|-----------------|---------|------------------------------------|
| Monsoon 3000 mm | UB711-C | ල_ 3000(w) × 1250(h) × 795(d) mm |













Eyeletted graphic attaches to frames with bungee cord

Metal hinge





Stowaway

Make brand messaging or wayfinding information literally pop with the Stowaway pop-out display banner that deploys in seconds for use either indoors or secured outside with pegs supplied.

| Material | Sprung steel pole |
|--------------------|-------------------------|
| Graphic area | Double-sided |
| Graphic attachment | Elasticated pole pocket |
| Ground fixing | 4 pegs (included) |
| Transport | Carry bag included |
| Wind Speed | 18 mph (when pegged) |
| | |

| Stowaway 1400 mm | UB736-03A | ලි_ 1420(w) x 700(h) x 400/480(d) mm |
|------------------|-----------|--|
| Stowaway 2000 mm | UB736-01A | ര്വ് 2020(w) x 1000(h) x 400/480(d) mm |





Internal hook and loop straps



Portable carry bag

Formulate Round Table



Wall mounted signs

Trappa Frame

The Trappa 'snap-action' Frame delivers a professional look and is quick to fix to a wall and easy to update. Posters can be changed, simply by opening the frame edges.

| Material | 25mm aluminium profile, clear PVC protection sheet |
|--------------------|--|
| Colour | Anodised silver finish |
| Mounting | Wall* |
| Graphic attachment | Snap rail |
| Graphic option | Suitable for substrates up to 420 microns |
| Positioning | Portrait or Landscape |
| | |

| Trappa A4 | AT401-C | ු_ 241(w) x 328(h) x 13(d) mm |
|-----------|---------|---------------------------------|
| Тгарра АЗ | AT402-C | ര്വ_ 328(w) x 451(h) x 13(d) mm |
| Trappa A1 | AT404-C | ര്_ 625(w) x 872(h) x 13(d) mm |





Trappa snap frame

* : Wall mounting screws not included


Suspended signs

Twista Lite

Twista Lite delivers a smart, modern poster display system that is quick and simple to deploy via the 'snap-action' rail. Versatile, as well as functional, it can be displayed single-sided on walls or double-sided when suspended from ceilings.

| Material | Aluminium (rail), plastic (end caps, hooks) | |
|--------------------|---|--|
| Colour | Grey | |
| Mounting | Wall / Ceiling | |
| Graphic area | Single or double-sided | |
| Graphic attachment | Snap rail | |

| 500 mm Kit | TWLHR-500 | ල_ 500(w) × 31(h) × 12(d) mm | |
|----------------------------|------------|---------------------------------|--|
| 600 mm Kit | TWLHR-600 | ര്വ_ 600(w) x 31(h) x 12(d) mm | |
| 800 mm Kit | TWLHR-800 | ര്വ_ 800(w) x 31(h) x 12(d) mm | |
| 850 mm Kit | TWLHR-850 | ര്വ് 850(w) x 31(h) x 12(d) mm | |
| 1000 mm Kit | TWLHR-1000 | ര്_ 1000(w) x 31(h) x 12(d) mm | |
| 1500 mm Kit | TWLHR-1500 | ര്വ് 1500(w) x 31(h) x 12(d) mm | |
| Twista closed grey hook | TWLHR-CG | | |
| Twista left grey moulding | TWLHR-LG | | |
| Twista right grey moulding | TWLHR-RG | | |
| 3100 mm (rail only) | TWLHR-3100 | ര്വ് 3100(w) x 31(h) x 12(d) mm | |
| | | | |









The snap rail clamps Top rail with hanging media securely

nging Snap rail



Flag Banners

Draw attention to branding, products, services, or business premises with custom printed flags. Instantly noticeable due to their height, shape, and movement, our all-fibre flag poles are durable and flexible, easy to assemble and quick to deploy, making them an extremely effective means of advertising.

Choose from a range of free-standing, post / wall mounted, mobile and specialist hardware that can be used in a variety of applications such as car forecourts, festivals, and beach flags.

Alternatively, deploy taller or multiple flags to increase visibility and attention to branding. Our all-fibre flag poles are reusable with interchangeable graphics for greater return on investment. To protect this investment, it is recommended that flags be kept securely in place by selecting an appropriate base suitable for the desired application and location from the specifically designed range.

Flag Banners

Available as single or double-sided options and printed using hardy, UV resistant media, flag graphics can be utilised indoors or outside with standard or custom flag shapes.



Free-standing flags

Zoom+ Quill / Feather / Crest Flag

Zoom+ flags are a popular and versatile, lightweight flexible flag system, with black finish all fibre poles. Choose Feather, Quill or Crest shaped graphics. Ideal for advertising and used for all types of indoor and outdoor displays. Optional custom printed flag graphics are available in a range of sizes from small to extra-large and with a choice of single or doublesided options (small, medium, and large). The eye-catching shape creates movement in the wind and is a great for attracting attention.

| Material | GRP fibre glass pole |
|--------------------|--|
| Graphic area | Single-sided or double-sided (double-sided only available up to large) |
| Graphic attachment | Pole pocket |
| Wind resistance | Up to 63 mph / 101 km/h* |
| | |

| Zoom + Small | UF-ZM-SM | ര്വ_ 550/800(w) x 2100/2600(h) mm |
|--------------------|------------|------------------------------------|
| Zoom + Medium | UF-ZM-ME | ി്_ 600/900(w) x 2800/3200(h) mm |
| Zoom + Large | UF-ZM-LA | ര്വ_ 800/1100(w) x 3500/4000(h) mm |
| Zoom + Extra large | UF-ZM-EXLA | ര്വ_ 850/1200(w) x 4600/4900(h) mm |


* Under controlled test conditions







Graphic attaches on to hook



Zoom+ Edge Flag

Zoom+ is a popular and versatile, lightweight rectangular shaped flag system with black finish all-fibre poles. Ideal for all types of indoor and outdoor displays. Quick and easy to deploy and can withstand winds of approximately 13 -18m/h (21-29km/h). Optional custom printed flag graphic available in single and double-sided options (small, medium, and large), and all flag graphics have a printed pole pocket. The flag moves naturally in breezy/windy conditions and is ideal for attracting attention on car forecourts, at exhibitions and events, or outside a building or premises.

| Material | Aluminium and GRP |
|--------------------|--|
| Graphic area | Single-sided or double-sided (double-sided only available up to large) |
| Graphic attachment | Pole pocket |
| Wind resistance | Up to 18 mph / 29 km/h |
| | |

| Zoom + Edge Small | UF-ZME-SM | ര്_ 750(w) x 2080(h) mm |
|-------------------------|-------------|-------------------------|
| Zoom + Edge Medium | UF-ZME-ME | ⑦ 750(w) x 2900(h) mm |
| Zoom + Edge Large | UF-ZME-LA | ര്_ 750(w) x 4000(h) mm |
| Zoom + Edge Extra large | UF-ZME-EXLA | ര്_ 750(w) x 5000(h) mm |
| | | |








Graphic attaches on to hook





Free-standing flag bases

| | Weighted bases | | | | | | | | | | | | | | | | | | |
|----------|--------------------------------------|------------|--------------------|-------------|-----------|------|----------------|-----|------------------------|---------------------|--------------|--------|---------------------|---------------------|---------|---------------|---------------------|---------------------|----|
| Base | Product | Code | <u>o</u> | [K | | | sation | | Zoom | + Quill | | ž | Zoom + | Feathe | er | | Zoom | + Edge | |
| | Troduct | couc | | | | Int. | Ext. | S | M | L | XL | S | M | L | XL | S | Μ | L | XL |
| | Large water base | UF-ZMLWB | 50 x 50 x 26 cr | m 3.3 - | 33 kg 301 | • | ⊘ | 0 | • | 0 | 0 | • | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Stackable water base | UF-ZMSWB | 64.2 x 64.2 x 27.7 | 7 cm 3.6 - | 30 kg 261 | | ⊘ | 0 | 0 | 0 | 0 | • | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Parasol base | UF-ZMGMB | 44 x 44 x 25 cr | m 1.2 - | 23 kg 23 | • | 0 | 0 | 0 | | | 0 | 0 | | | 0 | 0 | | |
| | | | | Meta | al and | cem | ent | bas | ies | | | | | | | | | | |
| Dava | Due du et | Carl | | | | | sation | | Zoom | + Quill | | Z | 'oom + | Feathe | r | | Zoom · | + Edge | |
| Base | Product | Cod | e | <u>o</u> , | (KG) | Int. | Ext. | S | Μ | L | XL | S | Μ | L | XL | S | Μ | L | XL |
| \times | Zoom+ Small cross ba | UF-ZMS | CB-01 140 x 47 | 75 x 410 mm | 1.05kg | 0 | | * | | | | * | | | | * | | | |
| \times | Zoom + Large cross ba | UF-ZML | CB-01 240 x 40 | 00 x 400 mm | 1.5 kg | • | 0 | * | > * ** | • * ** | ✓ * ** | * | • * ** | • * ** | * | • * ** | • * ** | • * ** | * |
| | Zoom + Concrete bas | se UF-ZMCE | EM Ø 450 | x 350 mm | 22.5 kg | 0 | 0 | 0 | 0 | • | | 0 | 0 | 0 | | 0 | 0 | 0 | |
| | Zoom + Small squar base 7,5 kg | | 5Q-01 180 x 40 | 00 x 400 mm | 7.5 kg | 0 | 0 | * | * | | | * | * | | | * | * | | |
| | Zoom + Large squar base 12.5kg | | 5Q-03 180 x 45 | 50 x 450 mm | 12.5kg | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Zoom + Drive on car foot | UF-ZMCF | FS-01 605 x 19 | 95 x 125 mm | 1.7 kg | • | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | S | pike | s | | | | | | | | | | | | |
| Base | Product | Code | e | <u>0</u> | (RG) | | sation Ext. | S | Zoom M | + Quill L | XL | z s | oom + M | Feathe | r XL | S | Zoom · M | + Edge L | XL |
| | Zoom + Ground spike | e UF-ZMC | GS-01 60 | 00 mm | 1.16kg | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Zoom + Budget ground spike | UF-ZMB | GS-01 60 | 00 mm | 1kg | | 0 | 0 | 0 | | | 0 | 0 | | | 0 | 0 | | |

*Use with Weighting ring UB719-C ****** Use with Heavy duty pegs FX620

Zoom+ Arch

The Zoom+ Arch stands out at any outdoor event or activity. With an overall height of 3m to the top of the graphic and a 4m width, it's perfect to use as a focal point or to attract attention. Simple and quick to assemble, it can be deployed in minutes and when used with the optional stackable bases, provides an extremely stable display that can be used in wind speeds of up to 20mph.

| Material | GRP fibre glass pole - chrome steel end caps, plastic hook |
|--------------------|--|
| Graphic area | Single-sided |
| Graphic attachment | Pole pocket |
| Wind resistance | Up to 19 km/h |
| | |
| | |

| Zoom+ Arch | ZOOM+ARCH | ര്വ_ 4000(w) x 2500/3000(h) mm |
|---|-----------|--------------------------------|
| Stackable base (optional) recommended that 2 bases either side are used | UF-ZMSWB | 642(w) x 277(h) x 642(d) mm |

Supplied with 1 x 6-part

-



Graphic attaches on to Water fillable base plastic hook



Handle for easy transportation



Wind Dancer

An imposing telescopic flag which stands 5m high when fully assembled and is certain to make an impact at any outdoor event, Wind Dancer comes complete with a base which can be filled with either water or sand. The 3.5m flag height makes an impressive statement when the flagpole is deployed at its full 5m height, and is particularly impactful when used in large crowded areas because of its dominating presence.

| Material | Aluminium pole, plastic base | | | |
|--------------------|------------------------------|--|--|--|
| Pole | Telescopic | | | |
| Graphic area | Single-sided | | | |
| Graphic attachment | Eyelets | | | |
| Base capacity | 66 litres | | | |
| Wind resistance | Up to 18 mph / 29 km/h | | | |
| | | | | |
| | | | | |

| Wind Dancer WD105 | ര്_ 1000(w) x 2900/5300(h) x 1000(d) mm |
|-------------------|---|
|-------------------|---|



From 2900 to 5300 mm

Post / wall mounted flags

Mistral

The Mistral is a fixed outdoor flag system designed for mounting to lampposts or building exteriors and is perfect for advertising or promoting a brand or event. The mechanism attaches directly to a pole, posts, or wall and can be moved to accommodate varying graphic heights. An eye-catching solution that can also be used for information and wayfinding, this flag is especially effective when repeated over a series of posts.

| Material | Aluminium castings and GRP tubes |
|--------------------|----------------------------------|
| Tube | Height adjustable |
| Graphic area | Single-sided or double-sided |
| Graphic attachment | Pole pocket |
| Wind resistance | Up to 40 km/h |
| | |

| Mistral | UB725-01 | ල_ 890(w) x 2000(h) mm |
|---------|----------|------------------------|
|---------|----------|------------------------|










Post fixing

Mobile flags

Street Flag







Zipped compartment to store graphics

Reinforced shoulder straps, adjustable strap and side mesh pocket



Storage for poles and rods



Tents

Take advantage of outdoor events with a temporary structure and create additional marketing opportunities. Offer customers protection and shelter from the weather by choosing custom-printed tents that also provide an attractive brand marketing solution.

Conventional pop-up tents and gazebos are fantastic provisional outdoor or indoor structures which provide a unique way to advertise in a vibrant impactful manner with fully printed canopies and walls.

Constructed from robust steel or aluminium in a variety of sizes that are easy to transport, assemble, deploy and pack away, pop-up tents are ideal for short term events, fairs and exhibitions.

Tents

For a more unique and unconventional structure, choose the Bora Inflatable Tent. Simple to inflate for rapid deployment with an appealing eye-catching shape, the Bora, like pop-up tents, also offers optional printed canopies and walls. Customisable areas make highly effective brand messaging, ensuring maximum impact at events. As with all custom-printed graphics, they can easily be replaced so that hardware is used multiple times, improving return on investment.



Pop-up tents

Zoom Tent Eco

The Zoom Tent Eco is the most cost-effective gazebo in our range. Quick and easy to deploy, the 3x3m tent can easily accommodate a 2.4m wide table making it a great solution for street markets, golf days or sporting events. Made from steel with a white powder coated finish, the frame easily shelters up to five people and folds completely into a portable wheeled carry bag. Custom fully printed canopy and walling is an optional extra.

| Material | Steel frame, plastic joins |
|--------------------|---|
| Graphic area | Double-sided (wall) / single-sided (canopy) |
| Graphic attachment | Hook and loop |
| Ground fixing | Pegs and ropes (included) |
| Wind resistance | Up to 18 mph / 29 km/h |
| Transport | Wheeled standard |

| Zoom Tent Eco 3x3 | FD33-SQF | ത്ര 3310(w) x 3315/3510(h) x 3310(d) mm |
|-------------------|----------|---|
| Сапору | FD33-CTW | Colour : White |
| Wall | FD33-FWW | Colour : White |













Locking post

Zoom Tent

Ensure your event's a success come rain or shine by using an easy to deploy vibrant lightweight aluminium pop-up tent frame system. The Zoom Tent folds out and returns in minutes with tool-free deployment. Dress with a custom full printed canopy, full and half walls. Available in a range of sizes.

| Material | Aluminium frame, plastic joins | |
|--------------------|--|--|
| Graphic area | Double-sided (wall, half wall) / single-sided (canopy) | |
| Graphic colours | White - Black (standard) / Full Graphic (optional) | |
| Graphic attachment | Hook and loop / Pocket (half wall) | |
| Ground fixing | Pegs and ropes (included) | |
| Wind resistance | Up to 18 mph / 29 km/h | |
| Transport | Wheeled Standard | |
| | | |

| 3x3 frame | ZT33-XAF-01 | ര്_ 2920(w) x 3160(h) x 2920(d) mm |
|-------------|--------------|-------------------------------------|
| 3x4.5 frame | ZT345-XAF-01 | ത്ര_ 4300(w) x 3160(h) x 2920(d) mm |
| 3x6 frame | ZT36-XAF-01 | ര്വ_ 5800(w) x 3160(h) x 2920(d) mm |

| Canopy | ZT XX- CTW | Colours : White |
|-----------|-------------------------------------|---|
| Canopy | ZT XX -CTK | Colours : Black |
| Wall | ZT XX -FWW | Colours : White |
| Wall | ZT XX -FWK | Colours : Black |
| Half wall | ZT XX -HWW | Colours : White |
| Half wall | ZT XX- HWK | Colours : Black |
| | Canopy Wall Wall Half wall | Canopy ZTXX-CTK Wall ZTXX-FWW Wall ZTXX-FWK Half wall ZTXX-HWW |

Ancillaries :

| 7.5 kg Weight | ZT-BASE |
|---------------------|----------|
| Half wall bar 2-3 m | ZT33-MTB |











Pop-up frame

Tent weight (optional)

Automatic locking

Crank to tighten the canopy



urban rest

Inflatable tents

Bora Tent

The Bora Inflatable Tent is a sturdy and attractive option for outdoor displays. Create shade and shelter for a registration desk, refreshment area or meeting point that fully shows off a brand. As one of the largest products in the range, there is plenty of print area on the canopy and backwalls (optional extra) for brand messaging. The backwalls zip in, so can be changed for a different message from the canopy if you wish. The Bora Tent uses trapped air technology: silent and free-standing once inflated.

| Material | TPU, Polyester inner coat |
|--------------------|--|
| Graphic area | Single-sided |
| Graphic attachment | Zip system (standard) / hook and loop (full graphic) |
| Ground fixing | Pegs (optional) |
| Wind resistance | Up to 24 mph / 39 km/h (if pegged) |
| Transport | Standard (included) |
| | |

| Bora Tent | INFT3-2Z | ര്_ 3200(w) x 2450(h) x 3200(d) mm |
|-----------|----------|------------------------------------|
| | | |









400W electric pump (optional) INFTA-PE4EU

Inflation valve

Carry bag included



Counters

Temporary counters add a professional touch to any exhibition, event or retail environment. They provide a useful area for display or presentation space, and the ability to add a graphic creates additional marketing opportunities as well as offering a convenient storage facility.

Our counters are available in a range of price points and shapes, depending on requirements. Add impact to a welcome desk or a reception area in a public space with an illuminated counter or choose an outdoor option to promote a product or service at an open-air event.

Counters

Counters are the perfect partner for a promotional display or event to complement a backdrop or add focus to an area and are the ideal companions for any marketing campaign.



Promotional counters

Pop-up Counta

The Pop-up Counta is convenient lightweight pop-up counter that offers a substantial area to welcome guests yet packs down for easy transportation in a reinforced D-shaped wheeled trolley case.

The counter comes with shelves for storage and a beech-coloured counter-top. Often used for exhibitions, in supermarkets as a demonstration unit and for events.

| Material | Aluminium, plastic and MDF tabletop |
|--------------------|---|
| Assembly | Self-locking magnetic |
| Collapsible | Yes |
| Counter top | Foldable - Beech colour |
| Shelves | 4 |
| Graphic attachment | Magnetic hangers, bars and tape (included). Suitable for 440 microns min. substrate (optional extra) |
| Transport | 1 Wheeled trolley case |

ര്_ 1260(w) x 965(h) x 430(d) mm Pop-up 2x2 PUC22C-C









Structure

Hop-up Counta



Wheeled carry bag

Hop-up Counta is a durable lightweight hop-up counter, quick and easy to assemble with a single wrap around fabric graphic which stays on when collapsed and packed away. The unit is fitted with a beech effect counter top and provides a perfect welcome for guests.

| Material | Aluminium, plastic, MDF tabletop and polycarbonate shelf |
|--------------------|--|
| Waterial | Aluminium, plastic, MDF tabletop and polycarbonate shell |
| Assembly | Plastic locking arms |
| Collapsible | Yes |
| Counter top | Beech |
| Shelves | 1 |
| Graphic attachment | Hook and loop |
| Transport | One wheeled carry bag |
| | |
| | |

ര്_ 1060(w) x 1020(h) x 360(d) mm HU301-001-C











Carry bag included

Shelf included



Counter components

Hop-up

Plastic locking arm

Modulate[™] Counter

5 - TEX



Basic Curved Counter

With a Double-D shape counter-top, the Basic Curved Counter delivers a functional and stylish look which is perfect to use for a reception desk or meeting point. The Counter is made from a rollable Corex tambour wrap to create the curved shape which push-fits into the thermoformed counter-top and base. A graphic can also be applied to the curved base to promote a message or brand. There is an opening for storage at the rear of the unit.

| | Material | MDF tabletop/base, Corex wrap | | |
|--------------------------------|-------------------------|-------------------------------|------------|---------------------------------|
| | Assembly | Push-fit - Tool-free | | |
| | Collapsible | Yes | | |
| | Counter top | Beech / black | | |
| Transport 2 carry bags - inclu | | ded | | |
| | | | | |
| | Basics Curved Counter l | peech/beech | PK922-BEBE | ്ര_ 910(w) x 925(h) x 480(d) mm |

| Basics Curved Counter beech/beech | PK922-BEBE | ര്പ്പ 910(w) x 925(h) x 480(d) mm |
|-----------------------------------|-------------|-----------------------------------|
| Basics Curved Counter black/beech | PK922-BLKBE | ര്വ_ 910(w) x 925(h) x 480(d) mm |
| Basics Curved Counter black/white | PK922-BLKW | 910(w) x 925(h) x 480(d) mm |



Interchangeable tabletops

and bases



Grey counter wrap



Carry bag included





Counta

Counta is a lightweight portable indoor PVC demonstrator unit which includes a header panel, poles and shelf supporting poles. Printed graphics can be applied as vinyl directly onto the base wrap. Available in white. Perfect for use in retail environments, one-off events and promotions.

Material PVC

| Material | PVC |
|--------------------|----------------------|
| Assembly | Push-fit - Tool-free |
| Collapsible | Yes |
| Counter top | No |
| Shelves | 1 |
| Graphic attachment | Self-adhesive |
| Transport | Carry bag |
| | |

| Counta F | PC607 | ල_ Counter and front graphic - 805(w) x 2195(h) x 450(d) mm ල_ Front graphic - 680(w) x 280(h) x 20(d) mm |
|----------|-------|--|
|----------|-------|--|

Carrying bag included (5



Shelf for storage





illuminated Promotional Counters

Illumigo™ Counter

This versatile and quick to set-up double-sided counter lightbox is a great all-rounder not only at events but in retail environments from shopping centres to pop-up shops. Part of the Illumigo[™] range, the Illumigo[™] Counter is easy to assemble with a two-part counter top that secures using a pair of twist out top locators and locking screws. Building the unit is intuitive and tool-free as all the parts are numbered and simply slot together. Two optional graphics complete the look to create an impactful counter ideal for attracting attention in retail, event or exhibition environments.

| Material | Aluminium 100 mm, MDF table top |
|--------------------|---|
| Assembly | Tool-free |
| Collapsible | Yes |
| Counter top | White |
| Graphic attachment | Silicone Edged Graphics (3 mm silicone) |
| Transport | Protective box with carry handle |
| LED System | LED strips included |
| | |

| Illumigo™ | ILLGO-COUNTER-EU | ്ര_ 1040(w x 1045(h)) x 420(d) mm |
|---------------|------------------|------------------------------------|
| Illumigo™ Bag | ILLGO-BAG | ര_ 460(w) × 1160(h) × 190(d) mm |







Protective compartmented box



in the frame Steel side feet for stability







Barriers

Barrier systems improve queue management and help with crowd control.

For pedestrian control, café barriers can be used to make an attractive, professional and functional barrier, creating a temporary space that can be easily reconfigured to suit your needs.

Café barriers are easy to store, assemble, deploy and move to suit your requirements. They are available in economy and premium solutions, depending on your application and budget.

Barriers

Queue management systems can be used to control queues, providing structured and manageable lanes to help marshal customers and are also suitable for indoor or outdoor use.

133


Pedestrian control barriers

A cost-effective way of defining areas outside restaurants, bars, shopping centre and coffee shops, a complete Café Barrier system requires two posts and bases. To secure the graphic, there are two options; dependent on budget and where the system is being deployed.

If the Café Barrier is exposed to strong winds, we recommend a two-rail option ensuring the graphic is secured top and bottom to each post and base. If winds are not an issue but the budget is tight, then we suggest a single rail with two spring clips securing the bottom of the graphic.

Rails are available in 1m, 1.5m and 2m sizes, so it is quick and easy to calculate the number of café barriers required to define your space. To connect multiple barriers, add a choice of rails/spring clips plus one additional pole and base. For vibrant hardwearing graphics we can print on PVC.

Economy Café







Ancillaries

The range of ancillary products include literature holders, lighting solutions for various hardware ranges and transportation cases. These ancillaries offer flexibility and perfectly complement our product solutions.

Ancillaries

Enhance an exhibition stand by selecting various supporting products from our range of ancillaries that are often used to help promote your brand in a more impactful way, professionally display your latest literature, or add points of interest, making your stand more visible by using spot lights.



Literature holders (standard)

Zed-up Lite

5

Zed-up Lite are a popular range of aluminium literature stands that are stylish and highly portable. Quick and easy to deploy, Zed-up Lite is ideal for exhibitions and displays, folding down for easy transportation in a heavy duty hard case.

| Material | Acrylic and anodised aluminium |
|-----------------|--------------------------------|
| Colour | Silver |
| Documents sizes | A4 |
| Pockets | 6 |
| Double-sided | Yes |
| Transport | Hard case (included) |
| | |

| A4 (6 pockets) AS315-002 O, 256(w) × 1460(h) × 370(d) mm | A4 (6 pockets) | AS315-002 | ര്വ് 256(w) x 1460(h) x 370(d) mm |
|--|----------------|-----------|-----------------------------------|
|--|----------------|-----------|-----------------------------------|





Rigid carry case included

Lighting (standard)

Powerspot 950/1000 LED

2 Õ

1



| Material | Aluminium and plastic |
|----------------------|--|
| Positioning | 270° - Straight arm |
| Watt output | 12 watt (1400 Lumens/5500 Kelvins) |
| Watt consumption | 12 Watt (1400 Lumens/5500 Kelvins) |
| Linked lights | 2 max |
| Double kit includes | 2 spotlights + 2.5m linking lead + 1 transformer |
| Power lead UK & Euro | Yes (cross head screwdriver needed) |
| | |

 Double kit
 PS950-1000-LED-BDLK
 On the second secon





Transformer included

Lighting (premium)

LED Floodlight

The LED Floodlight is the new stylish and economical way to illuminate a range of exhibition stands including Pop-ups, Formulate and a range of modular systems. Despite the compact design, this small LED light is still capable of producing 1200 Lumens but still only consuming a small amount of energy, making it far more efficient than the halogen equivalents. Link up to 5 lights together from one transformer, with handy linking cables.


| Material | Aluminium and plastic |
|----------------------|--|
| Watt output | 80 watt |
| Watt consumption | 12 watt (1200 Lumens/5631 Kelvin) |
| Linked lights | Link up to five to one transformer |
| Double kit includes | 2 spotlights + 2.5m linking lead + 1 transformer |
| Power lead UK & Euro | Yes (cross head screwdriver needed) |
| | |

LED-FLOOD-ARM-BDLK

ල 295(w) x 483(h) x 60(d) mm



Connect up to 5 lights with one transformer



Double kit



Transportation box

Transformer included

Ancillaries

LED Strip Light

The LED Strip light is designed to work with a wide range of exhibition stands including, Pop-ups, Formulate and a range of modular stands. It has a unique wide head design feature, allowing for a wider spread of light, helping you illuminate more of your message. Link up to 5 lights together from one transformer, with handy linking cables.

| Material | Aluminium and plastic |
|----------------------|--|
| Watt output | 80 watt |
| Watt consumption | 12 watt (1200 Lumens/5631 Kelvin) |
| Linked lights | Link up to five to one transformer |
| Double kit includes | 2 spotlights + 2.5m linking lead + 1 transformer |
| Power lead UK & Euro | Yes (cross head screwdriver needed) |







Transportation box

Transformer included

LED Exhibition Light



 $(\tilde{1})$

Swivel head

1

Specifically designed to work in conjunction with the Vector channel; this latest design requires no extra fitting, just plug in and switch on. Not only does the slick design make the LED Exhibition Light stand out from the crowd, the clever design cast out of aluminium allows any heat to dissipate over the entire body of the light, stopping any localised heat, which allows for long use with no overheating. Link up to 5 lights together from one transformer, with handy linking cables.

| transformer, with hand | | | | Ideal for modular |
|------------------------|----------------------------|--------------------------------|-----|-------------------|
| Material | Aluminium and plastic | | E C | stands |
| Watt output | 80 watt | | | |
| Watt consumption | 12 watt (1200 Lumens/5 | 631 Kelvin) | | |
| Linked lights | Link up to five to one tra | nsformer | | |
| Double kit includes | 2 spotlights + 2.5m linkii | ng lead + 1 transformer | | |
| Power lead UK & Euro | Yes (cross head screwdr | iver needed) | | |
| | | | | |
| Double kit LE | D-EXHIB-ARM-BDLK | ര്വ_ 50(w) x 455(h) x 55(d) mm | | |



Lighting ancillaries

Recommended fixings for lighting



Convert your UK plug into EU version



Unscrew



Lift the lid



Pull the plug to extract it

Portable transportation cases

Zenith

Tabletop (beech)

Tough moulded polyethylene Zenith case offers a multitude of features. Versatile ultra-portable transport solution with maximum storage for pop-ups, backwalls, roller banners and extrusions, they also double up as counters with optional extra graphic wrap and table top. The standard case will house a 3x5 pop-up system and graphics. Secure Internal dividers protect graphics and the case can be locked using padlocks (not supplied).

| Material | Medium-density p | Medium-density polyethylene (MDPE) / Metal | | |
|-------------|--------------------------------|---|--|--|
| Wheels | 2 | 2 | | |
| Handle | 1 | | | |
| Accessories | Beech table top / graphic wrap | | | |
| | | | | |
| Zenith | AC600 | စြ္ (External dimensions) 600(w) x 956(h) x 400(d) mm | | |

CO401-C



With wheels for easy transportation





Zenith case thermoformed tabletop in beech

Foam protected lid holds two LED lights



956 mm

Graphic wrap (optional)

Illumigo™ Bag

Wheeled bag for Illumigo[™] 2x1, Retail, ONE or the Illumigo[™] counter.

| Material | Nylon and inner MDF |
|----------|---------------------|
| Colour | Black |
| Wheels | Yes |
| Handle | 2 |
| | |

Illumigo™ bag ILLGO-BAG





Wheeled bag

Inner compartment for graphic



ര്വ. (Internal dimensions) 460(w) x 1160(h) x 190(d) mm

Carry handle



Modular carrying bag

Ideal wheeled bag for transporting, protecting and storing exhibition stands, especially those made from standard modules (Vector & Formulate).

| Material | Nylon |
|----------|-------|
| Colour | Black |
| Wheels | Yes |
| Handle | 2 |
| | |

| Modular Bag | AB-MODULAR-01 | ്ര_ 340(w) x 1400(h) x 290(d) mm |
|-------------|---------------|----------------------------------|
|-------------|---------------|----------------------------------|



Carry handle



Wheels ø40mm





With graphic storage



 $\overline{\mathbf{1}}$

 $\overline{\mathbf{1}}$









Applications

At Ultima Displays we provide Creative Display Solutions that suit a multitude of industry applications.

Our display products are not only multi-functional and in many cases reconfigurable, but they can also be used for an array of different applications across a multitude of industries.

From retail or educational settings, outdoor sporting events to hospitality and corporate events; our Creative Display Solutions are suitable for more than just exhibitions.

The following pages are a guide for where our popular products are often used to enhance brand messaging in a vibrant and eyeing-catching way.



Retail

In the age of digitalisation, the main challenge for retail is to consider the customer experience at the point of sale.

Window displays



Commercial <u>events</u>



Retail signage

Sales



ast

Pop-up store



Seasonal campaigns



Shop openings



Click and collect



Car showroom



Leisure Activities

-

The leisure industry represents an important part of the economy. From hospitality through to galleries, promoting the benefits of improved wellbeing and quality of life is essential with innovative displays that catch the eye.



Interior signage

Outdoor signage

Posters



Music venues



Fairs and markets





Hospitality signage

Cinema foyers



Art galleries

Suspended signage

Sh

snu

snua

200

°9:





Cultural Events

Social events with a national or international scope involve a large audience and can have a huge impact. Organisation is often extremely complex and requires significant communication resources.

Award ceremonies



Amateur sporting events

Award ceremonies



Fundraising

Professional sporting events



Festivals



Military open days





Electoral campaigns



Fashion shoot



Corporate Events

Corporate events are essential for companies to maintain close relationships and partnerships with their customers, business partners or employees.



Product launches



Outdoor corporate events

Brand launches



Corporate meetings

Sales meetings



Corporate dinners



Gala events





Open days





Showrooms





University Events

Educational, artistic and cultural events offer encounters, projects and practical experiments. The aim is to ensure artistic and cultural educational coherence for all pupils.

Open days



Campus life



Graduation shows

Graduation ceremonies



Career and job fairs



Ceremony staging

Freshers week





Student services



Gown hire



Conference

Preparing a conference is an excellent opportunity for brand exposure at high value-added events. Brand messaging should communicate exceptional, new, or informative and important information relating to your business.



Conferences







Concourse advertising

Press conferences



Product launch



Networking



Trade show



Roadshows



Annual General Meetings (AGMs)





Exhibitions

From planning to execution: give your brand the exposure it deserves with original, renewable and customised solutions.

Exhibition reception area



Exhibition literature stand

Exhibition shell system



Art gallery exhibition

Cia las la

Reconfigurable exhibition



Virtual exhibition





Reconfigurable stand



Exhibition - suspended



You Hire 14++*



Outdoor

Custom printed flags, signage, and tents invigorate any outdoor activity and attract attention to help brands or businesses stand out.

AND Street Star



Festivals

Car dealerships

Sales

Clubs



Sporting meets and races



nn

Box Office Open

Museums

a ala n

60.61

VIBE

Outdoor music events



Inflatable







Shelter







TERTZIA AB Basteråsvägen 23 511 72 FRITSLA Sverige +46 (0)320 749 00 info@reklamsaker.se

www.reklamsaker.se

EN_2024