



ON THE CUTTING EDGE: DRAWER SYSTEM InnoTech Atira





Striking, versatile, flexible.


The InnoTech Atira drawer system impresses the moment you set eyes on it. Sharp contours, a choice of colours and diverse side elements produce plenty of creative potential.

Added to this are many different interior organisation solutions. All this on the basis of just one platform: no other drawer system provides this level of individuality.



One for all:

With the Hettich platform, all design solutions are based on one and the same drawer side profile. This also makes upgrades so effortlessly easy.



Effortlessly handleless:

The convenient Push to open Silent function opens the drawer in response to a light press while closing it again in a gently controlled action.



Perfect combination from any viewing angle:

All components are colour coordinated. This way, for example, design profiles let you create unmistakable combinations.



hettich.com/short/793f92

Find out more:

You can get inspiration and further product details on our website.

InnoTech Atira double walled drawer system

► Summary



► Range summary	4 - 5
► Exploded diagram	6
► Overview of components	7



► Quadro drawer runners	29
► Synchronisation for Push to open	38 - 39
► Push to open Silent opening system	44 - 45



Front panel options	
► Front panel with aluminium section	46 - 48



Design options	
► Connection for front panels from 10 mm	49
► TopSide in any chosen material	50



Optional accessories	
► Side stabiliser	51
► Front stabiliser	52
► Spacer profile	52
► Screws	53



hettich.com/short/9a18f1

Hettich Technical Assistant	
► Assembly	
► Adjustment	
► Service	

InnoTech Aтира double walled drawer system

► Range summary



Drawer, height 54 mm

8 - 9



Drawer, height 70 mm

10 - 12



Pot-and-pan drawer with railing, height 144 mm

14 - 17



Pot-and-pan drawer with railing, height 176 mm

18 - 21



Pot-and-pan drawer with railing, customised rear panel height

22 - 24



Narrow base unit

26



Pantry

27



Quadro drawer runners

29



Push to open Silent

44 - 45



Front panel with aluminium section

46 - 48



Connection for front panels from 10 mm

49



TopSide in any chosen materials

50

InnoTech Atira double walled drawer system

► Range summary



Front / side stabiliser / spacer profile / screws


51 - 53

InnoTech Aтира double walled drawer system

► Exploded diagram / component overview



Exploded diagram



InnoTech Atira double walled drawer system

► Exploded diagram / component overview

InnoTech Atira system components

Basic components

- 1 Drawer side profile, left and right
- 2 Drawer front connector for drawer side profile
- 3 Cover caps
- 4 Rear panel connector
- 5 Lengthwise railing
- 6 Drawer front connector for lengthwise railing
- 7 TopSide adapter
- 8 TopSide in glass
- 9 TopSide in metal
- 11 Adapter for lengthwise railing

Internal front panel options

- 12 Front panel for internal drawer / internal pot-and-pan drawer
- 13 Connector for front panel
- 14 Aluminium front panel
- 15 Railing for front panel
- 16 Catch
- 17 Front stabiliser

Rear panel options

- C Wooden rear panel (Material thickness 16 mm)

Design options

- 20 Connection for drawer side profile, from 10 mm
 - 21 Connection for lengthwise railing, from 10 mm
- D TopSide in any chosen material (Material thickness 4 mm)

Runners

- 27 Quadro drawer runners
- 28 Push to open Silent opening system

Wooden elements cut to size

- A Front panel
- B Bottom panel
- C Wooden rear panel
- D TopSide in any chosen material



InnoTech Aтира double walled drawer system

- ▶ Drawer, height 54 mm
- ▶ Powder coated steel, silver / white / anthracite



Planning / installation dimensions

1 = Quadro 25
2 = Quadro V6
3 = Quadro V6+

* ≥ 42 Push to open Silent Quadro V6
 ** ≥ 45 Push to open Silent Quadro V6+

Dimension	mm				
BB Bottom panel width	RB Rear panel width	LB Clear inside width	KD 16 18 19	BL	NL + 10
BL Bottom panel length	NL Nominal length	LT Clear inside depth	EB 12,5 10,5 9,5	BB	LB - 2 x EB - 51,5
KB Cabinet body width	KD Cabinet body side thicknesses	EB Installation width	A 23 21 20	RB	LB - 2 x EB - 63

Positions for attaching Quadro V6 drawer runner


Nominal length mm	Hole spacing b1 mm
260	160
300	160
350	160
420	224
470	256
520	256

Note:
 For further information, please refer to the chapter on drawer runners.

InnoTech Atira double walled drawer system

- ▶ Drawer, height 54 mm
- ▶ Powder coated steel, silver / white / anthracite

Drawer, set packaging



Set comprises:

- ▶ 1 drawer side profile, left and right
- ▶ 2 drawer front connectors with expanding dowel for drawer side profile
- ▶ 2 plastic cover caps, plastic with Hettich logo
- ▶ 1 rear panel connector, left and right
- ▶ Fixing material

Nominal length mm	Order no. / Colour			PU
	silver	white	anthracite	
470	9 319 103	9 319 105	9 319 104	1 set

Advice

- | | | | |
|--------------------------------|---------|--------------------------------------|---------|
| ▶ Internal front panel options | 46 - 48 | ▶ Push to open Silent opening system | 44 - 45 |
| ▶ Design options | 49 - 50 | | |
| ▶ Other accessories | 51 - 53 | | |
| ▶ Quadro drawer runners | 29 | | |



hettich.com/short/6077da

InnoTech Aтира double walled drawer system

- ▶ Drawer, height 70 mm
- ▶ Powder coated steel, silver / white / anthracite



Planning / installation dimensions

1 = Quadro 25
2 = Quadro V6
3 = Quadro V6+

* ≥ 42 Push to open Silent Quadro V6
 ** ≥ 45 Push to open Silent Quadro V6+

Dimension	mm				
BB Bottom panel width	RB Rear panel width	LB Clear inside width	KD 16 18 19	BL	NL + 10
BL Bottom panel length	NL Nominal length	LT Clear inside depth	EB 12,5 10,5 9,5	BB	LB - 2 x EB - 51,5
KB Cabinet body width	KD Cabinet body side thicknesses	EB Installation width	A 23 21 20	RB	LB - 2 x EB - 63

Positions for attaching Quadro V6 drawer runner


Nominal length mm	Hole spacing b1 mm
260	160
300	160
350	160
420	224
470	256
520	256

Note:
 For further information, please refer to the chapter on drawer runners.

InnoTech Atira double walled drawer system

- ▶ Drawer, height 70 mm
- ▶ Powder coated steel, silver / white / anthracite

Drawer, set packaging




Set comprises:

- ▶ 1 drawer side profile, left and right
- ▶ 2 drawer front connectors with expanding dowel for drawer side profile
- ▶ 2 plastic cover caps, plastic with Hettich logo
- ▶ 1 rear panel connector, left and right
- ▶ Fixing material

Nominal length mm	Order no. / Colour			PU
	silver	white	anthracite	
260	9 319 106	9 319 122	9 319 114	1 set
300	9 319 107	9 319 123	9 319 115	1 set
350	9 319 108	9 319 124	9 319 116	1 set
420	9 319 109	9 319 125	9 319 118	1 set
470	9 319 110	9 319 126	9 319 119	1 set
520	9 319 112	9 319 127	9 319 120	1 set
620	9 319 113	9 319 128	9 319 121	1 set

1 Drawer side profile, bulk packaging



- ▶ Integrated vertical and lateral adjustment
- ▶ Powder coated steel

Nominal length mm	Order no. / Colour / Mounting side						PU
	silver		white		anthracite		
	left	right	left	right	left	right	
260	9 194 390	9 194 391	9 194 404	9 194 405	9 194 418	9 194 419	18 ea.
300	9 194 392	9 194 393	9 194 406	9 194 407	9 194 420	9 194 421	18 ea.
350	9 194 394	9 194 395	9 194 408	9 194 409	9 194 422	9 194 423	18 ea.
420	9 194 396	9 194 397	9 194 410	9 194 411	9 194 424	9 194 425	18 ea.
470	9 194 398	9 194 399	9 194 412	9 194 413	9 194 426	9 194 427	18 ea.
520	9 194 400	9 194 401	9 194 414	9 194 415	9 194 428	9 194 429	18 ea.
620	9 194 402	9 194 403	9 194 416	9 194 417	9 194 430	9 194 431	18 ea.

Advice

- | | | | |
|--------------------------------|---------|--------------------------------------|---------|
| ▶ Internal front panel options | 46 - 48 | ▶ Push to open Silent opening system | 44 - 45 |
| ▶ Design options | 49 - 50 | | |
| ▶ Other accessories | 51 - 53 | | |
| ▶ Quadro drawer runners | 29 | | |




hettich.com/short/13aee4

InnoTech Aтира double walled drawer system

- ▶ Drawer, height 70 mm
- ▶ Powder coated steel, silver / white / anthracite


4 Rear panel connector



- ▶ Powder coated steel

Nominal height mm	Order no. / Colour / Mounting side						PU
	silver		white		anthracite		
	left	right	left	right	left	right	
70	1 062 501	1 062 502	9 194 627	9 194 628	9 194 629	9 194 630	40 ea.


2 Drawer front connector for drawer side profile



- ▶ Plastic, white

Mounting option	Order no.	PU
for screwing on	1 065 191	400 ea.
with expanding socket	1 061 450	400 ea.

3 Cover caps



- ▶ Cover cap with customised imprint available on request
- ▶ Plastic

System colour	Finish	Order no.	PU
silver	grey with Hettich logo	9 194 646	300 ea.
silver	grey	9 194 643	300 ea.
white	white with Hettich logo	9 194 647	300 ea.
white	white	9 194 644	300 ea.
anthracite	dark grey with Hettich logo	9 194 648	300 ea.
anthracite	dark grey	9 194 645	300 ea.

Advice

- | | | | |
|--------------------------------|---------|--------------------------------------|---------|
| ▶ Internal front panel options | 46 - 48 | ▶ Push to open Silent opening system | 44 - 45 |
| ▶ Design options | 49 - 50 | | |
| ▶ Other accessories | 51 - 53 | | |
| ▶ Quadro drawer runners | 29 | | |




hettich.com/short/13aee4

InnoTech Aтира double walled drawer system


- ▶ Pot-and-pan drawer with railing, height 144 mm
- ▶ Powder coated steel, silver / white / anthracite



Planning / installation dimensions




Positions for attaching Quadro V6 drawer runner



InnoTech Atira double walled drawer system

- ▶ Pot-and-pan drawer with railing, height 144 mm
- ▶ Powder coated steel, silver / white / anthracite

Pot-and-pan drawer, set packaging




Set comprises:

- ▶ 1 drawer side profile, left and right
- ▶ 2 drawer front connectors with expanding dowel for drawer side profile
- ▶ 2 plastic cover caps, plastic with Hettich logo
- ▶ 1 lengthwise railing, left and right
- ▶ 2 drawer front connectors with expanding dowel for lengthwise railing
- ▶ 1 rear panel connector, left and right
- ▶ Fixing material

Nominal length mm	Order no. / Colour			PU
	silver	white	anthracite	
260	9 319 130	9 319 148	9 319 141	1 set
300	9 319 131	9 319 149	9 319 142	1 set
350	9 319 136	9 319 150	9 319 143	1 set
420	9 319 137	9 319 151	9 319 144	1 set
470	9 319 138	9 319 152	9 319 145	1 set
520	9 319 139	9 319 153	9 319 146	1 set
620	9 319 140	9 319 154	9 319 147	1 set

1 Drawer side profile, bulk packaging



- ▶ Integrated vertical and lateral adjustment
- ▶ Powder coated steel

Nominal length mm	Order no. / Colour / Mounting side						PU
	silver		white		anthracite		
	left	right	left	right	left	right	
260	9 194 390	9 194 391	9 194 404	9 194 405	9 194 418	9 194 419	18 ea.
300	9 194 392	9 194 393	9 194 406	9 194 407	9 194 420	9 194 421	18 ea.
350	9 194 394	9 194 395	9 194 408	9 194 409	9 194 422	9 194 423	18 ea.
420	9 194 396	9 194 397	9 194 410	9 194 411	9 194 424	9 194 425	18 ea.
470	9 194 398	9 194 399	9 194 412	9 194 413	9 194 426	9 194 427	18 ea.
520	9 194 400	9 194 401	9 194 414	9 194 415	9 194 428	9 194 429	18 ea.
620	9 194 402	9 194 403	9 194 416	9 194 417	9 194 430	9 194 431	18 ea.

Advice

- | | | | |
|--------------------------------|---------|--------------------------------------|---------|
| ▶ Internal front panel options | 46 - 48 | ▶ Push to open Silent opening system | 44 - 45 |
| ▶ Design options | 49 - 50 | | |
| ▶ Other accessories | 51 - 53 | | |
| ▶ Quadro drawer runners | 29 | | |




hettich.com/short/335697

InnoTech Aтира double walled drawer system

- ▶ Pot-and-pan drawer with railing, height 144 mm
- ▶ Powder coated steel, silver / white / anthracite


4 Rear panel connector



▶ Powder coated steel

Nominal height mm	Order no. / Colour / Mounting side						PU
	silver		white		anthracite		
	left	right	left	right	left	right	
144	9 007 355	9 007 356	9 194 635	9 194 636	9 194 637	9 194 638	40 ea.


3 Cover caps



- ▶ Cover cap with customised imprint available on request
- ▶ Plastic

System colour	Finish	Order no.	PU
silver	grey with Hettich logo	9 194 646	300 ea.
silver	grey	9 194 643	300 ea.
white	white with Hettich logo	9 194 647	300 ea.
white	white	9 194 644	300 ea.
anthracite	dark grey with Hettich logo	9 194 648	300 ea.
anthracite	dark grey	9 194 645	300 ea.

5 Lengthwise railing



▶ Powder coated steel

Nominal length mm	Order no. / Colour / Mounting side						PU
	silver		white		anthracite		
	left	right	left	right	left	right	
260	9 194 522	9 194 523	9 194 536	9 194 537	9 194 550	9 194 551	80 ea.
300	9 194 524	9 194 525	9 194 538	9 194 539	9 194 552	9 194 553	80 ea.
350	9 194 526	9 194 527	9 194 540	9 194 541	9 194 554	9 194 555	80 ea.
420	9 194 528	9 194 529	9 194 542	9 194 543	9 194 556	9 194 557	80 ea.
470	9 194 530	9 194 531	9 194 544	9 194 545	9 194 558	9 194 559	80 ea.
520	9 194 532	9 194 533	9 194 546	9 194 547	9 194 560	9 194 561	80 ea.
620	9 194 534	9 194 535	9 194 548	9 194 549	9 194 562	9 194 563	80 ea.

Advice

- | | | | |
|--------------------------------|---------|--------------------------------------|---------|
| ▶ Internal front panel options | 46 - 48 | ▶ Push to open Silent opening system | 44 - 45 |
| ▶ Design options | 49 - 50 | | |
| ▶ Other accessories | 51 - 53 | | |
| ▶ Quadro drawer runners | 29 | | |




[hettich.com/short/335697](https://www.hettich.com/short/335697)

InnoTech Atira double walled drawer system

- ▶ Pot-and-pan drawer with railing, height 144 mm
- ▶ Powder coated steel, silver / white / anthracite

7 TopSide adapter



- ▶ For fitting **9** TopSide in metal, **8** TopSide in glass or TopSide in any chosen material
- ▶ Plastic

Set comprises:

- ▶ 1 adapter, front, left and right
- ▶ 1 adapter, rear, left and right

Nominal height mm	Order no. / Colour			PU
	grey	white	dark grey	
144	9 194 657	9 194 658	9 194 659	1 set

8 TopSide in glass



- ▶ **7** TopSide adapters must be ordered separately
- ▶ Float glass, clear

Set comprises:

- ▶ 2 TopSides

Nominal length mm	Order no.	PU
350	9 194 665	1 set
420	9 194 666	1 set
470	9 194 667	1 set
520	9 194 668	1 set
620	9 194 669	1 set

9 TopSide in metal



- ▶ **7** TopSide adapters must be ordered separately

Set comprises:

- ▶ 2 TopSides

Nominal length mm	Order no. / Colour			PU
	silver	white	anthracite	
350	9 194 679	9 194 686	9 194 693	1 set
420	9 194 680	9 194 687	9 194 694	1 set
470	9 194 681	9 194 688	9 194 695	1 set
520	9 194 682	9 194 689	9 194 696	1 set
620	9 194 683	9 194 690	9 194 697	1 set

Advice

- | | | | |
|--------------------------------|---------|--------------------------------------|---------|
| ▶ Internal front panel options | 46 - 48 | ▶ Push to open Silent opening system | 44 - 45 |
| ▶ Design options | 49 - 50 | | |
| ▶ Other accessories | 51 - 53 | | |
| ▶ Quadro drawer runners | 29 | | |




hettich.com/short/335697

InnoTech Aтира double walled drawer system


- ▶ Pot-and-pan drawer with railing, height 176 mm
- ▶ Powder coated steel, silver / white / anthracite



Planning / installation dimensions




Positions for attaching Quadro V6 drawer runner



InnoTech Atira double walled drawer system

- ▶ Pot-and-pan drawer with railing, height 176 mm
- ▶ Powder coated steel, silver / white / anthracite

Pot-and-pan drawer, set packaging




Set comprises:

- ▶ 1 drawer side profile, left and right
- ▶ 2 drawer front connectors with expanding dowel for drawer side profile
- ▶ 2 plastic cover caps, plastic with Hettich logo
- ▶ 1 lengthwise railing, left and right
- ▶ 2 drawer front connectors with expanding dowel for lengthwise railing
- ▶ 1 rear panel connector, left and right
- ▶ Fixing material

Nominal length mm	Order no. / Colour			PU
	silver	white	anthracite	
260	9 319 155	9 319 169	9 319 162	1 set
300	9 319 156	9 319 170	9 319 163	1 set
350	9 319 157	9 319 171	9 319 164	1 set
420	9 319 158	9 319 172	9 319 165	1 set
470	9 319 159	9 319 173	9 319 166	1 set
520	9 319 160	9 319 174	9 319 167	1 set
620	9 319 161	9 319 175	9 319 168	1 set

1 Drawer side profile, bulk packaging



- ▶ Integrated vertical and lateral adjustment
- ▶ Powder coated steel

Nominal length mm	Order no. / Colour / Mounting side						PU
	silver		white		anthracite		
	left	right	left	right	left	right	
260	9 194 390	9 194 391	9 194 404	9 194 405	9 194 418	9 194 419	18 ea.
300	9 194 392	9 194 393	9 194 406	9 194 407	9 194 420	9 194 421	18 ea.
350	9 194 394	9 194 395	9 194 408	9 194 409	9 194 422	9 194 423	18 ea.
420	9 194 396	9 194 397	9 194 410	9 194 411	9 194 424	9 194 425	18 ea.
470	9 194 398	9 194 399	9 194 412	9 194 413	9 194 426	9 194 427	18 ea.
520	9 194 400	9 194 401	9 194 414	9 194 415	9 194 428	9 194 429	18 ea.
620	9 194 402	9 194 403	9 194 416	9 194 417	9 194 430	9 194 431	18 ea.

Advice

- | | | | |
|--------------------------------|---------|--------------------------------------|---------|
| ▶ Internal front panel options | 46 - 48 | ▶ Push to open Silent opening system | 44 - 45 |
| ▶ Design options | 49 - 50 | | |
| ▶ Other accessories | 51 - 53 | | |
| ▶ Quadro drawer runners | 29 | | |




hettich.com/short/9a9ed1

InnoTech Aтира double walled drawer system

- ▶ Pot-and-pan drawer with railing, height 176 mm
- ▶ Powder coated steel, silver / white / anthracite


4 Rear panel connector



- ▶ Powder coated steel

Nominal height mm	Order no. / Colour / Mounting side						PU
	silver		white		anthracite		
	left	right	left	right	left	right	
176	9 027 831	9 027 832	9 194 639	9 194 640	9 194 641	9 194 642	40 ea.


3 Cover caps



- ▶ Cover cap with customised imprint available on request
- ▶ Plastic

System colour	Finish	Order no.	PU
silver	grey with Hettich logo	9 194 646	300 ea.
silver	grey	9 194 643	300 ea.
white	white with Hettich logo	9 194 647	300 ea.
white	white	9 194 644	300 ea.
anthracite	dark grey with Hettich logo	9 194 648	300 ea.
anthracite	dark grey	9 194 645	300 ea.

5 Lengthwise railing



- ▶ Powder coated steel

Nominal length mm	Order no. / Colour / Mounting side						PU
	silver		white		anthracite		
	left	right	left	right	left	right	
260	9 194 522	9 194 523	9 194 536	9 194 537	9 194 550	9 194 551	80 ea.
300	9 194 524	9 194 525	9 194 538	9 194 539	9 194 552	9 194 553	80 ea.
350	9 194 526	9 194 527	9 194 540	9 194 541	9 194 554	9 194 555	80 ea.
420	9 194 528	9 194 529	9 194 542	9 194 543	9 194 556	9 194 557	80 ea.
470	9 194 530	9 194 531	9 194 544	9 194 545	9 194 558	9 194 559	80 ea.
520	9 194 532	9 194 533	9 194 546	9 194 547	9 194 560	9 194 561	80 ea.
620	9 194 534	9 194 535	9 194 548	9 194 549	9 194 562	9 194 563	80 ea.

Advice

- | | | | |
|--------------------------------|---------|--------------------------------------|---------|
| ▶ Internal front panel options | 46 - 48 | ▶ Push to open Silent opening system | 44 - 45 |
| ▶ Design options | 49 - 50 | | |
| ▶ Other accessories | 51 - 53 | | |
| ▶ Quadro drawer runners | 29 | | |




hettich.com/short/9a9ed1

InnoTech Atira double walled drawer system

- ▶ Pot-and-pan drawer with railing, height 176 mm
- ▶ Powder coated steel, silver / white / anthracite

7 TopSide adapter



- ▶ For fitting **9** TopSide in metal, **8** TopSide in glass or TopSide in any chosen material
- ▶ Plastic

Set comprises:

- ▶ 1 adapter, front, left and right
- ▶ 1 adapter, rear, left and right

Nominal height mm	Order no. / Colour			PU
	grey	white	dark grey	
176	9 194 660	9 194 661	9 194 662	1 set

8 TopSide in glass



- ▶ **7** TopSide adapters must be ordered separately
- ▶ Float glass, clear

Set comprises:

- ▶ 2 TopSides

Nominal length mm	Order no.	PU
350	9 194 672	1 set
420	9 194 673	1 set
470	9 194 674	1 set
520	9 194 675	1 set
620	9 194 676	1 set

9 TopSide in metal



- ▶ **7** TopSide adapters must be ordered separately

Set comprises:

- ▶ 2 TopSides

Nominal length mm	Order no. / Colour			PU
	silver	white	anthracite	
350	9 194 700	9 194 707	9 194 714	1 set
420	9 194 701	9 194 708	9 194 715	1 set
470	9 194 702	9 194 709	9 194 716	1 set
520	9 194 703	9 194 710	9 194 717	1 set
620	9 194 704	9 194 711	9 194 718	1 set

Advice			
▶ Internal front panel options	46 - 48	▶ Push to open Silent opening system	44 - 45
▶ Design options	49 - 50		
▶ Other accessories	51 - 53		
▶ Quadro drawer runners	29		


hettich.com/short/9a9ed1

InnoTech Aтира double walled drawer system

- ▶ Pot-and-pan drawer with railing for customised rear panel height
- ▶ Powder coated steel, silver / white / anthracite




Planning / installation dimensions



			Dimension			mm
BB Bottom panel width	RB Rear panel width	LB Clear inside width	KD	16	18	19
BL Bottom panel length	NL Nominal length	LT Clear inside depth	EB	12,5	10,5	9,5
KB Cabinet body width	KD Cabinet body side thicknesses	EB Installation width	A	23	21	20
			BL	NL + 10		
			BB	LB - 2 x EB - 51,5		
			RB	LB - 2 x EB - 63		


Positions for attaching Quadro V6 drawer runner



InnoTech Atira double walled drawer system

- ▶ Pot-and-pan drawer with railing for customised rear panel height
- ▶ Powder coated steel, silver / white / anthracite


1 Drawer side profile height 70 mm



- ▶ Integrated vertical and lateral adjustment
- ▶ Powder coated steel

Nominal length mm	Order no. / Colour / Mounting side						PU
	silver		white		anthracite		
	left	right	left	right	left	right	
260	9 194 390	9 194 391	9 194 404	9 194 405	9 194 418	9 194 419	18 ea.
300	9 194 392	9 194 393	9 194 406	9 194 407	9 194 420	9 194 421	18 ea.
350	9 194 394	9 194 395	9 194 408	9 194 409	9 194 422	9 194 423	18 ea.
420	9 194 396	9 194 397	9 194 410	9 194 411	9 194 424	9 194 425	18 ea.
470	9 194 398	9 194 399	9 194 412	9 194 413	9 194 426	9 194 427	18 ea.
520	9 194 400	9 194 401	9 194 414	9 194 415	9 194 428	9 194 429	18 ea.
620	9 194 402	9 194 403	9 194 416	9 194 417	9 194 430	9 194 431	18 ea.


4 Rear panel connector



- ▶ Powder coated steel

Nominal height mm	Order no. / Colour / Mounting side						PU
	silver		white		anthracite		
	left	right	left	right	left	right	
144	9 007 355	9 007 356	9 194 635	9 194 636	9 194 637	9 194 638	40 ea.

3 Cover caps



- ▶ Cover cap with customised imprint available on request
- ▶ Plastic

System colour	Finish	Order no.	PU
silver	grey with Hettich logo	9 194 646	300 ea.
silver	grey	9 194 643	300 ea.
white	white with Hettich logo	9 194 647	300 ea.
white	white	9 194 644	300 ea.
anthracite	dark grey with Hettich logo	9 194 648	300 ea.
anthracite	dark grey	9 194 645	300 ea.

Advice

- | | | | |
|--------------------------------|---------|--------------------------------------|---------|
| ▶ Internal front panel options | 46 - 48 | ▶ Push to open Silent opening system | 44 - 45 |
| ▶ Design options | 49 - 50 | | |
| ▶ Other accessories | 51 - 53 | | |
| ▶ Quadro drawer runners | 29 | | |




hettich.com/short/114005

InnoTech Atira double walled drawer system

- ▶ Pot-and-pan drawer with railing for customised rear panel height
- ▶ Powder coated steel, silver / white / anthracite


5 Lengthwise railing



▶ Powder coated steel

Nominal length mm	Order no. / Colour / Mounting side						PU
	silver		white		anthracite		
	left	right	left	right	left	right	
260	9 194 522	9 194 523	9 194 536	9 194 537	9 194 550	9 194 551	80 ea.
300	9 194 524	9 194 525	9 194 538	9 194 539	9 194 552	9 194 553	80 ea.
350	9 194 526	9 194 527	9 194 540	9 194 541	9 194 554	9 194 555	80 ea.
420	9 194 528	9 194 529	9 194 542	9 194 543	9 194 556	9 194 557	80 ea.
470	9 194 530	9 194 531	9 194 544	9 194 545	9 194 558	9 194 559	80 ea.
520	9 194 532	9 194 533	9 194 546	9 194 547	9 194 560	9 194 561	80 ea.
620	9 194 534	9 194 535	9 194 548	9 194 549	9 194 562	9 194 563	80 ea.

11 Adapter for lengthwise railing



- ▶ For using a freely positionable lengthwise railing
- ▶ Suitable for use on left or right

Order no. / Colour			PU
silver	white	anthracite	
9 206 256	9 206 257	9 206 258	80 ea.

Advice			
▶ Internal front panel options	46 - 48	▶ Push to open Silent opening system	44 - 45
▶ Design options	49 - 50		
▶ Other accessories	51 - 53		
▶ Quadro drawer runners	29		




[hettich.com/short/114005](https://www.hettich.com/short/114005)

InnoTech Aтира double walled drawer system


- ▶ Narrow base unit
- ▶ Powder coated steel, silver / white / anthracite



- ▶ Cabinet body height 750 mm max.
- ▶ Suitable for cabinet width min. 150 mm and max. 300 mm
- ▶ Quadro drawer runner is required on the left and right, mounted diagonally
- ▶ Total load capacity 20 kg max.
- ▶ Other configurations are possible e.g. use of TopSide metal or glass



Example application



Set comprises:

- ▶ 2 drawer side profiles, left and right
- ▶ 4 rear panel connectors, left and right
- ▶ 1 lengthwise railing, left and right
- ▶ 4 drawer front connectors for drawer side profile with expanding dowel
- ▶ 2 drawer front connectors for lengthwise railing with expanding dowel
- ▶ 4 cover caps, grey plastic with Hettich logo
- ▶ 1 drawer runner Quadro V6 with Silent System, left and right


Nominal height mm	Order no.			PU
	silver	white	anthracite	
470	9 214 729	9 214 727	9 306 833	1 set
520	9 214 730	9 214 728	9 306 834	1 set

InnoTech Atira double walled drawer system


- ▶ Pantry
- ▶ Powder coated steel, silver / white / anthracite



- ▶ Versatile pantry unit with internal drawers behind hinged doors
- ▶ Maximum use of storage area
- ▶ Flexibility in cabinet height and width
- ▶ Suitable for pantry units starting from 300 mm in width - wider than 600 mm 2 hinged doors are recommended
- ▶ Sensys 8657i fast assembly hinge with no door protrusion is recommended



Example application



Set comprises:

- ▶ 5 drawer side profiles, left and right
- ▶ 5 rear panel connectors, left and right
- ▶ 4 lengthwise railing, left and right
- ▶ 1 front for internal drawer **or**
1 connector for aluminium front panel, left and right
- ▶ 4 fronts for internal pot-and-pan drawer **or**
4 connectors for aluminium front panel, left and right
- ▶ 10 cover caps, white plastic with Hettich logo
- ▶ 5 drawer runner Quadro V6 with Silent System, left and right


Nominal height mm	Order no. (variable width*)		PU
	silver	white	
470	9 214 716	9 214 711	1 set
520	9 214 726	9 214 721	1 set

*Note:

Internal front panel and front railing must be ordered separately


InnoTech Atira double walled drawer system

- ▶ Range summary
- ▶ Quadro drawer runners




Quadro 25 partial extension runner
Load capacity up to 25 kg
▶ with Silent System

30 - 31



Quadro V6 full extension runner
Load capacity up to 30 kg
▶ with Silent System or Push to open

32 - 35




Full extension runner, Quadro V6+
Load capacity up to 50 kg
▶ with Silent System or Push to open

36 - 37



Synchronisation for Push to open

38 - 39



Drawer runners for Push to open Silent

40 - 43




Push to open Silent opening system

44 - 45

InnoTech Atira double walled drawer system

- ▶ Quadro 25 drawer runner with Silent System, set / bulk packaging
- ▶ Partial extension runner, load capacity up to 25 kg



- ▶ Partial extension runner
- ▶ Slide on installation
- ▶ Load capacity to EN 15338 Level 3
- ▶ Galvanised steel

Set packaging EB 12.5 (cabinet body side thickness 16 mm)

Nominal length mm	Order no.	PU
350	9 318 935	1 pair
420	9 318 936	1 pair
470	9 318 937	1 pair
520	9 318 938	1 pair

Bulk packaging EB 12.5 (cabinet body side thickness 16 mm)

Nominal length mm	Order no. / Mounting side		PU
	left	right	
350	9 159 023	9 159 024	30 ea.
420	9 159 025	9 159 026	30 ea.
470	9 159 027	9 159 028	30 ea.
520	9 159 029	9 159 030	30 ea.




InnoTech Atira double walled drawer system

- ▶ Quadro 25 drawer runner with Silent System, set / bulk packaging
- ▶ Partial extension runner, load capacity up to 25 kg

Lengthwise cross-section



InnoTech Atira drawer / pot-and-pan drawer

← Cabinet body front edge



InnoTech Atira internal drawer / internal pot-and-pan drawer

← Cabinet body front edge




* Stated dimensions are based on a 1.5 mm gap between front panels. Cabinet body drilling pattern must allow for thicker front panel buffers.

Installation dimensions

Nominal length mm	Hole spacing b1 mm	Extension loss EL mm	Drawer / pot-and-pan drawer Minimum cabinet body depth LT mm	Internal drawer / internal pot-and-pan drawer Minimum cabinet body depth LT mm
350	160	70	365	374
420	256	82	435	444
470	256	94	485	494
520	256	106	535	544

InnoTech Atira double walled drawer system

- ▶ Quadro V6 drawer runner with Silent System, set / bulk packaging
- ▶ Full extension runner, load capacity up to 30 kg



- ▶ Full extension runner
- ▶ With integrated Silent System
- ▶ Load capacity to EN 15338 Level 3
- ▶ Slide on installation
- ▶ Galvanised steel

Set packaging EB 12.5 (cabinet body side thickness 16 mm)

Nominal length mm	Order no.	PU
260	9 318 952	1 pair
300	9 318 953	1 pair
350	9 318 954	1 pair
420	9 318 955	1 pair
470	9 318 956	1 pair
520	9 318 957	1 pair


Bulk packaging EB 12.5 (cabinet body side thickness 16 mm)

Nominal length mm	Order no. / Mounting side		PU
	left	right	
260	9 118 019	9 118 020	20 ea.
300	9 117 988	9 117 991	20 ea.
350	9 118 013	9 118 014	20 ea.
420	9 101 300	9 101 301	20 ea.
470	9 118 054	9 118 055	20 ea.
520	9 118 016	9 118 018	20 ea.

InnoTech Atira double walled drawer system

- ▶ Quadro V6 drawer runner with Silent System, set / bulk packaging
- ▶ Full extension runner, load capacity up to 30 kg

Lengthwise cross-section




Installation dimensions

Nominal length mm	Hole spacing b1 mm	Drawer / pot-and-pan drawer Minimum cabinet body depth LT mm	Internal drawer / internal pot-and-pan drawer Minimum cabinet body depth LT mm
260	160	279	288
300	160	315	324
350	160	365	374
420	224	435	444
470	256	485	494
520	256	535	544

InnoTech Aтира double walled drawer system

- ▶ Quadro V6 drawer runner with Push to open, set packaging
- ▶ Full extension runner, load capacity up to 30 kg



- ▶ Full extension runner
- ▶ With integrated Push to open drawer opening system
- ▶ Load capacity to EN 15338 Level 3
- ▶ Slide on installation
- ▶ Galvanised steel


Set packaging EB 12.5 (cabinet body side thickness 16 mm)

Nominal length mm	Order no.	PU
260	9 318 990	1 pair
300	9 318 991	1 pair
350	9 318 992	1 pair
420	9 318 993	1 pair
470	9 318 994	1 pair
520	9 318 995	1 pair

InnoTech Atira double walled drawer system

- ▶ Quadro V6 drawer runner with Push to open, set packaging
- ▶ Full extension runner, load capacity up to 30 kg

Lengthwise cross-section




Installation dimensions

Nominal length mm	Hole spacing b1 mm	Drawer / pot-and-pan drawer Minimum cabinet body depth LT mm	Internal drawer / internal pot-and-pan drawer Minimum cabinet body depth LT mm
260	160	305	314
300	160	315	324
350	160	365	374
420	224	435	444
470	256	485	494
520	256	535	544

InnoTech Atira double walled drawer system


- ▶ Quadro V6+ drawer runner, bulk / set packaging
- ▶ Full extension runner, load capacity up to 50 kg



- ▶ Full extension runner
- ▶ With integrated **Silent System** or **Push to open**
- ▶ Load capacity to EN 15338 Level 3
- ▶ Slide on installation
- ▶ Galvanised steel

Set packaging EB 12.5 (cabinet body side thickness 16 mm)

Nominal length mm	Order no. / User friendly features		PU
	Silent System	Push to open	
420	9 318 974	9 319 010	1 pair
470	9 318 975	9 319 011	1 pair
520	9 318 976	9 319 012	1 pair
620	9 318 977	9 319 013	1 pair



- ▶ Full extension runner
- ▶ With integrated **Silent System**
- ▶ Load capacity to EN 15338 Level 3
- ▶ Slide on installation
- ▶ Galvanised steel


Bulk packaging EB 12.5 (cabinet body side thickness 16 mm)

Nominal length mm	Order no. / Mounting side		PU
	left	right	
420	9 126 345	9 126 346	16 ea.
470	9 117 993	9 117 994	16 ea.
520	9 117 995	9 117 997	16 ea.
620	9 126 347	9 126 348	16 ea.

InnoTech Atira double walled drawer system

- ▶ Quadro V6+ drawer runner, bulk / set packaging
- ▶ Full extension runner, load capacity up to 50 kg

Lengthwise cross-section




Installation dimensions

Nominal length mm	Hole spacing b1 mm	Hole spacing b2 mm	Drawer / pot-and-pan drawer Minimum cabinet body depth LT mm	Internal drawer / internal pot-and-pan drawer Minimum cabinet body depth LT mm
420	224		435	444
470	256		485	494
520	256		535	544
620	352	64	635	644

InnoTech Atira double walled drawer system

- ▶ **Quadro V6 and Quadro V6+ drawer runners**
- ▶ **Synchronisation for Push to open**

Synchronisation for Quadro Push to open



- ▶ Use recommended on cabinet bodies in a width of 600 mm and over
- ▶ For nominal lengths of 260 - 620 mm
- ▶ Synchronisation bar for cutting to length, length 2000 mm
- ▶ Connector for extending synchronisation bar / optimising synchronisation bar offcut waste
- ▶ Cannot be used with Quadro partial extension runners

The following items are required for use:




- ▶ 1 synchronisation bar
- ▶ 2 adapters
- ▶ Waste can be minimised using the connector

Article	Order no.	PU
1 Synchronisation bar	9 236 718	100 ea.
2 Adapter type A	9 219 966	200 ea.
8 Connector	9 221 295	20 ea.
3 Adapter type B	9 219 965	200 ea.



Quadro installed width

With various Quadro installed widths (EB) to choose from, it is possible to work with different cabinet body side panel thicknesses (KD) – without having to change the drawer dimensions. The following dimensions apply:


KD mm	16	18	19
EB mm	12,5	10,5	9,5




Push to open with optional synchronisation



Quadro V6 type B



Quadro V6+ type A



Advice




- ▶ Design options 49 - 50
- ▶ Other accessories 51 - 53
- ▶ Quadro drawer runners 29



hettich.com/short/690699


InnoTech Atira double walled drawer system

- ▶ Quadro V6 and Quadro V6+ drawer runners
- ▶ Synchronisation for Push to open



InnoTech Atira double walled drawer system

- ▶ Quadro drawer runners for Push to open Silent, set packaging
- ▶ Full extension runner, load capacity up to 10 kg / 30 kg



- ▶ Full extension runner
- ▶ Can only be used with Push to open Silent
- ▶ Load capacity to EN 15338, Level 3
- ▶ Slide on installation
- ▶ Galvanised steel

Set packaging EB 12.5 (cabinet body side thickness 16 mm)




Nominal length mm	Order no. / Load class		PU
	10 kg	30 kg	
260	9 319 041		1 pair
300	9 319 042		1 pair
350	9 319 043	9 319 048	1 pair
420		9 319 051	1 pair
470		9 319 052	1 pair
520		9 319 053	1 pair

InnoTech Atira double walled drawer system



- ▶ Quadro drawer runners for Push to open Silent, set packaging
- ▶ Full extension runner, load capacity up to 10 kg / 30 kg

Lengthwise cross-section, 10 kg + 30 kg

InnoTech Atira drawer / pot-and-pan drawer



InnoTech Atira internal drawer / internal pot-and-pan drawer




* Stated dimensions are based on a 1.5 mm gap between front panels. Cabinet body drilling pattern must allow for thicker front panel buffers.

Installation dimensions

Nominal length mm	Hole spacing b1 mm	Drawer / pot-and-pan drawer Minimum cabinet body depth LT mm	Internal drawer / internal pot-and-pan drawer Minimum cabinet body depth LT mm
260	160	279	297
300	160	315	333
350	160	365	383
420	224	435	453
470	256	485	503
520	256	535	553

InnoTech Atira double walled drawer system

- ▶ Quadro drawer runners for Push to open Silent, set packaging
- ▶ Full extension runner, load capacity up to 50 kg



- ▶ Full extension runner
- ▶ Can only be used with Push to open Silent
- ▶ Load capacity to EN 15338, Level 3
- ▶ Slide on installation
- ▶ Galvanised steel


Set packaging EB 12.5 (cabinet body side thickness 16 mm)

Nominal length mm	Order no.	PU
300	9 319 077	1 pair
350	9 319 078	1 pair
420	9 319 079	1 pair
470	9 319 080	1 pair
520	9 319 081	1 pair
620	9 319 082	1 pair

InnoTech Atira double walled drawer system

- ▶ Quadro drawer runners for Push to open Silent, set packaging
- ▶ Full extension runner, load capacity up to 50 kg

Lengthwise cross-section, 50 kg



Installation dimensions

Nominal length mm	Hole spacing b1 mm	Hole spacing b2 mm	Drawer / pot-and-pan drawer Minimum cabinet body depth LT mm	Internal drawer / internal pot-and-pan drawer Minimum cabinet body depth LT mm
300	160		315	333
350	192		365	383
420	224		435	453
470	256		485	503
520	256		535	553
620	352	64	635	653


InnoTech Atira double walled drawer system

► Push to open Silent opening system



- Opening system combined with Silent System
- System permits minimum drawer front gap of 2.5 mm
- For optimum performance and activation, we recommend fitting an optional synchronisation function
- With the flexible adapter synchronisation, also possible on curved or angled front panels
- 3-dimensional front panel adjustment for the drawer, 4-dimensional for the pot-and-pan drawer
- A system that stores pushing energy helps to slow down closing action
- Drawers can still be pulled open / guided closed
- Tool-less assembly
- Suitable for all nominal drawer lengths and cabinet body widths of 275 mm and over

Push to open Silent opening system for InnoTech Atira




- For optimum performance and activation, we recommend fitting an optional synchronisation function

Set comprises:

- 1 Push to open Silent unit, left and right
- 1 activator, left and right
- 2 adapters for synchronisation
- 1 holder for synchronization bar

Total weight kg	Load class for Quadro	Nominal length mm	Order no.	PU
<10	10	260 - 350	9 240 161	1 set
8 - 20	30	260 - 520	9 240 162	1 set
10 - 30	30	260 - 520	9 240 163	1 set
20 - 50	50	300 - 620	9 240 164	1 set

Synchronisation bar and connector



Synchronisation bar:


- For cutting to size
- Length 2000 mm
- Aluminium, anodised

Connector:

- For extending synchronisation bar / optimising synchronisation bar offcut waste
- Plastic, grey

Article	Order no.	PU
1 Synchronisation bar	9 236 718	100 ea.
8 Connector	9 221 295	20 ea.

Flexible adapter



- For offset drawer runners with angled or curved fronts
- Depth offset max. 150 mm
- Angle at synchronisation bar max. 25°
- Replaces the adapter for synchronisation in the Push to open Silent set

Order no.	PU
9 262 213	20 ea.

InnoTech Atira double walled drawer system

► Push to open Silent opening system

Recommendation for drawer (front panel height up to approx. 150 mm)*

Nominal length mm	Nominal width mm											
	275	300	350	400	500	600	700	800	900	1000	1100	1200
260												
300												
350												
420												
470												
520												
620												

Recommendation for pot-and-pan drawer (front panel height up to approx. 300 mm, light to medium duty loading)*

Nominal length mm	Nominal width mm											
	275	300	350	400	500	600	700	800	900	1000	1100	1200
260												
300												
350												
420												
470												
520												
620												

Recommendation for pot-and-pan drawer, heavy duty (front panel height up to approx. 300 mm, heavy duty loading, e.g. with stacks of plates)*

Nominal length mm	Nominal width mm											
	275	300	350	400	500	600	700	800	900	1000	1100	1200
260												
300												
350												
420												
470												
520												
620												

Order no. Push to open Silent:

9 240 161

9 240 162

9 240 163

9 240 164

* Recommendations for applications (front panel 19 mm chipboard, normal household loading), please refer to our online configurator to get more exact recommendations for customer chosen front panel dimensions and materials.



For further information:
<http://www.hettich.com/short/3e1c7c>



hettich.com/short/577293





InnoTech Atira double walled drawer system

- ▶ Front panel options
- ▶ Front panel with aluminium section



- ▶ For internal drawer or internal pot-and-pan drawer
- ▶ For nominal heights of 70 mm / 144 mm
- ▶ For optional use with catch for front panel
- ▶ Cannot be combined with TopSide

Planning / installation dimensions






KB Cabinet body width	PL Profile length / Front panel width
RL Railing length	LB Clear inside width
NL Nominal length	LT Clear inside depth
KD Cabinet body side thicknesses	EB Installation width

KD	16	18	19
EB	12,5	10,5	9,5
A	23	21	20

Dimension	mm
PL	LB - 2 x EB - 57,6
RL	LB - 2 x EB - 90,5
LT Internal drawer NL 260	NL + 28
LT Internal drawer > NL 260	NL + 24

Positions for attaching Quadro V6 drawer runner

Nominal length mm	Hole spacing b1 mm
260	160
300	160
350	160
420	224
470	256
520	256




Note:
For further information, please refer to the chapter on drawer runners.

InnoTech Atira double walled drawer system

- ▶ Front panel options
- ▶ Front panel with aluminium section

13 Connector for front panel




- ▶ For combining with profile for front panel
- ▶ Plastic

Set comprises:

- ▶ 1 connector for front panel, left and right

Colour	Order no. / Nominal height mm		PU
	70	144	
grey	9 104 107	9 293 516	1 pair
white	9 196 348	9 293 517	1 pair
anthracite	9 196 349	9 293 518	1 pair


14 Aluminium front panel



- ▶ For cutting to length
- ▶ Length 2000 mm
- ▶ Powder coated aluminium

Colour	Order no.	PU
silver	9 194 764	1 ea.
white	9 194 765	1 ea.
anthracite	9 194 766	1 ea.


15 Railing for front panel



- ▶ For cutting to length
- ▶ Length 2000 mm
- ▶ Powder coated steel

Colour	Order no.	PU
silver	9 194 614	30 ea.
white	9 194 615	30 ea.
anthracite	9 194 616	30 ea.

16 Catch



- ▶ For screwing on
- ▶ Plastic

Set comprises:

- ▶ 1 catch
- ▶ 1 profile height increaser
- ▶ Fixing material

System colour	Colour	Order no.	PU
silver, white	grey	9 235 838	1 set
anthracite	anthracite	9 235 837	1 set

17 Front stabiliser



- ▶ For stabilising wide front panels
- ▶ Recommended for use with cabinet bodies in a width of 600 mm and over
- ▶ Plastic, white


Order no.	PU
9 117 782	100 ea.



InnoTech Atira double walled drawer system

- ▶ Front panel options
- ▶ Front panel with aluminium section


Front panel for internal drawer, aluminium silver / plastic grey



- ▶ For standard cabinet body width
- ▶ With premounted connectors
- ▶ Powder coated aluminium silver / plastic grey

Cabinet body width mm	Order no.	PU
600	9 194 723	20 ea.
800	9 194 724	20 ea.
900	9 194 725	20 ea.
1000	9 194 726	20 ea.


Front panel for internal drawer, aluminium white, plastic white



- ▶ For standard cabinet body width
- ▶ With premounted connectors
- ▶ Powder coated aluminium white / plastic white

Cabinet body width mm	Order no.	PU
600	9 194 732	20 ea.
800	9 194 733	20 ea.
900	9 194 734	20 ea.
1000	9 194 735	20 ea.


Front panel for internal pot-and-pan drawer, aluminium silver / plastic grey



- ▶ For standard cabinet body width
- ▶ With premounted connectors and premounted railing
- ▶ Powder coated aluminium silver / plastic grey

Cabinet body width mm	Order no.	PU
600	9 293 482	20 ea.
800	9 293 484	20 ea.
900	9 293 485	20 ea.
1000	9 293 486	20 ea.

Front panel for internal pot-and-pan drawer, aluminium white, plastic white



- ▶ For standard cabinet body width
- ▶ With premounted connectors and premounted railing
- ▶ Powder coated aluminium white / plastic white

Cabinet body width mm	Order no.	PU
600	9 293 502	20 ea.
800	9 293 503	20 ea.
900	9 293 504	20 ea.
1000	9 293 505	20 ea.


InnoTech Atira double walled drawer system

- ▶ Design options
- ▶ Connection for thin front panels in a thickness of 10 mm and over



- ▶ For front panel thicknesses from 10 mm
- ▶ Socket for optimum fit in soft materials (MDF transverse tensile strength > 0.6 N/mm², chipboard transverse tensile strength > 0.45 N/mm²)
- ▶ Self tapping screws for optimum fit in hard materials (e.g. solid surface material, natural stone, plastic, ceramic)
- ▶ Use with standard front panel connections
- ▶ The attachment method must be suitable for the type and quality of door material and tested for a secure fit


20 Connection for drawer side profile



- Set comprises:
- ▶ 2 front connectors for drawer side profile
 - ▶ 4 sockets, $\varnothing 10 \times 8$ mm
 - ▶ 4 self tapping screws, $\varnothing 3.5 \times 22$ mm

Order no.	PU
9 268 143	1 set



21 Connection for lengthwise railing



- Set comprises:
- ▶ 2 front connectors for lengthwise railing
 - ▶ 2 sockets, $\varnothing 10 \times 8$ mm
 - ▶ 2 self tapping screws, $\varnothing 3.5 \times 9.5$ mm

Order no.	PU
9 268 145	1 set

Fitting information



The attachment method must be suitable for the type and quality of door material and tested for a secure fit.


InnoTech Aтира double walled drawer system

- ▶ Design options
- ▶ TopSide in any chosen material



- ▶ Add attractive highlights with TopSides in any chosen materials
- ▶ Flexibility in material and look
- ▶ For nominal heights of 144 mm / 176 mm

7 TopSide adapter




- ▶ For fitting **9** TopSide in metal, **8** TopSide in glass or TopSide in any chosen material
- ▶ Plastic

- Set comprises:
- ▶ 1 adapter, front, left and right
 - ▶ 1 adapter, rear, left and right

Nominal height mm	Order no. / Colour			PU
	grey	white	dark grey	
144	9 194 657	9 194 658	9 194 659	1 set
176	9 194 660	9 194 661	9 194 662	1 set

Trimmed dimensions for TopSide in any chosen material



Nominal length mm	B mm	Height 144 mm	Height 176 mm
350	335	57	89
420	405	57	89
470	455	57	89
520	505	57	89
620	605	57	89



hettich.com/short/c7f004

InnoTech Atira double walled drawer system

- ▶ Optional accessories
- ▶ Side stabiliser

Side stabiliser




- ▶ Use recommended on cabinet bodies in widths over 800 mm
- ▶ For nominal lengths of 260 - 620 mm
- ▶ Cannot be used with Quadro drawer runner with Push to open

Set comprises:


- ▶ 2 gear racks, plastic
- ▶ 1 shaft for cutting to length, for max. cabinet body width of 1200 mm, aluminium
- ▶ 2 cogwheels, plastic
- ▶ 2 retainers, plastic
- ▶ 2 bearings for shaft, plastic

Order no.	PU
9 079 333	1 set

Planning dimensions / installation



EB drilling jig for InnoTech Atira side stabiliser





- ▶ Drilling jig for drilling positions for attaching InnoTech Atira side stabiliser (order no. 9 079 333)
- ▶ Plastic, white

Installed width mm	Order no.	PU
12,5	9 080 311	1 ea.

InnoTech Aтира double walled drawer system

- ▶ Optional accessories
- ▶ Front stabiliser / spacer profile

Front bracket





- ▶ For stabilising wide and/or high front panels
- ▶ Recommended for use in cabinet body widths 600 mm and over and / or front panel heights of 450 mm and over
- ▶ For installation under the drawer / pot-and-pan drawer after adjustment of the front panel

Set comprises:

- ▶ 1 front bracket, steel chromated
- ▶ 3 special screws, \varnothing 5 x 14 mm

Order no.	PU
9 079 232	1 set

Spacer profile




- ▶ For bridging the door / hinge protrusion
- ▶ To span greater spaces, several profiles can be clipped on top of one another
- ▶ Load capacity max. 20 kg
- ▶ Plastic, white

Width x depth x height mm	Order no.	PU
25 x 486 x 50	0 013 952	1 ea.

InnoTech Atira double walled drawer system

- ▶ Optional accessories
- ▶ Screws


Direct fixing screws



- ▶ Countersunk head
- ▶ Pozidrive screw
- ▶ Steel

Dimensions mm	Finish	Order no.	PU
6.3 ø x 14	galvanised	0 051 265	200 ea.

Chipboard screws, countersunk head



- ▶ Countersunk head
- ▶ Pozidrive screw
- ▶ Steel

Dimensions mm	Finish	Order no.	PU
ø 4 x 16	nickel plated	0 010 085	200 ea.

Chipboard screws, panhead



- ▶ Panhead
- ▶ Pozidrive screw
- ▶ Steel

Dimensions mm	Finish	Order no.	PU
ø 3.5 x 12	galvanised	0 045 167	200 ea.
ø 3.5 x 20	galvanised	0 045 168	200 ea.

