# FUOCO & STATIC





PURATI IS A EUROPEAN-DESIGNED PREMIUM LIGHTING BRAND WITH OUR OWN PRODCUTION. PERFORMANCE, UNIQUENESS, RESPONSIBILITY, AESTHETICS, TECHNOLOGY, INNOVATION (PURATI). THOSE ARE OUR VALUE AND FOUNDATION OUR LIGHTS SAVE SPACE, SAVE RESOURCES, AND OFFER GREATER QUALITY. WE OFFER ARCHITECTURAL LIGHTING OF PREMIUM QUALITY AND PERFORMANCE WITH UNIQUE DESIDN.

PURATI SYDNEY AUSTRALIA

MANUFACTURED BY PURATI OWN FACTORY NINGBO, CHINA

NPK DESIGN IS ONE OF THE MOST VALUED INTERNATIONAL DESIGN AGENCIES IN THE NETHERLANDS, WITH OVER 40 YEARS OF EXPERIENCE. THE COMPANY OFFERS A WIDE RANGE OF SERVICES INCLUDING STRATEGIC ADVICE, INDUSTRIAL DESIGN, SERVICE DESIGN, GRAPHIC DESING, AND PUBLIC DOMAIN PROJECTS, AS WELL AS SUPPLY MANAGEMENT.

NPK DESIGN

LEIDEN, THE NETHERLANDS



Fuoco is a family of IP54 recessed LED downlight that comes in two classic shapes (Round and Square) with multiple mounting options that are suitable for both consumer and professional applications.

It's made of die-cast aluminium in black or white with a matte finish, precisely designed and engineered Turing Lock System and high IP rating makes this downlight interchangeable low glare reflector or lens with three different beam angles to meet your project requirements.

















# Ultra-thin trim IP65 downlight with minimalistic design and versatile application.

The Fuoco Series comprises of two classic shapes (Round  $\cdot$  Square) with multiple mounting options that are suitable for both consumer and professional applications.

With a minimal design and quality light output, this downlight brings a modern, eye-pleasing and stylistic appeal to any space.



#### **FUOCO SERIE**

One engine in typical modular design. Creating a smart design for all-in-one engine to enable you to deliver multiply beam options and various mounting options

The luminaires housing is made of die-cast aluminium in black or white with a matte finish. Precisely designed and engineered Turing Lock System makes this downlight interchangeable low glare reflector or lens with three different beam angles (24°/36°/60°) to meet your project requirements



















It's a minimal design downlight series with various mounting options Recessed, Trimless recessed, Surface mounted and suspended, with wide to focused beam angles, which are suitable for any project.


With a smart turning lock design makes reflector or lens exchangeable that can choose the beam and deliver a unique lighting solution for your project requirements.

Fuoco downlight is available in two accessories options: honeycomb Optic and linear lens both can assist in further reducing glare to create a better visual comfort from multiple viewing angles when looking across a space.










## Choosing the surface mounted Fuoco downlight designed to offer a clean, sleek, and minimalistic approach

IP54 surface mounted downlight with minimalistic design and comes in two classic shapes (Round & Square) that are suitable for both consumer and professional applications

Also available in fixed and adjustable version with build-in non-flickering Drivers (HEP Brand)

# SXAP THE SIMPLE PERFECTION













Fuoco is a clean, contemporary and minimalist design ideal for living and housing, hospitality, retail, hotels and many other spaces

The Surface Mounted Downlight is the popular choice for neat and minimal ceiling in this contemporary space  $\,$ 



It's a minimal design downlight series with various mounting options Recessed, Trimless recessed, Surface mounted and suspended, with wide to focused beam angles, which are suitable for any project. With a smart turning lock design makes reflector or lens exchangeable that can choose the beam and deliver a unique lighting solution for your project requirements.

Fuoco downlight is available in two accessories options: honeycomb Optic and linear lens both can assist in further reducing glare to create a better visual comfort from multiple viewing angles when looking across a space.

Thanks to an ultra-thin trim design for recessed version and a trimless design for surface mounted version, brings this Fuoco family a simple and new visual expression.

#### **PURATI**

FUCOC SERIES STATIC SERIES



With a minimal design and quality light output this downlight brings a modern, eye-pleasing and elegant look to the space. Precisely designed and engineered turning lock system makes this downlight interchangeable low glare reflector with three different beam angles to meet your project requirements.

In addition, the combination of the quality of light, IP54 rating protection and materials aluminium to this Fuoco family delivers an outstanding luminaire Offering a 5-year warranty.






IP54 surface mounted downlight with minimalistic design and comes in two classic shapes (Round & Square) that are suitable for both consumer and professional applications.

Also available in fixed and adjustable version with build-in non-flickering Drivers (HEP Brand)





# How to choose the type of downlights for most modern houses

Fixed downlights focus on the light directly downward. Adjustable downlights allow to the light to be turned in the required direction (Fuoco Adjustable downlight with an angular adjustment of 25° and a rotational adjustment of 355°)

Designers like to use different shape of downlights for project aesthetic, this will depend on types of the design style of room or other spaces, and even interior designer will consider how good to a perfect balance between the fixture and ceiling. (Fuoco family comes in round and square shape with fixed and adjustable version)





#### **GENERAL**

White (RAL 9016) Die-cast Aluminium 54
L90/50,000h
5 years
36° Reflector
1016lm
Up to 100lm/W
3000K
>92
<3
<19
220-240V
10W
Phase cut

Finish	Black (RAL 9005)
Materiall	Die-cast Aluminium
IP	54
Lifespan	L90/50,000h
Warranty	5 years
LED	
Optic	36° Reflector

1016lm Lumen Efficacy Up to 100lm/W CRI 3000K CCT >92 SDCM <3 UGR <16

**ELECTRICAL** 

**ACCESSORIES** 

Glass diffuser or honeycomb louver

Voltage 220-240V 10W Power Driver Build-in Phase cut (Flicker-Free)

#### **ACCESSORIES**

Glass diffuser or honeycomb louver









Fuoco Round Square Trim

#### FUOCO ROUND TRIM ADJUSTABLE





Fuoco Round Trim Adjustable Black

Fuoco Round Trim Adjustable White

#### FUOCO SQUARE TRIM ADJUSTABLE





Fuoco Square Trim Adjustable Black

Fuoco Square Trim Adjustable White











FUOCO FUOCO ROUND

#### **GENERAL**

Finish	White (RAL 9016)
Materiall	Die-cast Aluminium
IP	54
Lifespan	L90/50,000h
Warranty	5 years

#### LED

Optic	60° Reflector
Lumen	956lm
Efficacy	Up to 92lm/W
CRI	3000K
CCT	>92
SDCM	<3
UGR	<19

#### **ELECTRICAL**

Voltage	220-240V
Power	10W
Driver Build-in	Phase cut
(Flicker-Free)	

#### **ACCESSORIES**

#### Glass diffuser or honeycomb louver

Finish	Black (RAL 9005)
Materiall	Die-cast Aluminium
IP	54
Lifespan	L90/50,000h
Warranty	5 years

#### LED

Optic	60° Reflector
Lumen	855lm
Efficacy	Up to 82lm/W
CRI	3000K
CCT	>92
SDCM	<3
UGR	<16

#### **ELECTRICAL**


Voltage	220-240V
Power	10W
Driver Build-in	Phase cut
(Flicker-Free)	

#### ACCESSORIES

#### Glass diffuser or honeycomb louver









Fuoco Round Surface



Fuoco Round Surface

#### FUOCO SQUARE



Fuoco Square Surface



Fuoco Square Surface

#### FUOCO ROUND & SQUARE ADJUSTABLE



Fuoco Round Surface Adjustable



Fuoco Round Surface Adjustable



Fuoco Square Surface Adjustable




Fuoco Square Surface Adjustable

Fuoco Round Surface Adjustable




Download the specification sheet from the product pages on our website for technical further information such as: IES files, Installation instrictions, product images and line drawings.

#### **PURATI**





Our vision is to create premium and well-designed lighting products with a contemporary design style





# **STATIC**



Our vision is to create premium and well-designed lighting products with a contemporary design style.



# **STATIC**

Precisely designed turning lock system makes this unique spotlight interchangeable reflectors with three different beam angles (15°/24°/36°) to meet your project requirements




# Essentials Issau



# STATIC

The beam angles replacement for this range completes a product assembly and customisation in our Sydney Base That means the lead time is significantly shorter for any projects.






## **STATIC**

## **ESSENTIALS DESIGN**





# Unobtrusive integration in the architecture

The Static essential downlight system uniquely decorative cover makes the luminaire an aesthetic highlight.

The lighting fixture then turns into a minimalist and non-invasive element.













#### Static Spotlight

With a minimal design and quality light output this downlight brings a modern, eye-pleasing and elegant look to the space.

Ultra- low glare IP54 Ceiling Recessed Spotlight with anextra-flat decorative cover. The latest redesign update to The Static spotlight continue to refine the aesthetic luminaire surface, giving the sleek look and delivers the light in an extremely focused and precise way to the space. Precisely designed and engineered turning lock system makes this spotlight interchangeable reflector with four different beam angles to meet your project requirement.

Can be power switchable on the remote driver Available in white and black finish with a Non-flickering dimmable driver Replaceable lens with different beam angles (15/24/38/50) Available in light colors 3000K and 4000K, 2700K on request Equipped with CRI>95, SDCM<3, UGR<10 Min.80% of the luminous flux after >50000 hours









**PURATI** 

FUCOC SERIES STATIC SERIES











Static Essential Downlight (Black)

Static Essential Downlight (White)

#### **GENERAL**


Black Finish Die-cast Aluminium Materiall 54 ΙP L90/40,000h Lifespan 5 years Warranty

LED

Optic Diffuser Lumen 80 0lm /1000lm Efficacy Up to 90-95lm /W CCT CRI 3000K / 4000K >90 SDCM <3 UGR <10

**ELECTRICAL** 

220-240V Voltage 8/10W Power Phase cut Driver



Finish	White
Materiall	Die-cast Aluminium
IP	54
Lifespan	L9 0/4 0,000h
Warranty	5 years
•	

LED


Optic Diffuser Lumen 80 0lm /1000lm Efficacy Up to 90-95lm /W CCT CRI 3000K / 4000K >90 SDCM <3 **UGR** <10

ELECTRICAL

220-240V Voltage 8/10W Power Phase cut Driver







m	Ф cm	Lux AVG	Lux MAX	MARKET STREET, STREET, STREET,
1	68.43	1148	1717	HATTTON H
2	136.86	287.1	429.3	
3	205.29	127.6	190.8	+(1)(O)(1)+
4	273.72	71.78	107.3	
5	342.15	45.94	68.69	The second secon

m	cm cm	Lux AVG	MAX	-
1	41.18	2879	4212	
2	82.35	719.6	1053	76
3	123.53	319.8	468.0	-4
4	164.70	179.9	263.2	15
5	205.88	115.1	168.5	
Angle:	23.27			

INCHES	CAMPATAL SCHOOLSEN, SCHOOL
	ZOHIDA.
7	220 <u>m</u> 220 <u>m</u>
-	<b>B</b>
-	
	the same and a transport of the

AGRAM	CONE DIAGRAM
MARTIN CARLESTON POMICE	m Ф cm
william.	1 30.50
	2 60.99
(O))))·	3 91.49
XIII XX	4 121.99
and the second	5 152.48
	Angle: 17.34

7-
<del>}</del>

CONE D			
m	ф cm	AVG	Lux MAX
1	41/21	2103	3066
2	82.41	525.8	766.5
3	123.62	233.7	340.7
4	164.82	131.4	191.6
5	206.03	84.13	122.6
Angle	23.28		
Static sp	olight 8W		





Ф cm	Lux AVG	Lux MAX	
68.49	1575	2353	49-47TT-10
136.98	393.8	588.1	
205.48	175.0	261.4	-(1)(1)(1)
273.97	98.44	147.0	- XXXIII XXX
342.46	63.00	94.10	240E0X
37.81			

## INTERESTED?

Contact us for samples

## **Head Office**

Unit 10, 80 O'Riordan Street, Alexandria NSW 2015

### Phone

+61 2 8065 8181

### Sales

sales@purati.com









Unique & performance

