

ASHLAR

CARPET TILES


LX **SUMINOE**
S E R I E S MADE IN JAPAN



LX-2604



LX-2605



LX-1904






LX-2601



LX-2602



LX-1901



LX-1902



LX-1903

SUMINOE

ASHLAR

SPECIFICATION

Product	Tufted High & Low Loop
Yarn	Solution Dyed Nylon
Pile weight	520g/m ²
Pile height	5/3mm (±0.5mm)
Gauge	1/10"
Total thickness	7mm (±0.5mm)
Dimension	50cm×50cm
Backing	Recycled PVC ECOS®
Antistatic property	<1.0kv
JIS L 4406 synthetic sole	
Recycle content	71%
CO ₂ Reduction	26%
Packing	20 pieces (5m ²) per case , 22 kg



Post-consumer
Regenerated PVC Backing



Total regenerated
material content



Reduction of CO₂
emission

Made in Japan	Eco-Friendly Goods and Service	Eco Mark by Japan Environment Association(Inc)	GOOD DESIGN	Flame retardant
Antistatic	防汚 撥水 Soil Resistant	FIF☆☆☆☆ Low VOC	※1 CE Applicable	Green Label Plus

INSTALLATION SUGGESTION



monolithic

quarter turn

ashlar

brick