



Elevating Ideas,  
Transforming Spaces.



A complete guide to products,  
applications and print suitability.

**Spicers** 



# Environs by Spicers are responsible choices made easy.

Environs by Spicers addresses the growing demand for sustainable materials, provides customers and brands with high quality options that support their environmental goals and reinforces Spicers' commitment to sustainability.

With industry leading brands, our tested and approved substrates are sure to perform both technically and aesthetically during all processes. The Spicers product portfolio includes a range of sustainable papers, self-adhesives, packaging boards and signage solutions.

Contact your local Spicers representative for enquiries or to request a copy of the latest edition, Environs Volume 3.

**1300 132 644 | [spicers.com.au](https://spicers.com.au)**

## ENVIRONS

Collect all three editions.

### VOLUME 1

Visual Communications

### VOLUME 2

Commercial Print  
& Digital Media

### VOLUME 3

Label and Packaging



PROUD SUPPORTER OF



## PRINT MEDIA



18

Spicers carry all of your print media essentials as well as a fine collection of specialty products to suit any creative sign and display project. We supply media for aqueous, Eco-Solvent, UV Curable, Latex and LED ink technologies, with innovative brands that include 3M™, Neschen, General Formulations, Yupo® and PhotoTex™.

## DYE SUBLIMATION & HEAT TRANSFER



68

Dye Sublimation and Heat Transfer papers offer outstanding lay-flat performance, fast drying, brilliant image quality and exceptional consistency in quality for high speed and large volume applications.

## RIGID SUBSTRATES



74

Our Rigids offering provides you with a market leading range of essential sign and display substrates, as well as some unique products that stand out from the crowd. Key brands include Ace, Brett Martin, Yupo® and Skybond™.

## FINISHING



92

Our Finishing solutions offers essential laminating products to protect your print and extend its longevity. Our consistently excellent and diverse range includes satin, matt, gloss and specialty anti-graffiti and textured floor graphic products.

## WINDOW GRAPHIC SUBSTRATES



110

Transform your windows with special effects or optically clear films. Available in a range of textures, finishes and colours suitable for indoor or outdoor applications.

## ON THE COVER



120

Films designed to go the distance.



20

Make your mark with print media.



71

Brilliant results in Dye Sublimation.



44

Lead the way in floor graphics.



79

Make your products stand out.



114

Durable, vibrant, and built to be seen.



Explore our Green Spotlight products.

## VEHICLE WRAP



Today's vehicle enthusiast no longer has to settle for the manufacturer's standard range of hues. With Spicers, your favourite vehicle can be pretty much any colour imaginable, or a mixture there-of.

## CUT COLOUR VINYL



Our extensive range is one of the best in the business. With stock on hand and sold by the metre\*, we have grades to suit a huge variety of applications.

## REFLECTIVES



Make the world a brighter place with 3M reflectives. Films suitable for traffic, commercial signage, stickers, labels and anywhere you need high visibility are covered by the range. There's loads of colours, lots of grades, and heaps of features.

## INK & CONSUMABLES



Spicers holds a vast portfolio of wide format printing and finishing equipment. We are proud to offer machinery from respected brands such as Mimaki™, Roland, Epson®, RollsRoller and Neolt. Spicers also stock OEM ink and toner for a vast range of digital wide and grand format printers as part of our offering.

## ACCESSORIES



From mounting tapes and adhesives to versatile display stands and banner systems, our accessories ensure your creations are securely and beautifully showcased.

## EDITION 3

# Welcome to the latest edition of the Visual Communications Catalogue.

Spicers Visual Communications portfolio is an invaluable resource to the screen and wide format printing industry and encompasses consumables, hardware, inks, software, accessories, training and support. From point-of-sale and vehicle graphics right through to exhibition stand construction and shop fit out, Spicers has a product to get you noticed, and the hardware to print and finish.

With our team of Visual Communications specialists, Spicers can provide you with information and expert advice. We are your local supplier with stock on the floor and a distribution network ready to deliver to you. Please contact your local Spicers representative for enquiries or to request a sample.

**ORDER YOUR FAVOURITE PRODUCTS ONLINE**   
1300 132 644 | [spicers.com.au](http://spicers.com.au) | [@spicersaus](https://twitter.com/spicersaus)

**Spicers** 

Partner with Spicers,  
the ultimate destination  
for innovative Visual  
Communication solutions.





Spicers is a dynamic and solutions-focused company with a passion for supplying quality materials, equipment, and solutions to our customers in the commercial print, labelling, signage, visual display, and architectural industries.

Our wide range of products, high quality materials, commitment to sustainability, and experienced and knowledgeable team can offer expert advice and guidance to clients. We aim to be the business partner of choice for our customers, by delivering on our promises, every day.

### Environment

Spicers is FSC® and PEFC certified, offers a wide choice of environmentally friendly materials and operates under a Sustainable Supply Chain Policy.

### Roll Media

Spicers carries your roll media essentials as well as a collection of specialty products to help bring your creative ideas to life. We have media for Eco-Solvent, UV Curable, Latex and LED ink technologies. Key brands include 3M™, General Formulations, Neschen, Yupo® and PhotoTex™.

Spicers offers a range of computer cut colours, wall coverings, banners and repositionable materials to create a unique look and feel.

### Rigid Media

Spicers supplies a market leading range of essential sign and display substrates, as well as some unique products that stand out from the crowd. Key brands include Ace, Yupo®, Skybond™ and Rodure.

### Finishing

If you require essential laminating products to protect your print and extend its longevity, Spicers can help you. Our range includes matt, gloss, specialty, anti-graffiti and textured floor graphic products.

### Ink

OEM ink for a vast range of digital wide printers are part of our offering. These include Mimaki™, Roland and Epson®.

### Hardware


Spicers holds a vast portfolio of wide format printing and finishing equipment. We are proud to sell machinery from respected brands such as Mimaki™, Roland, Epson®, ROLLSROLLER™ and Neolt.

### Sales & Distribution Network

Spicers boasts a dedicated sales team and stock on the floor ready to deliver in Melbourne, Sydney, Brisbane, Townsville, Darwin, Perth, Adelaide and Hobart.

**ORDER YOUR FAVOURITE PRODUCTS ONLINE**   
**1300 132 644 | [spicers.com.au](https://spicers.com.au) | [@spicersaus](https://twitter.com/spicersaus)**

**Spicers** 



## Drive your business forward faster.

Spicers Credit Application form is the easiest way to start driving your business forward. Applications are open to businesses registered in Australia, and individuals requiring Spicers for business purposes.

### Easily apply for a credit account online.

1. Visit **spicers.com.au**
2. Click on the **Credit Application** option on the Home page.
3. Complete the form.

If you require any assistance with your application, please contact Spicers Accounts Department on **03 9768 8400**.



Apply now!  
**spicers.com.au**



## PRINT MEDIA

### SELF ADHESIVE

Premium.....	20
Intermediate.....	22
Promotional.....	29
Low-Tack & Ultra Removable.....	35
High-Tack & Low Surface Energy.....	39
Ultra Clear.....	42
Backlit.....	43
Floor Graphics.....	44
Wall Graphics.....	45
Window Graphics.....	49
Holographic & Chrome.....	51
Perforated Window Films.....	52

### BANNER & FILM

Frontlit.....	54
Blockout.....	55
Mesh FR.....	57
Backlit.....	58
Pull up.....	59

### MAGNET & FERRO FILM

Magnet Printable.....	61
Magnet Self Adhesive.....	61
Ferro Film.....	61

### PAPER

Poster Paper.....	63
Photographic.....	64
Self Adhesive.....	65

### CANVAS

Bauhaus Canvas.....	65
---------------------	----

### HEAT TRANSFER

B.Flex.....	65
-------------	----

## DYE SUBLIMATION & HEAT TRANSFER

### TRANSFER PAPERS

Bauhaus S-Race.....	71
---------------------	----

### HEAT TRANSFER

B.Flex.....	72
-------------	----

### RIGID SUBSTRATES

#### ALUMINIUM PANEL

Skybond Print.....	77
Skybond FR.....	77

#### DISPLAY BOARD

Ace Screenboard.....	79
Ace High White.....	81
Ace Kraft.....	81
Ace Outdoor.....	81
Ace ICB.....	82
Ace HCB.....	83
E Flute Clay Coat 1/S.....	84
B Flute Clay Coat 1/S.....	84
Digistar Imageboard.....	84
Brett Martin Foamalux.....	85
Foamstar XPS.....	85

#### DISPLAY PAPER

Ace High Bulk.....	86
Ace Matt Art Paper.....	87
Ace Blockout.....	87
Ace EB Flute.....	87

#### DISPLAY FILM

Yupo FPU Sheets.....	88
Promeg Polypropylene.....	88
Rodure Ublock.....	88

#### FLUTED POLYPROPYLENE

Digistar Flute.....	89
---------------------	----

## FINISHING

### LAMINATE

Premium Laminate.....	94
Intermediate Laminate.....	96
Promotional Laminate.....	100
Optically Clear Laminate.....	102
Anti-Graffiti Laminate.....	103
Floor Graphic Laminate.....	105
White & Blackboard.....	105

### APPLICATION TAPE

R.Tape.....	106
General Formulations Sign Mask.....	107
Neschen Gudy.....	107

### MOUNTING FILM

General Formulations.....	109
---------------------------	-----

### UNDERLAY

Sacrificial Underlay Polypropylene.....	109
---	-----

## WINDOW GRAPHIC SUBSTRATES

### WINDOW FILM & GRAPHIC

Window Graphic.....	112
Perforated Window Film.....	115

Contents continued →

# Unlock the benefits of shopping online!



Register an account to start shopping online.

1. Visit **spicers.com.au**
2. Click **Register** on the Home page.
3. Complete the form to create an account.

If you require any assistance, please contact your local Spicers representative on **1300 132 644**.



## Quick Order

Simply enter all the item codes you wish to order.



## Australia Wide

Spicers distributes across the country.



## Click & Collect

Save time by shopping online with Click & Collect on stocked items.

**ORDER YOUR FAVOURITE PRODUCTS ONLINE**  
**1300 132 644 | spicers.com.au | @spicersaus**



**Spicers** 

## VEHICLE WRAP

### PREMIUM WRAP SAV

3M 2080 Series .....	121
----------------------	-----

### WINDOW FILM

3M Crystalline .....	126
3M Ceramic IR .....	126
3M Colour Stable .....	127
3M Obsidian .....	127

### PAINT PROTECTION FILM

3M PPF 100 Series .....	128
3M PPF 150 Series .....	128
3M PPF 200 Series .....	128

### KNIFELESS TAPE

3M Knifeless Tape .....	129
-------------------------	-----

## CUT COLOUR VINYL

### PREMIUM CUT SAV

3M 180mC Series .....	134
3M 7725 Series .....	137
3M SC50 Series .....	141
3M 3630 Translucent .....	145

### LIGHT MANAGEMENT FILMS

3M 3635-20B/22B Blockout Film .....	146
3M 3635-91 Day/Night Film .....	146
3M 3635-30/70 Diffuser Film .....	146
3M 3635-210/222 Dual Colour Films .....	147
3M 3635-110 Chrome Film .....	147

## REFLECTIVES

### 3M SIGNAGE REFLECTIVE

3M 680CR Reflective .....	150
3M 780mC Reflective .....	150
3M 3310 Reflective .....	150
3M 3340 Reflective .....	150
3M 3800 Reflective .....	151
3M 3930 Reflective .....	151
3M 4000 Reflective .....	151
3M 7600 Reflective .....	152
3M 7300 Reflective .....	152
3M 4000 Reflective (NES) .....	152
3M 1170 Transparent .....	153

### 3M REFLECTIVE TAPES

3M 983 Series .....	153
---------------------	-----

## INK

### ROLAND INK

Roland DTF .....	158
Roland UV Curable .....	158
Roland Solvent .....	159
Roland Resin .....	161

### MIMAKI INK

Mimaki Solvent .....	162
Mimaki UV Curable .....	164
Mimaki Dye Sublimation .....	166
Mimaki Pigment .....	167

### EPSON INK

Epson UltraChrome .....	168
-------------------------	-----

## ACCESSORIES

Tapes .....	173
Sealers .....	173
Adhesive .....	173
Viponds Liquids .....	173
A-Frames .....	175
Pull Up Stands .....	175
Accessories .....	175



# Explore our Green Spotlight sustainable products.

**Spicers provide a range of sustainable and environmentally friendly solutions for all your visual communication requirements. Find the Green Spotlight throughout the catalogue.**

With industry leading brands, our tested and approved substrates are sure to perform both technically and aesthetically during all processes. We are committed to the development of sustainable products and services which help our customers and their clients achieve their sustainability goals.

The Spicers Visual Communication product portfolio includes a range of sustainable paper-based, polypropylene, non-PVC vinyl and non-PVC wall covering products.

**Find out more [spicers.com.au/environs](https://spicers.com.au/environs) or contact your local Spicers representative on 1300 132 644 for enquiries or to request a sample.**

PROUD SUPPORTER OF



**Spicers** 



# Icons Guide


By choosing substrates that are environmentally sound, you can continue to enjoy the many benefits of using print, while keeping your environmental footprint to a minimum.

Please refer to the below icons which are used throughout the catalogue to guide you through a range of applications and features to assist in your environmental stock choices.



Find the Green Spotlight throughout the catalogue.


## Application Icons



## Features Icons



## Green Icons



ORDER YOUR FAVOURITE PRODUCTS ONLINE  
1300 132 644 | [spicers.com.au](https://spicers.com.au) | @spicersaus



**Spicers**



## Greenfleet partnership

**In 2022 Spicer's embarked on our journey towards Carbon Neutrality.**

Spicers Australia is offsetting CO2 emissions relating to our Australian operations. This includes emissions from LPG for our gas forklifts, the diesel used in our fleet of trucks, the fuel used in company cars (including those with car allowances) and electricity used in our offices and Distribution centres. Whilst Spicer's have taken action through solar panels on some of our sites, LED lighting upgrades and movement to more electric forklifts, we still have some work to go. We are proud to be partnering with Greenfleet to take climate action and offset our carbon emissions through native reforestation.

Greenfleet is a leading not-for-profit environmental organisation committed to protecting our climate by restoring our forests. Greenfleet plants native biodiverse forests to capture carbon emissions and help fight the impacts of climate change. Since 1997, Greenfleet has planted over 10.8 million trees across 550+ forests in Australia and New Zealand. As they grow, Greenfleet forests absorb carbon emissions, improve soil and water quality and restore habitat for native wildlife, including many endangered species.

Spicers' first offset was allocated to Glendalough, VIC. In the rolling hills of South Gippsland, this previously cleared 240-hectare property will be returned to native ecosystem. The property is adjacent to remnant native forest and will provide an important vegetation link for Strzelecki Koalas and habitat for native birds such as the Yellow-faced Honeyeater and Grey Fantail.

"By partnering with Greenfleet, we are confident that our climate action provides genuine and lasting environmental benefits. We are proud of the impact we have made and that we will continue to make into the future," said David Martin, CEO of Spicer's Limited. "By offsetting our emissions with Greenfleet, we are taking practical action against climate change to help to restore Australia's forests, recreate crucial habitat for native wildlife and transform degraded land back to its natural state."

Through practical climate action, Greenfleet is growing hope for our climate.

For more information visit [www.greenfleet.com.au](https://www.greenfleet.com.au)



# SUSTAINABLE DELIVERIES

## SPICERS' JOURNEY TO CARBON NEUTRALITY



**We are proud to highlight that all Spicer's deliveries are now carbon neutral made possible through our partnership with Greenfleet.**

### **Delivering Sustainability**

Greenfleet's remarkable efforts include the revegetation of land in Victoria, New South Wales, Queensland and New Zealand. The forests they plant will be protected beyond this century and are projected to remove nearly 513,887 tonnes of carbon as they grow. This initiative not only offsets our emissions but also contributes to the long-term health and sustainability of our environment.




PROUD SUPPORTER OF



Spicers are proud to be partnered with Greenfleet.




All Spicer's deliveries are now carbon neutral.




Balancing emissions for a sustainable future.

# Outdoor Applications

1. Skybond Print (page 77)  
Skybond FR (page 77)
2. 3M™ IJ3630-20 (page 43)  
Rocal 5 Year Translucent (page 28)  
Rocal 3 Year Translucent (page 32)
3. 3M™ 7725 (page 49,112,137)
4. 3M™ IJ8150 (page 42,49,112)  
GF 255 OptiMark® (page 50,113)  
3M™ IJ40-114 (page 24,96)  
Rocal Supacling (page 38)
5. Rocal Floortac Outdoor (page 44)  
GF 212 Traffic Graphic® (page 45)
6. 3M™ IJ40 (page 23)  
GF 246 & GF247 Print-n-Lam® (page 27,98)  
Rocal & Rolam 5 Year (page 28)  
Rocal & Rolam 3 Year (page 32)  
Rocal & Rolam 1 Year (page 33)  
3M™ IJ35C (page 24)
7. Yupo® FPU (page 58,88)  
Rodure Solmaxx (page 57)  
Rodure UBlock (page 56,88)
8. Digistar Flute (page 89)





ORDER YOUR FAVOURITE PRODUCTS ONLINE   
1300 132 644 | [spicers.com.au](https://spicers.com.au) | [@spicersaus](https://twitter.com/spicersaus)

**Spicers** 



## Print Media



**3M****NESCHEN****GENERAL  
FORMULATIONS****YUPO®****ROLAM**  
laminare media**ROCAL**  
self adhesive print media**RODURE**  
display films**contrAvision®****ROBAN**  
banier media**ROLIGHT**  
backlit films**ROMAG**  
magnetic materials**Photo-Tex™****ACE****BAUHAUS**  
MEDIA FOR CREATIVES**B-FLEX**  
HEAT TRANSFER VINYL

Spicers carry all of your print media essentials as well as a fine collection of specialty products to suit any creative sign and display project. We supply media for aqueous, Eco-Solvent, UV Curable, Latex and LED ink technologies, with innovative brands that include 3M™, Neschen, General Formulations, Yupo® and PhotoTex™.

**ORDER YOUR FAVOURITE PRODUCTS ONLINE**  
**1300 132 644 | [spicers.com.au](http://spicers.com.au) | [@spicersaus](https://twitter.com/spicersaus)**

**Spicers**

# Self Adhesive Vinyl

PRINT MEDIA

## 3M™ Envision™ LX480mC

PREMIUM



- 3M Envision print wrap film is a high performance, non-PVC, gloss white film with comply adhesive with micro technology non-visible air release channels for fast, easy, bubble-free installations
- Flexible, highly conformable over compound curves, corrugations and rivets and requires less heat during application than vinyl films with up to 50% stretch characteristics
- Grey pressure activated adhesive for easy sliding and repositioning with non-visible air release channels for fast & easy bubble-free installations
- Specifically engineered for vehicle wraps
- For use with Envision Overlamine 8548G, 8549L & 8550M
- Up to 8 Years unprinted vertical durability for use with Envision
- Print Compatibility: Latex Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
194907	3M 8 Year SAV Envision LX480mC	Gloss White	Grey Removable Airflow	50	1371	45.7
195168	3M 8 Year SAV Envision LX480mC	Gloss White	Grey Removable Airflow	50	1524	45.7

## 3M™ Envision™ SV480mC

PREMIUM



- 3M Envision print wrap film is a high performance, non-PVC, gloss white film with comply adhesive with micro technology non-visible air release channels for fast, easy, bubble-free installations
- Flexible, highly conformable over compound curves, corrugations and rivets and requires less heat during application than vinyl films with up to 50% stretch characteristics
- Grey pressure activated adhesive for easy sliding and repositioning with non-visible air release channels for fast & easy bubble-free installations
- Specifically engineered for vehicle wraps
- For use with Envision Overlamine 8548G, 8549L & 8550M
- Up to 8 Years unprinted vertical durability
- Print Compatibility: Eco-Solvent & UV Curable Inks




Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
194906	3M 8 Year SAV Envision SV480mC	Gloss White	Grey Removable Airflow	50	1371	45.7
195169	3M 8 Year SAV Envision SV480mC	Gloss White	Grey Removable Airflow	50	1524	45.7

## 3M™ IJ280mC SF

PREMIUM



- Printable white lustre wrap film with new 3M comply v4 air release and proprietary adhesive for fast, easy, bubble-free installations
- Conforms with less heat & removes cleanly at end of life with heat
- Excellent slideability; flexible; conforms to compound curves, corrugations and rivets
- For use with over laminates 8428G, 8518, 8519, 8520, 8548G, 8549L, 8550M & 8528
- Up to 20% faster to install & proven to lift 2x less
- Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning
- Expected Performance Life of 10 Years (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173172	3M 10 Year SAV IJ280mC SF	Lustre White	Grey Removable Airflow	50	1371	45.7
173173	3M 10 Year SAV IJ280mC SF	Lustre White	Grey Removable Airflow	50	1524	45.7

## 3M™ IJ180mC-10

PREMIUM



- Printable white lustre wrap film with micro technology non-visible air release channels for fast, easy, bubble-free installations
- Excellent hiding power; flexible; conforms to compound curves, corrugations and rivets
- Expected Performance Life of 10 Years (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)
- Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning
- Many finished graphic constructions can be stretched up to 130% (i.e., a 10 inch [25 cm] piece of film can stretch to 13 inches [33 cm]) without primer or relief cuts and maintain lift resistance
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
194650	3M SAV IJ180mC-10	Lustre White	Grey Removable Airflow	50	1371	45.7
194651	3M SAV IJ180mC-10	Lustre White	Grey Removable Airflow	50	1524	45.7

## 3M™ IJ180mC Specialty Series

PREMIUM



- **10UR:** Gloss white premium cast wrap film, with a grey ultra removable micro-technology non-visible air release adhesive and PE coated liner. Removable without heat and/or chemicals
- **114:** Lustre clear premium cast wrap film, with a clear micro-technology non-visible air release adhesive and PE coated liner. Printable clear film for vehicle and fleet graphics
- **120:** Lustre metallic silver premium cast wrap film, with a silver micro-technology non-visible air release removable adhesive & PE coated liner. Printable metallic silver film for vehicle and fleet graphics
- **10SLS:** Gloss white premium cast wrap film, with a grey high-tack micro-technology non-visible air release adhesive and PE coated liner. Engineered to adhere to stainless steel surfaces
- **10LSE:** Gloss white premium cast wrap film, with a grey high-tack comply air release adhesive and PE coated liner. Designed to adhere to Low Surface Energy (LSE) plastics
- Excellent hiding power; flexible; conforms to compound curves, corrugations and rivets
- Expected Performance Life: 8 Years for 10UR, 10 Years for 114, 120, 10SLS & 10LSE
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Removable without heat and/or chemicals
- Pressure-activated adhesive for easy sliding, tacking, snap-up & repositioning
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
451375	3M SAV IJ180mC-10UR	Gloss White	Grey Ultra Removable Airflow	50	1371	45.7
400572	3M SAV IJ180mC-114	Lustre Clear	Clear Removable Airflow	50	1371	45.7
400573	3M SAV IJ180mC-114	Lustre Clear	Clear Removable Airflow	50	1524	45.7
400570	3M SAV IJ180mC-120	Lustre Silver	Silver Removable Airflow	50	1371	45.7
400571	3M SAV IJ180mC-120	Lustre Silver	Silver Removable Airflow	50	1524	45.7
451374	3M SAV IJ180mC-10SLS	Gloss White	Grey High-Tack Airflow	50	1371	45.7
451373	3M SAV IJ180mC-10LSE	Gloss White	Grey High-Tack Airflow	50	1371	45.7

## 3M™ IJ3650 Series

PREMIUM



- 3M IJ3650 50 micron premium cast printable film for permanent, medium term cut graphics or single panel vertical graphics and signs
- Clear pressure sensitive solvent acrylic adhesive that is wet applied
- Great for Commercial fleet vehicle graphics and signs
- Durability up to 10 Years in vertical applications
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
452411	3M IJ3650	Lustre White	Grey Permanent	50	1370	45.7




## 3M™ Envision™ 48C PVC Free

INTERMEDIATE



- 3M Envision 48C print film is a high performance, non-PVC, matt white, intermediate film that incorporates air release channels (Comply Adhesive) and slideability (ControTact) for quick easy installs
- Designed for use indoors and out, for signs, walls, windows, floors, partial vehicle graphics and more
- Non-PVC Envision meets the growing demand for more sustainable solutions
- Use with non-PVC Envision Gloss Overlamine 8048G or Envision Matt Overlamine 8050M for enhanced scratch resistance and UV protection
- Fire Rating: BCA GRP1 AS/NZS3837:1998
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
193430	3M Envision 48C	Matt White	Clear Removable	1370	45.7

## 3M™ 40C Series

INTERMEDIATE



- Gloss white polymeric vinyl, with grey permanent or removable Comply adhesive and PE coated liner
- Perfect for flat and simple curved surfaces
- For use with overlamine IJ40-114/124, 8993, 5808, 5809, 8510
- Comply adhesive with air release for fast, easy bubble-free installations
- Up to 5 Years unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168032	3M 5 Year SAV 40C-10	Gloss White	Grey Permanent Airflow	75	1371	50
191840	3M 5 Year SAV 40C-10R	Gloss White	Grey Removable Airflow	75	1371	45.7
191859	3M 5 Year SAV 40C-10R	Gloss White	Grey Removable Airflow	75	1524	45.7
168033	3M 5 Year SAV 40C-20R	Matt White	Grey Removable Airflow	75	1371	45.7
194149	3M 5 Year SAV 40C-20R	Matt White	Grey Removable Airflow	75	1524	45.7



## 3M™ 40C Series Clear

**INTERMEDIATE**


- Gloss clear intermediate vinyl with clear permanent adhesive and a double side PE coated kraft liner
- Graphic protection for IJ40 and 40C series
- Printable clear vinyl
- Up to 5 Years unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
196818	3M 5 Year SAV 40C-114R	Gloss Clear	Grey Removable	75	1372	50
196819	3M 5 Year SAV 40C-114R	Gloss Clear	Grey Removable	75	1524	50

## 3M™ IJ40 Series

**INTERMEDIATE**


- Gloss white polymeric vinyl, with clear permanent, grey permanent or grey removable adhesive and 1 side PE coated liner
- Perfect for flat and simple curved surfaces
- For use with overlaminate IJ40-114/124,8993, 8508, 8509 & 8510
- Up to 5 Years unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168029	3M 5 Year SAV IJ40-10	Gloss White	Grey Permanent	75	1371	50
192660	3M 5 Year SAV IJ40-10	Gloss White	Grey Permanent	75	1524	50
191619	3M 5 Year SAV IJ40-10R	Gloss White	Grey Removable	75	1371	50
191620	3M 5 Year SAV IJ40-10R	Gloss White	Grey Removable	75	1524	50
191704	3M 5 Year SAV IJ40-10T	Gloss White	Clear Permanent	75	1371	50
191916	3M 5 Year SAV IJ40-10T	Gloss White	Clear Permanent	75	1524	50

# Self Adhesive Vinyl

PRINT MEDIA

## 3M™ IJ40 Series Clear

INTERMEDIATE



- Gloss and matt clear intermediate vinyl, with clear permanent adhesive and a double side PE coated kraft liner
- Printable clear vinyl
- Graphic protection for IJ40 and IJ40C series
- Up to 5 Year unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168017	3M 5 Year SAV/LAM IJ40-114	Gloss Clear	Clear Permanent	75	1372	50
168018	3M 5 Year SAV/LAM IJ40-114	Gloss Clear	Clear Permanent	75	1524	50
168019	3M 5 Year SAV/LAM IJ40-124	Matt Clear	Clear Permanent	75	1372	50
168020	3M 5 Year SAV/LAM IJ40-124	Matt Clear	Clear Permanent	75	1524	50

## 3M™ IJ35C Series

INTERMEDIATE



- Gloss and matt white polymeric vinyl, with grey permanent comply adhesive and PE coated liner
- Perfect for flat and simple curved surfaces
- For use with overlamine 8508, 8509, 8510 or 8993
- Comply adhesive with air release for fast, easy bubble-free installations
- Up to 5 Years unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168031	3M 5 Year SAV IJ35C-10	White Gloss	Grey Permanent Airflow	80	1371	45.7
168053	3M 5 Year SAV IJ35C-10	White Gloss	Grey Permanent Airflow	80	1524	45.7
191451	3M 5 Year SAV IJ35C-20	White Matt	Grey Permanent Airflow	80	1371	45.7
194116	3M 5 Year SAV IJ35C-20	White Matt	Grey Permanent Airflow	80	1524	45.7

## 3M™ IJ35 Series

INTERMEDIATE



- Gloss white polymeric vinyl, with grey permanent adhesive and PE coated kraft liner
- Perfect for flat and simple curved surfaces
- For use with overlamine 8508, 8509, 8510 or 8993
- Up to 5 Years unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168049	3M 5 Year SAV IJ35-10	Gloss White	Grey Permanent	80	1371	45.7
192046	3M 5 Year SAV IJ35-20	Matt White	Grey Permanent	80	1371	45.7

## General Formulations GF 201 &amp; GF 203

INTERMEDIATE



- GF 201 and GF 203 are 80 micron polymeric white calendered vinyls, with a clear permanent acrylic pressure sensitive adhesive
- The clear adhesive creates a permanent bond to a variety of common substrates used in graphics applications
- For use with overlaminate: GF 400 Series or specialty GF laminates, please speak to your Spicers representative
- Features a 90# layflat liner
- The 90# liner provides excellent layflat qualities in a variety of ambient conditions along with ease of application of large format graphics
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
175029	GF 201	Matt White	Clear Permanent	1524	45.7
175030	GF 203	Gloss White	Clear Permanent	1524	45.7
173881	GF 201 OPAE	Matt White	Grey Permanent Airflow	1370	45.7
173882	GF 201 OPAE	Matt White	Grey Permanent Airflow	1524	45.7
173883	GF 203 OPAE	Gloss White	Grey Permanent Airflow	1370	45.7
173884	GF 203 OPAE	Gloss White	Grey Permanent Airflow	1524	45.7

## General Formulations GF 246

INTERMEDIATE



- GF 246 is a premium 60 micron polymeric gloss white vinyl film with permanent repositionable grey solvent acrylic pressure sensitive adhesive
- This product is recommended for indoor and outdoor uses where flexibility, durability and resistance to sunlight are required
- Best suited for simple to moderate curves. This product is a polymeric calendered vinyl, and thus is not meant for complex curves
- These films can be used for fleet and vehicle graphics, architectural signage, commercial-retail signage, point-of-purchase graphics, and decals
- For use with overlaminate: GF231 & GF240
- Outdoor durability up to 7 Years
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173605	GF 246	Gloss White	Grey Permanent	1370	45.7

PSA VINYL SOLUTIONS FOR

BUSES

CARS

VANS

UTE

GLASS

BRICK

METAL

PLYWOOD

PLASTIC

ALUMINUM

COMPOSITE

HERE

HERE

HERE

HERE

HERE

HERE

HERE

HERE

MAKE YOUR  
**MARK**

## General Formulations Print-n-Lam™

INTERMEDIATE



- GF Print-n-Lam™ is a 76 micron Gloss or Matt Clear UV Polymeric Vinyl with a clear permanent Emulsion Acrylic adhesive on a double-sided PE liner
- Specifically engineered for use in flat general signage, window, and decal applications
- GF Print-n-Lam™ is ideal for printing OR laminating
- Outdoor durability up to 7 Years
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173615	GF 247 Print-n-Lam	Gloss Clear	Clear Permanent	1370	45.7
173616	GF 247 Print-n-Lam	Gloss Clear	Clear Permanent	1524	45.7
173617	GF 248 Print-n-Lam	Matt Clear	Clear Permanent	1370	45.7

## General Formulations GF 230 AutoMark™

INTERMEDIATE



- GF 230 is a Premium 60 micron Polymeric Gloss white vinyl digital media with grey permanent repositionable acrylic adhesive on an air-egress liner
- GF 230 Premium is designed to be applied to corrugations, riveted surfaces, flat and slight to moderate curves. The construction can be used on vans, trucks, sedans of all sizes, fleet, and recreation
- The grey permanent adhesive offers excellent opacity and exceptional repositionable qualities
- Outdoor durability up to 7 Years
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173601	GF 230 AutoMark	Gloss White	Grey Permanent Airflow	1370	45.7
173602	GF 230 AutoMark	Gloss White	Grey Permanent Airflow	1524	45.7

## General Formulations GF 351

INTERMEDIATE



- 75 micron white gloss, full polymeric face film with a grey, permanent solvent acrylic adhesive on a 145gsm air egress liner
- Ideal for fleet or general signage
- Recommended for dry application
- For use with overlamine: GF 247, GF 248, GF 231, GF 240
- Outdoor durability up to 7 Years
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
199987	GF 351	Gloss White	Grey Permanent Airflow	1524	45.7

## Rocal 5 Year

INTERMEDIATE

**ROCAL**  
self adhesive print media

- Intermediate 100um polymeric vinyl, with 170gsm 2-side PE coated liner and solvent acrylic adhesive
- Everyday vinyl for flat and simple curve surfaces
- Up to 5 Year unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173110	Rocal 5 Year	Gloss White	Clear Permanent	100	1370	50
173111	Rocal 5 Year	Gloss White	Clear Permanent	100	1524	50
173112	Rocal 5 Year	Gloss White	Clear Removable	100	1370	50
173113	Rocal 5 Year	Gloss White	Clear Removable	100	1524	50
173114	Rocal 5 Year	Gloss White	Grey Permanent	100	1370	50
173115	Rocal 5 Year	Gloss White	Grey Permanent	100	1524	50
173116	Rocal 5 Year	Gloss White	Grey Removable	100	1370	50
173117	Rocal 5 Year	Gloss White	Grey Removable	100	1524	50
173118	Rocal 5 Year	Gloss White	Grey Permanent Airflow	100	1370	50
173119	Rocal 5 Year	Gloss White	Grey Permanent	100	1524	50
173120	Rocal 5 Year	Gloss White	Grey Removable Airflow	100	1370	50
173121	Rocal 5 Year	Gloss White	Grey Removable Airflow	100	1524	50
173122	Rocal 5 Year	Matt White	Clear Permanent	100	1370	50
173123	Rocal 5 Year	Matt White	Clear Permanent	100	1524	50
173130	Rocal 5 Year	Matt White	Grey Permanent	100	1370	50
173131	Rocal 5 Year	Matt White	Grey Permanent	100	1524	50
173132	Rocal 5 Year	Matt White	Grey Removable	100	1370	50

## Rolam Printable 5 Year Clear

INTERMEDIATE

**ROLAM**  
laminate media

- Intermediate polymeric gloss, matt & lustre laminates with clear permanent or removable adhesive
- 100um 170gsm 2-side PE coated liner printable Solvent Latex and UV
- 80um 120gsm 2-side PE coated liner laminate only
- Up to 5 Year unprinted vertical durability
- Graphic protection for Rocal 5 Year print vinyls
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173134	Rolam 5 Year Clear	Gloss Clear	Clear Permanent	100	1370	50
173135	Rolam 5 Year Clear	Gloss Clear	Clear Permanent	100	1524	50
173136	Rolam 5 Year Clear	Gloss Clear	Clear Removable	100	1370	50
173137	Rolam 5 Year Clear	Gloss Clear	Clear Removable	100	1524	50
198172	Rolam 5 Year Clear	Matt Clear	Clear Permanent	100	1370	50
198173	Rolam 5 Year Clear	Matt Clear	Clear Permanent	100	1524	50

## 3M™ IJ1220C Series White

PROMOTIONAL



- 3M™ Scotchcal™ Graphic Film economical white opaque film IJ1220 series is a semi-permanent adhesive
- Pressure-sensitive adhesive
- Application method Wet or Dry
- Designed for the market of short-term promotional film that needs good quality
- Expected Performance Life of 24 months (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)
- Clear film IJ1220-114 may be used for printing and/or graphic protection of IJ1220-10
- Short to mid term, indoor and outdoor promotional graphics
- Available in gloss and matt finishes
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
163469	3M 3 Year SAV IJ1220-20	Matt White	Grey Permanent Airflow	1370	50
163468	3M 3 Year SAV IJ1220C-20	Gloss White	Grey Permanent Airflow	1370	50

## 3M™ IJ1220C Series Clear

PROMOTIONAL



- 3M™ Scotchcal™ IJ1220 Clear Film is an economical clear film
- Designed for the market of short-term promotional film that needs good quality
- Expected Performance Life of 24 months (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)
- Available in gloss and matt finishes
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
163470	3M 3 Year SAV/LAM IJ1220-114	Gloss Clear	Clear Permanent	1370	50
163471	3M 3 Year SAV/LAM IJ1220-124	Matt Clear	Clear Permanent	1370	50

## 3M™ IJ20 Series

PROMOTIONAL



- Gloss white monomeric vinyl, with grey removable adhesive and kraft liner
- Suitable for flat surfaces only
- For use with overlamine IJ20-114
- Up to 1 Year unprinted vertical durability outdoor
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168044	3M 1 Year SAV IJ20-10R	Gloss White	Grey Removable	80	1371	50

## 3M™ IJ20 Series Clear

PROMOTIONAL



- Gloss clear promotional vinyl with clear removable adhesive & a kraft liner
- Printable clear vinyl
- Graphic protection for IJ20 series
- Up to 1 Year unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
168021	3M 1 Year SAV/LAM IJ20-114	Gloss Clear	Clear Removable	70	1371	45.7



# THE ULTIMATE SUITE OF PRINTABLE GRAPHIC FILMS

Spicers & 3M offer a suite of solutions for printable graphic wrap films.

3M Printable Graphic films cover a range of intermediate, premium and non-PVC solutions. Spicers and 3M offer the technical support and performance warranty, giving our customers confidence for more effective and efficient installs.

From vehicles, boats, fleet, windows, walls, floors, interior & exterior signs, POP displays, short, medium or long term requirements, 3M Graphic films are sure to transform, enhance and protect spaces.

Whatever your application, print, sustainability and economical requirements, Spicers and 3M have a solution.

## Meet the printable suite:

- ▶ 3M™ Envision™ Print Wrap Film SV/LX 480mC
- ▶ 3M™ Print Wrap Film IJ280mC SF
- ▶ 3M™ Print Wrap Film IJ180mC
- ▶ 3M™ Envision™ 48C-20R
- ▶ 3M™ Scotchcal™ High Tack Graphic Film IJ39-20
- ▶ 3M™ Scotchcal™ Intermediate Graphic Film 40 Series
- ▶ 3M™ Scotchcal™ Intermediate Graphic Film IJ35 Series
- ▶ 3M™ Scotchcal™ Promotional IJ1220 Series

## 3M™ IJ16 Series

PROMOTIONAL



- Gloss white, economical, promotional monomeric vinyl, with grey permanent adhesive and a polycoated paper liner
- Everyday vinyl, for flat surfaces only
- For use with overlaminate IJ15-114
- Up to 1 Year unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
169798	3M 1 Year SAV IJ16-10	Gloss White	Grey Permanent	80	1370	50
175084	3M 1 Year SAV IJ16-20	Matt White	Grey Removable	80	1370	50
175085	3M 1 Year SAV IJ16R-10	Gloss White	Grey Removable	80	1370	50

## 3M™ IJ15 Series

PROMOTIONAL



- Gloss white, economical, promotional monomeric vinyl, with clear permanent adhesive and a polycoated paper liner
- Everyday vinyl, for flat surfaces only
- For use with overlaminate: IJ15-114
- Up to 1 Year unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
169794	3M 1 Year SAV IJ15-10	Gloss White	Clear Permanent	80	1370	50

## 3M™ IJ15 Series Clear

PROMOTIONAL



- Gloss clear, economical, promotional monomeric vinyl, with clear permanent adhesive and a polycoated paper liner
- Everyday vinyl, for flat surfaces only
- Also can be used as an overlaminate for IJ15/16 products
- Up to 1 Year unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
169796	3M 1 Year SAV/LAM IJ15-114	Gloss Clear	Clear Permanent	80	1370	50

## Rocal 3 Year

PROMOTIONAL



- Promotional 100um monomeric vinyl, with 170gsm 2-side PE coated liner and solvent acrylic adhesive
- Everyday vinyl for flat and simple curve surfaces
- Up to 3 Year unprinted vertical durability
- For use with overlaminates: Rolam 3 Year
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173064	Rocal 3 Year	Gloss White	Clear Permanent	100	1370	50
173065	Rocal 3 Year	Gloss White	Clear Permanent	100	1524	50
173066	Rocal 3 Year	Gloss White	Clear Removable	100	1370	50
173067	Rocal 3 Year	Gloss White	Clear Removable	100	1524	50
173072	Rocal 3 Year	Gloss White	Grey Permanent Airflow	100	1370	50
173073	Rocal 3 Year	Gloss White	Grey Permanent Airflow	100	1524	50
173068	Rocal 3 Year	Gloss White	Grey Permanent	100	1370	50
173069	Rocal 3 Year	Gloss White	Grey Permanent	100	1524	50
173074	Rocal 3 Year	Gloss White	Grey Removable Airflow	100	1370	50
173075	Rocal 3 Year	Gloss White	Grey Removable Airflow	100	1524	50
173070	Rocal 3 Year	Gloss White	Grey Removable	100	1370	50
173071	Rocal 3 Year	Gloss White	Grey Removable	100	1524	50
173076	Rocal 3 Year	Matt White	Clear Permanent	100	1370	50
173077	Rocal 3 Year	Matt White	Clear Permanent	100	1524	50
173078	Rocal 3 Year	Matt White	Clear Removable	100	1370	50
173079	Rocal 3 Year	Matt White	Clear Removable	100	1524	50
173084	Rocal 3 Year	Matt White	Grey Permanent Airflow	100	1370	50
173085	Rocal 3 Year	Matt White	Grey Permanent Airflow	100	1524	50
173086	Rocal 3 Year	Matt White	Grey Removable Airflow	100	1370	50
173087	Rocal 3 Year	Matt White	Grey Removable Airflow	100	1524	50

## Rolam Printable 3 Year Clear

PROMOTIONAL



- Promotional monomeric gloss, matt & satin laminates with clear permanent or removable adhesive
- 100um 170gsm 2-side PE coated liner printable Solvent Latex and UV
- 80um 120gsm 2-side PE coated liner laminate only
- Up to 3 Year unprinted vertical durability
- Graphic protection for Rocal 3 Year print vinyls
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173088	Rolam Printable 3 Year Clear	Gloss Clear	Clear Permanent	100	1370	50
173089	Rolam Printable 3 Year Clear	Gloss Clear	Clear Permanent	100	1524	50
173090	Rolam Printable 3 Year Clear	Gloss Clear	Clear Removable	100	1370	50
198170	Rolam Printable 3 Year Clear	Matt Clear	Clear Permanent	100	1370	50
198171	Rolam Printable 3 Year Clear	Matt Clear	Clear Permanent	100	1524	50

## Rocal 1 Year

PROMOTIONAL



- Promotional 100um monomeric vinyl, with 140gsm 2 sided PE coated liner
- Everyday vinyl for flat surfaces only
- Stable ink absorption, bright colours, vivid images
- For use with overlaminates: Rolam 1 year
- Up to 1 Year unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
199487	Rocal 1 Year	Gloss White	Black Removable	100	1370	50
172828	Rocal 1 Year	Gloss White	Clear Permanent	100	1370	50
172830	Rocal 1 Year	Gloss White	Clear Removable	100	1370	50
172833	Rocal 1 Year	Gloss White	Grey Removable Airflow	100	1370	50
198441	Rocal 1 Year	Gloss White	Grey Removable Airflow	100	1524	50
172831	Rocal 1 Year	Gloss White	Grey Removable	100	1370	50
172832	Rocal 1 Year	Gloss White	Grey Removable	100	1524	50
172834	Rocal 1 Year	Matt White	Clear Permanent	100	1370	50
172835	Rocal 1 Year	Matt White	Clear Removable	100	1370	50
172836	Rocal 1 Year	Matt White	Grey Removable Airflow	100	1370	50

## Rolam Printable 1 Year Clear

PROMOTIONAL



- Promotional 100um monomeric vinyl, with 140gsm 2 sided PE coated liner
- Everyday vinyl for flat surfaces only
- Stable ink absorption, bright colours, vivid images
- Up to 1 Year unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
172837	Rolam Printable 1 Year Clear	Gloss Clear	Clear Permanent	100	1370	50
198448	Rolam Printable 1 Year Clear	Gloss Clear	Clear Permanent	100	1524	50
172838	Rolam Printable 1 Year Clear	Matt Clear	Clear Permanent	100	1370	50
198449	Rolam Printable 1 Year Clear	Matt Clear	Clear Permanent	100	1524	50

A range of versatile adhesive and film-based visual communication products, perfectly adapted for wall, floor and window surfaces.

Spicers 

# EVOLUTION IN GRIP

REQUEST  
A SAMPLE  
PACK!

Taking inspiration from nature, Spicers developed a diverse range of unique and sustainable graphic solutions for many environments.



Spicers 

For enquiries or a sample contact your local Spicers representative.  
1300 132 644 | [spicers.com.au](http://spicers.com.au) | [@spicersaus](https://twitter.com/spicersaus)

EVOLUTION  
IN GRIP

## Neschen Easy Dot® PET

LOW-TACK &amp; ULTRA REMOVABLE



- Easy Dot® PET L-UV is a printable, self-adhesive film
- Ideal for use with smooth substrates indoors, matt white can be used outdoors
- Easy to apply with no bubbles
- White film is made with 25% post-consumer recycled content (PCR)
- This PVC-free film uses proven easy dot® technology
- Excellent printing quality
- Can be removed without residues
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
163163	Neschen Easy Dot® PET	Matt White	Clear Removable	75	1372	50
163164	Neschen Easy Dot® PET	Matt White	Clear Removable	75	1600	50

## Neschen Easy Dot® PVC

LOW-TACK &amp; ULTRA REMOVABLE



- Printable, self adhesive film with a matt surface
  - Matt and Whiteout are suitable for indoor and outdoor use
  - Whiteout version features high opacity
  - With proven easy dot® technology for easy, bubble-free installation
  - Clear is suitable for indoor use
  - Print Compatibility: Eco-Solvent, Latex & UV Curable Inks
- \*Clear is only compatible with some UV LED inks, speak to your Spicers representative for more information



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
178223	Neschen Easy Dot® PVC	Transparent	Clear Dot	100	1370	50
178224	Neschen Easy Dot® PVC	Transparent	Clear Dot	100	1370	50
163162	Neschen Easy Dot® PVC	Matt Clear	Clear Dot	100	1372	50
163158	Neschen Easy Dot® PVC	Matt White	Clear Dot	100	1372	50
163159	Neschen Easy Dot® PVC	Matt White	Clear Dot	100	1600	50
163160	Neschen Easy Dot® PVC	Matt Whiteout	Clear Dot	100	1372	50
163161	Neschen Easy Dot® PVC	Matt Whiteout	Clear Dot	100	1600	50



**Discover a stock that offers  
extraordinary strength and flexibility.  
Yupo® is the synthetic stock that  
excels in all worlds and conditions.  
Start discovering Yupo® by Spicers**



For enquiries contact your local Spicers representative.

**1300 132 644 SPICERS.COM.AU**

## Yupo® Octopus Reels (XAD1069)

LOW-TACK &amp; ULTRA REMOVABLE



- Polypropylene film that sticks to clean, dry and smooth surfaces using Yupo's very own micro suction technology
- Premium product that offers superior print and removability for multiple POS and retail applications
- No glue or adhesives of any kind BUBBLE FREE – Easy to apply, remove and reapply – will not leave any residue behind
- Thicker, more rigid liner making the product more stable when printing and easier to cut
- Print Compatibility: UV Curable Inks



Material	Material Description	Finish	Adhesive	Grammage (GSM)	Width (mm)	Length (m)
400588	Yupo® Octopus XAD1069 (UV)	Satin	Micro Suction Cup	166	1270	100

## Yupo® Octopus Clear (XAD1068)

LOW-TACK &amp; ULTRA REMOVABLE



- Optically Clear PET Film
- Easy to apply and is removable and reusable
- Adheres to any clean, dry and smooth surface by way of a low-tack resin
- Perfect for window graphics and multiple POS & retail applications
- Print Compatibility: UV Curable Inks



Material	Material Description	Finish	Adhesive	Grammage (GSM)	Width (mm)	Length (m)
400834	Yupo® Octopus XAD1068 Clear (UV)	Ultra Clear	Low-Tack Resin	220	1270	100

## Rocal 3 Year Ultra Removable

### LOW-TACK & ULTRA REMOVABLE



- Gloss white monomeric vinyl, with a clear ultra removable adhesive and double side PE coated paper liner
- Perfect for promotional graphics with clean removal on flat surfaces
- For use with overlaminates: Rolam 3 Year
- Up to 3 Year unprinted outdoor vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173396	Rocal 3 Year	Gloss White	Clear Ultra Removable	100	1370	50

## Rocal Supacling Ultra

### LOW-TACK & ULTRA REMOVABLE



- Rocal Supacling Ultra White is removable, recyclable and environmentally friendly opaque, matt polypropylene film
- Treated print surface and a suction coating on the reverse side is designed to stick onto glass and other glossy surfaces
- Ideal for sign, display and graphic applications where easy installation, repositioning, clean removability and re-use are desirable
- Easy install, repositioning and removability, glue & residue free
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173446	Rocal Supacling	Matt White	Clear Removable	195	1370	50
173447	Rocal Supacling	Matt White	Clear Removable	195	1370	100

## Rocal POPDOT

### LOW-TACK & ULTRA REMOVABLE



- Matt white monomeric vinyl with a dot pattern, clear, removable adhesive
- Easy & clean removal up to 1 Year from installation
- For clean, flat, smooth and lightly textured surfaces (indoors)
- Dot adhesive offers quick & easy, bubble free installation with no need for tools or wet application
- Recommended for short-term indoor applications on windows, walls & other internal flat surfaces
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
194769	Rocal POPDOT	White Matt	Clear Dot Removable	100	1372	50

## General Formulations Static Cling®

### LOW-TACK & ULTRA REMOVABLE



- GF 207 is a 179 micron premium monomeric clear static cling flexible calendered vinyl film on a double PE Liner
- This product may be used for temporary applications to exterior glass, up to 3 months
- GF 208 is a 179 micron premium white static cling flexible calendered vinyl film on a double PE Liner
- You can use either application method for this product, but the best way for a smooth, bubble free application, is to spray the glass and the graphic surface, using a wet edged squeegee to easily apply
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173597	GF 207 Static Cling	Clear	Static Cling	1370	45.7
173598	GF 208 Static Cling	White	Static Cling	1370	45.7

## General Formulations GF 204

## LOW-TACK &amp; ULTRA REMOVABLE



- GF 204 is a 76 micron polymeric gloss white calendered vinyl coated with a clear low-tack removable acrylic pressure sensitive adhesive laminated to a white 2-Sided PE-coated kraft liner
- The clear adhesive creates a lasting bond to a variety of common substrates yet will remove easily and cleanly at the end of the useful life of the graphic
- Outdoor Durability up to 5 Years
- Removability up to 1 Year
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
199983	GF 204	Gloss White	Low-Tack Removable	1524	45.7

## 3M™ IJ180mC -10LSE

## HIGH-TACK &amp; LSE



- Gloss white premium cast wrap film, with a grey high-tack comply air release adhesive and PE coated liner
- Excellent hiding power; flexible; conforms to compound curves, corrugations & rivets
- Pressure-activated adhesive for easy sliding, tacking, snap-up & repositioning
- Expected Performance Life of 10 years
- Designed to adhere to Low Surface Energy (LSE) plastics
- For use with over laminates 8518, 8519, 8520, 8548G, 8549L & 8550M
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
451373	3M IJ180mC-10LSE	Gloss White	Grey High-Tack Airflow	1371	45.7

## 3M™ IJ39 Series High-Tack

## HIGH-TACK &amp; LSE



- Matt white intermediate vinyl, with clear, high-tack permanent adhesive and doubled side poly coated kraft liner
- Smooth, flat and simple curved surfaces
- Perfect for low energy surfaces such as plastics (including polyethylene and polypropylene) and powder coated paints
- For use with overlaminate 8508, 8509 or 8510
- Up to 5 Years unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
169008	3M 5 Year IJ39-20	Matt White	Clear Permanent High-Tack	90	1370	45.7

# Self Adhesive Vinyl


PRINT MEDIA

## General Formulations GF 201 & GF 203 High-Tack



- GF 201 is a 90 micron polymeric matt white calendered vinyl with clear acrylic High-Tack permanent adhesive
- GF 203 is an 80 micron polymeric gloss white calendered vinyl with clear acrylic High-Tack permanent adhesive
- The HTAP adhesive creates a permanent bond to a variety of common substrates such as metals, painted metals, smooth wood, plywood, primed MDO board, vinyl, ABS, st Yearene, polyester and polycarbonate
- For use with overlaminate: GF 231, GF 240 & GF 588
- Outdoor Durability up to 7 Years
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

### HIGH-TACK & LSE



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173591	GF 201 HTAP	Matt White	Clear Permanent High-Tack Airflow	1370	45.7
173592	GF 201 HTAP	Matt White	Clear Permanent High-Tack Airflow	1524	45.7
175014	GF 201 HTAPAE	Matt White	Clear Permanent High-Tack Airflow	1370	45.7
175015	GF 201 HTAPAE	Matt White	Clear Permanent High-Tack Airflow	1524	45.7
173593	GF 203 HTAP	Gloss White	Clear Permanent High-Tack Airflow	1370	45.7
173594	GF 203 HTAP	Gloss White	Clear Permanent High-Tack Airflow	1524	45.7
173595	GF 203 HTAPAE	Gloss White	Clear Permanent High-Tack Airflow	1370	45.7
173596	GF 203 HTAPAE	Gloss White	Clear Permanent High-Tack Airflow	1524	45.7

## Neschen High-Tack Wall Grip



- Printable 100um polymeric film with a matt white surface
- Extremely durable in indoor or outdoor use
- High-performance adhesive for both textured, and LSE surfaces
- For challenging wall design tasks
- Suitable for installations down to -10°C
- Can be applied with hot air so that it adapts to the wall surface perfectly
- Outdoor Durability up to 5 Years
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

### HIGH-TACK & LSE



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
178872	Neschen Wall Grip	Matt White	Clear Permanent High-Tack	100	1370	50
178873	Neschen Wall Grip	Matt White	Clear Permanent High-Tack	100	1550	50

## Neschen PP High-Tack Wall Grip



- PVC-free and shrink-free self-adhesive film
- High-performance, adhesive for both mildly textured and LSE surfaces
- For challenging indoor and outdoor surfaces
- 90um polypropylene face film
- Suitable for installations down to -10°C
- Outdoor Durability up to 2 Years
- Print Compatibility: Latex & UV Curable Inks

### HIGH-TACK & LSE




Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
163211	Neschen PP Wall Grip	Semi Matt	Clear Permanent High-Tack	90	1370	50
163212	Neschen PP Wall Grip	Semi Matt	Clear Permanent High-Tack	90	1600	50

## Rocal 5 Year High-Tack

## HIGH-TACK &amp; LSE



- Gloss & matt intermediate vinyl with High-Tack permanent adhesive
- Smooth, flat and simple curved surfaces
- 100um face film on a 170gsm 2 sided PE liner
- Perfect for low energy surfaces such as plastics (including polyethylene and polypropylene) and powder coated paints
- Up to 5 Years unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Liner	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
199447	Rocal 5 Year	Gloss White	2PE AIR	Clear Permanent High-Tack Airflow	100	1370	50
199451	Rocal 5 Year	Gloss White	2PE AIR	Clear Permanent High-Tack Airflow	100	1524	50
173144	Rocal 5 Year	Gloss White	2PE	Clear Permanent High-Tack	100	1370	50
173145	Rocal 5 Year	Gloss White	2PE	Clear Permanent High-Tack	100	1524	50
173146	Rocal 5 Year	Gloss White	2PE	Grey Permanent High-Tack	100	1370	50
173147	Rocal 5 Year	Gloss White	2PE	Grey Permanent High-Tack	100	1524	50
173148	Rocal 5 Year	Gloss White	2PE AIR	Grey Permanent High-Tack Airflow	100	1370	50
173149	Rocal 5 Year	Gloss White	2PE AIR	Grey Permanent High-Tack Airflow	100	1524	50
173150	Rocal 5 Year	Matt White	2PE	Clear Permanent High-Tack	100	1370	50
173152	Rocal 5 Year	Matt White	2PE	Grey Permanent High-Tack	100	1370	50
173153	Rocal 5 Year	Matt White	2PE	Grey Permanent High-Tack	100	1524	50
173154	Rocal 5 Year	Matt White	2PE AIR	Grey Permanent High-Tack	100	1370	50
173155	Rocal 5 Year	Matt White	2PE AIR	Grey Permanent High-Tack	100	1524	50

## Rocal 3 Year High-Tack

## HIGH-TACK &amp; LSE



- Gloss & matt monomeric vinyl with High-Tack permanent adhesive
- Smooth, flat and simple curved surfaces
- 100um face film on a 170gsm 2 sided PE liner
- Perfect for low energy surfaces such as plastics (including polyethylene and polypropylene) and powder coated paints
- Up to 3 Years unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Liner	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173098	Rocal 3 Year	Gloss White	2PE	Clear Permanent High-Tack	100	1370	50
173100	Rocal 3 Year	Gloss White	2PE	Grey Permanent High-Tack	100	1370	50
173101	Rocal 3 Year	Gloss White	2PE	Grey Permanent High-Tack	100	1524	50
173106	Rocal 3 Year	Matt White	2PE	Grey Permanent High-Tack	100	1370	50
173108	Rocal 3 Year	Matt White	2PE	Grey Permanent High-Tack Airflow	100	1370	50

# Self Adhesive Vinyl

PRINT MEDIA

## 3M™ IJ8150

ULTRA CLEAR



- Optically clear, gloss cast vinyl with clear removable adhesive and transparent synthetic liner
- Optimized for wet application, making it very easy to install
- Perfect for window graphics
- Suitable for flat surfaces, without rivets, simple curves and mild compound curves
- Up to 7 Years unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
450507	3M 7 Year SAV IJ8150	Optically Clear	Clear Permanent	1370	45.7
450839	3M 7 Year SAV IJ8150	Optically Clear	Clear Permanent	1524	45.7

## Yupo® Octopus

ULTRA CLEAR



- Optically Clear PET Film
- Easy to apply and is removable and reusable
- Adheres to any clean, dry and smooth surface by way of a low-tack resin
- Perfect for window graphics and multiple POS & retail applications
- Print Compatibility: UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
400834	Yupo Octopus Clear (XAD1068)	Ultra Clear	Low-Tack Resin	1270	100
400835	Yupo Octopus White (XAD1069)	White	Low-Tack Resin	1270	100

## Neschen Window Grip

ULTRA CLEAR



- Crystal clear, self-adhesive PVC-free PET film with a glossy surface
- A reverse print allows this optically clear film to be applied to the inside of shop windows so that the advertising can be read outside
- Can be repositioned multiple times without loss of adhesive strength
- Very dimensionally stable
- For indoor advertising and short-term outdoor use on flat and smooth substrates, such as glass, mirrors or monitors
- Easy and residue-free removal
- Wet application is recommended, refer install guidelines
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
163217	Neschen Window Grip	Gloss Ultra Clear	Clear Repositionable	125	1370	50
163218	Neschen Window Grip	Gloss Ultra Clear	Clear Repositionable	125	1524	50

## 3M™ IJ3630 Series

BACKLIT



- Matt white translucent cast vinyl with a PE coated kraft liner
- Up to 7 Years unprinted vertical durability
- Clear permanent pressure sensitive adhesive
- For use with 3M Overlaminate 8518, 8519, 8520 & 3660M
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
400479	3M 7 Year SAV IJ3630-20	Matt White	Clear Permanent	1370	45.7

## Rocal 5 Year Translucent

BACKLIT



- Satin white translucent monomeric vinyl, with a clear permanent adhesive and single side PE coated liner
- Engineered for digitally printed backlit applications
- Up to 5 Years unprinted outdoor vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173398	Rocal 5 Year Translucent	Satin White	Clear Permanent	100	1370	50

## Rocal 3 Year Translucent

BACKLIT



- Satin white translucent monomeric vinyl, with a clear permanent adhesive and single side PE coated liner
- Engineered for digitally printed backlit applications
- Up to 3 Years unprinted outdoor vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173397	Rocal 3 Year Translucent	Satin White	Clear Permanent	120	1370	50

## Neschen Print 'N' Walk

### FLOOR GRAPHIC



- Neschen Print 'N' Walk is a matt white PVC-film (200um) with a "Dot Shaped" adhesive and PE release liner providing excellent flatness for short term indoor applications
- Repositionable and bubble free installation with no laminate required
- Washable and resistant to a large number of detergents and solvents
- Great for trade shows or seasonal sales floor graphic advertising
- Solvent-free, age resistant and permanently elastic acrylate adhesive
- Slip resistance certified in accordance with DIN 51130 assessments
- Print Compatibility: Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Anti-Slip Rating	Face Thickness (ums)	Width (mm)	Length (m)
163310	Neschen Print 'N' Walk	Textured	Clear Dot	R9	200	1370	30

## Neschen Rug 'N' Wall

### FLOOR GRAPHIC



- Rug 'N' Wall is a printable, self-adhesive textile fabric with a textured surface suitable for indoor and short-term outdoor applications
- Flexible textile fabric adheres to many different surfaces, including tiles, wood and PVC floors, and untreated stone floors (not marble)
- Slip resistance R12 is certified according to DIN 51130
- Specially designed for use on floors, carpets and walls
- Printing with latex and UV inks, the surface has high scratch resistance and can be easily removed
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Anti-Slip Rating	Face Thickness (ums)	Width (mm)	Length (m)
163316	Neschen Rug 'N' Wall	Textured	Clear Permanent	R12	430	1370	25

## Rocal Floortac Outdoor

### FLOOR GRAPHIC



- White gloss, deep grain embossed, anti-slip vinyl with an aluminium construction and a permanent solvent acrylic adhesive
- Rated to R12 in accordance with AS 4586:2013 Slip resistance classification of new pedestrian surface materials, Appendix D - Oil Wet Inclining Platform Test - test sheet can be supplied on request
- Perfect for outdoor applications on rough wall & floor surfaces such as concrete, asphalt, brick, tiles, marble, terrazzo
- Please see specification sheet for installation and removal instructions
- Up to 1 Year outdoor
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Anti-Slip Rating	Width (mm)	Length (m)
400581	Rocal Floortac Outdoor	Deep Grain	Clear Permanent	R12	960	30

## Rocal Floortac Carpet

### FLOOR GRAPHIC



- Matt white PET fabric with bead adhesive technology and a R11 anti-slip rating
- Recommended for retail shop campaigns, sponsorship targeted marketing promotional events, way-finding, point of purchase and facility safety flooring
- To be applied on short pile commercial carpet only
- Excellent anti-scratch and slip technology for indoor environments on carpet
- Suitable up to 1 Year indoor
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Anti-Slip Rating	Face Thickness (ums)	Width (mm)	Length (m)
400785	Rocal Floortac Carpet	Textured Matt	Clear Removable	R11	100	1370	30

## Rocal Floortac Indoor

## FLOOR GRAPHIC



- 200um, printable white, dull polish PVC film with clear, removable adhesive
- Suitable for indoor hard, flat surfaces (not recommended for carpet)
- No laminate required
- Anti-slip, abrasion resistant surface, approved by P4/R10 anti-skid certification
- Up to 1 Year indoor
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Anti-Slip Rating	Face Thickness (ums)	Width (mm)	Length (m)
451828	Rocal Floortac Indoor	Textured Matt	Clear Removable	R10	200	1370	25

## General Formulations GF 212 Traffic Graphic®

## FLOOR GRAPHIC



- GF 212 is an 86 micron polymeric matt white calendered vinyl coated with a special formulated clear solvent removable adhesive laminated to a layflat liner
- The liner offers excellent product layflat in a variety of ambient conditions along with ease of application of large format graphics
- For use with overlamine: GF 213
- Specifically designed to adhere to common commercial carpets and allows for easy and clean removability of the graphic
- Removable up to 6 months
- Print Compatibility: Eco-Solvent, UV Curable & Latex Inks



Material	Material Description	Finish	Adhesive	Laminate	Face Thickness (ums)	Width (mm)	Length (m)
401014	GF 212 Traffic Graphic	Matt White	Clear Removable	GF 213	86	1370	45.7

## Neschen Performance Wallpaper

## WALL GRAPHIC



- PVC and solvent-free wallpaper
- For individual design of interiors such as in shopping malls, trade fairs or museums
- Perfect for LFP, minimal seams
- Printable with photo realistic print quality
- The structure creates a velvety print result
- The print is enhanced by the texture
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
163215	Neschen Performance Wallpaper	Matt White	Paste up	280	1370	50
163216	Neschen Performance Wallpaper	Matt White	Paste up	280	1600	30
163309	Neschen Performance Wallpaper	Matt White	Paste up	280	1600	50

## Rocal Wall Mount

## WALL GRAPHIC



- Knitted polyester fabric with a opaque removable adhesive
- Easy install, repositioning and removability
- Smooth textured surface, non-reflective coating and removes cleanly
- Sticks to any non-porous surface, walls, windows and doors
- PVA coated surface, removable solvent based acrylic adhesive
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173539	Rocal Wall Mount	Opaque	Clear Removable	190	1370	30
173538	Rocal Wall Mount	Opaque	Clear Removable	190	1524	30



# ENDLESS ADVENTURES IN PRINT

Reposition, Refresh, Reimagine  
with PhotoTex™ Self-Adhesive Fabric.

Designed for ease and versatility, PhotoTex™ applies seamlessly —just peel and stick for a bubble-free finish. Need a change? Its reusable and repositionable design lets you move it without residue. Ideal for indoor and outdoor use, PhotoTex withstands extreme conditions while delivering vivid print quality. Compatible with walls, glass, metal, wood, and more, it's the perfect solution for high-impact visuals wherever creativity takes you.

**From cityscapes to scenic landscapes, PhotoTex™ transforms any surface into a story. Pack your creativity, and let your ideas take flight with PhotoTex.**

## Features & Benefits

- 99% block out performance (opaque version)
- Removable, reusable ad repositionable
- Suitable for any non-porous flat surface
- Air bubbles filter out through fabric
- Compatible with aqueous pigment ink, eco-solvent, latex and UV curable ink
- Paint and wallpaper safe
- Tear-resistant
- Wrinkle free
- Perfect for overlapping/panelling and hiding marked or coloured surfaces
- High Tack options for difficult to stick to surfaces
- Australian tested to Group 1 – ASNZ 38

## Applications

- Retail Displays & POP Graphics
- Office & Hospitality Décor
- Exhibition & Event Signage
- Window & Vehicle Graphics
- Home & DIY Wall Art

For samples and enquiries please contact your local Spicers representative.

1300 132 644 | [spicers.com.au](http://spicers.com.au)

**Spicers** 

## PhotoTex™ OS Opaque Solvent

WALL GRAPHIC

### Photo-Tex™

- Polyester blend fabric with a low-tack, blockout adhesive that is removable, repositionable & reusable, also totally paste free
- Removes easily with no residue for sharp-looking, seamless graphics and superior photographic images every time
- Liquid laminate recommended to protect the printed image
- Sticks to any non-porous surface, walls, windows, doors & floors
- Very easy application with air bubbles filtering out through the fabric
- Ideal for life-size photographic cut-outs, POS and wall murals
- Refer to the spec sheet for installation instructions
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
190169	PhotoTex OS Opaque Solvent	Matt	Grey Low-Tack	165	1370	30
191456	PhotoTex OS Opaque Solvent	Matt	Grey Low-Tack	165	1524	30

## PhotoTex™ S Solvent

WALL GRAPHIC

### Photo-Tex™

- Polyester blend fabric with a low tack self-adhesive that is removable, repositionable & reusable, also totally paste free
- Removes easily with no residue for sharp-looking, seamless graphics and superior photographic images every time
- Liquid laminate recommended to protect the printed image
- Sticks to any non-porous surface, walls, windows, doors & floors
- Very easy application with air bubbles filtering out through the fabric
- Ideal for life-size photographic cut-outs, POS and wall murals
- Refer to the spec sheet for installation instructions
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
173055	PhotoTex S Solvent	Matt	Clear Low-Tack	165	1370	30

## PhotoTex™ EXS H/T Solvent

WALL GRAPHIC

### Photo-Tex™

- Polyester blend fabric with a High-Tack adhesive that is removable, repositionable & reusable, also totally paste free
- Removes easily with no residue for sharp-looking, seamless graphics and superior photographic images every time
- Liquid laminate recommended to protect the printed image
- Sticks to any non-porous surface, walls, windows, doors & floors
- Very easy application with air bubbles filtering out through the fabric
- Ideal for life-size photographic cut-outs, POS and wall murals
- Refer to the spec sheet for installation instructions
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
171766	PhotoTex EXS H/T Solvent	Matt	Clear High-Tack	165	1370	30

# Self Adhesive Vinyl


PRINT MEDIA

## General Formulations RoughMark®

WALL GRAPHIC



- GF 285 RoughMark® is a 90 micron matt white opaque polymeric vinyl film with a solvent acrylic High-Tack removable (HTR) pressure sensitive adhesive on a double side PE Liner
- Designed to aggressively grip onto textured substrates such as brick or block, yet cleanly remove without leaving adhesive residue on the contact surface
- This film conforms well with controlled heat and features clean removability from a variety of moderately textured substrates in vertical application only
- GF RoughMark can be used in applications where a conformable removable vinyl is desired
- Removable up to 6 months
- Outdoor Durability up to 5 Years
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173613	GF 285 RoughMark	Matt White	Clear Removable High-Tack	1370	45.7
177871	GF 885 RoughMark	Gloss White	Grey Removable High-Tack	1370	45.7

## General Formulations GF 229 WallMark® Canvas

WALL GRAPHIC



- GF 229 WallMark® Canvas is a 152 micron embossed matt white semi-rigid calendered vinyl film
- A specially formulated High-Tack and removable microsphere emulsion acrylic pressure sensitive adhesive designed for ease of removal, repositioning and reuse
- GF 229 is designed for wall murals, decals, and graphics on most types of smooth painted interior walls
- Double Sided PE Liner
- Up to 3 Years unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173880	GF 229 WallMark	Canvas	Clear Removable High-Tack	1370	30

## General Formulations GF 226 WallMark®

WALL GRAPHIC



- 150 micron matt white wall vinyl with a clear High-Tack removable adhesive and a 90# layflat liner
- Unique HTR adhesive allows for ease of install with repositionability and clean removal, but is designed to hold on a wider range of wall surfaces
- Safe for all spaces with its E84 Class A Fire rating and compliance with REACH, RoHS and Prop 650
- Give smooth painted walls the look of decorative plaster with this easy-to-apply textured vinyl
- Excellent image quality and opacity for wall murals, graphics and POP decals
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173889	GF 226 WallMark	Matt White	Clear Removable High-Tack	1370	30
199669	GF 226 WallMark	Matt White	Clear Removable High-Tack	1370	50

## 3M™ IJ8150 Optically Clear

## WINDOW GRAPHIC



- Optically clear, gloss cast vinyl with clear removable adhesive and transparent synthetic liner
- Optimised for wet application, making it very easy to install
- Perfect for window graphics
- Up to 7 Years unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
450507	3M IJ8150	Optically Clear	Clear Removable	1370	45.7
450839	3M IJ8150	Optically Clear	Clear Removable	1524	45.7

## 3M™ 7725SE Dusted/Frosted

## WINDOW GRAPHIC



- Special effects, matt premium cast vinyl with clear permanent solvent adhesive and transparent synthetic liner
- Perfect for indoor and outdoor window decoration
- Available in dusted (etched glass appearance) and frosted (sandblast glass appearance) finishes in a range of colours
- Up to 5 Years durability for internal application and up to 3 Years for external unprinted vertical durability
- Print Compatibility: Suitable for electronic cutting or Eco-Solvent, UV Curable & Latex Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
400247	3M 7725SE-314 Crystal Glass	Dusted Crystal	Clear Permanent	1220	45.7
400240	3M 7725SE-314 Crystal Glass	Dusted Crystal	Clear Permanent	1524	45.7
450919	3M 7725SE-324 Crystal Glass	Frosted Crystal	Clear Permanent	1220	45.7
450949	3M 7725SE-324 Crystal Glass	Frosted Crystal	Clear Permanent	1524	45.7

## 3M™ 5525SE Haze/Sandblast

## WINDOW GRAPHIC



- Special effects, matt intermediate polymeric vinyl with clear permanent solvent adhesive and kraft liner
- Perfect for indoor & outdoor window decoration medium term applications
- Available in dusted (etched glass appearance) and frosted (sandblast glass appearance) finishes
- Up to 5 Years durability for internal application and up to 3 Years for external unprinted vertical durability
- Print Compatibility: Suitable for electronic cutting or Eco-Solvent, UV Curable & Latex Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
400278	3M 5525SE-314 Special Effect	Haze	Clear Permanent	1220	50
450296	3M 5525SE-314 Special Effect	Haze	Clear Permanent	1524	50
400279	3M 5525SE-324 Special Effect	Sandblast	Clear Permanent	1220	50
450562	3M 5525SE-324 Special Effect	Sandblast	Clear Permanent	1524	50

# Self Adhesive Vinyl

PRINT MEDIA

## General Formulations GF 218 WindowMark®

WINDOW GRAPHIC



- GF 218 WindowMark® Blockout is a 203 micron gloss white print media with dual-layer construction making it 100% opaque with a removable adhesive for easy, clean removal
- Reverse print on GF 255 (clear vinyl), print on GF 218 (Right read) and laminate the two films together. Apply the film on the inside of the window for a Push Pull type decal or graphics
- Excellent for window graphics & retail displays where total opacity and zero light transmission is required and front windows and internal windows where total privacy is a must
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173599	GF 218 WindowMark	White	Clear Removable	1370	30

## General Formulations GF 255 OptiMark®

WINDOW GRAPHIC



- GF 255 OptiMark® is a 76 micron optically clear high gloss flexible calendered PVC film with a clear Solvent acrylic removable pressure sensitive adhesive and a clear polyester liner
- Wet application is the preferred method. Wet application on solvent based clear products is the best way to achieve bubble free and optically clear results
- Clean removal from glass for up to one Year under normal exposure conditions
- Outdoor Durability up to 3 Years
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173607	GF 255 OptiMark	Clear Gloss	Clear Removable	1370	45.7

## General Formulations GF 790AE

WINDOW GRAPHIC



- GF 790AE Print-N-Privacy is a decorative polymeric glass etch vinyl
- Can either be applied printed or unprinted for etched glass visual effect or for use as a privacy film
- Solvent based permanent acrylic pressure sensitive adhesive
- Bubble Free Liner
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
452232	GF 790AE Print-N-Privacy	Window Etch	Clear Permanent Airflow	1370	45.7

## Rocal Dusted Sparkle

## WINDOW GRAPHIC



- 100 micron Calendered PVC film used for privacy screening & creative patterns designed for use on glass windows where privacy is required whilst allowing effective light transmission
- Main Applications: Meeting Rooms, Retail, Partitions, Offices, Residential
- Clear solvent based acrylic PSA – permanent (can be wet applied)
- 100 gsm single PE coated release liner
- Ideal for both outdoor and indoor application up to 3 Years



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173535	Rocal Dusted Sparkle	Dusted Sparkle	Clear Solvent Based Acrylic Permanent	1220	50

## Rocal Frosted Silver Etch

## WINDOW GRAPHIC



- 100 micron Calendered PVC film used for privacy screening & creative patterns designed for use on glass windows where privacy is required whilst allowing effective light transmission
- Main Applications: Meeting Rooms, Retail, Partitions, Offices, Residential
- Clear solvent based acrylic PSA – permanent (can be wet applied)
- 100 gsm single PE coated release liner
- Ideal for both outdoor and indoor application up to 3 Years



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173537	Rocal Frosted Silver Etch	Frosted	Clear Solvent Based Acrylic Permanent	1220	50

## General Formulations Chrome

## HOLOGRAPHIC &amp; CHROME



- GF 759 is a 50 micron print receptive Chrome Silver metallized polyester film
- GF 760 is a 50 micron print receptive Chrome Gold metallized polyester film
- Permanent Solvent Acrylic pressure sensitive adhesive
- Chrome polyester films are recommended to simulate metallic finishes. These products can be used for architectural signage, commercial-retail signage, point-of-purchase graphics, product identification
- Designed for sign cutting machines
- Indoor Durability up to 2 Years
- Print Compatibility: UV Curable & Latex Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
452029	GF 759 Chrome	Chrome Silver	Clear Permanent	1524	45.7
452030	GF 760 Chrome	Chrome Gold	Clear Permanent	1524	45.7

## General Formulations Holographic

## HOLOGRAPHIC &amp; CHROME



- General Formulations Holographic is a 150 micron holographic film coated with a permanent acrylic pressure sensitive adhesive on a 2 sided PE kraft layflat liner
- As with other holographic films, GF 765 has a shim line running through the middle of the roll, with a less noticeable line running every 30cm approximately. GF 767 only features the faint shim lines
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
452234	GF 765 Holographic	Rainbow	Clear Permanent	1524	45.7
452621	GF 767 Holographic	Sparkles	Clear Permanent	1370	45.7

## Contravision Performance 40% UL

### PERFORATED WINDOW FILMS



- White on Black perforated window films for printing one-way vision graphics
- Removable without residue up to 12 months at 23 - 25 degrees celsius
- Transparency: 40% Transparent (60/40) with Replacement GrayLiner and 1.6mm hole diameter
- On window lifetime of 3+ years, recommended for longer term and demanding applications such as vehicle and building wraps
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Hole	Liner	Width (mm)	Length (m)
401028	Contravision Performance 40% Universal Liner	White	60/40 1.6mm	Universal	1370	50
401029	Contravision Performance 40% Universal Liner	White	60/40 1.6mm	Universal	1520	50

## Contravision Performance 40% RL

### PERFORATED WINDOW FILMS



- White on Black perforated window films for printing one-way vision graphics
- Removable without residue up to 12 months at 23 - 25 degrees celsius
- Transparency: 40% Transparent (60/40) with Replacement GrayLiner and 1.6mm hole diameter
- On window lifetime of 3+ years, recommended for longer term and demanding applications such as vehicle and building wraps
- Print Compatibility: Eco-Solvent & Latex Inks



Material	Material Description	Finish	Hole	Liner	Width (mm)	Length (m)
401093	Contravision Performance 40% Release Liner	White	60/40 1.6mm	Replacement	1370	50
401094	Contravision Performance 40% Release Liner	White	60/40 1.6mm	Replacement	1520	50

## Contravision Performance 50% UL

### PERFORATED WINDOW FILMS



- White on Black perforated window films for printing one-way vision graphics
- Removable without residue up to 12 months at 23 - 25 degrees celsius
- Transparency: 40% Transparent (60/40) with Replacement GrayLiner and 1.5mm hole diameter
- On window lifetime of 3+ years, recommended for longer term and demanding applications such as vehicle and building wraps
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Hole	Liner	Width (mm)	Length (m)
401025	Contravision Performance 50% Universal Liner	White	50/50 2mm	Universal	1370	50
401026	Contravision Performance 50% Universal Liner	White	50/50 2mm	Universal	1520	50

## Contravision Performance 50% RL

## PERFORATED WINDOW FILMS



- White on Black perforated window films for printing one-way vision graphics
- Removable without residue up to 12 months at 23 – 25 degrees celsius
- Transparency: 40% Transparent (60/40) with Replacement GrayLiner and 1.5mm hole diameter
- On window lifetime of 3+ years, recommended for longer term and demanding applications such as vehicle and building wraps
- Print Compatibility: Eco-Solvent & Latex Inks



Material	Material Description	Finish	Hole	Liner	Width (mm)	Length (m)
401091	Contravision Performance 50% Release Liner	White	50/50 2mm	Replacement	1370	50
401092	Contravision Performance 50% Release Liner	White	50/50 2mm	Replacement	1520	50

## Contravision Campaign 40% UL

## PERFORATED WINDOW FILMS



- 40% transparency
- Removable without residue up to 12 months at 23 – 25 degrees celsius
- 150um
- Universal Liner
- 2 Year durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Hole	Liner	Width (mm)	Length (m)
401027	Contravision Campaign 40% Universal Liner	White	60/40 1.6mm	Universal	1370	50

## General Formulations WindowMark®

## PERFORATED WINDOW FILMS



- GF WindowMark® is a 150 micron perforated high performance matt white vinyl film with a clear low tack repositionable removable solvent acrylic pressure sensitive adhesive
- Dual Layer (Perforated/Solid) White 2-Sided PE-Coated liner offers good dimensional stability in a variety of ambient conditions
- Designed for exterior application
- Recommended overlamine GF 242
- Outdoor Durability up to 2 Years
- Removable up to 1 Year
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Hole	Liner	Width (mm)	Length (m)
173609	GF 260 WindowMark®	White	60/40	Universal	1370	30
173612	GF 280 WindowMark®	White	80/20	Universal	1370	45.7

## Roban Sigtuff 440

FRONTLIT



- Gloss or satin frontlit banner with high-strength and good opacity
- Denier 840D x 840D
- Suitable for a range of billboard, banner & display graphics where no show through is required
- UV additive for up to 36 months outdoor
- Black back options for 100% opaque
- Thread count 9 x 9/square inch
- Print side is on the inside of the roll
- Fire Rated B1
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Reverse	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173253	Roban Sigtuff 440	White Gloss	Black Back	840 x 840 / 9 x 9	440	1370	50
173255	Roban Sigtuff 440	White Gloss	Black Back	840 x 840 / 9 x 9	440	1600	50
173256	Roban Sigtuff 440	White Gloss	Black Back	840 x 840 / 9 x 9	440	2500	50
173257	Roban Sigtuff 440	White Gloss	Black Back	840 x 840 / 9 x 9	440	3200	50
199590	Roban Sigtuff 440	White Gloss	Black Back	840 x 840 / 9 x 9	440	5000	50
173258	Roban Sigtuff 440	White Satin	Black Back	840 x 840 / 9 x 9	440	1370	50
173259	Roban Sigtuff 440	White Satin	Black Back	840 x 840 / 9 x 9	440	1600	50
173260	Roban Sigtuff 440	White Satin	Black Back	840 x 840 / 9 x 9	440	3200	50
173261	Roban Sigtuff 440	White Satin	White Back	840 x 840 / 9 x 9	440	1370	50
173263	Roban Sigtuff 440	White Satin	White Back	840 x 840 / 9 x 9	440	1600	50
173264	Roban Sigtuff 440	White Satin	White Back	840 x 840 / 9 x 9	440	2500	50
173265	Roban Sigtuff 440	White Satin	White Back	840 x 840 / 9 x 9	440	3200	50

## Roban IJET Premium Latex 510

FRONTLIT



- Ultra smooth, high strength premium frontlit banner for Latex printing
- Denier 1000D x 1000D
- Suitable for use in billboard skins, banners & other general graphics
- UV additive for up to 36 months outdoor
- Suitable for applications that will be viewed up close
- Thread count 18 x 18/square inch
- Printside on the inside of the roll
- Fire Rated B1
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173350	Roban IJET Premium Latex 510	White Satin	1000 x 1000 / 18 x 18	510	1370	50
173351	Roban IJET Premium Latex 510	White Satin	1000 x 1000 / 18 x 18	510	1600	50
173354	Roban IJET Premium Latex 510	White Satin	1000 x 1000 / 18 x 18	510	2500	50
173355	Roban IJET Premium Latex 510	White Satin	1000 x 1000 / 18 x 18	510	3200	50

## Roban Ultra i440

BLOCKOUT



- Light weight, super smooth, matt double side blackout banner
- Used for indoor applications where no show through is critical
- Perfect for viewing at close range
- Perfect for roll up banner stands & double side displays
- Denier 300D x 300D
- Thread count 42 x 40/square inch
- UV additive for up to 36 months outdoor
- Fire Rated B1
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173252	Roban Ultra i440	White Satin	300 x 300 / 42 x 40	440	914	50
173247	Roban Ultra i440	White Satin	300 x 300 / 42 x 40	440	1370	50
173248	Roban Ultra i440	White Satin	300 x 300 / 42 x 40	440	1600	50
173250	Roban Ultra i440	White Satin	300 x 300 / 42 x 40	440	2500	50
173251	Roban Ultra i440	White Satin	300 x 300 / 42 x 40	440	3200	50

## Roban Optima UV 580

BLOCKOUT



- Heavy duty, smooth satin double sided blackout banner exhibiting a scrimless appearance
- Ideal for indoor and outdoor banner & graphics applications where no show through is critical
- Denier 1000D x 1000D
- Thread Count 20 x 20/square inch
- UV additive for up to 36 months outdoor
- Fire Rated B1
- Print Compatibility: UV Curable Inks



Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173316	Roban Optima UV 580	White Satin	1000 x 1000 / 20 x 20	580	1370	50
173317	Roban Optima UV 580	White Satin	1000 x 1000 / 20 x 20	580	1600	50
173319	Roban Optima UV 580	White Satin	1000 x 1000 / 20 x 20	580	2500	50
173320	Roban Optima UV 580	White Satin	1000 x 1000 / 20 x 20	580	3200	50

## Roban Optima Latex 580

BLOCKOUT



- Heavy duty, smooth stain double sided blackout banner exhibiting a scrimless appearance designed for Latex printing
- Ideal for indoor and outdoor banner & graphics applications where no show through is critical
- Denier 500D x 500D
- Thread Count 28 x 28/square inch
- UV additive for up to 36 months outdoor
- Fire Rated B1
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173356	Roban Optima Latex 580	White Satin	500 x 500 / 28 x 28	580	1370	50
173357	Roban Optima Latex 580	White Satin	500 x 500 / 28 x 28	580	1600	50
173359	Roban Optima Latex 580	White Satin	500 x 500 / 28 x 28	580	2500	50
198390	Roban Optima Latex 580	White Satin	500 x 500 / 28 x 28	580	3200	50

## Roban Multi 600

## BLOCKOUT



- Heavy duty, matt double side blackout banner
- Ideal for outdoor banner & graphics applications where no show through is critical
- UV additive for up to 12 months outdoor
- Denier 1000D x 1000D
- Thread Count 9 x 9/square inch
- Fire Rated B1
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173239	Roban Multi 600	Satin White	1000 x 1000 / 9 x 9	600	1370	50
173240	Roban Multi 600	Satin White	1000 x 1000 / 9 x 9	600	1600	50
173242	Roban Multi 600	Satin White	1000 x 1000 / 9 x 9	600	2500	50
173243	Roban Multi 600	Satin White	1000 x 1000 / 9 x 9	600	3200	50
173245	Roban Multi 600	Satin White	1000 x 1000 / 9 x 9	600	5200	50

## Roban Heavy Duty TR800

## BLOCKOUT



- Roban TR800 is a two sided, smooth, PVC coated, heavyweight reinforced blackout banner vinyl with a UV resistant print formulation
- Constructed with high tensile woven, high density yarn designed for excellent resolution of double sided images
- Black centre layer restricts the effect which light transmission
- Surface coating thickness prevents the inner scrim to be visible though the printed image
- Denier 1000D x 1000D
- Thread Count 18 x 18/square inch
- Print Compatibility: UV Curable Inks



Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173847	Roban Heavy Duty TR800	Matt White	1000 x 1000 / 18 x 18	800	3200	40

## Rodure Ublock 2/S 230gsm

## BLOCKOUT



- Polypropylene film + Gravure primer coating
- Blockout core
- Perfect for double sided posters
- Excellent whiteness and opacity
- Laminated, tear & water resistant, 100% Blockout
- Corona & ink receptive primer
- Print Compatibility: Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
173544	Rodure Ublock 2/S	Matt	230	1370	100
173545	Rodure Ublock 2/S	Matt	230	1600	100

## Rodure Solmaxx 200gsm

BLOCKOUT



- Rodure Solmaxx 200 is a clean white, high opacity, low density polypropylene synthetic paper with a smooth, clay coated matt surface on two sides
- High temperature resistance & optimum transparency makes it suitable for outdoor light box and bus shelter posters
- Suitable for a large range of durable printed applications requiring resistance to tearing, water, premature breakdown to UV exposure
- Excellent whiteness and opacity, lay-flat, print adhesion and image quality
- Print Compatibility: Eco-Solvent & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
173365	Rodure Solmaxx 200	Satin	200	915	50
173366	Rodure Solmaxx 200	Satin	200	1270	50
173367	Rodure Solmaxx 200	Satin	200	1524	50

## Rodure Polypropylene 2/S Blockout

BLOCKOUT



- Matt white 190gsm and 205gsm blockout polypropylene film
- 2 side printable with a blockout layer that offers 98% opacity
- Fast drying and tear resistant
- Perfect for double sided posters, fixed and portable banner systems
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
194042	Rodure Polypropylene 2/S Blockout	Matt	240	190	914	50
170092	Rodure Polypropylene 2/S Blockout	Matt	240	190	1270	50

## Roban Airmesh FR Liner

MESH BANNER FR



- 270gsm High strength banner mesh (With Liner)
- Suitable for welding & outdoor use
- Fire and Smoke Test certificates for AS 1530.2-1993, and AS 1530.3-1999
- Traditional closed mesh structure for greater print surface area and strength
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
169852	Roban Airmesh Fire Rated Liner	Matt White	1000 x 1000 / 12 x 12	300	1600	50
171390	Roban Airmesh Fire Rated Liner	Matt White	1000 x 1000 / 12 x 12	270	1370	50
171391	Roban Airmesh Fire Rated Liner	Matt White	1000 x 1000 / 12 x 12	270	1800	50

## Roban Airmesh FR (No Liner)

MESH BANNER FR



- 300gsm High strength banner mesh (No Liner)
- Suitable for welding & outdoor use
- Traditional closed mesh structure for greater print surface area and strength
- Fire rated B1
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173219	Roban Airmesh Fire Rated	Matt White	1000 x 1000 / 12 x 12	300	3200	55

## YUPO® FPU UV Rolls

BACKLIT



- 250um/200gsm polypropylene film
- oOh!media specified product
- Tear & weather resistant
- Market leading bulk, whiteness, opacity, ink adhesion & colour reproduction
- Applications: Large format posters, light box & street furniture
- Custom sheeting available on request
- Print Compatibility: UV Curable Inks



Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
184952	Yupo FPU 250 UV	Satin	250	200	1320	50
158445	Yupo FPU 250 UV	Satin	250	200	1320	100
184226	Yupo FPU 250 UV	Satin	250	200	1600	50
181146	Yupo FPU 250 UV	Satin	250	200	1600	100
184159	Yupo FPU 250 UV	Satin	250	200	1830	100

## Rolight Visiflex 600

BACKLIT



- Rolight Visiflex is a UV resistant, PVC coated & smooth surface reinforced banner vinyl with a translucent formulation
- The softer coating gives a more supple & flexible feel and is more dimensionally stable, will finish & tension well
- Exhibiting a scrim-less appearance after printing making it ideal for oversized, closely viewed high resolution light-box banner skins
- Very high image quality, ease of printing, processing & durability, visually appealing up close
- Anti-static, UV stabilized and Fire retardant
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Denier/Thread Count	Grammage (GSM)	Width (mm)	Length (m)
173463	Rolight Visiflex 600	Gloss Translucent White	500 x 500 / 35 x 30	600	1600	50
173464	Rolight Visiflex 600	Gloss Translucent White	500 x 500 / 35 x 30	600	2500	50
173465	Rolight Visiflex 600	Gloss Translucent White	500 x 500 / 35 x 30	600	3200	50

## Rolight UTrans 294gsm

BACKLIT



- UTrans satin is a translucent, high rigidity, white polyester film with an ink receptive primer coating on one side designed for high resolution indoor & outdoor light-box graphics suitable for a range of digital inkjet printing equipment. It's high temperature resistance, dimensional stability & optimum light transmission provide flat, durable & perfect looking back-lit graphics.
- Print Compatibility: Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
173628	Rolight UTrans	Matt	294	1320	50
173630	Rolight UTrans	Matt	294	1524	50

## Rolight Backlit PET

BACKLIT



- 210um translucent, matt, white polyester (PET) film
- Perfect for backlit displays, lightbox, cosmetic advertising, menu-boards, street furniture
- Printable surface is on the outside of the roll
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Micron	Width (mm)	Length (m)
167501	Rolight Backlit PET	Matt	210	1370	30
167502	Rolight Backlit PET	Matt	210	1520	30

## Rodure XTC 283gsm

BACKLIT



- 250um/283gsm polypropylene
- Suitable for a large range of durable printed applications requiring resistance to tearing, water, premature breakdown or yellowing due to ultra-violet light exposure
- Rodure XTC283 is a white, semi-opaque, high density polypropylene synthetic paper with a smooth matt surface on two sides with a stiff, card-like formulation
- Allows enough light transmission to be used as posters in bus shelter light boxes as well as front lit posters
- Tear & weather resistant
- Custom sheeting available on request
- Applications: Large format posters, light box & street furniture
- Print Compatibility: UV Curable Inks



Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
175892	Rodure XTC 283	Matt	250	283	1320	100
162791	Rodure XTC 283	Matt	250	283	1600	100

## Rodure XTI200 Latex

BACKLIT



- Rodure XTI200 is a clean white, high opacity, low density polypropylene synthetic paper with a smooth, clay coated matt surface on two sides
- High temperature resistance & optimum transparency makes it suitable for outdoor light box and bus shelter posters
- Suitable for a large range of durable printed applications requiring resistance to tearing, water, premature breakdown to UV exposure
- Excellent whiteness and opacity, lay-flat, print adhesion and image quality
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
173390	Rodure XTI200 Latex	Translucent	250	200	1320	100
173391	Rodure XTI200 Latex	Translucent	250	200	1600	100

## Roban No Scrim 510gsm

PULL UP



- Scrimless, super smooth, double side blockout banner
- Suitable for applications that will be viewed up close
- Suitable for roll-up banner stands & premium graphics
- Ideal for applications where no show through & super smooth surface is critical
- Not recommended for outdoor use
- 2 side printable/ a print side is on the outside of the roll
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
185046	Roban No Scrim	Matt	510	914	50
180929	Roban No Scrim	Matt	510	1370	50

## Rodure Pull up PVC 420gsm Grey Back

PULL UP



- Textured Lustre, White PET/PVC 420gsm composite film with a grey blackout reverse
- Textured Lustre finish results in an anti-scratch & high-resolution surface
- Tear resistant & dimensionably stable lay flat film
- Perfect for fixed and portable banner systems
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
170123	Rodure Pull up PVC 420gsm Grey Back	Lustre	325	420	914	50
170124	Rodure Pullup PVC 420gsm Grey Back	Lustre	325	420	1270	50

## Rodure Pull up PET 340gsm Grey Back

PULL UP



- Satin white semi-rigid 340gsm PET film with a grey blackout reverse designed for use in retractable / pull-up banner stands
- Indoor / outdoor pull-up displays, general posters and point of sale graphics
- Minimal edge curl, high durability & flatness, anti-static, dimensional stability, and excellent heat resistance
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
173362	Rodure Pull up PET 340 Grey Back	Satin	250	340	915	50
173363	Rodure Pull up PET 340 Grey Back	Satin	250	340	1270	50
173364	Rodure Pull up PET 340 Grey Back	Satin	250	340	1524	50

## Rodure Pull up PET 290gsm Grey Back

PULL UP



- Matt white 290gsm PET film with a grey blackout reverse
- Quick dry, tear resistant & lay flat film
- Perfect for fixed and portable banner systems
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
170094	Rodure Pull up PET 290 Grey Back	Matt	190	290	914	50
170095	Rodure Pull up PET 290 Grey Back	Matt	190	290	1270	50

## Rodure PET 290gsm Velvet Grey Back

PULL UP



- Premium Velvet white 290gsm PET film with a grey blackout reverse
- Velvet finish offers superior anti-scratch properties - laminate not required
- Perfect for fixed and portable banner systems
- Velvet finish produces vibrant colours and higher density black
- Quick dry, tear resistant & dimensionably stable lay flat film
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Thickness (ums)	Grammage (GSM)	Width (mm)	Length (m)
194037	Rodure PET 290 Velvet Grey Back	Velvet	190	290	914	50

## Romag Magnet Printable

## MAGNET PRINTABLE



- 0.3, 0.6 & 0.9mm magnet with a 0.1mm matt or gloss white PVC printable face film
- Suitable for general magnetic work, fridges, POS and signage
- 0.9mm Magnet is perfect for car magnets
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Face Thickness (mm)	Width (mm)	Length (m)
173445	Romag Magnet Printable	Matt White	0.3	1370	25
192403	Romag Magnet Printable	Gloss White	0.6	620	15
195028	Romag Magnet Printable	Gloss White	0.6	1270	15
173925	Romag Magnet Printable	Matt White	0.6	610	30
165031	Romag Magnet Printable	Gloss White	0.9	620	15
192404	Romag Magnet Printable	Gloss White	0.9	1000	15
192841	Romag Magnet Printable	Gloss White	0.9	1270	15
173926	Romag Magnet Printable	Matt White	0.9	1000	10

## Romag Magnet Self Adhesive

## MAGNET SELF ADHESIVE



- Non printable magnet on 1 side and permanent adhesive on the other (non magnetized) side
- Recommended for indoor applications
- Apply the adhesive side to the wall as a "permanent" fixture and printed ferro film to the magnetic side
- Available in 0.5 and 0.8mm (0.8mm offers a higher magnetic force)



Material	Material Description	Finish	Adhesive	Face Thickness (mm)	Width (mm)	Length (m)
195448	Romag Magnet Self Adhesive	Black	Clear Permanent	0.5	620	30
195450	Romag Magnet Self Adhesive	Black	Clear Permanent	0.8	620	15
195449	Romag Magnet Self Adhesive	Black	Clear Permanent	0.5	1250	15
195451	Romag Magnet Self Adhesive	Black	Clear Permanent	0.8	1250	15

## Romag Ferro Film

## FERRO FILM



- 0.18 & 0.25mm matt, white PET film with a magnet receptive reverse
- Easy to apply and remove leaving no residue
- Applied to the magnetic side of a magnet
- Print Compatibility for 0.18: Eco-Solvent, Latex & UV Curable Inks
- Print Compatibility for 0.25: Eco-Solvent & UV Curable Inks



Material	Material Description	Finish	Face Thickness (mm)	Width (mm)	Length (m)
173921	Romag Ferro Film	Matt White	0.18	1370	50
173922	Romag Ferro Film	Matt White	0.18	1626	50
169178	Romag Ferro Film	Matt White	0.25	1370	50
195447	Romag Ferro Film	Matt White	0.25	1524	50

OUT NOW! OUT NOW! OUT NOW! OUT NOW! OUT NOW! OUT NOW! OUT NOW! OUT NOW! OUT NOW! OUT NOW!



# BAUHAUS

MEDIA FOR CREATIVES

FOR CREATIVES THAT PUSH  
THE BOUNDARIES, BAUHAUS IS  
THE AQUEOUS MEDIA RANGE  
THAT OFFERS HIGH END  
RESULTS AND QUALITY.

FOR ENQUIRIES PLEASE  
CONTACT YOUR LOCAL  
SPICERS REPRESENTATIVE

FINE ART  
PHOTOGRAPHY  
PROOFING  
DYE SUBLIMATION  
WALL GRAPHICS  
POSTERS AND CAD



**1300 132 644**  
**SPICERS.COM.AU**

## Ace Matt Art 200gsm & 250gsm

POSTER



- Quality matt coating provides excellent surface for fine colour reproduction
- 1320mm & 1600mm reels available for sheeting & rewinding to bobbin rolls on request
- Ideal for posters & point of sale applications
- High whiteness & opacity with excellent bulk
- FSC® Mix Certified
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks
- \*Sheeting available on request



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
147681	Ace Matt Art Paper	Matt White	250	1320	100
147683	Ace Matt Art Paper	Matt White	250	1600	100
147680	Ace Matt Art Paper	Matt White	200	1320	100
147682	Ace Matt Art Paper	Matt White	200	1600	100

## Bauhaus Matt 120gsm & Blockout 180gsm

POSTER



- Bauhaus Matt Poster Paper - 120gsm grey back or 180gsm white back
- Perfect for printing photos, rigid boards, posters, or any other indoor applications that requires high image resolution
- Excellent quality of printing and stability, with vibrant colours
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
173237	Bauhaus Matt Poster	Matt White / Grey Back	120	1400	100
173238	Bauhaus Matt Poster	Matt White / White Back	180	1400	50

## Bauhaus Satin Poster 225gsm

POSTER



- Satin 225gsm, 2 sided PE coated Poster and Photo Paper
- Suitable for indoor and outdoor applications
- Applications - posters, POS, photo prints & exhibition graphic
- Ultra white surface offering supreme image definition with a large colour gamut & fast drying properties
- Suitable for hot and cold lamination
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
167559	Bauhaus Satin Poster	Satin	225	1270	50
167560	Bauhaus Satin Poster	Satin	225	1524	50

## Bauhaus Satin Poster 140gsm

POSTER



- Satin 140gsm photo and poster paper
- Fast prints in premium quality
- Applications - photo prints, exhibition graphics, POS & posters
- Excellent image quality with brilliant colours
- Free of cutting dust
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
168678	Bauhaus Satin Poster	Satin	140	1372	50

Bauhaus Gloss Poster 225gsm

POSTER



- Gloss 225gsm, 2 sided PE coated Poster and Photo Paper
- Suitable for indoor and outdoor applications
- Applications - posters, POS, photo prints & exhibition graphics
- Ultra white surface offering supreme image definition with a large colour gamut & fast drying properties
- Suitable for hot and cold lamination
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
167555	Bauhaus Gloss Poster	Gloss	225	1270	50
167556	Bauhaus Gloss Poster	Gloss	225	1524	50

Bauhaus Photo Paper Matt 200gsm

PHOTOGRAPHIC



- 200gsm coated paper with SLP, bright white, matt surface photo paper holds pin-sharp details and reproduces the most brilliant colours
- Low gloss levels and minimised differential gloss together with outdoor durability and optimal handling properties make this photo paper your ideal choice
- Fast drying, No waviness with Latex inks, PVC Free
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
171778	Bauhaus Photo Paper	Matt	200	1524	50

Bauhaus Photo Paper Satin 275gsm

PHOTOGRAPHIC



- 275gsm resin coated, alpine white, extra glossy photo paper that holds pin-sharp details and reproduces the most vivid colours
- High Colour consistency and gamut together with high light fastness, outdoor durability and optimal handling properties make this photo paper your ideal choice
- Fast drying
- PVC Free
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
171777	Bauhaus Photo Paper	Satin	275	1524	30

Bauhaus Photo Paper Gloss 275gsm

PHOTOGRAPHIC



- 275gsm resin coated, alpine white, extra glossy photo paper that holds pin-sharp details and reproduces the most vivid colours
- High Colour consistency and gamut together with high light fastness, outdoor durability and optimal handling properties make this photo paper your ideal choice
- Fast drying
- PVC Free
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
171776	Bauhaus Photo Paper	Gloss	275	1524	30

## Bauhaus Coated Self Adhesive Paper AP999

SELF ADHESIVE



- Bauhaus Coated 80g AP999 is a white clay coated paper produced with medium gloss levels
- One side siliconised glassine liner
- Super permanent acrylic adhesive, good moisture resistance
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
173228	Bauhaus Coated Self Adhesive Paper	White	80	750	100

## Bauhaus Matt 1444 Eco Canvas

COTTON CANVAS



- 340gsm matt, 100% cotton canvas with fast curing time
- Acid Free
- Perfect for indoor decoration & photography reproductions
- Water resistant
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
171133	Bauhaus Matt 1444 Eco Canvas	Matt White	340	1370	20
171135	Bauhaus Matt 1444 Eco Canvas	Matt White	340	1524	20

## Bauhaus ST221U Vistex Canvas

POLYESTER CANVAS



- 100% Woven polyester with textured white surface & rough grey back 330gsm
- PA coated both sides
- Good Opacity
- Printable side is white side, is on inside
- PVC & Phthalate free
- Anti-Curl
- Good flatness and opacity, making it ideal as wall covering & frame art decoration
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks

Material	Material Description	Finish	Reverse	Grammage (GSM)	Width (mm)	Length (m)
173665	Bauhaus ST221U Vistex Canvas	Textured Matt	Grey	330	2600	50
173666	Bauhaus ST221U Vistex Canvas	Textured Matt	Grey	330	3200	50

## B.Flex Print

HEAT TRANSFER




- Gimme 5 is a polyurethane opaque film suitable for heat transfer on cotton fabrics, cotton and polyester and polyester and acrylic garments
- Polyester adhesive carrier allows for easy repositioning of characters accidentally removed
- B.Flex Series Gimme 5 can be pressed in only 4 seconds
- Suggested Fabrics: cotton, polyester, mixed, printed with non sublimatic colours
- Cut: cutting plotter, 45° blade, laser.
- Washing: wait 12 hours after application.




Material	Material Description	Width (mm)	Length (m)
199489	Five Print01	500	25
198592	PrintUV	500	25
199490	Five Print01	750	25

# Retail Applications

1. Promeg (page 88)  
Foamalux PVC (page 85)  
Ace ICB (page 82)  
Ace Kraft (page 81)  
Ace High White (page 81)  
Skybond (page 77)
2. GF 218 WindowMark (page 50,113)  
3M™ IJ8150 (page 42,49,112)  
3M™ IJ40-114 (page 24,96)  
Rocal Supacling (page 38)  
Contravision (page 53,117)
3. GF 212 Traffic Graphic® (page 45)  
Rocal Floortac Indoor (page 45)
4. Promeg (page 88)  
Foamalux PVC (page 85)  
Ace ICB (page 82)  
Ace Kraft (page 81)  
Ace High White (page 81)
5. Skybond FR (page 77)  
Ace Screenboard (page 79)  
Promeg (page 88)  
Foamalux PVC (page 85)
6. 3M™ DI-NOC™ Architectural Finishes (page 176)
7. Rodure Pull Up (page 60)
8. PhotoTex™ (page 47)
9. Ace ICB (page 82)  
Foamalux PVC (page 85)





**ORDER YOUR FAVOURITE PRODUCTS ONLINE**  
1300 132 644 | [spicers.com.au](https://spicers.com.au) | [@spicersaus](https://twitter.com/spicersaus)



**Spicers** 



## Dye Sublimation & Heat Transfer



**BAUHAUS**  
MEDIA FOR CREATIVES

**S-RACE®**

**B-FLEET**  
HEAT TRANSFER VINYL

Our range of Dye Sublimation and Heat Transfer products offer outstanding lay-flat performance, fast drying, brilliant image quality and exceptional consistency in quality for high speed and large volume applications.

**ORDER YOUR FAVOURITE PRODUCTS ONLINE**  
1300 132 644 | [spicers.com.au](http://spicers.com.au) | [@spicersaus](https://www.instagram.com/spicersaus)



**Spicers**




## BRILLIANT CONSISTENT RESULTS IN **DYE SUBLIMATION**

Our range of Dye Sublimation papers offer outstanding lay-flat performance, fast drying, brilliant image quality and exceptional consistency in quality for high speed and large volume applications.

### **CHOOSE FROM A RANGE OF DYE SUBLIMATION PAPERS**

Ideal for a wide variety of applications from home textiles, fabrics, soft-signage, flags, sports apparel, ceramic mugs, tiles, polyester coated hard substrates such as glass, fiberglass and boards.



Visit our website for the full range and product information.  
For enquiries please contact your local Spicers representative.

**1300 132 644 [spicers.com.au](http://spicers.com.au)**

**Spicers** 

**S-RACE<sup>®</sup>**

**BAUHAUS**

## Bauhaus S-Race Allround 100 &amp; 130gsm

BAUHAUS S-RACE

BAUHAUS  
MEDIA FOR CREATIVES

S-RACE®

- Allround 100gsm is especially designed for sportswear, banners, flags, skis and snowboards
- Allround 130gsm is ideal for hard substrates, and is also suitable for soft substrates
- Very high ink coverage and deep, rich colors possible
- Quick transfer properties and good transfer yield
- Fast drying, excellent line sharpness
- Outstanding lay-flat performance and exceptional consistency in quality
- Print Compatibility: Dye Sublimation Inks



Material	Material Description	Grammage (GSM)	Width (mm)	Length (m)
178562	Bauhaus S-Race Allround 100gsm	100	1620	135
171406	Bauhaus S-Race Allround 130gsm	130	1120	110
171408	Bauhaus S-Race Allround 130gsm	130	1620	110

## Bauhaus S-Race Vivid 120gsm

BAUHAUS S-RACE

BAUHAUS  
MEDIA FOR CREATIVES

S-RACE®

- Brand new, highly engineered Transfer paper for all Dye Sublimation desktop printers (Sawgrass, Epson or Ricoh) and large format printers
- Can also be used for Soft Signage
- Brilliant image quality
- Quick transfer properties and good transfer yield
- Especially designed for sublimation onto Photo Panels, merchandise and interior & architectural articles
- Transfer onto the highest grade of Photo Panels (e.g. ChromaLuxe) for exceptional detail, ceramic mugs or tiles, polyester coated hard substrates such as glass, fiberglass, boards etc. and mouse pads
- Extremely fast drying, excellent line sharpness
- Outstanding lay-flat performance and offers exceptional consistency in quality



Material	Material Description	Grammage (GSM)	Width (mm)	Length (m)
197934	Bauhaus S-Race Vivid 120gsm	120	610	55

## Bauhaus S-Race Photo Panel Pro 120gsm

BAUHAUS S-RACE

BAUHAUS  
MEDIA FOR CREATIVES

S-RACE®

- Designed for professional large for professional large format printers to handle small and large size ChromaLuxe applications
- Especially designed for photo panels or other rigid substrates
- Richer and more vibrant colours, Deeper and non-cloudy black, Perfect line sharpness
- Developed jointly with Universal Woods and ChromaLuxe
- No crumbling of paper at the edges



Material	Material Description	Grammage (GSM)	Width (mm)	Length (m)
173277	Bauhaus S-Race Photo Panel Pro 120gsm	120	1118	110
173276	Bauhaus S-Race Photo Panel Pro 120gsm	120	1118	80

## Bauhaus S-Race Tacky 80gsm

BAUHAUS S-RACE

BAUHAUS  
MEDIA FOR CREATIVES

S-RACE®

- Transfer paper that can transfer on to all kinds of polyester but has been especially designed for elastic textiles
- For medium to high ink coverage
- Outstanding lay-flat performance and offers exceptional consistency in quality
- Quick transfer properties and good transfer yield
- No movement between paper and fabric during transfer (optimal tack), eliminating the possibility of ghosting with optimised barrier properties



Material	Material Description	Grammage (GSM)	Width (mm)	Length (m)
171340	Bauhaus S-Race Tacky 80gsm	80	1120	170
17142	Bauhaus S-Race Tacky 80gsm	80	1620	170

### B.FLEX Colours



- Gimme 5 is a polyurethane opaque film suitable for heat transfer on cotton fabrics, cotton and polyester and polyester and acrylic garments
- B.FLEX Series Gimme 5 can be pressed in only 4 seconds
- Cut: cutting plotter, 45° blade, laser
- Polyester adhesive carrier allows for easy repositioning of characters accidentally removed
- Suggested fabrics: cotton, polyester, mixed, printed with NON sublimatic colors
- Washing: wait 12 hours after application
- Minimum order of 5 lineal metres.

Material	Material Description	Colour	Width (mm)	Length (m)
452067	B.FLEX Colours - FIVE752A	Apple Green	500	25
452244	B.FLEX Colours - BFD710A	Black	500	25
450967	B.FLEX Colours - FIVE710A	Black	500	25
452071	B.FLEX Colours - FIVE794A	Copper	500	25
452241	B.FLEX Colours - BFD735A	Coral Red	500	25
452069	B.FLEX Colours - FIVE765A	Flamingo Pink	500	25
451897	B.FLEX Colours - BFG770A	Glitter Purple	500	25
451896	B.FLEX Colours - BFG730A	Glitter Red	500	25
450978	B.FLEX Colours - BFD792A	Gold	500	25
452246	B.FLEX Colours - FIVE792A	Gold	500	25
452068	B.FLEX Colours - FIVE754A	Grass Green	500	25
451269	B.FLEX Colours - FIVE750A	Green	500	25
451895	B.FLEX Colours - FIVE731A	Icy Pink	500	25
451842	B.FLEX Colours - FIVE728A	Lemon Yellow	500	25
452242	B.FLEX Colours - BFD744A	Light Blue	500	25
452245	B.FLEX Colours - BFD712A	Light Grey	500	25
452065	B.FLEX Colours - FIVE743A	Lilac	500	25
451846	B.FLEX Colours - FIVE751A	Lime Green	500	25
451993	B.FLEX Colours - FIVE720A	Medium Yellow	500	25
452439	B.FLEX Colours - BFSS	Mirror Silver	500	25
452066	B.FLEX Colours - FIVE745A	Periwinkle	500	25
452064	B.FLEX Colours - FIVE736A	Pink	500	25
452063	B.FLEX Colours - FIVE722A	Pumpkin Yellow	500	25
451843	B.FLEX Colours - FIVE730A	Red	500	25
451730	B.FLEX Colours - Reflective	Reflect Silver1	500	25
451844	B.FLEX Colours - FIVE740A	Royal Blue	500	25
452070	B.FLEX Colours - FIVE768A	Sand	500	25
450968	B.FLEX Colours - FIVE796A	Silver	500	25
452243	B.FLEX Colours - BFD782A	Turquoise	500	25
450966	B.FLEX Colours - FIVE700A	White	500	25

## B.FLEX Print



- Gimme 5 is a polyurethane opaque film suitable for heat transfer on cotton fabrics, cotton and polyester and polyester and acrylic garments
- Polyester adhesive carrier allows for easy repositioning of characters accidentally removed
- B.FLEX Series Gimme 5 can be pressed in only 4 seconds
- Suggested fabrics: cotton, polyester, mixed, printed with NON sublimatic colours
- Cut: cutting plotter, 45° blade, laser.
- Washing: wait 12 hours after application.



Material	Material Description	Colour	Ink Compatibility	Width (mm)	Length (m)
198592	B.FLEX Print - UV	Matt White	UV	500	25
199489	B.FLEX Print - FIVE PRINT 01	Matt White	Eco-Solvent Latex	500	25
199490	B.FLEX Print - FIVE PRINT 01	Matt White	Eco-Solvent Latex	750	25

## B.FLEX Neon Colours



- Gimme 5 FLUO is a polyurethane neon film suitable for heat transfer on cotton fabrics, cotton and polyester and polyester and acrylic garments
- Polyester adhesive carrier allows for fast weeding and easy repositioning
- Suggested fabrics: cotton, polyester, mixed, printed with NON sublimatic colors
- Washing: wait 12 hours after application. Gimme 5 FLUO can withstand wash cycles up to 60°
- Ideal for Multi layer applications
- Gimme 5 FLUO can be pressed in only 4 seconds
- Cut: cutting plotter, 45° blade, laser
- Minimum order of 5 lineal metres.

Material	Material Description	Colour	Width (mm)	Length (m)
452077	B.FLEX Neon Colours - FIVEFLUO50A	Neon Green	500	25
452076	B.FLEX Neon Colours - FIVEFLUO46	Neon Light Blue	500	25
452074	B.FLEX Neon Colours - FIVEFLUO30	Neon Orange	500	25
452075	B.FLEX Neon Colours - FIVEFLUO40	Neon Pink	500	25
452073	B.FLEX Neon Colours - FIVEFLUO20	Neon Yellow	500	25

## B.FLEX Mylar Application Tape



- B.FLEX Mylar is a polyester film designed to be used as a transfer media for printable heat transfer vinyl
- Easy to apply on all digital printed films
- Removable backing sheet
- Minimum order of 5 lineal metres.



Material	Material Description	Width (mm)	Length (m)
173683	B.FLEX Mylar Application Tape	500	20
173684	B.FLEX Mylar Application Tape	750	20



## Rigid Substrates Solutions





**ACE**

**RODURE**  
display films

**Brett  
Martin**

**DIGISTAR**



**YUPO®**

**SKYBOND™**

**FOAMSTAR**  
foamboard

**PROMEG**

Our Rigids offering provides you with a market leading range of essential sign and display substrates, as well as some unique products that stand out from the crowd. Key brands include Ace, Brett Martin, Yupo® and Skybond™.

**ORDER YOUR FAVOURITE PRODUCTS ONLINE**   
**1300 132 644 | [spicers.com.au](https://spicers.com.au) | [@spicersaus](https://twitter.com/spicersaus)**

**Spicers** 

**SKYBOND™**  
Aluminium composite sheet

Spicers

# SUPERIOR UV INK ADHESION

REQUEST  
A SAMPLE  
TODAY!

Bond with your printer. Give it something its ink will stick to.



With enhanced gloss white paint for **superior UV ink** adhesion, Skybond™ will stick in your mind...

A direct print and signage grade, its high quality ensures it gets noticed. Which is what you want for signage, or any print project.

Skybond™ has a ton of other benefits too. It's easily cut, bent and folded. It has a fantastic printing surface and an easy-to-remove protective liner on both sides.



With a **10-year warranty\*** and coming as standard with 0.21mm and 0.3mm skin, you'll warm to this one.

**Stick with Skybond™ by Spicers.  
The ink will.**

*Printed on Pacesetter Hi Bulk 300gsm*

## BEST BITS

- Premium, direct print and signage grade aluminium composite sheet
- Aluminium skins are twice washed during production & have two coats of specially formulated, long-life polyester PE Paint applied to ensure the best possible printing surface & ink adhesion
- Suited to a wide range of flat and 3D interior and exterior print, signage and fabrication applications
- Easy to remove protective liner on both sides
- Easily cut, bent and folded
- Custom colours available ex-manufacture†
- Backed by a 10-year warranty†
- Skybond FR available on request.

*\*Colours available on indent only.*

† Please contact your local Spicers representative to request a copy of the Skybond warranty statement for full conditions.

Contact your local Spicers representative for a sample. **1300 132 644** [spicers.com.au](http://spicers.com.au)

## Skybond™ Print &amp; FR

## ALUMINIUM COMPOSITE PANEL




- Premium direct print & signage grade aluminium composite panel
- Aluminium skins are twice washed during production & have two coats of specially formulated, long-life polyester PE Paint applied to ensure the best possible printing surface & ink adhesion
- Easy to remove protective liner on both sides
- Suited to a wide range of flat & 3D interior & exterior print & fabrication applications – not suitable for building cladding/facades
- Backed by a 10 Year warranty (excludes brushed varieties) – ask your sales rep for a copy
- Easily cut, bent or folded
- Custom colours available ex manufacturer
- Skybond FR is available with an A2 FR core meeting AS 5637.1-2015 Group 1.



Material	Material Description	Colour (2 sides)	Width (mm)	Length (mm)	Skin Thickness (mm)	Thickness (mm)
195055	Skybond Print	Prime/Prime	1200	1800	0.21	3.0
187877	Skybond Print	White Gloss/Black Gloss	1220	2440	0.21	3.0
194547	Skybond Print	Prime/Prime	1220	2440	0.21	3.0
188480	Skybond Print	White Matt/White Gloss	1220	2440	0.21	3.0
189643	Skybond Print	White Gloss/White Prime	1220	2440	0.21	3.0
192845	Skybond Print	White Gloss/White Gloss	1220	2440	0.21	3.0
192281	Skybond Print	Black Gloss/Black Matt	1220	2440	0.21	3.0
192286	Skybond Print	White Matt/White Prime	1220	2440	0.21	3.0
194351	Skybond Print	White Gloss/White Prime	1220	3600	0.21	3.0
197014	Skybond Print	Prime/Prime	1500	3050	0.21	3.0
194731	Skybond Print	White Gloss/White Prime	1500	3050	0.21	3.0
191566	Skybond Print	White Matt/White Gloss	1500	3050	0.21	3.0
192654	Skybond Print	White Gloss/Black Gloss	1500	3100	0.21	3.0
192650	Skybond Print	White Gloss/White Prime	1500	3100	0.21	3.0
194791	Skybond Print	Prime/Prime	1500	3600	0.21	3.0
194350	Skybond Print	White Gloss/White Prime	1500	3600	0.21	3.0
192480	Skybond Print	Black Gloss/Black Matt	1500	3600	0.21	3.0
192284	Skybond Print	White Gloss/Black Gloss	1500	3600	0.21	3.0
194365	Skybond Print	White Gloss/Black Gloss	1220	2440	0.30	3.0
188479	Skybond Print	White Matt/White Gloss	1220	2440	0.30	3.0
185054	Skybond Print	White Gloss/Brush Silver	1250	2500	0.30	3.0
167123	Skybond Print	White Gloss/Black Gloss	1250	2500	0.30	3.0
167122	Skybond Print	White Matt/White Gloss	1250	2500	0.30	3.0
195497	Skybond Print	White Matt/White Gloss	1250	3050	0.30	3.0
191516	Skybond Print	White Matt/White Gloss	1500	3050	0.30	3.0
190421	Skybond Print	White Matt/White Gloss	1500	3600	0.30	3.0
103524	Skybond Print	White Gloss/Black Gloss	1500	3600	0.30	3.0
188481	Skybond Print	White Matt/White Gloss	1220	2440	0.30	4.0
178139	Skybond Print	White Gloss/White Prime	1220	3600	0.30	3.0
178140	Skybond Print	White Gloss/White Prime	1500	3600	0.30	3.0
190422	Skybond Print	White Matt/White Matt	1500	3050	0.30	3.0
192280	Skybond Print	White Gloss/Brush Silver	1220	2440	0.30	3.0
196554	Skybond Print	White Gloss/Black Gloss	1220	3050	0.21	3.0
173638	Skybond FR	White Matt/White Gloss	1220	2440	0.21	3.0

# GAME CHANGER



## ACE THE GAME.

**Where performance meets sustainability**

With Ace, you're not just raising the stakes; you're reshuffling the game entirely. Imagine a material that combines the finesse of a royal flush with the durability of a diamond-hard hand. Crafted with precision and reinforced with the strength of a winning strategy, Ace is the wildcard you need to outplay, outlast, and outbuild the competition.

 **ACE SCREENBOARD**

 **ACE OUTDOOR**

 **ACE HIGH WHITE**

 **ACE KRAFT**

 **ACE HIGH BULK**

 **ACE MATT ART**

 **ACE BLOCKOUT**

 **ACE GREYBACK**

 **ACE ICB**

 **ACE HCB**

 **ACE FLUTE**

**100%  
FIBRE  
BASED**

**CoC  
CERTIFIED**

**RECYCLABLE**



**ACE**

1300 132 644 | [spicers.com.au](https://spicers.com.au)

**Spicers** 

## Ace Screenboard Bulk & Reamed

### FIBRE DISPLAY BOARD



- Coated both sides with high white surface
- Super smooth surface
- Outstanding cutting results
- High bulk & stiffness
- Ideally suited for hanging signage, POS displays, aisle fins, header cards, category signage, promotional signage, shop window promotions, exhibition stands & mounting
- Print Compatibility: Latex & UV Curable Inks.



The mark of responsible forestry  
FSC® C010828



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
183275	Ace Screenboard Bulk	White	1220	2440	620	1.0	500
182195	Ace Screenboard Bulk	White	1220	2440	880	1.5	335
180284	Ace Screenboard Bulk	White	1220	2440	1100	2.0	245
159213	Ace Screenboard Bulk	White	1550	2100	1100	2.0	240
194614	Ace Screenboard Bulk	White	1220	2440	1540	2.9	175
171851	Ace Screenboard Bulk	White	1220	2440	2140	4.0	125
183276	Ace Screenboard Reamed	White	1040	1560	620	1.0	25
183277	Ace Screenboard Reamed	White	1040	1560	880	1.5	25
183278	Ace Screenboard Reamed	White	1040	1560	1100	2.0	20
167430	Ace Screenboard Reamed	White	1040	1560	1540	2.9	20
158084	Ace Screenboard Reamed	White	760	1020	1100	2.0	20
158085	Ace Screenboard Reamed	White	760	1020	620	1.0	25
158086	Ace Screenboard Reamed	White	760	1020	880	1.5	25
193212	Ace Screenboard Reamed	White	650	910	1100	2.0	20
161251	Ace Screenboard Reamed	White	760	1020	1400	2.5	20



# ACE THE GAME.

## Where performance meets sustainability

With Ace, you're not just raising the stakes; you're reshuffling the game entirely. Imagine a material that combines the finesse of a royal flush with the durability of a diamond-hard hand. Crafted with precision and reinforced with the strength of a winning strategy, Ace is the wildcard you need to outplay, outlast, and outbuild the competition.

**100%  
FIBRE  
BASED**

**CoC  
CERTIFIED**

**RECYCLABLE**



**ACE**

1300 132 644 | [spicers.com.au](https://spicers.com.au)

**Spicers**

## Ace High White

## FIBRE DISPLAY BOARD



- Coated both sides with bright, high white surface
- Super smooth surface
- Clean pure white centre
- High bulk & stiffness
- Ideally suited for hanging signage, POS displays, aisle fins, header cards, category signage, promotional signage, shop window promotions, exhibition stands & mounting
- Print Compatibility: Latex & UV Curable Inks.



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
199206	Ace High White	White	1220	2440	680	1.00	465
199876	Ace High White	White	1040	1560	910	1.50	335
199207	Ace High White	White	1220	2440	910	1.50	330
199208	Ace High White	White	1220	2440	1170	2.00	250
199877	Ace High White	White	1040	1560	1540	2.90	175
199209	Ace High White	White	1220	2440	1540	2.90	170
199878	Ace High White	White	1550	3050	1540	2.90	175

## Ace Kraft

## FIBRE DISPLAY BOARD



- Natural kraft look & feel
- Clean, pure centre
- Outstanding stay flat properties
- Ideally suited for hanging signage, POS displays, aisle fins, header cards, category signage, promotional signage, shop window promotions, exhibition stands & mounting
- Print Compatibility: UV Curable Inks.
- \* Available on indent only.



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
173210	Ace Kraft	Kraft	1220	2440	875	1.5	335
198224	Ace Kraft	Kraft	760	1020	1070	2.0	20
173211	Ace Kraft	Kraft	1220	2440	1070	2.0	250
173212	Ace Kraft	Kraft	1220	2440	1575	3.0	175

## Ace Outdoor

## FIBRE DISPLAY BOARD



- Ace Outdoor is a 100% fibre-based coated display board designed for short-term wet & moisture sensitive environments
- Coated both sides with white surface
- Ideal for moisture sensitive indoor applications: chiller signage, door entrance signage, mop trays, horticultural POS
- Short-term outdoor applications: A-frames, bollard covers, election signage, petrol station pump toppers, sign on a fence
- Promotions and events: event signage, ice buckets, directional signage
- Print Compatibility: UV Curable Inks & Offset Printing (in thinner gauges).



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
199200	Ace Outdoor	White	1220	2440	570	0.90	600
199686	Ace Outdoor	White	1220	2440	840	1.25	325
199204	Ace Outdoor	White	1220	2440	1000	1.50	350
199205	Ace Outdoor	White	1220	2440	1490	2.20	150

## Ace ICB Bulk

### DISPLAY BOARD



- Ace ICB is an innovative and versatile carton board crafted using an inverted corrugated board design, providing strength and stability for a wide range of interior applications
- The surface & core is FSC® certified, recyclable, & made from recycled content
- The smooth flat surface achieves excellent print quality
- Moisture-resistant
- Ideal for short to medium structural applications. POS displays, shop fitouts, exhibition stands, mounting boards, header cards and many more
- Suitable for shape cut, v-notch, curve & laminate
- Print Compatibility: Latex & UV Curable Inks.



The mark of responsible forestry  
FSC® C010628



Material	Material Description	Outer Colour	Core Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
163219	Ace ICB Bulk Kraft Core (KKK)	Kraft	Kraft	1220	2440	1760	10	108
163221	Ace ICB Bulk Kraft Core (WKW)	White	Kraft	1220	2440	1810	10	108
178244	Ace ICB Bulk White Core (WWW)	White	White	1220	2440	1760	10	108
163220	Ace ICB Bulk Kraft Core (WKW)	White	Kraft	1220	2440	2100	16	145
163324	Ace ICB Bulk White Core (WWW)	White	White	1220	2440	2050	16	69
163325	Ace ICB Bulk White Core (WWW)	White	White	1220	2440	2450	20	54

## Ace ICB Boxed

### DISPLAY BOARD



- Ace ICB is an innovative and versatile carton board crafted using an inverted corrugated board design, providing strength and stability for a wide range of interior applications
- FSC® certified, recyclable, & made from recycled content
- The smooth flat surface achieves excellent print quality
- Moisture-resistant
- Ideal for short to medium structural applications. POS displays, shop fitouts, exhibition stands, mounting boards, header cards and many more
- Suitable for shape cut, v-notch, curve & laminate
- Print Compatibility: Latex & UV Curable Inks.



The mark of responsible forestry  
FSC® C010628



Material	Material Description	Outer Colour	Core Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
163223	Ace ICB Boxed Kraft Core (KKK)	Kraft	Kraft	1220	2440	1760	10	15
163227	Ace ICB Boxed Kraft Core (WKW)	White	Kraft	1220	2440	1810	10	15
163328	Ace ICB Boxed Kraft Core (WKW)	White	Kraft	1600	3050	1810	10	15
163228	Ace ICB Boxed Kraft Core (WKW)	White	Kraft	1600	3150	1810	10	15
178245	Ace ICB Boxed White Core (WWW)	White	White	1220	2440	1760	10	15
163224	Ace ICB Boxed Black Core (BBB)	Black	Black	1220	2440	2050	16	10
163226	Ace ICB Boxed Kraft Core (WKW)	White	Kraft	1220	2440	2100	16	10
163329	Ace ICB Boxed Kraft Core (WKW)	White	Kraft	1600	3050	2050	16	10
163326	Ace ICB Boxed White Core (WWW)	White	White	1220	2440	2050	16	10
163327	Ace ICB Boxed White Core (WWW)	White	White	1220	2440	2450	20	8

## Ace HCB Bulk

## DISPLAY BOARD



- Ace HCB is an innovative lightweight carton board, its honeycomb core is engineered for exceptional structural integrity
- Its smooth and flat surface is ideal for high-resolution printing
- The surface & core is FSC® certified, recyclable, & made from recycled content
- Ideal for short to medium structural applications: POS displays, shop fitouts, exhibition stands, mounting boards, header cards & many more
- Suitable for shape cut, v-notch, curve & laminate
- Print Compatibility: Latex & UV Curable Inks.



The mark of responsible forestry  
FSC® C010828



Material	Material Description	Outer Colour	Core Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
163330	Ace HCB Bulk Kraft Core (KKK)	Kraft	Kraft	1220	2440	1180	10	195
163331	Ace HCB Bulk White Core (WWW)	White	White	1220	2440	1180	16	195
163332	Ace HCB Bulk White Core (WWW)	White	White	1600	3050	1180	10	195

## Ace HCB Boxed

## DISPLAY BOARD



- Ace HCB is an innovative lightweight carton board, its honeycomb core is engineered for exceptional structural integrity
- Its smooth and flat surface is ideal for high-resolution printing
- The surface & core is FSC® certified, recyclable, & made from recycled content
- Ideal for short to medium structural applications: POS displays, shop fitouts, exhibition stands, mounting boards, header cards & many more
- Suitable for shape cut, v-notch, curve & laminate
- Print Compatibility: Latex & UV Curable Inks.



The mark of responsible forestry  
FSC® C010828



Material	Material Description	Outer Colour	Core Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Sheets per Pack
179176	Ace HCB Boxed Black Core (BBB)	Black	Black	1220	2440	1180	5	30
163333	Ace HCB Boxed Kraft Core (KKK)	Kraft	Kraft	1220	2440	1180	5	30
163334	Ace HCB Boxed White Core (WWW)	White	White	1220	2440	1180	5	30

# Fibre Display Board

RIGID SUBSTRATES

## E Flute Clay Coat 1/S Bulk

FIBRE DISPLAY BOARD

- Corrugated cardboard with an E Flute construction
- 2mm thick (approx.)
- 58% Recycled content
- 1 side white matt clay coat with a white lined reverse
- Perfect for standees, flat POS, dump bins and head cards
- Custom sizes for indent orders available upon request in Clay/White, Double Clay and Double White Lined
- Print Compatibility: Screen & UV Curable Inks.



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Flute Direction	Pallet Quantity
195413	Corrugated E Flute Clay 1/S Bulk	White	2460	1240F	575	1.5	S	350

## B Flute Clay Coat 1/S Bulk

FIBRE DISPLAY BOARD

- Corrugated cardboard with a B Flute construction
- 3mm thick (approx.)
- 58% Recycled content
- 1 side white matt clay coat with a white lined reverse
- Perfect for standees, flat POS, dump bins and head cards
- Custom sizes for indent orders available upon request in Clay/White, Double Clay and Double White Lined
- Print Compatibility: Screen & UV Curable Inks.




Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (mm)	Flute Direction	Pallet Quantity
170310	Corrugated B Flute Clay Coat 1/S Bulk	White	2440	1220F	575	3.0	S	350
172907	Corrugated B Flute Clay Coat 1/S Bulk	White	2440	1220F	403	3.0	S	350
195414	Corrugated B Flute Clay Coat 1/S Bulk	White	2460	1240F	575	3.0	S	350

## Digistar Imageboard

SYNTHETIC DISPLAY BOARD

### DIGISTAR

- Digistar Imageboard is three-layer, 3mm or 5mm polypropylene sheet consisting of corrugated twin wall polypropylene sheeting, sandwiched between two solid sheets Yupo FPU. New generation polypropylene, corrugated structured, light weight, rigid sheet especially manufactured for sign and display applications.
- Up to 1 year outdoor (unprinted)
- Double sided print
- Suitable replacement to foamed PVC and polystyrene boards
- Tough / lightweight / rigid / economical & long lasting
- Suitable for indoor and short term outdoor applications
- Moisture resistant, rot proof and resistant to chemical agents
- Print Compatibility: UV Curable Inks.



Material	Material Description	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
163254	Digistar Imageboard 2/S	2440	1220	3.3	200
163255	Digistar Imageboard 2/S	2440	1220	5.3	125

## Brett Martin Foamalux

## SYNTHETIC DISPLAY BOARD



- Excellent fabrication capability for 3D displays
- Bright white colour formulation
- Consistent silky smooth matt surface
- Indoor or short term outdoor use
- Flat rigid sheet with greater stiffness
- Excellent colour reproduction
- Outstanding, photographic print quality
- Print Compatibility: UV Curable Inks.



Material	Material Description	Liner	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pallet
163182	Brett Martin Foamalux	1 Sided	1220	2440	1.0	150
163183	Brett Martin Foamalux	2 Sided	1220	2440	2.0	150
163184	Brett Martin Foamalux	2 Sided	1220	2440	3.0	150
163187	Brett Martin Foamalux	2 Sided	1560	3050	3.0	100
163185	Brett Martin Foamalux	2 Sided	1220	2440	5.0	90
163186	Brett Martin Foamalux	1 Sided	1220	2440	10.0	45

## Brett Martin Foamalux LW

## SYNTHETIC DISPLAY BOARD



- Lighter weight for easy handling
- Bright white colour formulation
- Suitable for vinyl application
- Indoor use
- Optimised for direct digital and screen printing
- Flat smooth printing surface
- Suitable for fabrication, cutting and routing
- Print Compatibility: UV Curable Inks.



Material	Material Description	Liner	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
163176	Brett Martin Foamalux LW	1 Sided	1220	2440	2.0	150
163177	Brett Martin Foamalux LW	1 Sided	1220	2440	3.0	150
163178	Brett Martin Foamalux LW	1 Sided	1220	2440	5.0	90

## Foamstar XPS

## SYNTHETIC DISPLAY BOARD



- Light weight, high quality extruded polystyrene (XPS) core foam board
- Can be router and knife cut
- Ideal for indoor hanging displays, exhibition panels, unsupported signs, mounting, framing & POP displays
- Print Compatibility: Screen & UV Curable Inks.



Material	Material Description	Width (mm)	Length (mm)	Thickness (mm)	Sheets per Pack
167498	Foamstar XPS	2440	1220	5.0	25
167843	Foamstar XPS	2440	1220	10.0	15

### Ace High Bulk 1/S

#### DISPLAY PAPER



- 1/sided bleach board with a premium coated print surface and light-coated reverse side
- Crafted using PEFC certified virgin fibres to hit sustainability targets and is recyclable, biodegradable and compostable
- Direct food contact safe
- Coated ultra smooth surface
- Reverse side 'lick' coated
- Light weight & durable
- Economically priced
- Ideally suited for security gate covers, multimedia products, POS displays, posters, header cards, fragrance, cosmetics, toiletries and premium packaging
- Available in 1320 & 1600mm wide rolls for custom sheeting
- Print Compatibility: Latex & UV Curable Inks.



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Approx. UM	Pallet Quantity
173710	Ace High Bulk 1/S	White	1320	1900	325	510	500
173709	Ace High Bulk 1/S	White	1320	2440	325	510	500
173713	Ace High Bulk 1/S	White	1600	2600	325	510	250
173711	Ace High Bulk 1/S	White	1320	2440	380	610	500

### Ace High Bulk 2/S

#### DISPLAY PAPER



- Premium 2/S Artboard features a double-coated, bright white surface that is smooth to the touch and offers exceptional bulk
- Clean ultra smooth surface
- Excellent rigidity
- Uniform ink absorption
- Economically priced
- Ideally suited for hanging & window signage, luxury goods packaging, cosmetics packaging, gift cards, presentation folders, business cards, menus, POS displays, promotional material, direct mail & swing tags
- Print Compatibility: Latex & UV Curable Inks.



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)	Approx. UM	Pallet Quantity
195224	Ace High Bulk 2/S	Matt White	1220	2440	400	460	250
194717	Ace High Bulk 2/S	Matt White	1320	2440	400	460	250
195126	Ace High Bulk 2/S	Matt White	1600	2600	400	460	250

## Ace Matt Art (Sheets)

### DISPLAY PAPER



- Matt coated art paper that provides an excellent surface for colour reproduction
- High whiteness & opacity with excellent bulk
- Ideally suited for poster and point of sale applications
- 1320mm & 1600mm reels available for sheeting & rewinding to bobbin rolls
- Print Compatibility: Latex, UV Curable Inks & Offset Printing.



Material	Material Description	Colour	Width (mm)	Length (m)	Grammage (GSM)	Pallet Quantity
196729	Ace Matt Art	White	1320	2440	200	500
196704	Ace Matt Art	White	1600	2600	200	250
196602	Ace Matt Art	White	1320	2440	250	500
196728	Ace Matt Art	White	1600	2600	250	250

## Ace Blockout

### DISPLAY PAPER



- Premium 2 sided, 100% opaque, black-centred artboard
- Perfect for jobs where no show through is required
- Specifically designed for point of purchase displays, posters, hanging window displays
- 1320 & 1600 wide reels available for sheeting & rewinding to bobbin rolls
- Print Compatibility: Latex & UV Curable Inks.
- \*Available FSC® Certified upon request.



Material	Material Description	Colour	Width (mm)	Length (mm)	Grammage (GSM)
172906	Ace Blockout	White	1600	2220	260
172905	Ace Blockout	White	1600	2220	260

## Ace EB Flute

### DISPLAY PAPER



- Ace Flute is three-layer 5mm fibre-based sheet consisting of 1EB corrugated cardboard sheeting, sandwiched between two solid sheets of Ace High Bulk.
- Ace Flute is a new generation fibre based, corrugated structured, smooth 2-sided surface. Light weight, rigid sheet especially manufactured for sign and display applications.
- High white coated and ultra smooth print surface
- Suitable replacement to foamed PVC, foamed polystyrene, and polypropylene boards
- Lightweight rigid, economical and long lasting
- Suitable for indoor applications, POS, posters and header cards
- Materials used in manufacturing Ace Flute are CoC Certified
- Print Compatibility: Latex & UV Curable Inks.



Material	Material Description	Colour	Core	Width (mm)	Length (mm)	Pallet Quantity
179316	Ace EB Flute	White	Brown	1220	2440	200

### Yupo® FPU 250 Sheets

#### DISPLAY FILM



- Polypropylene film
- oOh!media specified product
- Tear & weather resistant
- Market leading bulk, whiteness, opacity, ink adhesion & colour reproduction
- Applications: Large format posters, light box & street furniture
- Custom sheeting available on request
- Print Compatibility: Screen & UV Curable Inks.



Material	Material Description	Colour	Finish	Width (mm)	Length (mm)	Grammage (GSM)	Thickness (ums)	Sheets per Pack
104919	Yupo FPU 250 Sheets	White	Satin	1600	2600	200	250	500
190730	Yupo FPU 250 Sheets	White	Satin	1320	2440	200	250	500

### Promeg Polypropylene Boxed

#### DISPLAY FILM

#### PROMEG

- Promeg is an extruded polypropylene brilliant opaque white, with a smooth tactile surface feel, incorporating a high cosmetic finish
- Customised sheet sizes and thicknesses (up to 3mm) available on request
- Applications include signage and POS display, packaging, promotional, marketing, architecture and shop fit-outs
- Promeg has superior ink adhesion and lay-flat qualities to reduce printing costs and production time. It can be printed both sides, hinged, folded, creased, die-cut and curved
- Locally made, 100% recyclable, completely non toxic, small carbon footprint
- Print Compatibility: Screen & UV Curable Inks.



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Pack Quantity
171587	Promeg Polypropylene Boxed	White	1220	2440	0.38	20
171184	Promeg Polypropylene Boxed	White	1220	2440	0.60	20
171185	Promeg Polypropylene Boxed	White	1220	2440	0.80	15
171277	Promeg Polypropylene Boxed	White	1220	2440	1.00	12
171186	Promeg Polypropylene Boxed	White	1220	2440	1.40	10
171503	Promeg Polypropylene Boxed	White	1220	2440	1.90	5

### Rodure Ublock 2/S PP

#### DISPLAY FILM



- Polypropylene film + Gravure primer coating
- Blockout core
- Perfect for double sided posters
- Excellent whiteness and opacity
- Laminated, tear & water resistant, 100% Blockout
- Corona & ink receptive primer
- Print Compatibility: UV Curable Inks.



Material	Material Description	Colour	Finish	Width (mm)	Length (mm)	Grammage (GSM)	Sheets per Pack
173561	Rodure Ublock 2/S PP	White	Matt	1370	2440	230	250

## Digistar Flute Bulk

## FLUTED POLYPROPYLENE

## DIGISTAR

- Twin-wall fluted polypropylene sheets for print and mount applications
- UV stabilised for up to 12 months outdoor use
- Perfect for real estate, POS, signage and packaging applications
- Flutes run parallel to the width measurement
- 100% Recyclable
- Produced with a minimum 44 Dyne
- Print Compatibility: Screen & UV Curable Inks.



Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Pack Quantity
176144	Digistar Flute Bulk	White	600	900	3.00	330
176372	Digistar Flute Bulk	White	1830	1220	3.00	330
170817	Digistar Flute Bulk	White	2440	1220	3.00	330
175855	Digistar Flute Bulk	White	1830	1220	5.00	200
175856	Digistar Flute Bulk	White	2440	1220	5.00	200

## Digistar Flute Reamed

## FLUTED POLYPROPYLENE

## DIGISTAR


- Twin-wall fluted polypropylene sheets for print and mount applications
- UV stabilised for up to 12 months outdoor use
- Perfect for real estate, POS, signage and packaging applications
- Flutes run parallel to the width measurement
- 100% Recyclable
- Produced with a minimum 44 Dyne
- Print Compatibility: Screen & UV Curable Inks.




Material	Material Description	Colour	Width (mm)	Length (mm)	Thickness (mm)	Pack Quantity
176371	Digistar Flute Reamed	White	600	900	3.00	20
177191	Digistar Flute Reamed	White	900	600	3.00	40
177048	Digistar Flute Reamed	White	900	1200	3.00	40
170852	Digistar Flute Reamed	White	1830	915	3.00	20
170816	Digistar Flute Reamed	White	1830	1220	3.00	20
176370	Digistar Flute Reamed	White	2440	1220	3.00	20
176408	Digistar Flute Reamed	White	600	450	5.00	40
170740	Digistar Flute Reamed	White	600	900	5.00	40
170741	Digistar Flute Reamed	White	900	600	5.00	40
175854	Digistar Flute Reamed	White	900	1200	5.00	20
177190	Digistar Flute Reamed	White	1200	900	5.00	40
170742	Digistar Flute Reamed	White	1830	1220	5.00	10
195709	Digistar Flute Reamed	White	2440	915	5.00	10
170743	Digistar Flute Reamed	White	2440	1220	5.00	10
170884	Digistar Flute Reamed	White	2440	1220	8.00	10

# Supermarket Applications

1. Foamstar (page 85)  
Ace Screenboard (page 79)  
Foamalux (page 85)  
Ace ICB (page 82)
2. Skybond (page 77)  
Skybond FR (page 77)  
Ace Screenboard (page 79)  
Promeg (page 88)  
Foamalux (page 85)  
Ace ICB (page 82)
3. 3M™ SC50 Series (page 141)  
3M™ IJ35C (page 24)
4. GF 212 Traffic Graphic® (page 45)  
Rocal Floortac Indoor (page 45)
5. Promeg (page 88)  
Ace Screenboard (page 79)  
Foamstar (page 85)  
Foamalux (page 85)  
Ace ICB (page 82)
6. Rodure XT1200 (page 59)  
Rodure Ublock 2/S PP  
230gsm (page 56,88)  
Yupo® FPU (page 88)  
Promeg (page 88)
7. GF 207 Static Cling (page 38)  
Neschen Easy Dot (page 35)  
Yupo® Octopus White (page 42)  
Yupo® Octopus Clear (page 42)  
Rocal Supacling (page 38)
8. Ace ICB (page 82)  
Promeg (page 88)
9. PhotoTex™ (page 47)





**ORDER YOUR FAVOURITE PRODUCTS ONLINE**  
1300 132 644 | [spicers.com.au](https://spicers.com.au) | [@spicersaus](https://twitter.com/spicersaus)



**Spicers** 



## Finishing Solutions



  
laminare media

Our Finishing solutions offers essential laminating products to protect your print and extend its longevity. Our consistently excellent and diverse range includes satin, matt, gloss and specialty anti-graffiti and textured floor graphic products.

**ORDER YOUR FAVOURITE PRODUCTS ONLINE**   
1300 132 644 | [spicers.com.au](http://spicers.com.au) | [@spicersaus](https://twitter.com/spicersaus)

**Spicers** 

## 3M™ Envision™ Overlaminate

PREMIUM



- 3M Envision high performance non-PVC high gloss, matt & lustre wrap overlaminate with a polyester liner and clear permanent adhesive
- Less prone to scratching
- Exceptional conformability and lifting resistance
- Superior UV and acid dew protection
- Up to 8 Year unprinted vertical durability
- For use with Envision Print Wrap Film 480mC, IJ180mC, IJ780mC, IJ280, IJ680 & IJ680CR



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
400590	3M Envision Overlaminate 8548G	Gloss Clear	Clear Permanent	1371	45.7
400591	3M Envision Overlaminate 8548G	Gloss Clear	Clear Permanent	1524	45.7
451530	3M Envision Overlaminate 8550M	Matt Clear	Clear Permanent	1371	45.7
451531	3M Envision Overlaminate 8550M	Matt Clear	Clear Permanent	1524	45.7

## 3M™ Cast Overlaminate

PREMIUM



- High gloss, matt & lustre clear premium over laminate with clear permanent adhesive
- The matt and lustre finishes have a kraft liner
- Highly conformable
- High gloss finish offers a wet paint look and has polyester liner
- Resists fuel vapours
- Up to 8 Year unprinted vertical durability
- Graphic protection for IJ180mC, IJ280 & IJ680CR printable films



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
451534	3M Cast Overlaminate 8518	Gloss Clear	Clear Permanent	1371	45.7
451535	3M Cast Overlaminate 8518	Gloss Clear	Clear Permanent	1524	45.7
400786	3M Cast Overlaminate 8519	Lustre Clear	Clear Permanent	1371	45.7
400787	3M Cast Overlaminate 8519	Lustre Clear	Clear Permanent	1524	45.7
451532	3M Cast Overlaminate 8520	Matt Clear	Clear Permanent	1371	45.7
451533	3M Cast Overlaminate 8520	Matt Clear	Clear Permanent	1524	45.7

## 3M™ 8428 Overlaminate

PREMIUM



- High gloss, clear premium over laminate with clear permanent adhesive
- Excellent lifting resistance
- Graphic protection for IJ280mC
- Highly conformable for compound curves and deep recesses, this 1.2 mil (30 µm) overlaminate delivers exceptional performance, productivity, and enhanced UV durability
- Features a gloss finish for a wet paint look



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
451921	3M IJ280 Overlaminate 8428G	Gloss Clear	Clear Permanent	1371	45.7
451922	3M IJ280 Overlaminate 8428G	Gloss Clear	Clear Permanent	1524	45.7

## 3M™ 8528 Overlaminate

PREMIUM



- High gloss clear premium over laminate with clear permanent pressure-sensitive adhesive
- Highly conformable
- Lasting protection from acid rain, intense UV rays and extreme heat to help prevent discolouration
- Up to 8 Year vertical durability
- Graphic protection for IJ180mC, IJ280, 780mC & 680CR printable films



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
194222	3M IJ180 Overlaminate 8528G	Gloss Clear	Clear Permanent	1370	45.7

## General Formulations GF 240 AutoMark™

PREMIUM



- GF 240 is a Premium 60 micron calendered matt UV clear laminate with a clear permanent acrylic adhesive on a PE coated kraft liner
- It can be laminated by using a cold laminating process without the addition of heat, and is intended to be paired with GF 230 AutoMark™ vinyl for wrap applications
- This laminate offers protection from ultra violet radiation, moisture and other environmental exposures
- Engineered for use in most vehicle wrap and decal applications



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
199663	GF 240 AutoMark	Matt Clear	Permanent	1370	45.7
199664	GF 240 AutoMark	Matt Clear	Permanent	1524	45.7

## 3M™ Envision™ Overlamine

INTERMEDIATE



- 3M Envision high performance intermediate non-PVC gloss and matt overlamine protection for 3M Envision Print Film 48C.
- Superior UV protection
- Less prone to scratching
- Suitable for application surfaces that are flat or have simple curves



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
193431	3M Envision Overlamine 8048G	Gloss Clear	Clear Permanent	1370	45.7
197381	3M Envision Overlamine 8050M	Matt Clear	Clear Permanent	1370	45.7

## 3M™ IJ40 Series Clear

INTERMEDIATE



- Gloss and matt clear intermediate vinyl with clear permanent adhesive and a double side PE coated kraft liner
- Graphic protection for IJ40 and IJ40C series
- Printable clear vinyl
- Up to 5 Year unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
168017	3M SAV/LAM IJ40-114	Gloss Clear	Clear Permanent	1372	50
168018	3M SAV/LAM IJ40-114	Gloss Clear	Clear Permanent	1524	50
168019	3M SAV/LAM IJ40-124	Matt Clear	Clear Permanent	1372	50
168020	3M SAV/LAM IJ40-124	Matt Clear	Clear Permanent	1524	50

## 3M™ 40C Series Clear

INTERMEDIATE



- Gloss clear intermediate vinyl with clear permanent adhesive and a double side PE coated kraft liner
- Printable clear vinyl
- Graphic protection for IJ40 and 40C series
- Up to 5 Year unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
196818	3M SAV/LAM 40C-114R	Gloss Clear	Clear Removable	1372	45.7
196819	3M SAV/LAM 40C-114R	Gloss Clear	Clear Removable	1524	45.7

## 3M™ Calendered Overlamine

INTERMEDIATE



- Gloss, lustre & matt clear intermediate overlamine with clear permanent adhesive and kraft liner
- Not for use on applications that must be stretched during application
- Graphic protection for IJ35C and IJ35 series
- Apply at room temperature
- Up to 5 Year unprinted vertical durability



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
168023	3M Overlamine 8508	Gloss Clear	Clear Permanent	1371	45.7
168054	3M Overlamine 8508	Gloss Clear	Clear Permanent	1524	45.7
191574	3M Overlamine 8509	Clear Lustre	Clear Permanent	1371	45.7
192447	3M Overlamine 8510	Clear Matt	Clear Permanent	1371	45.7
192526	3M Overlamine 8510	Clear Matt	Clear Permanent	1549	45.7

## General Formulations 400 Series

INTERMEDIATE



- GF 400 and 402 are 5 Year 76 micron clear UV pressure sensitive vinyl laminates that offer resistance to ultraviolet degradation with a permanent adhesive on a smooth liner
- Best applied by the cold laminating process without the addition of heat and is designed to protect digital and screen-printed images for exhibit and display graphics
- Can be used in most instances where an overlay with a high gloss or matt finish is required on interior or exterior applications
- Protect graphics from abrasion and moisture
- Outdoor Durability up to 5 Years



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173894	GF Overlamine 400	Gloss Clear	Clear Permanent	1370	45.7
173895	GF Overlamine 400	Gloss Clear	Clear Permanent	1524	45.7
173896	GF Overlamine 402	Matt Clear	Clear Permanent	1370	45.7
173897	GF Overlamine 402	Matt Clear	Clear Permanent	1524	45.7

## General Formulations AutoMark™

INTERMEDIATE



- GF 231 is a premium 7 Year 2.4 mil calendared gloss clear laminate with a clear permanent acrylic adhesive on a PE coated kraft liner
- GF231 is intended to be paired with GF 230 AutoMark vinyl for wrap application
- This laminate offers protection from ultraviolet radiation, moisture and other environmental exposures. It can be laminated by using a cold laminating process without the addition of heat




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173892	GF 231 AutoMark	Clear	Clear Permanent	1370	45.7
173893	GF 231 AutoMark	Clear	Clear Permanent	1524	45.7

## General Formulations Intermediate

INTERMEDIATE



- GF 587 and 588 are 75um calendared polymeric matt UV clear laminates with clear permanent acrylic adhesives on an 86 gsm PE coated kraft liner
- This laminate offers protection from ultra violet radiation, moisture and other environmental exposures
- It can be laminated by using a cold laminating process without the addition of heat
- Ideal for use with flat or very slight curves



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
176539	GF Overlamine 587	Gloss Clear	Clear Permanent	1370	45.7
176549	GF Overlamine 588	Matt Clear	Clear Permanent	1370	45.7

## General Formulations Print-n-Lam™

INTERMEDIATE



- GF Print-n-Lam™ is a 76 micron Gloss or Matt Clear UV Polymeric Vinyl with a clear permanent Emulsion Acrylic adhesive on a double-sided PE liner
- Specifically engineered for use in flat general signage, window, and decal applications
- GF Print-n-Lam™ is ideal for printing OR laminating
- Outdoor durability up to 7 Years
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173615	GF 247 Print-n-Lam	Gloss Clear	Clear Permanent	1370	45.7
173616	GF 247 Print-n-Lam	Gloss Clear	Clear Permanent	1524	45.7
173617	GF 248 Print-n-Lam	Matt Clear	Clear Permanent	1370	45.7

## Rolam Overlamine

### INTERMEDIATE



- Intermediate polymeric gloss, matt & lustre laminates with clear permanent or removable adhesive
- 100um 170gsm 2-side PE coated liner printable Solvent Latex and UV
- 80um 120gsm 2-side PE coated liner laminate only
- Graphic protection for ROCAL 5 Year print vinyls
- Up to 5 Year unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
173136	Rolam 5 Year Overlamine	Gloss Clear	100	Clear Removable	1370	50
173137	Rolam 5 Year Overlamine	Gloss Clear	100	Clear Removable	1524	50
198172	Rolam 5 Year Overlamine	Matt Clear	100	Clear Permanent	1370	50
198173	Rolam 5 Year Overlamine	Matt Clear	100	Clear Permanent	1524	50
173134	Rolam 5 Year Overlamine	Gloss Clear	100	Clear Permanent	1370	50
173135	Rolam 5 Year Overlamine	Gloss Clear	100	Clear Permanent	1524	50
173138	Rolam 5 Year Overlamine	Gloss Clear	80	Clear Permanent	1370	50
173139	Rolam 5 Year Overlamine	Gloss Clear	80	Clear Permanent	1524	50
173140	Rolam 5 Year Overlamine	Matt Clear	80	Clear Permanent	1370	50
173141	Rolam 5 Year Overlamine	Matt Clear	80	Clear Permanent	1524	50
199280	Rolam 5 Year Overlamine	Matt Textured	80	Clear Permanent	1370	50

## 3M™ IJ1220C Series Clear

PROMOTIONAL



- 3M™ Scotchcal™ IJ1220 Clear Film is an economical clear film
- Designed for the market of short-term promotional film that needs good quality
- Expected Performance Life of 24 months (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)
- Available in gloss and matt finishes
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
163470	3M 3 Year SAV/LAM IJ1220-114	Gloss Clear	Clear Permanent	1370	50
163471	3M 3 Year SAV/LAM IJ1220-124	Matt Clear	Clear Permanent	1370	50

## 3M™ IJ20 Series Clear

PROMOTIONAL



- Gloss & matt clear promotional vinyl with clear removable adhesive & a kraft liner
- Printable clear vinyl
- Up to 1 Year unprinted vertical durability
- Graphic protection for IJ20 series
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
168021	3M SAV/LAM IJ20-114	Gloss & Matt Clear	Clear Removable	1371	45.7

## 3M™ IJ15 Series Clear

PROMOTIONAL



- Gloss clear, economical, promotional monomeric vinyl, with clear permanent adhesive and a polycoated paper liner
- Everyday vinyl, for flat surfaces only
- Also can be used as a overlamine for IJ15/16 products
- Up to 1 Year unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
169796	3M SAV/LAM IJ15-114	Gloss Clear	80	Clear Permanent	1370	50

## Rolam Overlamine

PROMOTIONAL



- Promotional monomeric gloss, matt & satin laminates with clear permanent or removable adhesive
- 100um 170gsm 2-side PE coated liner printable Solvent Latex and UV
- 80um 120gsm 2-side PE coated liner laminate only
- Graphic protection for Rocal 3 Year print vinyls
- Up to 3 Year unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
198171	Rolam 3 Year Overlamine	Matt Clear	100	Clear Permanent	1370	50
173089	Rolam 3 Year Overlamine	Gloss Clear	100	Clear Permanent	1524	50
173088	Rolam 3 Year Overlamine	Gloss Clear	100	Clear Permanent	1370	50
198170	Rolam 3 Year Overlamine	Matt Clear	100	Clear Permanent	1370	50
173090	Rolam 3 Year Overlamine	Gloss Clear	100	Clear Removable	1370	50
173092	Rolam 3 Year Overlamine	Gloss Clear	80	Clear Permanent	1370	50
173093	Rolam 3 Year Overlamine	Gloss Clear	80	Clear Permanent	1524	50
173094	Rolam 3 Year Overlamine	Matt Clear	80	Clear Permanent	1370	50
173095	Rolam 3 Year Overlamine	Matt Clear	80	Clear Permanent	1524	50
173096	Rolam 3 Year Overlamine	Satin Clear	80	Clear Permanent	1370	50
173097	Rolam 3 Year Overlamine	Satin Clear	80	Clear Permanent	1524	50

## Rolam Overlamine

PROMOTIONAL



- Promotional 100um monomeric vinyl, with 140gsm 2 sided PE coated liner
- Everyday vinyl for flat surfaces only
- Stable ink absorption, bright colors, vivid images
- Up to 1 Year unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
172837	Rolam 1 Year Overlamine	Gloss Clear	100	Clear Permanent	1370	50
172838	Rolam 1 Year Overlamine	Matt Clear	100	Clear Permanent	1370	50

## General Formulations Barrier Film PPS2W

PROMOTIONAL



- A 60 micron white metalised print-treated polypropylene film coated with 207-4841 white pigmented acrylic pressure sensitive adhesive on a smooth overlay liner
- Can be used to laminate to static cling and low tack films, as due to its light weight, the graphics are not weighed down and will not fall from the surface
- May also be used with flexographic, offset and letterpress inks but must be tested prior to use
- Opaque film designed to laminate clear window decals to create double sided window graphics
- This film is also printable an designed to accept a variety of UV curable and solvent-based screen inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173891	GF PPS2W	White	Permanent	1370	45.7

## Contravision Ultra Clear Overlamine

OPTICALLY CLEAR



- Polyester liner
- 3 year durability
- One sided PE Liner
- 50um cast PVC
- The perfect match for Contra Vision® Perforated Window Films, to help protect the graphics from accidental or deliberate damage and prevent water from getting trapped in the perforations



Material	Material Description	Finish	Liner	Width (mm)	Length (m)
401030	Contravision Ultra Clear Overlamine	Optically Clear	1 Sided PE	1370	50
401031	Contravision Ultra Clear Overlamine	Optically Clear	1 Sided PE	1520	50

## Rolam 5 Year Optically Clear

OPTICALLY CLEAR



- Optically clear, cold laminating film with clear permanent adhesive, engineered for protective lamination onto digitally printed images to extend durability
- Suitable protective over lamination to one way view film
- Consistent performance, low shrinkage, optimum clarity and gloss level
- Calendered PVC film, 100gsm single PE release liner
- Up to 5 Years unprinted vertical durability



Material	Material Description	Finish	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
173533	Rolam 5 Year Overlamine	Optically Clear	230	Clear Permanent	1370	50
173534	Rolam 5 Year Overlamine	Optically Clear	230	Clear Permanent	1524	50

## 3M™ 8588G Anti-Graffiti

### ANTI-GRAFFITI



- PVDF polymer blended anti graffiti, high gloss 30um overlamine with a clear permanent adhesive and PET liner
- Designed to protect graphic surfaces from stains, abrasion, UV light and graffiti
- Recommended for use flat to compound curves, including rivets and corrugations
- Graphic protection for Envision 480mC series, IJ180mC series
- Up to 8 Years vertical durability



Material	Material Description	Finish	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
171188	3M 8588G Anti-Graffiti	High Gloss Clear	30	Clear Permanent	1372	50

## 3M™ 8993 Anti-Graffiti

### ANTI-GRAFFITI



- Clear, anti graffiti, high gloss 25um polyester overlamine with a clear permanent adhesive and kraft liner
- Recommended for use flat & simple surfaces only
- Graphic protection for IJ180c, IJ180mC, 680CR, IJ40C, IJ40, IJ35C, IJ35
- Superior resistance against harsh solvents
- It is recommended to give additional time for out gasing solvent ink when laminating with a polyester (PET) film
- Up to 5 Year unprinted vertical durability



Material	Material Description	Finish	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
450535	3M 8993 Anti-Graffiti	Clear Gloss	25	Clear Permanent	1371	50
450534	3M 8993 Anti-Graffiti	Clear Gloss	25	Clear Permanent	1524	50

## General Formulations GF 108 Tedlar®

### ANTI-GRAFFITI



- GF 108 Tedlar® DuPont is a satin clear 1.0 mil transparent PVF Film with a solvent permanent pressure sensitive adhesive
- Extended resistance to UV exposure, colour stability or abrasion resistance. GF 108 made with Tedlar® DuPont is graffiti resistant
- Designed to extend the exposure resistance of graphics, decals, and nameplates. This laminate will protect inks and graphics from fading caused by exposure to UV radiation. Tedlar® DuPont film is resistant
- For smooth surface and substrate applications only. The PVF film is not suitable for use as a laminate on textured print materials
- Outdoor Durability up to 10 Years




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
452354	GF 108 Tedlar	Satin Clear	Permanent	1370	45.7

## Rolam 3 Year Anti-Graffiti

### ANTI-GRAFFITI



- Gloss Clear Polyester (PET) film specially designed for consistent performance, low shrinkage, optimum clarity, gloss level and graffiti resistance
- Permanent, solvent based acrylic adhesive on a single PE release liner
- Recommended for flat surfaces only
- Up to 3 Years outdoor



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173393	Rolam 3 Year Anti-Graffiti	Gloss Clear	Clear Permanent	1370	50
173394	Rolam 3 Year Anti-Graffiti	Gloss Clear	Clear Permanent	1520	50

**PSA VINYL SOLUTIONS FOR**

GLASS

TILE

CARPET

**PLASTERBOARD**

BRICK

BLOCK

METAL

ALUMINUM

PLASTIC

TABLES

COUNTERS

SNEEZE GUARDS

HERE

HERE

HERE

HERE

HERE

**MAKE YOUR  
MARK**

## General Formulations GF 213 Traffic Graphic®

## FLOOR GRAPHIC



- GF 213 is a 95um clear embossed polypropylene film designed for use as an economical protective laminate for Traffic Graphic® decals
- The adhesive is formulated to adhere to most common printing inks
- Pair GF 212 Print Film
- This non-glare laminate is also an environmentally friendly alternative to vinyl films
- Slip Rating: AS HB198:2014 (AS/NZS 4586) – Dry PTV: 87, Wet PTV: 24



Material	Material Description	Finish	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
401013	GF 213 Traffic Graphic	Light Embossed	95	Permanent	1370	45.7

## Rolam Floor Laminate R9

## FLOOR GRAPHIC



- 199164 Rolam LAM 3 Year FloorLam R9 is a slip approved and rough textured transparent film designed for lamination onto floor graphics vinyls designed with a permanent, solvent based acrylic adhesive
- 199165 Rolam LAM Year FloorLam LITE R9 is a slip approved and rough textured lighter transparent film designed for lamination over printed floor graphic vinyls designed with a permanent, solvent based acrylic adhesive




Material	Material Description	Finish	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
199164	Rolam Floor Laminate	Textured Matt	140	Clear Permanent	1540	50
199165	Rolam Floor Laminate Lite	Textured Matt	140	Clear Permanent	1350	50

## Rolam Floor Laminate P3

## FLOOR GRAPHIC



- 115 micron Sandtex, anti-slip, monomeric PVC floor laminate with permanent, clear adhesive
- Perfect for floor graphic applications in locations suited to the P3 non-slip rating
- P3 non-slip rating in accordance with AS 4586:2013 Slip resistance classification



Material	Material Description	Finish	Face Thickness (ums)	Adhesive	Width (mm)	Length (m)
172551	Rolam Floor Laminate	Matt Transparent	115	Clear Permanent	1370	50

## General Formulations Dry Erase

## WHITE &amp; BLACKBOARD



- GF EraseMark is a 50 micron gloss clear laminate that turns any graphic into a writeable dry erase surface
- GF 110 is High performance hard coated engineered scratch and abrasion resistant polyester film surface with a permanent solvent acrylic pressure sensitive adhesive
- GF 111 is a clear polypropylene film with a permanent emulsion acrylic pressure sensitive adhesive
- EraseMark is formulated for high-use dry erase applications such as hospital boards, conference rooms, menu boards, restaurants, and schools. It works well for applications where the written information
- Single Sided PE Liner
- Indoor Durability GF110 up to 5 Years GF110 up to 6 months



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
452024	GF 110	Gloss Clear	Permanent	1370	45.7
452025	GF 111	Gloss Clear	Removable	1370	45.7

## R.Tape 4075 (Medium-High)

### APPLICATION TAPE



- 4075 Medium-High-Tack repositionable latex adhesive
- Popular choice for every day sign shop applications & removes easily following application
- Standard Paper (101 micron)
- Suitable for most applications particularly transferring small to medium sized graphics & large plotter cut letters



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
165128	R.Tape 4075 (Med-High)	White	Med-High	1220	91

## R.Tape 4075RLA (Medium-High)

### APPLICATION TAPE



- 4075 Medium-High-Tack repositionable RLA latex adhesive
- Graphics stay neater and cleaner, even when they are rolled
- Popular choice for every day sign shop applications and & removes easily following application
- RLA adhesive sticks and lays flat to the exposed release liner around cut vinyl graphics to protect against wrinkling, tunnelling and edge curling
- Standard Paper (101 micron)
- Suitable for most applications particularly transferring small to medium sized graphics & large plotter cut letters



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
169193	R.Tape 4075RLA (Med-High)	White	Med-High	610	91
169192	R.Tape 4075RLA (Med-High)	White	Med-High	1220	91
199704	R.Tape 4075RLA (Med-High)	White	Med-High	1524	91

## R.Tape 4076 (Extra High)

### APPLICATION TAPE



- 4076 Extra High, repositionable latex adhesive
- Offers clean pick up and transfer of very small hard-to lift lettering & graphics & removes easily following application
- Standard Paper (101 micron)



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
189388	R.Tape 4076 (Extra High)	White	Extra High	1220	91

## R.Tape 4076RLA (Extra High)

### APPLICATION TAPE



- 4076 Extra High, repositionable RLA latex adhesive
- Graphics stay neater and cleaner, even when they are rolled
- Offers clean pick up and transfer of very small hard-to lift lettering & graphics & removes easily following application
- RLA adhesive sticks and lays flat to the exposed release liner around cut vinyl graphics to protect against wrinkling, tunnelling and edge curling
- Standard Paper (101 micron)



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
192253	R.Tape 4076RLA (Extra High)	White	Extra High	610	91
192030	R.Tape 4076RLA (Extra High)	White	Extra High	1220	91

## General Formulations Sign Mask

## APPLICATION TAPE



- Yellow Paint Mask vinyl is an 86 micron matt yellow vinyl with removable acrylic pressure-sensitive adhesive
- The vinyl is formulated for ease of cutting while retaining resistance to common solvents encountered in typical spray paints and automotive finishes
- Bleached kraft liner provides an excellent base for plotter cut graphics and home craft applications
- Can be used as a stencil for applications like creating floor graphics in gymnasiums, decorative painting or etching with craft projects, or branding mesh fencing for tennis courts and construction



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173586	GF 851 Sign Mask	Yellow	Removable	1220	45.7
173587	GF 851 Sign Mask	Yellow	Removable	1524	45.7

## Neschen Gudy®

## APPLICATION TAPE



- Gudy is a range of double-sided mounting adhesives for cold lamination
- Gudy 808 is a white PP film with a permanent, clear adhesive on both sides and is self-wound with a siliconised paper liner on one side
- Gudy 802 and 808 are P.A.T certified according to ISO 18916
- Gudy 802 is a clear PET film with a permanent, clear adhesive on both sides and is self-wound with a siliconised paper liner on one side
- Gudy Window is a clear PET film with permanent, clear, adhesive on one side, an air-flow, removable, clear adhesive on the other and has liners on both sides



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
163165	Neschen Gudy 802	Clear	Permanent/Permanent	1040	50
163166	Neschen Gudy 802	Clear	Permanent/Permanent	1300	50
177395	Neschen Gudy 802	Clear	Permanent/Permanent	1600	50
177396	Neschen Gudy 808	White	Permanent/Permanent	1040	50
163167	Neschen Gudy 808	White	Permanent/Permanent	1300	50
177397	Neschen Gudy 808	White	Permanent/Permanent	1600	50
163168	Neschen Gudy Window	Clear	Permanent/Removable	1300	50



# Naturally Versatile.

3M™ Envision™ Print Wrap Films

3M™ Envision™ Wrap Overlaminates



## The non-PVC films that outperforms the rest.

When a non-PVC film is this conformable and versatile, why use anything else?

3M™ Envision™ Wrap Films include the 3M innovations you know and love: excellent print quality, slideability, repositionability, heated film recovery and now non-visible air-release channels using micro technology for a smooth visual appearance, superior performance and even an easier, faster and better-looking installation.

**High-performance technology with a sustainable edge.**

**Meet the suite that's 100% printer compatible:**

### Conformable and durable Non-PVC Wrap Films

3M Envision™ Print Wrap Film SV480mC

3M Envision™ Print Wrap Film LX480mC

3M Envision™ Gloss Wrap Overlamine 8548G

3M Envision™ Luster Wrap Overlamine 8549L

3M Envision™ Matt Wrap Overlamine 8550M

### ALSO available in Versatile Non-PVC Intermediate Film

3M Envision™ Print 48C

3M Envision™ Gloss Overlamine 8048G

3M Envision™ Matt Overlamine 8050M

For enquiries or a sample please contact your local Spicers representative.

1300 132 644 [spicers.com.au](http://spicers.com.au)




## General Formulations Mounting Film

## MOUNTING FILM



- GF106 is an optically clear mounting film with double sided solvent acrylic permanent adhesive and clear polyester liner
- GF116 is a double-coated pressure sensitive 1.0 mil clear polyester film with a high-tack permanent adhesive on one side and a high-tack removable adhesive on the other side
- Designed to mount backlit transparencies to glass, Plexiglas or other clear substrates in light box applications 106 also provides distortion-free face mounting of prints to these same clear substrate
- GF116 is designed for laminating thin flexible plastic films and papers commonly found in graphics for temporary application to glass
- In all cases the substrate must be clean and free of dust, dirt and oil. This product is not recommended for tinted or laminated windows



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173584	GF 106 Mounting Film	Clear	Permanent/Permanent	1370	45.7
173585	GF 116 Mounting Film	Clear	High-Tack/Permanent/Removable	1370	45.7

## Sacrificial Underlay Polypropylene

## UNDERLAY

- 76mm core
- Polypropylene won't have static issues experienced with polyester
- If liner creased it will not transfer to the surface of the image as it can with paper

Material	Material Description	Width (mm)	Length (m)
187323	Sacrificial Underlay Polypropylene	1430	400
187324	Sacrificial Underlay Polypropylene	1540	400
187781	Sacrificial Underlay Polypropylene	1630	400



## Window Graphic Substrates





**3M**

**GF** **GENERAL**  
FORMULATIONS

  
**NESCHEN**

**ROCAL**  
self adhesive print media

**contrAvision®**

Transform your windows with special effects or optically clear films.  
Available in a range of textures, finishes and colours suitable for  
indoor or outdoor applications.

**ORDER YOUR FAVOURITE PRODUCTS ONLINE**  
1300 132 644 | [spicers.com.au](http://spicers.com.au) | [@spicersaus](https://www.instagram.com/spicersaus)



**Spicers** 

### 3M™ IJ8150 Optically Clear

#### WINDOW GRAPHIC



- Optically clear, gloss cast vinyl with clear removable adhesive and transparent synthetic liner
- Optimised for wet application, making it very easy to install
- Perfect for window graphics
- Up to 7 Years unprinted vertical durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
450507	3M IJ8150	Optically Clear	Clear Removable	1370	45.7
450839	3M IJ8150	Optically Clear	Clear Removable	1524	45.7

### 3M™ 7725SE Dusted/Frosted

#### WINDOW GRAPHIC



- Special effects, matt premium cast vinyl with clear permanent solvent adhesive and transparent synthetic liner
- Perfect for indoor and outdoor window decoration
- Available in dusted (etched glass appearance) and frosted (sandblast glass appearance) finishes in a range of colours
- Up to 5 Years durability for internal application and up to 3 Years for external unprinted vertical durability
- Print Compatibility: Suitable for electronic cutting or Eco-Solvent, UV Curable & Latex Inks




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
400247	3M 7725SE-314 Crystal Glass	Dusted Crystal	Clear Permanent	1220	45.7
400240	3M 7725SE-314 Crystal Glass	Dusted Crystal	Clear Permanent	1524	45.7
450919	3M 7725SE-324 Crystal Glass	Frosted Crystal	Clear Permanent	1220	45.7
450949	3M 7725SE-324 Crystal Glass	Frosted Crystal	Clear Permanent	1524	45.7

### 3M™ 5525SE Haze/Sandblast

#### WINDOW GRAPHIC



- Special effects, matt intermediate polymeric vinyl with clear permanent solvent adhesive and kraft liner
- Perfect for indoor & outdoor window decoration medium term applications
- Available in dusted (etched glass appearance) and frosted (sandblast glass appearance) finishes
- Up to 5 Years durability for internal application and up to 3 Years for external unprinted vertical durability
- Print Compatibility: Suitable for electronic cutting or Eco-Solvent, UV Curable & Latex Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
400278	3M 5525SE-314 Special Effect	Haze	Clear Permanent	1220	50
450296	3M 5525SE-314 Special Effect	Haze	Clear Permanent	1524	50
400279	3M 5525SE-324 Special Effect	Sandblast	Clear Permanent	1220	50
450562	3M 5525SE-324 Special Effect	Sandblast	Clear Permanent	1524	50

## Neschen Window Grip Ultra Clear

WINDOW GRAPHIC



- Crystal clear, self-adhesive PVC-free PET film with a glossy surface
- Easy and residue-free removal
- Can be repositioned multiple times without loss of adhesive strength
- Very dimensionally stable
- Wet application is recommended, refer install guidelines
- A reverse print allows this optically clear film to be applied to the inside of shop windows so that the advertising can be read outside
- For indoor advertising and short-term outdoor use on flat and smooth substrates, such as glass, mirrors or monitors
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
163217	Neschen Window Grip Ultra Clear	Gloss Ultra Clear	Clear Repositionable	1370	50
163218	Neschen Window Grip Ultra Clear	Gloss Ultra Clear	Clear Repositionable	1524	50

## General Formulations GF 218 WindowMark®

WINDOW GRAPHIC



- GF 218 WindowMark® Blockout is a 203 micron gloss white print media with dual-layer construction making it 100% opaque with a removable adhesive for easy, clean removal
- Reverse print on GF 255 (clear vinyl), print on GF 218 (Right read) and laminate the two films together. Apply the film on the inside of the window for a Push Pull type decal or graphics
- Excellent for window graphics & retail displays where total opacity and zero light transmission is required and front windows and internal windows where total privacy is a must
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks




Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173599	GF 218 WindowMark®	White	Removable	1370	30

## General Formulations GF 255 OptiMark®

WINDOW GRAPHIC



- GF 255 OptiMark® is a 76 micron optically clear high gloss flexible calendered PVC film with a clear Solvent acrylic removable pressure sensitive adhesive and a clear polyester liner
- Wet application is the preferred method. Wet application on solvent based clear products is the best way to achieve bubble free and optically clear results
- Clean removal from glass for up to one Year under normal exposure conditions
- Outdoor Durability up to 3 Years
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
173607	GF 255 OptiMark®	Gloss Clear	Removable	1370	45.7

### General Formulations GF 790AE

#### WINDOW GRAPHIC



- GF 790AE Print-N-Privacy is a decorative polymeric glass etch vinyl
- Can either be applied printed or unprinted for etched glass visual effect or for use as a privacy film
- Solvent based permanent acrylic pressure sensitive adhesive
- Bubble Free Liner
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Adhesive	Width (mm)	Length (m)
452232	GF 790AE Print-N-Privacy	Window Etch	Clear Permanent	1370	45.7

### Rocal Dusted Sparkle

#### WINDOW GRAPHIC



- 100 micron Calendered PVC film used for privacy screening & creative patterns designed for use on glass windows where privacy is required whilst allowing effective light transmission and an attractive visual appearance
- Main Applications: Meeting Rooms, Retail, Partitions, Offices, Residential
- Clear solvent based acrylic PSA – permanent
- Ideal for both outdoor and indoor application up to 3 years
- 100 gsm single PE coated release liner
- Can be wet applied



Material	Material Description	Finish	Adhesive	Face Film (um)	Width (mm)	Length (m)
173535	Rocal Dusted Sparkle	Dusted Sparkle	Clear Permanent	100	1220	50

### Rocal Frosted Silver Etch

#### WINDOW GRAPHIC



- Composite white (printable side)/Black (adhesive side) perforated 160 micron polymeric vinyl
- Open area is approximately 50%
- Perforation size is 2.0mm
- Suitable for long term (<3 Years), exterior mount applications on flat & simple curved surfaces
- Product with UNIVERSAL liner is suitable for UV, solvent & LATEX inks
- Laminate with CurvaLam
- Applications: Car windows
- Product with SOLID liner is suitable for Eco-solvent & Latex inks



Material	Material Description	Finish	Adhesive	Face Film (um)	Width (mm)	Length (m)
173537	Rocal Frosted Silver Etch	Light Silver Etch	Clear Permanent	100	1220	50

## Contravision Performance 40% UL

## PERFORATED WINDOW FILMS



- White on Black perforated window films for printing one-way vision graphics
- Removable without residue up to 12 months at 23 - 25 degrees celsius
- Transparency: 40% Transparent (60/40) with Replacement GrayLiner and 1.6mm hole diameter
- On window lifetime of 3+ years, recommended for longer term and demanding applications such as vehicle and building wraps
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Hole	Liner	Width (mm)	Length (m)
401028	Contravision Performance 40% Universal Liner	White	60/40 1.6mm	Universal	1370	50
401029	Contravision Performance 40% Universal Liner	White	60/40 1.6mm	Universal	1520	50

## Contravision Performance 40% RL

## PERFORATED WINDOW FILMS



- White on Black perforated window films for printing one-way vision graphics
- Removable without residue up to 12 months at 23 - 25 degrees celsius
- Transparency: 40% Transparent (60/40) with Replacement GrayLiner and 1.6mm hole diameter
- On window lifetime of 3+ years, recommended for longer term and demanding applications such as vehicle and building wraps
- Print Compatibility: Eco-Solvent & Latex Inks



Material	Material Description	Finish	Hole	Liner	Width (mm)	Length (m)
401093	Contravision Performance 40% Release Liner	White	60/40 1.6mm	Replacement	1370	50
401094	Contravision Performance 40% Release Liner	White	60/40 1.6mm	Replacement	1520	50

## Contravision Performance 50% UL

## PERFORATED WINDOW FILMS



- White on Black perforated window films for printing one-way vision graphics
- Removable without residue up to 12 months at 23 - 25 degrees celsius
- Transparency: 40% Transparent (60/40) with Replacement GrayLiner and 1.5mm hole diameter
- On window lifetime of 3+ years, recommended for longer term and demanding applications such as vehicle and building wraps
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Hole	Liner	Width (mm)	Length (m)
401025	Contravision Performance 50% Universal Liner	White	50/50 2mm	Universal	1370	50
401026	Contravision Performance 50% Universal Liner	White	50/50 2mm	Universal	1520	50



# From the spectacular to the everyday...

For short-term applications like seasonal point-of-purchase campaigns and retail promotions, our **Campaign White on Black** film is a great value option, offering market-leading qualities with an on-window lifetime of up to 2 years.

For longer-term, demanding applications such as transit graphics, building wraps, and outdoor advertising, our premium **Performance White on Black** film offers robust durability and a 3+ year on-window lifetime, manufactured to the highest standards.

Since 2008, Contra Vision has delivered perforated window film solutions across Australia transforming windows into powerful advertising spaces while maintaining a clear view from the inside.

Whether you're enhancing windows for a large-scale sporting event or advertising on transit windows, **Contra Vision® has it covered.**

Engineered for durability, weather resistance, and unmatched print quality, our perforated films ensure your advertising has a lasting impact, even in Australia's toughest climates.

## Ready to transform your windows?

Contact your local Spicers representative to discover the power of Contra Vision for your business!

**[www.contravision.com](http://www.contravision.com)**

## Contravision Performance 50% RL

## PERFORATED WINDOW FILMS



- White on Black perforated window films for printing one-way vision graphics
- Removable without residue up to 12 months at 23 – 25 degrees celsius
- Transparency: 40% Transparent (60/40) with Replacement GrayLiner and 1.5mm hole diameter
- On window lifetime of 3+ years, recommended for longer term and demanding applications such as vehicle and building wraps
- Print Compatibility: Eco-Solvent & Latex Inks



Material	Material Description	Finish	Hole	Liner	Width (mm)	Length (m)
401091	Contravision Performance 50 Release Liner	White	50/50 2mm	Replacement	1370	50
401092	Contravision Performance 50 Release Liner	White	50/50 2mm	Replacement	1520	50

## Contravision Campaign 40% UL

## PERFORATED WINDOW FILMS



- 40% transparency
- Removable without residue up to 12 months at 23 – 25 degrees celsius
- 150um
- Universal Liner
- 2 Year durability
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Hole	Liner	Width (mm)	Length (m)
401027	Contravision Campaign 40% Universal Liner	White	60/40 1.6mm	Universal	1370	50

## General Formulations WindowMark®

## PERFORATED WINDOW FILMS



- GF WindowMark® is a 150 micron perforated high performance matt white vinyl film with a clear low tack repositionable removable solvent acrylic pressure sensitive adhesive
- Dual Layer (Perforated/Solid) White 2-Sided PE-Coated liner offers good dimensional stability in a variety of ambient conditions
- Designed for exterior application
- Recommended overlamine GF 242
- Outdoor Durability up to 2 Years
- Removable up to 1 Year
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks



Material	Material Description	Finish	Hole	Liner	Width (mm)	Length (m)
173609	GF 260 WindowMark®	White	60/40	Universal	1370	30
173612	GF 280 WindowMark®	White	80/20	Universal	1370	45.7



# Vehicle Wrap





Today's vehicle enthusiast no longer has to settle for the manufacturer's standard range of hues. With Spicers, your favourite vehicle can be pretty much any colour imaginable, or a mixture there-of.

**ORDER YOUR FAVOURITE PRODUCTS ONLINE**  
1300 132 644 | [spicers.com.au](http://spicers.com.au) | [@spicersaus](https://twitter.com/spicersaus)



# Follow your own road.

## High Gloss



## Gloss



## Satin



## Textures



## Matte



## Color Flips




## 3M™ 2080 Series

PREMIUM WRAP SAV



- Dual premium cast vinyl wrap film, with a grey, airflow adhesive and polyethylene-coated paper liner
- Gloss colours with conformable protective film layer
- Non-visible, air release channels for fast, easy, bubble-free installations
- Pressure-activated adhesive for easy sliding, tacking, snap up and repositioning with enhanced conformability and cold stretch removable with heat and/or chemicals
- Comprehensive warranty\* Up to eight years in vertical applications (\*warranty varies by zone and colours) On vehicles, warranty is up to 7 years vertical and 2 years horizontal. Warranty is the same
- 1524mm wide rolls allows for seamless wraps



## 3M™ 2080 Matt Series

Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
400794	2080-M10	Matt White	1524	22.8
400793	2080-M12	Matt Black	1524	22.8
400846	2080-M26	Matt Military Green	1524	22.8
400847	2080-M27	Matt Indigo	1524	22.8
400836	2080-M206	Matt Pine Green Metallic	1524	22.8
400839	2080-M211	Matt Charcoal Metallic	1524	22.8
400842	2080-M230	Matt Grey Aluminium	1524	22.8
400843	2080-M261	Matt Dark Grey	1524	22.8
400838	2080-M21	Matt Silver	1524	22.8
400815	2080-M217	Matt Slate Blue Metallic	1524	22.8
400845	2080-DM12	Dead Matt Black	1524	22.8
400814	2080-M212	Matt Black Metallic	1524	22.8
400795	2080-M22	Matt Deep Black	1524	22.8
400796	2080-M13	Matt Red	1524	22.8
400835	2080-M203	Matt Red Metallic	1524	22.8
400837	2080-M209	Matt Brown Metallic	1524	22.8
400840	2080-M227	Matt Blue Metallic	1524	22.8
400853	2080-MX12	Matrix Black	1524	22.8

## 3M™ 2080 Satin Series



Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
400448	2080-S120	Satin White Aluminium	1524	22.8
400848	2080-S261	Satin Dark Grey	1524	22.8
400849	2080-S51	Satin Battleship Grey	1524	22.8
451850	2080-S363	Satin Smouldering Red	1524	22.8
451851	2080-S347	Satin Perfect Blue	1524	22.8
451849	2080-S327	Satin Ocean Shimmer	1524	22.8
452659	2080-S49	Satin Sandstone	1524	22.8
452660	2080-S87	Satin Lunar Blue	1524	22.8
452661	2080-S238	Satin Frozen Berry Metallic	1524	22.8
452662	2080-S56	Satin Komodo Green	1524	22.8
400799	2080-S12	Satin Black	1524	22.8
400817	2080-S196	Satin Apple Green	1524	22.8
400818	2080-SP10	Satin Pearl White	1524	22.8
400819	2080-SP240	Satin Frozen Vanilla	1524	22.8
400816	2080-SP242	Satin Gold Dust Black	1524	22.8
400809	2080-S10	Satin White	1524	22.8
400820	2080-S57	Satin Key West	1524	22.8
451855	2080-S335	Satin Bitter Yellow	1524	22.8
400852	2080-S271	Satin Thundercloud	1524	22.8
400825	2080-SP273	Satin Vampire Red	1524	22.8

## 3M™ 2080 Gloss Series



Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
400800	2080-G10	Gloss White	1524	22.8
400798	2080-G12	Gloss Black	1524	22.8
400822	2080-GP272	Gloss Midnight Blue	1524	22.8
451852	2080-G31	Gloss Storm Grey	1524	22.8
451853	2080-G47	Gloss Intense Blue	1524	22.8
451854	2080-G77	Gloss Sky Blue	1524	22.8
400801	2080-G13	Gloss Hot Rod Red	1524	22.8
400802	2080-G14	Gloss Burnt Orange	1524	22.8
400803	2080-G15	Gloss Bright Yellow	1524	22.8
400813	2080-G16	Gloss Light Green	1524	22.8
400812	2080-G24	Gloss Deep Orange	1524	22.8
400804	2080-G25	Gloss Sunflower	1524	22.8
400805	2080-G54	Gloss Bright Orange	1524	22.8
400811	2080-G55	Gloss Lucid Yellow	1524	22.8
400806	2080-G79	Gloss Light Ivory	1524	22.8
400810	2080-G53	Gloss Flame Red	1524	22.8
400821	2080-GP240	Gloss White Gold Sparkle	1524	22.8
400823	2080-GP282	Gloss Ember Black	1524	22.8
451857	2080-G127	Gloss Boat Blue	1524	22.8
451859	2080-G212	Gloss Black Metallic	1524	22.8
451860	2080-G217	Gloss Deep Blue Metallic	1524	22.8
451861	2080-G227	Gloss Blue Metallic	1524	22.8
451858	2080-G203	Gloss Red Metallic	1524	22.8
400269	2080-G201	Gloss Anthracite	1524	22.8
400437	2080-G378	Gloss Blue Raspberry	1524	22.8
400430	2080-G336	Gloss Green Envy	1524	22.8
400265	2080-G120	Gloss White Aluminium	1524	22.8
400434	2080-G363	Gloss Dragon Fire Red	1524	22.8
400276	2080-G46	Gloss Kelly Green	1524	22.8
400432	2080-G344	Gloss Liquid Copper	1524	22.8
400436	2080-G348	Gloss Fierce Fuchsia	1524	22.8
400429	2080-G356	Gloss Atomic Teal	1524	22.8
400433	2080-G364	Gloss Fiery Orange	1524	22.8
400438	2080-G377	Gloss Cosmic Blue	1524	22.8
451447	2080-G337	Gloss Blue Fire	1524	22.8
400275	2080-G251	Gloss Sterling Silver	1524	22.8
400440	2080-G211	Gloss Charcoal Metallic	1524	22.8
451316	2080-GP258	Gloss Plum Explosion	1524	22.8
400829	2080-GP278	Gloss Deep Space	1524	22.8

**3M** Science.  
Applied to Life.™

# It's a wrap.

A finish so beautiful it should be in pictures. At 3M, we're reinventing 3M™ Wrap Film with features worthy of a five-star rating. Like a Protective Film Layer on gloss colors to reduce surface impressions and scratches.

Lead the way and see our new colors in action at [3M.com/2080](https://www.3m.com/2080)

**3M™ Wrap Film Series 2080**

3M is a trademark of 3M. © 3M 2019. All rights reserved.



Satin Flip  
Psychedelic  
SP281

## 3M™ 2080 Brushed/Carbon/Flip



Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
400856	2080-BR120	Brushed Aluminium	1524	22.8
400858	2080-BR212	Brushed Black Metallic	1524	22.8
400859	2080-BR230	Brushed Titanium	1524	22.8
400860	2080-CFS12	Carbon Fibre Black	1524	22.8
400857	2080-BR201	Brushed Steel	1524	22.8
400828	2080-SP236	Satin Volcanic Flare	1524	22.8
400831	2080-SP280	Satin Ghost Pearl	1524	22.8
400830	2080-GP281	Gloss Psychedelic	1524	22.8
400832	2080-SP281	Satin Psychedelic	1524	22.8
400854	2080-CFS201	Carbon Fibre Anthracite	1524	22.8
400861	2080-SB12	Shadow Black	1524	22.8

## 3M™ 2080 High Gloss Series




Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
452471	2080-HG12	Gloss Black	1524	22.8
452540	2080-HG10	Gloss White	1524	22.8
452469	2080-HG31	Gloss Storm Grey	1524	22.8
452470	2080-HG77	Gloss Sky Blue	1524	22.8
452472	2080-HG13	Gloss Hot Rod Red	1524	22.8
452534	2080-HG378	Gloss Blue Raspberry	1524	22.8
452535	2080-HG336	Gloss Green Envy	1524	22.8
452537	2080-HG15	Gloss Bright Yellow	1524	22.8
452538	2080-HG14	Gloss Burnt Orange	1524	22.8
452655	2080-HG61	Gloss Nardo Grey	1524	22.8
452656	2080-HG73	Gloss Ruby Rosso	1524	22.8
452657	2080-HG36	Gloss Mantis Green	1524	22.8
452658	2080-HG81	Gloss Meteor Grey	1524	22.8
452539	2080-HG120	Gloss White Aluminium	1524	22.8
452536	2080-HG212	Gloss Black Metallic	1524	22.8
452533	2080-HGP278	Gloss Flip Deep Space	1524	22.8

### 3M™ Crystalline

#### AUTOMOTIVE SERIES



- 3M Automotive Window Film Crystalline Series rejects more heat than many dark films without changing the appearance of your vehicle, making it the superior choice for comfort
- Available in several VLT's (20%, 40%, 50%, 60%, 70% & 90%\*)
- The Crystalline Series is designed to enhance your view by allowing visible light into your vehicle while keeping heat out, so you can see clearly and safely
- The Crystalline Series reduces up to 77% of the glare from blinding sunlight, allowing you to see better and concentrate more on driving
- Rejection of up to 62% of the total solar energy and up to 97% of the heat-producing infrared rays gives you the ultimate in comfort
- The Crystalline Series features a proprietary, multilayer optical film nano-technology that combines over 200 layers in a film that is thinner than a Post-it Note
- The Crystalline Series is a non-metallized window film that won't interfere with mobile devices, GPS or satellite radio reception
- Blocking up to 99% of ultraviolet (UV) light



Material	Material Description	Width (mm)	Length (lm)
400732	3M Crystalline 20	914	30.4
400733	3M Crystalline 20	1524	30.4
400734	3M Crystalline 40	914	30.4
400735	3M Crystalline 40	1524	30.4
400736	3M Crystalline 50	914	30.4
400737	3M Crystalline 50	1524	30.4
400738	3M Crystalline 60	914	30.4
400739	3M Crystalline 60	1524	30.4
400740	3M Crystalline 70	914	30.4
400741	3M Crystalline 70	1524	30.4
400742	3M Crystalline 90	914	30.4
400743	3M Crystalline 90	1524	30.4

### 3M™ Ceramic IR

#### AUTOMOTIVE SERIES



- The Ceramic IR Series provides great infrared heat rejection due to the absorptive nano-ceramic technology. Rejecting up to 63% of total solar energy and up to 95% of infrared rejection for optimal thermal comfort and reducing the feel of sun on your skin
- The Ceramic IR Series is developed with a metal-free design that won't interfere with electronics, GPS, satellite radio or mobile devices, including 5G
- The Ceramic IR series reduces up to 93% of the glare from blinding sunlight with low visible light reflectivity and no mirror-like appearance to disrupt your view out
- Modifying a vehicle with illegally dark windows renders that vehicle unroadworthy. Please contact your local state government regarding tinting laws




Material	Material Description	Width (mm)	Length (lm)
451788	3M Ceramic IR 05	1524	30.4
451785	3M Ceramic IR 15	1524	30.4
451786	3M Ceramic IR 25	1524	30.4
451898	3M Ceramic IR 30	1524	30.4
451787	3M Ceramic IR 35	1524	30.4
451789	3M Ceramic IR 50	1524	30.4
451790	3M Ceramic IR 70	1524	30.4

## 3M™ Colour Stable

## AUTOMOTIVE SERIES



- 3M Automotive Window Film Colour Stable series film appearance rivals tinted factory glass, never turns purple, and provides high heat rejection with no signal interference
- Available in 4 VLT's (5%, 20%, 35% & 50%)
- The Colour Stable Auto film Series is a non-metallized window film that won't interfere with mobile devices, GPS or satellite radio reception
- Comprehensive Auto Warranty from 3M (Limited Lifetime for original owner)
- 3M's revolutionary nano-carbon polyester provides an incredible look and amazing colour stability Rejects up to 57% of the heat coming through your windows
- The Colour Stable Auto film series can be used for Glare reduction in Flat Glass installation
- Blocking up to 99% of ultraviolet (UV) light
- Modifying a vehicle with illegally dark windows renders that vehicle unroadworthy. Please contact your local state government regarding tinting laws




Material	Material Description	Width (mm)	Length (lm)
400746	3M CS20	508	30.4
400747	3M CS20	1016	30.4
400748	3M CS20	1524	30.4
400749	3M CS35	508	30.4
400750	3M CS35	1016	30.4
400751	3M CS35	1524	30.4
400744	3M CS5	1016	30.4
400745	3M CS5	1524	30.4
400752	3M CS50	1016	30.4
400753	3M CS50	1524	30.4

## 3M™ Obsidian

## AUTOMOTIVE SERIES



- 3M Automotive and Flat Glass Black Chrome series incorporates an all metal technology with a classic reflective appearance to keep you cool and protected from the sun's heat and ultraviolet rays
- The Black Chrome BC40 rejects up to 47% of the total solar energy coming through your windows, providing a 'cool effect' in more ways than one
- Blocking up to 99% of ultraviolet (UV) light
- While an Auto Film series only the BC40 (40% VLT) is Legal for Auto in Australia. All Black Chrome Film VLT's (10%, 20%, 35% & 40%) can be used for Flat glass installations
- Because Black Chrome utilizes an all metal film construction, these films retain their integrity and never fade to purple. 3M guarantee it!
- Comprehensive warranty from 3M (10 years Commercial & Limited Lifetime for original owner)
- Modifying a vehicle with illegally dark windows renders that vehicle unroadworthy. Please contact your local state government regarding tinting laws



Material	Material Description	Width (mm)	Length (lm)
451750	3M Obsidian 05	1524	30.4
451751	3M Obsidian 15	1524	30.4
400789	3M Obsidian 25	1524	30.4
400790	3M Obsidian 30	1524	30.4
400791	3M Obsidian 35	1524	30.4
451752	3M Obsidian 50	1524	30.4
400792	3M Obsidian 70	1524	30.4

### 3M™ PPF 100 Series



- Self-healing technology to remove minor scratches or marks with heat applied to the film surface
- High Gloss with Optimised adhesive for easier installation allowing repositioning, minimizing lift lines and adhesive marks
- 7-year warranty backed by 3M



Material	Material Description	Colour	Width (mm)	Length (lm)
452376	3M PPF 100 Series	Gloss Clear	1524	15
452377	3M PPF 100 Series	Gloss Clear	610	30

### 3M™ PPF 150 Series



- 150 Series – Designed to protect automotive paint and other vulnerable surfaces of the vehicle from stone chips, scratches, bug damage, road tar, stains, automotive fluid stains, and punishing outdoor
- Exceptional clarity with lower orange peel to help maintain the brilliance of the vehicle paint
- Optimized adhesive for repositioning, minimizing lift lines and adhesive marks
- Virtually invisible protection
- High stain resistance for a low maintenance finish to repel against water and dirt
- Highly flexible construction easily stretches over difficult contours and conforms into deep recesses
- Self-healing technology allows minor scratches to disappear with heat applied to the film surface
- 10-year consumer warranty backed by 3M



Material	Material Description	Colour	Width (mm)	Length (lm)
401035	3M PPF 150 Series	Gloss Clear	1524	15

### 3M™ PPF 200 Series



- Self-healing technology to remove minor scratches or marks with heat applied to the film surface
- High Gloss with excellent clarity and smooth top surface with optimized adhesive for repositioning and to minimize lift lines and adhesive marks
- 10-year warranty backed by 3M



Material	Material Description	Colour	Width (mm)	Length (lm)
452374	3M PPF 200 Series	Gloss Clear	1524	15
452524	3M PPF 200 Series	Matt Clear	1524	15
452373	3M PPF 200 Series	Gloss Clear	1830	15
452523	3M PPF 200 Series	Matt Clear	1830	15
452375	3M PPF 200 Series	Gloss Clear	610	30
452525	3M PPF 200 Series	Matt Clear	610	30

## 3M™ Knifeless Design Line Tape



- Excellent for creating designs and stripes with no extra steps required to achieve a perfect cut
- Allows stretching, follows contours and turns easily in any direction
- Not to be used for wrapping

Material	Material Description	Width (mm)	Length (m)
168984	3M Knifeless Design Line Tape	4	50

## 3M™ Knifeless Finish Line Tape



- 3.5mm wide tape
- Conformable around bumpers, door handles, mirrors, etc
- Use for most wrap applications

Material	Material Description	Width (mm)	Length (m)
168986	3M Knifeless Finish Line Tape	3.5	50

## 3M™ Knifeless Precision Line Tape





- Excellent for creating designs and stripes with no extra steps required to achieve a perfect cut
- Designed to be used with Paint Protection Films
- 5mm wide tape

Material	Material Description	Width (mm)	Length (m)
168986	3M Knifeless Precision Line Tape	5	50

# Transit Applications

1. 3M™ Diamond Grade™ Reflective 4000 Series Class 1100 (page 151)  
3M™ Diamond Grade™ Reflective 3930 Series Class 400 (page 151)
2. 3M™ Wrap Film Series 2080 (page 121)  
3M™ IJ280 Print Wrap Film (page 20)  
GF 230 AutoMark® (page 27)
3. 3M™ 780mC Reflective Print Wrap Film (page 150)  
3M™ IJ680CR (page 150)
4. 3M™ Diamond Grade™ Reflective 983 Series (page 153)
5. GF WindowMark® (page 117)  
Contravision (page 117)
6. 3M™ PPF Pro Series (page 128)
7. 3M™ Ceramic IR (page 126)





ORDER YOUR FAVOURITE PRODUCTS ONLINE  
1300 132 644 | [spicers.com.au](https://spicers.com.au) | [@spicersaus](https://twitter.com/spicersaus)



**Spicers** 



Cut Colour  
Vinyl



Our extensive range is one of the best in the business,  
and we have grades to suit a huge variety of applications.

**ORDER YOUR FAVOURITE PRODUCTS ONLINE**  
1300 132 644 | [spicers.com.au](http://spicers.com.au) | [@spicersaus](https://twitter.com/spicersaus)



### 3M™ 180mC Series

#### PREMIUM CUT SAV



- Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning
- Conforms to flat surfaces, with & without rivets, simple curves, compound curves & corrugations
- Indoor and outdoor graphics and signs, including point-of-purchase and displays
- Transparent film color 114 can be used for two-way emblems for windows, except on buses or other vehicles
- Features non-visible air release channels for fast and easy, bubble-free graphic installations
- Expected Performance Life of 8 years (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)
- Commercial vehicles, straight trucks, buses, rails cars, semi-trucks and semi-trailers, emblems or striping



Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
450635	180mC-31	Medium Grey	1220	45.7
450736	180mC-229	Copper Metallic	1220	45.7
451053	180mC-10	White	1220	45.7
451055	180mC-11	Pearl Grey	1220	45.7
451056	180mC-12	Black	1220	45.7
451057	180mC-13	Tomato Red	1220	45.7
451058	180mC-14	Bright Orange	1220	45.7
451059	180mC-15	Bright Yellow	1220	45.7
451060	180mC-16	Khaki Green	1220	45.7
451061	180mC-17	Vivid Blue	1220	45.7
451062	180mC-19	Deep Mahogany Brown	1220	45.7
451063	180mC-20	Matt White	1220	45.7
451064	180mC-22	Matt Black	1220	45.7
451065	180mC-23	Deep Red	1220	45.7
451066	180mC-24	Terra Cotta	1220	45.7
451067	180mC-25	Sunflower	1220	45.7
451068	180mC-27	Indigo	1220	45.7
451069	180mC-29	Russet Brown	1220	45.7
451070	180mC-37	Sapphire Blue	1220	45.7
451071	180mC-38	Royal Purple	1220	45.7
451072	180mC-39	Tan	1220	45.7
451073	180mC-41	Dark Grey	1220	45.7
451074	180mC-46	Kelly Green	1220	45.7
451075	180mC-47	Gloss Intense Blue	1220	45.7
451076	180mC-48	Purple	1220	45.7
451077	180mC-49	Beige	1220	45.7
451078	180mC-53	Cardinal Red	1220	45.7
451079	180mC-54	Light Orange	1220	45.7
451080	180mC-56	Dark Green	1220	45.7
451081	180mC-57	Olympic Blue	1220	45.7
451083	180mC-58	Burgundy	1220	45.7
451084	180mC-59	Putty	1220	45.7
451085	180mC-61	Mid Grey	1220	45.7

\*Confirm with 3M as each specific colour durability may differ.

Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
451086	180mC-63	Geranium	1220	45.7
451087	180mC-64	Apricot	1220	45.7
451088	180mC-65	Light Lemon Yellow	1220	45.7
451089	180mC-66	Forest Green	1220	45.7
451090	180mC-69	Duranodic	1220	45.7
451091	180mC-74	Red Orange	1220	45.7
451092	180mC-77	Peacock Blue	1220	45.7
451093	180mC-78	Plum	1220	45.7
451094	180mC-81	Stone Grey	1220	45.7
451095	180mC-86	Robin Egg Blue	1220	45.7
451097	180mC-89	Sandstone	1220	45.7
451098	180mC-90	Antique White	1220	45.7
451099	180mC-91	Dove Grey	1220	45.7
451100	180mC-93	Imperial Red	1220	45.7
451101	180mC-96	Teal	1220	45.7
451102	180mC-97	Soft Blue	1220	45.7
451103	180mC-98	Dark Violet	1220	45.7
451104	180mC-99	Fawn	1220	45.7
451105	180mC-101	Nimbus Grey	1220	45.7
451106	180mC-103	Magenta	1220	45.7
451107	180mC-105	Harvest Gold	1220	45.7
451108	180mC-107	Light Blue	1220	45.7
451109	180mC-117	Persian Blue	1220	45.7
451110	180mC-120	Satin Aluminium	1220	45.7
451111	180mC-121	Light Grey	1220	45.7
451112	180mC-127	Boat Blue	1220	45.7
451113	180mC-131	Satin Gold	1220	45.7
451114	180mC-136	Lime Green	1220	45.7
451115	180mC-151	Traffic Grey	1220	45.7
451116	180mC-177	Shadow Blue	1220	45.7
451117	180mC-186	Bright Green	1220	45.7
451118	180mC-187	Wedgewood Blue	1220	45.7
451119	180mC-196	Apple Green	1220	45.7
451120	180mC-197	Light Navy	1220	45.7
451121	180mC-201	Slate Metallic	1220	45.7
451122	180mC-211	Charcoal Metallic	1220	45.7
451123	180mC-217	Dark Blue Metallic	1220	45.7
451124	180mC-227	Bright Blue Metallic	1220	45.7
451125	180mC-239	Chocolate Brown Metallic	1220	45.7
451126	180mC-241	Gold Metallic	1220	45.7

## 3M™ Opaque Graphic Films

3M™ Scotchcal™ ElectroCut™ Graphic Film Series 7725

3M™ Controltac™ Graphic Film and Comply™ Adhesive Series 180mC

	Light Lemon Yellow 65		Atomic Red 293		Royal Purple 38		Olympic Blue 57 PANTONE® 7461C
	Bright Yellow 15 PANTONE® 109C		Perfect Match Red 263 PANTONE® 186C		Plum 78 PANTONE® 525C		Persian Blue 117
	Sunflower 25 PANTONE® 1235C		Geranium 63		Purple 48		Intense Blue 47 PANTONE® 301C
	Harvest Gold 105 PANTONE® 7510C		Imperial Red 93		Indigo 27 PANTONE® 2767C		Vivid Blue 17
	Apricot 64		Cardinal Red 53		Boat Blue 127		Sapphire Blue 37 PANTONE® 2747C
	Light Orange 54		Deep Red 23		Wedgewood Blue 187		Dark Blue 397
	Bright Orange 14 PANTONE® 021C		Burgundy 58		Robin Egg Blue 86		Light Navy 197 PANTONE® 289C
	Terra Cotta 24		Magenta 103 PANTONE® 205C		Peacock Blue 77 PANTONE® 298C		Shadow Blue 177
	Red Orange 74		Process Magenta 273 PANTONE® 214C		Soft Blue 97		Dark Aqua 307
	Tomato Red13 PANTONE® 1795C		Dark Violet 98		Light Blue 107		Teal 96 PANTONE® 322C

### Can't find your colour?

Allow us to custom match your colour. Contact your local Spicers sales representative and find out how easy it is to get the finest quality film in a colour you want.

### Other product series

Many colours are available in other product series. Please reference your price pages or contact Spicers for availability. Minimum order quantities may apply. Some of these products are a simulation of the closest PANTONE® - identified colour standard. Consult current PANTONE® publications for accurate colour. PANTONE® and other PANTONE® trademarks are the property of PANTONE® LLC. © All rights reserved.

† Please ensure compliance with all applicable laws and regulations. Restrictions on chrome wraps may vary by jurisdiction. You accept responsibility for legal and regulatory compliance and for any liability arising from your use of chrome wrap.

Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
451127	180mC-243	Steampunk Red Metallic	1220	45.7
451128	180mC-247	Petroleum Blue Metallic	1220	45.7
451129	180mC-249	Champagne Metallic	1220	45.7
451131	180mC-263	Perfect Match Red	1220	45.7
451132	180mC-273	Process Magenta	1220	45.7
451133	180mC-276	Bottle Green	1220	45.7
451134	180mC-293	Atomic Red	1220	45.7
451135	180mC-307	Dark Aqua	1220	45.7
451136	180mC-357	Bermuda Blue	1220	45.7
451137	180mC-397	Dark Blue	1220	45.7
451054	180mC-10	White	610	45.7
451146	180mC-20	Matt White	610	45.7
451139	180mC-12	Black	610	45.7
451147	180mC-22	Matt Black	610	45.7

## 3M™ 7725 Series

### PREMIUM CUT SAV



- High gloss, premium cast vinyl with clear permanent adhesive and transparent synthetic liner
- Superior cutting as small as 0.25 inch (0.64 cm) and weeding
- For electronic cutting, thermal transfer printing and screen printing
- Lays flat for easier assembly of multi-color graphics
- For flat rigid or simple curved surfaces
- Up to 8 years unprinted vertical durability



Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
400003	7725-10	White	1220	45.7
400031	7725-186	Bright Green	1220	45.7
400032	7725-196	Satin Apple Green	1220	45.7
400033	7725-63	Geranium	1220	45.7
400034	7725-58	Burgundy	1220	45.7
400035	7725-57	Olympic Blue	1220	45.7
400036	7725-56	Dark Green	1220	45.7
400037	7725-54	Light Orange	1220	45.7
400038	7725-53	Cardinal Red	1220	45.7
400039	7725-47	Gloss Intense Blue	1220	45.7
400040	7725-46	Kelly Green	1220	45.7
400041	7725-41	Dark Grey	1220	45.7
400042	7725-37	Sapphire Blue	1220	45.7
400043	7725-31	Medium Grey	1220	45.7
400044	7725-25	Sunflower Yellow	1220	45.7

\*Confirm with 3M as each specific colour durability may differ.

# Premium Colour Films

Cut Colour Vinyl



Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
400045	7725-14	Bright Orange	1220	45.7
400046	7725-131	Satin Gold	1220	45.7
400047	7725-13	Tomato Red	1220	45.7
400048	7725-120	Satin Aluminium	1220	45.7
400049	7725-20	Matt White	1220	45.7
400050	7725-12	Black	1220	45.7
400309	7725-23	Deep Red	1220	45.7
400867	7725-101	Nimbus Grey	1220	45.7
400868	7725-107	Light Blue	1220	45.7
400869	7725-117	Persian Blue	1220	45.7
400870	7725-121	Light Grey	1220	45.7
400871	7725-127	Boat Blue	1220	45.7
400872	7725-16	Khaki Green	1220	45.7
400874	7725-217	Dark Blue Metallic	1220	45.7
400875	7725-227	Bright Blue Metallic	1220	45.7
400876	7725-239	Chocolate Brown Metallic	1220	45.7
400877	7725-241	Gold Metallic	1220	45.7
400878	7725-243	Steampunk Red Metallic	1220	45.7
400879	7725-249	Champagne Metallic	1220	45.7
400880	7725-27	Indigo	1220	45.7
400881	7725-293	Atomic Red	1220	45.7
400882	7725-61	Mid Grey	1220	45.7
400883	7725-65	Light Lemon Yellow	1220	45.7
400884	7725-78	Plum	1220	45.7
400885	7725-81	Stone Grey	1220	45.7
400886	7725-91	Dove Grey	1220	45.7
400887	7725-93	Imperial Red	1220	45.7
400888	7725-97	Soft Blue	1220	45.7
450308	7725-197	Light Navy	1220	45.7
450325	7725-96	Teal	1220	45.7
450343	7725-11	Pearl Grey	1220	45.7
450345	7725-15	Bright Yellow	1220	45.7
450347	7725-17	Vivid Blue	1220	45.7
450349	7725-22	Matt Black	1220	45.7
450536	7725-27	Indigo	1220	45.7



Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
450625	7725-38	Royal Purple	1220	45.7
450626	7725-90	Antique White	1220	45.7
450651	7725-263	Perfect Match Red	1220	45.7
450652	7725-273	Process Magenta	1220	45.7
450742	7725-19	Deep Mahogany Brown	1220	45.7
450744	7725-29	Russet Brown	1220	45.7
450746	7725-39	Tan	1220	45.7
450750	7725-59	Putty	1220	45.7
450752	7725-89	Sandstone	1220	45.7
450754	7725-99	Fawn	1220	45.7
450756	7725-49	Beige	1220	45.7
450760	7725-103	Magenta	1220	45.7
450764	7725-24	Terra Cotta	1220	45.7
450766	7725-64	Apricot	1220	45.7
450768	7725-105	Harvest Gold	1220	45.7
450772	7725-276	Bottle Green	1220	45.7
450774	7725-66	Forest Green	1220	45.7
450778	7725-307	Dark Aqua	1220	45.7
450782	7725-77	Peacock Blue	1220	45.7
450784	7725-86	Robin Egg Blue	1220	45.7
450786	7725-187	Wedgewood Blue	1220	45.7
450788	7725-177	Shadow Blue	1220	45.7
450790	7725-48	Purple	1220	45.7
450792	7725-98	Dark Violet	1220	45.7
451559	7725-136	Lime Green	1220	45.7
451564	7725-397	Dark Blue	1220	45.7
451666	7725-151	Traffic Grey	1220	45.7
451742	7725-211	Charcoal Metallic	1220	45.7
451743	7725-201	Slate Metallic	1220	45.7
451280	7725-74	Red Orange	1220	45.7
450776	7725-357	Bermuda Blue	1220	45.7
400010	7725-12	Black	610	45.7
450350	7725-22	Matt Black	610	45.7
400011	7725-10	White	610	45.7
400012	7725-20	Matt White	610	45.7

\*Confirm with 3M as each specific colour durability may differ.

## 3M™ Scotchcal™ Film Series 50

	White SC50-10		Light Red SC50-44		Grass Green SC50-73		Sapphire Blue SC50-88
	Matte White SC50-100		Dark Red SC50-483		Bright Green SC50-745		Deep Navy Blue SC50-90
	Black SC50-12		Burgundy SC50-49		Medium Green SC50-76		Beige SC50-914
	Matte Black SC50-120		Gold SC50-54		Dark Green SC50-78		Brown SC50-92
	Lemon Yellow SC50-24		Silver SC50-58		Teal SC50-79		Light Gray SC50-94
	Sunflower SC50-27		Pink SC50-64		Light Blue SC50-82		Nimbus Gray SC50-97
	Burnt Orange SC50-34		Purple SC50-66		Azure Blue SC50-84		

### Can't find your colour?

Allow us to custom match your colour. Contact your local Spicers sales representative and find out how easy it is to get the finest quality film in a colour you want.

### Other product series

Many colours are available in other product series. Please reference your price pages or contact Spicers for availability. Minimum order quantities may apply. Some of these products are a simulation of the closest PANTONE® - identified colour standard. Consult current PANTONE® publications for accurate colour. PANTONE® and other PANTONE® trademarks are the property of PANTONE® LLC. © All rights reserved.

## 3M™ SC50 Series

## INTERMEDIATE CUT SAV



- High gloss, intermediate polymeric vinyl with clear removable adhesive (up to 3 years) & a kraft liner
- Clean, crisp cutting and weeding down to 9.5mm
- Up to 5 years unprinted vertical durability
- For general signage, logos emblems and lettering for vehicles and windows
- For flat rigid or simple curved surfaces
- Suitable for electro-cut and Screen printing



Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
400201	SC50-58	Aluminium	1220	45.7
400202	SC50-54	Gold	1220	45.7
400203	SC50-34	Bright Orange	1220	45.7
400204	SC50-84	Azure Blue	1220	45.7
400205	SC50-74	Green	1220	45.7
400206	SC50-465	Tomato Red	1220	45.7
400207	SC50-32	Orange	1220	45.7
400209	SC50-275	Sunflower Yellow	1220	45.7
400210	SC50-862	Vivid Blue	1220	45.7
400211	SC50-12	Black	1220	45.7
400212	SC50-100	Matt White	1220	45.7
400213	SC50-10	White	1220	45.7
400281	SC50-76	Medium Green	1220	45.7
400283	SC50-475	Medium Red	1220	45.7
400285	SC50-88	Sapphire Blue	1220	45.7
400287	SC50-97	Nimbus Grey	1220	45.7
450073	SC50-585	Anthracite	1220	45.7
450074	SC50-265	Yellow	1220	45.7
450079	SC50-834	Sky Blue	1220	45.7
450086	SC50-28	Apricot	1220	45.7
450263	SC50-82	Light Blue	1220	45.7
450265	SC50-73	Grass Green	1220	45.7
450274	SC50-120	Matt Black	1220	45.7
450277	SC50-96	Grey	1220	45.7
450289	SC50-24	Lemon Yellow	1220	45.7
450301	SC50-25	Bright Yellow	1220	45.7
450305	SC50-94	Light Grey	1220	45.7
450309	SC50-90	Deep Navy Blue	1220	45.7
450311	SC50-884	Marine Blue	1220	45.7
450351	SC50-93	Grey White	1220	45.7
450372	SC50-48	Red	1220	45.7

\*Confirm with 3M as each specific colour durability may differ.

# THE BEST

# APP

# FOR YOUR BUSINESS

Spicers

**Need an app that puts you on the right tack? RTape from Spicers has got you covered.**

With RLA® (Release Liner Adhesion), RTape's Conform® series is guaranteed not to stick together. RTape tears off clean and clear, so graphics lay flawlessly flat, with no sticky build-up. Available in a variety of tack levels, these products are ideal for all standard sign applications, and are also widely used for surface protection on printed graphics during transportation.

**So for the perfect peel-off, pick up a pack of RTape today.**



## BEST BITS

### Conform® Series with RLA

- Graphics stay neater and cleaner, even when rolled
- RLA adhesive protects against wrinkling, tunneling and edge curling
- Heavyweight standard paper
- Available in a variety of tack levels
- Removes easily following application
- No adhesion build on stored graphics
- Works in either wet or dry applications
- 4075RLA & 4076RLA

### ApliTape™

- Excellent premask for fleet graphic installations
- Ideal for large fleet graphics and applying graphics to vinyl banners
- Suitable for transferring small to medium sized graphics and large plotter cut letters
- Heavyweight standard paper
- Removes easily following application
- Available in a variety of tack levels
- Works in either wet or dry applications
- 4075 & 4076



Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
450374	SC50-72	Light Green	1220	45.7
450376	SC50-485	Dark Red	1220	45.7
450378	SC50-78	Dark Green	1220	45.7
450382	SC50-745	Bright Green	1220	45.7
450383	SC50-42	Bright Red	1220	45.7
450389	SC50-905	Insignia Blue	1220	45.7
450392	SC50-83	Pastel Blue	1220	45.7
400188	SC50-100	Matt White	610	45.7
400194	SC50-12	Black	610	45.7
400200	SC50-10	White	610	45.7
450275	SC50-120	Matt Black	610	45.7

\*Confirm with 3M as each specific colour durability may differ.

**3M** Science.  
Applied to Life.™

# 3M™ Scotchcal™ Translucent Graphic Film Series 3630

	Yellow 3630-15 PANTONE® 116 C		Burnt Orange 3630-124		Berry Burgundy 3630-328		Electric Blue 3630-27
	Marigold 3630-75 PANTONE® 7549 C		Light Tomato Red 3630-43		Intense Magenta 3630-118 PANTONE 241 C		Blue 3630-36 PANTONE® 281 C
	Sunflower 3630-25 PANTONE® 130 C		Poppy Red 3630-143 PANTONE® 485 C		Fuchsia 3630-38		Patriot Blue 3630-47
	Golden Yellow 3630-125		Scarlet 3630-163		Raspberry 3630-133 PANTONE 220 C		Sultan Blue 3630-157 PANTONE® 287 C
	Autumn Yellow 3630-235		Fire Engine Red 3630-93		Electric Pink 3630-98		Deep Sea Blue 3630-217
	Yellow Rose 3630-135		Red 3630-33 PANTONE® 1797 C		Vivid Rose 3630-78 PANTONE® 205 C		Azure 3630-227
	Poppy Orange 3630-144		Dark Red 3630-73 PANTONE® 7621 C		Plum Purple 3630-128 PANTONE® 525 C		Lt European Blue 3630-147 PANTONE® 7690 C
	Kumquat Orange 3730-74 PANTONE® 151		Cardinal Red 3630-53 PANTONE® 187 C		Bright Violet 3630-158		Olympic Blue 3630-57
	Tangerine 3630-84 PANTONE® 1575 C		Regal Red 3630-83		Indigo 3630-77		Process Blue 3630-337
	Orange 3630-44		Burundy 3630-49		Royal Blue 3630-87 PANTONE® 2745 C		Intense Blue 3630-127 PANTONE® 300 C

## Can't find your colour?

Allow us to custom match your colour. Contact your local Spicers sales representative and find out how easy it is to get the finest quality film in a colour you want.

## Other product series

Many colours are available in other product series. Please reference your price pages or contact Spicers for availability. Minimum order quantities may apply. Some of these products are a simulation of the closest PANTONE® - identified colour standard. Consult current PANTONE® publications for accurate colour. PANTONE® and other PANTONE® trademarks are the property of PANTONE® LLC. © All rights reserved.

## 3M™ 3630 Translucent

## LIGHT MANAGEMENT FILMS



- Translucent, matt premium cast vinyl, with a clear permanent adhesive and a translucent, synthetic lay-flat liner
- Available in over 50 crisp, clear colors (many with simulated PANTONE colour references)
- Suitable for use with fluorescent bulbs
- Suitable for screen printing, cut graphics and thermoforming
- Matt surface finish eliminates glare and provides uniform colour in reflected and transmitted light
- Perfect for long life window and backlit applications on flat surfaces
- Up to 9 years unprinted vertical durability



Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
400089	3630-22	Black	1220	45.7
400114	3630-106	Brilliant Green	1220	45.7
400113	3630-97	Bristol Blue	1220	45.7
400100	3630-53	Cardinal Red	1220	45.7
400106	3630-73	Dark Red	1220	45.7
400126	3630-137	European Blue	1220	45.7
400127	3630-141	Gold Nugget	1220	45.7
400118	3630-125	Golden Yellow	1220	45.7
400093	3630-26	Green	1220	45.7
400107	3630-74	Kumquat Orange	1220	45.7
400097	3630-44	Orange	1220	45.7
400121	3630-128	Plum Purple	1220	45.7
400128	3630-14	Poppy Red	1220	45.7
400094	3630-33	Red	1220	45.7
400117	3630-121	Silver	1220	45.7
400133	3630-157	Sultan Blue	1220	45.7
400096	3630-43	Tomato Red	1220	45.7
400135	3630-236	Turquoise	1220	45.7
400132	3630-156	Vivid Green	1220	45.7
400088	3630-20	White	1220	45.7
400091	3630-015	Yellow	1220	45.7

\*Confirm with 3M as each specific colour durability may differ.

## 3M™ 3635-20B/22B Blockout Film

### LIGHT MANAGEMENT FILMS



- Cast, matt, 100% opaque, white and black blockout self adhesive films
- 3635-22B (400481) is a black blockout film with white backing and a clear permanent adhesive
- May be printed with 3M Screen Printing Ink Series 1900
- 3635-20B (400480) is a white blockout film with black backing and a clear permanent adhesive
- Used to control light flow in internally illuminated signs
- Up to 5 years unprinted vertical durability



Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
400481	SAV 3635-22B MBBP	Matt Black	1220	45.7
400480	SAV 3635-20B MWBP	Matt White	1220	45.7

## 3M™ 3635-91 Day/Night Film

### LIGHT MANAGEMENT FILMS



- A matt, translucent, grey, cast film with a clear permanent adhesive
- Used in internally-illuminated signs to produce special effects
- Up to 4 years unprinted vertical durability
- Appears grey by day, and white by night when illuminated from behind
- Not suitable for printing



Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
400482	SAV 3635-91	Smoke Grey	1220	45.7

## 3M™ 3635-30/70 Diffuser Film

### LIGHT MANAGEMENT FILMS



- A cast, matt, white translucent film with clear permanent adhesive
- Suitable for Internally-illuminated signs with fluorescent lights
- Create custom lighting effects for backlit applications
- Up to 5 years unprinted vertical durability
- 2 transmission levels - 3635-30 (400485) allows for 30% light transmission & 3635-70 (400483) allows for 60% light transmission
- Control brightness and light distribution within light boxes without hotspots
- Not suitable for printing



Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
400485	SAV 3635-30	Diffuser White	1220	45.7
400483	SAV 3635-70	Diffuser White	1220	45.7

## 3M™ 3635-210/222 Dual Colour Films

## LIGHT MANAGEMENT FILMS



- Perforated cast film
- 3635-222 (400487) black matt perforated cast film with a clear permanent adhesive
- Dual-color perforation pattern lets background color/image display when backlit
- Suitable for Screen Printing and Solvent Inkjet Printing
- 3635-210 (400486) white matt perforated cast film with a white permanent adhesive
- Create the special effect of a color/image by day (non lighted) and a different color by night (backlit) – use with 3M Translucent films
- Perfect for backlit vertical displays, lettering and signage
- Up to 5 years unprinted vertical durability



Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
400487	SAV 3635-222	Matt Black	1220	45.7
400486	SAV 3635-210	Matt White	1220	45.7

## 3M™ 3635-110 Chrome Film

## LIGHT MANAGEMENT FILMS



- 3-mil translucent film that reflects light to produce a glossy chrome appearance in a finished graphic
- Made as first or second surface on any flat plastic sheet or graphics thermoformed on a high temperature copolyester sheet
- 17% Light Transmission
- Indoor and outdoor single film layer signs mounted in an internally-illuminated sign box
- Up to 9 years of outdoor durability



Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
451609	SAV 3635-110	Chrome	1220	45.7



Reflectives



Make the world a brighter place with 3M reflectives. Films suitable for traffic, commercial signage, stickers, labels and anywhere you need high visibility are covered by the range.

**ORDER YOUR FAVOURITE PRODUCTS ONLINE**  
1300 132 644 | [spicers.com.au](https://spicers.com.au) | [@spicersaus](https://twitter.com/spicersaus)



### 3M™ 680CR Series Reflective

#### 3M SIGNAGE REFLECTIVE



- Printable, enclosed lens reflective vinyl with a clear, removable Comply adhesive & PE coated kraft liner
- For vertical, flat, curved or corrugated surfaces, with or without rivets
- Up to 8 years unprinted vertical durability
- Comply adhesive for easy and fast bubble-free installations
- Similar daytime and nighttime appearance that retains most of its reflectivity when wet
- For use with overlaminates 8518, 8519 or 8993
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks.



Material	3M Colour Number	3M Colour Name	Class	Width (mm)	Length (m)
400234	IJ680CR-10	White	Retro-reflective	1220	45.7
400236	680CR-85	Black	Retro-reflective	1220	45.7
400238	680CR-72	Red	Retro-reflective	1220	45.7
400288	680CR-71	Yellow	Retro-reflective	1220	45.7
400415	680CR-14	Orange	Retro-reflective	1220	45.7
400417	680CR-75	Blue	Retro-reflective	1220	45.7
400420	680CR-81	Lemon Yellow	Retro-reflective	1220	45.7

### 3M™ 780mC Series Reflective

#### 3M SIGNAGE REFLECTIVE



- 6.6-mil, flexible, enclosed lens, retroreflective available in white only
- Excellent retroreflectivity at wider viewing angles
- Pressure-activated adhesive for easy sliding and tacking, snap-up and repositioning
- Flexible, conforms to compound curves, corrugations, and rivets
- Includes Comply Adhesive for fast, easy bubble-free installations
- Expected Performance Life of 9 years (unwarranted period for unprinted film with no graphic protection, applied to a flat, vertical, outdoor surface)
- For use with 3M overlaminates 8548G, 8550M & 8549L
- Print Compatibility: Eco-Solvent, Latex & UV Curable Inks.



Material	3M Colour Number	3M Colour Name	Class	Width (mm)	Length (m)
451265	780mC-10R	White	Retro-reflective	1220	45.7

### 3M™ 3310 Series Reflective

#### 3M SIGNAGE REFLECTIVE



- 3M High Intensity Flexible Prismatic Reflective Sheeting Series 3310 is intended for reflectorizing rigid or reboundable traffic control devices such as barricades, delineators, drums or channelizers.
- 3M Flexible Prismatic Reflective Sheeting Series 3310 is an impact resistant prismatic lens reflective sheeting precoated with pressure sensitive adhesive and exceeds the reflectivity values of EN 12899-1:2007 for Class RA2 materials.
- High intensity grade performance with attention-getting brightness that is easily applied conforms to virtually any curved surface for a flexible solution.



Material	3M Colour Number	3M Colour Name	Class	Width (mm)	Length (m)
451574	3310	White	Class 400T	1220	45.7
451817	3311	Yellow	Class 400T	1220	45.7

### 3M™ 3340 Series Reflective

#### 3M SIGNAGE REFLECTIVE



- 3M Flexible Prismatic Cone Sheeting Series 3340 is highly conformable and come with pre-coated, pressure sensitive adhesive designed for polyvinyl (PVC) traffic cone applications
- Attention-getting brightness with wide-angle reflectivity which gives cones full-width appearance at night
- Thin, durable and flexible, specially designed shapes with pressure sensitive adhesive apply quickly and easily, delivering superior performance and brightness throughout its life.



Material	3M Colour Number	3M Colour Name	Class	Width (mm)	Length (m)
199028	3340	White	Class 400T	1220	45.7

## 3M™ 3800 Series Reflective

3M SIGNAGE REFLECTIVE



- 3M Class 400T high intensity prismatic reflective with a clear permanent adhesive
- Specifically designed for reflective road work zone traffic signs & delineators
- Medium to high performance and visibility to alert drivers of upcoming road work zones
- For best performance use 3M Diamond Grade DG Fluorescent colours for extra visibility in daylight and twilight hours giving 24/7 visibility.



Material	3M Colour Number	3M Colour Name	Class	Width (mm)	Length (m)
450945	3830	White	Class 400T	1220	45.7
450946	3831	Yellow	Class 400T	1220	45.7

## 3M™ 3930 Series Reflective

3M SIGNAGE REFLECTIVE



- 3M Class 400 high intensity prismatic reflective with a clear permanent adhesive
- Specifically designed for reflective road work zone traffic signs & delineators
- Excellent for general traffic control signs in non-disadvantaged positions
- Meets AS/NZ 1906.1 Class 400.



Material	3M Colour Number	3M Colour Name	Class	Width (mm)	Length (m)
400008	3930	White	Class 400	1220	45.7
400009	3931	Yellow	Class 400	1220	45.7
451281	3932	Red	Class 400	1220	45.7
451282	3935	Blue	Class 400	1220	45.7

## 3M™ 4000 Series Reflective

3M SIGNAGE REFLECTIVE



- 3M Class 1100 high intensity prismatic reflective with a clear permanent adhesive
- Specifically designed for reflective road work zone traffic signs & delineators
- Ideal for high truck traffic, multi-lane roads or for disadvantaged signs. Or where there is high sign clutter/interference
- Exceptional performance in short, medium and long viewing distances with 3M Innovative full cube technology
- Meets the highest overall retroreflectivity requirements in AS/NZ 1906.1 Class 1100
- Optimal performance in the most challenging environments, where and when drivers need it most.



Material	3M Colour Number	3M Colour Name	Class	Width (mm)	Length (m)
400006	4081	Fluro Yellow	Class 1100	1220	45.7
400005	4083	Fluro Yellow Green	Class 1100	1220	45.7
400007	4084	Fluro Orange	Class 1100	1220	45.7
400004	4090	White	Class 1100	1220	45.7
400405	4091	Yellow	Class 1100	1220	45.7
451260	4092	Red	Class 1100	1220	45.7
450965	4095	Blue	Class 1100	1220	45.7
400404	4090	White	Class 1100	1220	45.7
450272	4081	Fluro Yellow	Class 1100	1220	45.7
400401	4083	Fluro Yellow Green	Class 1100	1220	45.7
400406	4091	Yellow	Class 1100	1220	45.7
400404	4090	White	Class 1100	610	45.7
450272	4081	Fluro Yellow	Class 1100	610	45.7
400401	4083	Fluro Yellow Green	Class 1100	610	45.7
400406	4091	Yellow	Class 1100	610	45.7

## 3M™ 7600 Series Reflective

### 3M SIGNAGE REFLECTIVE



- Low level reflective sheeting used where sign information is of low importance
- Best usage: Parking signs and commercial applications
- Print Compatibility: Screen & UV Curable Inks.



Material	3M Colour Number	3M Colour Name	Class	Width(mm)	Length (m)
451876	7610	White	Class 100	1220	45.7

## 3M™ 7300 Series Reflective

### 3M SIGNAGE REFLECTIVE



- 3M Advanced Flexible Engineer Grade Reflective Sheeting Series 7300
- 3M Micro-seal technology employs micro-scale targeted sealing, creating a sheeting with a more uniform, white appearance and superior handling attributes
- Prismatic optics provide greater retroreflective efficiency
- Durability: up to 7 years
- Print Compatibility: Eco-Solvent, Latex, Screen & UV Curable Inks.



Material	3M Colour Number	3M Colour Name	Class	Width (mm)	Length (m)
451875	7310	White	Flexible Engineer Grade	1220	45.7
452527	7311	Yellow	Flexible Engineer Grade	1220	45.7

## 3M™ 610 Series Reflective

### 3M SIGNAGE REFLECTIVE



- 3M™ Reflective Sheeting Series 610 is an enclosed lens sheeting with a clear pressure sensitive adhesive and easy release liner
- Series 610 sheeting has a standard liner and is commonly used for screen printed graphics
- Series 610 meets the Class 100 requirements
- 3M 610 Series is a pressure sensitive sheeting which should be applied at room temperature (15 oC or higher) using a mechanical squeeze roll applicator at moderate pressure.



Material	3M Colour Number	3M Colour Name	Class	Width (mm)	Length (m)
401038	610-10	White	Class 100	1220	45.7
401039	610-11	Yellow	Class 100	1220	45.7
401040	610-12	Red	Class 100	1220	45.7
401041	610-15	Blue	Class 100	1220	45.7

## 3M™ 4000 Series Reflective (NES)

### 3M SIGNAGE REFLECTIVE



- This is not the edge sealed product, and therefore does not come with the warranties associated with the ES product
- If you would like the warranted edge sealed product, please refer the Conspicuity range in your pricebook, or speak to your Spicers representative.



Material	3M Colour Number	3M Colour Name	Class	Width (mm)	Length (m)
451589	4084	Fluro Yellow/Green	Class 1100	100	45.7
451261	4092	Fluro Orange	Class 1100	50	45.7
451262	4092	Red	Class 1100	75	45.7
450865	4083	Red	Class 1100	50	45.7
400403	4083	Fluro Yellow Green	Class 1100	75	45.7
450977	4083	Fluro Yellow Green	Class 1100	100	45.7
451754	4083	Fluro Yellow Green	Class 1100	304	45.7

## 3M™ 1170 Transparent

## 3M SIGNAGE REFLECTIVE



- Transparent, acrylic, coloured film with permanent acrylic adhesive and transparent film release liner developed to provide optimal cutting, weeding, lifting, and transfer features when used with electronic cutting machines
- Used for applications over 3M Reflective Sheeting to produce durable sign backgrounds, copy, & logos
- Available in a range of colours.



Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
450513	1170 - 1170	Clear	1220	45.7
400077	1170 - 1171	Yellow	1220	45.7
400078	1170 - 1172	Red	1220	45.7
400079	1170 - 1175	Blue	1220	45.7
400080	1170 - 1176	Green	1220	45.7
400081	1170 - 1178	Black	1220	45.7
450816	1170 - 1179C	Brown	1220	45.7

## 3M™ 983 Series Tapes

## 3M REFLECTIVE TAPES



- Diamond Grade vehicle marking tapes for use on rigid sided vehicles, objects, machinery & equipment
- Edge sealed
- Sold as full rolls only
- Segmented tapes can be used to curve around more complex shapes, as an alternative to the 997 series
- Compliant to AS/NZS 1906.2 Class 1A.



Material	3M Colour Number	3M Colour Name	Width (mm)	Length (m)
192357	983-10	White	51	45.7
192134	983-10	White	51	15
195069	983-10	White	51	3
169188	983-71	Yellow	51	45.7
195071	983-71	Yellow	51	3
192361	983-21	Fluro Yellow Green	54	50
169265	983-23	Fluro Yellow Green	101	45.7
192131	983-23	Fluro Yellow Green	76	45.7
169033	983-23	Fluro Yellow Green	51	45.7
193813	983-23	Fluro Yellow Green	76	15
193195	983-23	Fluro Yellow Green	51	15
195070	983-23	Fluro Yellow Green	51	3
192358	983-72	Red	51	45.7
192132	983-72	Red	51	15
195072	983-72	Red	51	3
169259	983-10S	White	52	45.7
169260	983-72S	Red	52	45.7

# Reflectives

## 3M™ Scotchlite™ Removable Reflective Graphic Film with Comply™ Adhesive Series 680CR



White  
680CR-10  
PANTONE® 420 C



Yellow  
680CR-71



White  
780mC



Orange  
680CR-14  
PANTONE® 021 C



Red  
680CR-72



Black  
680CR-85,  
PANTONE® 426 C



Blue  
680CR-75

### Can't find your colour?

Allow us to custom match your colour. Contact your local Spicers sales representative and find out how easy it is to get the finest quality film in a colour you want.

### Other product series

Many colours are available in other product series. Please reference your price pages or contact Spicers for availability. Minimum order quantities may apply. Some of these products are a simulation of the closest PANTONE® - identified colour standard. Consult current PANTONE® publications for accurate colour. PANTONE® and other PANTONE® trademarks are the property of PANTONE® LLC.  
© All rights reserved.

## 3M™ ElectroCut™ 1170 Series



1171 Yellow



1175 Blue



1170 Clear



1172 Red



1176 Worboys Green



1179 Brown

## 3M™ High Intensity Prismatic Sheeting Series 3800



3830 - White



3831 - Yellow



3824 - Orange

## 3M™ High Intensity Prismatic Reflective Sheeting Series 3930



3930 White



3931 Yellow



3932 Red




3935 Blue



# Reflectives

## 3M™ Diamond Grade™ DG<sup>3</sup> Reflective Sheeting Series 4000



4090 White



4095 Blue



4091 Yellow



4092 Red



4084 Fluorescent Orange



4081 Fluorescent Yellow



4083 Fluorescent Yellow/Green



## 3M™ Diamond Grade™ VIP Reflective Sheeting Series 3990



3990 White



3981 Fluorescent Yellow



3991 Yellow



3983 Fluorescent Yellow Green



3995 Blue



3992 Red



## 3M™ Advanced Flexible Engineer Grade Reflective Sheeting Series 7600



7310 - White



7610 - White



**White**  
Product Code: 983-10



**Yellow**  
Product Code: 983-71



**Red**  
Product Code: 983-72



**Fluorescent Yellow/Green**  
Product Code: 983-23



Hardware, Ink  
& Consumables

Mimaki™RolandEPSON®  
EXCEED YOUR VISIONROLLSROLLER®  
— FLATBED APPLICATOR —neolt  
factory

Spicers holds a vast portfolio of wide format printing and finishing equipment. We are proud to see machinery from respected brands such as Mimaki™, Roland, Epson®, RollsRoller and Neolt. Spicers also stock OEM ink and toner for a vast range of digital wide and grand format printers as part of our offering.

ORDER YOUR FAVOURITE PRODUCTS ONLINE  
1300 132 644 | [spicers.com.au](https://spicers.com.au) | [@spicersaus](https://twitter.com/spicersaus)

Spicers

## Roland S-PG2 Ink

DTF



Material	Material Description	Colour	Volume (ml)
163448	Roland S-PG2 Ink	Cyan	500
163449	Roland S-PG2 Ink	Magenta	500
163450	Roland S-PG2 Ink	Yellow	500
163447	Roland S-PG2 Ink	Black	500
163451	Roland S-PG2 Ink	White	500

## Roland EUV5-5 Ink

UV



Material	Material Description	Colour	Volume (ml)
198655	Roland EUV5-5 Ink	Cyan	500
198656	Roland EUV5-5 Ink	Magenta	500
198658	Roland EUV5-5 Ink	Yellow	500
198657	Roland EUV5-5 Ink	Black	500
198665	Roland EUV5-5 Ink	Clear	500
198659	Roland EUV5-5 Ink	White	220
198660	Roland EUV5-5 Ink	Orange	500
198661	Roland EUV5-5 Ink	Red	500
198666	Roland EUV5-5 Ink	Primer	500

## Roland EUV5-2 Ink

UV



Material	Material Description	Colour	Volume (ml)
177512	Roland EUV5-2 Ink	Yellow	220
177513	Roland EUV5-2 Ink	Black	220
177511	Roland EUV5-2 Ink	Magenta	220
177514	Roland EUV5-2 Ink	Primer	220
177510	Roland EUV5-2 Ink	Cyan	220

## Roland EUV5-7 Ink

UV



Material	Material Description	Colour	Volume (ml)
175412	Roland EUV5-7 Ink	Cyan	750
175413	Roland EUV5-7 Ink	Magenta	750
175414	Roland EUV5-7 Ink	Yellow	750
175415	Roland EUV5-7 Ink	Black	750
175416	Roland EUV5-7 Ink	Clear	750
175418	Roland EUV5-7 Ink	White	750
175419	Roland EUV5-7 Ink	Orange	750
175420	Roland EUV5-7 Ink	Red	750
175417	Roland EUV5-7 Ink	Primer	750

## Roland EUV4 Ink

UV



Material	Material Description	Colour	Volume (ml)
170656	Roland EUV4 Ink	Cyan	220
170657	Roland EUV4 Ink	Magenta	220
170658	Roland EUV4 Ink	Yellow	220
170655	Roland EUV4 Ink	Black	220
195176	Roland EUV4 Ink	White	220
170659	Roland EUV4 Ink	Clear	220
195319	Roland EUV4 Ink	Black	500
195320	Roland EUV4 Ink	Cyan	500
195321	Roland EUV4 Ink	Magenta	500
195321	Roland EUV4 Ink	Yellow	500
195323	Roland EUV4 Ink	Gloss	500

## Roland TrueVIS TH Ink

SOLVENT



Material	Material Description	Colour	Volume (ml)
163454	Roland TrueVIS TH Ink	Cyan	500
163456	Roland TrueVIS TH Ink	Magenta	500
163458	Roland TrueVIS TH Ink	Yellow	500
163455	Roland TrueVIS TH Ink	Black	500
163457	Roland TrueVIS TH Ink	Light Black	500
163459	Roland TrueVIS TH Ink	Orange	500
163460	Roland TrueVIS TH Ink	Red	500
163461	Roland TrueVIS TH Ink	Green	500

## Roland Eco Sol Max V2 Ink

SOLVENT



Material	Material Description	Colour	Volume (ml)
170495	Roland Eco Sol Max V2 Ink	White	220
170487	Roland Eco Sol Max V2 Ink	Black	440
170488	Roland Eco Sol Max V2 Ink	Cyan	440
170493	Roland Eco Sol Max V2 Ink	Light Black	440
170489	Roland Eco Sol Max V2 Ink	Light Cyan	440
170490	Roland Eco Sol Max V2 Ink	Light Magenta	440
170491	Roland Eco Sol Max V2 Ink	Magenta	440
170492	Roland Eco Sol Max V2 Ink	Yellow	440

## Roland Eco Sol Max Ink

SOLVENT



Material	Material Description	Colour	Volume (ml)
170481	Roland Eco Sol Max Ink	Black	440
170482	Roland Eco Sol Max Ink	Cyan	440
170483	Roland Eco Sol Max Ink	Light Cyan	440
170484	Roland Eco Sol Max Ink	Light Magenta	440
170485	Roland Eco Sol Max Ink	Magenta	440
170486	Roland Eco Sol Max Ink	Yellow	440

## Roland TrueVIS TR3 Ink

SOLVENT



Material	Material Description	Colour	Volume (ml)
179306	Roland TrueVIS TR3 Ink	White	220
179307	Roland TrueVIS TR3 Ink	Cyan	500
179308	Roland TrueVIS TR3 Ink	Magenta	500
179309	Roland TrueVIS TR3 Ink	Yellow	500
179310	Roland TrueVIS TR3 Ink	Black	500
179311	Roland TrueVIS TR3 Ink	Light Cyan	500
179312	Roland TrueVIS TR3 Ink	Light Magenta	500
179313	Roland TrueVIS TR3 Ink	Light Black	500
179314	Roland TrueVIS TR3 Ink	Orange	500
179315	Roland TrueVIS TR3 Ink	Green	500

## Roland TrueVIS TR2 Ink

SOLVENT



Material	Material Description	Colour	Volume (ml)
196664	Roland TrueVIS TR2 Ink	White	250
196666	Roland TrueVIS TR2 Ink	Black	500
196672	Roland TrueVIS TR2 Ink	Cyan	500
197548	Roland TrueVIS TR2 Ink	Green	500
196673	Roland TrueVIS TR2 Ink	Light Black	500
196674	Roland TrueVIS TR2 Ink	Light Cyan	500
196675	Roland TrueVIS TR2 Ink	Light Magenta	500
196671	Roland TrueVIS TR2 Ink	Magenta	500
196764	Roland TrueVIS TR2 Ink	Orange	500
196665	Roland TrueVIS TR2 Ink	Yellow	500

## Roland EJ Ink

SOLVENT



Material	Material Description	Colour	Volume (ml)
170515	Roland EJ Ink	Black	1000
170516	Roland EJ Ink	Cyan	1000
170518	Roland EJ Ink	Light Black	1000
170517	Roland EJ Ink	Light Cyan	1000
170519	Roland EJ Ink	Light Magenta	1000
170520	Roland EJ Ink	Magenta	1000
170521	Roland EJ Ink	Yellow	1000

## Roland TA Ink

RESIN



Material	Material Description	Colour	Volume (ml)
174160	Roland TA Ink	Black	700
174161	Roland TA Ink	Optimiser	700
174157	Roland TA Ink	Cyan	700
174158	Roland TA Ink	Magenta	700
174159	Roland TA Ink	Yellow	700

## Mimaki™ CS200 Ink

SOLVENT



Material	Material Description	Colour	Volume (ml)
197968	Mimaki CS200 Ink	Yellow	2000
197969	Mimaki CS200 Ink	Black	2000
197967	Mimaki CS200 Ink	Magenta	2000
197966	Mimaki CS200 Ink	Cyan	2000

## Mimaki™ AS5 Ink

SOLVENT



Material	Material Description	Colour	Volume (ml)
173298	Mimaki AS5 Ink	Cyan	600
173300	Mimaki AS5 Ink	Magenta	600
173299	Mimaki AS5 Ink	Yellow	600
173297	Mimaki AS5 Ink	Black	600
173303	Mimaki AS5 Ink	Orange	600
173301	Mimaki AS5 Ink	Light Cyan	600
173304	Mimaki AS5 Ink	Light Black	600
173302	Mimaki AS5 Ink	Light Magenta	600
173307	Mimaki AS5 Ink	Yellow	2000
173305	Mimaki AS5 Ink	Black	2000
173308	Mimaki AS5 Ink	Magenta	2000
173311	Mimaki AS5 Ink	Orange	2000
173306	Mimaki AS5 Ink	Cyan	2000
173312	Mimaki AS5 Ink	Light Black	2000
173309	Mimaki AS5 Ink	Light Cyan	2000
173310	Mimaki AS5 Ink	Light Magenta	2000

## Mimaki™ SS22 Ink

SOLVENT



Material	Material Description	Colour	Volume (ml)
179203	Mimaki SS22 Ink	Cyan	440
179204	Mimaki SS22 Ink	Magenta	440
179205	Mimaki SS22 Ink	Yellow	440
179206	Mimaki SS22 Ink	Black	440
179210	Mimaki SS22 Ink	Orange	440
179207	Mimaki SS22 Ink	Light Cyan	440
179209	Mimaki SS22 Ink	Light Black	440
179208	Mimaki SS22 Ink	Light Magenta	440

## Mimaki™ SS21 Ink

SOLVENT



Material	Material Description	Colour	Volume (ml)
194244	Mimaki SS21 Ink	Silver	220
167918	Mimaki SS21 Ink	White	220
167922	Mimaki SS21 Ink	Black	440
167919	Mimaki SS21 Ink	Cyan	440
167926	Mimaki SS21 Ink	Light Black	440
167923	Mimaki SS21 Ink	Light Cyan	440
167924	Mimaki SS21 Ink	Light Magenta	440
167920	Mimaki SS21 Ink	Magenta	440
167925	Mimaki SS21 Ink	Orange	440
167921	Mimaki SS21 Ink	Yellow	440
171810	Mimaki SS21 Ink	Black	600
171811	Mimaki SS21 Ink	Cyan	600
171817	Mimaki SS21 Ink	Light Black	600
171812	Mimaki SS21 Ink	Light Cyan	600
171813	Mimaki SS21 Ink	Light Magenta	600
171816	Mimaki SS21 Ink	Magenta	600
171814	Mimaki SS21 Ink	Orange	600
171815	Mimaki SS21 Ink	Yellow	600
167930	Mimaki SS21 Ink	Black	2000
167927	Mimaki SS21 Ink	Cyan	2000
167934	Mimaki SS21 Ink	Light Black	2000
167931	Mimaki SS21 Ink	Light Cyan	2000
167932	Mimaki SS21 Ink	Light Magenta	2000
167928	Mimaki SS21 Ink	Magenta	2000
167933	Mimaki SS21 Ink	Orange	2000
167929	Mimaki SS21 Ink	Yellow	2000

## Mimaki™ BS4 Ink

SOLVENT



Material	Material Description	Colour	Volume (ml)
195667	Mimaki BS4 Ink	Yellow	2000
195665	Mimaki BS4 Ink	Black	2000
195668	Mimaki BS4 Ink	Magenta	2000
195666	Mimaki BS4 Ink	Cyan	2000

## Mimaki™ LUS-120 Ink

UV



Material	Material Description	Colour	Volume (ml)
193776	Mimaki LUS-120 Ink	Cyan	1000
193777	Mimaki LUS-120 Ink	Magenta	1000
193778	Mimaki LUS-120 Ink	Yellow	1000
193779	Mimaki LUS-120 Ink	Black	1000
194964	Mimaki LUS-120 Ink	Clear	1000
193782	Mimaki LUS-120 Ink	White	1000
193780	Mimaki LUS-120 Ink	Light Cyan	1000
193781	Mimaki LUS-120 Ink	Light Magenta	1000

## Mimaki™ LUS-150 Ink

UV



Material	Material Description	Colour	Volume (ml)
168514	Mimaki LUS-150 Ink	Black	1000
168511	Mimaki LUS-150 Ink	Cyan	1000
195783	Mimaki LUS-150 Ink	Light Cyan	1000
195782	Mimaki LUS-150 Ink	Light Magenta	1000
168512	Mimaki LUS-150 Ink	Magenta	1000
168515	Mimaki LUS-150 Ink	White	1000
168513	Mimaki LUS-150 Ink	Yellow	1000

## Mimaki™ LUS-170 Ink

UV



Material	Material Description	Colour	Volume (ml)
170754	Mimaki LUS-170 Ink	Black	1000
196459	Mimaki LUS-170 Ink	Clear	1000
170755	Mimaki LUS-170 Ink	Cyan	1000
195478	Mimaki LUS-170 Ink	Light Cyan	1000
195477	Mimaki LUS-170 Ink	Light Magenta	1000
170757	Mimaki LUS-170 Ink	Magenta	1000
195476	Mimaki LUS-170 Ink	White	1000
170756	Mimaki LUS-170 Ink	Yellow	1000

## Mimaki™ LUS-200 Ink

UV



Material	Material Description	Colour	Volume (ml)
169113	Mimaki LUS-200 Ink	Cyan	1000
169114	Mimaki LUS-200 Ink	Magenta	1000
169116	Mimaki LUS-200 Ink	Yellow	1000
169112	Mimaki LUS-200 Ink	Black	1000
169115	Mimaki LUS-200 Ink	White	1000

## Mimaki™ LH-100 Ink

UV



Material	Material Description	Colour	Volume (ml)
192978	Mimaki LH-100 Ink	Black	1000
192981	Mimaki LH-100 Ink	Clear	1000
192980	Mimaki LH-100 Ink	Cyan	1000
192979	Mimaki LH-100 Ink	Magenta	1000
192977	Mimaki LH-100 Ink	White	1000
192976	Mimaki LH-100 Ink	Yellow	1000

## Mimaki™ SB54 Ink

DYE SUBLIMATION



Material	Material Description	Colour	Volume (ml)
195088	Mimaki SB54 Ink	Blue	2000
195090	Mimaki SB54 Ink	Yellow	2000
195091	Mimaki SB54 Ink	Black	2000
195089	Mimaki SB54 Ink	Magenta	2000

## Mimaki™ SB411 Ink

DYE SUBLIMATION



Material	Material Description	Colour	Volume (ml)
195862	Mimaki SB411 Ink	Blue	2000
195859	Mimaki SB411 Ink	Yellow	2000
195861	Mimaki SB411 Ink	Black	2000
195857	Mimaki SB411 Ink	Light Blue	2000
195860	Mimaki SB411 Ink	Magenta	2000
195858	Mimaki SB411 Ink	Light Black	2000
195856	Mimaki SB411 Ink	Light Magenta	2000

## Mimaki™ SB420 Ink

DYE SUBLIMATION



Material	Material Description	Colour	Volume (ml)
173873	Mimaki SB420 Ink	Blue	2000
173878	Mimaki SB420 Ink	Yellow	2000
173872	Mimaki SB420 Ink	Black	2000
173877	Mimaki SB420 Ink	Magenta	2000

## Mimaki™ SB610 Ink

DYE SUBLIMATION



Material	Material Description	Colour	Volume (ml)
197346	Mimaki SB610 Ink	Blue	2000
197347	Mimaki SB610 Ink	Yellow	2000
197345	Mimaki SB610 Ink	Black	2000
197348	Mimaki SB610 Ink	Magenta	2000

## Mimaki™ TP400 Ink

PIGMENT



Material	Material Description	Colour	Volume (ml)
172989	Mimaki TP400 Ink	Blue	2000
172986	Mimaki TP400 Ink	Yellow	2000
172987	Mimaki TP400 Ink	Black	2000
172985	Mimaki TP400 Ink	Magenta	2000
172990	Mimaki TP400 Ink	Red	2000
172984	Mimaki TP400 Ink	Cyan	2000
172988	Mimaki TP400 Ink	Light Black	2000



# For all your Epson P-Series and T-Series Hardware and Consumables

Spicers are proud distributors of Epson Large Format Aqueous Printers and Consumables. Epson's Photo and Fine Art printers have long set the standard for colour and B&W image reproduction.

Epson inks are renowned for their superior Color Gamut and intense Blacks. Epson inks ensure that your image is always reproduced to the highest quality and with the archival rating you expect for your fine art prints. Epson's revolutionary ink technologies create consistent brilliance every time.

## Epson Wide Format Aqueous Inks

Epson UltraChrome HDR Ink

Epson UltraChrome Ink

Epson UltraChrome HD Ink

Epson UltraChrome XD Ink

Epson UltraChrome PRO12 Ink

Epson UltraChrome PRO Ink



Visit our website for a full range of Epson Wide Format Aqueous Inks.  
For enquiries please contact your local Spicers representative.

**1300 132 644 [spicers.com.au](http://spicers.com.au)**





# Hardware solutions for any application.

- POS, POP and retail
- External displays
- Vehicle graphics and traffic management
- Corporate signage
- Interior fit-out
- Industrial applications

For enquiries contact your local Spicer's representative.

1300 132 644  
[spicers.com.au](http://spicers.com.au)

Spicers hold a vast portfolio of wide format printing and finishing equipment.



**EPSON**  
EXCEED YOUR VISION



**Roland**



**Mimaki**



**ROLLSROLLER**  
FLATBED APPLICATOR



**neolt**  
factory



**MasterHeat**




**ALC** Australian Laminating Company



**Lamination**  
system


**Want to talk hardware?**


Scan the QR code and a Spicer's representative will be in touch.



# Indoor Applications

1. 3M™ 3630 (page 145)  
Rolight Backlit PET (page 59)  
Rocal 3 Year (page 32)
2. GF 201/203 HTAP (page 40)  
3M™ IJ39 (page 39)
3. Ace ICB (page 82)  
3M™ IJ35C (page 24)  
Skybond (page 77)  
Rocal 1 Year (page 33)
4. 3M™ 5525 (page 49, 112)  
3M™ Fasara (page 177)  
Rocal 3 Year (page 32)
5. GF 255 OptiMark (page 50, 113)  
3M™ IJ8150 (page 42,49,112)
6. 3M™ IJ35C (page 24)  
GF 201/203 HTAP (page 40)
7. 3M™ IJ39 (page 39)  
Rocal 5 Year (page 28)  
PhotoTex (page 47)  
GF RoughMark (page 48)  
3M™ DI-NOC™ Architectural Finishes  
(page 176)





**ORDER YOUR FAVOURITE PRODUCTS ONLINE**   
1300 132 644 | [spicers.com.au](https://spicers.com.au) | [@spicersaus](https://twitter.com/spicersaus)

**Spicers** 

# Pack and mix

INDUSTRIAL SUPPLIES AND PACKAGING

**Adhesive Tapes**  
**Cartons & Boxes**  
**Protective Packaging**  
**Pallet Wrapping**

**Spicers' industrial packaging supplies offer the adaptability and flexibility to meet your needs.**

At Spicers we deliver more than you think – a key part of our role is to make things easier for you. Our range of packaging consumables, provide effective, competitively priced solutions to meet a wide range of requirements.

What's more, they're easily added on when you place your regular order, making it one less thing for you to worry about.

**Customer Service**

1300 132 644



**Spicers** 

## Tapes

Material	Material Description	Colour	Width (mm)	Length (m)	Rolls / Packs / EA
450884	3M Adhesive Transfer Tape 467MP	Clear	300	55	1
451283	3M Adhesive Transfer Tape 467MP	Clear	1220	55	1
168984	3M Knifeless Design Line Tape	Green	4	50	1
168986	3M Knifeless Finish Line Tape	Green	4	50	1
193763	3M Knifeless Precision Line Tape	Green	5	50	1
450486	3M VHB Tape 4941 (Medium Energy)	Grey	24	33	1
450560	3M VHB Tape RP45	Grey	12	32.9	1
450061	Packaging Tape Acrylic	Clear	48	75	36
450109	Packaging Tape Natural Rubber	Brown	48	75	36
450108	Packaging Tape Natural Rubber	Clear	48	75	36
450911	Spicers Banner Tape	Clear	25	50	1
450912	Spicers Banner Tape	Clear	38	50	1

## Sealers

Material	Material Description	Size	Rolls / Packs / EA
168821	3M Edge Sealer 3950	236 ml	1
450041	3M Tape Primer 94	236 ml	1

## Adhesive

Material	Material Description	Size	Rolls / Packs / EA
450044	3M Spray Adhesive 76	515 g	12
450045	3M Spray Adhesive 77	467g	12
450046	3M Spray Adhesive80	539 g	6
167952	Grip & Grab	290 Litres	1

## Viponds Liquids


Material	Material Description	Size	Rolls / Packs / EA
169751	Viponds Dissol	5 Litres	1
169743	Viponds Prep Vinyl	20 Litres	1
169744	Viponds Prep Vinyl	4 Litres	1
169745	Viponds Prep Vinyl	1 Litre	1

# Complimentary products




**194554**

dtec RBS Premium Clip Silver



**194555**

dtec RBS Premium Clip Black



**194557**

dtec RBS Premium Tape Black



**194558**

dtec RBS Economy Silver  
(Also available in Black)




**197174**

dtec Super Economy Black

## BANNER STAND

Code	Description	Colour	Size
<b>194554</b>	dtec RBS Premium Clip	Silver	850mm x 2m
<b>194555</b>	dtec RBS Premium Clip	Black	850mm x 2m
<b>194557</b>	dtec RBS Premium Tape	Black	850mm x 2m
<b>194558</b>	dtec RBS Economy	Silver	850mm x 2m
<b>194559</b>	dtec RBS Economy	Black	850mm x 2m
<b>197174</b>	dtec Super Economy	Silver	850mm x 2m

**193838**  
A-Board Solid



**193841**  
A-Frame Open



## A-FRAME

Code	Description	Colour	Size
<b>193838</b>	A-Board Solid	Black	600 x 900mm
<b>193839</b>	A-Board Solid	Black	900 x 1200mm
<b>193840</b>	A-Board Solid	White	600 x 900mm
<b>193841</b>	A-Frame Open	Black	600 x 900mm



PLEASE CONTACT YOUR LOCAL SPICERS REPRESENTATIVE FOR ENQUIRIES.

1300 132 644 [spicers.com.au](http://spicers.com.au) @spicersaus Spicers Australia

## A-Frames

Material	Material Description	Colour	Width (mm)	Height (mm)	Rolls / Packs / EA
193838	dtec A-Frame Solid (Black Frame)	Black	600	900	1
193840	dtec A-Frame Solid (White Frame)	White	600	900	1
193839	dtec A-Frame Solid (Black Frame)	Black	900	1200	1
193841	dtec A-Frame Open (Black Frame)	Black	600	900	1

## Pull Up Stands

Material	Material Description	Colour	Width (mm)	Height (m)	Rolls / Packs / EA
194554	dtec RBS Premium Clip	Silver	850	2	1
194555	dtec RBS Premium Clip	Black	850	2	1
194557	dtec RBS Premium Clip	Black	850	2	1
194559	dtec RBS Economy	Black	850	2	1
194558	dtec RBS Economy	Silver	850	2	1
197174	dtec RBS Super Economy	Silver	850	2	1

## 3M™ Accessories

Material	Material Description	Colour	Width (mm)	Height (m)	Rolls / Packs / EA
169183	3M Gold Applicator	Gold	-	-	1
451264	3M Dual Lock SJ3560	Clear	24	45.7	1



**3M** DI-NOC™ Architectural  
Finishes

# Australian Collection 2025

We now bring to you the beauty of 120 finishes stocked in Australia by Spicers. A carefully selected collection that embodies the essence of the full range, to inspire your masterpiece.

SCAN HERE TO  
VIEW THE RANGE



Spicers 



# Glass Finishes

**3M™ FASARA™ Glass Finishes**

**3M™ DI-NOC™ Glass Finishes**

**3M™ Dichroic Glass Finishes**

**3M™ Crystal Dusted and Frosted Glass Finishes**

With over 100+ unique designs, patterns and textures, 3M™ Glass Finishes give you an easy way to add that extra element of design to your space.

SCAN HERE TO  
VIEW THE RANGE





# Window Films

**Solar Control, Safety and Security Films**

3M sets itself apart by producing quality window films that improve the energy performance, privacy and visual appearance of residential and commercial spaces.



SCAN HERE TO  
VIEW THE RANGE



Authorised Distributor

**Spicers** 



## Driving Innovation with Leading Brands

Partner with Spicers, the ultimate  
destination for innovative  
Visual Communication solutions.



**3M** Science.  
Applied to Life.™

**SKYBOND**™

**YUPO**®

**B-FLEX**  
HEAT TRANSFER VINYL

**Mimaki**

**GENERAL FORMULATIONS**

**ROCAL**  
self adhesive print media

**S-RACE**®

**Roland**

**ACE**

**ROLAM**  
laminare media

**ChromaLuxe**®

**EPSON**®  
EXCEED YOUR VISION

**Brett Martin**

**ROBAN**  
banner media

**Photo-Tex**™

**ROLLSROLLER**®  
FLATBED APPLICATOR

**Re-board**®  
TECHNOLOGY

**ROTEX**  
textiles

**BREATHING COLOR**

**neolt Factory**

**DIGISTAR**

**ROMAG**  
magnetic materials

**Hahnemühle**

**NESCHEN**

**PROMEG**

**RODURE**  
display films

**contrAvision**®

**rtape**

**ROLIGHT**  
backlit films

**BAUHAUS**  
MEDIA FOR CREATIVES

**Spicers**

**ORDER YOUR FAVOURITE PRODUCTS ONLINE**  
1300 132 644 | [spicers.com.au](http://spicers.com.au) | [@spicersaus](https://www.instagram.com/spicersaus)



# Creating solutions together.



For product queries please contact your Spicers representative directly, or your local branch from the list below.

---

**VIC**

155 Logis Boulevard  
Dandenong South VIC 3175

**T** (03) 9768 8400

**F** (03) 9768 8401

[info.vic@spicers.com.au](mailto:info.vic@spicers.com.au)

**NSW**

Unit 2/100 Lockwood Road  
Erskine Park NSW 2759

**T** (02) 9735 2666

**F** (02) 9735 2600

[salesnsw@spicers.com.au](mailto:salesnsw@spicers.com.au)

**QLD Brisbane**

75 Tradecoast Drive  
Eagle Farm QLD 4009

**T** (07) 3084 5200

**F** (07) 3084 5297

[info.qld@spicers.com.au](mailto:info.qld@spicers.com.au)

**QLD Townsville**

28A Casey Street  
Aitkenvale QLD 4818

**T** (07) 3084 5200

**F** (07) 3084 5297

[info.qld@spicers.com.au](mailto:info.qld@spicers.com.au)

**WA**

19 Milly Court  
Malaga WA 6090

**T** (08) 6310 4300

**F** (08) 9248 6515

[info.wa@spicers.com.au](mailto:info.wa@spicers.com.au)

**SA**

113 Ledger Road  
Beverley SA 5009

**T** (08) 8243 9393

**F** (08) 8243 9397

[info.sa@spicers.com.au](mailto:info.sa@spicers.com.au)

**NT**

57 Winnellie Road  
Winnellie NT 0820

**T** (08) 8947 0188

**F** (08) 8947 1366

[info.nt@spicers.com.au](mailto:info.nt@spicers.com.au)

**TAS**

4-8 Sunmont Street  
Derwent Park TAS 7009

**T** (03) 6272 5333

**F** (03) 6272 8103

[info.tas@spicers.com.au](mailto:info.tas@spicers.com.au)

---

Printed on Pacesetter Satin 250gsm Cover and Pacesetter Satin 113gsm Text - May 2025

---



1300 132 644 | [spicers.com.au](http://spicers.com.au) | [@spicersaus](https://www.instagram.com/spicersaus)