


BREAKING NEWS



strands[®]
-lighting division

STAY UPDATED

Subscribe to our newsletter to stay updated on Strands' latest product releases. Once a week you'll receive in-depth guides on vehicle lighting, special announcements, and essential information about exciting new products.



Subscribe to our newsletter to receive the latest news on vehicle lighting

CONNECT ON THE ROAD



XPERIENCE HELLO

Experience the power of instant communication with our revolutionary Hello function. With just a touch, transform your drive into a seamless dialogue with fellow road users. Effortlessly signal warnings, express courtesy, or greet others, day or night. Just flash your headlights twice and it will activate. Our Night-Friendly technology ensures your message shines through in any lighting condition.

From alerting others to potential hazards to acknowledging courteous drivers, Hello's Versatile Signaling adapts to every situation. Enhance your safety and that of others with clear, immediate communication. Simple, intuitive, and powerful – Hello puts you in control, making every journey safer and more connected. Elevate your driving experience with the future of road communication.

The Hello function is available in the Siberia XP range of driving lights and LED bars

REFINED DESIGN

The Ambassador driving light is one of the most loved Strands products, and with good reason. The clean lines, premium materials, and timeless design boost the looks of any truck. With high visibility, low weight, and low power consumption, it will tackle the darkest nights with ease. Thanks to a high IP rating and premium quality materials, the Ambassador is a long-lived product that will light the way for years. It's manufactured in Europe to minimize transport and, thus, environmental impact.

The Ambassador's stylish looks blend perfectly with any vehicle. There are three options available: clear lens (Part No. 2607270922), yellow lens (Part No. 2607270924), and dark reflector (Part No. 2607270925), so any driver can get a perfectly tailored look. All options have white and amber position lights and can be used with black or chrome rings around the lens.



FUNCTION WARRANTY THREE TO SIX YEARS

More than design, quality, and performance, we offer peace of mind. All products in the Strands Lighting Division range are covered by a unique function warranty, valid for 3 to 6 years. The warranty is unique on the market and covers faults related to manufacturing, materials, and assembly. Our goal is to improve service, increase customer satisfaction, and emphasize our brand's quality.



strands®
-lighting division


Prices for information purpose only, please visit our website for up-to-date prices.

YOUTUBE



TRUCK TOUR

Meeting different drivers and seeing all the passion that goes into creating each unique truck is a huge inspiration and pure joy. Every fair means an opportunity to see the multitude of ways you use Strands' products. If you're curious about some of the trucks and drivers we've met during different fairs over the years, take a look at the Truck Tour playlist. In each episode, we get to listen to a driver guiding us through the look and products of their truck.



Follow us
on YouTube

HOW TO

Want a deep dive into your favorite products? On our YouTube channel, you'll see the products up close and learn about their functions and installation. If you're wondering how to connect the wires, what the lighting patterns look like, or want a close-up of the design, these informative videos are the place to start.



INSTAGRAM



INSTAGRAM

Follow us on Instagram to participate in competitions, see our collaborations and follower content, and be the first to learn about exciting new product releases. We love to see all the creative ways you use your Strands products in action, so tag us @strandslightingdivision to be featured in our highlights section.



Follow us
on Instagram



strands
-lighting division


FREEDOM MAXIMUM POSITION 7" DRIVING LIGHT

✓ DARK POSITION LIGHT

This new take on position light technology will render it invisible against the black housing when not in use. When the amber glow of the position lights is activated, you'll be met with an eye-catching shape and design. It is E-approved both as forward and sideways position light.

Part No. 2607270933

€ 389,00 excl. VAT / € 470,69 incl. VAT
FREEDOM MAXIMUM POSITION 7"



✓ BRIGHTNESS AND PERSONALITY

The 10 000 lumens provide an exemplary brightness, and the color temperature of 5700 kelvins ensures powerful and easy-on-the-eye illumination. The optimized beam, which measures 1 Lux @ 311 meters, gives high visibility ahead. It will increase the visual range and draw attention to your vehicle.

Voltage	12-24V DC
Consumption	108 W
Theoretical lumen	10 800 lm
Actual lumen	10 000 lm
1 lux @	311
IP-class	IP69K
Color temperature	5700K
Beam pattern	Optimized beam
Position light	White and amber
Connection	Cable
Cable length	3000 mm
Material housing	Aluminium
Material lens	Polycarbonate
Diameter	179 mm
Depth	62 mm
Height including bracket	194 mm
Operating temperature	-40°C - +40°C
E-approved	ECE R148 (R7, R91), R149 (R112)
Ref	20
EMC-certificate	ECE R10




Use the QR code to check out the products.



FREEDOM MAXIMUM POSITION 9" DRIVING LIGHT

✓ FREEDOM, MADE IN EUROPE




Part No. 2607270935

€ 399,00 excl. VAT / € 482,79 incl. VAT

FREEDOM MAXIMUM POSITION 9"

✓ 13 400
ACTUAL LUMEN

A more than 400-meter range and 13 400 actual lumens make this optimized beam a powerful addition to your vehicle. It has a color temperature of 5700 kelvins and guarantees high visibility and range.



Voltage	12-24V DC
Consumption	113 W
Consumption	Front position 3,3W, Side marker 10W
Theoretical lumen	16 700 lm
Actual lumen	13 400 lm
1 lux @	406 m
IP-class	IP69K
Color Temperature	5700K
Beam pattern	Optimized beam
Position light	Amber and white
Connection	Cable
Cable length	3000 mm
Material housing	Aluminium
Material lens	Polycarbonate
Diameter	228 mm
Depth	64 mm
Height including bracket	245 mm
Operating temperature	-40°C - +40°C
E-approved	ECE R148 (R8, R91), R149 (R112)
Ref	37,5
EMC-certificate	ECE R10



Use the QR code to
check out the products.



strands®
-lighting division

UNITY ROCK LIGHT

WORK LIGHT




Use the QR code to
check out the products.

✓ LIGHT WHEREVER YOU NEED IT

No matter where you work or drive, the Unity rock light can provide illumination from every angle. Its wide and powerful beam provides bright light anywhere needed. If you like off-road challenges, install it in or close to the wheel well to make sure you can see rocks and other obstacles clearly. Use it to increase visibility underneath the vehicle, to the sides, or anywhere you need extra brightness. The durable materials and IP69K IP rating make it perfect for demanding environments.

Part No.
2607809505 White
2607809506 Amber
2607809507 Red
2607809508 Yellow
€ 39,00 excl. VAT
€ 47,19 incl. VAT



✓ INSTALL IT EVERYWHERE


This rock light is incredibly slim, measuring only 74x14,3x42 mm excluding bracket and 60 mm CC, and will fit wherever you need it. Thanks to the included rubber brackets, it's versatile and easy to install. Choose between a bracket for flat surfaces, one for curved surfaces, and one with a 30° angle for use as a scene light. The bracket helps to protect both the product and the vehicle surface and will help prevent corrosion.

Voltage	10-32V DC
Theoretical lumen 2607809505 / 2607809506	880 lm
Theoretical lumen 2607809507 / 2607809508	600 lm
Actual lumen 2607809505 / 2607809506	780 lm / 340 lm
Actual lumen 2607809507 / 2607809508	200 lm / 460 lm
1 lux @ m 2607809505	17 m
Color temperature 2607809505/2607809508	5700K / 3000K
Beam pattern 2607809505	Flood
IP-class	IP69K
Color lens	Clear
Connection	Cable
Cable length	500 mm
Material housing	Aluminium
Material lens	Polycarbonate
Material Brackets	Rubber
Length	74 mm
Depth	14,3 mm
Height	42 mm
Height including brackets	46,6 mm
CC	60 mm
Operating temperature	-30°C - +65°C
E-approved	No
EMC-certificate	ECE R10



strands®
-lighting division

Prices for information purpose only,
please visit our website for up-to-date prices.



WHITE
Part No. 2607809505

YELLOW
Part No. 2607809508

RED
Part No. 2607809507

AMBER
Part No. 2607809506


✓ MORE COLORS, MORE YOU

Express yourself and find the perfect style for your vehicle. The Unity rock light is available in four colors: white, amber, red, or yellow LED:s. Producing up to 780 actual lumens with a range of 17 m (for the white light), you'll get perfect visibility in any situation. The low power consumption and 10-32 V usage make it a perfect fit for many types of vehicles.

*Included: Mounting bracket for flat surfaces,
Mounting bracket for curved surfaces,
Mounting bracket with a 30° angle.



strands®
-lighting division



SIBERIA XP RED TIGER


WORK LIGHT

Part No. 2607809281

€ 199,00 excl. VAT / € 240,79 incl. VAT

Voltage	10-40V DC
Consumption	95W
Actual lumen	6400
1 lux @	248 m
IP-class	IP68/IP69K
Beam pattern	Wide beam
Position light	Red and amber
Connection	DT-4PIN
Cable length	200 mm
Material housing	Aluminium
Material lens	Polycarbonate
Length	307 mm
Height	76 mm
Depth	71,6 mm
Height including bracket	89 mm
Operating temperature	-30°C - +65°C
E-approved	No
EMC-certificate	ECE R10

RED AND AMBER POSITION LIGHT



- ✓ EASY INSTALLATION
- ✓ HEAVY-DUTY USE




✓ 248-METER RANGE

BIG ENERGY 7"

DRIVING LIGHT



WHITE AND AMBER POSITION LIGHT



Part No. 2607270975

€ 125,00 excl. VAT / € 151,25 incl. VAT

Voltage	10-32V DC
Consumption	60 W
Actual lumen	5600 lm
1 lux @	465 m
Color temperature	5700K
Beam pattern	Optimized beam
IP-class	IP67/IP69K
Color lens	Clear
Position light	White and amber
Connection	DT-4
Cable length	1000 mm
Material housing	Aluminium
Material lens	Polycarbonate
Length	179,94 mm
Depth	65,79 mm
Height	164,56 mm
Height including bracket	213,7 mm
Operating temperature	-35°C - +60°C
E-approved	ECE R148 (R7), 149 (R112)
Ref	50
EMC-certificate	ECE R10

✓ LIGHT AND EASY TO INSTALL

The slim 7" design, 21,37 cm high, and the low weight make it easy to place and install even with limited space. This makes the Big Energy driving light an excellent option for cars, LCVs, and any driver wishing to improve visibility under dark conditions.



Use the QR code to check out the products.




strands
-lighting division

Prices for information purpose only, please visit our website for up-to-date prices.

DARK KNIGHT SM6

✓ INCREDIBLY SLIM

Now, you can achieve the most streamlined look you've ever seen. A depth of only 8 mm makes the SM6 position light perfect for achieving a smooth look. As it's available as a side marker and red and white position light, you can get an undeniable style around your vehicle. It measures 120x8x28 mm with 110 mm CC, and a 600 mm cable makes it easy to install anywhere.



Part No. 2607809512-2607809514

€ 21,00 excl. VAT / € 25,41 incl. VAT

Voltage	10-32V DC
IP-class	IP69K
Color lens	Dark
Color LED	Amber / Red / White
Connection	Cable
Cable length	600 mm
Material lens	Polycarbonate
Length	120 mm

Depth	8 mm
Height	28 mm
CC	110 mm
Operating temperature	-35°C - +65°C
E-approved 2607809512	ECE R148 (R91)
E-approved 2607809513 / 2607809514	ECE R148 (R7)
EMC-certificate	ECE R10



Part No.
2607809512 Amber
2607809513 Red
2607809514 White

✓ GLOW AND DARKNESS


The 6 LEDs produce a powerful glow, guaranteeing high visibility and eye-catching style. Thanks to the incredibly low power consumption, 0,9-3,3 W, you can install as many as you like without draining too much power. The SM6 is E-approved ECE R148 and EMC-certified ECE R10.

✓ DARK KNIGHT

Release your dark side with the Dark Knight range—defined by its power, dark style, and design. The dark lens of the SM6 blends perfectly with the look of any truck and creates an exclusive style from every angle. The Dark Knight's darkness makes an eye-catching contrast to the brightness of its lights. But the SM6 is more than just stylish. The durable materials ensure high corrosion resistance, and the IP69K rating guarantees its longevity even when installed in exposed positions on the truck.



Use the QR code to check out the products.



strands
-lighting division

SIBERIA X



✓ I AM XPERIENCE

Everything in Siberia X has been rigorously tested and improved, from the advanced interior components to the durable aluminum housing. It's highly protected against vibrations, and the special powder coating makes it resistant to dirt, salt, and water. Siberia X is also IP-rated IP68/IP69K. Let nothing stop you from where you want to go.

HELLO FUNCTION

AVAILABLE IN
7" AND 9"

SIBERIA X DRIVING LIGHT

Part No. 2607270960 (7")


€ 265,00 excl. VAT / € 320,65 incl. VAT

Part No. 2607270961 (9")


€ 305,00 excl. VAT / € 369,05 incl. VAT

Part No. 2607270960 (7")

E-MODE



XPERIENCE MODE



Use the QR code to
check out the products

✓ HELLO FUNCTION

The white and amber position light has an eye-catching X shape that accentuates the housing's shape. The position light also shines through the back of the housing, drawing attention from all angles. As with all Xperience driving lights and LED bars, Siberia X has a Hello function to let you greet your friends on the road. Just flash your high beam twice, and the position lights' Hello signal will activate.



Part No. 2607270960 (7") / 2607270961 (9")

XPERIENCE-MODE

Consumption 96W / 164W
Actual lumen 7430 lm / 13 350 lm
1 lux @ 620 m / 881 m

E-MODE

Consumption 22W / 19W
Actual lumen 1640 lm / 1430 lm
1 lux @ 308 m / 319 m

Voltage 10-32V DC
Consumption, 6W / 6,9W
White position light
Consumption, 6,8W / 7,1W
Amber position light
Function

Color temperature 5700K
Beam pattern Optimized beam / Long-distance beam
IP-Class IP68/IP69K
Color lens Clear
Color LED White and amber
Position light White and amber

Connection
Cable length
Material housing
Material lens
Length
Depth
Height
Height including bracket
Operating temperature
E-approved


Ref
EMC-certificate

DT-4
150 mm
Aluminium
Polycarbonate
173,4 mm / 220,4 mm
83,3 mm / 99,3 mm
169,6 mm / 212,9 mm
191,6 mm / 233,1 mm
-30°C - +65°C
ECE R148 (R7),
R149 (R112)
20
ECE R10, CISPR25 Class 3




strands®
-lighting division

Prices for information purpose only,
please visit our website for up-to-date prices.





Part No. 2607270961 (9")

E-MODE



XPERIENCE MODE



✓ DARE TO BE DIFFERENT

To further customize your Siberia X, you can choose between different lens covers to suit your adventure. The dark cover (Part No. 2607270958, 2607270959) shows off the X-shaped position light when the high beam is inactive; the clear flood cover (Part No. 2607270963, 2607270965) increases output to the sides, and the yellow cover (Part No. 2607270964, 2607270966) softens the output. It's also suitable for driving in rain, snow, or fog. Just click the cover into place, and you're ready to go.

SIBERIA X COVER CLEAR FLOOD LENS

Part No. 2607270963 (7") / 2607270965 (9")

€ 10,00 excl. VAT / € 12,10 incl. VAT

SIBERIA X COVER

YELLOW FLOOD LENS

Part No. 2607270964 (7") / 2607270966 (9")


€ 10,00 excl. VAT / € 12,10 incl. VAT

SIBERIA X COVER

BLACK

Part No. 2607270958 (7") / 2607270959 (9")

€ 19,50 excl. VAT / € 23,60 incl. VAT



Use the QR code to
check out the products



strands®
-lighting division

SIBERIA XP

Part No. 2607270985


€ 195,00 excl. VAT / € 235,95 incl. VAT

SIBERIA XP 7"
DRIVING LIGHT




Use the QR code to
check out the products

E-MODE




XPERIENCE MODE




2607270992

E-MODE



XPERIENCE MODE




2607270985

Part No. 2607270992

€ 255,00 excl. VAT / € 308,55 incl. VAT

SIBERIA XP 9"
DRIVING LIGHT

HELLO FUNCTION



Part No. 2607270985 (7") / 2607270992 (9")

Part No. 2607270985 (7")

XPERIENCE-MODE

Consumption 77W
Actual lumen 5710 lm
1 lux @ 660 m

E-MODE

Consumption 22W
Actual lumen 1540 lm
1 lux @ 342 m

Theoretical Consumption 80W
Consumption, White/Amber pos. light 5,2W
Beam pattern Extended beam
LxDxH 178 x 78,2 x 178 mm mm
Height including bracket 194,1 mm

Part No. 2607270992 (9")

XPERIENCE-MODE

Consumption 144W
Actual lumen 15 030 lm
1 lux @ 711 m

E-MODE

Consumption 31W
Actual lumen 3080 lm
1 lux @ 330 m

Theoretical Consumption 150W
Consumption, White/Amber pos. light 5,4W
Beam pattern Long-distance beam
LxDxH 228,6 x 86,7 x 228,6 mm mm
Height including bracket 228,6 mm

Voltage

Color temperature

IP-Class

Color lens

Color LED

Connection

Cable length

Material housing

Material lens

Operating temperature

E-approved

Ref

EMC-certificate

10-40V DC
5700K
IP68/69K
Clear
White and yellow
DT-4 PIN
150 mm
Aluminium
Polycarbonate
-30°C - +65°C
ECE R148 (R7), R149 (R112)
20
ECE R10, CISPR25 Class 3





Use the QR code to
check out the products


LENS COVER

DARK AND YELLOW LENS



✓ ADAPTIVE LIGHT COVERS FOR PROTECTION AND STYLE

Modify your driving light to suit any need and environment. The yellow cover softens the beam output. The dark cover is used only when the light is off. It allows the position light to shine through and gives extra protection to the lens. Fits Siberia Night Ranger and Siberia XP driving light 7" and 9".



SIBERIA XP
YELLOW LENS COVER
Part No. 2607270988 (7") / 2607809177 (9")

SIBERIA XP
DARK LENS COVER
Part No. 2607270987 (7"), 2607809176 (9")

AVAILABLE IN
9" AND 7"

Part No. 2607270987 (Dark 7") / 2607270988 (Yellow 7")
€ 10,00 excl. VAT / € 12,10 incl. VAT

Material	Polycarbonate
Diameter	182,8 mm
Depth	18,4 mm
Weight	130g

Part No. 2607809176 (Dark 9") / 2607809177 (Yellow 9")
€ 10,00 excl. VAT / € 12,10 incl. VAT

Material	Polycarbonate
Diameter	233,62 mm
Depth	10,50 mm
Weight	180g

FITS PART NO. 2607809188, 2607809190, 2607809200, 2607809208,
2607809209, 2607270992, 2607270985





strands®
-lighting division

NUUK D-LINE QUBE 3''

Part No. 2607809286 *DRIVING LIGHT*
€ 89,00 excl. VAT / € 107,69 incl. VAT

Voltage	10-32V DC	Cable length	150 mm
Consumption	41 W	Material housing	Aluminium
Actual lumen	2710 lm	Material lens	Polycarbonate
1 lux @	240 m	length	85,03 mm
color temperature	5700K	depth	53,27 mm
Beam pattern	Focused beam	Height	85,75 mm
IP-class	IP68/IP69K	height including bracket	96,88 mm
color Lens	Clear	Operating temperature	-30 - +65°C
Position light	White and yellow	E-approved	No
Connection	DT-4	Emc-certificate	ECE R10

**5700K COLOR
TEMPERATURE**




Use the QR code to
check out the product



✓ NEW STANDARD

The Nuuk D-Line Qube amplifies all you need in a work light: bolder design, sharper details, and unmatched durability. Every line, material, and finish is crafted to endure the most demanding challenges on and off the road. The rounded shape leads water away from the lens.



Part No. 2607809287 *WORK LIGHT*
€ 89,00 excl. VAT / € 107,69 incl. VAT

Voltage	10-32V DC	Cable length	150 mm
Consumption	39 W	Material housing	Aluminium
Actual lumen	2920 lm	Material lens	Polycarbonate
1 lux @	59 m	length	85,03 mm
color temperature	5700K	depth	53,27 mm
Beam pattern	Wide beam	Height	85,75 mm
IP-class	IP68/IP69K	height including bracket	96,88 mm
color Lens	Clear	Operating temperature	-30 - +65°C
Position light	Red and amber	E-approved	No
Connection	DT-4	Emc-certificate	ECE R10

**39W
WORK
LIGHT**



strands®
-lighting division

Prices for information purpose only,
please visit our website for up-to-date prices.


NUUK D-LINE MC 3''

DRIVING LIGHT

Part No. 2607809288

€ 89,00 excl. VAT / € 107,69 incl. VAT


Voltage	10-32V DC	Cable length	150 mm
Consumption	39 W	Material housing	Aluminium
Actual lumen	2540 lm	Material lens	Polycarbonate
1 lux @	276 m	length	83,32 mm
color temperature	5700K	depth	54,58 mm
Beam pattern	Optimized beam	Height	84,07 mm
IP-class	IP68/IP69K	height including bracket	93,54 mm
color Lens	Clear	Operating temperature	-30 - +65°C
Position light	White and yellow	E-approved	ECE R149 (R113), R148 (R7)
Connection	DT-4	Emc-certificate	ECE R10



✓ QUALITY IN EVERY DETAIL


From the 180° adjustable bracket to the DT-4 plug, every element is designed for ease and durability. The yellow and white position light stands out against the dark housing. The IP68/69K IP-rating protects it against dirt, water, and the toughest adventures.

DT-4 CONNECTION



✓ A DIFFERENT WORK LIGHT

The light's compact size and shape, with a height of only 93,54 mm, means it will fit anywhere. It has a range of 65 m and more than 2740 actual lumens. The red and amber position light gives it an eye-catching look and hardcore style.



Part No. 2607809289

€ 89,00 excl. VAT / € 107,69 incl. VAT

Voltage	10-32V DC	Cable length	150 mm
Consumption	39 W	Material housing	Aluminium
Actual lumen	2740 lm	Material lens	Polycarbonate
1 lux @	65 m	length	83,32 mm
color temperature	5700K	depth	54,58 mm
Beam pattern	Wide beam	Height	84,07 mm
IP-class	IP68/IP69K	height including bracket	93,54 mm
color Lens	Clear	Operating temperature	-30 - +65°C
Position light	Red and amber	E-approved	No
Connection	DT-4	Emc-certificate	ECE R10



Use the QR code to
check out the product



strands®
-lighting division

BIG ENERGY ROTATING BEACON

Part No. 2607850971
SURFACE MOUNT
CLEAR LENS

Part No. 2607850972
SURFACE MOUNT
AMBER LENS

XL

30W



30W

Part No. 2607850971 (Clear), 2607850972 (Amber) / 2607850974 (Amber)

Voltage	12-24V DC
Pattern	3
IP-class	IP56
Color lens 2607850971	Clear
Color lens 2607850972/2607850974	Amber
Connection	Cable
Cable length	350 mm
Material housing	ABS
Material lens	Polycarbonate
Operating temperature	-20°C - +60°C
E-approved	ECE R65
EMC-certificate	ECE R10

Part No. 2607850971 / 2607850972
€ 69,00 excl. VAT / € 83,49 incl. VAT
L x D x H 140 x 140 x 181 mm
Diameter 140 mm
CC 114 mm

Part No. 2607850974
€ 59,00 excl. VAT / € 71,39 incl. VAT
L x D x H 130 x 130 x 111 mm
Diameter 130 mm
CC 114 mm



strands®
-lighting division-

Prices for information purpose only,
please visit our website for up-to-date prices.

✓ BENEFITS FOR RETAILERS

As a reseller, you can count on this rotating beacon for lasting customer satisfaction. Strands Lighting Division provides smart and long-lived products, as well as the best customer service. Everything you need for installation is included in the package. With five models, it's easy to find big illumination for every vehicle. The rotating beacon can be connected with a cable, pole mount, or type-C cable and cig-plug. Choose between a permanent mount or a magnetic base. All products are covered by Strands' 3-year warranty.

Use the QR code to check out the products



Part No. 2607850974
SURFACE MOUNT
AMBER LENS

20W

Part No. 2607850975
POLE MOUNT
AMBER LENS

20W

Part No. 2607850976
ROTATING BEACON BATTERY
AMBER LENS

15W

Part No. 2607850975 (Amber) / 2607850976 (Amber)


Patterns	3
IP-class	IP65
Color lens	Amber
Color LED	Warm white
Material housing	ABS
Material lens	Polycarbonate
Operating temperature	-20°C · +60°C
E-approved	ECE R65
EMC-certificate	ECE R10

Part No. 2607850975
€ 59,00 excl. VAT
€ 71,39 incl. VAT

Voltage	12-24V DC
Consumption	20W
Connection	Pole mount
Length	145 mm
Depth	145 mm
Height	131,4 mm
Diameter	145 mm

Part No. 2607850976
€ 99,00 excl. VAT
€ 119,79 incl. VAT

Voltage	5V DC
Consumption	15W
Connection	Type-C cable and cig plug
Cable length	1020 mm
Length	131 mm
Depth	131 mm
Height	151 mm
Diameter	131 mm



strands®
-lighting division

FREEDOM LIGHT GUIDE

✓ BENEFITS FOR DRIVERS

The Freedom light guide has a modern and dark design, an updated take on this everyday must-have product. The dark lenses blend smoothly into the flexible rubber arm when the lights aren't in use. With the 3-in-1 position light, you'll get smart and efficient illumination. When in use, the white, red, and amber lights bring an intense glow to maximize visibility and safety.

**SIDE
MARKER: 1,5W**

REAR POSITION: 2W

**FRONT
POSITION: 2W**

✓ BENEFITS FOR INSTALLATION

When installing a new product, the process must be as easy and efficient as possible. That's why the Freedom light guide has a standard measurement of 78,5 mm CC and is installed using only two screws. It's available in three sizes and built for durability and flexibility. The 3-in-1 rubber arm saves you time and energy, and the cable is non-polarized.

✓ BENEFITS FOR RETAILERS

We know that as a retailer, customer satisfaction is the number one priority. That's why the Freedom light guide is covered by Strands' 3-year warranty and manufactured in Europe using the highest quality materials. Thanks to the high IP-rating IP6K9K, it's guaranteed to withstand the hard wear of the road. It's E-approved R148.


Part No. 2607900021-2607900027

Voltage	12-24V DC	Color Lens	Dark
Consumption	5,5W	Length	58 mm
Function Consumption spec.	Front position: 2W Rear position: 2W Side marker: 1,5W	Depth	101,6 mm - 199 mm
IP-class	IP6K9K	Height	100 mm
Connection	Cable	Height including bracket	101,6 mm - 199 mm
Cable length	400 mm	CC	78,5 mm
Material housing	Rubber	Operating temperature	-40°C - +40°C
Material lens	Polycarbonate	E-approved	ECE R148
Color LED	Amber, White, Red	EMC-certificates	ECE R10



strands®
-lighting division



S/M/L





Part No. 2607900021, 2607900022
€ 32,00 excl. VAT / € 38,72 incl. VAT
SMALL
LEFT / RIGHT



Part No. 2607900026, 2607900027
€ 36,00 excl. VAT / € 43,56 incl. VAT
LONG
LEFT / RIGHT



Part No. 2607900023, 2607900025
€ 34,00 excl. VAT / € 41,14 incl. VAT
MEDIUM
LEFT / RIGHT



Use the QR code to
check out the products



strands®
-lighting division

FREEDOM DARK LINE



✓ BENEFITS FOR DRIVERS

The Freedom Dark Line is a new take on the fiber optic look, with long, short, and corner position lights manufactured in Europe. Get creative with your styling ideas and accentuate all those corners and angles with intense illumination. The dark lens will blend almost invisibly with darker trucks and draw attention on lighter color trucks. All sizes are available as side markers and front and back position lights. Only your imagination will set the limit with the Dark Line. As a bonus, the Dark Line consumes only 2-3W, so you can install as many as you like.



✓ BENEFITS FOR RETAILERS

With the Freedom series, you can count on the highest customer satisfaction. The slim shape and different sizes mean you can find the perfect solution to your customer's needs. The Dark Line has a high IP rating of IP6K9K, is corrosion-free, and is manufactured in Europe using the most durable materials. European production means shorter transport and faster deliveries. It's E-approved R148 when installed according to your country's traffic legislation. As a further guarantee for lasting quality, it's covered by Strands' market-leading 3-year warranty. Strands' expert support team is ready to answer any questions you may have. Everything to provide you and your customer with lasting peace of mind.

✓ BENEFITS FOR INSTALLATION

When installing a product, the process needs to be efficient and trouble-free. Thanks to the click-in-frame, installation is easy and gives a smooth look with no visible screws. Attach the bracket to the vehicle's surface and click the light into place on the bracket. This also gives additional protection to the lens. The slim shape fits anywhere, and the 400 mm cable is non-polarized.




strands®
-lighting division

Prices for information purpose only,
please visit our website for up-to-date prices.

SIDE MARKER

DARK LINE 250
POSITION LIGHT / SIDE MARKER


Part No.
2607900047 (White) € 22,00 excl. VAT / € 26,62 incl. VAT
2607900048 (Red) € 28,00 excl. VAT / € 33,88 incl. VAT
2607900049 (Amber) € 27,00 excl. VAT / € 32,67 incl. VAT



DARK LINE - CORNER
POSITION LIGHT / SIDE MARKER



DARK LINE
POSITION LIGHT / SIDE MARKER






REAR POSITION

Part No.
2607900041 (White) € 18,00 excl. VAT / € 21,78 incl. VAT
2607900042 (Red) € 18,00 excl. VAT / € 21,78 incl. VAT
2607900043 (Amber) € 20,00 excl. VAT / € 24,20 incl. VAT

Part No.
2607900044 (White) € 18,00 excl. VAT / € 21,78 incl. VAT
2607900045 (Red) € 20,00 excl. VAT / € 24,20 incl. VAT
2607900046 (Amber) € 20,00 excl. VAT / € 24,20 incl. VAT

FRONT POSITION



MOUNTING DETAILS INCLUDED:
**HANGING BRACKET,
CLICK IN BRACKET
AND SCREWS**



Part No. 2607900041-2607900049

Voltage	12-24V DC
Consumption	max 6W
Functions	Side marker / Front / Rear position light
Color temperature	5700K (White)
IP-class	IP6K9K
Color Lens	Dark
Color LED	White / Red / Amber
Connection	Cable
Cable length	400 mm
Material housing	Polypropylene

Material lens	Polycarbonate
Length	63 mm / 125 mm / 250 mm
Depth	24 mm
Height	63 mm / 15 mm / 15 mm
height including bracket	52 mm
CC	Refer to the technical drawing
Operating temperature	-40 · +40°C
E-approved	ECE R148
EMC-certificates	ECE R10




strands®
-lighting division

SIBER

DOUBLE ROW



2607809425 (8")	€ 179,00 excl. VAT / € 216,59 incl. VAT
2607809426 (12")	€ 245,00 excl. VAT / € 296,45 incl. VAT
2607809427 (22")	€ 305,00 excl. VAT / € 369,05 incl. VAT
2607809428 (32")	€ 490,00 excl. VAT / € 592,90 incl. VAT
2607809429 (42")	€ 560,00 excl. VAT / € 677,60 incl. VAT
2607809430 (50")	€ 665,00 excl. VAT / € 804,65 incl. VAT



30 000 LUMEN

✓ A NEW EXTREME OUTPUT

The Siberia XP Double Row LED bar is available in 8" to 50" models, with an output up to 100% stronger than previously. In Xperience mode, it achieves 4300 - 30 000 actual lumens, with a range of 544-1258 meters @ 1 lux. The E-mode is E-approved R148/149 with reference number 20, suitable for European drivers and poor weather conditions. Based on your requirements, the different models have extended or long-distance beam patterns. A color temperature of 5700 K ensures a bright and clear illumination. The IP rating of IP68/IP69K ensures high protection against dirt and water. 20" and above feature the Hello function and an integrated relay. Siberia XP is covered by Strands Lighting Divisions' 3-year function warranty.




Use the QR code to check out the products



strands®
-lighting division

SIBERIA XP

SINGLE ROW



**WHITE AND AMBER
POSITION LIGHT**

2607809411 (12")	€ 160,00 excl. VAT / € 193,60 incl. VAT
2607809412 (22")	€ 255,00 excl. VAT / € 308,55 incl. VAT
2607809413 (32")	€ 305,00 excl. VAT / € 369,05 incl. VAT
2607809414 (42")	€ 399,00 excl. VAT / € 482,97 incl. VAT
2607809415 (50")	€ 470,00 excl. VAT / € 568,70 incl. VAT



16 500 LUMEN

✓ XPERIENCE MODE AND E-MODE

Get ready to experience the Siberia XP Single Row LED bar. It's available in 12" to 50" models, producing 3620-16500 actual lumens in Xperience mode. They have optimized, extended, or long-distance beam patterns, ranging between 454 and 878 meters. The E-mode is E-approved R148/R149 with reference number 20. The 5700 K color temperature ensures a crisp and clear illumination. It's incredibly durable and can withstand vibrations, rough roads, and hard use. With an IP rating of IP68/IP69K, it has high protection against dirt and water. 20" and above feature the Hello function and an integrated relay. Siberia XP is covered by Strands Lighting Divisions' 3-year function warranty.



Use the QR code to
check out the products



CAR & TRUCK CARE NEDERLAND B.V.

Industrieterrein Panningen 27 | 5981 NK Panningen | The Netherlands

Tel.: +31 (0)77 307 36 90

info@ctcnl.nl | www.ctcnl.nl



YOUTUBE. *Subscribe at Strands Lighting Division for innovative lighting in action and get detailed information about our products.*



LINKEDIN. *Follow us at Strands Group AB for industry insights, news, and exciting updates.*



WEBSITE. *Visit www.strandseurope.com for detailed information about our products.*



INSTAGRAM. *Follow us at @strandslightingdivision for inspiration, exciting news, and participate in competitions.*



FACEBOOK. *Like Strands Lighting Division, engage in discussions and be the first to know about product news.*

strands[®]
-lighting division

*With reservation for misprints and possible changes. Possible truck brand logo's shown are purely indicative, they are not original and do not indicate that the product has been made/inspected by the brand owner. They only indicate that the product is suitable for a particular brand/vehicle.