

FLOS

A modern FLOS pendant lamp is shown against a dark background. The lamp features a large, white, dome-shaped shade with a smooth, glossy finish. It is suspended by a thin, dark cord that loops elegantly above the shade. The base of the lamp is a dark, cylindrical structure. The overall design is minimalist and sophisticated.

DECORATIVE COLLECTION

LISTINO PREZZI CONSIGLIATI EUROPA SETTEMBRE 2024

EUROPE RECOMMENDED PRICE LIST SEPTEMBER 2024

DECORATIVE COLLECTION

LISTINO PREZZI CONSIGLIATI EUROPA SETTEMBRE 2024

EUROPE RECOMMENDED PRICE LIST SEPTEMBER 2024

ITALIANO • ENGLISH

FLOS

TABLE LAMPS

Collezione di lampade da tavolo



Bellhop
P. 18



Bellhop Matte Black
P. 18



Bellhop Glass T
P. 19



Biagio
P. 20



Bilboquet
P. 21

INDICE • INDEX



Bon Jour
P. 22



Bon Jour unplugged
P. 22



C ramique
P. 23 - 24



Chiara T
P. 25



Copycat
P. 29



Emi Table
P. 30



Gatto
P. 31 - 32



Glo-Ball Mini
P. 36



Glo-Ball Basic
P. 32 - 33



Glo-Ball T
P. 36



Goldman
P. 36



Gustave
P. 36 - 37



IC T1 High
P. 40



IC T1 Low
P. 40



IC 10 Anniversary T1 Low
P. 40



IC T2
P. 41



IC T3
P. 41



In Vitro Unplugged
P. 41



Kelvin Edge
P. 42



Kelvin Led
P. 42



KTribe
P. 43 - 44



Lampadina
P. 44



Last Order
P. 45



Mayday
P. 46



Miss K
P. 47



Oblique
P. 55 - 57



Ray T
P. 61



Snoopy
P. 64



Spun Light T
P. 65



Superwire T
P. 69



Tab T
P. 69



Taccia
P. 69 - 70



Tatou T
P. 72



To-Tie
P. 72 - 73

FLOOR LAMPS

Collezione di lampade da terra



Arco
P. 14 - 15



Arco K
P. 14



Bellhop Floor
P. 19



Bibliotheque Nationale
P. 20



Captain Flint
P. 23

INDICE • INDEX



Chiara F
P. 24



Coordinates F
P. 26



Emi Floor
P. 30



Glo-Ball F
P. 34 - 35



IC F
P. 38



IC 10 Anniversary F1
P. 38



Kelvin F
P. 42



Ktribe F
P. 43



Luminator
P. 46



Noctambule F
P. 52 - 55



4 Oblique Floor
P. 57 - 58



Ray F
P. 61



Rosy Angelis
P. 62



Skynest Motion
P. 63



Spun Light F
P. 65



Stylos
P. 67



Superarchimoon
P. 68



Superloon
P. 68



Superwire
P. 68



Tab F
P. 69



Tatou F
P. 71



Toio Led
P. 73

SUSPENSION LAMPS

Collezione di lampade a sospensione



2097
P. 11 - 12



Aim
P. 13




Almendra
P. 13 - 14




Arrangements
P. 15 - 18



Bellhop Glass S
P. 19



Kit Belt
P. 20



Kit Belt Fabric
P. 20



Chasen
P. 24



Coordinates
P. 26 - 29



Frisbi
P. 31



Glo-Ball
P. 35



IC S
P. 39



IC 10 Anniversary S2
P. 39



IC S3
P. 40



Ktribe
P. 43



Luce Orizzontale
P. 45 - 46



My Disc
P. 47



My Dome
P. 47



My Lines
P. 48



My Sphere
P. 48

INDICE • INDEX



Noctambule
P. 48 - 52



OK
P. 58



Overlap
P. 59



Parentesi
P. 59 - 60



Romeo Moon S
P. 61



Skygarden
P. 62



Skynest
P. 63



Smithfield
P. 64



Splügen Braü
P. 65



String Light Cone
P. 66 - 67



6 String Light Sphere
P. 66 - 67



Taraxacum
P. 70



Taraxacum 88 S
P. 71



Tatou S
P. 72



Viscontea
P. 73



Wan S
P. 74



Wireline
P. 74



Zeppelin
P. 75

WALL & CEILING LAMPS

Collezione di lampade da parete e soffitto



265
P. 10



265 Small
P. 10



265 Chromatica
P. 10



265 Small Chromatica
P. 10



Ariette
P. 15

INDICE • INDEX



Bellhop Wall Up
P. 19



Black Flag
P. 21



Mini Button
P. 23



Button
P. 23



Clara
P. 25



Clessidra
P. 25



Coordinates
P. 26



Coordinates Wall
P. 29



Flauta
P. 30 - 31



Foglio
P. 31



Glo-Ball C/W
P. 33 - 34



Glo-Ball W
P. 33 - 34



Glo-Ball Wall Mini
P. 33



IC CW
P. 37 - 38



IC CW Double
P. 38



KTribe W
P. 44




La Plus Belle
P. 45



Oplight W1
P. 59



Pochette
P. 60



Skynest Ceiling
P. 63

INDEX • INDEX



Smithfield
P. 63 - 64



Taraxacum 88 C/W
P. 71



Tight Light
P. 72



Wan C/W
P. 74



Wirering
P. 74



Abajourd'hui
P. 75



Soft Spun
P. 75 - 77

OUTDOOR/INDOOR LAMPS


Collezione di lampade da esterno/interno



Clessidra
P. 25



In Vitro Unplugged
P. 41



Ipnos
P. 42







Last Order
P. 45




Mayday Outdoor
P. 46





Superarchimoon Outdoor
P. 68


	265	Paolo Rizzatto, 1973	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Potenza · <i>Power</i> MAX 75W	Tensione · <i>Voltage</i> 220-250V	bianco · <i>white</i> nero · <i>black</i>	○ A0300009 ● A0300030	1.160,00 1.160,00
 Fonte luminosa · <i>Light source</i> LED 11,5W E27 1100 lm [esclusa - <i>excluded</i>]					
Materiali · <i>Materials</i> acciaio · <i>steel</i>					
Peso · <i>Weight</i> 5,7 Kg					
					
	265 SMALL	Paolo Rizzatto, 2022	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Potenza · <i>Power</i> MAX 75W	Tensione · <i>Voltage</i> 220-250V	bianco · <i>white</i> nero · <i>black</i>	○ A0320009 ● A0320030	930,00 930,00
 Fonte luminosa · <i>Light source</i> LED 11,5W E27 1100 lm [esclusa - <i>excluded</i>]					
Materiali · <i>Materials</i> acciaio · <i>steel</i>					
Peso · <i>Weight</i> 5 Kg					
					
	265 CHROMATICA	Paolo Rizzatto, 1973	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Potenza · <i>Power</i> MAX 75W	Tensione · <i>Voltage</i> 220-250V	chromatica	● A0300099	1.160,00
 Fonte luminosa · <i>Light source</i> LED 11,5W E27 1100 lm [esclusa - <i>excluded</i>]					
Materiali · <i>Materials</i> acciaio · <i>steel</i>					
Peso · <i>Weight</i> 5,7 Kg					
					
	265 SMALL CHROMATICA	Paolo Rizzatto, 2022	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Potenza · <i>Power</i> MAX 75W	Tensione · <i>Voltage</i> 220-250V	chromatica	● A0320099	930,00
 Fonte luminosa · <i>Light source</i> LED 11,5W E27 1100 lm [esclusa - <i>excluded</i>]					
Materiali · <i>Materials</i> acciaio · <i>steel</i>					
Peso · <i>Weight</i> 5 Kg					
					

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91





	2097/18 CLEAR BULBS	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Gino Sarfatti, 1958	cromo · chrome	 A1352057	1.800,00
	Potenza · Power 18 x MAX 15W	ottone · brass	 A1352059	1.800,00
	Tensione · Voltage 220-250V	nero opaco · matte black	 A1352031	1.800,00
		bianco opaco · matte white	 A1352009	1.800,00
	 Fonte luminosa · Light source LED 2W E14 95lm [inclusa - included] Supplied with 20xclear LED lamps (2xspare)			
	Materiali · Materials acciaio · steel			
	Peso · Weight 3,57 Kg	  		

	2097/18 FROSTED BULBS	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Gino Sarfatti, 1958	cromo · chrome	 A1351057	1.800,00
	Potenza · Power 18 x MAX 15W	ottone · brass	 A1351059	1.800,00
	Tensione · Voltage 220-250V	nero opaco · matte black	 A1351031	1.800,00
		bianco opaco · matte white	 A1351009	1.800,00
	 Fonte luminosa · Light source LED 2,7W E14 150lm [inclusa - included] Supplied with 20xfrosted LED lamps (2xspare)			
	Materiali · Materials acciaio · steel			
	Peso · Weight 3,57 Kg	  		





	2097/30 CLEAR BULBS	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Gino Sarfatti, 1958	cromo · chrome	 A1402057	2.400,00
	Potenza · Power 30 x MAX 15W	ottone · brass	 A1402059	2.400,00
	Tensione · Voltage 220-250V	nero opaco · matte black	 A1402031	2.400,00
		bianco opaco · matte white	 A1402009	2.400,00
	 Fonte luminosa · Light source LED 2W E14 95lm [inclusa - included] Supplied with 32xclear LED lamps (2xspare)			
	Materiali · Materials acciaio · steel			
	Peso · Weight 5,6 Kg	  		

	2097/30 FROSTED BULBS	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Gino Sarfatti, 1958	cromo · chrome	 A1401057	2.400,00
	Potenza · Power 30 x MAX 15W	ottone · brass	 A1401059	2.400,00
	Tensione · Voltage 220-250V	nero opaco · matte black	 A1401031	2.400,00
		bianco opaco · matte white	 A1401009	2.400,00
	 Fonte luminosa · Light source LED 2,7W E14 150lm [inclusa - included] Supplied with 32xfrosted LED lamps (2xspare)			
	Materiali · Materials acciaio · steel			
	Peso · Weight 5,6 Kg	  		





Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

 880 mm 2800 ø 1000 mm	2097/50 CLEAR BULBS	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Gino Sarfatti, 1958	cromo · <i>chrome</i>	A1502057	3.500,00
	Potenza · <i>Power</i> 50 x MAX 15W	ottone · <i>brass</i>	● A1502059	3.500,00
	Tensione · <i>Voltage</i> 220-250V	nero opaco · <i>matte black</i>	● A1502031	3.500,00
		bianco opaco · <i>matte white</i>	○ A1502009	3.500,00
 Fonte luminosa · <i>Light source</i> LED 2W E14 95lm [inclusa - <i>included</i>] Supplied with 52xclear LED lamps (2xspare)				
Materiali · <i>Materials</i> acciaio · <i>steel</i>				
Peso · <i>Weight</i> 10,03 Kg				
				
 880 mm 2800 ø 1000 mm	2097/50 FROSTED BULBS	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Gino Sarfatti, 1958	cromo · <i>chrome</i>	A1501057	3.500,00
	Potenza · <i>Power</i> 50 x MAX 15W	ottone · <i>brass</i>	● A1501059	3.500,00
	Tensione · <i>Voltage</i> 220-250V	nero opaco · <i>matte black</i>	● A1501031	3.500,00
		bianco opaco · <i>matte white</i>	○ A1501009	3.500,00
 Fonte luminosa · <i>Light source</i> LED 2,7W E14 150lm [inclusa - <i>included</i>] Supplied with 52xfrosted LED lamps (2xspare)				
Materiali · <i>Materials</i> acciaio · <i>steel</i>				
Peso · <i>Weight</i> 10,03 Kg				
				
 1300 mm 2800 ø 1410 mm	2097/75 CLEAR BULBS	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Gino Sarfatti, 2023	cromo · <i>chrome</i>	A1552057	12.500,00
	Potenza · <i>Power</i> 75 x MAX 15W	ottone · <i>brass</i>	● A1552059	12.500,00
	Tensione · <i>Voltage</i> 220-250V	nero opaco · <i>matte black</i>	● A1552031	12.500,00
		bianco opaco · <i>matte white</i>	○ A1552009	12.500,00
 Fonte luminosa · <i>Light source</i> LED 2W E14 95lm [inclusa - <i>included</i>] Supplied with 80xclear LED lamps (5xspare)				
Materiali · <i>Materials</i> acciaio · <i>steel</i>				
Peso · <i>Weight</i> 34 Kg				
				
 1300 mm 2800 ø 1410 mm	2097/75 FROSTED BULBS	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Gino Sarfatti, 2023	cromo · <i>chrome</i>	A1551057	12.500,00
	Potenza · <i>Power</i> 75 x MAX 15W	ottone · <i>brass</i>	● A1551059	12.500,00
	Tensione · <i>Voltage</i> 220-250V	nero opaco · <i>matte black</i>	● A1551031	12.500,00
		bianco opaco · <i>matte white</i>	○ A1551009	12.500,00
 Fonte luminosa · <i>Light source</i> LED 2,7W E14 150lm [inclusa - <i>included</i>] Supplied with 80xfrosted LED lamps (5xspare)				
Materiali · <i>Materials</i> acciaio · <i>steel</i>				
Peso · <i>Weight</i> 34 Kg				
				

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

 149 mm ø 170 mm	AIM SMALL		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	R. & E. Bouroullec, 2014		bianco · white	○ F0095009	540,00
	Potenza · Power 12W		nero · black	● F0095030	540,00
	Tensione · Voltage 220-240V				
	LED INCLUDED	Fonte luminosa · Light source 1 LED module 12W 725lm 2700K CRI90 DIMMABLE	bianco · white	ROSONE MULTIPLO / MULTIPLE ROSE ○ F0093009	130,00
			nero · black	● F0093030	130,00
				DIMMABLE PARETE / WALL DIMMABLE RF22227	100,00
				RF34169 (DALI)	218,00
	Materiali · Materials alluminio, PC · aluminum, PC				
	Peso · Weight 1,35 Kg (1 Aim small)		CE	IP 20	
 211 mm ø 243 mm	AIM		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	R. & E. Bouroullec, 2013		bianco · white	○ F0090009	745,00
	Potenza · Power 16W		nero · black	● F0090030	745,00
	Tensione · Voltage 220-240V				
	LED INCLUDED	Fonte luminosa · Light source 1 LED module 16W 895lm 2700K CRI90 DIMMABLE	bianco · white	ROSONE MULTIPLO / MULTIPLE ROSE ○ F0093009	130,00
			nero · black	● F0093030	130,00
				DIMMABLE PARETE / WALL DIMMABLE RF22227	100,00
				RF34169 (DALI)	218,00
	Materiali · Materials alluminio, PC · aluminum, PC				
	Peso · Weight 3,2 Kg (1 AIM)		CE	IP 20	
 1286 mm 371 mm	ALMENDRA S3		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Patricia Urquiola, 2022		off-white	ROSONE BIANCO / WHITE ROSE ○ F0420009	3.250,00
	Potenza · Power 45W		nude	● F0420026	3.250,00
	Tensione · Voltage 220/240V		anthracite	● F0420033	3.250,00
		Fonte luminosa · Light source LED 45W 1755lm* 2700K CRI95	bay blue metallized	● F0420039	3.560,00
	LED INCLUDED	* Il flusso luminoso si riferisce al prodotto con finitura off-white. Si prega di consultare il nostro sito web per informazioni dettagliate sulle altre finiture.	off-white	ROSONE PRIMER / PRIMER ROSE [†] ○ F0391009	3.250,00
			nude	● F0391026	3.250,00
			anthracite	● F0391033	3.250,00
			bay blue metallized	● F0391039	3.560,00
	Materiali · Materials polycarbonato sostenibile, alluminio · sustainable polycarbonate, aluminum				
	Peso · Weight 7,14 Kg		CE	IP 20	
 1665 mm 371 mm	ALMENDRA S4		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Patricia Urquiola, 2022		off-white	ROSONE BIANCO / WHITE ROSE ○ F0422009	3.810,00
	Potenza · Power 60W		nude	● F0422026	3.810,00
	Tensione · Voltage 220/240V		anthracite	● F0422033	3.810,00
		Fonte luminosa · Light source LED 60W 2340lm* 2700K CRI95	bay blue metallized	● F0422039	4.270,00
	LED INCLUDED	* Il flusso luminoso si riferisce al prodotto con finitura off-white. Si prega di consultare il nostro sito web per informazioni dettagliate sulle altre finiture.	off-white	ROSONE PRIMER / PRIMER ROSE [†] ○ F0392009	3.810,00
			nude	● F0392026	3.810,00
			anthracite	● F0392033	3.810,00
			bay blue metallized	● F0392039	4.270,00
	Materiali · Materials polycarbonato sostenibile, alluminio · sustainable polycarbonate, aluminum				
	Peso · Weight 10,18 Kg		CE	IP 20	

[†] Il rosone primer può essere dipinto dopo l'installazione con normali finiture a base d'acqua (tempera, stucco, vernice a base d'acqua) per garantire un'integrazione perfetta con la costruzione.
[†] The primer rose can be painted after installation with normal water-based finishes (tempera, stucco, water-based paint) to guarantee flawless integration with the building.

	ALMENDRA S2 Y SHORT	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / <i>incl VAT</i>
	Patricia Urquiola, 2022 Potenza · <i>Power</i> 30W Tensione · <i>Voltage</i> 220/240V Fonte luminosa · <i>Light source</i> LED 30W 1170lm* 2700K CRI95 LED INCLUDED * Il flusso luminoso si riferisce al prodotto con finitura off-white. Si prega di consultare il nostro sito web per informazioni dettagliate sulle altre finiture. * The lumen output refers to the product with the off-white finish. Please consult our website for detailed information about the other finishes.	off-white nude anthracite bay blue metallized	ROSONE BIANCO / WHITE ROSE ○ F0442009 2.950,00 ● F0442026 2.950,00 ● F0442033 2.950,00 ● F0442039 3.250,00 ROSONE PRIMER / PRIMER ROSE[†] ○ F0396009 2.950,00 ● F0396026 2.950,00 ● F0396033 2.950,00 ● F0396039 3.250,00	
Materiali · <i>Materials</i> polycarbonato sostenibile, alluminio · <i>sustainable polycarbonate, aluminum</i> Peso · <i>Weight</i> 8,17 Kg				
	ALMENDRA S3 Y SHORT	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / <i>incl VAT</i>
	Patricia Urquiola, 2022 Potenza · <i>Power</i> 45W Tensione · <i>Voltage</i> 220/240V Fonte luminosa · <i>Light source</i> LED 45W 1755lm* 2700K CRI95 LED INCLUDED * Il flusso luminoso si riferisce al prodotto con finitura off-white. Si prega di consultare il nostro sito web per informazioni dettagliate sulle altre finiture. * The lumen output refers to the product with the off-white finish. Please consult our website for detailed information about the other finishes.	off-white nude anthracite bay blue metallized	ROSONE BIANCO / WHITE ROSE ○ F0436009 3.610,00 ● F0436026 3.610,00 ● F0436033 3.610,00 ● F0436039 3.960,00 ROSONE PRIMER / PRIMER ROSE[†] ○ F0398009 3.610,00 ● F0398026 3.610,00 ● F0398033 3.610,00 ● F0398039 3.960,00	
Materiali · <i>Materials</i> polycarbonato sostenibile, alluminio · <i>sustainable polycarbonate, aluminum</i> Peso · <i>Weight</i> 9,83 Kg				
	ARCO	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / <i>incl VAT</i>
	Achille and Pier Giacomo Castiglioni, 1962 Potenza · <i>Power</i> MAX 70W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i> LED 11W E27 1060lm [esclusa - <i>excluded</i>]	acciaio · <i>steel</i>	F0300000 2.620,00	
Materiali · <i>Materials</i> marmo, acciaio inox, alluminio · <i>marble, stainless steel, aluminum</i> Peso · <i>Weight</i> 63,4 Kg SWITCH INCLUDED				
	ARCO K LTD EDITION (2022 PIECES AVAILABLE)*	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / <i>incl VAT</i>
	Achille and Pier Giacomo Castiglioni, 1962 Potenza · <i>Power</i> MAX 70W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i> LED 11W E27 1060lm [inclusa - <i>included</i>]	vetro · <i>glass</i>	● F0304000 10.000,00	
Materiali · <i>Materials</i> glass, acciaio inox, alluminio · <i>glass, stainless steel, aluminum</i> Peso · <i>Weight</i> 63,9 Kg SWITCH INCLUDED				

[†] Il rosone primer può essere dipinto dopo l'installazione con normali finiture a base d'acqua (tempera, stucco, vernice a base d'acqua) per garantire un'integrazione perfetta con la costruzione.
[†] The primer rose can be painted after installation with normal water-based finishes (tempera, stucco, water-based paint) to guarantee flawless integration with the building.

	ARCO LED Achille and Pier Giacomo Castiglioni, 1962 Potenza · <i>Power</i> 28W Tensione · <i>Voltage</i> 100-240V/48V	Finiture <i>Finishes</i> acciaio · <i>steel</i> Colori <i>Colors</i> F0303000 € IVA inc / <i>incl VAT</i> 2.670,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 1 MULTICHIP LED 28W 1224lm 2700K CRI93 DIMMABLE	CE IP 20
	Materiali · <i>Materials</i> marmo, acciaio inox, alluminio · <i>marble, stainless steel, aluminum</i>	CE IP 20
	Peso · <i>Weight</i> 63,85 Kg DIMMER INCLUDED	

	ARIETTE 1/2 Tobia Scarpa, 1973 Potenza · <i>Power</i> 4 x MAX 40W Tensione · <i>Voltage</i> 220-250V	Finiture <i>Finishes</i> tessuto · <i>fabric</i> tessuto · <i>fabric</i> Colori <i>Colors</i> F0400009 ARIETTE 1 F0500009 ARIETTE 2 € IVA inc / <i>incl VAT</i> 330,00 350,00
	Fonte luminosa · <i>Light source</i> LED 11,5W E27 1100lm [esclusa - <i>excluded</i>]	
	Materiali · <i>Materials</i> tessuto · <i>fabric</i>	
	Peso · <i>Weight</i> 0,8 Kg (1) - 1 Kg (2)	CE IP 20


	ARRANGEMENTS - LINE Michael Anastassiades, 2018 Potenza · <i>Power</i> 29W Tensione · <i>Voltage</i> 48V	Finiture <i>Finishes</i> nero opaco · <i>matte black</i> Colori <i>Colors</i> F0401030 € IVA inc / <i>incl VAT</i> 640,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> FLEX STRIP LED 29W 1480lm 2700K CRI90	
Il modulo Line non può essere installato singolarmente, ma necessita di una combinazione con altri elementi della famiglia - <i>Line cannot be installed alone, it must be combined with other elements</i>	Materiali · <i>Materials</i> alluminio · <i>aluminum</i>	
Rosone escluso <i>Ceiling rose excluded</i>	Peso · <i>Weight</i> 0,6 Kg	CE IP 20

	ARRANGEMENTS - BROKEN LINE Michael Anastassiades, 2018 Potenza · <i>Power</i> 29W Tensione · <i>Voltage</i> 48V	Finiture <i>Finishes</i> nero opaco · <i>matte black</i> Colori <i>Colors</i> F0405030 € IVA inc / <i>incl VAT</i> 650,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> FLEX STRIP LED 29W 1200lm 2700K CRI90	
	Materiali · <i>Materials</i> alluminio · <i>aluminum</i>	
Rosone escluso <i>Ceiling rose excluded</i>	Peso · <i>Weight</i> 0,5 Kg	CE IP 20

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
 For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91


	ARRANGEMENTS - DROP UP	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Michael Anastassiades, 2018	nero opaco · <i>matte black</i>	● F0414030	850,00
	Potenza · <i>Power</i> 32W Tensione · <i>Voltage</i> 48V			
	LED INCLUDED	Fonte luminosa · <i>Light source</i> FLEX STRIP LED 32W 1530lm 2700K CRI90		
	Materiali · <i>Materials</i> alluminio · <i>aluminum</i>			
Rosone escluso Ceiling rose excluded	Peso · <i>Weight</i> 0,65 Kg	CE   IP 20 		

	ARRANGEMENTS - DROP DOWN	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Michael Anastassiades, 2018	nero opaco · <i>matte black</i>	● F0413030	850,00
	Potenza · <i>Power</i> 30W Tensione · <i>Voltage</i> 48V			
	LED INCLUDED	Fonte luminosa · <i>Light source</i> FLEX STRIP LED 30W 1530lm 2700K CRI90		
	Materiali · <i>Materials</i> alluminio · <i>aluminum</i>			
Rosone escluso Ceiling rose excluded	Peso · <i>Weight</i> 0,65 Kg	CE   IP 20 		


	ARRANGEMENTS - SQUARE SMALL	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Michael Anastassiades, 2018	nero opaco · <i>matte black</i>	● F0410030	720,00
	Potenza · <i>Power</i> 20W Tensione · <i>Voltage</i> 48V			
	LED INCLUDED	Fonte luminosa · <i>Light source</i> FLEX STRIP LED 20W 883lm 2700K CRI90		
	Materiali · <i>Materials</i> alluminio · <i>aluminum</i>			
Rosone escluso Ceiling rose excluded	Peso · <i>Weight</i> 0,39 Kg	CE   IP 20 		

	ARRANGEMENTS - SQUARE LARGE	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Michael Anastassiades, 2018	nero opaco · <i>matte black</i>	● F0409030	840,00
	Potenza · <i>Power</i> 34W Tensione · <i>Voltage</i> 48V			
	LED INCLUDED	Fonte luminosa · <i>Light source</i> FLEX STRIP LED 34W 1657lm 2700K CRI90		
	Materiali · <i>Materials</i> alluminio · <i>aluminum</i>			
Rosone escluso Ceiling rose excluded	Peso · <i>Weight</i> 0,67 Kg	CE   IP 20 		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

  Ø 398 mm	ARRANGEMENTS - ROUND SMALL Michael Anastassiades, 2018 Potenza · <i>Power</i> 21W Tensione · <i>Voltage</i> 48V	Finiture <i>Finishes</i> nero opaco · <i>matte black</i>	Colori <i>Colors</i> ● F0406030	€ IVA inc / <i>incl VAT</i> 680,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> FLEX STRIP LED 21W 1068lm 2700K CRI90	CE   IP 20 		
	Materiali · <i>Materials</i> alluminio · <i>aluminum</i> Rosone escluso <i>Ceiling rose excluded</i> Peso · <i>Weight</i> 0,41 Kg			
  Ø 665mm	ARRANGEMENTS - ROUND MEDIUM Michael Anastassiades, 2018 Potenza · <i>Power</i> 35W Tensione · <i>Voltage</i> 48V	Finiture <i>Finishes</i> nero opaco · <i>matte black</i>	Colori <i>Colors</i> ● F0407030	€ IVA inc / <i>incl VAT</i> 850,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> FLEX STRIP LED 35W 1770lm 2700K CRI90	CE   IP 20 		
	Materiali · <i>Materials</i> alluminio · <i>aluminum</i> Rosone escluso <i>Ceiling rose excluded</i> Peso · <i>Weight</i> 0,75 Kg			
  Ø 1020 mm	ARRANGEMENTS - ROUND LARGE Michael Anastassiades, 2018 Potenza · <i>Power</i> 54W Tensione · <i>Voltage</i> 48V	Finiture <i>Finishes</i> nero opaco · <i>matte black</i>	Colori <i>Colors</i> ● F0408030	€ IVA inc / <i>incl VAT</i> 1.100,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> FLEX STRIP LED 54W 2751lm 2700K CRI90	CE   IP 20 		
	Materiali · <i>Materials</i> alluminio · <i>aluminum</i> Rosone escluso <i>Ceiling rose excluded</i> Peso · <i>Weight</i> 1,2 Kg			
 ø 150 mm 70 mm 2400 mm	ARRANGEMENTS SMALL ROSE ACCESSORI · ACCESSORIES Tensione · <i>Voltage</i> 120-270V Descrizione · <i>Description</i> Rosone dimmerabile piccolo da soffitto per l'installazione di combinazioni fino a max 70W · <i>Small dimmable ceiling rose for the installation of</i> <i>combinations within max 70W</i>	Finiture <i>Finishes</i> nero · <i>black</i>	Colori <i>Colors</i> ● F0416030	€ IVA inc / <i>incl VAT</i> 570,00
	DIMMER INCLUDED 1-10/PUSH/DALI	CE   IP 20 		
	Peso · <i>Weight</i> 1,25 Kg			

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
 For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91



ARRANGEMENTS BIG ROSE
ACCESSORI · ACCESSORIES

Tensione · Voltage 100-240V

Descrizione · Description
Rosone dimmerabile grande da soffitto per
l'installazione di combinazioni fino a max 190W ·
Big dimmable ceiling rose for the installation of
combinations within max 190W


Finiture
Finishes
nero · black

Colori
Colors
● F0415030

€ IVA inc / incl VAT
650,00

Peso · Weight 3,06 Kg

DIMMER INCLUDED
1-10/PUSH/DALI



ARRANGEMENTS RECESSED ROSE
ACCESSORI · ACCESSORIES

Tensione · Voltage 100-240V

Descrizione · Description
Rosone da soffitto con alimentazione remota per
l'installazione di combinazioni fino a max 190W
· Ceiling rose with remote power supply for the
installation of combinations within max 190W

Finiture
Finishes
nero · black

Colori
Colors
● F0418030

€ IVA inc / incl VAT
700,00

Peso · Weight 3,3 Kg

DIMMER INCLUDED
1-10/PUSH/DALI



BELLHOP BATTERY

E. Barber & J. Osgerby, 2018

Potenza · Power 2,5W

Tensione · Voltage IN 100-240/5V

Finiture
Finishes
bianco · white
cioko
grigio · grey
rosso mattone · brick red
giallo · yellow
grey blue

Colori
Colors
○ F1060009
● F1060026
● F1060020
● F1060075
● F1060019
● F1060014

€ IVA inc / incl VAT
255,00
255,00
255,00
255,00
255,00
255,00

LED INCLUDED
Fonte luminosa · Light source
84 LED 2,5W 151lm 2700K CRI90
6/24 HOURS BATTERY LIFE, RECHARGEABLE
WITH MICRO-USB-C KIT

Materiali · Materials
polycarbonato · polycarbonate

Peso · Weight 1,30 Kg

DIMMER INCLUDED



BELLHOP MATTE BLACK

E. Barber & J. Osgerby, 2022 Edition

Potenza · Power 2,5W

Tensione · Voltage IN 100-240/5V

Finiture
Finishes
matte black

Colori
Colors
● F1060031

€ IVA inc / incl VAT
300,00





LED INCLUDED
Fonte luminosa · Light source
84 LED 2,5W 151lm 2700K CRI90
6/24 HOURS BATTERY LIFE, RECHARGEABLE
WITH MICRO-USB-C KIT



Materiali · Materials
polycarbonato · polycarbonate

Peso · Weight 1,30 Kg




DIMMER INCLUDED





	BELLHOP FLOOR E. Barber & J. Osgerby, 2021 Potenza · <i>Power</i> 26W Tensione · <i>Voltage</i> 100-240/48V Fonte luminosa · <i>Light source</i> (white body)1 COB LED 26W 1232lm 2700K CRI90 DIMMABLE (other colors body) 1 COB LED 26W 1023lm 2700K CRI90 DIMMABLE LED INCLUDED Materiali · <i>Materials</i> alluminio, vetro, cemento · <i>aluminum, glass, concrete</i> Peso · <i>Weight</i> 9,82 Kg DIMMER INCLUDED	Finiture <i>Finishes</i> bianco/cioko · <i>white/cioko</i> bianco/verde · <i>white/green</i> bianco/rosso mattone · <i>white/brick red</i>	Colori <i>Colors</i> ● F1070026 ● F1070039 ● F1070075	€ IVA inc / <i>incl VAT</i> 900,00 900,00 900,00
	BELLHOP WALL UP E. Barber & J. Osgerby, 2022 Potenza · <i>Power</i> 17W Tensione · <i>Voltage</i> 220-240V LED INCLUDED Fonte luminosa · <i>Light source</i> LED 17W 1314lm 2700K CRI90 Materiali · <i>Materials</i> plastica, alluminio · <i>plastic, aluminum</i> Peso · <i>Weight</i> 1,2 Kg REMOTE DIMMABLE	Finiture <i>Finishes</i> bianco · <i>white</i> cioko grigio · <i>grey</i> rosso mattone · <i>brick red</i> giallo · <i>yellow</i> grey blue	Colori <i>Colors</i> ○ F1080009 ● F1080026 ● F1080020 ● F1080075 ● F1080019 ● F1080014	€ IVA inc / <i>incl VAT</i> 300,00 300,00 300,00 300,00 300,00 300,00 DIMMABLE PARETE / <i>WALL DIMMABLE</i> RF34169 (DALI) 218,00
	BELLHOP GLASS S2 E. Barber & J. Osgerby, 2024 Potenza · <i>Power</i> 30W Tensione · <i>Voltage</i> 220-240V Fonte luminosa · <i>Light source</i> LED 25W E27 3700lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> vetro, alluminio · <i>glass, aluminum</i> Peso · <i>Weight</i> 7,5 Kg	Finiture <i>Finishes</i> bianco · <i>white</i> cioko bright aluminum	Colori <i>Colors</i> ○ F1081009 ● F1081026 ● F1081064	€ IVA inc / <i>incl VAT</i> 995,00 995,00 1.070,00
	BELLHOP GLASS T E. Barber & J. Osgerby, 2024 Potenza · <i>Power</i> 15W Tensione · <i>Voltage</i> 220-240V Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> vetro, alluminio · <i>glass, aluminum</i> Peso · <i>Weight</i> 3,9 Kg	Finiture <i>Finishes</i> bianco · <i>white</i> cioko bright aluminum	Colori <i>Colors</i> ○ F1074009 ● F1074026 ● F1074064	€ IVA inc / <i>incl VAT</i> 890,00 890,00 890,00


	KIT BELT	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Ronan & Erwan Bouroullec, 2020	nero · <i>black</i>	● 03.8530.14.CB	5.658,00
	Potenza · <i>Power</i> MAX 55,5W	verde · <i>green</i>	● 03.8530.GN.CB	5.658,00
	Tensione · <i>Voltage</i> 48V	pelle naturale · <i>natural leather</i>	● 03.8530.18.CB	5.658,00
	Fonte luminosa · <i>Light source</i>			
	LED INCLUDED TOP LED 55,5W 1830lm UP - 4000lm DOWN 2700K CRI95 CASAMBI DIMMABLE			
	Materiali · <i>Materials</i>			
	alluminio estruso rivestito in pelle naturale, policarbonato opale · <i>extruded aluminum covered in real leather, opal polycarbonate</i>			
	Peso · <i>Weight</i> 6,5 Kg	REMOTE DRIVER INCLUDED	CE 	
	KIT BELT FABRIC	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Ronan & Erwan Bouroullec, 2022	olive green	● 03.8530.GO.CB	3.600,00
	Potenza · <i>Power</i> MAX 55,5W	copper brown	● 03.8530.M5.CB	3.600,00
	Tensione · <i>Voltage</i> 48V			
	Fonte luminosa · <i>Light source</i>			
	LED INCLUDED TOP LED 55,5W 1830lm UP - 4000lm DOWN 2700K CRI95 CASAMBI DIMMABLE			
	Materiali · <i>Materials</i>			
	alluminio estruso rivestito in tessuto, policarbonato opale · <i>extruded aluminum covered in fabric, opal polycarbonate</i>			
	Peso · <i>Weight</i> 6,5 Kg	REMOTE DRIVER INCLUDED	CE 	
	BIAGIO	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Tobia Scarpa, 1968	marmo · <i>marble</i>	○ F0700000	6.200,00
	Potenza · <i>Power</i> MAX 70W			
	Tensione · <i>Voltage</i> 220-250V			
	Fonte luminosa · <i>Light source</i>			
	LED 8W E27 740lm [esclusa - <i>excluded</i>]			
	Materiali · <i>Materials</i>			
	marmo · <i>marble</i>			
	Peso · <i>Weight</i> 7,5 Kg	SWITCH INCLUDED	CE 	
	BIBLIOTHEQUE NATIONALE	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Philippe Starck, 2013	trasparente · <i>transparent</i>	● F1011000	2.250,00
	Potenza · <i>Power</i> MAX 150W	bronzo · <i>bronze</i>	● F1011046	2.250,00
	Tensione · <i>Voltage</i> 220-240V	tessuto · <i>fabric</i>	● F1011007	2.250,00
		fumè · <i>fumée</i>	● F1011030	2.250,00
	Fonte luminosa · <i>Light source</i>			
	LED 21W E27 2452lm [esclusa - <i>excluded</i>] + CHARGER USB 5VDC			
	Materiali, Materia/s			
	PC, acciaio inox, metacrilato · <i>PC, stainless steel, methacrylate</i>			
	Peso · <i>Weight</i> 10,87 Kg	DIMMER INCLUDED	CE 	

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	BILBOQUET	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Philippe Malouin, 2023 Potenza · <i>Power</i> 7.5W Tensione · <i>Voltage</i> 220-240V	linen sage tomato	● F0995017 ● F0995039 ● F0995035	280,00 280,00 280,00
 Fonte luminosa · <i>Light source</i> GU10 Led Bulb 620lm 2700K CRI>80 [inclusa - <i>included</i>]				
Materiali · <i>Materials</i> policarbonato, ferro · <i>polycarbonate, iron</i>				
Peso · <i>Weight</i> 1,8 Kg SWITCH INTEGRATED ON THE CORD   				
	BLACK FLAG	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Konstantin Grcic, 2023 Potenza · <i>Power</i> 75W Tensione · <i>Voltage</i> 220-240V	matte black	● F1090031	5.800,00
LED INCLUDED Fonte luminosa · <i>Light source</i> Power LED 2700K CRI 90				
Materiali · <i>Materials</i> policarbonato, alluminio · <i>polycarbonate, aluminum</i>				
Peso · <i>Weight</i> 15 Kg DIMMER INCLUDED   				
	BLACK FLAG PRO	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Konstantin Grcic, 2023 Potenza · <i>Power</i> 82W Tensione · <i>Voltage</i> 220-240V	matte black	● F1091031	6.600,00
LED INCLUDED Fonte luminosa · <i>Light source</i> Tunable white 2700-5000K CRI 90				
Materiali · <i>Materials</i> policarbonato, alluminio · <i>polycarbonate, aluminum</i>				
Peso · <i>Weight</i> 15 Kg DIMMER INCLUDED   				
	BLACK FLAG & BLACK FLAG PRO	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	ACCESSORI · ACCESSORIES Descrizione · <i>Description</i> Cavo di alimentazione per installazione con presa a parete · <i>Feed cable for wall socket installation</i>	nero · <i>black</i>	● F1096031	50,00

	BON JOUR Philippe Starck, 2015 Potenza · <i>Power</i> 13W Tensione · <i>Voltage</i> 100-240V/24V	Finiture <i>Finishes</i> bianco · <i>white</i> cromo · <i>chrome</i> rame · <i>copper</i> cromo opaco · <i>matte chrome</i>	Colori <i>Colors</i> ○ F1032009 ▨ F1032057 ● F1032015 ● F1032046	€ IVA inc / <i>incl VAT</i> 530,00 550,00 600,00 530,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> EDGE LIGHTING 13W 811lm 2700K CRI90 DIMMABLE	Peso · <i>Weight</i> 1,65 Kg DIMMER INCLUDED    		
	BON JOUR ACCESSORI · ACCESSORIES Descrizione · <i>Description</i> Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · <i>Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.</i>	Finiture <i>Finishes</i> rafia · <i>rattan</i> tessuto · <i>fabric</i> trasparente · <i>transparent</i> fumè · <i>fumée</i>	Colori <i>Colors</i> ● F1033088 ● F1033007 ● F1033000 ● F1033030	€ IVA inc / <i>incl VAT</i> 115,00 115,00 50,00 60,00
	BON JOUR UNPLUGGED Philippe Starck, 2015 Potenza · <i>Power</i> 2,5W Tensione · <i>Voltage</i> 100-240V/5V	Finiture <i>Finishes</i> bianco · <i>white</i> cromo · <i>chrome</i> rame · <i>copper</i> cromo opaco · <i>matte chrome</i>	Colori <i>Colors</i> ○ F1037009 ▨ F1037057 ● F1037015 ● F1037046	€ IVA inc / <i>incl VAT</i> 305,00 325,00 325,00 325,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> EDGE LIGHTING 2,5W 181lm 2700K CRI 90 DIMMABLE 6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT	Peso · <i>Weight</i> 0,55 Kg DIMMER INCLUDED    		
	BON JOUR UNPLUGGED ACCESSORI · ACCESSORIES Descrizione · <i>Description</i> Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · <i>Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.</i>	Finiture <i>Finishes</i> ambra · <i>amber</i> rafia · <i>rattan</i> tessuto · <i>fabric</i> trasparente · <i>transparent</i> fumè · <i>fumée</i>	Colori <i>Colors</i> ● F1036070 ● F1036088 ● F1036007 ● F1036000 ● F1036030	€ IVA inc / <i>incl VAT</i> 30,00 65,00 65,00 25,00 30,00




Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

 ø 140 mm 46 mm	MINI BUTTON		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Piero Lissoni, 2005		polycarbonato · <i>polycarbonate</i> vetro · <i>glass</i>	○ F1491009* ● F1490009	200,00 220,00
	Potenza · <i>Power</i> MAX 25W				
	Tensione · <i>Voltage</i> 220-250V				
	Fonte luminosa · <i>Light source</i>  LED 3,2W G9 400lm o · <i>or</i> LED 2W G9 240lm [esclusa - <i>excluded</i>]				
	Materiali · <i>Materials</i> polycarbonato o vetro · <i>polycarbonate or glass</i>				
	Peso · <i>Weight</i> 0,32 Kg (pol.) - 0,6 Kg (vetro/glass)		CE  IP 44 (polyc.) IP 40 (glass)	*Ad esaurimento scorte - <i>While stocks last</i>	
 100 mm ø 470 mm	BUTTON		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Piero Lissoni, 2005		bianco · <i>white</i>	○ F3190009	650,00
	Potenza · <i>Power</i> 5 x MAX 40W				
	Tensione · <i>Voltage</i> 220-250V				
	Fonte luminosa · <i>Light source</i>  LED 3,2W G9 400lm o · <i>or</i> LED 2W G9 240lm [esclusa - <i>excluded</i>]				
	Materiali · <i>Materials</i> vetro · <i>glass</i>				
	Peso · <i>Weight</i> 7 Kg		CE  IP 40 		
 373 mm ø 210 1537 mm ø 320 mm	CAPTAIN FLINT		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Michael Anastassiades, 2015		ottone spazzolato · <i>brushed brass</i> antracite · <i>anthracite</i>	● F1530059 ● F1530030	1.595,00 1.595,00
	Potenza · <i>Power</i> 20W				
	Tensione · <i>Voltage</i> 100-240V/48V				
	LED INCLUDED Fonte luminosa · <i>Light source</i> 1 COB LED 20W 554lm 2700K CRI93] DIMMABLE				
	Materiali · <i>Materials</i> acciaio, polycarbonato, marmo · <i>steel, polycarbonate, marble</i>				
	Peso · <i>Weight</i> 8,2 Kg	DIMMER INCLUDED	CE   IP 20 		
 ø 220 mm From 500 to 520 mm ø 205 mm	CÉRAMIQUE UP		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Ronan Bouroullec, 2023		moss green navy blue rust red	● F1632039 ● F1632014 ● F1632035	870,00 870,00 870,00
	Potenza · <i>Power</i> 8W				
	Tensione · <i>Voltage</i> 220-240V				
	Fonte luminosa · <i>Light source</i>  LED 8W E27 740lm CRI>80 [esclusa - <i>excluded</i>]				
	Materiali · <i>Materials</i> polycarbonato, ceramica · <i>polycarbonate, ceramics</i>				
	Peso · <i>Weight</i> 3,5 Kg	DIMMER INTEGRATED ON THE CORD	CE  IP 20 		





Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
 For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

 From 500 to 520 mm ø 220 mm ø 205 mm	CÉRAMIQUE SIDE Ronan Bouroullec, 2023 Potenza · <i>Power</i> 8W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> moss green navy blue rust red	Colori <i>Colors</i> ● F1633039 ● F1633014 ● F1633035	€ IVA inc / <i>incl VAT</i> 870,00 870,00 870,00
	 Fonte luminosa · <i>Light source</i> LED 8W E27 740lm CRI>80 [esclusa - <i>excluded</i>]			
	Materiali · <i>Materials</i> polycarbonato, ceramica · <i>polycarbonate, ceramics</i> Peso · <i>Weight</i> 3,5 Kg DIMMER INTEGRATED ON THE CORD   			
 From 486 to 510 mm 239 mm ø 220 mm ø 205 mm	CÉRAMIQUE DOWN Ronan Bouroullec, 2023 Potenza · <i>Power</i> 8W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> moss green navy blue rust red	Colori <i>Colors</i> ● F1634039 ● F1634014 ● F1634035	€ IVA inc / <i>incl VAT</i> 870,00 870,00 870,00
	 Fonte luminosa · <i>Light source</i> LED 8W E27 740lm CRI>80 [esclusa - <i>excluded</i>]			
	Materiali · <i>Materials</i> polycarbonato, ceramica · <i>polycarbonate, ceramics</i> Peso · <i>Weight</i> 3,5 Kg DIMMER INTEGRATED ON THE CORD   			
 760/850 mm 2700 mm ø 285/485 mm	CHASEN Patricia Urquiola, 2007 Potenza · <i>Power</i> 120W Tensione · <i>Voltage</i> 220-250V	Finiture <i>Finishes</i> bianco · <i>white</i> nero · <i>black</i>	Colori <i>Colors</i> ○ F1636009 ● F1636030	€ IVA inc / <i>incl VAT</i> 2.000,00 2.000,00
	 Fonte luminosa · <i>Light source</i> LED 16W E27 1600lm [esclusa - <i>excluded</i>]			
	Materiali · <i>Materials</i> acciaio inox, alluminio, vetro · <i>stainless steel, aluminum, glass</i> Peso · <i>Weight</i> 7,6 Kg   			
 500 mm 720 mm 1450 mm ø 320 mm	CHIARA F Mario Bellini, 1969 -2020 Potenza · <i>Power</i> 105W Tensione · <i>Voltage</i> 100-240V	Finiture <i>Finishes</i> stainless steel with black edge	Colori <i>Colors</i> ● F1590056	€ IVA inc / <i>incl VAT</i> 2.150,00
	 Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm [inclusa - <i>included</i>]			
	Materiali · <i>Materials</i> acciaio inox, tpu · <i>stainless steel, tpu</i> Peso · <i>Weight</i> 10,5 Kg DIMMER INCLUDED   			




Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	CHIARA T Mario Bellini, 2020 Potenza · <i>Power</i> 1 x MAX 10W LED Tensione · <i>Voltage</i> 100-240V	Finiture <i>Finishes</i> aluminum with anthra- cite edge	Colori <i>Colors</i> F1595004	€ IVA inc / <i>incl VAT</i> 520,00
	Fonte luminosa · <i>Light source</i> LED 8W E14 900lm o · or LED 9W E14 900lm [excluida - <i>excluded</i>]			
	Materiali · <i>Materials</i> alluminio, tpu · <i>aluminum, tpu</i> Peso · <i>Weight</i> 1,32 Kg	DIMMER INCLUDED	CE	
	CLARA Piero Lissoni, 2014 Potenza · <i>Power</i> 57W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> bianco · <i>white</i> cromo · <i>chrome</i> rame · <i>copper</i> trasparente · <i>transparent</i> fumè · <i>fumée</i>	Colori <i>Colors</i> F1570009 F1571057 F1571015 F1571000 F1571030A	€ IVA inc / <i>incl VAT</i> 815,00 330,00 390,00 120,00 135,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> TOP LED 57W 3141lm 2700K CRI>90 DIMMABLE		FINITURE FREGIO / <i>FRIEZE FINISHES</i> DIMMABLE PARETE / <i>WALL DIMMABLE</i> RF34169 (DALI)	218,00
	Materiali · <i>Materials</i> policarbonato · <i>polycarbonate</i> Peso · <i>Weight</i> 3 Kg		CE	
	CLESSIDRA OUTDOOR/INDOOR Antonio Citterio, 2011 Potenza · <i>Power</i> 10W Tensione · <i>Voltage</i> 100-240V	Finiture <i>Finishes</i> grigio · <i>grey</i> deep brown grigio · <i>grey</i> deep brown	Colori <i>Colors</i> F1583006 20°+20° OUTDOOR F1583018 20°+20° OUTDOOR F1584006 40°+40° OUTDOOR F1584018 40°+40° OUTDOOR	€ IVA inc / <i>incl VAT</i> 450,00 450,00 450,00 450,00
	Fonte luminosa · <i>Light source</i> 2 LED 10W 637lm* 3000K CRI80 LED INCLUDED * Il flusso luminoso si riferisce al prodotto con 20°+20°. Si prega di consultare il nostro sito web per informazioni dettagliate sulle finiture con 40°+40°. * The lumen output refers to the product with 20°+20°. Please consult our website for detailed information about the finishes with 40°+40°.			
	Materiali · <i>Materials</i> alluminio, PMMA · <i>aluminum, PMMA</i> Peso · <i>Weight</i> 1,1 Kg		CE	
	CLESSIDRA INDOOR Antonio Citterio, 2011 Potenza · <i>Power</i> 10W Tensione · <i>Voltage</i> 100-240V	Finiture <i>Finishes</i> bianco · <i>white</i> bianco · <i>white</i>	Colori <i>Colors</i> F1583009 20°+20° F1584009 40°+40°	€ IVA inc / <i>incl VAT</i> 450,00 450,00
	Fonte luminosa · <i>Light source</i> 2 LED 10W 637lm* 3000K CRI80 LED INCLUDED * Il flusso luminoso si riferisce al prodotto con 20°+20°. Si prega di consultare il nostro sito web per informazioni dettagliate sulle finiture con 40°+40°. * The lumen output refers to the product with 20°+20°. Please consult our website for detailed information about the finishes with 40°+40°.			
	Materiali · <i>Materials</i> alluminio, PMMA · <i>aluminum, PMMA</i> Peso · <i>Weight</i> 1,1 Kg		CE	





Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
 For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	COORDINATES C4	Michael Anastassiades, 2020	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc I incl VAT
	Potenza · <i>Power</i> 157W	Tensione · <i>Voltage</i> 100 - 240V	champagne anodizzato · <i>anodized champagne</i>	F1856044	5.100,00
			argent	F1856033	5.100,00
	LED INCLUDED	Fonte luminosa · <i>Light source</i> STRIP LED 157W 8830lm 2700K CRI95			
	Materiali · <i>Materials</i> alluminio estruso, silicone platinico opale estruso · <i>extruded aluminum, platinic silicone extruded opal</i>				
	Peso · <i>Weight</i> 8,1 Kg	DIMMER INCLUDED 1-10/PUSH/DALI	CE L P 20		
	COORDINATES C4 CL III	Michael Anastassiades, 2020	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc I incl VAT
	Potenza · <i>Power</i> 147W	Tensione · <i>Voltage</i> 48V	champagne anodizzato · <i>anodized champagne</i>	F1840044	4.800,00
			argent	F1840033	4.800,00
	LED INCLUDED	Fonte luminosa · <i>Light source</i> STRIP LED 147W 8830lm 2700K CRI95		ALIMENTATORE / <i>POWER SUPPLY</i> RF29209	121,00
				DIMMER LED / <i>LED DIMMER</i> RF26994	85,00
	Materiali · <i>Materials</i> alluminio estruso, silicone platinico opale estruso · <i>extruded aluminum, platinic silicone extruded opal</i>				
	Peso · <i>Weight</i> 5,2 Kg		CE L P 20		
	COORDINATES F	Michael Anastassiades, 2020	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc I incl VAT
	Potenza · <i>Power</i> 57W	Tensione · <i>Voltage</i> 100 - 240/48V	champagne anodizzato · <i>anodized champagne</i>	F1801044	1.560,00
			argent	F1801033	1.560,00
	LED INCLUDED	Fonte luminosa · <i>Light source</i> STRIP LED 57W 3240lm 2700K CRI95 DIMMABLE			
	Materiali · <i>Materials</i> alluminio estruso, silicone platinico opale estruso · <i>extruded aluminum, platinic silicone extruded opal</i>				
	Peso · <i>Weight</i> 9,2 Kg	DIMMER INCLUDED	CE L P 20		
	COORDINATES MODULE S	Michael Anastassiades, 2020	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc I incl VAT
	Potenza · <i>Power</i> 180W	Tensione · <i>Voltage</i> 100 - 240V	champagne anodizzato · <i>anodized champagne</i>	F1880044	5.000,00
			argent	F1880033	5.000,00
	LED INCLUDED	Fonte luminosa · <i>Light source</i> STRIP LED 180W 10230lm 2700K CRI90			
	Materiali · <i>Materials</i> alluminio estruso, silicone platinico opale estruso · <i>extruded aluminum, platinic silicone extruded opal</i>				
	Peso · <i>Weight</i> 8,7 Kg	DIMMER INCLUDED 1-10/PUSH/DALI	CE L P 20		





Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	COORDINATES MODULE S CL III Michael Anastassiades, 2020 Potenza · <i>Power</i> 180W Tensione · <i>Voltage</i> 48V	Finiture <i>Finishes</i> champagne anodizzato · <i>anodized champagne</i> argent	Colori <i>Colors</i> ● F1889044 ● F1889033 ALIMENTATORE / <i>POWER SUPPLY</i> RF27617 DIMMER LED / <i>LED DIMMER</i> RF26994	€ IVA inc <i>I incl VAT</i> 4.700,00 4.700,00 121,00 85,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> STRIP LED 180W 10230lm 2700K CRI90 Materiali · <i>Materials</i> alluminio estruso, silicone platinico opale estruso · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 6 Kg	CE 		
	COORDINATES S1 Michael Anastassiades, 2020 Potenza · <i>Power</i> 37W Tensione · <i>Voltage</i> 120 - 240V	Finiture <i>Finishes</i> champagne anodizzato · <i>anodized champagne</i> argent	Colori <i>Colors</i> ● F1860044 ● F1860033	€ IVA inc <i>I incl VAT</i> 1.820,00 1.820,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> STRIP LED 37W 1920lm 2700K CRI95 Materiali · <i>Materials</i> alluminio estruso, silicone platinico opale estruso · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 2,1 Kg	DIMMER INCLUDED 1-10/PUSH/DALI	CE 	
	COORDINATES S1 CL III Michael Anastassiades, 2020 Potenza · <i>Power</i> 32W Tensione · <i>Voltage</i> 48V	Finiture <i>Finishes</i> champagne anodizzato · <i>anodized champagne</i> argent	Colori <i>Colors</i> ● F1842044 ● F1842033 ALIMENTATORE / <i>POWER SUPPLY</i> RF29208 DIMMER LED / <i>LED DIMMER</i> RF26994	€ IVA inc <i>I incl VAT</i> 1.650,00 1.650,00 81,00 85,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> STRIP LED 32W 1920lm 2700K CRI95 Materiali · <i>Materials</i> alluminio estruso, silicone platinico opale estruso · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 1,2 Kg	CE 		
	COORDINATES S2 Michael Anastassiades, 2020 Potenza · <i>Power</i> 55W Tensione · <i>Voltage</i> 120 - 240V	Finiture <i>Finishes</i> champagne anodizzato · <i>anodized champagne</i> argent	Colori <i>Colors</i> ● F1862044 ● F1862033	€ IVA inc <i>I incl VAT</i> 2.100,00 2.100,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> STRIP LED 55W 2960lm 2700K CRI95 Materiali · <i>Materials</i> alluminio estruso, silicone platinico opale estruso · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 2,7 Kg	DIMMER INCLUDED 1-10/PUSH/DALI	CE 	




Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	COORDINATES S2 CLIII Michael Anastassiades, 2020 Potenza · <i>Power</i> 50W Tensione · <i>Voltage</i> 48V	Finiture <i>Finishes</i> champagne anodizzato · <i>anodized champagne</i> argent	Colori <i>Colors</i> ● F1844044 ● F1844033 ALIMENTATORE / <i>POWER SUPPLY</i> RF29208 DIMMER LED / <i>LED DIMMER</i> RF26994	€ IVA inc / <i>incl VAT</i> 2.000,00 2.000,00 81,00 85,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> STRIP LED 55W 2960lm 2700K CRI95			
	Materiali · <i>Materials</i> alluminio estruso, silicone platinico opale estruso · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 1,8 Kg	CE  IP 20 		
	COORDINATES S3 Michael Anastassiades, 2020 Potenza · <i>Power</i> 71W Tensione · <i>Voltage</i> 100 - 240V	Finiture <i>Finishes</i> champagne anodizzato · <i>anodized champagne</i> argent	Colori <i>Colors</i> ● F1850044 ● F1850033	€ IVA inc / <i>incl VAT</i> 3.000,00 3.000,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> STRIP LED 71W 3850lm 2700K CRI95			
	Materiali · <i>Materials</i> alluminio estruso, silicone platinico opale estruso · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 3,2 Kg	DIMMER INCLUDED 1-10/PUSH/DALI	CE  IP 20 	
	COORDINATES S3 CL III Michael Anastassiades, 2020 Potenza · <i>Power</i> 64W Tensione · <i>Voltage</i> 48V	Finiture <i>Finishes</i> champagne anodizzato · <i>anodized champagne</i> argent	Colori <i>Colors</i> ● F1846044 ● F1846033 ALIMENTATORE / <i>POWER SUPPLY</i> RF29209 DIMMER LED / <i>LED DIMMER</i> RF26994	€ IVA inc / <i>incl VAT</i> 2.850,00 2.850,00 121,00 85,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> STRIP LED 64W 3850lm 2700K CRI95			
	Materiali · <i>Materials</i> alluminio estruso, silicone platinico opale estruso · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 2,3 Kg		CE  IP 20 	
	COORDINATES S4 Michael Anastassiades, 2020 Potenza · <i>Power</i> 161W Tensione · <i>Voltage</i> 100 - 240V	Finiture <i>Finishes</i> champagne anodizzato · <i>anodized champagne</i> argent	Colori <i>Colors</i> ● F1854044 ● F1854033	€ IVA inc / <i>incl VAT</i> 5.120,00 5.120,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> STRIP LED 161W 8830lm 2700K CRI95			
	Materiali · <i>Materials</i> alluminio estruso, silicone platinico opale estruso · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 7,9 Kg	DIMMER INCLUDED 1-10/PUSH/DALI	CE  IP 20 	


Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	COORDINATES S4 CLIII Michael Anastassiades, 2020 Potenza · <i>Power</i> 147W Tensione · <i>Voltage</i> 48V	Finiture <i>Finishes</i> champagne anodizzato · <i>anodized champagne</i> argent	Colori <i>Colors</i> ● F1848044 ● F1848033 ALIMENTATORE / <i>POWER SUPPLY</i> RF29209 DIMMER LED / <i>LED DIMMER</i> RF26994	€ IVA inc <i>I incl VAT</i> 4.800,00 4.800,00 121,00 85,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> STRIP LED 147W 8830lm 2700K CRI95 Materiali · <i>Materials</i> alluminio estruso, silicone platinico opale estruso · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 5,2 Kg	CE  		
	COORDINATES WALL 1 Michael Anastassiades, 2020 Potenza · <i>Power</i> 15W Tensione · <i>Voltage</i> 230V	Finiture <i>Finishes</i> champagne anodizzato · <i>anodized champagne</i> argent	Colori <i>Colors</i> ● F1810044 ● F1810033 DIMMABLE PARETE / <i>WALL DIMMABLE</i> RF34169 (DALI)	€ IVA inc <i>I incl VAT</i> 730,00 730,00 218,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> LED module 15W 961lm 2700K CRI90 Materiali · <i>Materials</i> alluminio estruso, silicone platinico opale estruso · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 0,8 Kg	CE  		
	COORDINATES WALL 2 Michael Anastassiades, 2020 Potenza · <i>Power</i> 24W Tensione · <i>Voltage</i> 230V	Finiture <i>Finishes</i> champagne anodizzato · <i>anodized champagne</i> argent	Colori <i>Colors</i> ● F1811044 ● F1811033 DIMMABLE PARETE / <i>WALL DIMMABLE</i> RF34169 (DALI)	€ IVA inc <i>I incl VAT</i> 950,00 950,00 218,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> LED module 24W 1402lm 2700K CRI90 Materiali · <i>Materials</i> alluminio estruso, silicone platinico opale estruso · <i>extruded aluminum, platinic silicone extruded opal</i> Peso · <i>Weight</i> 1 Kg	CE  		
	COPYCAT Michael Anastassiades, 2015 Potenza · <i>Power</i> 16W Tensione · <i>Voltage</i> 100-240V/24V	Finiture <i>Finishes</i> oro 24K · <i>24K gold</i>	Colori <i>Colors</i> ● F1952044	€ IVA inc <i>I incl VAT</i> 720,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 1 COB LED 16W 900lm total 2700K CRI83 DIMMABLE Materiali · <i>Materials</i> alluminio, vetro soffiato · <i>aluminum, blown glass</i> Peso · <i>Weight</i> 3,6 Kg	DIMMER INCLUDED CE  		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	EMI FLOOR			
	Erwan Bouroullec, 2024	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Potenza · <i>Power</i> 49,5W Tensione · <i>Voltage</i> 220-240V	deep green deep blue deep red off white all off white	● 05.4385.GY ● 05.4385.ZY ● 05.4385.RY ○ 05.4385.OW ○ 05.4385.OW.78	1.500,00 1.500,00 1.500,00 1.500,00 1.500,00
	LED INCLUDED	Fonte luminosa · <i>Light source</i> Up: LED Array 37W 3726lm 2700K/ 3915lm 3000K CRI90- Down: Power LED 12,5W 1116lm 2700K/ 1188lm 3000K CRI 90		
	Materiali · <i>Materials</i> alluminio · <i>aluminum</i>	Peso · <i>Weight</i> 14,5 Kg		
		CE IP 20		
	EMI TABLE			
	Erwan Bouroullec, 2024	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Potenza · <i>Power</i> 43,5W Tensione · <i>Voltage</i> 220-240V	deep green deep blue deep red off white all off white	● 05.4380.GY ● 05.4380.ZY ● 05.4380.RY ○ 05.4380.OW ○ 05.4380.OW.78	1.250,00 1.250,00 1.250,00 1.250,00 1.250,00
	LED INCLUDED	Fonte luminosa · <i>Light source</i> Up: LED Array 31W 3055l 2700K/ 3210lm 3000K CRI 90- Down: Power LED 12,5W 1116lm 2700K/ 1188lm 3000K CRI 90		
	Materiali · <i>Materials</i> alluminio · <i>aluminum</i>	Peso · <i>Weight</i> 8,4 Kg		
		CE IP 20		
	FLAUTA H225 RIGA/INDOOR			
	Patricia Urquiola, 2020	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Potenza · <i>Power</i> 12W Tensione · <i>Voltage</i> 220-240V	nero · <i>black</i> bianco · <i>white</i> anodized copper	● F2340030 ○ F2340009 ● F2340015	753,00 753,00 753,00
	LED INCLUDED	Fonte luminosa · <i>Light source</i> 2 LED 12W 493lm 2700K CRI95		
	Materiali · <i>Materials</i> alluminio · <i>aluminum</i>	Peso · <i>Weight</i> 0,8 Kg		
		DIMMER INCLUDED PUSH/DALI		
		CE IP 40		
	FLAUTA H500 RIGA/INDOOR			
	Patricia Urquiola, 2020	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Potenza · <i>Power</i> 12W Tensione · <i>Voltage</i> 220-240V	nero · <i>black</i> bianco · <i>white</i> anodized copper	● F2342030 ○ F2342009 ● F2342015	850,00 850,00 850,00
	LED INCLUDED	Fonte luminosa · <i>Light source</i> 2 LED 12W 493lm 2700K CRI95		
	Materiali · <i>Materials</i> alluminio · <i>aluminum</i>	Peso · <i>Weight</i> 1,5 Kg		
		DIMMER INCLUDED PUSH/DALI		
		CE IP 40		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91





	FLAUTA H1000 RIGA/INDOOR Patricia Urquiola, 2020 Potenza · <i>Power</i> 12W Tensione · <i>Voltage</i> 220-240V LED INCLUDED Fonte luminosa · <i>Light source</i> 2 LED 12W 493lm 2700K CRI95 Materiali · <i>Materials</i> alluminio · <i>aluminum</i> Peso · <i>Weight</i> 2,7 Kg DIMMER INCLUDED PUSH/DALI	Finiture <i>Finishes</i> nero · <i>black</i> bianco · <i>white</i> anodized copper CE □ ▽ IP 40	Colori <i>Colors</i> ● F2344030 1.097,00 ○ F2344009 1.097,00 ● F2344015 1.097,00 € IVA inc / incl VAT
	FOGLIO Tobia Scarpa, 1966 Potenza · <i>Power</i> 2 x MAX 100W Tensione · <i>Voltage</i> 220-250V  Fonte luminosa · <i>Light source</i> LED 11,5W E27 1100lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> acciaio · <i>steel</i> Peso · <i>Weight</i> 3,63 Kg	Finiture <i>Finishes</i> bianco · <i>white</i> nero · <i>black</i> cromo · <i>chrome</i> black nikel oro 22K · <i>gold 22K</i> CE □ ▽ IP 20	Colori <i>Colors</i> ○ F2400009 300,00 ● F2400030 300,00 ▨ F2400057 640,00 ● F2400063 720,00 ▨ F2400044 720,00 € IVA inc / incl VAT
	FRISBI Achille Castiglioni, 1978 Potenza · <i>Power</i> 1 x MAX 105W Tensione · <i>Voltage</i> 220-250V  Fonte luminosa · <i>Light source</i> LED 13W E27 1250lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> polimetilmetacrilato, acciaio · <i>polymethylmethacrylate, steel</i> Peso · <i>Weight</i> 2,65 Kg	Finiture <i>Finishes</i> cromo · <i>chrome</i> CE □ ▽ IP 20	Colori <i>Colors</i> ● F2500000 525,00 € IVA inc / incl VAT
	GATTO Achille and Pier Giacomo Castiglioni, 1960 Potenza · <i>Power</i> MAX 60W Tensione · <i>Voltage</i> 220-240V  Fonte luminosa · <i>Light source</i> LED 11,5W E27 1100lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> cocoon, acciaio · <i>cocoon, steel</i> Peso · <i>Weight</i> 1,7 Kg DIMMER INCLUDED	Finiture <i>Finishes</i> bianco · <i>white</i> CE □ ▽ IP 20	Colori <i>Colors</i> ○ F2601009 610,00 € IVA inc / incl VAT

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
 For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

 300 mm ø 190 mm ø 100 mm	GATTO PICCOLO Achille and Pier Giacomo Castiglioni, 1960 Potenza · <i>Power</i> MAX 60W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> bianco · <i>white</i>	Colori <i>Colors</i> ○ F2701009	€ IVA inc / <i>incl VAT</i> 495,00
	 Fonte luminosa · <i>Light source</i> LED 8W E14 900lm o · <i>or</i> LED 9W E14 900lm [esclusa - <i>excluded</i>]			
	Materiali · <i>Materials</i> cocoon, acciaio · <i>cocoon, steel</i> Peso · <i>Weight</i> 0,8 Kg DIMMER INCLUDED	CE □ ▽ IP 20 		
 160 mm ø 190 mm ø 75 mm	GLO-BALL BASIC ZERO Jasper Morrison, 2009 Potenza · <i>Power</i> MAX 60W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> bianco · <i>white</i>	Colori <i>Colors</i> ○ F3330009	€ IVA inc / <i>incl VAT</i> 375,00
	 Fonte luminosa · <i>Light source</i> LED 8W E14 900lm o · <i>or</i> LED 9W E14 900lm [esclusa - <i>excluded</i>]			
	Materiali · <i>Materials</i> vetro · <i>glass</i> Peso · <i>Weight</i> 1 Kg DIMMER INCLUDED	CE □ ▽ IP 20 		
 160 mm ø 190 mm ø 75 mm	GLO-BALL BASIC ZERO SWITCH Jasper Morrison, 2009 Potenza · <i>Power</i> MAX 60W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> bianco · <i>white</i>	Colori <i>Colors</i> ○ F3331009 SWITCH	€ IVA inc / <i>incl VAT</i> 290,00
	 Fonte luminosa · <i>Light source</i> LED 8W E14 900lm o · <i>or</i> LED 9W E14 900lm [esclusa - <i>excluded</i>]			
	Materiali · <i>Materials</i> vetro · <i>glass</i> Peso · <i>Weight</i> 1 Kg	CE □ ▽ IP 40 		
 270 mm ø 330 mm ø 110 mm	GLO-BALL BASIC 1 Jasper Morrison, 1998 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> bianco · <i>white</i>	Colori <i>Colors</i> ○ F3021000	€ IVA inc / <i>incl VAT</i> 600,00
	 Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm [esclusa - <i>excluded</i>]			
	Materiali · <i>Materials</i> vetro · <i>glass</i> Peso · <i>Weight</i> 2,61 Kg DIMMER INCLUDED	CE □ ▽ IP 20 		


Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91-

	GLO-BALL BASIC 2 Jasper Morrison, 1998 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> bianco · <i>white</i>	Colori <i>Colors</i> ○ F3026000	€ IVA inc / <i>incl VAT</i> 725,00
Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm o · <i>or</i> LED 18W E27 2000lm o · <i>or</i> LED 18W E27 1900lm [esclusa - <i>excluded</i>]	Materiali · <i>Materials</i> vetro · <i>glass</i>	Peso · <i>Weight</i> 4,02 Kg DIMMER INCLUDED	CE □ IP 20	
	GLO-BALL WALL MINI Jasper Morrison, 2002 Potenza · <i>Power</i> MAX 25W Tensione · <i>Voltage</i> 220-250V	Finiture <i>Finishes</i> bianco · <i>white</i> bianco · <i>white</i>	Colori <i>Colors</i> ○ F4190009 MIRROR ○ F4194009 C/W	€ IVA inc / <i>incl VAT</i> 160,00 160,00
Fonte luminosa · <i>Light source</i> LED 3,2W G9 400lm o · <i>or</i> LED 2W G9 240lm [esclusa - <i>excluded</i>]	Materiali · <i>Materials</i> vetro · <i>glass</i>	Peso · <i>Weight</i> 0,29 Kg	C/W CE □ IP 40	MIRROR MOUNTING CE □ IP 44
	GLO-BALL C/W ZERO Jasper Morrison, 2009 Potenza · <i>Power</i> MAX 60W Tensione · <i>Voltage</i> 220-250V	Finiture <i>Finishes</i> bianco · <i>white</i>	Colori <i>Colors</i> ○ F3335009	€ IVA inc / <i>incl VAT</i> 290,00
Fonte luminosa · <i>Light source</i> LED 8W E14 900lm o · <i>or</i> LED 9W E14 900lm [esclusa - <i>excluded</i>]	Materiali · <i>Materials</i> vetro · <i>glass</i>	Peso · <i>Weight</i> 1 Kg	CE □ IP 40	
	GLO-BALL C1 Jasper Morrison, 1999 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-250V	Finiture <i>Finishes</i> bianco · <i>white</i>	Colori <i>Colors</i> ○ F3023000	€ IVA inc / <i>incl VAT</i> 490,00
Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm [esclusa - <i>excluded</i>]	Materiali · <i>Materials</i> vetro · <i>glass</i>	Peso · <i>Weight</i> 2,47 Kg	CE □ IP 40	




	GLO-BALL C2	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Jasper Morrison, 1999 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm o · or LED 18W E27 2000lm o · or LED 18W E27 1900lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> vetro · <i>glass</i> Peso · <i>Weight</i> 3,77 Kg	bianco · <i>white</i>	○ F3028000	725,00
	GLO-BALL W	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Jasper Morrison, 1999 Potenza · <i>Power</i> MAX 100W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i> LED 11,5 E27 1100lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> vetro · <i>glass</i> Peso · <i>Weight</i> 1,8 Kg	bianco · <i>white</i>	○ F3022000	350,00
	GLO-BALL F1	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Jasper Morrison, 1998 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-240V Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> vetro, acciaio · <i>glass, steel</i> Peso · <i>Weight</i> 12 Kg	argento · <i>silver</i> nero opaco · <i>matte black</i>	● F3031020 ● F3031031	910,00 910,00
	GLO-BALL F2	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Jasper Morrison, 1998 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-240V Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> vetro, acciaio · <i>glass, steel</i> Peso · <i>Weight</i> 12,36 Kg	argento · <i>silver</i> nero opaco · <i>matte black</i>	● F3032020 ● F3032031	970,00 970,00
		DIMMER INCLUDED		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91-


	GLO-BALL F3 Jasper Morrison, 1998 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-240V Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm o · or LED 18W E27 2000lm o · or LED 18W E27 1900lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> vetro, acciaio · <i>glass, steel</i> Peso · <i>Weight</i> 17,65 Kg DIMMER INCLUDED	Finiture <i>Finishes</i> argento · <i>silver</i> nero opaco · <i>matte black</i> Colori <i>Colors</i> ● F3030000 ● F3030031	€ IVA inc / <i>incl VAT</i> 1.030,00 1.030,00
	MINI GLO-BALL S Jasper Morrison, 1998 Potenza · <i>Power</i> MAX 25W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i> LED 3,2W G9 400lm o · or LED 2W G9 240lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> vetro · <i>glass</i> Peso · <i>Weight</i> 0,67 Kg	Finiture <i>Finishes</i> bianco · <i>white</i> Colori <i>Colors</i> ○ F4195009	€ IVA inc / <i>incl VAT</i> 230,00
	GLO-BALL S1 Jasper Morrison, 1998 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i> LED 15W E27 2700lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> vetro · <i>glass</i> Peso · <i>Weight</i> 2,55 Kg	Finiture <i>Finishes</i> bianco · <i>white</i> Colori <i>Colors</i> ○ F3005061	€ IVA inc / <i>incl VAT</i> 490,00
	GLO-BALL S2 Jasper Morrison, 1998 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm o · or LED 18W E27 2000lm o · or LED 18W E27 1900lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> vetro · <i>glass</i> Peso · <i>Weight</i> 3,77 Kg	Finiture <i>Finishes</i> bianco · <i>white</i> Colori <i>Colors</i> ○ F3010061	€ IVA inc / <i>incl VAT</i> 650,00


 90 mm ø 112 mm	MINI GLO-BALL T Jasper Morrison, 2003 Potenza · <i>Power</i> MAX 25W Tensione · <i>Voltage</i> 220-250V	Finiture <i>Finishes</i> bianco · <i>white</i>	Colori <i>Colors</i> ○ F4191009	€ IVA inc / <i>incl VAT</i> 210,00
	 Fonte luminosa · <i>Light source</i> LED 3,2W G9 400lm o · <i>or</i> LED 2W G9 240lm [esclusa - <i>excluded</i>]			
Materiali · <i>Materials</i> vetro · <i>glass</i>				
Peso · <i>Weight</i> 0,43 Kg SWITCH INCLUDED		  		
 ø 330 mm 600 mm 270 mm ø 240 mm	GLO-BALL T1 Jasper Morrison, 1998 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> argento · <i>silver</i> nero opaco · <i>matte black</i>	Colori <i>Colors</i> ● F3020000 ● F3020031	€ IVA inc / <i>incl VAT</i> 680,00 680,00
	 Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm [esclusa - <i>excluded</i>]			
Materiali · <i>Materials</i> vetro, acciaio · <i>glass, steel</i>				
Peso · <i>Weight</i> 6,7 Kg DIMMER INCLUDED		  		
 255 mm 400 mm 150 mm	GOLDMAN Ron Gilad, 2013 Potenza · <i>Power</i> 8W Tensione · <i>Voltage</i> 100-240/24V	Finiture <i>Finishes</i> ottone/verde · <i>brass/green</i> nero/fumè · <i>black/fumée</i>	Colori <i>Colors</i> ● F3440044* ● F3440030*	€ IVA inc / <i>incl VAT</i> 690,00 690,00
	 LED INCLUDED Fonte luminosa · <i>Light source</i> 42 LED 8W 248lm total 2700K CRI 85 + CHARGER USB 5VDC 1,5A DIMMABLE			
Materiali · <i>Materials</i> alluminio, metacrilato · <i>aluminum, methacrylate</i>				
Peso · <i>Weight</i> 0,8 Kg DIMMER INCLUDED		  		
 ø 160 mm 230 mm ø 120 mm	GUSTAVE RESIDENTIAL Vincent Van Duysen, 2022 Potenza · <i>Power</i> 2,5W Tensione · <i>Voltage</i> IN 5V	Finiture <i>Finishes</i> matte anthracite matte white lacquered brown lacquered green smooth black raw aluminum polished silver	Colori <i>Colors</i> ● 09.8405.DR ○ 09.8405.DY ● 09.8405.MR ● 09.8405.GX ● 09.8405.SB ● 09.8405.VL ● 09.8405.O5	€ IVA inc / <i>incl VAT</i> 350,00 350,00 415,00 415,00 415,00 415,00 415,00
	 LED INCLUDED Fonte luminosa · <i>Light source</i> LED Array DC 60 mA 2,5W 159lm 2700K 6/18 HOURS BATTERY LIFE, RECHARGEABLE WITH MICRO-USB-C KIT [BATTERY INCLUDED]	nero · <i>black</i> bianco · <i>white</i>	ADATTATORE / <i>ADAPTER</i> ● RF27576 ○ RF25965	50,00 50,00
Materiali · <i>Materials</i> alluminio pressofuso, metacrilato · <i>die cast aluminum, methacrylate</i>				
Peso · <i>Weight</i> 0,78 Kg DIMMER INCLUDED		  		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	GUSTAVE RESIDENTIAL Vincent Van Duysen, 2022 Potenza · <i>Power</i> 2,5W Tensione · <i>Voltage</i> IN 5V	Finiture <i>Finishes</i> matte anthracite matte white lacquered brown lacquered green smooth black raw aluminum polished silver	Colori <i>Colors</i> ● 09.8406.DR ○ 09.8406.DY ● 09.8406.MR ● 09.8406.GX ● 09.8406.SB ● 09.8406.VL ● 09.8406.O5	€ IVA inc / incl VAT 350,00 350,00 415,00 415,00 415,00 415,00 415,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> LED Array DC 60 mA 2,5W 169lm 3000K 6/18 HOURS BATTERY LIFE, RECHARGEABLE WITH MICRO-USB-C KIT [BATTERY INCLUDED]	nero · <i>black</i> bianco · <i>white</i>	ADATTATORE / ADAPTER ● RF27576 ○ RF25965	50,00 50,00
	Materiali · <i>Materials</i> alluminio pressofuso, metacrilato · <i>die cast aluminum, methacrylate</i>			
	Peso · <i>Weight</i> 0,78 Kg DIMMER INCLUDED CE 			
	GUSTAVE HOSPITALITY Vincent Van Duysen, 2022 Potenza · <i>Power</i> 2,3W Tensione · <i>Voltage</i> IN 11.1 V	Finiture <i>Finishes</i> matte anthracite matte white lacquered brown lacquered green smooth black raw aluminum polished silver	Colori <i>Colors</i> ● 09.8400.DR ○ 09.8400.DY ● 09.8400.MR ● 09.8400.GX ● 09.8400.SB ● 09.8400.VL ● 09.8400.O5	€ IVA inc / incl VAT 265,00 265,00 330,00 330,00 330,00 330,00 330,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> LED Array DC 60 mA 2,3W 159lm 2700K 6/18 HOURS BATTERY LIFE [3 X 18650 LI-ION BATTERIES NOT INCLUDED]		BATTERIE / BATTERIES 08.0745.00 (3 units) 08.0746.00 (6 units) 08.0747.00 (12 units) 08.0748.00 (24 units)	41,00 69,00 123,00 233,00
	Materiali · <i>Materials</i> alluminio pressofuso, metacrilato · <i>die cast aluminum, methacrylate</i>		CARICABATTERIE / BATTERIES CHARGER 60.9848	75,00
	Peso · <i>Weight</i> 0,67 Kg DIMMER INCLUDED CE 			
	GUSTAVE HOSPITALITY Vincent Van Duysen, 2022 Potenza · <i>Power</i> 2,3W Tensione · <i>Voltage</i> IN 5V	Finiture <i>Finishes</i> matte anthracite matte white lacquered brown lacquered green smooth black raw aluminum polished silver	Colori <i>Colors</i> ● 09.8401.DR ○ 09.8401.DY ● 09.8401.MR ● 09.8401.GX ● 09.8401.SB ● 09.8401.VL ● 09.8401.O5	€ IVA inc / incl VAT 265,00 265,00 330,00 330,00 330,00 330,00 330,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> LED Array DC 60 mA 2,3W 169lm 3000K 6/18 HOURS BATTERY LIFE [3 X 18650 LI-ION BATTERIES NOT INCLUDED]		BATTERIE / BATTERIES 08.0745.00 (3 units) 08.0746.00 (6 units) 08.0747.00 (12 units) 08.0748.00 (24 units)	41,00 69,00 123,00 233,00
	Materiali · <i>Materials</i> alluminio pressofuso, metacrilato · <i>die cast aluminum, methacrylate</i>		CARICABATTERIE / BATTERIES CHARGER 60.9848	75,00
	Peso · <i>Weight</i> 0,67 Kg DIMMER INCLUDED CE 			
	IC C/W1 Michael Anastassiades, 2014 Potenza · <i>Power</i> MAX 60W Tensione · <i>Voltage</i> 220-250V	Finiture <i>Finishes</i> cromo · <i>chrome</i> ottone · <i>brass</i> nero · <i>black</i>	Colori <i>Colors</i> ■ F3178057 ■ F3178059 ● F3178030	€ IVA inc / incl VAT 480,00 480,00 480,00
	Fonte luminosa · <i>Light source</i> LED 8W E14 900lm o · or LED 9W E14 900lm [esclusa - <i>excluded</i>]			
	Materiali · <i>Materials</i> acciaio, ottone, vetro soffiato · <i>steel, brass, blown glass</i>			
	Peso · <i>Weight</i> 1,85 Kg CE 			

	IC C/W1 DOUBLE	Finiture <i>Finishes</i>		Colori <i>Colors</i>	€ IVA inc / incl VAT
	Michael Anastassiades, 2020	cromo · <i>chrome</i>		 F3157057	550,00
	Potenza · <i>Power</i> MAX 60W	ottone · <i>brass</i>		 F3157059	550,00
	Tensione · <i>Voltage</i> 220-250V	nero · <i>black</i>		 F3157030	550,00
		Fonte luminosa · <i>Light source</i> LED 8W E14 900lm o · <i>or</i> LED 9W E14 900lm [esclusa - <i>excluded</i>]			
Materiali · <i>Materials</i> acciaio, ottone, vetro soffiato · <i>steel, brass, blown glass</i>					
Peso · <i>Weight</i> 2,7 Kg		  			

	IC C/W2	Finiture <i>Finishes</i>		Colori <i>Colors</i>	€ IVA inc / incl VAT
	Michael Anastassiades, 2014	cromo · <i>chrome</i>		 F3179057	630,00
	Potenza · <i>Power</i> MAX 205W	ottone · <i>brass</i>		 F3179059	630,00
	Tensione · <i>Voltage</i> 220-250V	nero · <i>black</i>		 F3179030	630,00
		Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm o · <i>or</i> LED 18W E27 2000lm o · <i>or</i> LED 18W E27 1900lm [esclusa - <i>excluded</i>]			
Materiali · <i>Materials</i> acciaio, ottone, vetro soffiato · <i>steel, brass, blown glass</i>					
Peso · <i>Weight</i> 2,7 Kg		  			





	IC F1	Finiture <i>Finishes</i>		Colori <i>Colors</i>	€ IVA inc / incl VAT
	Michael Anastassiades, 2014	cromo · <i>chrome</i>		 F3173057	750,00
	Potenza · <i>Power</i> MAX 60W	ottone · <i>brass</i>		 F3173059	750,00
	Tensione · <i>Voltage</i> 220-240V	nero · <i>black</i>		 F3173030	750,00
		Fonte luminosa · <i>Light source</i> LED 8W E14 900lm o · <i>or</i> LED 9W E14 900lm [esclusa - <i>excluded</i>]			
Materiali · <i>Materials</i> acciaio, ottone, vetro soffiato · <i>steel, brass, blown glass</i>					
Peso · <i>Weight</i> 5,1 Kg		  			

DIMMER INCLUDED		  			
-----------------	--	---	--	--	--

	IC 10 ANNIVERSARY - F1	Finiture <i>Finishes</i>		Colori <i>Colors</i>	€ IVA inc / incl VAT
	Michael Anastassiades, 2024	24K gold		 F3173044	1.250,00
	Potenza · <i>Power</i> MAX 60W				
	Tensione · <i>Voltage</i> 220-240V				
		Fonte luminosa · <i>Light source</i> LED 8W E14 900lm o · <i>or</i> LED 9W E14 900lm [esclusa - <i>excluded</i>]			
Materiali · <i>Materials</i> acciaio, ottone, vetro soffiato, placcatura in 24K gold · <i>steel, brass, blown glass, 24K gold coating</i>					
Peso · <i>Weight</i> 5,1 Kg		  			

DIMMER INCLUDED		  			
-----------------	--	---	--	--	--


Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	IC F2 Michael Anastassiades, 2014 Potenza · <i>Power</i> MAX 205W Tensione · <i>Voltage</i> 220-240V Fonte luminosa · <i>Light source</i>  LED 15W E27 2000lm o · or LED 18W E27 2000lm o · or LED 18W E27 1900lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> acciaio, ottone, vetro soffiato · <i>steel, brass, blown glass</i> Peso · <i>Weight</i> 8,3 Kg DIMMER INCLUDED	Finiture <i>Finishes</i> cromo · <i>chrome</i> ottone · <i>brass</i> nero · <i>black</i> CE IP 20	Colori <i>Colors</i>  F3174057 1.150,00  F3174059 1.150,00  F3174030 1.150,00 € IVA inc / <i>incl VAT</i>
	IC S1 Michael Anastassiades, 2014 Potenza · <i>Power</i> MAX 60W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i>  LED 8W E14 900lm o · or LED 9W E14 900lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> acciaio, ottone, vetro soffiato · <i>steel, brass, blown glass</i> Peso · <i>Weight</i> 1,95 Kg	Finiture <i>Finishes</i> cromo · <i>chrome</i> ottone · <i>brass</i> nero · <i>black</i> CE IP 20	Colori <i>Colors</i>  F3175057 480,00  F3175059 480,00  F3175030 480,00 € IVA inc / <i>incl VAT</i>
	IC S2 Michael Anastassiades, 2014 Potenza · <i>Power</i> MAX 205W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i>  LED 15W E27 2000lm o · or LED 18W E27 1900lm o · or LED 18W E27 2000lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> acciaio, ottone, vetro soffiato · <i>steel, brass, blown glass</i> Peso · <i>Weight</i> 2,9 Kg	Finiture <i>Finishes</i> cromo · <i>chrome</i> ottone · <i>brass</i> nero · <i>black</i> CE IP 20	Colori <i>Colors</i>  F3176057 630,00  F3176059 630,00  F3176030 630,00 € IVA inc / <i>incl VAT</i>
	IC 10 ANNIVERSARY - S2 Michael Anastassiades, 2024 Potenza · <i>Power</i> MAX 205W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i>  LED 15W E27 2000lm o · or LED 18W E27 1900lm o · or LED 18W E27 2000lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> acciaio, ottone, vetro soffiato, placcatura in 24K gold · <i>steel, brass, blown glass, 24K gold coating</i> Peso · <i>Weight</i> 2,9 Kg	Finiture <i>Finishes</i> 24K gold CE IP 20	Colori <i>Colors</i>  F3176044 950,00 € IVA inc / <i>incl VAT</i>


Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	IC S3 Michael Anastassiades, 2024 Potenza · <i>Power</i> 25W Tensione · <i>Voltage</i> 220-240V Fonte luminosa · <i>Light source</i> LED 25W E27 3700lm [inclusa - <i>included</i>] Materiali · <i>Materials</i> acciaio, ottone, vetro soffiato, placcatura in 24K gold* · <i>steel, brass, blown glass, 24K gold coating*</i> Peso · <i>Weight</i> 7 Kg	Finiture <i>Finishes</i> 24K gold* ottone · <i>brass</i>	Colori <i>Colors</i> ● F3151044 ● F3151059	€ IVA inc / <i>incl VAT</i> 2.100,00 1.600,00
	IC T1 HIGH Michael Anastassiades, 2014 Potenza · <i>Power</i> MAX 60W Tensione · <i>Voltage</i> 220-240V Fonte luminosa · <i>Light source</i> LED 8W E14 900lm o · <i>or</i> LED 9W E14 900lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> acciaio, ottone, vetro soffiato · <i>steel, brass, blown glass</i> Peso · <i>Weight</i> 1,4 Kg DIMMER INCLUDED	Finiture <i>Finishes</i> cromo · <i>chrome</i> ottone · <i>brass</i> nero · <i>black</i>	Colori <i>Colors</i> ■ F3170057 ● F3170059 ● F3170030	€ IVA inc / <i>incl VAT</i> 530,00 530,00 530,00
	IC T1 LOW Michael Anastassiades, 2014 Potenza · <i>Power</i> MAX 60W Tensione · <i>Voltage</i> 220-240V Fonte luminosa · <i>Light source</i> LED 8W E14 900lm o · <i>or</i> LED 9W E14 900lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> acciaio, ottone, vetro soffiato · <i>steel, brass, blown glass</i> Peso · <i>Weight</i> 1,4 Kg DIMMER INCLUDED	Finiture <i>Finishes</i> cromo · <i>chrome</i> ottone · <i>brass</i> nero · <i>black</i>	Colori <i>Colors</i> ■ F3171057 ● F3171059 ● F3171030	€ IVA inc / <i>incl VAT</i> 530,00 530,00 530,00
	IC 10 ANNIVERSARY - T1 LOW Michael Anastassiades, 2024 Potenza · <i>Power</i> MAX 60W Tensione · <i>Voltage</i> 220-240V Fonte luminosa · <i>Light source</i> LED 8W E14 900lm o · <i>or</i> LED 9W E14 900lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> acciaio, ottone, vetro soffiato, placcatura in 24K gold · <i>steel, brass, blown glass, 24K gold coating</i> Peso · <i>Weight</i> 1,4 Kg DIMMER INCLUDED	Finiture <i>Finishes</i> 24K gold	Colori <i>Colors</i> ● F3171044	€ IVA inc / <i>incl VAT</i> 900,00

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

 350 mm 282 mm Ø 300 mm	IC T2		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Michael Anastassiades, 2014	Potenza · <i>Power</i> MAX 205W	cromo · <i>chrome</i>	■ F3172057	640,00
	Tensione · <i>Voltage</i> 220-240V		ottone · <i>brass</i>	■ F3172059	640,00
			nero · <i>black</i>	● F3172030	640,00
	Fonte luminosa · <i>Light source</i> LED 15W E27 200lm o · or LED 18W E27 2000lm o · or LED 18W E27 1900lm [esclusa - <i>excluded</i>]				
	Materiali · <i>Materials</i> acciaio, ottone, vetro soffiato · <i>steel, brass, blown glass</i>				
	Peso · <i>Weight</i> 2,35 Kg	DIMMER INCLUDED	CE □ ▽ IP 20		
 524 mm 426 mm Ø 450 mm	IC T3		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Michael Anastassiades, 2024	Potenza · <i>Power</i> 25W	24K gold*	■ F3154044	2.200,00
	Tensione · <i>Voltage</i> 220-240V		ottone · <i>brass</i>	■ F3154059	1.650,00
	Fonte luminosa · <i>Light source</i> LED 25W E27 3700lm [inclusa - <i>included</i>]				
	Materiali · <i>Materials</i> acciaio, ottone, vetro soffiato, placcatura in 24K gold* · <i>steel, brass, blown glass, 24K gold coating*</i>				
	Peso · <i>Weight</i> 7,4 Kg	DIMMER INCLUDED	CE □ ▽ IP 20		
 302 mm 91 mm Ø 132 mm	IN VITRO UNPLUGGED		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Philippe Starck, 2020	Potenza · <i>Power</i> 2,5W	bianco · <i>white</i>	○ F018E21K001	980,00
	Tensione · <i>Voltage</i> 5/100-240V		nero · <i>black</i>	● F018E21K030	980,00
			antracite · <i>anthracite</i>	■ F018E21K033	980,00
			deep brown	■ F018E21K018	980,00
			forest green	■ F018E21K012	980,00
			pale green	■ F018E21K013	980,00
			terracotta	■ F018E21K025	980,00
	Fonte luminosa · <i>Light source</i> LED INCLUDED LED EDGE LIGHTING 2,5W 182lm ≠ FIXT 103lm 2700K CRI 90 DIMMABLE 6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT				
	Materiali · <i>Materials</i> alluminio, vetro, silicone · <i>aluminum, glass, silicone</i>				
per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com	Peso · <i>Weight</i> 1 Kg	DRIVER INCLUDED	CE □ ▽ IP 65		
 302 mm 91 mm Ø 132 mm	IN VITRO UNPLUGGED		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Philippe Starck, 2020	Potenza · <i>Power</i> 2,5W	bianco · <i>white</i>	○ F018E31K001	980,00
	Tensione · <i>Voltage</i> 5/100-240V		nero · <i>black</i>	● F018E31K030	980,00
			antracite · <i>anthracite</i>	■ F018E31K033	980,00
			deep brown	■ F018E31K018	980,00
			forest green	■ F018E31K012	980,00
			pale green	■ F018E31K013	980,00
			terracotta	■ F018E31K025	980,00
	Fonte luminosa · <i>Light source</i> LED INCLUDED LED EDGE LIGHTING 2,5W 195lm ≠ FIXT 110lm 3000K CRI 90 DIMMABLE 6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT				
	Materiali · <i>Materials</i> alluminio, vetro, silicone · <i>aluminum, glass, silicone</i>				
per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com	Peso · <i>Weight</i> 1 Kg	DRIVER INCLUDED	CE □ ▽ IP 65		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91



IPNOS OUTDOOR

Nicoletta Rossi and Guido Bianchi, 2014

Potenza · *Power* 15W

Tensione · *Voltage* 100-240V

LED INCLUDED

Fonte luminosa · *Light source*
196 TOP LED 15W 665lm 3500K
CRI 85

Materiali · *Materials*

alluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 1,15 Kg

ON/OFF

Finiture
Finishes

nero · *black*

naturale · *natural*

bronzo · *bronze*

trasparente · *transparent*

Colori
Colors

● F3150030

● F3150054

● F3150046

● F3125000 TOP PLATE
OPTIONAL

€ IVA inc / *incl VAT*


1.000,00

1.000,00

1.000,00

125,00

per gamma completa e accessori
consultare flos.com · *for full range
and accessories consult flos.com*



KELVIN EDGE BASE

Antonio Citterio, 2015

Potenza · *Power* 7W

Tensione · *Voltage* 100-240V/24

LED INCLUDED

Fonte luminosa · *Light source*
EDGE LIGHTING 7W 306lm
2700/3200K CRI 90
DIMMABLE K SELECTION

Materiali · *Materials*

alluminio · *aluminum*

Peso · *Weight* 3,9 Kg

DIMMER INCLUDED

CE IP 65

Finiture
Finishes

bianco · *white*

nero · *black*

titanio · *titanium*

Colori
Colors

○ F3452009

● F3452030


● F3452033

€ IVA inc / *incl VAT*

430,00

430,00

440,00



KELVIN LED BASE

Antonio Citterio assistant Toan Nguyen, 2009

Potenza · *Power* 8W

Tensione · *Voltage* 100-240V/24

LED INCLUDED

Fonte luminosa · *Light source*
30 TOP LED 8W 285lm total 3000K
CRI 95 DIMMABLE GREEN MODE

Materiali · *Materials*

alluminio · *aluminum*

Peso · *Weight* 3,9 Kg

DIMMER INCLUDED

CE IP 20

Finiture
Finishes

bianco · *white*

nero · *black*

antracite · *anthracite*

Colori
Colors

○ F3311009

● F3311030

● F3311033

€ IVA inc / *incl VAT*

430,00

430,00

430,00



KELVIN LED F

Antonio Citterio, 2011

Potenza · *Power* 8W

Tensione · *Voltage* 100-240V/24

LED INCLUDED

Fonte luminosa · *Light source*
30 TOP LED 8W 285lm total 2700K
CRI 95

Materiali · *Materials*

alluminio · *aluminum*

Peso · *Weight* 3,8 Kg

DIMMER INCLUDED

CE IP 20

Finiture
Finishes

bianco · *white*

nero · *black*

antracite · *anthracite*

Colori
Colors

○ F3305009

● F3305030

● F3305033

€ IVA inc / *incl VAT*


520,00


520,00

520,00



Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-



For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

 ø 395 mm 1620 mm 300 mm 290 mm	KTRIBE F2 Philippe Starck, 2007 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-240V Fonte luminosa · <i>Light source</i> LED 21W E27 2452lm o · or LED 21W E27 2350lm [esclusa - <i>excluded</i>]	Finiture <i>Finishes</i> trasparente · <i>transparent</i> bronzo alluminizzato · <i>aluminized bronze</i> tessuto · <i>fabric</i> fumè · <i>fumée</i> Colori <i>Colors</i> F6305000 F6305046 F6305007 F6305030	€ IVA inc I incl VAT 1.000,00 1.100,00 1.100,00 1.000,00
 ø 550 mm 1830 mm 445 mm 400 mm	KTRIBE F3 Philippe Starck, 2007 Potenza · <i>Power</i> MAX 250W Tensione · <i>Voltage</i> 220-240V Fonte luminosa · <i>Light source</i> LED 21W E27 2452lm o · or LED 21W E27 2350lm [esclusa - <i>excluded</i>]	Finiture <i>Finishes</i> trasparente · <i>transparent</i> bronzo alluminizzato · <i>aluminized bronze</i> tessuto · <i>fabric</i> fumè · <i>fumée</i> Colori <i>Colors</i> F6301000 F6301046 F6301007 F6301030	€ IVA inc I incl VAT 1.650,00 1.850,00 1.850,00 1.650,00
 300 mm 2700 mm ø 395 mm	KTRIBE S2 Philippe Starck, 2005 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i> LED 21W E27 2452lm o · or LED 21W E27 2250lm [esclusa - <i>excluded</i>]	Finiture <i>Finishes</i> trasparente · <i>transparent</i> bronzo alluminizzato · <i>aluminized bronze</i> fumè · <i>fumée</i> Colori <i>Colors</i> F6257000A F6257046 F6257030	€ IVA inc I incl VAT 480,00 525,00 480,00
 ø 315 mm 560 mm 222 mm 206 mm	KTRIBE T1 Philippe Starck, 2007 Potenza · <i>Power</i> MAX 100W Tensione · <i>Voltage</i> 220-240V Fonte luminosa · <i>Light source</i> LED 11,5W E27 1100lm [esclusa - <i>excluded</i>]	Finiture <i>Finishes</i> trasparente · <i>transparent</i> fumè · <i>fumée</i> Colori <i>Colors</i> F6263000 F6263030	€ IVA inc I incl VAT 680,00 680,00



 ø 315 mm 560 mm 206 mm 222 mm	KTRIBE T1 GLASS Philippe Starck, 2007 Potenza · <i>Power</i> MAX 100W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> trasparente · <i>transparent</i>	Colori <i>Colors</i> ● F6281000	€ IVA inc / <i>incl VAT</i> 830,00
	 Fonte luminosa · <i>Light source</i> LED 11,5W E27 1100lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> alluminio, vetro, policarbonato · <i>aluminum, glass, polycarbonate</i> Peso · <i>Weight</i> 4,58 Kg DIMMER INCLUDED CE □ ▽ IP 20 			
 ø 395 mm 690 mm 250 mm 300 mm	KTRIBE T2 Philippe Starck, 2007 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> trasparente · <i>transparent</i> bronzo alluminizzato · <i>aluminized bronze</i> tessuto · <i>fabric</i> fumè · <i>fumée</i>	Colori <i>Colors</i> ● F6303000 ● F6303046 ● F6303007 ● F6303030	€ IVA inc / <i>incl VAT</i> 820,00 930,00 930,00 820,00
	 Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> alluminio, policarbonato, PMMA, tessuto · <i>aluminum, polycarbonate, PMMA, fabric</i> Peso · <i>Weight</i> 4,5 Kg DIMMER INCLUDED CE □ ▽ IP 20 			
 ø 240 mm 350 mm 150 mm 187 mm 420 mm	KTRIBE W Philippe Starck, 2007 Potenza · <i>Power</i> MAX 100W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> trasparente · <i>transparent</i> bronzo alluminizzato · <i>aluminized bronze</i> tessuto · <i>fabric</i> fumè · <i>fumée</i>	Colori <i>Colors</i> ● F6307000 ● F6307046 ● F6307007 ● F6307030	€ IVA inc / <i>incl VAT</i> 430,00 460,00 460,00 430,00
	 Fonte luminosa · <i>Light source</i> LED 11,5W E27 1100lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> alluminio, policarbonato, PMMA, tessuto · <i>aluminum, polycarbonate, PMMA, fabric</i> Peso · <i>Weight</i> 1,7 Kg DIMMER INCLUDED CE □ ▽ IP 20 			
 ø 125 mm 240 mm	LAMPADINA Achille Castiglioni, 1972 Potenza · <i>Power</i> MAX 5W Tensione · <i>Voltage</i> 230V	Finiture <i>Finishes</i> nero · <i>black</i> arancio · <i>orange</i> bianco · <i>white</i> verde · <i>green</i>	Colori <i>Colors</i> ● F3300000 ● F3299075 ○ F3299009 ● F3299039	€ IVA inc / <i>incl VAT</i> 140,00 140,00 140,00 140,00
	 Fonte luminosa · <i>Light source</i> LED 2W E27 241lm [inclusa - <i>included</i>] Materiali · <i>Materials</i> alluminio · <i>aluminum</i> Peso · <i>Weight</i> 0,35 Kg SWITCH INCLUDED CE □ ▽ IP 20 			

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91



	LA PLUS BELLE Philippe Starck, 2019 Potenza · <i>Power</i> 60W Tensione · <i>Voltage</i> 120 - 277V	Finiture <i>Finishes</i> bronzo lucido · <i>polished bronze</i> oro spazzolato · <i>brushed gold</i> brill · <i>brill</i>	Colori <i>Colors</i>  F3680046  F3680044  F3680064	€ IVA inc / incl VAT 4.500,00 4.500,00 4.500,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 560 TOP LED 60W 2700K CRI 95 Materiali · <i>Materials</i> alluminio · <i>aluminum</i> Peso · <i>Weight</i> 24,5 Kg DIMMER INCLUDED	CE  		
	LAST ORDER FLUTED Michael Anastassiades, 2020 Potenza · <i>Power</i> 2,5W Tensione · <i>Voltage</i> 100-240/5V	Finiture <i>Finishes</i> ottone lucido · <i>polished brass (INDOOR)</i> rame satinato · <i>satin copper (INDOOR)</i> verde opaco · <i>matte green (OUTDOOR)</i> acciaio lucido · <i>polished inox (OUTDOOR)</i>	Colori <i>Colors</i>  F3694059  F3694015  F3694039  F3694056	€ IVA inc / incl VAT 520,00 520,00 520,00 520,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> LED 2,5W 87lm 2700K CRI90 6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT Materiali · <i>Materials</i> cristallo, ottone, polycarbonato · <i>chrystal, brass, polycarbonate</i> Peso · <i>Weight</i> 2,04 Kg DIMMER INCLUDED	CE  		
	LUCE ORIZZONTALE S1 Ronan & Erwan Bouroullec, 2022 Potenza · <i>Power</i> 110W Tensione · <i>Voltage</i> 100-240V	Finiture <i>Finishes</i> vetro · <i>glass</i>	Colori <i>Colors</i>  F3743000	€ IVA inc / incl VAT 5.500,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> LED 100W 5345lm 2700K CRI95 Materiali · <i>Materials</i> vetro, alluminio, acciaio, polycarbonato PMMA · <i>glass, aluminum, steel, polycarbonate, PMMA</i> Peso · <i>Weight</i> 27,95 Kg DIMMER INCLUDED PUSH/DALI	CE  		
	LUCE ORIZZONTALE S2 Ronan & Erwan Bouroullec, 2022 Potenza · <i>Power</i> 145W Tensione · <i>Voltage</i> 100-240V	Finiture <i>Finishes</i> vetro · <i>glass</i>	Colori <i>Colors</i>  F3744000	€ IVA inc / incl VAT 6.250,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> LED 100W 6682lm 2700K CRI95 Materiali · <i>Materials</i> vetro, alluminio, acciaio, polycarbonato PMMA · <i>glass, aluminum, steel, polycarbonate, PMMA</i> Peso · <i>Weight</i> 34,5 Kg DIMMER INCLUDED PUSH/DALI	CE  		

	LUCE ORIZZONTALE S3	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Ronan & Erwan Bouroullec, 2022 Potenza · <i>Power</i> 165W Tensione · <i>Voltage</i> 100-240V	vetro · <i>glass</i>	● F3745000	7.000,00
LED INCLUDED Fonte luminosa · <i>Light source</i> LED 100W 8018lm 2700K CRI95				
Materiali · <i>Materials</i> vetro, alluminio, acciaio, policarbonato PMMA · <i>glass, aluminum, steel, polycarbonate, PMMA</i>				
Peso · <i>Weight</i> 41 Kg DIMMER INCLUDED PUSH/DALI   				
	LUMINATOR	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Achille and Pier Giacomo Castiglioni, 1954 Potenza · <i>Power</i> 105W Tensione · <i>Voltage</i> 220-250V	antracite · <i>anthracite</i> lite blue bianco · <i>white</i> rosso · <i>red</i> giallo · <i>yellow</i>	● F3772033 ● F3772003 ○ F3772009 ● F3772035 ● F3772019	710,00 710,00 710,00 710,00 710,00
 Fonte luminosa · <i>Light source</i> LED 12W E27 1180lm [esclusa - <i>excluded</i>]				
Materiali · <i>Materials</i> metallo · <i>metal</i>				
Peso · <i>Weight</i> 3,7 Kg DIMMER INCLUDED   				
	MAYDAY	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Konstantin Grcic, 2000 Potenza · <i>Power</i> MAX 60W Tensione · <i>Voltage</i> 220-250V	nero · <i>black</i> arancio · <i>orange</i>	● F3780030 ● F3780002	140,00 140,00
 Fonte luminosa · <i>Light source</i> LED 11,5W E27 1100lm [esclusa - <i>excluded</i>]				
Materiali · <i>Materials</i> polipropilene sostenibile · <i>sustainable polypropylene</i>				
Peso · <i>Weight</i> 0,75 Kg SWITCH INCLUDED   				
	MAYDAY OUTDOOR	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Konstantin Grcic, 2022 Potenza · <i>Power</i> MAX 10W Tensione · <i>Voltage</i> 220-240V	nero · <i>black</i> leaf green mustard yellow	● F038AAAA0ZZ ● F038AACA0ZZ ● F038AABA0ZZ	252,00 252,00 252,00
 Fonte luminosa · <i>Light source</i> LED 8W E14 900lm [esclusa - <i>excluded</i>]				
Materiali · <i>Materials</i> polipropilene sostenibile · <i>sustainable polypropylene</i>				
Peso · <i>Weight</i> 0,9 Kg SWITCH INCLUDED   				





Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

 ø 236 mm 432 mm ø 162 mm	MISS K Philippe Starck, 2003 Potenza · <i>Power</i> MAX 100W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> argento · <i>silver</i> nero · <i>black</i> tessuto · <i>fabric</i> trasparente · <i>transparent</i>	Colori <i>Colors</i> ● F6255000 ● F6255030 ● F6255007 ● F6255078	€ IVA inc / incl VAT 360,00 360,00 360,00 360,00
	 Fonte luminosa · <i>Light source</i> LED 11,5W E27 1100lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> PMMA, policarbonato, tessuto · <i>PMMA, polycarbonate, fabric</i> Peso · <i>Weight</i> 1,22 Kg DIMMER INCLUDED	CE  IP 20 		
 3000 mm 218 mm ø 600 mm	MY DISC Michael Anastassiades, 2023 Potenza · <i>Power</i> 44W Tensione · <i>Voltage</i> 48V	Finiture <i>Finishes</i> matte white	Colori <i>Colors</i> ● F1903009	€ IVA inc / incl VAT 1.220,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> LED 44W 2194lm 2700K CRI90 Materiali · <i>Materials</i> alluminio, policarbonato, PMMA · <i>aluminum, polycarbonate, PMMA</i> Rosone escluso <i>Ceiling rose excluded</i> Peso · <i>Weight</i> 10,06 Kg	CE  IP 20 		
 ø 152 mm 73 mm	MY DISC ROSE ACCESSORI · ACCESSORIES Tensione · <i>Voltage</i> 120-270V Descrizione · <i>Description</i> Rosone dimmerabile da soffitto · <i>Dimmable ceiling rose</i> .	Finiture <i>Finishes</i> matte white	Colori <i>Colors</i> ● F1908009	€ IVA inc / incl VAT 570,00
	Peso · <i>Weight</i> 1,25 Kg DIMMER INCLUDED 1-10/PUSH/DALI	CE  IP 20 		
 max 3000 mm 336,3 mm ø 504 mm	MY DOME Michael Anastassiades, 2023 Potenza · <i>Power</i> 2X15W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> matte white	Colori <i>Colors</i> ● F1915009	€ IVA inc / incl VAT 795,00
	 Fonte luminosa · <i>Light source</i> LED 2X15W E27 2000lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> alluminio, PMMA · <i>aluminum, PMMA</i> Rosone incluso <i>Ceiling rose included</i> Peso · <i>Weight</i> 5,2 Kg	CE  IP 20 		





Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	MY LINES Michael Anastassiades, 2023 Potenza · <i>Power</i> 2x52W Tensione · <i>Voltage</i> 48V	Finiture <i>Finishes</i> matte white	Colori <i>Colors</i> ● F1906009	€ IVA inc / <i>incl VAT</i> 1.630,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 2 x LED 52W 2786lm 2700K CRI90 Materiali · <i>Materials</i> alluminio, acciaio, polycarbonato, silicone platinico opale estruso · <i>aluminum, steel, polycarbonate, platinic silicone extruded opal</i> Peso · <i>Weight</i> 4,76 Kg	CE, IP 20, ENEC		
	MY LINES ROSE ACCESSORI · ACCESSORIES Tensione · <i>Voltage</i> 120-270V Descrizione · <i>Description</i> Rosone dimmerabile da soffitto · <i>Dimmable ceiling rose.</i>	Finiture <i>Finishes</i> matte white	Colori <i>Colors</i> ● F1907009	€ IVA inc / <i>incl VAT</i> 570,00
	Peso · <i>Weight</i> 1,25 Kg DIMMER INCLUDED 1-10/PUSH/DALI	CE, IP 20, ENEC		
	MY SPHERE Michael Anastassiades, 2023 Potenza · <i>Power</i> 25W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> matte white	Colori <i>Colors</i> ● F1920009	€ IVA inc / <i>incl VAT</i> 995,00
	Fonte luminosa · <i>Light source</i> LED 25W E27 3700lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> alluminio, vetro · <i>aluminum, glass</i> Rosone incluso <i>Ceiling rose included</i> Peso · <i>Weight</i> 6,7 Kg	CE, IP 20, ENEC		
	NOCTAMBLE SUSPENSION Konstantin Grcic, 2019 Potenza · <i>Power</i> 36W Tensione · <i>Voltage</i> 120-277V	Finiture <i>Finishes</i> nero · <i>black</i>	Colori <i>Colors</i> ● F0268000	€ IVA inc / <i>incl VAT</i> 2.950,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 2 STRIP LED 9W + 1 COB LED 18W 973lm 2700K CRI 90 Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i> 1 Low Cylinder & Cone Peso · <i>Weight</i> 10,2 Kg DIMMER INCLUDED 1-10/PUSH/DALI	CE, IP 20, ENEC		



Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	NOCTAMBLE SUSPENSION	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Konstantin Grcic, 2019	nero · black	● F0270000	3.950,00
	Potenza · Power 45W			
	Tensione · Voltage 120-277V			
LED INCLUDED	Fonte luminosa · Light source 3 STRIP LED x 9W + 1 COB LED 18W 1259lm 2700K CRI 90			
Materiali · Materials vetro soffiato · blown glass				
2 Low Cylinders & Cone				
	NOCTAMBLE SUSPENSION	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Konstantin Grcic, 2019	nero · black	● F0271000	4.950,00
	Potenza · Power 54W			
	Tensione · Voltage 120-277V			
LED INCLUDED	Fonte luminosa · Light source 4 STRIP LED x 9W + 1 COB LED 18W 1545lm 2700K CRI 90			
Materiali · Materials vetro soffiato · blown glass				
3 Low Cylinders & Cone				
	NOCTAMBLE SUSPENSION	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Konstantin Grcic, 2019	nero · black	● F0272000	5.900,00
	Potenza · Power 63W			
	Tensione · Voltage 120-277V			
LED INCLUDED	Fonte luminosa · Light source 5 STRIP LED x 9W + 1 COB LED 18W 1831lm 2700K CRI 90			
Materiali · Materials vetro soffiato · blown glass				
4 Low Cylinders & Cone				
	NOCTAMBLE SUSPENSION	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Konstantin Grcic, 2019	nero · black	● F0263000	3.300,00
	Potenza · Power 36W			
	Tensione · Voltage 120-277V			
LED INCLUDED	Fonte luminosa · Light source 2 STRIP LED x 9W + 1 COB LED 18W 1007lm 2700K CRI 90			
Materiali · Materials vetro soffiato · blown glass				
1 Low Cylinder & Bowl				

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
 For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	NOCTAMBLE SUSPENSION Konstantin Grcic, 2019 Potenza · <i>Power</i> 45W Tensione · <i>Voltage</i> 120-277V	Finiture <i>Finishes</i> nero · <i>black</i>	Colori <i>Colors</i> ● F0273000	€ IVA inc / <i>incl VAT</i> 4.250,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 3 STRIP LED x 9W + 1 COB LED 18W 1007lm 2700K CRI 90	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>		
	2 Low Cylinders & Bowl			
	Peso · <i>Weight</i> 14,2 Kg	DIMMER INCLUDED 1-10/PUSH/DALI	CE   	
	NOCTAMBLE SUSPENSION Konstantin Grcic, 2019 Potenza · <i>Power</i> 54W Tensione · <i>Voltage</i> 120-277V	Finiture <i>Finishes</i> nero · <i>black</i>	Colori <i>Colors</i> ● F0274000	€ IVA inc / <i>incl VAT</i> 5.150,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 4 STRIP LED x 9W + 1 COB LED 18W 1293lm 2700K CRI 90	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>		
	3 Low Cylinders & Bowl			
	Peso · <i>Weight</i> 17,7 Kg	DIMMER INCLUDED 1-10/PUSH/DALI	CE   	
	NOCTAMBLE SUSPENSION Konstantin Grcic, 2019 Potenza · <i>Power</i> 63W Tensione · <i>Voltage</i> 120-277V	Finiture <i>Finishes</i> nero · <i>black</i>	Colori <i>Colors</i> ● F0275000	€ IVA inc / <i>incl VAT</i> 6.100,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 5 STRIP LED x 9W + 1 COB LED 18W 1579lm 2700K CRI 90	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>		
	4 Low Cylinders & Bowl			
	Peso · <i>Weight</i> 21,2 Kg	DIMMER INCLUDED 1-10/PUSH/DALI	CE   	
	NOCTAMBLE SUSPENSION Konstantin Grcic, 2019 Potenza · <i>Power</i> 36W Tensione · <i>Voltage</i> 120-277V	Finiture <i>Finishes</i> nero · <i>black</i>	Colori <i>Colors</i> ● F0276000	€ IVA inc / <i>incl VAT</i> 3.900,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 4 STRIP LED x 9W 1196lm 2700K CRI 90	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>		
	3 Low Cylinders			
	Peso · <i>Weight</i> 13,4 Kg	DIMMER INCLUDED 1-10/PUSH/DALI	CE   	




Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	NOCTAMBLE SUSPENSION		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Konstantin Grcic, 2019 Potenza · <i>Power</i> 45W Tensione · <i>Voltage</i> 120-277V		nero · <i>black</i>	● F0277000	4.900,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 5 STRIP LED x 9W 1482lm 2700K CRI 90				
	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>				
4 Low Cylinders	Peso · <i>Weight</i> 16,9 Kg	DIMMER INCLUDED 1-10/PUSH/DALI	   		
	NOCTAMBLE SUSPENSION		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Konstantin Grcic, 2019 Potenza · <i>Power</i> 54W Tensione · <i>Voltage</i> 120-277V		nero · <i>black</i>	● F0278000	5.850,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 6 STRIP LED x 9W 1768lm 2700K CRI 90				
	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>				
5 Low Cylinders	Peso · <i>Weight</i> 20,4 Kg	DIMMER INCLUDED 1-10/PUSH/DALI	   		
	NOCTAMBLE SUSPENSION		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Konstantin Grcic, 2019 Potenza · <i>Power</i> 63W Tensione · <i>Voltage</i> 120-277V		nero · <i>black</i>	● F0279000	6.850,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 7 STRIP LED x 9W 2054lm 2700K CRI 90				
	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>				
6 Low Cylinders	Peso · <i>Weight</i> 23,9 Kg	DIMMER INCLUDED 1-10/PUSH/DALI	   		
	NOCTAMBLE SUSPENSION		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Konstantin Grcic, 2019 Potenza · <i>Power</i> 36W Tensione · <i>Voltage</i> 120-277V		nero · <i>black</i>	● F0264000	4.500,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 4 STRIP LED x 9W 1202lm 2700K CRI 90				
	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>				
3 High Cylinders	Peso · <i>Weight</i> 14,9 Kg	DIMMER INCLUDED 1-10/PUSH/DALI	   		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

 2160mm 530mm Ø250	NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potenza · <i>Power</i> 45W Tensione · <i>Voltage</i> 120-277V	Finiture <i>Finishes</i> nero · <i>black</i>	Colori <i>Colors</i> ● F0280000	€ IVA inc / <i>incl VAT</i> 5.750,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 5 STRIP LED x 9W 1500lm 2700K CRI 90			
	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>			
4 High Cylinders	Peso · <i>Weight</i> 18,9 Kg DIMMER INCLUDED 1-10/PUSH/DALI	CE⌚LP20		
 2890mm 530mm Ø250	NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potenza · <i>Power</i> 54W Tensione · <i>Voltage</i> 120-277V	Finiture <i>Finishes</i> nero · <i>black</i>	Colori <i>Colors</i> ● F0281000	€ IVA inc / <i>incl VAT</i> 6.700,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 6 STRIP LED x 9W 1798lm 2700K CRI 90			
	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>			
5 High Cylinders	Peso · <i>Weight</i> 22,9 Kg DIMMER INCLUDED 1-10/PUSH/DALI	CE⌚LP20		
 3220mm 530mm Ø250	NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potenza · <i>Power</i> 63W Tensione · <i>Voltage</i> 120-277V	Finiture <i>Finishes</i> nero · <i>black</i>	Colori <i>Colors</i> ● F0282000	€ IVA inc / <i>incl VAT</i> 7.700,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 7 STRIP LED x 9W 2096lm 2700K CRI 90			
	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>			
6 High Cylinders	Peso · <i>Weight</i> 26,9 Kg DIMMER INCLUDED 1-10/PUSH/DALI	CE⌚LP20		
 500mm Ø250 450mm Ø390	NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potenza · <i>Power</i> 18W Tensione · <i>Voltage</i> 100-240/48V	Finiture <i>Finishes</i> nero · <i>black</i>	Colori <i>Colors</i> ● F0288000	€ IVA inc / <i>incl VAT</i> 1.900,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 2 STRIP LED x 9W 485lm 2700K CRI 90			
	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>			
1 Low Cylinder Small Base	Peso · <i>Weight</i> 10,3 Kg DIMMER INCLUDED	CE⌚LP20		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	NOCTAMBLE FLOOR		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Konstantin Grcic, 2019 Potenza · <i>Power</i> 27W Tensione · <i>Voltage</i> 100-240/48V		nero · <i>black</i>	● F0289000	2.900,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 3 STRIP LED x 9W 771lm 2700K CRI 90				
	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>				
2 Low Cylinders Small Base	Peso · <i>Weight</i> 13,8 Kg	DIMMER INCLUDED	  		
	NOCTAMBLE FLOOR		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Konstantin Grcic, 2019 Potenza · <i>Power</i> 36W Tensione · <i>Voltage</i> 100-240/48V		nero · <i>black</i>	● F0290000	3.850,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 4 STRIP LED x 9W 1057lm 2700K CRI 90				
	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>				
3 Low Cylinders Small Base	Peso · <i>Weight</i> 17,3 Kg	DIMMER INCLUDED	  		
	NOCTAMBLE FLOOR		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Konstantin Grcic, 2019 Potenza · <i>Power</i> 45W Tensione · <i>Voltage</i> 100-240/48V		nero · <i>black</i>	● F0291000	4.900,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 5 STRIP LED x 9W 1343lm 2700K CRI 90				
	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>				
4 Low Cylinders Small Base	Peso · <i>Weight</i> 20,8 Kg	DIMMER INCLUDED	  		
	NOCTAMBLE FLOOR		Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Konstantin Grcic, 2019 Potenza · <i>Power</i> 18W Tensione · <i>Voltage</i> 100-240/48V		nero · <i>black</i>	● F0285000	2.100,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 2 STRIP LED x 9W 497lm 2700K CRI 90				
	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>				
1 High Cylinder Small Base	Peso · <i>Weight</i> 10,8 Kg	DIMMER INCLUDED	  		


Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91


	NOCTAMBLE FLOOR Konstantin Grcic, 2019 Potenza · <i>Power</i> 27W Tensione · <i>Voltage</i> 100-240/48V	Finiture <i>Finishes</i> nero · <i>black</i>	Colori <i>Colors</i> ● F0286000	€ IVA inc / <i>incl VAT</i> 3.300,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 3 STRIP LED x 9W 795lm 2700K CRI 90			
	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>			
2 High Cylinders Small Base Peso · <i>Weight</i> 14,8 Kg DIMMER INCLUDED    				
	NOCTAMBLE FLOOR Konstantin Grcic, 2019 Potenza · <i>Power</i> 36W Tensione · <i>Voltage</i> 100-240/48V	Finiture <i>Finishes</i> nero · <i>black</i>	Colori <i>Colors</i> ● F0287000	€ IVA inc / <i>incl VAT</i> 4.400,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 4 STRIP LED x 9W 1093lm 2700K CRI 90			
	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>			
3 High Cylinders Small Base Peso · <i>Weight</i> 18,8 Kg DIMMER INCLUDED    				
	NOCTAMBLE FLOOR Konstantin Grcic, 2019 Potenza · <i>Power</i> 36W Tensione · <i>Voltage</i> 100-240/48V	Finiture <i>Finishes</i> nero · <i>black</i>	Colori <i>Colors</i> ● F0265000	€ IVA inc / <i>incl VAT</i> 3.100,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 2 STRIP LED x 9W + 1 COB LED 18W 876lm 2700K CRI 90			
	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>			
1 High Cylinder & Cone Small Base Peso · <i>Weight</i> 14 Kg DIMMER INCLUDED    				
	NOCTAMBLE FLOOR Konstantin Grcic, 2019 Potenza · <i>Power</i> 45W Tensione · <i>Voltage</i> 100-240/48V	Finiture <i>Finishes</i> nero · <i>black</i>	Colori <i>Colors</i> ● F0269000	€ IVA inc / <i>incl VAT</i> 4.250,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 3 STRIP LED x 9W + 1 COB LED 18W 1174lm 2700K CRI 90			
	Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>			
2 High Cylinders & Cone Small Base Peso · <i>Weight</i> 18 Kg DIMMER INCLUDED    				


Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91


	NOCTAMBLE FLOOR Konstantin Grcic, 2019 Potenza · <i>Power</i> 45W Tensione · <i>Voltage</i> 100-240/48V	Finiture <i>Finishes</i> nero · <i>black</i>	Colori <i>Colors</i> ● F0292000	€ IVA inc / <i>incl VAT</i> 5.700,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 5 STRIP LED x 9W 1378lm 2700K CRI 90 Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>	Peso · <i>Weight</i> 27,3 Kg DIMMER INCLUDED	CE	
	NOCTAMBLE FLOOR Konstantin Grcic, 2019 Potenza · <i>Power</i> 54W Tensione · <i>Voltage</i> 100-240/48V	Finiture <i>Finishes</i> nero · <i>black</i>	Colori <i>Colors</i> ● F0267000	€ IVA inc / <i>incl VAT</i> 5.600,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 4 STRIP LED x 9W + 1 COB LED 18W 1459lm 2700K CRI 90 Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>	Peso · <i>Weight</i> 26,5 Kg DIMMER INCLUDED	CE	
	NOCTAMBLE FLOOR Konstantin Grcic, 2019 Potenza · <i>Power</i> 54W Tensione · <i>Voltage</i> 100-240/48V	Finiture <i>Finishes</i> nero · <i>black</i>	Colori <i>Colors</i> ● F0266000	€ IVA inc / <i>incl VAT</i> 5.700,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 4 STRIP LED x 9W + 1 COB LED 18W 1493lm 2700K CRI 90 Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i>	Peso · <i>Weight</i> 27 Kg DIMMER INCLUDED	CE	
	OBLIQUE Vincent van Duysen, 2020 Potenza · <i>Power</i> 8W Tensione · <i>Voltage</i> 24V	Finiture <i>Finishes</i> antracite opaco · <i>matte anthracite</i> marrone opaco · <i>matte brown</i> grigio lucido · <i>glossy grey</i> ruggine opaco · <i>matte rust</i> salvia lucido · <i>glossy sage</i> bianco opaco · <i>matte white</i>	Colori <i>Colors</i> ● 09.8300.DR ● 09.8300.DW ● 09.8300.AH ● 09.8300.DX ● 09.8300.DV ○ 09.8300.DY	€ IVA inc / <i>incl VAT</i> 420,00 420,00 420,00 420,00 420,00 420,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> TOP LED x 8W 479lm 2700K · CRI 90 USB-C CONNECT INTEGRATED Materiali · <i>Materials</i> alluminio estruso, metacrilato · <i>die cast aluminum, methacrylate</i>	Peso · <i>Weight</i> 0,75 Kg DIMMER INCLUDED	CE	

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91




	Ø120	OBLIQUE	Vincent van Duysen, 2020	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	350mm	Potenza · <i>Power</i> 8W	Tensione · <i>Voltage</i> 24V	antracite opaco · <i>matte anthracite</i>	● 09.8301.DR	420,00
	Ø155			marrone opaco · <i>matte brown</i>	● 09.8301.DW	420,00
				grigio lucido · <i>glossy grey</i>	● 09.8301.AH	420,00
				ruggine opaco · <i>matte rust</i>	● 09.8301.DX	420,00
				salvia lucido · <i>glossy sage</i>	● 09.8301.DV	420,00
				bianco opaco · <i>matte white</i>	○ 09.8301.DY	420,00
		LED INCLUDED	Fonte luminosa · <i>Light source</i> TOP LED x 8W 482lm 3000K · CRI 90 USB-C CONNECT INTEGRATED			
		Materiali · <i>Materials</i> alluminio estruso, metacrilato · <i>die cast aluminum, methacrylate</i>				
		Peso · <i>Weight</i> 0,75 Kg	DIMMER INCLUDED	CE	IP 20	

	Ø120	OBLIQUE	Vincent van Duysen, 2020	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	350mm	Potenza · <i>Power</i> 8W	Tensione · <i>Voltage</i> 24V	antracite opaco · <i>matte anthracite</i>	● 09.8302.DR	420,00
	Ø155			marrone opaco · <i>matte brown</i>	● 09.8302.DW	420,00
				grigio lucido · <i>glossy grey</i>	● 09.8302.AH	420,00
				ruggine opaco · <i>matte rust</i>	● 09.8302.DX	420,00
				salvia lucido · <i>glossy sage</i>	● 09.8302.DV	420,00
				bianco opaco · <i>matte white</i>	○ 09.8302.DY	420,00
		LED INCLUDED	Fonte luminosa · <i>Light source</i> TOP LED x 8W 525lm 4000K · CRI 90 USB-C CONNECT INTEGRATED			
		Materiali · <i>Materials</i> alluminio estruso, metacrilato · <i>die cast aluminum, methacrylate</i>				
		Peso · <i>Weight</i> 0,75 Kg	DIMMER INCLUDED	CE	IP 20	





	Ø120	OBLIQUE Qi	Vincent van Duysen, 2020	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	350mm	Potenza · <i>Power</i> 8W	Tensione · <i>Voltage</i> 48V	antracite opaco · <i>matte anthracite</i>	● 09.8310.DR	553,00
	Ø155			marrone opaco · <i>matte brown</i>	● 09.8310.DW	553,00
				grigio lucido · <i>glossy grey</i>	● 09.8310.AH	553,00
				ruggine opaco · <i>matte rust</i>	● 09.8310.DX	553,00
				salvia lucido · <i>glossy sage</i>	● 09.8310.DV	553,00
				bianco opaco · <i>matte white</i>	○ 09.8310.DY	553,00
		LED INCLUDED	Fonte luminosa · <i>Light source</i> TOP LED x 8W 479lm 2700K · CRI 90 USB CONNECT INTEGRATED Qi COMPATIBLE RECHARGE BASE			
		Materiali · <i>Materials</i> alluminio estruso, metacrilato, gomma · <i>die cast aluminum, methacrylate, rubber</i>				
		Peso · <i>Weight</i> 0,75 Kg	DIMMER INCLUDED	CE	IP 20	

	Ø120	OBLIQUE Qi	Vincent van Duysen, 2020	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	350mm	Potenza · <i>Power</i> 8W	Tensione · <i>Voltage</i> 48V	antracite opaco · <i>matte anthracite</i>	● 09.8311.DR	553,00
	Ø155			marrone opaco · <i>matte brown</i>	● 09.8311.DW	553,00
				grigio lucido · <i>glossy grey</i>	● 09.8311.AH	553,00
				ruggine opaco · <i>matte rust</i>	● 09.8311.DX	553,00
				salvia lucido · <i>glossy sage</i>	● 09.8311.DV	553,00
				bianco opaco · <i>matte white</i>	○ 09.8311.DY	553,00
		LED INCLUDED	Fonte luminosa · <i>Light source</i> TOP LED x 8W 482lm 3000K · CRI 90 USB CONNECT INTEGRATED Qi COMPATIBLE RECHARGE BASE			
		Materiali · <i>Materials</i> alluminio estruso, metacrilato, gomma · <i>die cast aluminum, methacrylate, rubber</i>				
		Peso · <i>Weight</i> 0,75 Kg	DIMMER INCLUDED	CE	IP 20	

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91


	OBLIQUE Qi		Finiture Finishes	Colori Colors	€ IVA inc / Incl VAT
	Vincent van Duysen, 2020		antracite opaco · <i>matte anthracite</i>	● 09.8312.DR	553,00
Potenza · <i>Power</i> 8W			marrone opaco · <i>matte brown</i>	● 09.8312.DW	553,00
Tensione · <i>Voltage</i> 48V			grigio lucido · <i>glossy grey</i>	● 09.8312.AH	553,00
			ruggine opaco · <i>matte rust</i>	● 09.8312.DX	553,00
			salvia lucido · <i>glossy sage</i>	● 09.8312.DV	553,00
			bianco opaco · <i>matte white</i>	○ 09.8312.DY	553,00
		Fonte luminosa · <i>Light source</i>			
		LED INCLUDED TOP LED x 8W 525lm 4000K · CRI 90			
		USB CONNECT INTEGRATED Qi COMPATIBLE			
		RECHARGE BASE			
		Materiali · <i>Materials</i>			
		alluminio estruso, metacrilato, gomma · <i>die cast aluminum, methacrylate, rubber</i>			
	Peso · <i>Weight</i> 0,75 Kg	DIMMER INCLUDED	CE	IP 20	
	OBLIQUE FLOOR		Finiture Finishes	Colori Colors	€ IVA inc / Incl VAT
	Vincent van Duysen, 2022		antracite opaco · <i>matte anthracite</i>	● 09.8220.DR	560,00
Potenza · <i>Power</i> 8W			marrone opaco · <i>matte brown</i>	● 09.8220.DW	560,00
Tensione · <i>Voltage</i> 24V			grigio lucido · <i>glossy grey</i>	● 09.8220.AH	560,00
			ruggine opaco · <i>matte rust</i>	● 09.8220.DX	560,00
			salvia lucido · <i>glossy sage</i>	● 09.8220.DV	560,00
			bianco opaco · <i>matte white</i>	○ 09.8220.DY	560,00
		Fonte luminosa · <i>Light source</i>			
		LED INCLUDED TOP LED x 8W 479lm 2700K · CRI 90			
		Materiali · <i>Materials</i>			
		alluminio estruso, metacrilato · <i>die cast aluminum, methacrylate</i>			
	Peso · <i>Weight</i> 3,32 Kg	DIMMER INCLUDED	CE	IP 20	03
	OBLIQUE FLOOR		Finiture Finishes	Colori Colors	€ IVA inc / Incl VAT
	Vincent van Duysen, 2022		antracite opaco · <i>matte anthracite</i>	● 09.8221.DR	560,00
Potenza · <i>Power</i> 8W			marrone opaco · <i>matte brown</i>	● 09.8221.DW	560,00
Tensione · <i>Voltage</i> 24V			grigio lucido · <i>glossy grey</i>	● 09.8221.AH	560,00
			ruggine opaco · <i>matte rust</i>	● 09.8221.DX	560,00
			salvia lucido · <i>glossy sage</i>	● 09.8221.DV	560,00
			bianco opaco · <i>matte white</i>	○ 09.8221.DY	560,00
		Fonte luminosa · <i>Light source</i>			
		LED INCLUDED TOP LED x 8W 482lm 3000K · CRI 90			
		Materiali · <i>Materials</i>			
		alluminio estruso, metacrilato · <i>die cast aluminum, methacrylate</i>			
	Peso · <i>Weight</i> 3,32 Kg	DIMMER INCLUDED	CE	IP 20	03
	OBLIQUE FLOOR		Finiture Finishes	Colori Colors	€ IVA inc / Incl VAT
	Vincent van Duysen, 2022		antracite opaco · <i>matte anthracite</i>	● 09.8222.DR	560,00
Potenza · <i>Power</i> 8W			marrone opaco · <i>matte brown</i>	● 09.8222.DW	560,00
Tensione · <i>Voltage</i> 24V			grigio lucido · <i>glossy grey</i>	● 09.8222.AH	560,00
			ruggine opaco · <i>matte rust</i>	● 09.8222.DX	560,00
			salvia lucido · <i>glossy sage</i>	● 09.8222.DV	560,00
			bianco opaco · <i>matte white</i>	○ 09.8222.DY	560,00
		Fonte luminosa · <i>Light source</i>			
		LED INCLUDED TOP LED x 8W 525lm 4000K · CRI 90			
		Materiali · <i>Materials</i>			
		alluminio estruso, metacrilato · <i>die cast aluminum, methacrylate</i>			
	Peso · <i>Weight</i> 3,32 Kg	DIMMER INCLUDED	CE	IP 20	03

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91





 Ø155 1074mm Ø200	OBLIQUE FLOOR USB-C Vincent van Duysen, 2022 Potenza · <i>Power</i> 8W Tensione · <i>Voltage</i> 24V	Finiture <i>Finishes</i> antracite opaco · <i>matte anthracite</i> marrone opaco · <i>matte brown</i> grigio lucido · <i>glossy grey</i> ruggine opaco · <i>matte rust</i> salvia lucido · <i>glossy sage</i> bianco opaco · <i>matte white</i>	Colori <i>Colors</i> ● 09.8230.DR ● 09.8230.DW ● 09.8230.AH ● 09.8230.DX ● 09.8230.DV ○ 09.8230.DY	€ IVA inc / <i>incl VAT</i> 645,00 645,00 645,00 645,00 645,00 645,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> TOP LED x 8W 479lm 2700K · CRI 90 USB-C CONNECT INTEGRATED Materiali · <i>Materials</i> alluminio estruso, metacrilato · <i>die cast aluminum, methacrylate</i> Peso · <i>Weight</i> 3,32 Kg DIMMER INCLUDED	CE   IP 20 		
 Ø155 1074mm Ø200	OBLIQUE FLOOR USB-C Vincent van Duysen, 2022 Potenza · <i>Power</i> 8W Tensione · <i>Voltage</i> 24V	Finiture <i>Finishes</i> antracite opaco · <i>matte anthracite</i> marrone opaco · <i>matte brown</i> grigio lucido · <i>glossy grey</i> ruggine opaco · <i>matte rust</i> salvia lucido · <i>glossy sage</i> bianco opaco · <i>matte white</i>	Colori <i>Colors</i> ● 09.8231.DR ● 09.8231.DW ● 09.8231.AH ● 09.8231.DX ● 09.8231.DV ○ 09.8231.DY	€ IVA inc / <i>incl VAT</i> 645,00 645,00 645,00 645,00 645,00 645,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> TOP LED x 8W 482lm 3000K · CRI 90 USB-C CONNECT INTEGRATED Materiali · <i>Materials</i> alluminio estruso, metacrilato · <i>die cast aluminum, methacrylate</i> Peso · <i>Weight</i> 3,32 Kg DIMMER INCLUDED	CE   IP 20 		
 Ø155 1074mm Ø200	OBLIQUE FLOOR USB-C Vincent van Duysen, 2022 Potenza · <i>Power</i> 8W Tensione · <i>Voltage</i> 24V	Finiture <i>Finishes</i> antracite opaco · <i>matte anthracite</i> marrone opaco · <i>matte brown</i> grigio lucido · <i>glossy grey</i> ruggine opaco · <i>matte rust</i> salvia lucido · <i>glossy sage</i> bianco opaco · <i>matte white</i>	Colori <i>Colors</i> ● 09.8232.DR ● 09.8232.DW ● 09.8232.AH ● 09.8232.DX ● 09.8232.DV ○ 09.8232.DY	€ IVA inc / <i>incl VAT</i> 645,00 645,00 645,00 645,00 645,00 645,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> TOP LED x 8W 525lm 4000K · CRI 90 USB-C CONNECT INTEGRATED Materiali · <i>Materials</i> alluminio estruso, metacrilato · <i>die cast aluminum, methacrylate</i> Peso · <i>Weight</i> 3,32 Kg DIMMER INCLUDED	CE   IP 20 		
 52 mm 270 mm ø 200 mm 4000 mm max ø 95 mm	OK Konstantin Grcic, 2014 Potenza · <i>Power</i> 18W Tensione · <i>Voltage</i> 100-240V/24V	Finiture <i>Finishes</i> bianco · <i>white</i> nero · <i>black</i>	Colori <i>Colors</i> ○ F4640009 ● F4640030	€ IVA inc / <i>incl VAT</i> 650,00 650,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> Edge Lighting Technolgy 18W 1551lm 2700K CRI85 DIMMABLE Materiali · <i>Materials</i> alluminio, acciaio, PA · <i>aluminum, steel, PA</i> Peso · <i>Weight</i> 2,9 Kg DIMMER INCLUDED	CE   IP 20		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-



For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

 222 mm 193 mm 95 mm	OPLIGHT W1 Jasper Morrison, 2021 Potenza · <i>Power</i> 16W Tensione · <i>Voltage</i> 220-240V LED INCLUDED Fonte luminosa · <i>Light source</i> LED 16W 1325lm 2700K DIMMABLE TRIAC Materiali · <i>Materials</i> alluminio, policarbonato · <i>aluminum, polycarbonate</i> Peso · <i>Weight</i> 0,9 Kg	Finiture <i>Finishes</i> textured white satin black	Colori <i>Colors</i> ○ F4681009 ● F4681030 DIMMABLE PARETE / WALL DIMMABLE RF34169 (DALI)	€ IVA inc / <i>incl VAT</i> 320,00 320,00 218,00
 2700 mm 820 mm ø 650 mm	OVERLAP S1 Michael Anastassiades, 2018 Potenza · <i>Power</i> MAX 105W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> cocoon, acciaio · <i>cocoon. steel</i> Peso · <i>Weight</i> 5,6 Kg	Finiture <i>Finishes</i> bianco · <i>white</i>	Colori <i>Colors</i> ○ F4633009	€ IVA inc / <i>incl VAT</i> 2.120,00
 2700 mm 1260 mm ø 1000 mm	OVERLAP S2 Michael Anastassiades, 2018 Potenza · <i>Power</i> Max 105 W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> cocoon, acciaio · <i>cocoon. steel</i> Peso · <i>Weight</i> 8,8 Kg	Finiture <i>Finishes</i> bianco · <i>white</i>	Colori <i>Colors</i> ○ F4634009	€ IVA inc / <i>incl VAT</i> 3.020,00
 580 mm 4000 mm max ø 110 mm	PARENTESI Achille Castiglioni and Pio Manzù, 1971 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i> LED 12W E27 1180lm o · <i>or</i> LED 13W E27 1300lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> acciaio, elastomero · <i>steel, elastomer</i> Peso · <i>Weight</i> 3,2 Kg	Finiture <i>Finishes</i> bianco · <i>white</i> nero · <i>black</i> rosso · <i>red</i> nichel · <i>nickel</i>	Colori <i>Colors</i> ○ F5400009 ● F5400030 ● F5400035 ◐ F5400058	€ IVA inc / <i>incl VAT</i> 370,00 370,00 370,00 420,00




Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	PARENTESI COMPL. ELEMENT	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Achille Castiglioni and Pio Manzù, 1971 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-250V	bianco · <i>white</i> nero · <i>black</i> rosso · <i>red</i> nichel · <i>nickel</i>	○ F5500009 ● F5500030 ● F5500035 ⦶ F5500058	240,00 240,00 240,00 285,00
Fonte luminosa · <i>Light source</i> LED 12W E27 1180lm o · or LED 13W E27 1300lm [esclusa - <i>excluded</i>]				
Materiali · <i>Materials</i> elastomero · <i>elastomer</i>				
Peso · <i>Weight</i> 0,53 Kg SWITCH INCLUDED   				
	PARENTESI D	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Achille Castiglioni and Pio Manzù, 1971 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-240V	bianco · <i>white</i> nero · <i>black</i> rosso · <i>red</i> nichel · <i>nickel</i>	○ F5600009 ● F5600030 ● F5600035 ⦶ F5600058	400,00 400,00 400,00 430,00
Fonte luminosa · <i>Light source</i> LED 12W E27 1180lm o · or LED 13W E27 1300lm [esclusa - <i>excluded</i>]				
Materiali · <i>Materials</i> acciaio, elastomero · <i>steel, elastomer</i>				
Peso · <i>Weight</i> 3,57 Kg DIMMER INCLUDED   				
	PARENTESI D COMPL. ELEMENT	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Achille Castiglioni and Pio Manzù, 1971 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-240V	bianco · <i>white</i> nero · <i>black</i> rosso · <i>red</i> nichel · <i>nickel</i>	○ F5700009 ● F5700030 ● F5700035 ⦶ F5700058	290,00 290,00 290,00 310,00
Fonte luminosa · <i>Light source</i> LED 12W E27 1180lm o · or LED 13W E27 1300lm [esclusa - <i>excluded</i>]				
Materiali · <i>Materials</i> elastomero · <i>elastomer</i>				
Peso · <i>Weight</i> 0,55 Kg   				
	POCHETTE UP/DOWN LED	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Rodolfo Dordoni, 2003 Potenza · <i>Power</i> MAX 21,5W Tensione · <i>Voltage</i> 220-240V	grigio · <i>grey</i> bianco · <i>white</i> cromo · <i>chrome</i>	● F9705020 ○ F9705009 ⦶ F9705057	400,00 400,00 470,00
LED INCLUDED Fonte luminosa · <i>Light source</i> 144 LED 20W 2700K 1707lm CRI90 + 36 LED 1,5W 2700K 37lm CRI90				
Materiali · <i>Materials</i> zama · <i>zamak</i>				
Peso · <i>Weight</i> 1,7 Kg DIMMER INCLUDED 1-10/TRIAC  				

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	RAY F2 Rodolfo Dordoni, 2007 Potenza · <i>Power</i> MAX 250W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> nero · <i>black</i> bianco · <i>white</i> vetro · <i>glass</i>	Colori <i>Colors</i> ● F5921030 ○ F5921009 ● F5920020	€ IVA inc I incl VAT 1.400,00 1.400,00 1.600,00
	 Fonte luminosa · <i>Light source</i> LED 21W E27 2452lm o · or LED 21W E27 2250lm [esclusa - <i>excluded</i>]	Materiali · <i>Materials</i> acciaio, alluminio, vetro · <i>steel, aluminum, glass</i> Peso · <i>Weight</i> 5,95 Kg (alluminio · <i>aluminum</i>) - 9,1 Kg (vetro · <i>glass</i>)		
	RAY T Rodolfo Dordoni, 2007 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> nero · <i>black</i> bianco · <i>white</i> vetro · <i>glass</i>	Colori <i>Colors</i> ● F5911030 ○ F5911009 ● F5910020	€ IVA inc I incl VAT 920,00 920,00 1.200,00
	 Fonte luminosa · <i>Light source</i> LED 11,5W E27 1100lm [esclusa - <i>excluded</i>]	Materiali · <i>Materials</i> acciaio, alluminio, vetro · <i>steel, aluminum, glass</i> Peso · <i>Weight</i> 4,2 Kg (alluminio · <i>aluminum</i>) - 6,5 Kg (vetro · <i>glass</i>)		
	ROMEO MOON S1 Philippe Starck, 1996 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-250V	Finiture <i>Finishes</i> vetro · <i>glass</i>	Colori <i>Colors</i> ● F6105000	€ IVA inc I incl VAT 520,00
	 Fonte luminosa · <i>Light source</i> LED 11,5W E27 1100lm [esclusa - <i>excluded</i>]	Materiali · <i>Materials</i> vetro · <i>glass</i> Peso · <i>Weight</i> 4,5 Kg		
	ROMEO MOON S2 Philippe Starck, 1996 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-250V	Finiture <i>Finishes</i> vetro · <i>glass</i>	Colori <i>Colors</i> ● F0003000	€ IVA inc I incl VAT 640,00
	 Fonte luminosa · <i>Light source</i> LED 11,5W E27 1100lm [esclusa - <i>excluded</i>]	Materiali · <i>Materials</i> vetro · <i>glass</i> Peso · <i>Weight</i> 7,6 Kg		


Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	ROSY ANGELIS Philippe Starck, 1994 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-240V Fonte luminosa · <i>Light source</i> LED 11,5W E27 1100lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> tessuto, alluminio · <i>fabric, aluminum</i> Peso · <i>Weight</i> 1,47 Kg DIMMER INCLUDED	Finiture <i>Finishes</i> grigio · <i>grey</i> Colori <i>Colors</i> ● F6160020 € IVA inc / <i>incl VAT</i> 650,00
	SKYGARDEN SMALL Marcel Wanders, 2021 Potenza · <i>Power</i> MAX 10W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i> LED retrofit 8W E14 T28 900lm o-or LED retrofit 9W E14 T28 900lm [inclusa - <i>included</i>] Materiali · <i>Materials</i> gesso, vetro, acciaio inox · <i>plaster, glass, stainless steel</i> Peso · <i>Weight</i> 5 Kg	Finiture <i>Finishes</i> oro · <i>gold</i> ruggine · <i>rusty brown</i> bianco · <i>white</i> nero opaco · <i>matte black</i> Colori <i>Colors</i> ● F6405044 ● F6405047 ○ F6405009 ● F6405031 € IVA inc / <i>incl VAT</i> 1.430,00 1.430,00 1.430,00 1.430,00
	SKYGARDEN 1 Marcel Wanders, 2007 Potenza · <i>Power</i> MAX 105W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i> LED 20W E27 2300lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> gesso, vetro, acciaio inox · <i>plaster, glass, stainless steel</i> Peso · <i>Weight</i> 13 Kg	Finiture <i>Finishes</i> oro · <i>gold</i> ruggine · <i>rusty brown</i> bianco · <i>white</i> nero opaco · <i>matte black</i> Colori <i>Colors</i> ● F0001044 ● F0001047 ○ F0001009 ● F0001031 € IVA inc / <i>incl VAT</i> 2.480,00 2.480,00 2.480,00 2.480,00
	SKYGARDEN 2 Marcel Wanders, 2007 Potenza · <i>Power</i> MAX 205W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i> LED 20W E27 2300lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> gesso, vetro, acciaio inox · <i>plaster, glass, stainless steel</i> Peso · <i>Weight</i> 29 Kg	Finiture <i>Finishes</i> oro · <i>gold</i> ruggine · <i>rusty brown</i> bianco · <i>white</i> nero opaco · <i>matte black</i> Colori <i>Colors</i> ● F0002044 ● F0002047 ○ F0002009 ● F0002031 € IVA inc / <i>incl VAT</i> 3.350,00 3.350,00 3.350,00 3.350,00

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	SKYNEST		Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Marcel Wanders, 2022		antracite · anthracite	● F6392031	3.250,00
	Potenza · Power 78W		blue tourmaline	● F6392003	3.250,00
	Tensione · Voltage 100-240V		almond	● F6392017	3.250,00
			rosso mattone · brick red	● F6392035	3.250,00
	Fonte luminosa · Light source LED 78W 2001lm* 2700K CRI90				
	LED INCLUDED	* Il flusso luminoso si riferisce al prodotto con finitura antracite. Si prega di consultare il nostro sito web per informazioni dettagliate sulle altre finiture. * The lumen output refers to the product with the anthracite finish. Please consult our website for detailed information about the other finishes.			
	Materiali · Materials nylon, fibra di vetro, poliestere riciclato, LATAMID, alluminio · nylon with glass fiber, recycled polyester, LATAMID, aluminum				
	Peso · Weight 4,1 Kg	DIMMER INCLUDED 1-10/PUSH/DALI	CE L P 20		

	SKYNEST CEILING		Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Marcel Wanders, 2023		antracite · anthracite	● F6393031	3.250,00
	Potenza · Power 57W		blue tourmaline	● F6393003	3.250,00
	Tensione · Voltage 100-240V		almond	● F6393017	3.250,00
			rosso mattone · brick red	● F6393035	3.250,00
	Fonte luminosa · Light source LED 57W 1325lm* 2700K CRI90				
	LED INCLUDED	* Il flusso luminoso si riferisce al prodotto con finitura antracite. Si prega di consultare il nostro sito web per informazioni dettagliate sulle altre finiture. * The lumen output refers to the product with the anthracite finish. Please consult our website for detailed information about the other finishes.			
	Materiali · Materials nylon, fibra di vetro, poliestere riciclato, LATAMID, alluminio · nylon with glass fiber, recycled polyester, LATAMID, aluminum				
	Peso · Weight 13 Kg	DIMMER INCLUDED 1-10/PUSH/DALI	CE L P 20		

	SKYNEST MOTION		Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Marcel Wanders, 2023		antracite · anthracite	● F6394031	4.200,00
	Potenza · Power 57W		blue tourmaline	● F6394003	4.200,00
	Tensione · Voltage 100-240V		almond	● F6394017	4.200,00
			rosso mattone · brick red	● F6394035	4.200,00
	Fonte luminosa · Light source LED 57W 1325lm* 2700K CRI90				
	LED INCLUDED	* Il flusso luminoso si riferisce al prodotto con finitura antracite. Si prega di consultare il nostro sito web per informazioni dettagliate sulle altre finiture. * The lumen output refers to the product with the anthracite finish. Please consult our website for detailed information about the other finishes.			
	Materiali · Materials nylon, fibra di vetro, poliestere riciclato, LATAMID, alluminio · nylon with glass fiber, recycled polyester, LATAMID, aluminum				
	Peso · Weight 6 Kg		CE L P 20		


	SMITHFIELD C		Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Jasper Morrison, 2009		nero · black	● F1370030	860,00
	Potenza · Power 4xMAX 70W		nero opaco · matte black	● F1370031	860,00
	Tensione · Voltage 220-250V		bianco · white	○ F1370009	860,00
			mud	● F1370021	860,00
			verde · green	● F1370039	860,00
			rosso · red	● F1370035	860,00
	Fonte luminosa · Light source LED retrofit 11,5W E27 1100lm o-or LED retrofit 15W E27 2000lm o-or LED retrofit 18W E27 1900lm o-or LED retrofit 18W E27 2000lm [esclusa - excluded]				
	Materiali · Materials alluminio, metacrilato · aluminum, methacrylate				
	Peso · Weight 4,5 Kg		CE L P 20		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

 215 mm ø 600 mm	SMITHFIELD C PRO Jasper Morrison, 2009 Potenza · <i>Power</i> 45W Tensione · <i>Voltage</i> 200-240V	Finiture <i>Finishes</i> nero · <i>black</i> nero opaco · <i>matte black</i> bianco · <i>white</i> mud verde · <i>green</i> rosso · <i>red</i> nero · <i>black</i> nero opaco · <i>matte black</i> bianco · <i>white</i> mud verde · <i>green</i> rosso · <i>red</i>	Colori <i>Colors</i> ● F1366030 ● F1366031 ○ F1366009 ● F1366021 ● F1366039 ● F1366035 ● F1368030 DALI ● F1368031 DALI ○ F1368009 DALI ● F1368021 DALI ● F1368039 DALI ● F1368035 DALI	€ IVA inc / <i>incl VAT</i> 1.200,00 1.200,00 1.200,00 1.200,00 1.200,00 1.200,00 1.200,00 1.200,00 1.200,00 1.200,00 1.200,00 1.200,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> LED module 45W 2700K 2791lm CRI95 Materiali · <i>Materials</i> alluminio, metacrilato · <i>aluminum, methacrylate</i> Peso · <i>Weight</i> 5,8 Kg DIMMER INCLUDED PUSH OR DALI	CE IP 20 Eco		
 215 mm 2700 mm ø 600 mm	SMITHFIELD S Jasper Morrison, 2009 Potenza · <i>Power</i> 4xMAX 70W Tensione · <i>Voltage</i> 220-250V	Finiture <i>Finishes</i> nero · <i>black</i> nero opaco · <i>matte black</i> bianco · <i>white</i> mud verde · <i>green</i> rosso · <i>red</i>	Colori <i>Colors</i> ● F1371030 ● F1371031 ○ F1371009 ● F1371021 ● F1371039 ● F1371035	€ IVA inc / <i>incl VAT</i> 950,00 950,00 950,00 950,00 950,00 950,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> LED retrofit 11,5W E27 1100lm o-or LED retrofit 15W E27 2000lm o-or LED retrofit 18W E27 1900lm o-or LED retrofit 18W E27 2000lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> alluminio, metacrilato · <i>aluminum, methacrylate</i> Peso · <i>Weight</i> 4,5 Kg	CE IP 20 Eco		
 215 mm 2700 mm ø 600 mm	SMITHFIELD S PRO Jasper Morrison, 2009 Potenza · <i>Power</i> 45W Tensione · <i>Voltage</i> 200-240V	Finiture <i>Finishes</i> nero · <i>black</i> nero opaco · <i>matte black</i> bianco · <i>white</i> mud verde · <i>green</i> rosso · <i>red</i> nero · <i>black</i> nero opaco · <i>matte black</i> bianco · <i>white</i> mud verde · <i>green</i> rosso · <i>red</i>	Colori <i>Colors</i> ● F1367030 ● F1367031 ○ F1367009 ● F1367021 ● F1367039 ● F1367035 ● F1369030 DALI ● F1369031 DALI ○ F1369009 DALI ● F1369021 DALI ● F1369039 DALI ● F1369035 DALI	€ IVA inc / <i>incl VAT</i> 1.200,00 1.200,00 1.200,00 1.200,00 1.200,00 1.200,00 1.200,00 1.200,00 1.200,00 1.200,00 1.200,00 1.200,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> LED module 45W 2700K 2791lm CRI95 Materiali · <i>Materials</i> alluminio, metacrilato · <i>aluminum, methacrylate</i> Peso · <i>Weight</i> 5,8 Kg DIMMER INCLUDED PUSH OR DALI	CE IP 20 Eco		
 369 mm 394 mm	SNOOPY Achille and Pier Giacomo Castiglioni, 1967 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> nero · <i>black</i> verde · <i>green</i> arancio · <i>orange</i> navy blue	Colori <i>Colors</i> ● F6380030 ● F6380039 ● F6380075 ● F6380014	€ IVA inc / <i>incl VAT</i> 1.200,00 1.200,00 1.200,00 1.200,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> LED 8W E27 740lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> marmo, metallo · <i>marble, metal</i> Peso · <i>Weight</i> 7,99 Kg DIMMER INCLUDED	CE IP 20 Eco		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

 210 mm 2200 mm ø 360 mm	SPLÜGEN BRÄU Achille and Pier Giacomo Castiglioni, 1961 Potenza · <i>Power</i> MAX 70W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i> LED 11W E27 1060lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> alluminio · <i>aluminum</i> Peso · <i>Weight</i> 1,4 Kg	Finiture <i>Finishes</i> alluminio · <i>aluminum</i> Colori <i>Colors</i> F6500000 € IVA inc / <i>incl VAT</i> 480,00
 ø 500 mm 1766 mm ø 500 mm	SPUN LIGHT F Sebastian Wrong, 2003 Potenza · <i>Power</i> MAX 250W Tensione · <i>Voltage</i> 220-240V Fonte luminosa · <i>Light source</i> LED 21W E27 2452lm o · or LED 21W E27 2250lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> metallo, alluminio · <i>metal, aluminum</i> Peso · <i>Weight</i> 9,3 Kg DIMMER INCLUDED	Finiture <i>Finishes</i> bianco · <i>white</i> nero · <i>black</i> Colori <i>Colors</i> ○ F6612009 1.950,00 ● F6612030 1.950,00 € IVA inc / <i>incl VAT</i>
 ø 390 mm 575 mm ø 265 mm	SPUN LIGHT T1 Sebastian Wrong, 2003 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-240V Fonte luminosa · <i>Light source</i> LED 8W E27 740lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> metallo, alluminio · <i>metal, aluminum</i> Peso · <i>Weight</i> 4,3 Kg DIMMER INCLUDED	Finiture <i>Finishes</i> bianco · <i>white</i> nero · <i>black</i> Colori <i>Colors</i> ○ F6610009 1.000,00 ● F6610030 1.000,00 € IVA inc / <i>incl VAT</i>
 ø 450 mm 680 mm ø 308 mm	SPUN LIGHT T2 Sebastian Wrong, 2003 Potenza · <i>Power</i> MAX 150W Tensione · <i>Voltage</i> 220-240V Fonte luminosa · <i>Light source</i> LED 21W E27 2452lm o · or LED 21W E27 2250lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> metallo, alluminio · <i>metal, aluminum</i> Peso · <i>Weight</i> 5,6 Kg DIMMER INCLUDED	Finiture <i>Finishes</i> bianco · <i>white</i> nero · <i>black</i> Colori <i>Colors</i> ○ F6611009 1.150,00 ● F6611030 1.150,00 € IVA inc / <i>incl VAT</i>



STRING LIGHT TESTA A CONO · CONE HEAD

Michael Anastassiades, 2014

Potenza · *Power* 21W

Tensione · *Voltage* 100-240V/48V

LED INCLUDED

Fonte luminosa · *Light source*
1 LED ARRAY 21W 2700K 1035lm
CRI90 DIMMABLE TOUCH

Materiali · *Materials*

alluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 1 Kg

(12 mt.) - 1,15 Kg (22 mt.)

DIMMER INCLUDED

Finiture
Finishes

nero · *black*

nero · *black*

bianco · *white*

bianco · *white*

blu · *blue*

blu · *blue*

Colori
Colors

● F6487030 CAVO 12 mt.

● F6497030 CAVO 22 mt.

○ F6487009 CAVO 12 mt.

○ F6497009 CAVO 22 mt.

● F6487014 CAVO 12 mt.

● F6497014 CAVO 22 mt.

€ IVA inc / incl VAT

700,00

740,00


700,00

740,00

700,00

740,00

completare con rosone o "floor switch" - compulsory to add either floor switch or c/w rose



STRING LIGHT TESTA A CONO · CONE HEAD

Michael Anastassiades, 2014

Potenza · *Power* 21W

Tensione · *Voltage* 100-240V/48V

CASAMBI READY

LED INCLUDED

Fonte luminosa · *Light source*
1 LED ARRAY 21W 2700K 1035lm
CRI90 REGULATED WIRELESSLY USING THE APPLICATION FLOS CONTROL® BY CASAMBI

Materiali · *Materials*

alluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 1 Kg

(12 mt.) - 1,15 Kg (22 mt.)

DIMMER INCLUDED

Finiture
Finishes

nero · *black*

nero · *black*

bianco · *white*

bianco · *white*

blu · *blue*

blu · *blue*

Colori
Colors

● F6489030 CAVO 12 mt.

● F6499030 CAVO 22 mt.

○ F6489009 CAVO 12 mt.

○ F6499009 CAVO 22 mt.

● F6489014 CAVO 12 mt.

● F6499014 CAVO 22 mt.

€ IVA inc / incl VAT

740,00

790,00

740,00

790,00

740,00

790,00

completare con rosone o "floor switch" - compulsory to add either floor switch or c/w rose



STRING LIGHT TESTA A SFERA · SPHERE HEAD

Michael Anastassiades, 2014

Potenza · *Power* 21W

Tensione · *Voltage* 100-240V/48V

LED INCLUDED

Fonte luminosa · *Light source*
1 LED ARRAY 21W 2700K 1515lm
CRI90 DIMMABLE TOUCH

Materiali · *Materials*

alluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 1,12 Kg

(12 mt.) - 1,27 Kg (22 mt.)

DIMMER INCLUDED

Finiture
Finishes

nero · *black*

nero · *black*

bianco · *white*

bianco · *white*

blu · *blue*

blu · *blue*

Colori
Colors

● F6486030 CAVO 12 mt.

● F6496030 CAVO 22 mt.

○ F6486009 CAVO 12 mt.

○ F6496009 CAVO 22 mt.

● F6486014 CAVO 12 mt.

● F6496014 CAVO 22 mt.

€ IVA inc / incl VAT

690,00

730,00

690,00

730,00

690,00

730,00

completare con rosone o "floor switch" - compulsory to add either floor switch or c/w rose



STRING LIGHT TESTA A SFERA · SPHERE HEAD

Michael Anastassiades, 2014

Potenza · *Power* 21W

Tensione · *Voltage* 100-240V/48V

CASAMBI READY

LED INCLUDED

Fonte luminosa · *Light source*
1 LED ARRAY 21W 2700K 1515lm
CRI90 REGULATED WIRELESSLY USING THE APPLICATION FLOS CONTROL® BY CASAMBI

Materiali · *Materials*

alluminio, policarbonato · *aluminum, polycarbonate*

Peso · *Weight* 1,12 Kg

(12 mt.) - 1,27 Kg (22 mt.)

DIMMER INCLUDED

Finiture
Finishes

nero · *black*

nero · *black*

bianco · *white*

bianco · *white*

blu · *blue*

blu · *blue*

Colori
Colors

● F6488030 CAVO 12 mt.

● F6498030 CAVO 22 mt.

○ F6488009 CAVO 12 mt.

○ F6498009 CAVO 22 mt.

● F6488014 CAVO 12 mt.

● F6498014 CAVO 22 mt.

€ IVA inc / incl VAT

730,00

790,00

730,00

790,00

730,00

790,00



completare con rosone o "floor switch" - compulsory to add either floor switch or c/w rose

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-





For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	STRING LIGHT ACCESSORI · ACCESSORIES Tensione · <i>Voltage</i> 120-277V/48V Descrizione · <i>Description</i> Rosone da parete o soffitto per l'installazione di massimo 3 teste con tre possibili vie di uscita · <i>Wallrose. Feed up 3 heads maximum; 3 wayout for cables. Wall or ceiling installation</i>	Finiture <i>Finishes</i> nero · <i>black</i> bianco · <i>white</i> blu · <i>blue</i>	Colori <i>Colors</i> ● F6482030 ○ F6482009 ● F6482014	€ IVA inc / <i>incl VAT</i> 350,00 350,00 350,00
	  			
	STRING LIGHT ACCESSORI · ACCESSORIES Tensione · <i>Voltage</i> 120-277V/48V Descrizione · <i>Description</i> “Floor Switch” per l'installazione di massimo due teste con due possibili vie di uscita per il cavo. Alloggio interno per arrotolare 10 metri di cavo · <i>Floor Switch. Feed up two heads maximum; Two wayout for cables. Space to wrap 10 meters cable</i>	Finiture <i>Finishes</i> nero · <i>black</i> bianco · <i>white</i> blu · <i>blue</i>	Colori <i>Colors</i> ● F6484030 ○ F6484009 ● F6484014	€ IVA inc / <i>incl VAT</i> 440,00 440,00 440,00
	  			
	STRING LIGHT ACCESSORI · ACCESSORIES Descrizione · <i>Description</i> Cavo di connessione supplementare per comporre configurazioni personalizzate · <i>Extra connection cable to compose personal configurations</i>	Finiture <i>Finishes</i> nero · <i>black</i> bianco · <i>white</i> blu · <i>blue</i>	Colori <i>Colors</i> ● F6485030 ○ F6485009 ● F6485014	€ IVA inc / <i>incl VAT</i> 230,00 230,00 230,00
	STYLOS Achille Castiglioni, 1984 Potenza · <i>Power</i> 1 x MAX 120W + 1 x MAX 100W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i> LED 16W E27 PAR 38 1600lm [esclusa - <i>excluded</i>] + LED 21W E27 2452lm [esclusa - <i>excluded</i>] o · <i>or</i> LED 21W E27 2250lm [esclusa - <i>excluded</i>] Doppia accensione · <i>Double switch</i> Materiali · <i>Materials</i> polimetilmetacrilato, acciaio · <i>polymethylmethacrylate, steel</i> Peso · <i>Weight</i> 9,85 Kg	Finiture <i>Finishes</i> argento · <i>silver</i>	Colori <i>Colors</i> ● F6310004	€ IVA inc / <i>incl VAT</i> 885,00
	  			




Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	SUPERARCHIMOON Philippe Starck, 2000 Potenza · <i>Power</i> MAX 250W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> tessuto · <i>fabric</i>	Colori <i>Colors</i> ● F6366020	€ IVA inc / <i>incl VAT</i> 10.560,00
	 Fonte luminosa · <i>Light source</i> LED 21W E27 2452lm o · or LED 21W E27 2250lm [esclusa - <i>excluded</i>]	Peso · <i>Weight</i> 90,88 Kg DIMMER INCLUDED   		
	SUPERARCHIMOON OUTDOOR/INDOOR Philippe Starck, 2000 Potenza · <i>Power</i> MAX 250W Tensione · <i>Voltage</i> 220-240V	Finiture <i>Finishes</i> panama green wall	Colori <i>Colors</i> ● F6367022 ● F6367041	€ IVA inc / <i>incl VAT</i> 10.560,00 10.560,00
	 Fonte luminosa · <i>Light source</i> LED 21W E27 2450lm [esclusa - <i>excluded</i>]	Materiali · <i>Materials</i> tessuto, vetro, acciaio, alluminio · <i>fabric, glass, steel, aluminum</i> Peso · <i>Weight</i> 160,3 Kg DIMMER INCLUDED  		
	SUPERLOON Jasper Morrison, 2015 Potenza · <i>Power</i> 48W Tensione · <i>Voltage</i> 100-240V/48V	Finiture <i>Finishes</i> bianco · <i>white</i> nero · <i>black</i> cromo · <i>chrome</i>	Colori <i>Colors</i> ○ F6630009 ● F6630030 F6630057	€ IVA inc / <i>incl VAT</i> 4.500,00 4.500,00 4.600,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> EDGE LIGHTING 45W 2716lm 2200/2800K CRI80 DIM TO WARM	Materiali · <i>Materials</i> alluminio, PMMA · <i>aluminum, PMMA</i> Peso · <i>Weight</i> 11 Kg DIMMER INCLUDED   		
	SUPERWIRE F Formafantasma, 2024 Potenza · <i>Power</i> 56W Tensione · <i>Voltage</i> 100-240V/48V	Finiture <i>Finishes</i>	Colori <i>Colors</i> D301F01C3EAF2	€ IVA inc / <i>incl VAT</i> 4.700,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> Filamento LED 42V 4140lm 2700K CRI>90	Materiali · <i>Materials</i> vetro, alluminio, plastica · <i>glass, aluminum, plastic</i> Peso · <i>Weight</i> 12 Kg DIMMER INCLUDED   		




Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91-




	SUPERWIRE T Formafantasma, 2024 Potenza · <i>Power</i> 18W Tensione · <i>Voltage</i> 100-240V/48V LED INCLUDED Fonte luminosa · <i>Light source</i> Filamento LED 42V 1200lm 2700K CRI>90	Finiture <i>Finishes</i> Colori <i>Colors</i> D301T01C3EAF2	€ IVA inc / incl VAT 3.700,00
	Materiali · <i>Materials</i> vetro, alluminio, plastica · <i>glass, aluminum, plastic</i> Peso · <i>Weight</i> 9 Kg DIMMER INCLUDED	CE   IP 20 	
	TAB F E. Barber & J. Osgerby, 2011 Potenza · <i>Power</i> 9W Tensione · <i>Voltage</i> 100-240V/24V LED INCLUDED Fonte luminosa · <i>Light source</i> 14 LED 9W 347lm 2700K CRI90	Finiture <i>Finishes</i> bianco · <i>white</i> nero · <i>black</i> dark green matte blue	Colori <i>Colors</i> F6564009 460,00 F6564030 460,00 F6564031 460,00 F6564014 460,00
	Materiali · <i>Materials</i> alluminio, PMMA · <i>aluminum, PMMA</i> Peso · <i>Weight</i> 1,9 Kg SWITCH INCLUDED	CE   IP 20 	
	TAB T E. Barber & J. Osgerby, 2011 Potenza · <i>Power</i> 9W Tensione · <i>Voltage</i> 100-240V/24V LED INCLUDED Fonte luminosa · <i>Light source</i> 14 LED 9W 347lm 2700K CRI90 DIMMABLE	Finiture <i>Finishes</i> bianco · <i>white</i> nero · <i>black</i> dark green matte blue	Colori <i>Colors</i> F6563009 350,00 F6563030 350,00 F6563031 350,00 F6563014 350,00
	Materiali · <i>Materials</i> alluminio, PMMA · <i>aluminum, PMMA</i> Peso · <i>Weight</i> 0,91 Kg SWITCH INCLUDED	CE   IP 20 	
	TACCIA Achille and Pier Giacomo Castiglioni, 1962 Potenza · <i>Power</i> 28W Tensione · <i>Voltage</i> 100-240V/48V LED INCLUDED Fonte luminosa · <i>Light source</i> 1 COB LED 28W 2700K CRI93 DIMMABLE	Finiture <i>Finishes</i> argento · <i>silver</i> nero · <i>black</i> bronzo · <i>bronze</i> matte white	Colori <i>Colors</i> F6602004 2.700,00 F6602030 2.700,00 F6602046 2.700,00 F6602009 2.700,00
	Materiali · <i>Materials</i> vetro, alluminio · <i>glass, aluminum</i> Peso · <i>Weight</i> 10,74 Kg DIMMER INCLUDED	CE   IP 20 	

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
 For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91


	TACCIA (PMMA) Achille and Pier Giacomo Castiglioni, 1962 Potenza · <i>Power</i> 28W Tensione · <i>Voltage</i> 100-240V/48V	Finiture <i>Finishes</i> argento · <i>silver</i> nero · <i>black</i> bronzo · <i>bronze</i>	Colori <i>Colors</i> ● F6607004 ● F6607030 ● F6607046	€ IVA inc / <i>incl VAT</i> 1.600,00 1.600,00 1.600,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 1 COB LED 28W 2700K CRI93 DIMMABLE			
	Materiali · <i>Materials</i> PMMA, alluminio · <i>PMMA, aluminum</i> Peso · <i>Weight</i> 7,6 Kg DIMMER INCLUDED	CE   IP 20 		
	TACCIA SMALL Achille and Pier Giacomo Castiglioni, 1962 Potenza · <i>Power</i> 16W Tensione · <i>Voltage</i> 100-240V/24V	Finiture <i>Finishes</i> argento · <i>silver</i> nero · <i>black</i> bronzo · <i>bronze</i> matte white	Colori <i>Colors</i> ● F6604004 ● F6604030 ● F6604046 ○ F6604009	€ IVA inc / <i>incl VAT</i> 1.120,00 1.120,00 1.120,00 1.120,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 1 COB LED 16W 2700K CRI92 DIMMABLE			
	Materiali · <i>Materials</i> vetro, alluminio · <i>glass, aluminum</i> Peso · <i>Weight</i> 4,25 Kg DIMMER INCLUDED	CE   IP 20 		
	TARAXACUM 1 Achille and Pier Giacomo Castiglioni, 1960 Potenza · <i>Power</i> MAX 100W Tensione · <i>Voltage</i> 220-250V	Finiture <i>Finishes</i> bianco · <i>white</i>	Colori <i>Colors</i> ○ F7401009	€ IVA inc / <i>incl VAT</i> 2.100,00
	 Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm [esclusa - <i>excluded</i>]			
	Materiali · <i>Materials</i> cocoon, acciaio · <i>cocoon, steel</i> Peso · <i>Weight</i> 2,1 Kg	CE   IP 20 		
	TARAXACUM 2 Achille and Pier Giacomo Castiglioni, 1960 Potenza · <i>Power</i> MAX 100W Tensione · <i>Voltage</i> 220-250V	Finiture <i>Finishes</i> bianco · <i>white</i>	Colori <i>Colors</i> ○ F7402009	€ IVA inc / <i>incl VAT</i> 2.300,00
	 Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm [esclusa - <i>excluded</i>]			
	Materiali · <i>Materials</i> cocoon, acciaio · <i>cocoon, steel</i> Peso · <i>Weight</i> 2,8 Kg	CE   IP 20 		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

 310 mm 280 mm 610 mm	TARAXACUM 88 C/W Achille Castiglioni, 1988 Potenza · <i>Power</i> 15 x MAX 40W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i> 15xLED 3W E27 255lm [inclusa - included] Materiali · <i>Materials</i> alluminio · <i>aluminum</i> Peso · <i>Weight</i> 5,6 Kg	Finiture <i>Finishes</i> alluminio · <i>aluminum</i> Colori <i>Colors</i> F7421000	€ IVA inc / <i>incl VAT</i> 1.400,00 CE LP 20
 5500 mm ø 800 mm	TARAXACUM 88 S1 Achille Castiglioni, 1988 Potenza · <i>Power</i> 60 x MAX 40W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i> 60xLED 3W E27 255lm [inclusa - included] Materiali · <i>Materials</i> alluminio · <i>aluminum</i> Peso · <i>Weight</i> 20,8 Kg	Finiture <i>Finishes</i> alluminio · <i>aluminum</i> Colori <i>Colors</i> F7431000	€ IVA inc / <i>incl VAT</i> 5.200,00 CE LP 20
 6000 mm ø 1050 mm	TARAXACUM 88 S2 Achille Castiglioni, 1988 Potenza · <i>Power</i> 120 x MAX 40W Tensione · <i>Voltage</i> 220-250V Fonte luminosa · <i>Light source</i> 120xLED 3W E27 255lm [inclusa - included] Materiali · <i>Materials</i> alluminio · <i>aluminum</i> Prodotto su richiesta <i>Made on demand</i> Peso · <i>Weight</i> 40,3 Kg	Finiture <i>Finishes</i> alluminio · <i>aluminum</i> Colori <i>Colors</i> F7441000	€ IVA inc / <i>incl VAT</i> 9.000,00 CE LP 20
 319 mm ø 500 mm 1800 mm ø 400 mm	TATOU F Patricia Urquiola, 2012 Potenza · <i>Power</i> MAX 205W Tensione · <i>Voltage</i> 220-240V Fonte luminosa · <i>Light source</i> LED 21W E27 2452lm o · or LED 21W E27 2250lm [esclusa - excluded] Materiali · <i>Materials</i> policarbonato, acciaio · <i>polycarbonate, steel</i> Peso · <i>Weight</i> 16,4 Kg	Finiture <i>Finishes</i> bianco · <i>white</i> grigio ocre · <i>ochre-grey</i> Colori <i>Colors</i> F7764009 F7764048	€ IVA inc / <i>incl VAT</i> 1.060,00 1.060,00 CE LP 20

 319 mm 2700 mm ø 500 mm	TATOU S2 Patricia Urquiola, 2012 Potenza · <i>Power</i> MAX 205W Tensione · <i>Voltage</i> 220-250V	Finiture <i>Finishes</i> bianco · <i>white</i> grigio ocra · <i>ochre-grey</i>	Colori <i>Colors</i> ○ F7766009 ● F7766048	€ IVA inc / <i>incl VAT</i> 575,00 575,00
	 Fonte luminosa · <i>Light source</i> LED 21W E27 2452lm o · or LED 21W E27 2250lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> policarbonato · <i>polycarbonate</i> Peso · <i>Weight</i> 4,7 Kg	CE  IP 20 		
 ø 280 mm 178 mm 500 mm ø 195 mm	TATOU T1 Patricia Urquiola, 2012 Potenza · <i>Power</i> MAX 70W Tensione · <i>Voltage</i> 220-230V	Finiture <i>Finishes</i> bianco · <i>white</i> grigio ocra · <i>ochre-grey</i>	Colori <i>Colors</i> ○ F7761009 ● F7761048	€ IVA inc / <i>incl VAT</i> 380,00 380,00
	 Fonte luminosa · <i>Light source</i> LED 11,5W E27 1100lm [esclusa - <i>excluded</i>] Materiali · <i>Materials</i> policarbonato · <i>polycarbonate</i> Peso · <i>Weight</i> 2,7 Kg DIMMER INCLUDED	CE  IP 20 		
 160 mm 130 mm 100 mm	TIGHT LIGHT Piero Lissoni, 2011 Potenza · <i>Power</i> 20W Tensione · <i>Voltage</i> 100-240V	Finiture <i>Finishes</i> bianco · <i>white</i>	Colori <i>Colors</i> · F0011009	€ IVA inc / <i>incl VAT</i> 320,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> 48 TOP LED 2x10W 1989lm total 3000K CRI80 Materiali · <i>Materials</i> PMMA, alluminio · <i>PMMA, aluminum</i> Peso · <i>Weight</i> 1 Kg	CE  IP 20 		
 ø 210 mm 190 mm	TO-TIE T1 Guglielmo Poletti, 2022 Potenza · <i>Power</i> 7W Tensione · <i>Voltage</i> 24V	Finiture <i>Finishes</i> anodized black	Colori <i>Colors</i> ● F7541031	€ IVA inc / <i>incl VAT</i> 480,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> LED module 7W 314lm 2700K CRI90 Materiali · <i>Materials</i> vetro borosilicato, alluminio anodizzato · <i>borosylicate glass, anodized aluminum</i> Peso · <i>Weight</i> 1,5 Kg DIMMER INTEGRATED	CE  IP 20 		


Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	TO-TIE T2	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Guglielmo Poletti, 2022 Potenza · Power 7W Tensione · Voltage 24V	anodized black	● F7542031	630,00
	LED INCLUDED Fonte luminosa · Light source LED module 7W 336lm 2700K CRI90			
	Materiali · Materials vetro borosilicato, alluminio anodizzato · borosylcate glass, anodized aluminum			
	Peso · Weight 2,5 Kg DIMMER INTEGRATED	  		
	TO-TIE T3	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Guglielmo Poletti, 2022 Potenza · Power 10W Tensione · Voltage 24V	anodized black	● F7543031	830,00
	LED INCLUDED Fonte luminosa · Light source LED module 10W 495lm 2700K CRI90			
	Materiali · Materials vetro borosilicato, alluminio anodizzato · borosylcate glass, anodized aluminum			
	Peso · Weight 2,7 Kg DIMMER INTEGRATED	  		
	TOIO LED	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Achille and Pier Giacomo Castiglioni, 1962 Potenza · Power MAX 23W LED Tensione · Voltage 220-240V	bianco · white nero · black rosso · red	○ F7630009 ● F7630030 ● F7630035	1.250,00 1.250,00 1.250,00
	 Fonte luminosa · Light source LED 20W PRO PAR 56 2050lm [inclusa - included]			
	Materiali · Materials acciaio · steel			
	Peso · Weight 8,2 Kg DIMMER INCLUDED	  		
	VISCONTEA	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Achille and Pier Giacomo Castiglioni, 1960 Potenza · Power MAX 100W Tensione · Voltage 220-250V	bianco · white	○ F8001009	1.800,00
	 Fonte luminosa · Light source LED 15W E27 2000lm [esclusa - excluded]			
	Materiali · Materials cocoon, acciaio · cocoon, steel			
	Peso · Weight 1,75 Kg	  		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

 50 mm 89 mm ø 115 mm	WAN C/W Johanna Grawunder, 2005 Potenza · <i>Power</i> MAX 40W Tensione · <i>Voltage</i> 220-250V	Finiture <i>Finishes</i> bianco · <i>white</i> nero · <i>black</i>	Colori <i>Colors</i>  F9550009  F9550030 200,00 200,00	€ IVA inc / incl VAT
	Fonte luminosa · <i>Light source</i> 33W HSGS G9 460lm [esclusa - <i>excluded</i>]			
	Materiali · <i>Materials</i> alluminio · <i>aluminum</i>			
	Peso · <i>Weight</i> 0,62 Kg	 IP 20	per ogni finitura sono forniti due anelli: 1 di colore verde, 1 di colore nero · <i>two rings supplied for each finish: - green - black</i>	

 89 mm 2800 mm ø 115 mm	WAN S Johanna Grawunder, 2006 Potenza · <i>Power</i> MAX 40W Tensione · <i>Voltage</i> 220-250V	Finiture <i>Finishes</i> bianco · <i>white</i> nero · <i>black</i>	Colori <i>Colors</i>  F9560009  F9560030 230,00 230,00	€ IVA inc / incl VAT
	Fonte luminosa · <i>Light source</i> 33W HSGS G9 460lm [esclusa - <i>excluded</i>]			
	Materiali · <i>Materials</i> alluminio · <i>aluminum</i>			
	Peso · <i>Weight</i> 0,85 Kg	 IP 20	per ogni finitura sono forniti due anelli: 1 di colore verde, 1 di colore nero · <i>two rings supplied for each finish: - green - black</i>	

 *min 650mm - max 2950mm 1300 mm 1050 mm	WIRELINE Formafantasma, 2021 Potenza · <i>Power</i> 45W Tensione · <i>Voltage</i> 120-277V	Finiture <i>Finishes</i> rosa · <i>pink</i> forest green	Colori <i>Colors</i>  F9520034  F9520039 3.300,00 3.300,00	€ IVA inc / incl VAT
LED INCLUDED	Fonte luminosa · <i>Light source</i> LED module 45W 2793lm 2700K CRI90 DIMMABLE			
	Materiali · <i>Materials</i> vetro, acciaio inox, gomma, PC · <i>glass stainless steel, rubber, PC</i>			
*a seconda dell'altezza del soffitto - depending on ceiling's height	Peso · <i>Weight</i> 7,8 Kg	DIMMER INCLUDED 1-10/PUSH/DALI	 IP 20	

 320 mm 2080 mm ø 310 mm	WIRERING Formafantasma, 2018 Potenza · <i>Power</i> 16W Tensione · <i>Voltage</i> 100-240V/24V	Finiture <i>Finishes</i> grigio/bianco · <i>grey/white</i> grigio/grigio · <i>grey/grey</i> grigio/nero · <i>grey/black</i> grigio/oro · <i>grey/gold</i>	Colori <i>Colors</i>  F9513009  F9513020  F9513030  F9513044 850,00 850,00 930,00 930,00	€ IVA inc / incl VAT
LED INCLUDED	Fonte luminosa · <i>Light source</i> 180 LED 16W 2700K 712lm CRI90 DIMMABLE			
	Materiali · <i>Materials</i> alluminio - gomma - PC · <i>aluminum - rubber - PC</i>			
	Peso · <i>Weight</i> 0,95 Kg	DIMMER INCLUDED	 IP 20	

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-

For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91





	ZEPPELIN 1 Marcel Wanders, 2005 Potenza · <i>Power</i> MAX 250W Tensione · <i>Voltage</i> 220-250V	Finiture <i>Finishes</i> bianco · <i>white</i>	Colori <i>Colors</i> ○ F9800009	€ IVA inc / <i>incl VAT</i> 4.200,00
	Fonte luminosa · <i>Light source</i> LED 21W E27 2452lm o · or LED 21W E27 2250lm [esclusa - <i>excluded</i>]			
Materiali · <i>Materials</i> cocoon, acciaio, cristallo · <i>cocoon, steel, crystal</i>				
Peso · <i>Weight</i> 15 Kg		  		

	ABAJOURD'HUI SMALL Flos Soft Architecture	Finiture <i>Finishes</i> cartongesso · <i>plaster</i>	Colori <i>Colors</i> ○ SA.5001.1	€ IVA inc / <i>incl VAT</i> 872,00
	Fonte luminosa · <i>Light source</i> MAX 75W E27 QT-32 [esclusa - <i>excluded</i>]			
Materiali · <i>Materials</i> installazione su cartongesso · <i>plaster installation</i>				
Peso · <i>Weight</i> 11 Kg		  		


	ABAJOURD'HUI LARGE Flos Soft Architecture	Finiture <i>Finishes</i> cartongesso · <i>plaster</i>	Colori <i>Colors</i> ○ SA.5000.1	€ IVA inc / <i>incl VAT</i> 1.533,00
	Fonte luminosa · <i>Light source</i> MAX 150W E27 QT-32 [esclusa - <i>excluded</i>]			
Materiali · <i>Materials</i> installazione su cartongesso · <i>plaster installation</i>				
Peso · <i>Weight</i> 28 Kg		  		

	SOFT SPUN SMALL FL Flos Soft Architecture	Finiture <i>Finishes</i> cartongesso · <i>plaster</i>	Colori <i>Colors</i> ○ SA.5004.1	€ IVA inc / <i>incl VAT</i> 851,00
	Fonte luminosa · <i>Light source</i> 18W 2G11 [esclusa - <i>excluded</i>] Ballast elettronico · <i>Electronic Ballast</i>			
Materiali · <i>Materials</i> installazione su cartongesso · <i>plaster installation</i>				
Peso · <i>Weight</i> 11 Kg		  		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91

	SOFT SPUN SMALL HL	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Flos Soft Architecture	cartongesso · plaster	○ SA.5005.1	863,00
 Fonte luminosa · <i>Light source</i> MAX 120W R7s QT-DE-12 [esclusa - <i>excluded</i>]				
Materiali · <i>Materials</i> installazione su cartongesso · <i>plaster installation</i>				
Peso · <i>Weight</i> 11 Kg		CE 		
	SOFT SPUN SMALL LED	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Flos Soft Architecture	cartongesso · plaster	○ SA.5006.1F	2.104,00
LED INCLUDED Fonte luminosa · <i>Light source</i> 1 LED WHITE 35W 1800lm 3000K CRI90 Driver elettronico · <i>Electronic Driver</i>				
Materiali · <i>Materials</i> installazione su cartongesso · <i>plaster installation</i>				
Peso · <i>Weight</i> 11 Kg		CE 		
	SOFT SPUN LARGE FL	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Flos Soft Architecture	cartongesso · plaster	○ SA.5008.1	1.785,00
 Fonte luminosa · <i>Light source</i> 24W 2G11 TC-L (diff.) [esclusa - <i>excluded</i>] Ballast elettr. · <i>Elect. Ballast</i> + LED 1.4W 80lm 2700K CRI>90 (base) [inclusa - <i>included</i>] Driver elettronico · <i>Electronic Driver</i>				
Materiali · <i>Materials</i> installazione su cartongesso · <i>plaster installation</i>				
Peso · <i>Weight</i> 28 Kg		CE 		
	SOFT SPUN LARGE HL	Finiture <i>Finishes</i>	Colori <i>Colors</i>	€ IVA inc / incl VAT
	Flos Soft Architecture	cartongesso · plaster	○ SA.5009.1	1.797,00
LED INCLUDED Fonte luminosa · <i>Light source</i> 1 x MAX 160W R7s QT-DE (diff.) [esclusa - <i>excluded</i>] + 1 LED 1.4W 80lm 2700K CRI>90 (base) [inclusa - <i>included</i>] Driver elettronico · <i>Electronic Driver</i>				
Materiali · <i>Materials</i> installazione su cartongesso · <i>plaster installation</i>				
Peso · <i>Weight</i> 28 Kg		CE 		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 78-91-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 78-91



SOFT SPUN LARGE LED

Flos Soft Architecture

Finiture
Finishes

cartongesso · plaster

Colori
Colors

○ SA.5007.1F

€ IVA inc / incl VAT

2.908,00

Fonte luminosa · Light source

1 LED WHITE 35W 1800lm

3000K CRI90 (diff.)

] Driver elettr. · Elect. Driver + 1 LED WHITE

1,4W 80lm 2700K CRI>90 (base)

Driver elettr. · Elect. Driver

LED INCLUDED

Materiali · Materials

installazione su cartongesso · plaster installation

Peso · Weight 28 Kg



FONTI LUMINOSE
LIGHT SOURCES

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
265	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
265	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
265 SMALL	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
265 SMALL	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
2097/18-30-50 CLEAR	1	RF28422	LED	220-240 V	2 W	E14	2200 K	95 lm		> 82	60 x 26 mm	DIMM	16,50
2097/18-30-50 FROSTED	1	RF25316	LED	220-240 V	2,7 W	E14	2700 K	150 lm		> 82	56 x 26 mm	DIMM	16,50
2097/75 CLEAR	1	RF34561	LED	220-240 V	2 W	E14	2200 K	95 lm		> 82	66 x 34 mm	DIMM	16,00
2097/75 FROSTED	1	RF34562	LED	220-240 V	2,7 W	E14	2700 K	150 lm		> 82	66 x 34 mm	DIMM	16,00
2097/18-30-50 - CLEAR KIT 20 BULBS LED	20	RF28890	LED	220-240 V	2 W	E14	2200 K	95 lm		> 82	60 x 26 mm	DIMM	306,00
2097/18-30-50 - FROSTED KIT 20 BULBS LED	20	RF28889	LED	220-240 V	2,7 W	E14	2700 K	150 lm		> 82	56 x 26 mm	DIMM	306,00
2097/18-30-50 - CLEAR KIT 32 BULBS LED	32	RF28988	LED	220-240 V	2 W	E14	2200 K	95 lm		> 82	60 x 26 mm	DIMM	500,00
2097/18-30-50 - FROSTED KIT 32 BULBS LED	32	RF28987	LED	220-240 V	2,7 W	E14	2700 K	150 lm		> 82	56 x 26 mm	DIMM	500,00
2097/75 - CLEAR KIT 40 BULBS LED	40	RF35112	LED	220-240 V	2 W	E14	2200 K	95 lm		> 82	66 x 34 mm	DIMM	626,00
2097/75 - FROSTED KIT 40 BULBS LED	40	RF35113	LED	220-240 V	2,7 W	E14	2700 K	150 lm		> 82	66 x 34 mm	DIMM	640,50
ARCO	1	RF32771	LED	220-240 V	11 W	E27	2700 K	1060 lm		> 80	130 x 70 mm	DIMM	29,00
ARCO K	1	RF32771	LED	220-240 V	11 W	E27	2700 K	1060 lm		> 80	130 x 70 mm	DIMM	29,00
ARIETTE	4	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
ARIETTE	4	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
BELLHOP GLASS T	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
BELLHOP GLASS T	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
BELLHOP GLASS S2	1	RF36503	LED	220-240 V	25 W	E27	2700 K	3700 lm		> 80	140 x 74 mm	DIMM	67,00
BIAGIO	1	RF25323	LED	220-240 V	8 W	E27	2700 K	740 lm		> 80	102 x 58 mm	DIMM	23,50
BIAGIO	1	RF25317	LED	220-240 V	8 W	E27	3000 K	740 lm		> 80	102 x 58 mm	DIMM	23,50
BIBLIOTHEQUE NATIONALE	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
BILBOQUET	1	RF35612	LED	220-240 V	7,5 W	GU10	2700 K	620 lm		> 80	56 x 50 mm	NO DIMM	6,00
BILBOQUET	1	RF35611	LED	220-240 V	7,5 W	GU10	3000 K	620 lm		> 80	56 x 50 mm	NO DIMM	6,00
BUTTON	5	RF26520	LED	220-240 V	2 W	G9	2700 K	240 lm			48 x 13 mm	NO DIMM	13,50
BUTTON	5	RF36378	LED	220-240 V	3,2 W	G9	2700 K	400 lm		80	51 x 16 mm	DIMM	14,50
CÉRAMIQUE UP/ SIDE/DOWN	1	RF25323	LED	220-240 V	8 W	E27	2700 K	740 lm		> 80	102 x 58 mm	DIMM	23,50
CÉRAMIQUE UP/ SIDE/DOWN	1	RF25317	LED	220-240 V	8 W	E27	3000 K	740 lm		> 80	102 x 58 mm	DIMM	23,50
CHASEN	1	RF34147	LED	220-240 V	16W	E27	-	1600 lm	-	> 80	136 x 122	NO DIMM	90,00
CHIARA F	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
CHIARA F	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
CHIARA T	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
CHIARA T	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
CHIARA T	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
CHIARA T	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
FOGLIO	2	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
FOGLIO	2	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
FRISBI	1	RF31458	LED	220-240 V	13 W	E27	2700 K	1250 lm		> 80	175 x 125 mm	DIMM	41,00
GATTO	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
GATTO	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
GATTO PICCOLO	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
GATTO PICCOLO	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
GATTO PICCOLO	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
GATTO PICCOLO	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
GLO-BALL BASIC 1	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL BASIC 1	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL BASIC 2	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL BASIC 2	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL BASIC 2	1	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
GLO-BALL BASIC 2	1	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00
GLO-BALL BASIC ZERO DIM	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
GLO-BALL BASIC ZERO DIM	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
GLO-BALL BASIC ZERO DIM	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
GLO-BALL BASIC ZERO DIM	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
GLO-BALL BASIC ZERO SWITCH	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
GLO-BALL BASIC ZERO SWITCH	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
GLO-BALL BASIC ZERO SWITCH	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
GLO-BALL BASIC ZERO SWITCH	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
GLO-BALL C/W ZERO	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
GLO-BALL C/W ZERO	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
GLO-BALL C/W ZERO	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
GLO-BALL C/W ZERO	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
GLO-BALL C1	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL C1	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL C2	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL C2	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL C2	1	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
GLO-BALL C2	1	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00
GLO-BALL F1	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL F1	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
GLO-BALL F2	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL F2	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL F3	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL F3	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL F3	1	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
GLO-BALL F3	1	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00
GLO-BALL S1	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL S1	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL S2	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL S2	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL S2	1	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
GLO-BALL S2	1	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00
GLO-BALL T1	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL T1	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL W	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
GLO-BALL W	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
IC C/W1	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
IC C/W1	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
IC C/W1	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
IC C/W1	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
IC C/W1 DOUBLE	2	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
IC C/W1 DOUBLE	2	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
IC C/W1 DOUBLE	2	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
IC C/W1 DOUBLE	2	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
IC C/W2	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
IC C/W2	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
IC C/W2	1	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
IC C/W2	1	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00
IC F1	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
IC F1	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
IC F1	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
IC F1	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
IC F2	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
IC F2	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
IC F2	1	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
IC F2	1	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
IC S1	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
IC S1	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
IC S1	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
IC S1	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
IC S2	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
IC S2	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
IC S2	1	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
IC S2	1	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00
IC S3	1	RF36503	LED	220-240 V	25 W	E27	2700 K	3700 lm		> 80	140 x 74 mm	DIMM	67,00
IC T1 high/low	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
IC T1 high/low	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
IC T1 high/low	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
IC T1 high/low	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
IC T2	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
IC T2	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
IC T2	1	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
IC T2	1	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00
IC T3	1	RF36503	LED	220-240 V	25 W	E27	2700 K	3700 lm		> 80	140 x 74 mm	DIMM	67,00

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
KTRIBE F2	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2350 lm		> 80	133 x 65 mm	DIMM	37,00
KTRIBE F2	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
KTRIBE F3	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2200 lm		> 80	133 x 65 mm	DIMM	37,00
KTRIBE F3	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
KTRIBE S2	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2250 lm		> 80	133 x 65 mm	DIMM	37,00
KTRIBE S2	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
KTRIBE T1	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
KTRIBE T1	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
KTRIBE T2	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
KTRIBE T2	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
KTRIBE W	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
KTRIBE W	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
LAMPADINA	1	RF32797	LED	230 V	2 W	E27	2700 K	200 lm		> 80	175 x 125 mm	NO DIMM	30,00
LUMINATOR	1	RF32366	LED	220-240 V	12 W	E27	2700 K	1180 lm		> 80	175 x 125 mm	DIMM	45,50
MAYDAY	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
MAYDAY	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
MAYDAY OUTDOOR	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
MAYDAY OUTDOOR	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
MINI BUTTON	1	RF26520	LED	220-240 V	2 W	G9	2700 K	240 lm			48 x 13 mm	NO DIMM	13,50
MINI BUTTON	1	RF36378	LED	220-240 V	3,2 W	G9	2700 K	400 lm		80	51 x 16 mm	DIMM	14,50
MINI GLO-BALL C/W	1	RF26520	LED	220-240 V	2 W	G9	2700 K	240 lm			48 x 13 mm	NO DIMM	13,50
MINI GLO-BALL C/W	1	RF36378	LED	220-240 V	3,2 W	G9	2700 K	400 lm		80	51 x 16 mm	DIMM	14,50
MINI GLO-BALL S	1	RF26520	LED	220-240 V	2 W	G9	2700 K	240 lm			48 x 13 mm	NO DIMM	13,50
MINI GLO-BALL S	1	RF36378	LED	220-240 V	3,2 W	G9	2700 K	400 lm		80	51 x 16 mm	DIMM	14,50
MINI GLO-BALL T (NO DIM)	1	RF26520	LED	220-240 V	2 W	G9	2700 K	240 lm			48 x 13 mm	NO DIMM	13,50
MINI GLO-BALL T (DIM)	1	RF36378	LED	220-240 V	3,2 W	G9	2700 K	400 lm		80	51 x 16 mm	DIMM	14,50
MISS K	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
MISS K	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
MY DOME	2	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
MY DOME	2	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
MY SPHERE	1	RF36503	LED	220-240 V	25 W	E27	2700 K	3700 lm		> 80	140 x 74 mm	DIMM	67,00
OVERLAP S1	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
OVERLAP S1	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
OVERLAP S2	2	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
OVERLAP S2	2	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
PARENTESI	1	RF32366	LED	220-240 V	12 W	E27	2700 K	1180 lm		> 80	175 x 125 mm	DIMM	45,50

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
PARENTESI	1	RF35355	LED	220-240 V	13 W	E27	2700 K	1300 lm		> 80	175 x 125 mm	DIMM	52,00
PARENTESI / D	1	RF32366	LED	220-240 V	12 W	E27	2700 K	1180 lm		> 80	175 x 125 mm	DIMM	45,50
PARENTESI / D	1	RF35355	LED	220-240 V	13 W	E27	2700 K	1300 lm		> 80	175 x 125 mm	DIMM	52,00
RAY F2	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
RAY F2	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2250 lm		> 80	133 x 65 mm	DIMM	37,00
RAY T	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
RAY T	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
ROMEO MOON S1	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
ROMEO MOON S1	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
ROMEO MOON S2	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
ROMEO MOON S2	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
ROSY ANGELIS	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
ROSY ANGELIS	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
SKYGARDEN 1	1	RF29388	LED	220-240 V	20 W	E27	2700 K	2300 lm		> 80	140 x 46 mm	DIMM	61,00
SKYGARDEN 2	1	RF29388	LED	220-240 V	20 W	E27	2700 K	2300 lm		> 80	140 x 46 mm	DIMM	61,00
SKYGARDEN SMALL	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
SKYGARDEN SMALL	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
SKYGARDEN SMALL	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
SKYGARDEN SMALL	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
SMITHFIELD C	4	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
SMITHFIELD C	4	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
SMITHFIELD C	4	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
SMITHFIELD C	4	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00
SMITHFIELD C	4	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
SMITHFIELD C	4	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
SMITHFIELD S	4	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
SMITHFIELD S	4	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
SMITHFIELD S	4	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
SMITHFIELD S	4	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00
SMITHFIELD S	4	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
SMITHFIELD S	4	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
SNOOPY	1	RF25323	LED	220-240 V	8 W	E27	2700 K	740 lm		> 80	102 x 58 mm	DIMM	23,50
SNOOPY	1	RF25317	LED	220-240 V	8 W	E27	3000 K	740 lm		> 80	102 x 58 mm	DIMM	23,50
SPLUGEN BRAU	1	RF32771	LED	220-240 V	11 W	E27	2700 K	1060 lm		> 80	130 x 70 mm	DIMM	29,00
SPUN LIGHT F	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
SPUN LIGHT F	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2250 lm		> 80	133 x 65 mm	DIMM	37,00

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
SPUN LIGHT T1	1	RF25323	LED	220-240 V	8 W	E27	2700 K	740 lm		> 80	102 x 58 mm	DIMM	23,50
SPUN LIGHT T1	1	RF25317	LED	220-240 V	8 W	E27	3000 K	740 lm		> 80	102 x 58 mm	DIMM	23,50
SPUN LIGHT T2	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
SPUN LIGHT T2	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2250 lm		> 80	133 x 65 mm	DIMM	37,00
STYLOS SOPRA	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2250 lm		> 80	133 x 65 mm	DIMM	37,00
STYLOS SOPRA	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
STYLOS SOTTO	1	RF34147	LED	220-240 V	16W	E27	-	1600 lm	-	> 80	136 x 122 mm	NO DIMM	90,00
SUPERARCHIMOOD	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
SUPERARCHIMOOD	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2250 lm		> 80	133 x 65 mm	DIMM	37,00
TARAXACUM 88 S1/S2/CW	1	RF24894	LED	180-265 V	3 W	E27	2500 K	255 lm		> 85	126 x 180 mm	DIMM	26,00
TARAXACUM 88 S1/S2/CW KIT 15 BULBS LED	15	RF27119	LED	180-265 V	3 W	E27	2500 K	255 lm		> 85	126 x 180 mm	DIMM	370,00
TARAXACUM 1/2	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
TARAXACUM 1/2	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
TATOU F	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
TATOU F	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2250 lm		> 80	133 x 65 mm	DIMM	37,00
TATOU S2	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
TATOU S2	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2250 lm		> 80	133 x 65 mm	DIMM	37,00
TATOU T1	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
TATOU T1	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
TOIO LED	1	RF32297	LED	220-240 V	20W	GX16d	2500 K	2050 lm		> 80	176 x 112 mm	DIMM	235,00
VISCONTEA	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
VISCONTEA	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
WAN C/W	1	RF18863	HL	230 V	33 W	G9	2700 K	460 lm		100	43 x 14 mm	DIMM	6,50
WAN S	1	RF18863	HL	230 V	33 W	G9	2700 K	460 lm		100	43 x 14 mm	DIMM	6,50
ZEPELIN 1	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
ZEPELIN 1	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2250 lm		> 80	133 x 65 mm	DIMM	37,00

CLASSIFICAZIONE E MARCHI DI CERTIFICAZIONE · CLASSIFICATION & HOMOLOGATIONS

Classi di isolamento delle lampade · *Luminaires classification*



Classe I: lampada la cui protezione contro la scarica elettrica non si basa solo sull'isolamento di base dell'apparecchio, ma su un ulteriore sistema di sicurezza che consiste nel collegamento dei componenti conduttivi accessibili a un conduttore di sicurezza (messa a terra) facente parte dell'impianto elettrico fisso · *Class I: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of connecting the accesible conductive parts to a safety conductor (earth)*



Classe II: Lampada la cui protezione contro la scarica elettrica non si basa solo sull'isolamento di base dell'apparecchio, ma su un ulteriore misura di sicurezza che consiste in un doppio isolamento rinforzato senza dispositivi per la messa a terra · *Class II: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of double reinforced insulation without conductive parts to a safety conductor (earth)*



Classe III: Lampada la cui protezione contro la scarica elettrica si basa su un sistema a bassissima tensione, che non viene mai superata. Una lampada di Classe III non deve mai essere fornita con la messa a terra · *Class III: Luminaire in which protection against electrical shocks is based on the very low safety supply voltage and no voltages are produced higher than this. A Class III luminaire must never be provided with earthing*

Omologazioni · *Homologations*



Tutte le lampade prodotte e presentate in questo programma sono state realizzate in conformità con la Norma Europea EN 60 598 e sono pertanto conformi ai requisiti definiti nella Direttiva CEE 73/23 (Direttiva di Bassa Tensione). La loro realizzazione garantisce anche la conformità alla Direttiva 89/336 per quanto concerne la Compatibilità Elettromagnetica. Tutti i prodotti rientranti nel campo di applicazione delle suddette Direttive riportano la marcatura CE, che ne attesta la conformità ai relativi requisiti · *All lamps manufactured and illustrated in this catalog comply with European Standard EN 60 598 and consequently meet the requirements set forth in Directive 73/23 EEC (Low Voltage Directive). They also comply with Directive 89/336 covering electromagnetic compatibility. All products falling under the scope of the above-mentioned Directives bear the CE mark as proof of their compliance with the respective requirements*



La presenza del marchio ENEC sul prodotto conferma l'adempimento della Normativa Europea e garantisce l'affidabilità del sistema organizzativo e produttivo responsabile della fabbricazione del prodotto, attraverso un ente di certificazione accreditato. Il marchio ENEC conferma il nostro impegno ed è la migliore garanzia in tema di sicurezza e qualità di tutti i nostri prodotti · *The ENEC mark on the product stands for the compliance of European Standard as well as a trustworthy organisation and product system and is guaranteed by an accredited certification body. This agreed mark stands for our engagement and represents the best guarantee in security and quality matter of our products*



L'Associazione Spagnola di Normalizzazione e Certificazione AENOR certifica che il Sistema di garanzia di qualità adottato dalla Antares Iluminación S. A. soddisfa i requisiti della Norma Europea EN ISO 9001: Sistema di Qualità. · *The Spanish Association for Standards and Certification AENOR, certifies that quality assurance system adopted by Antares Iluminación, S.A. complies with the requirements of the standard UNE-EN ISO-9001 Quality Systems.*

GRADO DI PROTEZIONE · DEGREE OF PROTECTION

IP 20	Indice di protezione contro la penetrazione di corpi solidi e di liquidi · <i>Protection degree offered by the fixture to the ingress of solids and liquids</i>
IP 20	1a cifra, protezione contro la penetrazione dei corpi solidi: 0 Nessuna protezione - 1 Protezione contro i corpi solidi di dimensioni superiori a 50mm - 2 Protezione contro i corpi solidi di dimensioni superiori a 12mm - 3 Protezione contro i corpi solidi di dimensioni superiori a 2,5mm - 4 Protezione contro i corpi solidi di dimensioni superiori a 1mm - 5 Protezione contro la polvere - 6 Totalmente protetto contro la polvere · <i>1st figure, protection against penetration by solid bodies: 0 No protection - 1 Protected against solid bodies over 50 mm in diameter - 2 Protected against solid bodies over 12 mm in diameter - 3 Protected against solid bodies over 2,5 mm in diameter - 4 Protected against solid bodies over 1 mm in diameter - 5 Protected against dust - 6 Fully protected against dust</i>
IP 20	2a cifra, protezione contro l'infiltrazione di acqua: 0 Nessuna protezione - 1 Protezione contro la caduta in verticale di gocce d'acqua - 2 Protezione contro la caduta in verticale di gocce d'acqua con angolo di inclinazione max di 15° - 3 Protezione contro la caduta in verticale di gocce d'acqua con angolo di inclinazione max di 60° - 4 Protezione contro gli spruzzi d'acqua - 5 Protezione contro i getti d'acqua - 6 Protezione contro le ondate d'acqua - 7 Protezione contro l'immersione - 8 Protezione contro l'immersione prolungata · <i>2nd figure, protection against penetration by water: 0 No protection - 1 Protected against drops of water falling vertically - 2 Protected against drops of water at a max. inclination of 15 degrees - 3 Protected against drops of water at a max. inclination of 60 degrees - 4 Protected against splashed of water - 5 Protected against jets of water - 6 Protected against waves - 7 Protected against immersion - 8 Protected against long term immersion</i>
Simbologia · <i>Pictography</i>	
	Apparecchio idoneo per essere installato su superfici normalmente infiammabili · <i>Luminaire with builtin power packs or transformers, suitable for mounting directly onto normally inflammable surfaces</i>
	Distanza minima dagli oggetti illuminati · <i>Minimum distance from illuminated objects</i>

In conformità con quanto previsto dal Regolamento 874/2012/EU, integrazione della Direttiva 2010/30/UE e relativo all'etichettatura indicante il consumo d'energia delle lampade elettriche e la compatibilità degli apparecchi di illuminazione con le diverse fonti luminose (integrate o con questi compatibili), Flos S.p.A. ha inserito le etichette richieste, in formato elettronico, sul proprio sito (www.flos.com) nell'area relativa ai prodotti. Le modalità per scaricare le etichette, nelle diverse lingue previste a livello comunitario, sono le seguenti: • Selezionare la collezione/il prodotto di interesse (per esempio <http://www.flos.com/decorative/en/products/floor/Arco>) • Cliccare "Vedi scheda tecnica" • Cliccare "Print Energy Label" • Selezionare la lingua e stampare l'etichetta · *In accordance with the provisions of Regulation 874/2012/EU and integration of the Directive 2010/30/UE concerning labeling indicating the energy consumption of electric lamps and the compatibility of lighting appliances with different light sources (integrated or compatible with these), Flos SpA has inserted the required labels, in electronic form, on its website (www.flos.com) in the area relating to products. The methods to download the labels in different languages envisaged at Community level are as follows: • Choose the collection/product you are interested in (for ex: <http://www.flos.com/decorative/en/products/floor/Arco>) • Click on "see specs sheet" • Click on "Print Energy Label" • Select the language and print the label*

CONDIZIONI GENERALI

Il presente listino sostituisce ed annulla qualsiasi versione precedente.

Flos S.p.A. si riserva il diritto in qualsiasi momento e senza preavviso di eliminare prodotti dalla collezione e di apportare agli stessi variazioni di prezzo o modifiche derivanti da esigenze di carattere tecnico e/o commerciale.

Non si riconosce l'annullamento di ordini regolarmente conferiti.

Non si accettano reclami dopo otto giorni dal ricevimento della merce.

Non si accettano restituzioni se non preventivamente autorizzate. Qualora autorizzate, le spese di trasporto per la restituzione a Flos S.p.A. sono a carico dell'acquirente.

Saranno applicati i termini della garanzia secondo l'attuale regolamentazione europea.

Ogni impegno è assunto salvo i casi di forza maggiore.

Per ogni controversia è competente il foro di Brescia e sarà valida la legge italiana.

GENERAL CONDITIONS

The present price list nullifies and replaces any previous version.

Flos S.p.A. reserves the right to remove products from its collection at any time and without prior notice, as well as adjust the price or apply modifications deriving from technical and/or commercial needs.

The cancellation of duly processed orders is not allowed.

Complaints will not be accepted more than eight days after receipt of merchandise.

Returns are not accepted unless previously authorized. When authorized, shipping costs for returns to Flos S.p.A. will be covered by the purchaser.

The terms of the guarantee will be applied according to current European regulations.

Every effort will be made save in extenuating circumstances.

Any disputes fall under the jurisdiction of the Court of Brescia, and Italian law applies.

NOTE

Imballo compreso nel prezzo.

Resa: secondo le normali condizioni in uso con Flos S.p.A.

Consegna a domicilio: esclusa dal prezzo.

Posa in opera: esclusa dal prezzo. I nostri rivenditori autorizzati sono in condizione di definire preventivamente il costo della posa in opera.

I prezzi indicati sono da intendersi come consigliati al pubblico e sono espressi in Euro, Iva inclusa .

NOTES

Packaging is included in the price.

Returns: according to the usual conditions used with Flos S.p.A.

Home delivery: excluded from the price.

Installation: excluded from the price. Our authorized retailers are able to provide quotes for installation costs.

The prices indicated are recommended for the public and are expressed in euros, VAT included .

FLOS SPA
Via Angelo Faini, 2 - 25073 Bovezzo (Brescia)
Tel. 030 2438.1 - www.flos.com

LISTINO PREZZI CONSIGLIATI EUROPA SETTEMBRE 2024 - EUROPE RECOMMENDED PRICE LIST SEPTEMBER 2024

Flos si riserva il diritto di apportare ai propri modelli, senza alcun preavviso, qualsiasi modifica ritenesse opportuna.
Flos reserves the right to introduce any changes to its own models, without prior notice.

