



# BUILDER CALIFORNIA CATALOG 2024

800 528 5555 · SHOPBULBRITE.COM

**BULBRITE**<sup>®</sup>  
turn life on

# Table of Contents

LED 7" Disc Light 14W 90 CRI Dimmable Wet Location Listed.....	4	Spring Kit for retrofitting.....	7
LED A19 Premium Series 9W & 15W 90 CRI Dimmable Fully Enclosed.....	4	LED 3", 4", 6", 8" Downlight Remote Metal J-Box 7W, 9W, 14W & 18W 90 CRI Dimmable Damp Location Listed .....	7
LED A19 Premium Series 9W & 15W 90 CRI Dimmable Fully Enclosed Twist & Lock (GU24).....	4	Downlight Mounting Bracket Universal 3/4/6" for New Construction .....	7
LED T9 Filament Clear 5W 90 CRI Dimmable Fully Enclosed.....	4	LED 4" Recessed Downlight Retrofit with E26 Quick Connect 9W 90 CRI Dimmable Wet Location Listed.....	8
LED A19 Filament Clear 8.5W 90 CRI Dimmable Fully Enclosed.....	5	LED 5/6" Recessed Downlight Retrofit with E26 Quick Connect 14W 90 CRI Dimmable Wet Location Listed .....	8
LED B11 Filament Clear 4W 90 CRI Dimmable Fully Enclosed.....	5	LED 4" Recessed Downlight Retrofit with Adjustable Gimbal Ring & E26 Quick Connect 9W 90 CRI Dimmable Wet Location Listed.....	8
LED G25 Filament Clear 8.5W 90 CRI Dimmable Fully Enclosed.....	5	LED 5/6" Recessed Downlight Retrofit with Adjustable Gimbal Ring & E26 Quick Connect 14W 90 CRI Dimmable Wet Location Listed .....	9
LED ST18 Filament Clear 8.5W 90 CRI Dimmable Fully Enclosed.....	5	LED 4" & 5/6" Downlight 5 CCT Selectable with E26 Quick Connect 12W & 14W 90 CRI Dimmable Wet Location Listed Smooth Trim .....	9
LED PAR20 Preferred Series 6.5W 90 CRI Dimmable Fully Enclosed.....	6		
LED PAR30 Short Neck Preferred Series 10W 90 CRI Dimmable Fully Enclosed.....	6		
LED PAR30 Long Neck Preferred Series 10W 90 CRI Dimmable Fully Enclosed.....	6		
LED PAR38 Preferred Series 15W 80 CRI Dimmable Wet Location Listed.....	6		





*Let's Build*  
**Together!**

## Customer Incentive Programs Available

We have multiple customer incentive programs available, including ones that incentivize your partnerships with builders and electrical contractors.

**Contact** your local Bulbrite sales rep or our builder team



[Buildersales@bulbrite.com](mailto:Buildersales@bulbrite.com)

*Builder*  
**BULBRITE**  
turn life on



## LED 7" Disc Light White and Black Satin Finish 14W 90 CRI Dimmable Wet Location Listed



Item No.	Ordering Code	Watts	Lumens	Finish	CCT	Equiv.	Hours
<a href="#">773273</a>	LED14DISC/7/5CCT/927-950/J/WHRD/D	14	1100	White	5 CCT - 27/30/35/40/50K	75W	50000
<a href="#">773274</a>	LED14DISC/7/930/J/WHRD/D	14	1100	White	3000K	75W	50000
<a href="#">773275</a>	LED14DISC/7/930/J/WHRD/D	14	1100	Black	3000K	75W	50000

Minimum Pallet Quantity: 480 Units

NOTE: See page 7 for a case pack of springs that will allow installers to use the disc as a retrofit in a 6" recessed can.

## LED A19 Premium Series 9W & 15W 90 CRI Dimmable Fully Enclosed



Item No.	Ordering Code	Base	Lumens	CCT	Equiv.	Hours
<a href="#">774238</a>	LED9A19/P60W/927/J/D/1P	E26	800	2700K	60W	25000
<a href="#">774239</a>	LED9A19/P60W/930/J/D/1P	E26	800	3000K	60W	25000
<a href="#">774240</a>	LED9A19/P60W/940/J/D/1P	E26	800	4000K	60W	25000
<a href="#">774276</a>	LED15A19/P100W/927/J/D/1P	E26	1600	2700K	100W	25000
<a href="#">774277</a>	LED15A19/P100W/930/J/D/1P	E26	1600	3000K	100W	25000

Minimum Pallet Quantity: 2520 Units

## LED A19 Premium Series 9W & 15W 90 CRI Dimmable Fully Enclosed Twist & Lock (GU24)



Item No.	Ordering Code	Base	Lumens	CCT	Equiv.	Hours
<a href="#">774241</a>	LED9A19/P60W/927/GU24/J/D/1P	GU24	800	2700K	60W	25000
<a href="#">774242</a>	LED9A19/P60W/930/GU24/J/D/1P	GU24	800	3000K	60W	25000
<a href="#">774278</a>	LED15A19/P100W/927/GU24/J/D/1P	GU24	1600	2700K	100W	25000
<a href="#">774279</a>	LED15A19/P100W/930/GU24/J/D/1P	GU24	1600	3000K	100W	25000

Minimum Pallet Quantity: 2520 Units

## LED T9 Filament Clear 5W 90 CRI Dimmable Fully Enclosed



Item No.	Ordering Code	Base	Lumens	CCT	Equiv.	Hours
<a href="#">776731</a>	LED5T9/27K/5/FIL/4/JA8	E26	500	2700K	40W	15000
<a href="#">776732</a>	LED5T9/30K/5/FIL/4/JA8	E26	500	3000K	40W	15000

Minimum Pallet Quantity: 500 Units





## LED A19 Filament Clear 8.5W 90 CRI Dimmable Fully Enclosed



Item No.	Ordering Code	Base	Lumens	CCT	Equiv.	Hours
<a href="#">776774</a>	LED8A19/27K/FIL/3/JA8	E26	850	2700K	60W	15000
<a href="#">776768</a>	LED8A19/30K/FIL/3/JA8	E26	850	3000K	60W	15000

Minimum Pallet Quantity: 2520 Units



## LED B11 Filament Clear 4W 90 CRI Dimmable Fully Enclosed



Item No.	Ordering Code	Base	Lumens	CCT	Equiv.	Hours
<a href="#">776756</a>	LED4B11/27K/FIL/4/JA8	E12	350	2700K	40W	15000
<a href="#">776763</a>	LED4B11/30K/FIL/4/JA8	E12	350	3000K	40W	15000

Minimum Pallet Quantity: 1000 Units



## LED G25 Filament Clear 8.5W 90 CRI Dimmable Fully Enclosed



Item No.	Ordering Code	Base	Lumens	CCT	Equiv.	Hours
<a href="#">776749</a>	LED8G25/27K/FIL/4/JA8	E26	800	2700K	60W	15000
<a href="#">776750</a>	LED8G25/30K/FIL/4/JA8	E26	800	3000K	60W	15000

Minimum Pallet Quantity: 520 Units



## LED ST18 Filament Clear 8.5W 90 CRI Dimmable Fully Enclosed



Item No.	Ordering Code	Base	Lumens	CCT	Equiv.	Hours
<a href="#">776767</a>	LED8ST18/27K/FIL/3/JA8	E26	850	2700K	60W	15000
<a href="#">776769</a>	LED8ST18/30K/FIL/3/JA8	E26	850	3000K	60W	15000

Minimum Pallet Quantity: 2520 Units

## LED PAR20 Preferred Series 6.5W 90 CRI Dimmable Fully Enclosed



Item No.	Ordering Code	Base	Lumens	CCT	Equiv.	Hours
<a href="#">772261</a>	LED6PAR20/NFL25/927/WD/2	E26	500	2700K	50W	25000
<a href="#">772262</a>	LED6PAR20/FL40/927/WD/2	E26	500	2700K	50W	25000
<a href="#">772265</a>	LED6PAR20/NFL25/930/WD/2	E26	500	3000K	50W	25000
<a href="#">772266</a>	LED6PAR20/FL40/930/WD/2	E26	500	3000K	50W	25000

Minimum Pallet Quantity: 1008 Units

## LED PAR30 Short Neck Preferred Series 10W 90 CRI Dimmable Fully Enclosed



Item No.	Ordering Code	Base	Lumens	CCT	Equiv.	Hours
<a href="#">772273</a>	LED10PAR30S/NF25/927/WD/2	E26	830	2700K	75W	25000
<a href="#">772274</a>	LED10PAR30S/FL40/927/WD/2	E26	830	2700K	75W	25000
<a href="#">772277</a>	LED10PAR30S/NF25/930/WD/2	E26	830	3000K	75W	25000
<a href="#">772278</a>	LED10PAR30S/FL40/930/WD/2	E26	830	3000K	75W	25000

Minimum Pallet Quantity: 1008 Units

## LED PAR30 Long Neck Preferred Series 10W 90 CRI Dimmable Fully Enclosed



Item No.	Ordering Code	Base	Lumens	CCT	Equiv.	Hours
<a href="#">772286</a>	LED10PAR30L/FL40/927/WD/2	E26	800	2700K	75W	25000
<a href="#">772290</a>	LED10PAR30L/FL40/930/WD/2	E26	800	3000K	75W	25000

Minimum Pallet Quantity: 1008 Units

## LED PAR38 Preferred Series 15W 80 CRI Dimmable Wet Location Listed



Item No.	Ordering Code	Base	Lumens	CCT	Equiv.	Hours
<a href="#">772297</a>	LED15PAR38/NF25/927/WD/2	E26	1200	2700K	120W	25000
<a href="#">772298</a>	LED15PAR38/FL40/927/WD/2	E26	1200	2700K	120W	25000
<a href="#">772301</a>	LED15PAR38/NF25/930/WD/2	E26	1200	3000K	120W	25000
<a href="#">772302</a>	LED15PAR38/FL40/930/WD/2	E26	1200	3000K	120W	25000

Minimum Pallet Quantity: 600 Units

## LED 3", 4", 6", 8" Downlight Remote Metal J-Box 7W, 9W, 14W & 18W 90 CRI Dimmable Damp Location Listed




Item No.	Ordering Code	Watts	Lumens	CCT	Equiv.	Hours
<a href="#">773230</a>	LED7JBOXDL/3/927/WHRD/D	7	400	2700K	50W	50000
<a href="#">773231</a>	LED7JBOXDL/3/930/WHRD/D	7	400	3000K	50W	50000
<a href="#">773232</a>	LED7JBOXDL/3/940/WHRD/D	7	400	4000K	50W	50000
Minimum Pallet Quantity: 504 Units						
<a href="#">773240</a>	LED9JBOXDL/4/927/WHRD/D	9	650	2700K	65W	50000
<a href="#">773241</a>	LED9JBOXDL/4/930/WHRD/D	9	650	3000K	65W	50000
<a href="#">773242</a>	LED9JBOXDL/4/940/WHRD/D	9	650	4000K	65W	50000
<a href="#">773260</a>	LED14JBOXDL/6/927/WHRD/D	14	1080	2700K	70W	50000
<a href="#">773261</a>	LED14JBOXDL/6/930/WHRD/D	14	1080	3000K	70W	50000
<a href="#">773262</a>	LED14JBOXDL/6/940/WHRD/D	14	1080	4000K	70W	50000
<a href="#">773270</a>	LED18JBOXDL/8/927/WHRD/D	18	1400	2700K	100W	50000
<a href="#">773271</a>	LED18JBOXDL/8/930/WHRD/D	18	1400	3000K	100W	50000
<a href="#">773272</a>	LED18JBOXDL/8/940/WHRD/D	18	1400	4000K	100W	50000
Minimum Pallet Quantity: 500 Units						

## Downlight Mounting Bracket Universal 3/4/6" for New Construction



Item No.	Ordering Code	Description
<a href="#">773300</a>	LED3/4/6-DOWNLIGHT/24BRACKET	Metal Mounting Bracket for 3" 4" 6" Downlights - Expands up to 24" Space
Minimum Pallet Quantity: 504 Units		

## Spring Kit for Can Retrofitting



- 773299**  
Spring Kit for Can Retrofitting
- A 2PCS SPRINGS WITH SCREW
  - B 1PC GROUND WIRE
  - C 1PC SCREW FOR GROUND WIRE

Watts	Type	Base Type	Item #	Ordering Code
N/A	N/A	N/A	<a href="#">773299</a>	LED7DISC/CAN-SPRINGS-50PK
50-Pack of individually bagged 2-Packs of springs for a each disc conversion				

\*Items above are bagged and sold in a pack of 50 bags

## LED 4" Recessed Downlight Retrofit with E26 Quick Connect 9W 90 CRI Dimmable Wet Location Listed



Item No.	Ordering Code	Watts	Lumens	CCT	Equiv.	Hours
<a href="#">773115</a>	LED9REC/4/927/WHRD/D	9	650	2700K	65W	50000
<a href="#">773117</a>	LED9REC/4/940/WHRD/D	9	650	4000K	65W	50000

Minimum Pallet Quantity: 600 Units

## LED 5/6" Recessed Downlight Retrofit with E26 Quick Connect 14W 90 CRI Dimmable Wet Location Listed



Item No.	Ordering Code	Watts	Lumens	CCT	Equiv.	Hours
<a href="#">773165</a>	LED14REC/5/6/927/WHRD/D	14	1100	2700K	75W	50000
<a href="#">773166</a>	LED14REC/5/6/930/WHRD/D	14	1100	3000K	75W	50000
<a href="#">773167</a>	LED14REC/5/6/940/WHRD/D	14	1100	4000K	75W	50000

Minimum Pallet Quantity: 600 Units

## LED 4" Recessed Downlight Retrofit with Adjustable Gimbal Ring & E26 Quick Connect 9W 90 CRI Dimmable Wet Location Listed



Item No.	Ordering Code	Watts	Lumens	CCT	Equiv.	Hours
<a href="#">773170</a>	LED9REC/4/927/WHRD-G/D	9	650	2700K	65W	50000
<a href="#">773171</a>	LED9REC/4/930/WHRD-G/D	9	650	3000K	65W	50000

Minimum Pallet Quantity: 600 Units





## LED 5/6" Recessed Downlight Retrofit with Adjustable Gimbal Ring & E26 Quick Connect

14W 90 CRI Dimmable Wet Location Listed



Item No.	Ordering Code	Watts	Lumens	CCT	Equiv.	Hours
<a href="#">773180</a>	LED14REC/5/6/927/WHRD-G/D	14	1100	2700K	75W	50000
<a href="#">773181</a>	LED14REC/5/6/930/WHRD-G/D	14	1100	3000K	75W	50000

Minimum Pallet Quantity: 600 Units

## LED 4" & 5/6" Downlight 5 CCT Selectable with E26 Quick Connect 12W & 14W 90 CRI Dimmable Wet Location Listed Smooth Trim



Item No.	Ordering Code	Watts	Lumens	CCT	Equiv.	Hours
<a href="#">773190</a>	LED12REC/4/5CCT/927-950/WHRD/D	12	1100	5 CCT - 27/30/35/40/50K	75W	50000
<a href="#">773191</a>	LED14REC/5/6/5CCT/927-950/WHRD/D	14	1100	5 CCT - 27/30/35/40/50K	75W	50000

Minimum Pallet Quantity: 600 Units



*Let's Build*  
**T**ogether



l  
t  
h  
e  
r!

Builder

**BULBRITE**<sup>®</sup>  
turn life on



**NEW JERSEY | SOUTH CAROLINA | TEXAS**

**800-528-5555 - SERVICE@BULBRITE.COM - BULBRITE.COM**

**CALIFORNIA BUILDER CATALOG 08/29**

©2024 Bulbrite Industries, Inc. All rights reserved. All brand names are trademarks or registered trademarks of Bulbrite Industries, Inc. Printed in USA.