

EHS30 Wireless Headset Adapter

User Guide



OCEHS30 Wireless Headset Adapter

Description

The OneCloud OCEHS30 Wireless Headset Adapter is perfect for connecting OneCloud phones to supported wireless headsets. It is simple to use and install, and allows the user to control off-hook, talk, and on-hook modes of OneCloud IP phones from the headset. The EHS adapter connects between the OneCloud IP phone and the Wireless Headset base unit.

Compatibility


OneCloud IP Phones OC926U, OC924U, OC923U

Plantronics® Wireless Headsets: Plantronics CS510, CS520, CS540. (Headset bases C052 and C054)

Jabra® Headsets: 9400BS (9460), WHB005BS(U) (925), BT2046.


SENNHEISER® Wired headset: SC230, SC260, SC660

SENNHEISER® Wireless Headsets: DW Pro2, SD Pro2, D10



1. RJ-12 Port for IP Phone EXT/EHS or Expansion Module
2. Operation LED
3. 3.5mm DC Power Jack (for Plantronics Headsets)
4. RJ-45 Jack (for Jabra Headsets)

Installation for Plantronics Headsets




Steps:

1. Connect the Wireless Headset to the RJ-9 Headset port on the IP Phone, using the cord provided by Plantronics.
2. Connect the included RJ-12 cord between the OCEHS-30 Adapter RJ12 Port (Port 1) and the EXT/EHS port of the OneCloud IP Phone (or to the Expansion Module EXT port, if the expansion module is connected).
3. Connect the 3.5mm DC Power Port (Port 3) of the EHS-30 Adapter to the Plantronics Wireless headset using the included 3.5mm DC power cord.

Note: For Plantronics Headsets, the RJ45 jack of the OCEHS-30 Adapter is not used.

Installation for Jabra Headsets




Steps:

1. Connect Aux Port of the Jabra Wireless Headset to the RJ45 port (Port 4) of the OCEHS-30 Adapter. (The RJ-45 cord may be supplied by Jabra or obtained separately).
2. Connect the included RJ-12 cord between the OCEHS-30 Adapter RJ12 Port (Port 1) and the EXT/EHS port of the OneCloud IP Phone (or to the Expansion Module EXT port, if the expansion module is connected).
3. Connect the RJ-9 cord from the Jabra Wireless Headset to the Headset jack of the OneCloud IP phone.

Note: For Jabra Headsets, the 3.5mm DC Power jack and cord are not used.

Installation for SENNHEISER Headsets



Steps:

1. Connect EHS Port of the SENNHEISER Wireless Headset to the RJ45 port (Port 4) of the OCEHS-30 Adapter. (The RJ-45 cord may be supplied by SENNHEISER or obtained separately).
2. Connect the included RJ-12 cord between the OCEHS-30 Adapter RJ12 Port (Port 1) and the EXT/EHS port of the OneCloud IP Phone (or to the Expansion Module EXT port, if the expansion module is connected).
3. Connect Telephone Port of the SENNHEISER Wireless Headset to the Headset jack of the OneCloud IP phone.

Note: For SENNHEISER Headsets, the 3.5mm DC Power jack and RJ45 jack are not used.

Headset Usage (for all Wireless Headsets)

To use the connected Wireless headset (instead of the IP Phone handset), press the Headset key on the keyboard of the phone. The key will light to indicate that you are in Headset mode. Now you can use the wireless headset. To return to normal operation using the handset, press the Headset key again. The key backlight will turn off to indicate that the headset is not active.