

Item list

MBX® PNEUMATIC

Delivery Condition: FCA plant Hennef. Our General Terms and Conditions apply: <https://montipower.com/terms/>

MBX® Pneumatic Reverse, Drive Tool



MBX® Pneumatic Reverse

Tool with speed control / reversable rotation

- Drive unit MBX® Pneumatic Reverse
- MONTI Adaptor System 23mm
- MONTI Adaptor System 11mm

SP-418

MBX® Pneumatic Reverse Set



MBX® Pneumatic Reverse

Tool with speed control / reversable rotation

- Drive unit MBX® Pneumatic Reverse
- MONTI Adaptor System 23mm
- MONTI Adaptor System 11mm
- 1 MBX® belt, steel, coarse, black, 23mm
- 1 MBX® belt, steel, coarse, black, 11mm
- 1 MBX® belt, steel, medium, ochre, 11mm
- 1 MBX® belt, steel, fine, green, 11mm
- 1 Vinyl Zapper® wheel

SP-421

Item list

MBX® Electric Variomatic

Delivery Condition: FCA plant Hennef. Our General Terms and Conditions apply: <https://montipower.com/terms/>

MBX® Electric Variomatic Tool



MBX® Electric Variomatic

Drive unit, with rotation-speed control, incl. dead man's switch, protection cover and vibration-absorbing handle

- MONTI Adaptor System 23mm
- MONTI Adaptor System 11mm

230V 50/60Hz **SE-2040**
120V 50/60Hz **SE-2140**

Optional Accessories to operate the tool with double belt-head:



Adaptor System - Double

consisting of 2 Monti Adaptor Systems for 23mm-belts, connector piece and screw

AS-016



Protection Cover - Double

for use of tool with double belt-head

ZU-028



Protective hood with suction outlet

for use of tool with double belt-head

ZU-031

MontiPower | Part of Monti Group
MONTI – Werkzeuge GmbH
Reisertstr.21 | 53773 Hennef | Germany
T +49 2242 9090 630
www.montipower.com
info@montipower.com



Item list

MBX® Electric Variomatic

Delivery Condition: FCA plant Hennef. Our General Terms and Conditions apply: <https://montipower.com/terms/>

MBX® Electric Variomatic Set



MBX® Electric

Drive unit, with rotation-speed control, incl. dead man's switch, protection cover and vibration-absorbing handle

- MONTI Adaptor System 23mm
- MONTI Adaptor System 11mm
- 1 MBX® belt, steel, coarse, black, 23mm
- 1 MBX® belt, steel, coarse, black, 11mm
- 1 MBX® belt, steel, medium, ochre, 11mm
- 1 MBX® belt, steel, fine, green, 11mm
- 1 Vinyl Zapper® wheel
- packed in a Monti portable carton box

230V 50/60Hz **SE-2041**
120V 50/60Hz **SE-2141**

MBX® Electric Variomatic Set with Vinyl Zapper®



MBX® Vinyl Zapper® Set Electric Variomatic

Drive unit, with rotation speed control, dead-man's-switch, protection cover and vibration-absorbing handle

- MONTI Adaptor System 23mm
- 3 x Vinyl Zapper® wheel
- packed in a Monti portable carton box

230V 50/60Hz **SE-2050**
120V 50/60Hz **SE-2150**

As above, but packed into a PE-Tool case

230V 50/60Hz **SE-2050-BMC**
120V 50/60Hz **SE-2150-BMC**

MontiPower | Part of Monti Group
MONTI – Werkzeuge GmbH
Reisertstr. 21 | 53773 Hennef | Germany
T +49 2242 9090 630
www.montipower.com
info@montipower.com



MBX® Metalworking Sets

Delivery Condition: FCA plant Hennef. Our General Terms and Conditions apply: <https://montipower.com/terms/>

Special sets for Metalworking Stainless Steel



MBX® Electric Variomatic, STAINLESS STEEL Set

Drive unit, with rotation-speed control, incl. dead man's switch, protection cover and vibration-absorbing handle

- MONTI Adaptor System 23mm
- 5 MBX® belts, stainless steel, fine, 23mm

230V 50/60Hz

SE-2044

120V 50/60Hz

SE-2144



MBX® Cordless, STAINLESS STEEL Set

• Drive unit, incl. dead man's switch, protection cover and vibration-absorbing handle

- MONTI Adaptor System 23mm
- 5 MBX® belts, stainless steel, fine, 23mm

without battery and charger

SB-344

For batteries and charger please see page 10 of this price list.

Optional Accessories to operate the tool with double belt-head:



Adaptor System - Double

consisting of 2 Monti Adaptor Systems for 23mm-belts, connector piece and screw

AS-016



Protection Cover - Double

for use of tool with double belt-head

ZU-028

Item list

MBX® / Vinyl Zapper® CORDLESS

Delivery Condition: FCA plant Hennef. Our General Terms and Conditions apply: <https://montipower.com/terms/>

MBX® Cordless, Drive Tool



MBX® Cordless

- Drive unit only, incl. Dead man's switch, protection cover and vibration-absorbing handle (no further accessories)

SB-399

For batteries and charger please see page 10 of this price list.

Vinyl Zapper® Cordless, Drive Tool



Vinyl Zapper® Cordless

- Drive unit only, reduced rotation speed for safe working (ca. **1350 RPM**) incl. vibration-absorbing handle, **MONTI EasyLock-Adaptor Hub for use with Vinyl Zapper® Ultimate wheels (ZU-017, ZU-018)** (no further accessories)

SB-200

For batteries, charger and other accessories please see page 11 of this price list.

Item list

MBX®

Delivery Condition: FCA plant Hennef. Our General Terms and Conditions apply: <https://montipower.com/terms/>

Supply of this version will end when stock is used

MBX® Electric, Drive Tool



MBX® Electric 230 V / 50 Hz

Drive unit MBX® Electric
incl. MONTI Adaptor System 23mm & 11mm

230V / 50Hz SE-204

MBX® Electric Set

Supply of this version will end when stock is used



MBX® Electric Set 230 V / 50 Hz

- Drive unit MBX® Electric
- MONTI Adaptor System 23mm
- MONTI Adaptor System 11mm
- 1 MBX® belt, steel, coarse, black, 23mm
- 1 MBX® belt, steel, coarse, black, 11mm
- 1 MBX® belt, steel, medium, ochre, 11mm
- 1 MBX® belt, steel, fine, green, 11mm
- 1 Vinyl Zapper®
- packed in a MONTI blow mould case

230V / 50Hz SE-206-BMC



without blow mould case (in cardboard box)

230V / 50Hz SE-206

MontiPower | Part of Monti Group
MONTI – Werkzeuge GmbH
Reisertstr. 21 | 53773 Hennef | Germany
T +49 2242 9090 630
www.montipower.com
info@montipower.com



Item list

MBX® Vinyl Zapper®

Delivery Condition: FCA plant Hennef. Our General Terms and Conditions apply: <https://montipower.com/terms/>

Supply of this version will end when stock is used



MBX® Vinyl Zapper® Electric 230 V / 50 Hz Set

- drive unit MBX® Electric
- MONTI Adaptor System 23mm
- 3 Vinyl Zapper® wheels
- packed in MONTI blow mould case

230V / 50Hz SE-202-BMC

without blow mould case (delivery in carton)

230V / 50Hz SE-202

Item list

MBX® Vinyl Zapper® Cordless

Delivery Condition: FCA plant Hennef. Our General Terms and Conditions apply: <https://montipower.com/terms/>



Vinyl Zapper® Ultimate Cordless Set (speed reduced drive unit)

for professional film- and sealant removal and composite decal jobs

- cordless drive unit, reduced rotation speed for safe working (ca. 1350 RPM) incl. vibration-absorbing handle, MONTI EasyLock-Adaptor Hub
- Vinyl Zapper® Ultimate 30 wheel (silicone compound, wearless!)
- packed in a Monti portable carton box

without battery and charger

SB-201

with

- 1 Battery LiHD 18 V, **5.5 Ah**
- 1 Battery Fast Charger, 12 – 36 V, air-cooled

SB-202

with

- 1 Battery LiHD 18 V, **8.0 Ah**
- 1 Battery Fast Charger, 12 – 36 V, air-cooled

SB-203



UN 3481

wearless



Vinyl Zapper® Ultimate 30

silicone compound
wearless on non-abrasive surfaces
working width ca. 30 mm

ZU-017

wearless



Vinyl Zapper® Ultimate 15

silicone compound
wearless on non-abrasive surfaces
working width ca. 15 mm

ZU-018

1) Transport of Lithium-ion batteries is subject to “Dangerous Goods Transport Regulations”.

Additional charges may apply for preparation of transport documents (ADR / Shipper’s Declaration for Dangerous Goods).

2) Batteries and charger are CAS compatible (CAS = Cordless Alliance System) www.cordless-alliance-system.com



MontiPower | Part of Monti Group
MONTI – Werkzeuge GmbH
Reisertstr. 21 | 53773 Hennef | Germany
T +49 2242 9090 630
www.montipower.com
info@montipower.com



Delivery Condition: FCA plant Hennef. Our General Terms and Conditions apply: <https://montipower.com/terms/>

MBX® Belts



**MBX® belt, steel, coarse,
black, 23 mm**
10pack **MB-001-10**
5pack **MB-001-05**



**MBX® belt, steel, coarse,
black, 11 mm**
10pack **MB-020-10**
5pack **MB-020-05**



**MBX® belt, steel, medium,
ochre, 23 mm**
10pack **MB-009-10**
5pack **MB-009-05**



**MBX® belt, steel, medium,
ochre, 11 mm**
10pack **MB-021-10**
5pack **MB-021-05**



**MBX® belt, steel, fine,
green, 23 mm**
10pack **MB-005-10**
5pack **MB-005-05**



**MBX® belt, steel, fine,
green, 11 mm**
10pack **MB-028-10**
5pack **MB-028-05**



**MBX® belt, stainless steel, coarse,
blue, 23 mm**
10pack **MB-011-10**
5pack **MB-011-05**



**MBX® belt, stainless steel, coarse,
blue, 11 mm**
10pack **MB-030-10**
5pack **MB-030-05**



**MBX® belt, stainless steel, fine,
blue, 23 mm**
10pack **MB-007-10**
5pack **MB-007-05**



**MBX® belt, stainless steel, fine,
blue, 11 mm**
10pack **MB-031-10**
5pack **MB-031-05**



Vinyl Zapper® wheels
working width ca. 30 mm
5 pieces **ZU-010-05**
1 piece **ZU-010-01**



Vinyl Zapper® wheels
working width ca. 15 mm
1 piece **ZU-012**

Delivery Condition: FCA plant Hennef. Our General Terms and Conditions apply: <https://montipower.com/terms/>

Adaptor Systems



MONTI Adaptor System
23mm AS-009



MONTI Adaptor System
11mm AS-012

Accessories for Pneumatic Tools



MONTI Air Pressure Regulator
for 23mm belts (reduction to 6,2 bar)
incl. coupling and nipple
ZU-071



MONTI Air Pressure Regulator
for 11mm belts (reduction to 5,2 bar)
incl. coupling and nipple
ZU-070



MONTI 360° Swivel Connector,
Rp 1/4", for pneumatic drive units
ZU-073

Delivery Condition: FCA plant Hennef. Our General Terms and Conditions apply: <https://montipower.com/terms/>

Accessories for cordless tools



**CAS Battery²⁾ LiHD 18 V, 5.5 Ah
ZU-600**



1)


UN 3480
Phone _____



Quick Charger, air-cooled²⁾
for charging CAS LiPower/LiHD
batteries of 12-36 V
mains voltage 220-240 V
ZU-601



**CAS Battery²⁾ LiHD 18 V, 8.0 Ah
ZU-602**



1)

UN 3480



Quick Charger DUO, air-cooled²⁾
for charging 2 CAS LiPower/LiHD
batteries of 12-36 V
mains voltage 220-240 V
ZU-603

1) Shipment of Lithium-ion batteries is subject to "Dangerous Goods Transport Regulations". Therefore, the transport options, especially by AIR, are limited. Additional charges will apply for preparation of transport documents (ADR / Shipper's Declaration for Dangerous Goods).

2) Batteries and charger are CAS compatible (CAS = Cordless Alliance System) www.cordless-alliance-system.com



Delivery Condition: FCA plant Hennef. Our General Terms and Conditions apply: <https://montipower.com/terms/>

Other Accessories



MONTI blow mould case

for MBX® PHD **ZU-054**
for MBX® PSD **ZU-055**
for MBX® Electric **ZU-056**



PE- Storage Tool Case

with extra space e.g. for PSE

ZU-059



Safety hook

for securing the tool
suitable for tools MBX® Electric 700W
and MBX® Cordless

37013



Protective hood with suction outlet

suitable for "single" belt-head models
like MBX® Electric 700W and
MBX® Cordless

ZU-030



MONTI re-sharpening stone

for MBX® belts coarse and medium
ZU-003



**Tool Case, stackable
(metaBOX)**

fast and easy stacking and coupling of
the boxes in all system widths

metaBOX 145 L:
49,6 x 29,6 x 14,5 cm **ZU-085**