

Luceplan

Price List 2023/24

Price List

2023/24

Index

Across	1	Curl	28	Lola	70	Tracks	100
Amisol	3	Diade	29	Luthien	70	Packaging	108
Ascent	4	Doi	32	Malamata	72	Condition of sale	108
Berenice	4	E04 Ceiling	35	Mesh	74		
Blow	6	E04 Wall	36	Metropoli	78		
Bulbullia	7	E04 Suspension	37	Millimetro	80		
Carrara	7	E06	40	Nui	82		
Cassette	8	Ecran In&Out	42	Nui mini	84		
Compendium	10	Farel	42	Otto Watt	85		
Compendium Circle	13	Fienile	44	Pétale	86		
Compendium Plate	16	Fienile Outdoor	46	Silenzio	89		
Costanzina	17	Flia	47	Soleil Noir	91		
Costanza	19	Fortebraccio	51	Stochastic	91		
Lady Costanza	23	Garbi	52	Tango	92		
Grande Costanza	25	Hope	53	Titania	93		
Grande Costanza Air	26	Illan	55	Queen Titania	93		
Counterbalance	27	Koinè	57	Trama	94		
Counterbalance Spot	28	Levante	63	Trypta	95		
Counterbalance Floor	28	Lita	65	Zile	98		



Legenda

	Light source included
h	Height
L	Length
d	Depth
Ø	Diameter
	Fixture fit for direct assembly on normally inflammable surfaces.
IP40	Appliance protected against ingress of solid objects greater than 1.0 mm.
IP54	Protected against ingress of dust and against splashes of water from all directions.
IP65	Dust-tight. Protected against water jets.
IK	Degree of protection against external mechanical impacts.
	Device that guarantees the electrical security by an additional protective wire (earth) connected to the metal structure of the lamp.
	Device in which the protection against electric shock is based not only on basic insulation but also on additional security measures such as double insulation or strengthened insulation.
	Device in which the protection against electric shock is based on supply at a very low voltage and where no higher voltages are produced.
	The product FSC® certified is made in certified wood FSC® (Forest Stewardship Council®). Look for our FSC® certified products.
	Discontinued

Important notice

The products in this price list are intended for the countries corresponding to the price list itself. Any request for export outside the authorized countries must be agreed upon with Luceplan, as reported in the General Conditions of Sale, appendix to this price list.

PRICE LIST


+

=


body

A08SW1-A0801
A08SW2-A08S02
A08SW2-A08S02

ceiling rose/remote driver

A08/1D-A08/1T-A08/3-A08/4
A08/1D-A08/3
A08/1T-A08/4

complete lamp

37W
61W
59W

Calculate the price of the lamp adding the structure to the ceiling rose/remote driver.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

2700K version

	A08SW1 suspension structure dimable 24Vdc SELV H 62 L 102 L cable 300   	1A080SW10002	white	LED 32W 2700K CRI 90 		790,00
		1A080SW10001	black			790,00
		1A080SW10010	blue			790,00
		1A080SW10011	green			790,00
	A08SW2 suspension structure dimable 24Vdc SELV H 75 L 180 L cable 300   	1A080SW20002	white	LED 2700K CRI 90 56W 		1.021,00
		1A080SW20001	black			1.021,00
		1A080SW20010	blue			1.021,00
		1A080SW20011	green			1.021,00

3000K version

	A08S01 suspension structure dimable 24Vdc SELV H 62 L 102 L cable 300   	1A080S010002	white	LED 32W 3000K CRI 90 		790,00
		1A080S010001	black			790,00
		1A080S010010	blue			790,00
		1A080S010011	green			790,00
	A08S02 suspension structure dimable 24Vdc SELV H 75 L 180 L cable 300   	1A080S020002	white	LED 3000K CRI 90 56W 		1.021,00
		1A080S020001	black			1.021,00
		1A080S020010	blue			1.021,00
		1A080S020011	green			1.021,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------


dimmmable push/DALI ceiling rose


	A08/1D dimmmable push/DALI ceiling rose 220-240V ~ 50/60Hz L 31 x H 6,5 x P 5	1A080/01D002	white		208,00
	CE  	1A080/01D001	black		208,00

dimmmable phase cut ceiling rose


	A08/1T dimmmable phase cut ceiling rose 220-240V ~ 50/60Hz L 31 x H 6,5 x P 5	1A080/01T002	white		199,00
	CE  	1A080/01T001	black		199,00

remote drivers


	A08/3 driver push/DALI 24V, 60W 220-240V~ 50/60Hz SELV	1A080/030000			76,00
	CE IP20				
	A08/4 driver phase cut 24V, 75W 220-240V~ 50/60Hz SELV	1A080/040000			194,00
	CE IP20				



structure



reflector/diffuser



complete lamp

Calculate the price of the lamp adding the structure to the reflector/diffuser disk.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

structure

	D91S suspension dimmable push/DALI 220-240V~ 50/60 Hz cable l 3 m ceiling rose: Ø 18 x h 4 CE	1D910S000002	white	LED 53W 3000K CRI90	621,00

reflector disk/diffuser

	D91/1 disk Ø 75 CE	1D910/100002	opal		562,00
		1D910/100020	silver		586,00
		1D910/100030	gold		586,00

	D91/2 disk Ø 110 CE	1D910/200002	opal		685,00
		1D910/200020	silver		732,00
		1D910/200030	gold		732,00

accessory

	D91/OAAR anti-rotation accessory CE	1D91/OAAR000			58,00
--	--	--------------	--	--	-------


D78 ASCENT


daniel rybakken


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D78 table dimmer on board h 65 base 17 x 17 head Ø 8,5 CE  	1D780=000001	black	LED 11W 2700K CRI90 	535,00
	D78pt fixing pin dimmer on board H 64 fixing pin (thickness max 5,7) head Ø 8,5 CE  	1D780PT00001	black	LED 11W 2700K CRI90 	540,00

D12 BERENICE

alberto meda, paolo rizzato


 body + reflector = complete lamp Calculate the price of the lamp adding the the body to the glass diffuser or metal reflector.					
--	--	--	--	--	--

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D12N table on/off switch electronic ballast 12V arms l 45 + 45 base Ø 15 CE  	1D120=00N020	alu	LED 2W G4 3000K 	361,00
		1D120=00N001	black	max 10W 12V GY6.35 	361,00
	D12NPT table on/off switch electronic ballast 12V fixing pin (max 5,7) arms l 45 + 45 CE  	1D120=0PN020	alu	LED 2W G4 3000K 	327,00
		1D120=0PN001	black	max 10W 12V GY6.35 	327,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D12NPI table on/off switch electronic ballast 12V arms l 30 + 30 base Ø 13,5 CE  	1D120=P0N020	alu	 LED 2W G4 3000K 	344,00
		1D120=P0N001	black	 max 10W 12V GY6.35	344,00
	D12NT floor on/off switch electronic ballast 12V arms l 80 + 30 base Ø 15 CE  	1D120T00N001	black	 LED 2W G4 3000K 	393,00
		1D120T00N020	alu	 max 10W 12V GY6.35	394,00
	D12NA45 wall on/off switch electronic ballast 12V arms l 45 + 45 CE  	1D120A45N001	black	 LED 2W G4 3000K 	311,00
		1D120A45N020	alu	 max 10W 12V GY6.35	314,00
	D12NAPI wall on/off switch electronic ballast 12V arms l 30 + 30 CE  	1D120AP0N001	black	 LED 2W G4 3000K 	302,00
		1D120AP0N020	alu	 max 10W 12V GY6.35	304,00

reflectors


	D12/4 glass reflector CE	1D120/4/1503	satin white		61,00
		1D120/4/1524	rose		61,00
		1D120/4/1527	yellow		61,00
		1D120/4/1537	sage green		61,00
	D12/5 metal reflector CE	1D120/5/1520	alu		40,00
		1D120/5/1501	black		40,00
		1D120/5/1530	brass		40,00



Calculate the price of the lamp adding the body to the methacrylate blades. Using the remote control is strongly recommended, though it is not essential. It guarantees easy installation and simple use of the fixture.



Structure	Model Dimension cm	Item code	Finishes		Suggested light source	Euro ex.V.A.T.	
	D28 ceiling dimmmable push dim remote control h 40 Ø 24 220-240V~ 50/60Hz CE  	1D2800000002		opal	 LED E27 dimmmable		503,00

accessories


	D28/1 methacrylate blades set Ø 140 CE	1D280P000000 1D280P000088		transparent multicolour (blue, green, orange)			91,00 91,00
	D28/2 methacrylate screenprinted blades set Ø 140 CE	1D280P200000		transparent			100,00
	D28 r infrared remote control CE	1D280R000000					73,00

D95 BULLIA

francisco gomez paz

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D95A3 wall/ceiling dimmable phase cut 220-240V~ 50/60 Hz 37 x 31 depth 7 CE □ V	1D950A300002	white	LED 17W 2700K CRI90 ☐	408,00
	D95A5 wall/ceiling dimmable phase cut 220-240V~ 50/60 Hz 62 x 37 depth 7 CE □ V	1D950A500002	white	LED 27W 2700K CRI90 ☐	607,00

connection kit




	D95/3 mechanical connection kit + template only for D95A5 / D95A5D CE	1D950/030002			162,00
---	--	--------------	--	--	--------

D38 CARRARA

alfredo häberli

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D38L floor foot dimmer 220-240V~ 50/60Hz H 185 base Ø 20,5 CE □ V	1D380DL00002	white	LED 45W 3000K CRI 80 ☐	1.637,00
		1D380DL00001	matt black		1.637,00

Power consumption: structure + power supply






A03W44	A03/1	23W
A03W44	A03/2	28W
A03W66	A03/1	41W
A03W66	A03/3	38W
A03H66	A03/1	59W
A03H66	A03/3	56W
A03W99	A03/1	58W
A03W99	A03/3	53W


optional accessory: recessed frame kit

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

2700K version



	A03W44 wall/ceiling 40 x 40 CE  	1A030AW44002	matt white	LED 2700K CRI 90 	469,00
	A03W66 wall/ceiling 60 x 60 CE  	1A030AW66002	matt white	LED 2700K CRI 90 	661,00
	A03W99 wall/ceiling 90 x 90 CE  	1A030AW99002	matt white	LED 2700K CRI 90 	1.019,00

3000K version




	A03H66 wall/ceiling high output version with prismatic diffuser 60 x 60 CE  	1A030AH66002	matt white	LED 3000K CRI 90 	843,00
---	--	--------------	------------	---	--------



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

power supplies

	A03/1 power supply kit phase cut compatible with A03W44, A03W66, A03H66, A03W99 220-240V~ 50/60Hz CE  	1A030/010000			92,00
	A03/2 power supply kit push dim/DALI compatible with A03W44 220-240V~ 50/60Hz CE  	1A030/020000			140,00
	A03/3 power supply kit push dim/DALI compatible with A03W66, A03H66, A03W99 220-240V~ 50/60Hz CE  	1A030/030000			160,00

ceiling recessed accessories

	A03/7 recessed frame kit for A03W44 CE	1A030/070000			92,00
	A03/8 recessed frame kit for A03W66, A03H66 CE	1A030/080000			94,00
	A03/9 recessed frame kit for A03W99 CE	1A030/090000			99,00



ceiling rose/remoet driver



structure



base



complete lamp

D81B2/D81BW2
D81B2/D81BW2AD81/25D-D81/21
AD81/25T-D81/2237W
37W

Calculate the price of the lamp adding the structure to the base to the floor version or the ceiling rose at the suspension version.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

2700K version

	D81TW2 floor extruded aluminium foot dimmer h 161 CE V	1D810TW20030	brass	LED 2700K CRI 90	593,00
		1D810TW20020	alu		593,00
		1D810TW20001	black		593,00

3000K version

	D81T2 floor extruded aluminium foot dimmer h 161 CE V	1D810T020030	brass	LED 3000K CRI 90	593,00
		1D810T020020	alu		593,00
		1D810T020001	black		593,00

base for floor version

	D81/26D base foot dimmer 220-240V~ 50/60Hz h 17 Ø 14.5 CE V	1D810/26D001	black	37W	292,00
--	---	--------------	-------	-----	--------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

suspension structure 2700K version

	D81BW2 suspension extruded aluminium I: max 1Adc V: 47Vdc SELV L 157 H 15 - 300	1D810BW20020	alu	LED 33W 2700K CRI 90 ☐	580,00
		1D810BW20001	black		580,00
		1D810BW20030	brass		580,00


suspension structure 3000K version

	D81B2 suspension extruded aluminium I: max 1Adc V: 47Vdc SELV L 157 H 15 - 300	1D810B020020	alu	LED 33W 3000K CRI 90 ☐	580,00
		1D810B020001	black		580,00
		1D810B020030	brass		580,00

ceiling rose



	D81/25D dimmable push/DALI 220-240V ~ 50/60Hz 18 x13 x 4	1D810/25D000	white		250,00
	D81/25T dimmable phase cut 220-240V ~ 50/60Hz 18 x13 x 4	1D810/25T000	white		152,00


remote drivers

	D81/21 remote driver dimmable push/DALI 1050 mA, 45W SELV 220-240V~ 50/60 Hz	1D810/210000			62,00
	D81/22 remote driver dimmable phase cut 700 mA, 44W SELV 220-240V~ 50/60 Hz	1D810/220000			43,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

accessories


	D81/2 accessory for mechanical joining 180° L 8 mm CE	1D810/200001					25,00
	D81/3 Accessory Kit for mechanical joining T or 90° CE	1D810/300001					56,00
	D81/27 extra cable kit 10 m CE	1D810/270000					191,00




body




ceiling rose




complete lamp



bodies



remote drivers +
cover plate (optional)



multiple configuration

D81C07-D81C07W
D81C11-D81C11W
D81C20-D81C20W

D81/4-D81/10
D81/5-D81/11
D81/6-D81/12


58W
75W
135W

It is possible to obtain multiple configurations up to 3 circles.


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------


2700K versions


	D81C07W aluminum suspension 24Vdc SELV Ø 72 H 15 - 500 CE	1D810C07W002	white	LED 54W 2700K CRI 90	1.465,00
		1D810C07W001	black		1.465,00
		1D810C07W030	brass		1.465,00
		1D810C07W020	alu		1.465,00
	D81C11W aluminium suspension 24Vdc SELV Ø 110 H 15 - 500 CE	1D810C11W002	white	LED 72W 2700K CRI 90	1.686,00
		1D810C11W001	black		1.686,00
		1D810C11W030	brass		1.686,00
		1D810C11W020	alu		1.686,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D81C20W aluminium suspension 24Vdc SELV Ø 200 H 15 - 500 CE  	1D810C20W002	white	LED 125W 2700K CRI 90 	2.792,00
		1D810C20W001	black		2.792,00
		1D810C20W030	brass		2.792,00
		1D810C20W020	alu		2.792,00

3000K versions

	D81C07 aluminium suspension 24Vdc SELV Ø 72 H 15 - 500 CE  	1D810C070002	white	LED 54W 3000K CRI 90 	1.458,00
		1D810C070001	black		1.458,00
		1D810C070030	brass		1.458,00
		1D810C070020	alu		1.458,00

	D81C11 aluminium suspension 24Vdc SELV Ø 110 H 15 - 500 CE  	1D810C110002	white	LED 72W 3000K CRI 90 	1.627,00
		1D810C110001	black		1.627,00
		1D810C110030	brass		1.627,00
		1D810C110020	alu		1.627,00

	D81C20 aluminium suspension 24Vdc SELV Ø 200 H 15 - 500 CE  	1D810C200002	white	LED 125W 3000K CRI 90 	2.635,00
		1D810C200001	black		2.635,00
		1D810C200030	brass		2.635,00
		1D810C200020	alu		2.635,00





ceiling rose

	D81/4 ceiling rose dimmable push/DALI 220-240V~ 50/60 Hz for D81C07 and D81C07W Ø 24 x 5 CE  	1D810/400000	white		371,00
---	--	--------------	-------	--	--------

	D81/5 ceiling rose dimmable push/DALI 220-240V~ 50/60 Hz for D81C11 and D81C11W Ø 33 x 6 CE  	1D810/500000	white		419,00
---	--	--------------	-------	--	--------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D81/6 ceiling rose dimmable push/DALI 220-240V~ 50/60 Hz for D81C20 and D81C20W Ø 33 x 6 CE IP20	1D810/600000	white		491,00

remote drivers

	D81/10 remote driver dimmable push/DALI 24V, 60W for D81C07 and D81C07W SELV 220-240V~ 50/60 Hz CE IP20	1D810/100000			172,00
	D81/11 remote driver dimmable push/DALI 24V, 100W for D81C11 and D81C11W SELV 220-240V~ 50/60 Hz CE IP20	1D810/110000			201,00
	D81/12 remote driver dimmable push/DALI 24V, 150W for D81C20 and D81C20W SELV 220-240V~ 50/60 Hz CE IP20	1D810/120000			257,00
	D81/8 optional remote drivers cover for multiple configurations (up to 3) Ø 40 x 6 CE	1D810/800002			193,00


D81P COMPENDIUM PLATE

daniel rybakken


	+		=	
D81P2-D81P2W D81P2/D81P2W		D81P/28D-D81/29 D81P/28T-D81/31		42W 43W

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

2700K version

	D81P2W aluminium wall/ceiling Ø 56 l: max 1400 mA dc V: 28 Vdc h 7 SELV	1D810P2W0002	white	LED 39W 2700K CRI 90 	759,00
		1D810P2W0001	black		759,00
		1D810P2W0030	brass		759,00
		1D810P2W0020	alu		759,00
   IP40					

3000K version


	D81P2 aluminium wall/ceiling Ø 56 l: max 1400 mA dc V: 28 Vdc H 7 SELV	1D810P200002	white	LED 39W 3000K CRI 90 		759,00
		1D810P200001	black			759,00
		1D810P200030	brass			759,00
		1D810P200020	alu			759,00
   						

ceiling rose

	D81/28D ceiling rose dimmable push/DALI 220-240V~ 50/60 Hz for D81C07 and D81C07W Ø 24 x 5	1D810/28D000	white			244,00
  						
	D81/28T ceiling rose dimmable phase cut 220-240V~ 50/60 Hz for D81C11 and D81C11W Ø 33 x 6	1D810/28T000	white			226,00
  						


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

remote drivers



	D81/29 remote driver dimmable push/DALI 1400 mA, 45W 220-240V~ 50/60 Hz SELV CE IP20	1D810/290000			90,00
	D81/31 remote driver dimmable phase cut 1400 mA, 60W 220-240V~ 50/60 SELV CE IP20	1D810/310000			104,00



D13pi COSTANZINA

paolo rizzato

	+		=	
body		shade		complete lamp
Calculate the price of the lamp adding the cost of the body to the shade (versions not complete). LED Bulbs included in the complete version LED.				

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

	D13pic LED table on/off switch 220-240V~ 50/60Hz h 51 base 14x14 CE □ ▼	1D13=NPLC020	complete version alu body white shade	 LED 5W E14	248,00
	D13pi table on/off switch 220-240V~ 50/60Hz h 51 base 14x14 CE □ ▼	1D13=NP00020	alu	 LED E14	188,00
		1D13=NP00017	black	 42W HSGSA E14	188,00
		1D13=NP00030	brass		273,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D13pipt table on/off switch with fixing pin (thickness max 5,7) 220-240V~ 50/60Hz h 51 CE □ V	1D13PNP00020	alu	 LED E14  42W HSGSA E14	169,00
	D13api wall on/off switch 220-240V~ 50/60Hz h 54 depth 28 CE □ V	1D13ANP00020 1D13ANP00017	alu black	 LED E14  42W HSGSA E14	185,00 185,00
	D13spi suspension up and down on/off switch 220-240V~ 50/60Hz H 100 - 250 ceiling rose: Ø 12 x 3 CE □ V	1D13SNP00002	white counterweight	 LED E14  42W HSGSA E14	178,00

shade

	D13/31 shade ø 26 packing: 1 item CE	9D1331437702	white		45,00
---	--	--------------	-------	--	-------

shades for Mezzo Tono collection

	D13/31 shade ø 26 packing: 1 item CE	9D1331437734	mistic white		53,00
		9D1331437738	soft skin		53,00
		9D1331437739	shaded stone		53,00
		9D1331437724	edgy pink		53,00
		9D1331437737	comfort green		53,00

shades for Radieuse collection

	D13/31 shade ø 26 packing: 1 item CE	9D1331437736	petroleum blue		53,00
		9D1331437706	smart yellow		53,00
		9D1331437708	primary red		53,00
		9D1331437705	concrete grey		61,00
		9D1331437701	liquorice black		61,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

accessories


	D13/25 off-center ceiling rose Ø 12 x 3 CE	9D1325476800	white		48,00
	D13/50 wall mount accessory for D13 a.pi CE	9D1350620720 9D1350620701	alu black		65,00 65,00





D13 COSTANZA




paolo rizzatto

	+		+		=	
structure		shade		diffuser accessory (optional)		complete version
Calculate the price of the lamp adding the cost of the body to the shade (versions not complete). We recommend the use of accessory for a better diffusion of light with halogen bulbs and white shade.						

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

	D13 c table telescopic sensor dimmer on board 220-240V~ 50/60Hz H 76/110 base 18x18 CE □ ▼	1D13N=00C020A	complete version alu body white shade diffuser accessory included	 LED E27 dimmable  105W HSGSA E27 energy saver	470,00
	D13 table telescopic sensor dimmer on board 220-240V~ 50/60Hz H 76/110 base 18x18 CE □ ▼	1D13N=000020 1D13N=000017 1D13N=000030	alu black brass	 LED E27 dimmable  105W HSGSA E27 energy saver	354,00 354,00 473,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D13i table telescopic on/off switch 220-240V~ 50/60Hz H 76/110 base 18x18 CE □ ▽	1D13N=010020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	292,00
	D13if table fixed on/off switch 220-240V~ 50/60Hz H 80 base 18x18 CE □ ▽	1D13N=01F020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	273,00
	D13pt table telescopic sensor dimmer on board 220-240V~ 50/60Hz with fixing pin (thickness max 5,7) H 76/110 CE □ ▽	1D13NPT00020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	302,00
	D13pti table telescopic on/off switch with fixing pin (thickness max 5,7) 220-240V~ 50/60Hz H 76/110 CE □ ▽	1D13NPT10020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	246,00
	D13 tc floor telescopic sensor dimmer on board 220-240V~ 50/60Hz H 120/160 base 18x18 CE □ ▽	1D13NT00C020A	complete version alu body white shade diffuser accessory included	 LED E27 dimmable  105W HSGSA E27 energy saver	483,00
	D13 t floor telescopic sensor dimmer on board 220-240V~ 50/60Hz H 120/160 base 18x18 CE □ ▽	1D13NT000020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	366,00
		1D13NT000017	black		366,00
		1D13NT000030	brass		483,00
	D13ti floor telescopic on/off switch base 18x18 220-240V~ 50/60Hz H 120/160 base 18x18 CE □ ▽	1D13NT010020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	314,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D13tif floor fixed on/off switch 220-240V~ 50/60Hz h 153 base 18x18 CE □ ▼	1D13NT01F020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	297,00
	D13a wall telescopic sensor dimmer on board 220-240V~ 50/60Hz H 76/110 depth 44/57 CE □ ▼	1D13NA000020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	307,00
	D13aif wall fixed on/off switch 220-240V~ 50/60Hz H 80 depth 46 CE □ ▼	1D13NA01F020	alu	 LED E27 dimmable  105W HSGSA E27 energy saver	238,00
	D13s suspension telescopic 220-240V~ 50/60Hz H 100/150 ceiling rose: Ø 7 x 4 CE ⊕ ▼	1D13NS000020	alu	 LED E27  105W HSGSA E27 energy saver	256,00
	D13sas suspension up and down 220-240V~ 50/60Hz H 100/220 ceiling rose: Ø 12 x 3 CE □ ▼	1D13NSA20020	counterweight steel mat chrome	 LED filament E27  105W HSGSA E27 energy saver	191,00

shade

	D13/1 shade Ø 40 packing: 1 item CE	9D1301511702	white		78,00
---	---	--------------	-------	--	-------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

shades for Mezzo Tono collection


	D13/1 shade Ø 40 packing: 1 item CE	9D1301511734	mistic white		119,00
		9D1301511738	soft skin		119,00
		9D1301511739	shaded stone		119,00
		9D1301511724	edgy pink		119,00
		9D1301511737	comfort green		119,00

shades for Radieuse collection

	D13/1 shade Ø 40 packing: 1 item CE	9D1301511736	petroleum blue		119,00
		9D1301511706	smart yellow		119,00
		9D1301511708	primary red		119,00
		9D1301511705	concrete grey		142,00
		9D1301511701	liquorice black		142,00

accessories

	D13/25 off-center ceiling rose Ø 12 x 3 CE	9D1325476800	white		48,00
	D13/50 wall mount accessory for D13a - D13aif CE	9D1350620720	alu		65,00
		9D1350620701	black		65,00
	D13/91 diffuser accessory bulb not included packing: 4 items the price refers to the single article CE	1D13N/910000	white		24,00





Calculate the price of the lamp adding the cost of the body to the shade.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D13E d. floor telescopic dimmer on board 220-240V~ 50/60Hz H 217 - 250 H min 130 - 140 base 36 x 36	1D13GED00020	alu	LED E27 dimmable	1.179,00
		1D13GED00017	black	105W HSGSA E27 energy saver	1.185,00
	D13E i. floor telescopic on/off switch 220-240V~ 50/60Hz H 217 - 250 H min 130 - 140 base 36 X 36	1D13GEI00020	alu	LED E27 dimmable	1.144,00
		1D13GEI00017	black	105W HSGSA E27 energy saver	1.144,00
	D13Ea d. wall version telescopic dimmer on board 220-240V~ 50/60Hz H 215 - 248	1D13GEDA0020	alu	LED E27 dimmable 105W HSGSA E27 energy saver	987,00
	D13Ea i. wall version telescopic on/off switch 220-240V~ 50/60Hz H 215 - 248	1D13GEIA0020	alu	LED E27 dimmable 105W HSGSA E27 energy saver	857,00
	D13E sas suspension 220-240V~ 50/60Hz H 100 - 250 ceiling rose: Ø 12 x 3	1D13GESA0020	alu	LED E27 dimmable 105W HSGSA E27 energy saver	213,00



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

shade and accessories

	D13E/1 D13E/1 shade Ø 50, h 35 CE	1D13GE/01002	white		182,00
		1D13GE/01039	shaded stone		213,00
		1D13GE/01008	red		274,00
		1D13GE/01001	black		298,00
	D13/25 off-center ceiling rose Ø 12 x h 3 CE	9D1325476800	white		48,00
	D13/91 diffuser accessory bulb not included packing: 4 items the price refers to the single article CE	1D13N/910000	white		24,00



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D13Gt floor telescopic sensor dimmer 220-240V~ 50/60Hz Ø 70, H 175 - 235 base 36x36 CE □ V	1D13GTDH0020	alu stem white shade	 3xLED E27 dimmable  3x70W HSGSA E27 energy saver	1.307,00
	D13Gti floor telescopic on/off switch 220-240V~ 50/60Hz Ø 70, H 175 - 235 base 36x36 CE □ V	1D13GTIH0020	alu stem white shade	 3xLED E27 dimmable  3x70W HSGSA E27 energy saver	1.295,00
	D13Gs suspension sensor dimmer 220-240V~ 50/60Hz Ø 70, H 100 - 475 ceiling rose: Ø 12 x 3 CE □ V	1D13GSDH0020	white shade	 3xLED E27 dimmable  3x70W HSGSA E27 energy saver	714,00
	D13Gsi suspension on/off 220-240V~ 50/60Hz Ø 70, H 100 - 475 ceiling rose: Ø 12 x 3 CE □ V	1D13GSIH0020	white shade	 3xLED E27 dimmable  3x70W HSGSA E27 energy saver	673,00





Calculate the price of the lamp adding the cost of the body to the shade, and to the accessories, such as base, rod stake or fixed base.
Apparatus IP44 with optical compartment with a degree of protection IP55.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D13G.air floor outdoor on/off switch 220-240V~ 50/60Hz Ø 2,1, H 221 CE IP44	1D13GT/00020	alu	LED E27	896,00
		1D13GT/00013	rust	205W HSGST E27 energy saver	896,00
	D13GSO suspension structure on/off switch 220-240V~ 50/60Hz Ø 10,6, H 23,7 CE IP65	1D13GSOUT020	alu	LED E27	700,00

shade and accessories

	D13G/1 shade for floor structure Ø 70, H 49 CE	1D13GP/01002	white		286,00
		1D13GP/01028	ivory		389,00
		1D13GP/01011	green		389,00
		1D13GP/01013	rust		389,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D13G.air/2 base l 36x36, H 2 CE	1D13GT/02020	alu		400,00
		1D13GT/02013	rust		400,00
	D13G.air/3 stake for inserting into the soil Ø base 6 Ø 2,1, H 50,7 CE	1D13GT/03020	alu		123,00
	D13G.air/4 fixed base for dowels Ø 12, H 1,25 CE	1D13GT/04020	alu		123,00
		1D13GT/04013	rust		123,00
	D13E/2 shade for suspension structure Ø 50, H 35 CE	1D13GE/02002	white		175,00

D73 COUNTERBALANCE

daniel rybakken

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D73N wall step dimmer (0%/50%/100%) l 191,6 head Ø 8,5 CE	1D73N0000003	white	LED 16W 2700K CRI 90 	882,00
		1D73N0000001	black		882,00
		1D73N0000007	red		882,00

D73a COUNTERBALANCE SPOT

daniel rybakken

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D73NA1 ceiling/wall dimmable trailing edge l 27,9 head Ø 8,5 220-240V~ 50/60Hz CE	1D73NA100003	white	LED 12W 2700K CRI 90	431,00
		1D73NA100001	black		431,00

D73t COUNTERBALANCE FLOOR


daniel rybakken


Calculate the price of the lamp adding the cost of the structure to the base.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D73NT floor step dimmer (0%/50%/100%) h 170 CE	1D73NT000001	black	LED 16W 2700K CRI 90	498,00
	D73/1 base h 24 Ø 14,5 CE	1D730/100001	black		223,00

D76 CURL

sebastian bergne

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D76N1 table dimmer on board l 21 h 26 CE	1D760N100018	mirror	LED 8W 3000K CRI 80	322,00



Calculate the price of the lamp adding the optic, to the panels and that to the support kit.




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

optics 120 cm

	D93SDDCN direct optic 3000K dimmable push/DALI 120 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE ENEC	1D93NSDDC020	alu	LED 43W 3000K CRI 90 ☐	845,00
	D93SDICN direct/indirect optic 3000K dimmable push/DALI 120 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE ENEC	1D93NSDIC020	alu	LED 43W + LED 32W 3000K CRI 90 ☐	1.046,00
	D93SFICN direct/indirect optic 3000K with anti-glare dimmable push/DALI 120 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE ENEC	1D93NSFIC020	alu	LED 43W + LED 32W 3000K CRI 90 ☐	1.092,00



sound-absorbing panels 120 cm


	D93/I Pair of panels 120 x 60 CE	1D93010000A1	white/black		1.160,00
		1D93010000A2	white/blue		1.160,00
		1D93010000A4	white/beige		1.160,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
support kit					
	D93/5 Kit 4 supports positioning vertical panels recommended for D93SDDC CE	1D9305000020	alu		126,00
	D93/6 Kit 4 supports positioning horizontal panels CE	1D9306000020	alu		212,00
optics 180 cm					
	D93SDDLN direct optic 3000K dimable push/DALI 180 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE  	1D93NSDDL020	alu	63W 3000K CRI 90 	1.020,00
	D93SDILN direct/indirect optic 3000K dimable push/DALI 180 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE  	1D93NSDIL020	alu	63W+ 52W 3000K CRI 90 	1.256,00
	D93SFILN direct/indirect optic with anti-glare 3000K dimable push/DALI 180 x 15 x 5 H 50 - 300 ceiling rose: Ø 15 x 5 220-240V~ 50/60 Hz CE  	1D93NSFIL020	alu	63W+ 52W 3000K CRI 90 	1.281,00
sound-absorbing panels 180 cm					
	D93/3 Pair of panels 180 x 60 CE	1D93030000A1	white/black		1.847,00
		1D93030000A2	white/blue		1.847,00
		1D93030000A4	white/beige		1.847,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

Support kit

	D93/7 Kit 6 supports positioning vertical panels recommended for D93SDDL CE	1D9307000020	alu		187,00
	D93/8 Kit 6 supports positioning horizontal panels CE	1D9308000020	alu		317,00




ceiling rose

body

counterweight

complete lamp



ceiling rose

body

counterweight

accessory for counterweight

complete lamp

A05/1T-A05/05

A05/1D-A05/04

A05S1

A05S1W

A05S2

A05S2W

9W

Calculate the price of the lamp adding the ceiling rose to the body and to the counterweight or also to the counterweight accessory.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

complete wall version. 2700K. Ceiling rose finish / cylinder finish.

	A05ADW wall/ceiling dimmable phase cut 220-240V ~ 50/60Hz ceiling rose Ø 6 depth 10,5 cylinder Ø 2,5 x L 18	1A050ADW0001	Black/Black	LED 7W 2700K CRI 90 	366,00
		1A050ADW0030	Black/Brass		366,00
		1A050ADW0035	White/Black		366,00
		1A050ADW0002	White/Ribbed white		366,00
		1A050ADW0098	Black/Ribbed white		366,00
  					

complete wall version. 3000K. Ceiling rose finish / cylinder finish.

	A05AD wall/ceiling dimmable phase cut 220-240V ~ 50/60Hz ceiling rose Ø 6 depth 10,5 cylinder Ø 2,5 x L 18	1A050AD00001	Black/Black	LED 7W 3000K CRI 90 	366,00
		1A050AD00030	Black/Brass		366,00
		1A050AD00035	White/Black		366,00
		1A050AD00002	White/Ribbed white		366,00
		1A050AD00098	Black/Ribbed white		366,00
  					

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

bodies suspension version 2700K

	A05S1W suspension l : max : 550mAdc V:9Vdc L 30 Ø 2,5 L cable 3 m CE  	1A050S1W0001	black	LED 5W 2700K CRI 90 	202,00
		1A050S1W0030	brass		233,00

	A05S2W suspension ribbed body l : max : 550mAdc V:9Vdc L 30 Ø 2,5 L cable 3 m CE  	1A050S2W0002	ribbed body painted white	LED 5W 2700K CRI 90 	202,00
---	--	--------------	------------------------------	---	--------

bodies suspension version 3000K

	A05S1 suspension l : max : 550mAdc V:9Vdc L 30 Ø 2,5 L cable 3 m CE  	1A050S100001	black	LED 5W 3000K CRI 90 	202,00
		1A050S100030	brass		233,00

	A05S2 suspension ribbed body l : max : 550mAdc V:9Vdc L 30 Ø 2,5 L cable 3 m CE  	1A050S200002	ribbed body painted white	LED 5W 3000K CRI 90 	202,00
---	---	--------------	------------------------------	---	--------

ceiling rose

	A05/1T ceiling rose dimmable phase cut 220-240V~ 50/60Hz Ø 11 h 6,5 CE  	1A050/01T001	black		103,00
---	---	--------------	-------	--	--------

	A05/1D ceiling rose dimmable DALI 220-240V~ 50/60Hz Ø 11 h 6,5 CE  	1A050/01D001	black		127,00
---	--	--------------	-------	--	--------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

counterweight

	A05/2 counterweight Ø 10 L cable 3 m CE	1A050/020002	white		108,00
		1A050/020001	black		108,00
		1A050/020030	brass		121,00

counterweight accessory

	A05/3 accessory CE	1A050/030000	metal		37,00
---	--	--------------	-------	--	-------



cover plate

	A05/6 cover plate only for wall/ceiling structure Ø 9,5 CE	1A050/060002	white		40,00
		1A050/060001	black		40,00

track adapter

	A05/7 track adapter dimmable push/DALI SELV 48Vdc CE	1A050/070002	white		175,00
		1A050/070001	black		175,00

remote drivers

	A07/4 remote driver dimmable push/DALI 500 mA, 36W 220-240V~ 50/60Hz SELV CE IP20	1A070/040000			83,00
	A07/6 remote driver dimmable phase cut 500 mA, 30W 220-240V~ 50/60Hz SELV CE IP20	1A070/060000			47,00



body





LED optic

or



RETROFIT optic






complete lamp


Calculate the price of the lamp adding the body to the optic (see following pages).

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	E04200 ceiling h 27,9 Ø 7 direct light CE 	1E0400200001	matt black		109,00
		1E0400200002	matt white		109,00
		1E0400200020	matt alu		109,00
		1E0400200030	matt brass		109,00
	E04220 ceiling h 37,2 Ø 13,4 direct light CE 	1E0400220001	matt black		148,00
		1E0400220002	matt white		148,00
		1E0400220020	matt alu		148,00
		1E0400220030	matt brass		148,00

E04250 (with LED optic)



E04250 (with RETROFIT optic)






calculate the price of the lamp adding the body to the optic (see following pages).

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	E04250 wall direct and direct/indirect light h 46,5 Ø 13,4 CE V	1E0400250001	matt black		199,00
		1E0400250002	matt white		199,00
		1E0400250020	matt alu		199,00
		1E0400250030	matt brass		199,00

top cover to use with retrofit optics

	E0401 top cover CE	1E040/010001	black		22,00
---	-------------------------------------	--------------	-------	--	-------



Calculate the price of the lamp adding the body to the optic (see following pages).


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	E04270 suspension direct light h 27,9 Ø 7 L cable max 3 m ceiling rose: Ø 12 x 3 CE V	1E0400270001	matt black		184,00
		1E0400270002	matt white		184,00
		1E0400270020	matt alu		184,00
		1E0400270030	matt brass		184,00
	E04280 suspension direct/indirect light h 46,5 Ø 7 L cable max 3 m ceiling rose: Ø 12 x 3 CE V	1E0400280001	matt black		182,00
		1E0400280002	matt white		182,00
		1E0400280020	matt alu		182,00
		1E0400280030	matt brass		182,00




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	E04290 suspension direct light h 37,2 Ø 13,4 L cable max 3 m ceiling rose: Ø 12 x 3 CE 	1E0400290001	matt black		213,00
		1E0400290002	matt white		213,00
		1E0400290020	matt alu		213,00
		1E0400290030	matt brass		213,00


accessories

	EA1096 5-pole ceiling rose kit ceiling rose: Ø 12 x 3 CE	1EA100096000	white			19,00
	E0402 top cover for E04280 CE	1E040/020001	black			34,00

optics for E04 (ceiling, wall e suspension)

	E041M medium beam optic 45° dimmable push/DALI for body Ø 7 220-240V~ 50/60Hz CE 	1E040/1M0000		COB LED module 12W 2700K CRI 90 ☐		181,00
	E041W large beam optic 60° dimmable push/DALI for body Ø 7 220-240V~ 50/60Hz CE 	1E040/1W0000		COB LED module 12W 2700K CRI 90 ☐		181,00
	E042M medium beam optic 45° dimmable push/DALI for body Ø 13.4 220-240V~ 50/60Hz CE 	1E040/2M0000		COB LED module 19W 2700K CRI 90 ☐		228,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	E042W large beam optic 56° dimmable push/DALI for bodies Ø 13.4 220-240V~ 50/60Hz CE 	1E040/2W0000		COB LED module 19W 2700K ☐ CRI 90	228,00
	E043M medium beam optic 30° dimmable push/DALI for bodies Ø 7 220-240V~ 50/60Hz CE 	1E040/3M0000		LED module 13W dim to warm ☐ 3000K → 1800K CRI 97	191,00
	E043W large beam optic 42° dimmable push/DALI for bodies Ø 7 220-240V~ 50/60Hz CE 	1E040/3W0000		LED module 13W dim to warm ☐ 3000K → 1800K CRI 97	191,00
	E044M medium beam optic 32° dimmable push/DALI for bodies Ø 13.4 220-240V~ 50/60Hz CE 	1E040/4M0000		LED module 20W dim to warm ☐ 3000K → 1800K CRI 97	250,00
	E044W large beam optic 46° dimmable push/DALI for bodies Ø 13.4 220-240V~ 50/60Hz CE 	1E040/4W0000		LED module 20W dim to warm ☐ 3000K → 1800K CRI 97	250,00
	E041R optic retrofit dimmable phase cut for bodies Ø 7 220-240V~ 50/60Hz CE 	1E040/1R0000		 LED retrofit GU10	74,00
	E042R optic retrofit dimmable phase cut for bodies Ø 13.4 220-240V~ 50/60Hz CE 	1E040/2R0000		 LED retrofit G53	154,00



Calculate the price of the lamp adding the body to the optic

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

bodies for LED optics

	E06100 ceiling fixture dimable DALI 220-240V~ 50/60Hz h 40 Ø 7 CE ⚡ V	1E0600100001	matt black			303,00
		1E0600100002	matt white			303,00
		1E0600100020	matt alu			303,00
		1E0600100030	matt brass			303,00
	E06150 electrified EUTRAC fixture dimable DALI 220-240V~ 50/60Hz h 40 Ø 7 CE ⚡ V	1E0600150001	matt black			342,00
		1E0600150002	matt white			342,00
		1E0600150020	matt alu			342,00
		1E0600150030	matt brass			342,00

LED optics

	E061M medium beam optic 45° 250 mA dc CE ⚡	1E060/1M0000			LED module COB 11W 2700K CRI 90 ☐	122,00
	E061W large beam optic 60° 250 mA dc CE ⚡	1E060/1W0000			LED module COB 11W 2700K CRI 90 ☐	122,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	E062M medium beam optic 45° 250 mA dc CE 	1E060/2M0000		LED module 11W dim to warm ☐ 3000K → 1800K CRI 97	139,00
	E062W large beam optic 60° 250 mA dc CE 	1E060/2W0000		LED module dim to warm ☐ 11W 3000K → 1800K CRI 90	139,00

bodies for retrofit optics

	E06200 ceiling fixture 220-240V~ 50/60Hz h 40 Ø 7 CE  	1E0600200001	matt black		279,00
		1E0600200002	matt white		279,00
		1E0600200020	matt alu		279,00
		1E0600200030	matt brass		279,00
	E06250 electrified EUTRAC fixture 220-240V~ 50/60Hz h 40 Ø 7 CE  	1E0600250001	matt black		321,00
		1E0600250002	matt white		321,00
		1E0600250020	matt alu		321,00
		1E0600250030	matt brass		321,00

retrofit optic

	E041R optic retrofit for bodies Ø 7 220-240V~ 50/60Hz CE 	1E040/1R0000		 LED retrofit GU10	74,00
---	---	--------------	--	--	-------

D67 ECRAN IN&OUT


inga sempé

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D67PLN1 wall/outdoor Ø 18,5 L 14,5 220-240V~ 50/60Hz CE    IP65	1D670PN10002	opal white	LED 8W 3000K CRI 80  (*)	224,00

D96 FAREL

diego sferrazza

LED optic



E27 optic




+



+



=



optics + suspension cables

sound-absorbing body

finishing ring

complete lamp

Calculate the price of the lamp adding the cost of the optic to the sound-absorbing body and the ring.

SEAQUAL
INITIATIVE

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

complete version

	D96K new fabric ocher/black recycled black optic and ring complete version E27 optic + sound absorbing body 220-240V~ 50/60Hz diffuser Ø 80 H 40 L cable 300 ceiling rose Ø 15 x 5 CE   	1D960K0000G3	ocher/anthracite	 LED E27 dimmable  70W HSGSA E27 energy saver	1.143,00
---	--	--------------	------------------	--	----------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

LED optics. 2700K version.

	D96/6DW optic dimmable push/DALI optics + suspension cables 220-240V~ 50/60Hz H 30 - 300 ceiling rose: Ø 15 x 5	1D960/6DW020	alu	LED module 23W 2700K CRI 90 ☐	420,00
		1D960/6DW001	black		420,00
	CE  	1D960/6DW030	brass		420,00

LED optics. 3000K version.


	D96/6D optic dimmable push/DALI optics + suspension cables 220-240V~ 50/60Hz H 30 - 300 ceiling rose: Ø 15 x 5	1D960/6D0020	alu	LED module 23W 3000K CRI 90 ☐	420,00
		1D960/6D0001	black		420,00
	CE  	1D960/6D0030	brass		420,00

E27 optics. External dome finish / internal plate finish.

	D96/1EB optic optics + suspension cables 220-240V~ 50/60Hz H 30 - 300 ceiling rose: Ø 15 x 5	1D960/1EB001	Black/White	 LED E27 dimmable  70W HSGSA E27 energy saver	182,00
		1D960/1EB020	Alu/White		182,00
	CE  	1D960/1EB030	Brass/White		182,00

	D96/1EN optic optics + suspension cables 220-240V~ 50/60Hz H 30 - 300 ceiling rose: Ø 15 x 5	1D960/1EN001	Black/Black	 LED E27 dimmable  70W HSGSA E27 energy saver	182,00
		1D960/1EN020	Alu/Black		182,00
	CE  	1D960/1EN030	Brass/Black		182,00


sound-absorbing body

	D96C new fabric ocher/black recycled acoustic material and flame retardant fabric Ø 80 h 40 cm	1D960C0000G3	ocher/black		745,00
		1D960C0000A4	dark grey/ raw white		745,00
		1D960C0000A5	light grey/ white		745,00
	CE	1D960C0000B3	rust/ black		745,00

finishing ring

	D96A lower finishing ring	1D960A000001	black		256,00
		1D960A000030	brass		256,00
	CE	1D960A000020	alu		256,00

Suspension version: multiple configurations scheme





Calculate the price of the lamp adding the structure to the ceiling rose.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

complete table version


	D98=W1 table dimmer on board 24V dc L 45 x W 15 x H 22   	1D980=W10028	prosecco	LED 19W 2700K CRI 90 ☐	1.024,00

suspension, complete version

	D98SC1 suspension dimmable push/DALI 220-240V~ 50/60Hz L 120 x W 28 x H 2.7 L cable 3 m ceiling rose: 28,5 x 5 x 11,5   	1D980SC10002	white	LED 52W 3000K CRI 90 ☐	1.272,00
		1D980SC10005	dark grey		1.272,00
	D98SW1 suspension dimmable push/DALI 220-240V~ 50/60Hz L 120 x W 28 x H 2.7 L cable 3 m ceiling rose: 28,5 x 5 x 11,5   	1D980SW10002	white	LED 52W 2700K CRI 90 ☐	1.206,00
		1D980SW10005	dark grey		1.206,00


bodies for multiple configurations. This configurations can be composed according to the scheme shown

	D98SC2 suspension initial lamp (A) dimmable 24Vdc SELV L 120 x W 28 x H 2.7   	1D980SC20002	white	LED 46W 3000K CRI 90 ☐	1.116,00
		1D980SC20005	dark grey		1.116,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D98SW2 suspension initial lamp (A) dimmable 24Vdc SELV L 120 x W 28 x H 2.7 CE  	1D980SW20002	white	LED 46W 2700K CRI 90 	1.126,00
		1D980SW20005	dark grey		1.126,00
	D98SC3 suspension intermediate lamp (B) dimmable 24Vdc SELV L 120 x W 28 x H 2.7 CE  	1D980SC30002	white	LED 46W 3000K CRI 90 	1.095,00
		1D980SC30005	dark grey		1.095,00
	D98SW3 suspension intermediate lamp (B) dimmable 24Vdc SELV L 120 x W 28 x H 2.7 CE  	1D980SW30002	white	LED 46W 2700K CRI 90 	1.095,00
		1D980SW30005	dark grey		1.095,00
	D98SC4 suspension terminal lamp (C) dimmable 24Vdc SELV L 120 x W 28 x H 2.7 CE  	1D980SC40002	white	LED 46W 3000K CRI 90 	1.093,00
		1D980SC40005	dark grey		1.093,00
	D98SW4 suspension terminal lamp (C) dimmable 24Vdc SELV L 120 x W 28 x H 2.7 CE  	1D980SW40002	white	LED 46W 2700K CRI 90 	1.093,00
		1D980SW40005	dark grey		1.093,00

ceiling rose for multiple suspensions

	D98/4 ceiling rose dimmmable DALI for multiple configurations up to 4 bodies 220-240V~ 50/60Hz L 36 x W 5,3 x H 13,5 CE  	1D980/040000	white	max 212W	373,00
---	---	--------------	-------	----------	--------




optic



structure



remote driver
(optional)



complete lamp


The lamp has an IK05 grade

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

optic (the lamp is supplied without power supply)

	D98TM1 floor outdoor 24V dc L 45 x W 28 x H 2	1D980TM10020	light grey	LED 19W 3000K CRI 90	☐	347,00
		1D980TM10005	dark grey			370,00
IP65						


structures

	D98/2 floor outdoor L 32 x W 15 x H 30	1D980/020020	light grey			221,00
		1D980/020005	dark grey			221,00
						

	D98/3 floor outdoor L 32 x W 15 x H 70	1D980/030020	light grey			293,00
		1D980/030005	dark grey			293,00
						


remote drivers (the junction box is recommended watertight IP68)

	D98/5 remote driver on/off 24V, 30W 220-240V~ 50/60Hz SELV	1D980/050000				49,00
IP20						

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D94/1 dimmable push/DALI driver for 1 body 24V, 35W 220-240V~ 50/60Hz SELV CE IP20	1D940/100000			97,00

A04 FLIA

alessandro zambelli



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

structure (the lamp is supplied without power supply)
3000K version

	A04WTF1A single floor structure 8V dc, max 300mA dc h 75 Ø 5 CE   IP65	1A04WTF1A001	matt black	LED 2,5W 3000K CRI 90 ☐	425,00
---	---	--------------	------------	--	--------

	A04WTF1B single floor structure 8V dc, max 300mA dc h 120 Ø 5 CE   IP65	1A04WTF1B001	matt black	LED 2,5W 3000K CRI 90 ☐	440,00
---	--	--------------	------------	--	--------

	A04WTF1C single floor structure 8V dc, max 300mA dc h 180 Ø 5 CE   IP65	1A04WTF1C001	matt black	LED 2,5W 3000K CRI 90 ☐	474,00
---	--	--------------	------------	--	--------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	A04WTF2 multiple floor structure 2 stems 8V dc, max 600mA dc h 75 + 120 Ø 5 footprint in plan 40 CE   IP65	1A04WTF20001	matt black	LED 5W 3000K CRI 90 ☐	692,00
	A04WTF3 multiple floor structure 3 stems 8V dc, max 900mA dc 2 x h 120 + h180 Ø 5 footprint in plan 56 CE   IP65	1A04WTF30001	matt black	LED 75W 3000K CRI 90 ☐	981,00
structure (the lamp is supplied without power supply) 4000K version					
	A04TF1A single floor structure 8V dc, max 300mA dc h 75 Ø 5 CE   IP65	1A040TF1A001	matt black	LED 2,5W 4000K CRI 90 ☐	319,00
	A04TF1B single floor structure 8V dc, max 300mA dc h 120 Ø 5 CE   IP65	1A040TF1B001	matt black	LED 2,5W 4000K CRI 90 ☐	329,00
	A04TF1C single floor structure 8V dc, max 300mA dc h 180 Ø 5 CE   IP65	1A040TF1C001	matt black	LED 2,5W 4000K CRI 90 ☐	356,00
	A04TF2 multiple floor structure 2 stems 8V dc, max 600mA dc h 75 + 120 Ø 5 footprint in plan 40 CE   IP65	1A040TF20001	matt black	LED 5W 4000K CRI 90 ☐	523,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	A04TF3 multiple floor structure 3 stems 8V dc, max 900mA dc 2 x h 120 + h180 Ø 5 footprint in plan 56 CE   IP65	1A04OTF30001	matt black	LED 75W 4000K CRI 90 	727,00
	A04WB1 track dimmable push/DALI 48Vdc SELV Ø 2,4 H 70 CE  	1A04WB010001	black	LED 3,3W 2700K CRI 90 	360,00
	A04B1 track dimmable push/DALI 48Vdc SELV Ø 2,4 H 70 CE  	1A04OB010001	black	LED 3,3W 3000K CRI 90 	360,00

accessories

	A04/1 base L 14 x W 10 x H 5 CE	1A040/010001	matt black		73,00
	A04/2 picket H 26 L 5 CE	1A040/020000	matt black		135,00

remote drivers (the junction box is recommended watertight IP68)

	A04/3 on/off driver 300/600/900 mA, 38W 220-240V~ 50/60Hz SELV CE IP20	1A040/030000			42,00
---	--	--------------	--	--	-------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	A04/4 dimmable push/DALI driver 300/600/900 mA, 38W 220~240V~ 50/60Hz SELV CE IP20	1A040/040000			50,00

complete lamp with picket

	A04WTF4 floor structure on/off driver 8V dc, max 300mA dc Ø 4 H 37 CE   IP65	1A04WTF40001	matt black	LED 2,5W 3000K CRI 90 ☐	406,00
---	---	--------------	------------	--	--------


portable/rechargeable lamp (USB charger not included in the package)

	A04TP1B complete floor lamp portable, rechargeable on/off, dimmer on board 5V dc USB-C USB/USB-C cable included h 120 base 10 x 13,5 CE   IP65	1A040TP1B001	matt black	LED 4W 3000K CRI 90 ☐	494,00
--	---	--------------	------------	--	--------

	A04TP1C complete floor lamp portable, rechargeable on/off, dimmer on board 5V dc USB-C USB/USB-C cable included h 180 base 10 x 13,5 CE   IP65	1A040TP1C001	matt black	LED 4W 3000K CRI 90 ☐	523,00
---	---	--------------	------------	--	--------

USB charger for A04TP1B and A04TP1C


	A02/1 USB charger input 110/240V~ 50/60Hz output 5V 2,4A CE 	1A020/010000			34,00
---	---	--------------	--	--	-------



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D33N.100 table/wall on/off switch 220-240V~ 50/60Hz arms l 44 + 35,5 head Ø 16 CE □ V	1D33N2GI00AA	metal	LED filament E27	217,00
		1D33N2GI0002	white	70W HSGSA E27 energy saver	228,00
		1D33N2GI0001	black soft-touch		252,00
	D33Nt.100 floor on/off switch 220-240V~ 50/60Hz arms l 35,5 h 92 head Ø 16 CE □ V	1D33NTGI00AA	metal	LED filament E27	268,00
		1D33NTGI0001	black soft-touch	70W HSGSA E27 energy saver	294,00
		1D33NTGI0002	white		298,00
	D33Nsp.60 ceiling/wall on/off switch fixing base included 220-240V~ 50/60Hz depth 36 head Ø 11 CE □ V	1D33NSPI00AA	metal	LED E14	161,00
		1D33NSPI0002	white	28W Spot R50 E14 energy saver	166,00
		1D33NSPI0001	black soft-touch	42W HSGSA E14 energy saver	180,00
	D33Nsp.100 ceiling/wall on/off switch fixing base included 220-240V~ 50/60Hz depth 36 head Ø 16 CE □ V	1D33NSGI00AA	metal	LED filament E27	168,00
		1D33NSGI0002	white	70W HSGSA E27 energy saver	179,00
		1D33NSGI0001	black soft-touch		192,00

accessories

	D33N/01 base Ø 23,6 CE	1D33N/010002	white		104,00
		1D33N/01000A	metal		104,00
		1D33N/010001	black soft-touch		110,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D33N/03 universal joint h 11,8 CE	1D33N/03000A	metal		42,00
	D33N/04 clamp h 1 - 6,5 CE	1D33N/04000A	metal		42,00
	D33N/05 fixing pin Ø 12,5 CE	1D33N/05000A	metal		68,00




D90 GARBÌ

david dolcini

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D90NW wall dimmbable phase cut 220-240V~ 50/60Hz L 20 x W 14 x H 16 CE ⚡ V	1D90NAW00002	white	LED 34W 2700K CRI 90 ☐	307,00

2700K version

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D66/12 suspension 220-240V~ 50/60Hz H max 270 Ø 61 ceiling rose: Ø 12 x 3 CE □ V	1D6612S00000	transparent methacrylate	 LED E27  105W HSGSA E27 energy saver	1.029,00
	D66/18 suspension 220-240V~ 50/60Hz H max 270 Ø 72 ceiling rose: Ø 12 x 3 CE □ V	1D6618S00000	transparent methacrylate	 LED E27  105W HSGSA E27 energy saver	1.368,00
	D66/42 suspension 220-240V~ 50/60Hz H 50 - 410 Ø 110 ceiling rose: Ø 16 x 4 CE ⊕ V	1D6642S00000	transparent methacrylate	 3xLED E27  3x105W HSGSA E27 energy saver	4.116,00
	D66/105 suspension 220-240V~ 50/60Hz H 60 - 930 Ø 200 ceiling rose: Ø 16 x 4 CE ⊕ V	1D66105S00000	transparent methacrylate	 5xLED E27  5x105W HSGSA E27 energy saver	11.424,00
for the floor version calculate the price of the lamp adding the cost of the body (D66/18td) to the polished steel stem (D66/18T.1).					
	D66/18td body foot dimmer 220-240V~ 50/60Hz Ø 72 CE □ V	1D6618TD0000	transparent methacrylate	 LED E27 dimmable  105W HSGSA E27 energy saver	1.392,00
	D66/18T.1 ground rod h 164	1D6618T01019	stainless steel		593,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D66/3a wall dimmable 220-240V~ 50/60Hz l 43 d 28,5 Ø 48 CE  	1D6603A00000	transparent methacrylate	 LED dimmable R7s Ømax: 22 mm (L=78 mm)  120W HDG R7s (L=78 mm)	339,00
	D66/8a wall 220-240V~ 50/60Hz l 49 d 45,6 Ø 61 CE  	1D6608A00000	transparent methacrylate	 LED E27  105W HS6SA E27 energy saver	795,00
	D66/12p ceiling 220-240V~ 50/60Hz Ø 69 h 41,5 CE  	1D6612P00000	transparent methacrylate	 3 x LED E14  3 x 42W HS6SA E14 energy saver	1.155,00
	D66/30p ceiling 220-240V~ 50/60Hz Ø 109 h 64 CE  	1D6630P00000	transparent methacrylate	 3xLED E27  3x105W HS6SA E27 energy saver	2.853,00
	D66/KT kit for multiple composition (the price of the composition is determined by adding the price of the individual lamps in the chosen composition to the price of the kit)	9D6600000000			322,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D82S1 suspension dimable phase cut 220-240V~ 50/60Hz Ø 60 cm L cable max 3 m ceiling rose: Ø 24 x 6 led: 87 mm x 324,5 mm CE Ⓢ V	1D82YS100099	Birch	LED 25W 2700K CRI 90 ☐	851,00
	D82S1D suspension dimable push/DALI 220-240V~ 50/60Hz Ø 60 cm L cable max 3 m ceiling rose: Ø 24 x 6 CE Ⓢ V	1D82YS1D0099	Birch	LED 25W 2700K CRI 90 ☐	900,00
	D82S2 suspension dimable phase cut 220-240V~ 50/60Hz Ø 80 cm L cable max 3 m ceiling rose: Ø 24 x 6 led: 87 mm x 422,3 mm CE Ⓢ V	1D82YS200099	Birch	LED 32W 2700K CRI 90 ☐	1.084,00
	D82S2D suspension dimable push/DALI 220-240V~ 50/60Hz Ø 80 cm L cable max 3 m ceiling rose: Ø 24 x 6 CE Ⓢ V	1D82YS2D0099	Birch	LED 32W 2700K CRI 90 ☐	1.137,00
	D82S3 suspension dimable phase cut 220-240V~ 50/60Hz Ø 100 cm L cable max 3 m ceiling rose: Ø 24 x 6 led: 87 mm x 520,00 mm CE Ⓢ V	1D82YS300099	Birch	LED 40W 2700K CRI 90 ☐	1.278,00
	D82S3D suspension dimable push/DALI 220-240V~ 50/60Hz Ø 100 cm L cable max 3 m ceiling rose: Ø 24 x 6 CE Ⓢ V	1D82YS3D0099	Birch	LED 40W 2700K CRI 90 ☐	1.332,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

accessory

	D82/1 extra cable kit 10 m	1D820/010000					163,00
---	--------------------------------------	--------------	--	--	--	--	--------



A07S20W/A07S20	A07/3D-A07/3T-A07/12-A07/13	15W
A07S37W/A07S55W A07S37W/A07S55	A07/1D-A07/04	21W
A07S37W/A07S55W A07S37W/A07S55	A07/1T-A07/06	22W
A07S11W/A07S11	A07/2D-A07/05	30W
A07S11W/A07S11	A07/2T-A07/07	31W
A07F86WN/A07F11WN	A07/2D-A07/2T	26W
A07F86N/A07F11N	A07/05-A07/07	26W

Calculate the price of the lamp adding the body to the ceiling rose.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

2700K bodies

	A07S20W Suspension Ø 20 H 7 L cable max 500 Imax=350 mAdc and V= 33 Vdc SELV CE  	1A070S20W010	matt blue	LED 12W 2700K CRI 90 	402,00
		1A070S20W007	matt red		402,00
		1A070S20W002	matt white		402,00
		1A070S20W001	matt black		402,00

	A07S37WN Suspension Ø 37 H 8 L cable max 500 Imax=550 mAdc and V= 33 Vdc SELV CE  	1A07NS37W010	matt blue	LED 19W 2700K CRI 90 	476,00
		1A07NS37W007	matt red		476,00
		1A07NS37W001	matt black		476,00
		1A07NS37W002	matt white		476,00


	A07S55WN Suspension Ø 55 H 10 L cable max 500 Imax=550 mAdc and V= 33 Vdc SELV CE  	1A07NS55W010	matt blue	LED 19W 2700K CRI 90 	567,00
		1A07NS55W007	matt red		567,00
		1A07NS55W001	matt black		567,00
		1A07NS55W002	matt white		567,00


	A07S11WN Suspension Ø 110 H 15 L cable max 500 Imax=750 mAdc and V= 34 Vdc SELV CE  	1A07NS11W010	matt blue	LED 26W 2700K CRI 90 	1.101,00
		1A07NS11W007	matt red		1.101,00
		1A07NS11W001	matt black		1.101,00
		1A07NS11W002	matt white		1.101,00

3000K bodies

	A07S20 Suspension Ø 20 H 7 L cable max 500 Imax=350 mAdc and V= 33 Vdc SELV CE  	1A070S200010	matt blue	LED 12W 3000K CRI 90 	402,00
		1A070S200007	matt red		402,00
		1A070S200001	matt black		402,00
		1A070S200002	matt white		402,00


	A07S37N Suspension Ø 37 H 8 L cable max 500 Imax=550 mAdc and V= 33 Vdc SELV CE  	1A07NS370010	matt blue	LED 19W 3000K CRI 90 	476,00
		1A07NS370007	matt red		476,00
		1A07NS370001	matt black		476,00
		1A07NS370002	matt white		476,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	A07S55N Suspension Ø 55 H 10 L cable max 500 Imax=550 mAdc and V= 33 Vdc SELV CE  	1A07NS550010	matt blue	LED 19W 3000K CRI 90 	567,00
		1A07NS550007	matt red		567,00
		1A07NS550001	matt black		567,00
		1A07NS550002	matt white		567,00

	A07S11N Suspension Ø 110 H 15 L cable max 300 Imax=750 mAdc and V= 34 Vdc SELV CE  	1A07NS110010	matt blue	LED 26W 3000K CRI 90 	1.101,00
		1A07NS110007	matt red		1.101,00
		1A07NS110001	matt black		1.101,00
		1A07NS110002	matt white		1.101,00


sound absorbing body 2700K

	A07F86WN Suspension Ø 86 H 8 L cable max 500 Imax=750 mAdc and V= 34 Vdc SELV CE  	1A07NF86W004	medium grey	LED 26W 2700K CRI 90 	983,00
		1A07NF86W005	anthracite		983,00
		1A07NF86W011	green		983,00

	A07F11WN Suspension Ø 110 H 15 L cable max 500 Imax=750 mAdc and V= 34 Vdc SELV CE  	1A07NF11W004	medium grey	LED 26W 2700K CRI 90 	1.013,00
		1A07NF11W005	anthracite		1.013,00
		1A07NF11W011	green		1.013,00

sound absorbing body 3000K

	A07F86N Suspension Ø 86 H 8 L cable max 500 Imax=750 mAdc and V= 34 Vdc SELV CE  	1A07NF860004	medium grey	LED 26W 3000K CRI 90 	983,00
		1A07NF860005	anthracite		983,00
		1A07NF860011	green		983,00

	A07F11N Suspension Ø 110 H 15 L cable max 500 Imax=750 mAdc and V= 34 Vdc SELV CE  	1A07NF110004	medium grey	LED 26W 3000K CRI 90 	1.013,00
		1A07NF110005	anthracite		1.013,00
		1A07NF110011	green		1.013,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
ceiling rose					
	A07/3D dimmable push/DALI ceiling rose for A07S20W e A07S20 220-240V~ 50/60Hz Ø 20 x H 4,8 For body Ø 20 CE ⊕ V	1A070/03D001	black		161,00
	A07/1D dimmable push/DALI ceiling rose For A07S37N, A07S37WN, A07S55N, A07S55WN 220-240V~ 50/60Hz Ø 21 x H 5 for body Ø 37 and Ø 55 CE ⊕ V	1A070/01D001	black		162,00
	A07/2D dimmable push/DALI ceiling rose For A07S11N, A07S11WN, A07F86N, A07F86WN, A07F11N, A07F11WN 220-240V~ 50/60Hz Ø 21 x H 5 for body Ø 86 and Ø 110 CE ⊕ V	1A070/02D001	black		162,00
	A07/3T dimmable phase cut ceiling rose For A07S20W and A07S20 220-240V~ 50/60Hz Ø 20 x H 4,8 for body Ø 20 CE ⊕ V	1A070/03T001	black		150,00
	A07/1T dimmable phase cut ceiling rose For A07S37N, A07S37WN, A07S55N, A07S55WN 220-240V~ 50/60Hz Ø 21 x H 5 for body Ø 37 and Ø 55 CE ⊕ V	1A070/01T001	black		148,00
	A07/2T dimmable phase cut ceiling rose For A07S11N, A07S11WN, A07F86N, A07F86WN, A07F11N, A07F11WN 220-240V~ 50/60Hz Ø 21 x H 5 for body Ø 86 and Ø 110 CE ⊕ V	1A070/02T001	black		148,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

remote drivers

	A07/12 remote driver dimmable phase cut/DALI 40W 700mA 220-240V~ 50/60Hz CE IP20	1A070/120000				47,00
	A07/13 remote driver dimmable phase cut 40W 700mA 220-240V~ 50/60Hz CE IP20	1A070/130000				59,00
	A07/4 remote driver dimmable push/DALI 36W 500mA 220-240V~ 50/60Hz CE IP20	1A070/040000				83,00
	A07/5 remote driver dimmable push/DALI 36W 750mA 220-240V~ 50/60Hz CE IP20	1A070/050000				83,00
	A07/6 remote driver dimmable phase cut 30W 500mA 220-240V~ 50/60Hz CE IP20	1A070/060000				47,00
	A07/7 remote driver dimmable phase cut 40W 700mA 220-240V~ 50/60Hz CE IP20	1A070/070000				47,00







Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

track adapter

	A07/11 only for version Ø 20 dimmable push/DALI 48Vdc SELV CE	1A070/110002	white		175,00
		1A070/110001	black		175,00

off-center accessory

	A07/10 L cable max 500 CE	1A070/100000	white, red, blue		33,00
		1A070/100001	black		33,00



Calculate the price of the lamp adding the cost of the structure to the panels


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------





structure

	A06/1T Suspension dimmable phase cut structure L cable max 500 ceiling rose Ø 15.5 x H 6 220-240V~ 50/60Hz CE ⚡ V	1A060/01T002	matt white	LED 28W 2700K CRI 90 ☐	581,00
	A06/1D Suspension dimmable push/DALI structure L cable max 500 ceiling rose Ø 15.5 x H 6 220-240V~ 50/60Hz CE ⚡ V	1A060/01D002	matt white	LED 25W 2700K CRI 90 ☐	620,00
	A06/2T Suspension dimmable phase cut structure L cable max 500 ceiling rose Ø 15.5 x H 6 220-240V~ 50/60Hz CE ⚡ V	1A060/02T002	matt white	LED 54W 2700K CRI 90 ☐	805,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	A06/2D Suspension dimmable push DALI structure L cable max 500 ceiling rose Ø 15.5 x H 6 220-240V~ 50/60Hz CE ⊕ V	1A060/02D002	matt white	LED 54W 2700K CRI 90 ☐	828,00



panels

	A06C1 small diffusers for A06/1T and A06/1D L 60 H 44 CE	1A060C100002	white		454,00
	A06C2 big diffusers for A06/2T and A06/2D L 90 H 72 CE	1A060C200002	white		769,00



Calculate the price of the lamp adding the structure (for the floor version also the base weight) or the support to the corresponding diffuser for all versions: table, floor, wall and suspension.


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D92V14 Table complete version on/off switch 220-240V~ 50/60 Hz H 13 Ø 14 CE □ V	1D920V140000	white painted aluminum	 LED G9 dimmable	192,00
		1D920V140030	brass		202,00
	D92=18 Table structure dimmer on cable 220-240V~ 50/60 Hz for D92/2 diffuser H 28 base Ø 12 CE □ V	1D92Z=180099	ash wood	 LED G9 dimmable	227,00
		1D920=180002	white painted aluminum		259,00
	D92V18 Support base dimmer on cable 220-240V~ 50/60 Hz for D92/2 diffuser H 16 base Ø 10 CE □ V	1D920V180000	white painted aluminum	 LED G9 dimmable	127,00
		1D920V180030	brass		155,00
	D92=30 Table structure dimmer on cable 220-240V~ 50/60 Hz for D92/3 diffuser H 46 base Ø 20 CE □ V	1D92Z=300099	ash wood	 LED E27 dimmable	288,00
		1D920=300002	white painted aluminum		300,00
	D92V30 Support base dimmer on cable 220-240V~ 50/60 Hz for D92/3 diffuser H 27 base Ø 15 CE □ V	1D920V300000	white painted aluminum	 LED E27 dimmable	140,00
		1D920V300030	brass		162,00
	D92T30 Floor structure dimmer on cable 220-240V~ 50/60 Hz for D92/3 diffuser H 160 base Ø 28 CE □ V	1D920T300002	white painted aluminum	 LED E27 dimmable	493,00
		1D92ZT300099	ash wood		759,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D92/5 Base weight only for floor version D92T30 CE	1D920/500002	white		143,00
		1D920/500000	alu for wood		143,00
	D92P14 Wall/ceiling complete version 220-240V~ 50/60 Hz Ø 14 h 12 CE □ V IP40	1D920P140000	white	 LED G9 dimmable	122,00
	D92P18 Wall/ceiling structure dimmable 220-240V~ 50/60 Hz only for D92/2 diffuser Ø 18 h 15 CE □ V IP40	1D920P180000	white	 LED G9 dimmable	52,00
	D92P30 Wall/ceiling structure dimmable 220-240V~ 50/60 Hz only for D92/3 diffuser Ø 30 h 26 CE □ V IP40	1D920P300000	white	 LED E27 dimmable	56,00
	D92S14 Suspension complete version 220-240V~ 50/60 Hz Ø 14 H 30 - 300 ceiling rose: Ø 13 x 4 CE ⊕ V	1D920S140002	white painted aluminum		191,00
		1D92ZS140099	ash wood	 LED G9	205,00
		1D920S140030	brass		232,00
	D92S18 Suspension structure cover already included 220-240V~ 50/60 Hz only for D92/2 diffuser Ø 18 H 30 - 300 ceiling rose: Ø 13 x 4 CE ⊕ V	1D920S180002	white painted aluminum		150,00
		1D92ZS180099	ash wood	 LED G9	165,00
		1D920S180030	brass		175,00
	D92S30 Suspension structure cover already included 220-240V~ 50/60 Hz only for D92/3 diffuser Ø 30 H 30 - 300 ceiling rose: Ø 13 x 4 CE ⊕ V	1D920S300002	white painted aluminum		211,00
		1D92ZS300099	ash wood	 LED E27	226,00
		1D920S300030	brass		257,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D92S42 Suspension structure cover already included 220-240V~ 50/60 Hz only for D92/4 diffuser Ø 42 H 30 - 300 ceiling rose: Ø 13 x 4 CE ⊕ V	1D920S420002	white painted aluminum		213,00
		1D92ZS420099	ash wood	 LED E27	249,00
		1D920S420030	brass		264,00

multiple suspension version

	D92/7 multiple ceiling rose for diffusers Ø 14 or 18 L cable 5 m ceiling rose: Ø 30 x 5,6 CE ⊕ V	1D920/700002	white	 3 x LED G9	276,00
---	--	--------------	-------	---	--------

	D92/8 multiple ceiling rose for diffusers Ø 30 or 42 L cable 5 m ceiling rose: Ø 30 x 5,6 CE ⊕ V	1D920/800002	white	 3 x LED E27	445,00
---	--	--------------	-------	--	--------

diffuser covers (only for multiple version)

	D92R/01 cover for diffuser D92/1 Ø 14 CE	9D9201703202	white painted aluminum		29,00
		9D92Z1709599	ash wood		32,00
		9D9201703230	brass		50,00

	D92R/02 cover for diffuser D92/2 Ø 18 CE	9D9202703302	white painted aluminum		32,00
		9D92Z2705999	ash wood		39,00
		9D9202703330	brass		52,00

	D92R/03 cover for diffuser D92/3 Ø 30 CE	9D9203703402	white painted aluminum		37,00
		9D92Z3706099	ash wood		54,00
		9D9203703430	brass		65,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D92R/04 cover for diffuser D92/4 Ø 42 CE	9D9204707102	white painted aluminum		40,00
		9D92Z4702499	ash wood		62,00
		9D9204707130	brass		68,00

Diffusers

	D92/1 Diffuser opal glass Ø 14 H 11,2 CE	1D920/100002	opal		64,00
---	---	--------------	------	--	-------


	D92/2 Diffuser opal glass Ø 18 H 15 CE	1D920/200002	opal		94,00
---	---	--------------	------	--	-------

	D92/3 Diffuser opal glass Ø 30 H 25 CE	1D920/300002	opal		153,00
---	---	--------------	------	--	--------

	D92/4 Diffuser opal glass Ø 42 H 36 CE	1D920/400002	opal		257,00
---	---	--------------	------	--	--------

D15 LOLA

alberto meda, paolo rizzato

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D15ND floor foot dimmer 220-240V~ 50/60Hz H 160/200 base Ø 48 CE □ V	1D15=1ND0020	alu	 LED dimmable R7s Ømax: 22 mm	518,00
		1D15=1ND0017	black	 240W HDG R7s energy saver	518,00
	D15NA1 wall dimmable 220-240V~ 50/60Hz H 25 x L 18 depth 25 CE □ V	1D15A1N00020	alu	 LED dimmable R7s Ømax: 22 mm	192,00
		1D15A1N00017	black	 240W HDG R7s energy saver	192,00

D85 LUTHIEN

monica armani


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D85A wall dimmable phase cut 220-240V~ 50/60Hz L 27 x W 27 x H 10 CE ⊕ V	1D850A000002	matt white	 LED module 21W 2700K CRI 80	304,00
		1D850A000004	pearl		323,00
		1D850A000024	pink powder		323,00
		1D850A000028	sand		323,00
	D85AD wall dimmable DALI 220-240V~ 50/60Hz L 27 x W 27 x H 10 CE ⊕ V	1D850AD00002	matt white	 LED module 21W 2700K CRI 80	318,00
		1D850AD00004	pearl		337,00
		1D850AD00024	pink powder		337,00
		1D850AD00028	sand		337,00

3000K versions


	D85AC wall dimmable phase cut 220-240V~ 50/60Hz 27 x 27 x 10 CE ⊕ V	1D850A0C0002	matt white	 LED module 21W 3000K CRI 80	304,00
		1D850A0C0004	pearl		323,00
		1D850A0C0024	pink powder		323,00
		1D850A0C0028	sand		323,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D85ADC wall dimmable DALI 220-240V~ 50/60Hz 27 x 27 x 10 CE ⊕ V	1D850ADC0002	matt white	LED module 21W 3000K CRI 80 ☐	318,00
		1D850ADC0004	pearl		337,00
		1D850ADC0024	pink powder		337,00
		1D850ADC0004	sand		337,00


Malamata floor



Malamata wall



Malamata suspension



For all versions calculate the price of the lamp adding the structure to the diffuser.


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

floor version


	B01T22 Floor dimmable structure foot dimmer for diffuser Ø 22 220-240V~ 50/60Hz H 150 L 96 CE □ V	1B010T220001	matt black	LED E14 max Ø 40 mm dimmable	517,00
		1B010T220030	brushed brass		721,00
	B01/3 Base Ø 38 CE	1B010/300001	matt black		180,00
		1B010/300030	brushed brass		294,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

wall version

	B01A22 Wall dimable structure dimmer on board for diffuser Ø 22 220-240V~ 50/60Hz H 33 L 152	1B010A220001	matt black	 LED E14 max Ø 40 mm dimable	677,00
	CE  	1B010A220030	brushed brass		972,00

suspension version

	B01S22 Suspension only structure for diffuser Ø 22 220-240V~ 50/60Hz	1B010S220001	matt black	 LED E14 max Ø 40 mm	605,00
	CE  	1B010S220030	brushed brass		806,00


	B01S48 Suspension only structure for diffuser Ø 48 220-240V~ 50/60Hz H max 444 L 119	1B010S480001	matt black	 LED E27 max Ø 70 mm	709,00
	CE  	1B010S480030	brushed brass		913,00

opal difusers

	B01/1 Opal diffuser for B01A22, B01T22, B01S22 Ø 22	1B010/100002	opal		112,00
CE					

	B01/2 Opal diffuser for B01S48 Ø 48	1B010/200002	opal		257,00
CE					

Mesh wireless



Luceplan Mesh

NEW






Google Play
App Store

Don't use characters: . , " ° £ /

APP:  www.luceplan.com/products/mesh-wirelessMesh master PSK  luceplan






Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

complete versions phase cut Ø 80


	D86KT081 suspension dimable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 1 m ceiling rose: Ø 30 x 7 CE  	1D86KT081001	black	LED 53W 2700K CRI 90 	3.100,00
	D86KT082 suspension dimable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 2 m ceiling rose: Ø 30 x 7 CE  	1D86KT082001	black	LED 53W 2700K CRI 90 	3.213,00
	D86KT083 suspension dimable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 3 m ceiling rose: Ø 30 x 7 CE  	1D86KT083001	black	LED 53W 2700K CRI 90 	3.213,00
	D86KT084 suspension dimable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 4 m ceiling rose: Ø 30 x 7 CE  	1D86KT084001	black	LED 53W 2700K CRI 90 	3.213,00
	D86KT085 suspension dimable phase cut 220-240V~ 50/60 Hz h 60, Ø 80 L cable 5 m ceiling rose: Ø 30 x 7 CE  	1D86KT085001	black	LED 53W 2700K CRI 90 	3.213,00




Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

complete versions with wireless kit Ø 80



	D86KW081A suspension wireless kit included 220-240V~ 50/60 Hz h 60, Ø 80 L cable 1 m ceiling rose: Ø 30 x 7 CE  	1D86KW081001A	black	LED 50W 2700K CRI 90 	3.311,00
	D86KW082A suspension wireless kit included 220-240V~ 50/60 Hz h 60, Ø 80 L cable 2 m ceiling rose: Ø 30 x 7 CE  	1D86KW082001A	black	LED 50W 2700K CRI 90 	3.477,00
	D86KW083A suspension wireless kit included 220-240V~ 50/60 Hz h 60, Ø 80 L cable 3 m ceiling rose: Ø 30 x 7 CE  	1D86KW083001A	black	LED 50W 2700K CRI 90 	3.477,00
	D86KW084A suspension wireless kit included 220-240V~ 50/60 Hz h 60, Ø 80 L cable 4 m ceiling rose: Ø 30 x 7 CE  	1D86KW084001A	black	LED 50W 2700K CRI 90 	3.477,00
	D86KW085A suspension wireless kit included 220-240V~ 50/60 Hz h 60, Ø 80 L cable 5 m ceiling rose: Ø 30 x 7 CE  	1D86KW085001A	black	LED 50W 2700K CRI 90 	3.477,00




complete versions phase cut Ø 100

	D86KT101 suspension dimable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 1 m ceiling rose: Ø 30 x 7 CE  	1D86KT101001	black	LED 64W 2700K CRI 90 	3.991,00
---	--	--------------	-------	--	----------



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D86KT102 suspension dimable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 2 m ceiling rose: Ø 30 x 7 CE ⊕ V	1D86KT102001	black	LED 64W 2700K CRI 90 ☐	4.091,00
	D86KT103 suspension dimable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 3 m ceiling rose: Ø 30 x 7 CE ⊕ V	1D86KT103001	black	LED 64W 2700K CRI 90 ☐	4.091,00
	D86KT104 suspension dimable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 4 m ceiling rose: Ø 30 x 7 CE ⊕ V	1D86KT104001	black	LED 64W 2700K CRI 90 ☐	4.091,00
	D86KT105 suspension dimable phase cut 220-240V~ 50/60 Hz h 90, Ø 100 L cable 5 m ceiling rose: Ø 30 x 7 CE ⊕ V	1D86KT105001	black	LED 64W 2700K CRI 90 ☐	4.091,00

complete versions with wireless kit Ø 100

	D86KW101A suspension wireless kit included 220-240V~ 50/60 Hz h 90, Ø 100 L cable 1 m ceiling rose: Ø 30 x 7 CE ⊕ V	1D86KW101001A	black	LED 61W 2700K CRI 90 ☐	4.128,00
	D86KW102A suspension wireless kit included 220-240V~ 50/60 Hz h 90, Ø 100 L cable 2 m ceiling rose: Ø 30 x 7 CE ⊕ V	1D86KW102001A	black	LED 61W 2700K CRI 90 ☐	4.295,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D86KW103A suspension wireless kit included 220-240V~ 50/60 Hz h 90, Ø 100 L cable 3 m ceiling rose: Ø 30 x 7 CE  	1D86KW103001A	black	LED 61W 2700K CRI 90 	4.295,00
	D86KW104A suspension wireless kit included 220-240V~ 50/60 Hz h 90, Ø 100 L cable 4 m ceiling rose: Ø 30 x 7 CE  	1D86KW104001A	black	LED 61W 2700K CRI 90 	4.295,00
	D86KW105A suspension wireless kit included 220-240V~ 50/60 Hz h 90, Ø 100 L cable 5 m ceiling rose: Ø 30 x 7 CE  	1D86KW105001A	black	LED 61W 2700K CRI 90 	4.295,00

complete versions

	D86C551 suspension dimmmable phase cut 220-240V~ 50/60 Hz Ø 55, h 55 L cable 1 m ceiling rose: Ø 26 x 5 CE  	1D860C551001	black	LED 40W 2700K CRI 90 	1.729,00
	D86C555 suspension dimmmable phase cut 220-240V~ 50/60 Hz Ø 55, h 55 L cable 5 m ceiling rose: Ø 26 x 5 CE  	1D860C555001	black	LED 40W 2700K CRI 90 	1.861,00
	D86PLN ceiling dimmmable phase cut 220-240V~ 50/60 Hz Ø 72, h 32 CE  	1D860PLN0001	black	LED 50W 2700K CRI 90 	2.615,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

complete indoor versions

	D2017V1 wall/ceiling glass diffuser 220-240V 50/60Hz H 8 Ø 17	1D2017V01019	polished	 LED 2700K E14	249,00
		1D2017V01020	painting alu	 28W HSGSA E14 energy saver	271,00
		1D2017V01040	satin bronze		401,00

	D2017V7 wall/ceiling glass diffuser 220-240V 50/60Hz H 8 Ø 17	1D2017V07019	polished	 LED 12W @ 2700K main power CRI 90	360,00
		1D2017V07020	painting alu		382,00
		1D2017V07040	satin bronze		509,00

	D2027V1 wall/ceiling glass diffuser 220-240V 50/60Hz H 10 Ø 27	1D2027V01020	painting alu	 LED E27	318,00
		1D2027V01019	polished	 15W FBT E27	327,00
		1D2027V01040	satin bronze	 70W HSGSA E27 energy saver	469,00

	D2027V9 wall/ceiling glass diffuser 220-240V 50/60Hz H 10 Ø 27	1D2027V09020	painting alu	 LED 12W @ 3000K main power CRI 90	410,00
		1D2027V09019	polished		419,00
		1D2027V09040	satin bronze		561,00

complete outdoor versions

	D2017P1 wall/ceiling polycarbonate diffuser 220-240V 50/60Hz H 8 Ø 17	1D2017P01020	painting alu	 LED 2700K E14	259,00
				 28W HSGSA E14 energy saver	

	D2017P7 wall/ceiling polycarbonate diffuser 220-240V 50/60Hz H 8 Ø 17	1D2017P07020	painting alu	 LED 12W @ 2700K main power CRI 90	370,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D2027P1 wall/ceiling polycarbonate diffuser 220-240V 50/60Hz H 10 Ø 27 CE   IP65	1D2027P01020	painting alu	 LED E27 dimmable  70W HSGSA E27 energy saver	306,00
	D2027P9 wall/ceiling polycarbonate diffuser 220-240V 50/60Hz H 10 Ø 27 CE   IP65	1D2027P09020	painting alu	LED 12W @ 2700K main power CRI 90 	398,00
	D2038P2 wall/ceiling polycarbonate diffuser 220-240V 50/60Hz H 12 Ø 38 CE   IP65	1D2038P02020	painting alu	 2xLED E27  2x70W HSGSA E27 energy saver	357,00



A11S50W



A11S85W







complete lamp


A11/2
A11/3
A11/4
A11/5

A11/1D
A11/1T


Calculate the price of the lamp adding the cost of the ceiling rose to the stem and to the disc

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

wall structure complete 2700K

	A11A25W Wall dimmable phase-cut 220-240V ~ 50/60Hz Ø 25 H 3   	1A110A25W002	white/mirror	LED 28W 2700K CRI 90 ☐	295,00
--	--	--------------	--------------	---	--------

wall structure complete 3000K

	A11A25 Wall dimmable phase-cut 220-240V ~ 50/60Hz Ø 25 H 3   	1A110A250002	white/mirror	LED 28W 3000K CRI 90 ☐	295,00
---	---	--------------	--------------	---	--------

suspension structure

	A11/2 Stem H 23, lamp total height 	1A110/020010	blue		64,00
		1A110/020030	brass		75,00

Structure	Model Dimension cm	Item code	Finishes		Suggested light source		Euro ex.V.A.T.
	A11/3 Stem H 33, lamp total height CE	1A110/030010		blue			68,00
		1A110/030030		brass			80,00
	A11/4 Stem H 53, lamp total height CE	1A110/040010		blue			79,00
		1A110/040030		brass			99,00
	A11/5 Stem H 73, lamp total height CE	1A110/050010		blue			90,00
		1A110/050030		brass			116,00

ceiling rose

	A11/1D push/DALI ceiling rose Ø 11 H 8 CE ⚡ V	1A110/01D010		blue	39W		220,00
		1A110/01D030		brass			245,00
	A11/1T phase cut ceiling rose Ø 11 H 8 CE ⚡ V	1A110/01T010		blue	37W		179,00
		1A110/01T030		brass			204,00

optic

	A11S50W disc LED 927 Ø 50 CE ⚡ V	1A110S50W018		mirror / mirror	2700K CRI 90	☐	522,00
---	--	--------------	--	-----------------	-----------------	--------------------------	--------


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	A11S85W disc LED 927 Ø 85 CE  	1A110S85W018	mirror / mirror	2700K CRI 90 	693,00

cover plate for wall structure

	A11/6 cover CE	1A110/060002			30,00
---	---------------------------------	--------------	--	--	-------

A02 NUI

meneghello paoletti associati

	+		+		=	
base		head		optic + stem		complete version
The lamp has an IK03 grade. Calculate the price of the lamp adding the cost of the base to the head to the optic+stem.						

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

version A (the lamp is supplied without power supply)

	A02TA1 outdoor floor base for A version h 34 Ø 18,5 CE	1A020TA10028	concrete grey		190,00
	A02TA2 outdoor floor head for A version h 17 Ø 18,5 CE	1A020TA20028	concrete grey		190,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------


version B (the lamp is supplied without power supply)

	A02TB1 outdoor floor base for B version h 20 Ø 18,5 CE	1A020TB10028	concrete grey		190,00
	A02TB2 outdoor floor head for B version h 31 Ø 18,5 CE	1A020TB20028	concrete grey		190,00


version C (the lamp is supplied without power supply)

	A02TC3 outdoor floor base for C version h 42 Ø 18,5 CE	1A020TC30028	concrete grey		294,00
	A02TC4 outdoor floor head for C version h 7 Ø 32 CE	1A020TC40028	concrete grey		240,00

optic

	A02LC1 LED optic + stem for A, B and C versions 24V dc CE  IP65	1A020LC10000		LED 14W 3000K CRI 90 	190,00
---	---	--------------	--	--	--------

version D. Complete version with optic.


	A02TD2 outdoor floor/wall 220-240V 50/60Hz h 14 Ø 18,5 CE  IP65	1A020TD20028	concrete grey	LED 14W 3000K CRI 90 	424,00
---	---	--------------	---------------	--	--------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

power supply can be inserted inside the lamp

	A02/2 driver on/off 24V, 14W 220-240V 50/60Hz SELV for A, B and C versions	1A020/020000			49,00
	CE IP67				

remote driver (the junction box is recommended watertight IP68)

	D94/1 dimnable push/DALI driver for 1 body 24V, 35W 220-240V~ 50/60Hz SELV for A, B and C versions	1D940/100000			97,00
	CE IP20				

A02R1 NUI MINI

meneghello paoletti associati


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

table lamp portable/rechargeable (USB charger not included in the package)

	A02R1 table / outdoor portable / rechargeable dimmer on board USB/USB-C cable included h 28 Ø 11	1A020=R10002	white	LED 4W 2700K CRI 90 ☐	260,00
		1A020=R10039	greige		260,00
		1A020=R10004	sand		260,00

USB charger for A02R1

	A02/1 USB charger input 110/240V~ 50/60Hz output 5V 2,4A	1A020/010000			34,00
	CE 				



Calculate the price of the lamp adding the cost of the body to the accessories.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D72N1 table dimmer on board head L 13 x H 10,5 x W 2 arms l 47 + 42,2 CE	1D720=N10002	white	LED 8W 3000K CRI 80	388,00
		1D720=N10001	black soft-touch		401,00
		1D720=N10018	mirror		401,00


accessories


	D72/1 table base L 18,5 x 18,5 CE	1D72/1000001	black soft-touch		89,00
		1D72/1000002	white		117,00
		1D72/1000018	mirror		125,00
	D72/2 fixing pin (for use on the table max 41mm, hole Ø 10mm) h 4,4, Ø 3 CE	1D72/2000002	white		39,00
		1D72/2000001	black soft-touch		39,00
		1D72/2000018	mirror		43,00
	D72/3 clamp (for use on the table max 41mm) h 4,4 CE	1D72/3000002	white		76,00
		1D72/3000001	black soft-touch		76,00
		1D72/3000018	mirror		78,00
	D72/4 wall bracket L 5 x H 4.5 CE	1D72/4000002	white		38,00
		1D72/4000001	black soft-touch		38,00
		1D72/4000018	mirror		38,00


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D72/5 desk joint (for use on the table max h 4) h 4,4, Ø 12,5 CE	1D72/5000002	white		52,00
		1D72/5000001	black soft-touch		52,00
		1D72/5000018	mirror		54,00


D71 PETALE

odile decq






 structure


 optic



 complete lamp

Calculate the price of the lamp adding the cost of the structure to the corresponding optical system.


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D71PV suspension + LED strip L 136 x W 83 x H 15 H 50 - 300 ceiling rose: Ø 12 x 3 LED strip dimmable DALI CE	1D710P0V0002	white	LED 17W 3000K CRI90 ☐	2.122,00
	D71PIV suspension + LED strip L 154,5 x w 120 x H15 H 50 - 300 ceiling rose: Ø 12 x 3 LED strip dimmable DALI CE	1D710P1V0002	white	LED 21W 3000K CRI90 ☐	2.547,00
	D71CV suspension + LED strip Ø 120 x H 15 H 50 - 300 ceiling rose: Ø 12 x 3 LED strip dimmable DALI CE	1D710C0V0002	white	LED 18W 3000K CRI90 ☐	2.122,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------



optics 2700K version


	D71/7DVW optic LED at direct light push dim / DALI 220-240V~ 50/60 Hz CE  	1D71/7DVW002		 LED 45W 2700K CRI 90 ☐	658,00
	D71/7DLW optic LED at direct/indirect light push dim / DALI 220-240V~ 50/60 Hz CE  	1D71/7DLW002		 LED 45W 2700K CRI 90 +  LED 25W 2700K CRI 90 ☐	976,00

optics 3000K version


	D71/7DV optic LED at direct light push dim / DALI 220-240V~ 50/60 Hz CE  	1D71/7DV0002		 LED 45W 3000K CRI 90 ☐	697,00
	D71/7DL optic LED at direct/indirect light push dim / DALI 220-240V~ 50/60 Hz CE  	1D71/7DL0002		 LED 45W 3000K CRI 90 +  LED 25W 3000K CRI 90 ☐	976,00


top cover lamp body


	D71/OAC cover for D71CV CE	1D71/OAC0002	white		225,00
	D71/OAP cover for D71PV CE	1D71/OAP0002	white		225,00

Structure	Model Dimension cm	Item code	Finishes		Suggested light source		Euro ex.V.A.T.
	D71/OAPI cover for D71P1V CE	1D71/OAP1002		white			239,00

only sound-absorbing bodies (no light)

	D71PA suspension soundproofing L 136 x W 83 x H 15 H 50 - 300 CE	1D710PA0002		white			1.133,00
---	---	-------------	--	-------	--	--	----------


	D71P1A suspension soundproofing L 154,5 x W 120 x H 15 H 50 - 300 CE	1D710P1A0002		white			1.617,00
---	---	--------------	--	-------	--	--	----------

	D71CA suspension soundproofing Ø 120 x H 15 H 50 - 300 CE	1D710C0A0002		white			1.143,00
---	--	--------------	--	-------	--	--	----------

fixing kit for only sound-absorbing bodies (no light)

	D71/S suspension fixing kit CE	1D71/OS00000					95,00
---	--	--------------	--	--	--	--	-------

	D71/S1 ceiling fixing kit CE	1D71/OS10000					106,00
---	--	--------------	--	--	--	--	--------



Calculate the price of the lamp adding the cost of the structure to the corresponding optical system and to the optional accessories.

Besides the four catalogue colors, other chromatic ranges have been selected for personalization of the lamps. These custom hues are offered with a 10% surcharge.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D79/90c suspension textile Ø 90 h 45 L cable 80 - 450 ceiling rose: Ø 16 x 4 CE	1D7909C000A2	light grey 133		2.236,00
		1D7909C000A3	dark grey 152		2.236,00
		1D7909C000B2	rust 252		2.236,00
		1D7909C000B1	sand 242		2.236,00
	D79/120c suspension textile Ø 117 h 45 L cable 80 - 450 ceiling rose: Ø 16 x 4 CE	1D7912C000A2	light grey 133		2.430,00
		1D7912C000A3	dark grey 152		2.430,00
		1D7912C000B2	rust 252		2.430,00
		1D7912C000B1	sand 242		2.430,00
	D79/150c suspension textile Ø 148,5 h 45 L cable 80 - 450 ceiling rose: Ø 16 x 4 CE	1D7915C000A2	light grey 133		2.971,00
		1D7915C000A3	dark grey 152		2.971,00
		1D7915C000B2	rust 252		2.971,00
		1D7915C000B1	sand 242		2.971,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

optics

	D79R/03 E27 optic 220-240V~ 50/60Hz ceiling rose and suspension cables included ceiling rose: Ø 16 x 4	9D7903608200			 3 x LED E27		264,00


2700K optics


	D79R/24 LED optic push dim / DALI 220-240V~ 50/60 Hz ceiling rose and suspension cables included ceiling rose: Ø 16 x 4	9D7924103200			LED 41W 2700K CRI 90	☐	678,00
---	--	--------------	--	--	----------------------------	--------------------------	--------

3000K optics

	D79R/25 LED optic push dim / DALI 220-240V~ 50/60 Hz ceiling rose and suspension cables included ceiling rose: Ø 16 x 4	9D7925103100			LED 41W 3000K CRI 90	☐	656,00
--	--	--------------	--	--	----------------------------	--------------------------	--------


accessories

	D79R/07 Lower screen (optional in the LED version)	9D7907726000		satin Ø 90 cm			250,00
		9D7907726100		satin Ø 120 cm			383,00
		9D7907726200		satin Ø 150 cm			407,00

	D79R/09 suspension kits for installation in parallel ropes (optional)	9D7909612000		white			28,00
---	--	--------------	--	-------	--	--	-------


D89 SOLEIL NOIR

odile decq

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D89p ceiling push dimmer/DALI 220-240V~ 50/60Hz L 120 x W 62,5 H 18,5 CE ⚡ V	1D890P000002	white	LED 35W 3000K CRI 80 ☐	1.999,00
		1D890P000035	black/white		2.041,00
	D89s suspension push dimmer/DALI 220-240V~ 50/60Hz L 120 x W 62,5 x H 35 H min 45 - max 450 ceiling rose: Ø 15 x 5 CE ⚡ V	1D890S000002	white	LED 35W 3000K CRI 80 ☐	1.999,00
		1D890S000035	black/white		2.041,00

D87 STOCHASTIC

daniel rybakken



structure + kit spheres + rods = complete lamp

Calculate the price of the lamp adding the structure to the kit.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

2700K version



	D87CW1 suspension dimmable trailing edge 220-240V~ 50/60Hz H min 120 - max 320 ceiling rose: Ø 18 x 4 CE ⚡ V	1D870CW10000	alu	LED 18W 2700K CRI 90 ☐	785,00
---	---	--------------	-----	---	--------

3000K version

	D87CC1 suspension dimmable trailing edge 220-240V~ 50/60Hz H min 120 - max 320 ceiling rose: Ø 18 x 4 CE ⚡ V	1D870CC10000	alu	LED 18W 3000K CRI 90 ☐	785,00
---	---	--------------	-----	---	--------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

Kit spheres + rods

	D87048 Kit 48 spheres + rods 	1D8704800002	opal white		726,00
	D87072 Kit 72 spheres + rods 	1D8707200002	opal white		1.115,00

D77 TANGO

francisco gomez paz

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

2700K version


	D77NTW floor sensor dimmer + on/off footswitch 220-240V~ 50/60 Hz h 167 base 54 x 47,5   	1D77NTDW0001	black	LED 35W 2700K CRI 80 	1.075,00
---	--	--------------	-------	--	----------

3000K version


	D77NT floor sensor dimmer + on/off footswitch 220-240V~ 50/60 Hz h 167 base 54 x 47,5   	1D77NTD00001	black	LED 35W 3000K CRI 80 	1.038,00
---	---	--------------	-------	--	----------

D17 TITANIA

alberto meda, paolo rizzatto


Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D17 suspension up and down 220-240V~ 50/60Hz coloured filters included: yellow, rose, light blue, violet L 70 x H 27 x W 8 H min 100 - max 250 ceiling rose: Ø 12 x 3 CE  	1D1700000020	alu	 LED E27 Ø max 38 mm l 150 mm  205W HSGST E27 energy saver	460,00

accessories


	D13/25 off-center ceiling rose CE	9D1325476800	white		48,00
---	--	--------------	-------	--	-------




D17Q QUEEN TITANIA


alberto meda, paolo rizzatto

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D17Q suspension 220-240V~ 50/60Hz L 140 x H 16 ceiling rose: Ø 14 x 4 CE  	1D170QHAL020	alu	 2xLED E27 Ø max 38 mm l 150 mm  2x205W HSGST/F E27 energy saver	1.086,00

accessories

	D17Q /01 pair of polycarbonate filter CE	1D170Q/01024	rose		61,00
		1D170Q/01023	sky blue		61,00
		1D170Q/01027	yellow		61,00
		1D170Q/01036	violet		61,00
	D17Q /02 suspension kit with counterweight h 50 - 250 CE	1D170Q/02020	alu		220,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D14a ceiling/wall 220-240V~ 50/60Hz h 17 Ø 64 CE ⚡ V	1D14A0000020	alu	 3XLED E27  3X70W HSGSA E27 energy saver	408,00
	D14 a.pi. ceiling/wall 220-240V~ 50/60Hz h 16 Ø 50 CE ⚡ V	1D14A1PI0020	alu	 3XLED E27  3X42W HSGSA E27 energy saver	340,00
	D14 sa. suspension up and down dimmable trailing edge 220-240V~ 50/60Hz H 80/170 Ø 64 ceiling rose: Ø 18 x 4 CE ⚡ V	1D14SA0000020	alu	 LED dimmable R7s Ømax: 22 mm  240W HDG R7s energy saver	556,00



Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

structure

	D97/1D cylindrical body direct/indirect light dimmable push/DALI beam: 56° downward , 100° upward 220-240V~ 50/60Hz Ø 5,6, H 90 ceiling rose: Ø 30 x 5 CE	1D970/1D0001	matt black	LED module 2 x 20W dim to warm ☐ 3000K → 1800K CRI 97	992,00
	D97/2D cylindrical body direct/indirect light dimmable push/DALI beam: 56° downward , 100° upward 220-240V~ 50/60Hz Ø 5,6, H 120 ceiling rose: Ø 30 x 5 CE	1D970/2D0001	matt black	LED module 2 x 20W dim to warm ☐ 3000K → 1800K CRI 97	1.079,00

panels for standard collection

	D97C36 sound-absorbing panel for D97/1D and D97/2D L 30 H 60 CE	1D970C3600B1	light grey 01		242,00
		1D970C3600B2	medium grey 02		242,00
		1D970C3600B3	dark grey 03		242,00
	D97C37 sound-absorbing panel only for D97/2D L 30 H 75 CE	1D970C3700B1	light grey 01		245,00
		1D970C3700B2	medium grey 02		245,00
		1D970C3700B3	dark grey 03		245,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D97C39 sound-absorbing panel only for D97/2D L 30 H 90 CE	1D970C3900B1	light grey 01		268,00
		1D970C3900B2	medium grey 02		268,00
		1D970C3900B3	dark grey 03		268,00

panels for melange collection (on request)

	D97C36 sound-absorbing panel for D97/1D and D97/2D L 30 H 60 CE	1D970C3600A1	light shade 07		260,00
		1D970C3600A2	medium shade 08		260,00
		1D970C3600A3	dark shade 12		260,00

	D97C37 sound-absorbing panel only for D97/2D L 30 H 75 CE	1D970C3700A1	light shade 07		263,00
		1D970C3700A2	medium shade 08		263,00
		1D970C3700A3	dark shade 12		263,00

	D97C39 sound-absorbing panel only for D97/2D L 30 H 90 CE	1D970C3900A1	light shade 07		291,00
		1D970C3900A2	medium shade 08		291,00
		1D970C3900A3	dark shade 12		291,00

panels for solid collection (on request)

	D97C36 sound-absorbing panel for D97/1D and D97/2D L 30 H 60 CE	1D970C3600A4	peach 06		260,00
		1D970C3600A5	orange 15		260,00
		1D970C3600A6	mustard 19		260,00
		1D970C3600A7	brick 29		260,00
		1D970C3600A8	brown 31		260,00


	D97C37 sound-absorbing panel only for D97/2D L 30 H 75 CE	1D970C3700A4	peach 06		263,00
		1D970C3700A5	orange 15		263,00
		1D970C3700A6	mustard 19		263,00
		1D970C3700A7	brick 29		263,00
		1D970C3700A8	brown 31		263,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	D97C39 sound-absorbing panel only for D97/2D L 30 H 90 CE	1D970C3900A4	peach 06		291,00
		1D970C3900A5	orange 15		291,00
		1D970C3900A6	mustard 19		291,00
		1D970C3900A7	brick 29		291,00
		1D970C3900A8	brown 31		291,00


kit plaquettes

	D97/31 kit plaquettes for closing panel L 30 CE	1D970/310001	matt black		68,00
---	---	--------------	------------	--	-------

Zile table



Zile floor



For the table version B0240D and floor version B02T40D, add the price of the structure to the shade.

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

table version

	B0220 Table complete version on/off switch 220-240V~ 50/60Hz H 42 base Ø 18 shade Ø 20 CE □ ▽	1B020=200013	matt brick red	LED E27		257,00
		1B020=200039	matt dove gray			257,00
		1B020=200001	matt black			257,00
		1B020=200002	matt white			257,00
	B0240D Table dimmmable structure dimmer on board 220-240V~ 50/60Hz H 66 base Ø 30 CE □ ▽	1B020=40D013	matt brick red	LED E27 dimmmable		279,00
		1B020=40D039	matt dove gray			279,00
		1B020=40D001	matt black			279,00
		1B020=40D002	matt white			279,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

floor version


	B02T40D Floor dimmable structure dimmer on board 220-240V~ 50/60Hz H 171 base Ø 40   	1B020T40D013	matt brick red	 LED E27 dimmable		478,00
		1B020T40D039	matt dove gray			478,00
		1B020T40D001	matt black			478,00
		1B020T40D002	matt white			478,00

shade

	B02/2 shade for B0240D and B02T40D 	1B020/200013	matt brick red			178,00
		1B020/200039	matt dove gray			178,00
		1B020/200001	matt black			178,00
		1B020/200002	matt white			178,00

suspension version

	B02S20 Suspension complete version 220-240V~ 50/60Hz L cable max 300 shade H 22,5 - Ø 20   	1B020S200013	matt brick red	 LED E27		180,00
		1B020S200039	matt dove gray			180,00
		1B020S200001	matt black			180,00
		1B020S200002	matt white			180,00

	B02S40 Suspension complete version 220-240V~ 50/60Hz L cable max 300 shade H 27,5 - Ø 40   	1B020S400013	matt brick red	 LED E27		298,00
		1B020S400039	matt dove gray			298,00
		1B020S400001	matt black			298,00
		1B020S400002	matt white			298,00

	B02/1 decentralization accessory 	1B020/100013	matt brick red			16,00
		1B020/100039	matt dove gray			16,00
		1B020/100001	matt black			16,00
		1B020/100002	matt white			16,00

TRACKS

track system

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

built-in

	A00BP1 plaf. track 4,9 x H 1,5 L 100	9A000BP10001	black		124,00
	A00BP2 plaf. track 4,9 x H 1,5 L 200	9A000BP20001	black		239,00
	A00BP3 plaf. track 4,9 x H 1,5 L 300	9A000BP30001	black		354,00

ceiling/wall

	A00BS11 suspension track 1,9 x H 1 L 100	9A000BS11002	white		117,00
		9A000BS11001	black		117,00
	A00BS12 suspension track 1,9 x H 1 L 200	9A000BS12002	white		225,00
		9A000BS12001	black		225,00
	A00BS13 suspension track 1,9 x H 1 L 300	9A000BS13002	white		334,00
		9A000BS13001	black		334,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

ceiling/curved wall

	A00BS30 curved track 1,9 x H 1 L 100	9A000BS3O002	white		204,00
		9A000BS3O001	black		204,00
	A00BS50 curved track 1,9 x H 1 L 200	9A000BS5O002	white		239,00
		9A000BS5O001	black		239,00
	A00BS3V curved track 1,9 x H 1 L 300	9A000BS3V002	white		204,00
		9A000BS3V001	black		204,00

suspension

	A00BS21 suspension track 1,9 x H 2,4 L 100	9A000BS21002	white		127,00
		9A000BS21001	black		127,00
	A00BS22 suspension track 1,9 x H 2,4 L 200	9A000BS22002	white		244,00
		9A000BS22001	black		244,00
	A00BS23 suspension track 1,9 x H 2,4 L 300	9A000BS23002	white		362,00
		9A000BS23001	black		362,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------


end caps

	A00BT1 end cap 1,9 x H 1 L 0,8	9A000BT10002	white		12,00
		9A000BT10001	black		12,00

	A00BT5 end cap 2 x H 1,4 L 0,3	9A000BT50001	black		12,00
---	--	--------------	-------	--	-------

	A00BT6 end cap 1,9 x H 2,4 L 0,8	9A000BT60002	white		12,00
		9A000BT60001	black		12,00

template

	A00BD5 template 3,9 x 4,8 thickness 0,2	9A000BD50000	black		14,00
---	---	--------------	-------	--	-------


end cap

	A00BC5 end cap 1,3 x 0,5 L 300	9A000BC50002	white		36,00
		9A000BC50001	black		36,00

	A00BC1 end cap 1,2 x 0,3 L 300	9A000BC10002	white		36,00
		9A000BC10001	black		36,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------

locking tool

	A00BT locking tool	9A000BT00000	black		261,00
---	------------------------------	--------------	-------	--	--------

ceiling rose

	A00BR ceiling rose	9A000BR00000	black		31,00
---	------------------------------	--------------	-------	--	-------

short bracket

	A00BS1 short bracket 1,5 x 0,5 L 2,5	9A000BS10002	white		14,00
		9A000BS10001	black		14,00

	A00BS2 short bracket 1,5 x 0,5 L 5	9A000BS20002	white		19,00
		9A000BS20001	black		19,00

lock

	A00BT3 M3 lock Ø 9 H 3	9A000BT30000	black		13,00
---	-------------------------------------	--------------	-------	--	-------

steel cable

	A00BF5 steel cable Ø 0,15	9A000BF50000			24,00
---	--	--------------	--	--	-------

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
-----------	-----------------------	-----------	----------	---------------------------	-------------------


ceiling rose




	A00BDP plastic cup 3,2 x 4,2 L 43,5	9A000BDP0002	white		406,00
		9A000BDP0001	black		406,00
	A00BDS head ceiling 3,2 x 4,2 L 43,5	9A000BDS0002	white		406,00
		9A000BDS0001	black		406,00

end feed

	A00BTP end feed 1,9 x 1 L 14	9A000BTP0001	black		39,00
		9A000BDP0002	white		406,00
	A00BTS concealed end feed 1,1 x 0,7 L 11,6 L cable 250	9A000BTS0002	white		65,00
		9A000BTS0001	black		65,00

joint

	A00BGP jointing connector 1,1 x 0,7 L 11,3	9A000BGP0002	white		35,00
		9A000BGP0001	black		35,00
	A00BGL L joint 8,7 x 0,7 L 8,7	9A000BGL0002	white		95,00
		9A000BGL0001	black		95,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	A00BGT feed ceiling-wall 8,7 x 0,7 L 8,7	9A000BGT0002	white		95,00
		9A000BGT0001	black		95,00
	A00BGF adjustable corner 1,1 x 0,7 L 23,8	9A000BGF0002	white		104,00
		9A000BGF0001	black		104,00
	A00BCGO horizontal corner joint cover 2,4 x 1 L 2,4	9A000BCGO002	white		12,00
		9A000BCGO001	black		12,00
	A00BCGV vertical corner joint cover 2,2 x 1,9 L 2,2	9A000BCGV002	white		12,00
		9A000BCGV001	black		12,00

2700K optics

	A00B303 mod.30 len.30° dimnable push/DALI 4,9W 48V dc SELV 1,1 x 0,7 L 30	9A000B303001	black		242,00
	A00BE03 mod.30 len.ell dimnable push/DALI 4,9W 48V dc SELV 1,1 x 0,7 L 30	9A000BE03001	black		242,00
	A00B067 mod.67 opal dimnable push/DALI 7,4W 48V dc SELV 1,1 x 0,7 L 67,4	9A000B067001	black		300,00

Structure	Model Dimension cm	Item code	Finishes	Suggested light source	Euro ex.V.A.T.
	A00B117 mod.117 opal dimmable push/DALI 7,4W 48V dc SELV 1,1 x 0,7 L 117,4	9A000B117001	black		481,00
	A00B167 mod.167 opal dimmable push/DALI 14,5W 48V dc SELV 1,1 x 0,7 L 167,4	9A000B167001	black		535,00
	A00WBU03 mod.UGR dimmable push/DALI 4,9W 48V dc SELV 1,1 x 0,7 L 30	9A000BU03001	black		260,00
		9A000BU03002	white		270,00

3000K optics


	A00B303 mod.30 len.30° dimmable push/DALI 4,9W 48V dc SELV 1,1 x 0,7 L 30	9A00WB303001	black		251,00
	A00BE03 mod.30 len.ell dimmable push/DALI 4,9W 48V dc SELV 1,1 x 0,7 L 30	9A00WBE03001	black		251,00
	A00B067 mod.67 opal dimmable push/DALI 7,4W 48V dc SELV 1,1 x 0,7 L 67,4	9A00WB067001	black		315,00
	A00B117 mod.117 opal dimmable push/DALI 7,4W 48V dc SELV 1,1 x 0,7 L 117,4	9A00WB117001	black		524,00

Structure	Model Dimension cm	Item code	Finishes		Suggested light source		Euro ex.V.A.T.
	A00B167 mod.167 opal dimmable push/DALI 14,5W 48V dc SELV 1,1 x 0,7 L 167,4	9A00WB167001		black			583,00
	A000BU03 mod.UGR dimmable push/DALI 4,9W 48V dc SELV 1,1 x 0,7 L 30	9A00WBU03002		white			270,00
				black			270,00

PACKAGING DIMENSIONS AND WEIGHT



GENERAL CONDITION OF SALE



© Luceplan Giugno 2023
All rights reserved

Contact

Italy

Headquarters
Via E.T. Moneta 40
20161 Milano
T +39 02 66 2421
F +39 02 66 203 400
N. verde 800 800 169
info@luceplan.com

USA

287 Park Ave South, NY
NY 10010
T (212) 334 1809
F (212) 334 7307
infous@luceplan.com

Showroom

Milan

Corso Monforte 7
20122 Milano
T +39 02 76 015 760
F +39 02 78 4062
luceplanstore@luceplan.com

For info, contacts and information
about international distributors
please visit www.luceplan.com

1PL000341



8 055384 340138

luceplan.com