



**A CROSBIE
MEMBER
COMPANY**

Q1 Providence | East Bank Demerara | Tel: +592-265-7445

45 Urquhart Street | Georgetown | Tel: +592-226-8130

Email: info@fmlgy.com

Visit us at WWW.FMLGY.COM



Shackles

Shackles with load capacity from 1/3 up to 55 metric tons.



Hooks

Hooks with a load capacity of up to 60 tons.



Hooks

Shure-lock hooks with a load capacity of up to 60 tons.

Contact us for more options



A CROSBIE
MEMBER
COMPANY

Q1 Providence | East Bank Demerara | Tel: +592-265-7445
45 Urquhart Street | Georgetown | Tel: +592-226-8130
Email: info@fmlgy.com
Visit us at WWW.FMLGY.COM



Crosby S-423T SUPER TERMINATOR Wedge Sockets



Crosby G517 Mooring Sockets



Crosby G416 Open Spelter Sockets

Contact us for more options



Crosby G-417 Closed Spelter Socket



Crosby S-409 Swage Button



Crosby S501 Open Swage Socket

Contact us for more options



**A CROSBIE
MEMBER
COMPANY**

Q1 Providence | East Bank Demerara | Tel: 265-7445

45 Urquhart Street | Georgetown | Tel: 226-8130

Email: info@fmlgy.com

Visit us at WWW.FMLGY.COM



Crosby Fist Grip Clip G-429 Wire Rope Termination



CROSBY S-505 COLD TUFF CARBON STEEL STANDARD SWAGING SLEEVE

Contact us for more options



A CROSBIE
MEMBER
COMPANY

Q1 Providence | East Bank Demerara | Tel: 265-7445
45 Urquhart Street | Georgetown | Tel: 226-8130
Email: info@fmlgy.com
Visit us at WWW.FMLGY.COM

Synthetic Slings



For lifting of delicate and fragile loads, FMCG has synthetic slings that are made from polyester or nylon which are the preferred slings to protect the loads from damage. FMCG has synthetic slings available in flat webbing and endless round slings.



E/E Type 3 -- These are web slings with a flat loop eye on each end. This sling can be used in all hitches (vertical, Choker, Basket).



Round slings are pliable and offer some protection for the lifting of fragile and odd-shaped loads.

Contact us for more options



Wire Rope Slings

We provide shackles with load capacity from 1/3 up to 55 metric tons.

Contact us for more options