



2023 Residential Lighting






An LED step wall light is a type of lighting fixture designed specifically for illuminating steps or staircases while mounted on the adjacent wall. These lights provide both functional and aesthetic benefits, enhancing safety and visibility in stairways while also adding a stylish touch to the space 82mm



Model No.	Power	Input Voltage	Lumen	Dimension	Cut Hole	IP Rank
SD-DL03S	3W	AC230V	80LM/W	L85*W85*H50mm	L75*W75*H50mm	IP65
SD-DL03R	3W	AC230V	80LM/W	L100*W60*H50mm	L90*W50*H50mm	IP65
SD-DL03C	3W	AC230V	80LM/W	D82*H35mm	D65*H48mm	IP65




The porch outdoor wall lights are made of high-quality and high strength aluminum metal frame and PC cover. The wall light IP65 high waterproof level is applicable to dry or even wet environments, without fear of rust or corrosion.

You can install these porch lights outdoor wall in garage, porch, front door, corridor, garden and any other indoor or outdoor places.







OW-18B



OW-18C



OW-18E




OW-18D

Model No.	Power	Input Voltage	Lumen	Dimension	IP Rank
SD-OW-12A	12W	AC230V	80LM/W	L15*W15*H20cm	IP65
SD-OW-18B	18W	AC230V	80LM/W	L26*W12.5*H12.5cm	IP65
SD-OW-18C	18W	AC230V	80LM/W	L26*W12.5*H11.5cm	IP65
SD-OW-18D	18W	AC230V	80LM/W	L12.5*W26*H12.5cm	IP65
SD-OW-18E	18W	AC230V	80LM/W	L12.5*W26*H12.5cm	IP65



Light up your outdoors with a decadent hue of light. The wall fitting allows for various effects and 2-way and 1-way model options for that elegant impression. The powder coated aluminium body is corrosion resistant as well as weatherproof and hard-wearing.



- √ Tempered glass lens
- ✓ IP565- weatherproof and hard-wearing



Model No.	Power	Input Voltage	Lumen	Dimension	Direction	IP Rank
SD-UD-2*3w	6W	AC230V	80LM/W	D65*H160mm	Up Down	IP65
SD-UD-2*6W	12W	AC230V	80LM/W	D90*H260mm	Up Down	IP65
SD-UD-2*12W	24W	AC230V	80LM/W	D110*H300mm	Up Down	IP65
SD-D03	3W	AC230V	80LM/W	D65*H160mm	Up or Down	IP65
SD-D06	6W	AC230V	80LM/W	D90*H160mm	Up or Down	IP65
SD-D12	12W	AC230V	80LM/W	D110*H200mm	Up or Down	IP65

Outdoor Bollard Light



These bollard luminaires are an efficient and decorative way to illuminate an outdoor path or driveway and bring a designer look to the exteriors of any residential or commercial premises.

The Outdoor Bollard range is constructed from extruded aluminium with an IP65 and IK08 rating ensuring that they are weatherproof and suitable for outdoor installation.

The perfect guide for your path, the fixture features a downward light in a 120-degree cone leaving minimal glare from any angle.

- ✓ Available in multiple heights
- \checkmark Extruded aluminium body with powder coated finish
- ✓ Solar Bollard Light is also available
- ✓ IP65 and IK08 Weatherproof and hard-wearing

Model No.	Description
SD-BD2004-600	Bollard IK08 600mm IP65 10W Dark Grey

Outdoor Board Lights





These bollard luminaires are an efficient and decorative way to illuminate an outdoor path or driveway and bring a designer look to the exteriors of any residential or commercial premises.

The Outdoor Bollard range is constructed from extruded aluminium with an IP65 and IK08 rating ensuring that they are weatherproof and suitable for outdoor installation.

The perfect guide for your path, the fixture features a downward light in a 360-degree cone leaving minimal glare from any angle.

- ✓ Available in multiple heights
- ✓ Extruded aluminium body with powder coated finish
- ✓ Solar Bollard Light is also available
- ✓ IP65 and IK08 Weatherproof and hard-wearing

Model No.	Description
SD-B2003-600	Bollard IK08 600mm IP65 10W Black



Featuring corrosion resistant 316 marine grade stainless steel and ultra-tough die-cast aluminium body, the recessed Inground range is designed to deliver a dependable solution for long lasting and durable path lighting.

- ✓ Available in multiple sizes and lumen outputs
- √ H2O Stop technology for improved water ingress protection
- Cool front surface temperature <40° C
- ✓ IP67 Weatherproof and hard-wearing Aluminium body with powder coated finish
- ✓ Withstand weight of up to 2000kg
- ✓ Pre-wired and supplied with an installation tube for ease of installation










Model No.	Description
SD-IGD01	DC12/24V cut hole 38mm IP67 1W Black uplight
SD-IGD02	DC12/24V cut hole 46mm IP67 1W Black uplight
SD-IGD03	DC12/24V cut hole 55mm IP67 1W Black uplight
SD-IGD04	DC12/24V cut hole 70mm IP67 2W Black uplight



Illuminate paths across your exterior spaces with the Inground Path Light range. These recessed luminaires feature aluminium dome bezels with options for 1-way, 2-way or 3way path lighting. Dwellings, hotels, gardens, parks and other areas that feature outdoor walking paths will benefit from these attractive lights.

- √ 1-way, 2-way and 3-way path lighting options available
- ✓ Withstand weight of up to 500kg
- ✓ Pre-wired and supplied with an installation tube for ease of installation








Model No.	Description
SD-PL001	DC12V IP67 1W 1-way brushed aluminum
SD-PL002	DC12V IP67 1W 2-way brushed aluminum
SD-PL003	DC12V IP67 1W 3-way brushed aluminum

LED Deck Lights



LED deck lights are a great way to enhance the ambiance and safety of your outdoor space. These lights can be easily installed on your deck railing or stairs





Model No.	Description
SD-DL001	AC230V Remote driver, IP67 0.6W 10pcs per a set




Landscape spot lighting is a type of outdoor lighting used to highlight specific features of a landscape, such as trees, shrubs, fountains, statues, and pathways. It is designed to enhance the aesthetic appeal of a property and improve its overall visibility and safety at night.



Model No.	Description
SD-LS10S	AC230V / DC24V 10W IP65 Surface mount flange
SD-LS10P	AC230V / DC24V 10W IP65 Surface Mounted Stake



Unique Design for Bathroom Lamp: With exquisite and modern design, Combuh bathroom vanity light for mirror brings you a new and fashionable decoration experience.




Model No.	Power	Input Voltage	Lumen	Dimension	Direction	IP Rank
SD-NS05	5W	AC230V	80LM/W	D18*H11.5cm	Up or Down	IP54




LED bathroom mirrors are modern and trendy bathroom accessories that are becoming increasingly popular among homeowners. These mirrors are equipped with LED lights that provide bright and even illumination, making them perfect for grooming, makeup application, and other personal hygiene activities.

LED bathroom mirrors are also available in a variety of styles and designs, ranging from simple and elegant to more elaborate and decorative. Some mirrors come with additional features such as Bluetooth connectivity, touch switch, and anti-fog properties, which enhance their functionality and usability.



Model No.	Input Voltage	CCT	Dimension	Function
SD-BM01	AC230V	3000K/6000K	L50cm*W70cm	Touch switch
SD-BM02	AC230V	3000K/6000K	L50cm*W70cm	Anti-flog, Touch switch
SD-BM03	AC230V	3000K/6000K	L60cm*W80cm	Touch switch
SD-BM04	AC230V	3000K/6000K	L60cm*W80cm	Anti-flog, Touch switch



A recessed LED cast light produced from machined aluminium to highlight steps and corridors. Ideal to create interest and soft lighting in hallways, stairwells or walkways.

This contemporary low-level light is supplied with a Osram 3w LED and built-in driver for direct connection to a 220-250v mains supply.

Available in white, Grey, Black color, the beam angle of the light is 15°







Model No.	Description
SD-SL001W	AC230V IP65 6W White 15°
SD-SL001B	AC230V IP65 6W Black 15°
SD-SL001G	AC230V IP65 6W Grey 15°



low-level lights are a great addition to any home. Whether you want to create a cozy ambiance in your bedroom or add some subtle illumination to your living room, these lights are a simple and effective way to enhance the look and feel of your space. Pre-wired and supplied with an installation tube for ease of installation













Golden




/h	ite	RI	acl

Model No.	Description
SD-LL001	AC230V IP20/IP65 1W
SD-LL003	AC230V IP20/IP65 3W





Model No.	Description
SD-TLL001	AC230V IP22 3W Black / White
SD-TLL002P	AC230V IP22 3W Black / White 110° sensor angle



This eye-catching modern chandelier lighting from Pendant Light has a sleek and beautiful look. Add a sleek, casual feel to any décor in your cozy home. Perfect for entryways, dining rooms, foyer, bedrooms, kitchen islands, living rooms.


Hanging lamps instantly add art and beauty to any interior, bringing a different warm experience to your life. Perfect decoration for kitchen island, dining room, bedroom, living room, loft. They can bring different flavors. One-piece LED chandelier, soft and not dazzling, it is worth choosing for home

Model No.	Description
SD-R06	D600mm, AC230V, 68W
SD-R46	AC230V D400mm+D600mm, 114W
SD-R468	AC230V D400mm+D600+D800mm, 204W
SD-R68	AC230V D600+D800mm, 158WR
SD-R246	AC230V D200mm+D400mm+D600mm, 138W
SD-R2468	AC230V D200mm+D400mm+D600+D800mm, 228W
SD-R6810	AC230V D600+D800+D1000mm, 272W
SD-R46810	AC230V D400mm+D600+D800+D1000mm, 318W
SD-246810	AC230V D200mm+D400mm+D600+D800+D1000mm, 342W



This makes it a popular choice for architects and interior designers looking to create a clean and seamless aesthetic in their projects.

Model No.	Description
SD-WTL07	AC230V IP20 7W 15°/24°/38° cut hole 55mm D74*H72mm
SD-WTL10	AC230V IP20 10W 15°/24°/38° cut hole 55mm D74*H85mm



The Trimless LED Ceiling Light is a modern lighting solution that seamlessly blends into your ceiling. With its minimalist design and energy-efficient LED technology, it provides a sleek and contemporary look to any room. Its trimless installation allows for a clean and seamless finish, eliminating any visible gaps or borders between the fixture and the ceiling.

This makes it a popular choice for architects and interior designers looking to create a clean and seamless aesthetic in their projects.

Color







White+White

White+Black

Model No.	Description
SD-RS06	AC230V IP21 6W 15°/24°/36° cut hole L80*W80mm L78*W78*H75mm
SD-RS10	AC230V IP21 10W 15°/24°/36° cut hole L80*W80mm L78*W78*H80mm
SD-RS12	AC230V IP21 12W 15°/24°/36° cut hole L80*W80mm L78*W78*H95mm
SD-RS06*2	AC230V IP21 2*6W 15°/24°/36° cut hole L160*W80mm L158*W78*H75mm
SD-RS10*2	AC230V IP21 2*10W 15°/24°/36° cut hole L160*W80mm L158*W78*H80mm
SD-RS12*2	AC230V IP21 2*12W 15°/24°/36° cut hole L60*W80mm L158*W78*H95mm





The Trimless LED Ceiling Light is a modern lighting solution that seamlessly integrates into your ceiling. Its minimalist design and energy-efficient LED technology provide a sleek and contemporary look to any room. The trimless installation ensures a clean and seamless finish, with no visible gaps or borders between the fixture and the ceiling.

This makes it a popular choice for architects and interior designers aiming to create a clean and seamless aesthetic in their projects.

Color



White+White



White+Black




Model No.	Description
SD-RT07	AC230V IP21 7W 15°/24°/36° cut hole Ø78mm Ø78*63mm
SD-RT07*2	AC230V IP21 2*7W 15°/24°/36° cut hole 158*78mm 156*88*H63mm





















The IP65 LED bathroom spotlight is a lighting fixture designed specifically for use in bathrooms. Its IP65 rating indicates that it is dust-tight and protected against water jets from any angle, making it suitable for installation in wet areas such as showers and above bathtubs.



Model No.	Description
SD-1005E45	AC230V IP65 5W 15°/24°/36°/55° cut hole 45mm D52*H72mm
SD-1005E55	AC230V IP65 7W 15°/24°/36°/55° cut hole 55mm D62*H77mm
SD-1005E65	AC230V IP65 10W 15°/24°/36°/55° cut hole 65mm D73*H80mm
SD-1005E75	AC230V IP65 12W 15°/24°/36°/55° cut hole 75mm D84*H85mm




Our new plaster in LED Aluminum profile for recessing into plastered walls, And ceilings for an incredible seamless diffused light output. A slim plaster Profile is suitable for contemporary lighting. Suitable for 8mm COB LED Strip




Model No.	Description
1509	Trimless recessed installation, 2m long, cut hole:13mm



Model No.	Description
10320	Trimless recessed installation, 2m long



LED skirting lighting is a modern and energy-efficient way to light up your home or office. This type of lighting is installed along the skirting board or baseboard of a room and provides a subtle, yet effective, glow.



Model No.	Description
1565	Surface mount installation, 2m long suitable for 6-10mm led strip



Model No.	Description
18107	Trimless recessed installation, 2m long, suitable for 6-12mm led strip



- Uniformed lighting without dots
- ◆ Color Temperature: 2700K / 3000K / 4000K
- ◆ It could make sure the lights have the same brightness from the head to the end.
- Cuttable length for DC24V & DC48V is 50mm
- ◆ 10m/15m/30m led strips could be connected in series, it makes installation more easy and fast.











Product Code	Watt	Width	Run Length	LEDs /M	Lumen	Voltage	CRI
C1024384	10w	8mm	10meter	384pcs	90lm/w	DC24V	90 R a
C1024360	10w	8mm	15meter	360pcs	90lm/w	DC24V	90 R a
C1048480	8w	10mm	30meter	480pcs	90lm/w	DC48V	90 R a



- ✓ AC230V COB led strip is designed to offer the best ultra-high density. and dot-free lighting with
- ✓ unique appearance for AC230V high voltage lighting projects
- \checkmark Easy Installation, convenient connection with long-run strip
- ✓ IP67 Waterproof insulation design.
- ✓ Invisible resistors make a clear appearance and good consistency.

Product Code	Watt	Dimension	Bend diameter	LEDs /M	Lumen	Voltage	CRI
H360-V230	9.6w	100m* W13*H6.5mm	> 60mm	360pcs	90lm/w	AC230V	90 R a

Topsund Lighting Co.,LTD

www.topsund-led.com

info@topsund-led.com

6Floor,Xinggong Road,Yutang street Guangming District,Shenzhen