




TECHNICAL DATA

GENERAL		C 200 H M204	C 200 H x4 M205
Load capacity to 20"	lb	4,400	4,400
Load capacity to 24"	lb	4,000	4,000
Unladen weight *	lb	9,250	9,250
Transmission	-	Hydrostatic, with continuous speed control	Hydrostatic, with continuous speed control
MAST			
Fork carriage	-	FEM 2	FEM 2
Carriage width	in	1,260/1,660	1,260/1660
ENGINE			
Make	-	KUBOTA	KUBOTA
Model	-	V2403	V2403
Power	hp	48.9	48.9
Operating speed	r/min	2600	2600
Torque	Nm@rpm	158.6@1600	158.6@1600
No. cylinders	-	4	4
Emissions	-	Stage IIIA - Tier4i	Stage IIIA - Tier4i
Ambient noise	dB(A)	104	104
Consumption	gal/h	1.55	1.55
CO ₂	lb/h	33.7	33.7
DRIVING			
Max. speed	mph	13.6	13.6
Gradability	%	25	25
Traction	-	4x2	4x4 FullGrip®
Front tyres	-	12-16.5	12-16.5
Rear tyres	-	7.00-12	27x10.5-15
HYDRAULIC SYSTEM			
Hydraulic circuit	gal/min	11	11
Working pressure	psi	2,600	2,600
TANK CAPACITY			
Fuel	gal	13.2	13.2
Hydraulic	gal	10.5	10.5
BRAKES			
Service	-	Hydraulic, multi-disc and sealed	Hydraulic, multi-disc and sealed
Parking	-	Spring-loaded, multi-disc and sealed	Spring-loaded, multi-disc and sealed

* It may change due to optional equipment

DIMENSIONS

TYPE OF MAST	Maximum lift (ft)	H		Free lift (in)	Load at maximum height (lb) All-terrain use	
		Retracted mast height (in)	Extended mast height (in)		Narrow axle	Wide axle
Duplex mast (Std.)	10.82	94.3	163.3	4.7	4,409	-
Triplex mast	12.14	80.5	180.7	44.4	3,968	-
Triplex mast	14.11	87.8	205.9	52.3	2,601	3,968
Triplex mast	17.71	102.7	247.8	66.1	-	2,425



DIMENSIONS (in)	C 200 H	C 200 H x4
A	84.2	83.8
B	8.6	8.3
C	11.8	11.2
D	54.4	57.7
E	59.6	59.6
E**	2.7	69.9
F	4.6	156.3
G	4.2	109
I	3.9	3.9
J	1.6	1.6
K	25.1	24.6
L	167.4	166.8
M	22	22
N	72.8	72.8
O	47.2	47.2
P	196.4	236
Q	0.5	0.5
R	0.5	0.5
S	47.2	47.2
S***	63	63

** Measured with high-lift mast installed ***Measured for wide axle carriage



www.ausa.com

Products are subject to modifications without prior notice. Images throughout the spec sheet may refer to non-standard machines or non-available configurations depending on models.

AUSA's logo and corporate identity are property of the Company, they cannot be used without authorization.

