

PSC COMMERCIAL CO.,LTD.

LIGHTING CATALOG

2026



FL Lighting




www.fllighting.com

BULB LED



PRODUCT	WATT	SOCKET	LUMEN	CCT	CRI	LIFE HOURS	PRICE
DN3A028/WW	5W	E27	500	3000K	80	25,000	45.-
DN3A028/WH	5W	E27	500	6500K	80	25,000	45.-
DN3A029/WW	7W	E27	700	3000K	80	25,000	110.-
DN3A029/NL	7W	E27	700	4000K	80	25,000	110.-
DN3A029/WH	7W	E27	700	6500K	80	25,000	110.-
DN3A030/WW	9W	E27	900	3000K	80	25,000	115.-
DN3A030/NL	9W	E27	900	4000K	80	25,000	115.-
DN3A030/WH	9W	E27	900	6500K	80	25,000	115.-
DN3A031/WW	15W	E27	1500	3000K	80	25,000	80.-
DN3A031/NL	15W	E27	1500	4000K	80	25,000	80.-
DN3A031/WH	15W	E27	1500	6500K	80	25,000	80.-
DN3A032/WW	18W	E27	1800	3000K	80	25,000	95.-
DN3A032/NL	18W	E27	1800	4000K	80	25,000	95.-
DN3A032/WH	18W	E27	1800	6500K	80	25,000	95.-



MR16 / GU10 LED

WARMWHITE | COOLWHITE | DAYLIGHT

7W 12V / 220V



PRODUCT	WATT	VOLTAGE	SOCKET	DIMMABLE	LUMEN	CCT	BEAM ANGLE	CRI	LIFE HOURS	DIAMETER	HIGH	PRICE
DN3A011/WW	7W	220V	GU5.3	-	840	3000K	36D	80	25,000	50	45	130.-
DN3A011/NL	7W	220V	GU5.3	-	840	4000K	36D	80	25,000	50	45	130.-
DN3A011/WH	7W	220V	GU5.3	-	840	6500K	36D	80	25,000	50	45	130.-
DN3A013/WW	7W	220V	GU5.3	DIMMABLE	840	2700K	36D	80	25,000	50	45	215.-
DN3A013/NL	7W	220V	GU5.3	DIMMABLE	840	4000K	36D	80	25,000	50	45	215.-
DN3A013/WH	7W	220V	GU5.3	DIMMABLE	840	6500K	36D	80	25,000	50	45	215.-
DN3A015/WW	7W	12V	GU5.3	-	840	2700K	36D	80	25,000	50	45	140.-
DN3A015/NL	7W	12V	GU5.3	-	840	4000K	36D	80	25,000	50	45	140.-
DN3A015/WH	7W	12V	GU5.3	-	840	6500K	36D	80	25,000	50	45	140.-
DN3A012/WW	7W	220V	GU10	-	840	3000K	36D	80	25,000	50	53	215.-
DN3A012/NL	7W	220V	GU10	-	840	4000K	36D	80	25,000	50	53	215.-
DN3A012/WH	7W	220V	GU10	-	840	6500K	36D	80	25,000	50	53	215.-
DN3A014/WW	7W	220V	GU10	DIMMABLE	840	2700K	36D	80	25,000	50	53	275.-
DN3A014/NL	7W	220V	GU10	DIMMABLE	840	4000K	36D	80	25,000	50	53	275.-
DN3A014/WH	7W	220V	GU10	DIMMABLE	840	6500K	36D	80	25,000	50	53	275.-
DN3A051/WW	7W	220V	E27	-	840	2700K	36D	80	25,000	50	45	130.-
DN3A051/NL	7W	220V	E27	-	840	4000K	36D	80	25,000	50	45	130.-
DN3A051/WH	7W	220V	E27	-	840	6500K	36D	80	25,000	50	45	130.-

*DIAMENSION (MM.)

PAR LED

WARMWHITE | COOLWHITE | DAYLIGHT

PAR20 / PAR30

PAR20 10W

PAR30 20W

PAR30 35W

PRODUCT	WATT	VOLTAGE	SOCKET	LUMEN	CCT	BEAM ANGLE	CRI	LIFE HOURS	DIAMETER	HIGH	PRICE
DN3A016/WW	10W	220V	E27	1050	2700K	24D	80	25,000	63	85	340.-
DN3A016/NL	10W	220V	E27	1050	4000K	24D	80	25,000	63	85	340.-
DN3A016/WH	10W	220V	E27	1050	6500K	24D	80	25,000	63	85	340.-
DN3A018/WW	20W	220V	E27	2000	2700K	24D	80	25,000	95	120	400.-
DN3A018/NL	20W	220V	E27	2000	4000K	24D	80	25,000	95	120	400.-
DN3A018/WH	20W	220V	E27	2000	6500K	24D	80	25,000	95	120	400.-
DN3A019/NL	35W	220V	E27	3500	2700K	24D	80	25,000	95	120	460.-
DN3A019/WH	35W	220V	E27	3500	4000K	24D	80	25,000	95	120	460.-
DN3A019/NL	35W	220V	E27	3500	6500K	24D	80	25,000	95	120	460.-



AR111 LED 220V

PRODUCT	WATT	VOLTAGE	SOCKET	LUMEN	CCT	BEAM ANGLE	CRI	LIFE HOURS	PRICE
DN3A024/WW	15W	220V	G53	1500	2700K	38D	80	25,000	575.-
DN3A024/NL	15W	220V	G53	1500	4000K	38D	80	25,000	575.-



CANDLE LED E14

PRODUCT	WATT	VOLTAGE	SOCKET	LUMEN	CCT	BEAM ANGLE	CRI	LIFE HOURS	PRICE
DN3705/WW	5W	220V	E14	500	3000K	38D	80	25,000	100.-
DN3705/WH	5W	220V	E14	500	6500K	38D	80	25,000	100.-
DN3A037/WW	3W	220V	E14	300	3000K	38D	80	25,000	87.-
DN3A037/WH	3W	220V	E14	300	6500K	38D	80	25,000	87.-



G4 / G9 CAPSULE LED

PRODUCT	WATT	VOLTAGE	SOCKET	LUMEN	CCT	BEAM ANGLE	CRI	LIFE HOURS	PRICE
DNG4050/WW	3W	220V	G4	300	2700K	38D	80	25,000	160.-
DNG4050/WH	3W	220V	G4	300	6500K	38D	80	25,000	160.-
DNG4125/WW	3W	12V	G4	300	2700K	38D	80	25,000	160.-
DNG4125/WH	3W	12V	G4	300	6500K	38D	80	25,000	160.-



DOWNLIGHT

MR16 RECESSED DOWNLIGHT



● DN4A001/WH
○ DN4A001/SL

CUTTING : DIA. 74 MM.

MR16 / GU10 X 1

100.- / 130.-



● DN4A053/BK
○ DN4A053/WH

CUTTING : DIA. 80 MM.

MR16 / GU10 X 1

185.- / 215.-



● 902/BK
○ 902/WH

CUTTING : DIA. 74 MM.

MR16 / GU10 X 1

145.- / 175.-




● 906/BK
○ 906/WH

CUTTING : 74 X 74 MM.

MR16 / GU10 X 1

160.- / 190.-



● DNGL85/BK
○ DNGL85/WH

CUTTING : DIA. 75 MM.

MR16 / GU10 X 1

290.- / 320.-



● DNGL86/BK
○ DNGL86/WH

CUTTING : 75 X 75 MM.

MR16 / GU10 X 1

290.- / 320.-



○ DNGL1205

CUTTING : 190 X 95 MM.

MR16 / GU10 X 2

860.- / 900.-



● GL1351/BK
○ GL1351/WH

CUTTING : 190 X 95 MM.

MR16 / GU10 X 1

315.- / 345.-



● GL1352/BK
○ GL1352/WH

CUTTING : 160 X 80 MM.

MR16 / GU10 X 2

460.- / 520.-



● AL1601/BK
○ AL1601/WH

CUTTING : 85 X 85 MM.

MR16 / GU10 X 1

370.- / 400.-




● DN4A054/BK
○ DN4A054/WH

CUTTING : 75 X 75 MM.

MR16 / GU10 X 1

230.- / 260.-



● DNGL1085/BK

CUTTING : 85 X 85 MM.

MR16 / GU10 X 1

360.- / 390.-



● DNGL1085/WB



○ DNGL1085/WH



● DNGL1010/BK

CUTTING : 170 X 80 MM.

MR16 / GU10 X 2

720.- / 780.-



● DNGL1010/WB



○ DNGL1010/WH



● DNGL101B/BK
○ DNGL101B/WH

CUTTING : 90 X 90 MM.

MR16 / GU10 X 1

430.- / 460.-



● DNGL102B/BK
○ DNGL102B/WH

CUTTING : 190 X 90 MM.

MR16 / GU10 X 2

660.- / 720.-




● G101S/BK
○ G101S/WH

CUTTING : 75 X 75 MM.

MR16 / GU10 X 1

260.- / 290.-



● G102S/BK
○ G102S/WH

CUTTING : 150 X 70 MM.

MR16 / GU10 X 1

260.- / 290.-




○ DN704

CUTTING : DIA. 128 MM.

E27 X 1

430.-



● DNRP301/BK
○ DNRP301/WH

CUTTING : 150 X 150 MM.

E27 X 1

785.-



E27 RECESSED DOWNLIGHT



● G101S/BK
○ G101S/WH

CUTTING : 305 X 150 MM.

E27 X 2

1360.-

MR16 SURFACE DOWNLIGHT



● DNDL6006/BK

● DNDL6006/GD

○ DNDL6006/WH

SIZE : DIA.60 X 110 MM.

MR16 / GU10 X 1

645.- / 675.-



● DNGR8084/BK

○ DNGR8084/WH

SIZE : 80 X 80 X 84 MM.

MR16 / GU10 X 1

460.- / 490.-



● DNGR8816/BK

○ DNGR8816/WH

SIZE : DIA.80 X 94 MM.

MR16 / GU10 X 1

460.- / 490.-



● DNGL2071/BK

○ DNGL2071/WH

SIZE : 100 X 100 X 170 MM.

MR16 / GU10 X 1

660.- / 690.-



● DNGL1010/BK

● DNGL1010/WB

○ DNGL1010/WH

SIZE : 200 X 100 X 170 MM.

MR16 / GU10 X 2

1150.- / 1210.-

E27 SURFACE MOUNT DOWNLIGHT



● MD4012S/BK

○ MD4012S/WH

SIZE : 280 X 136 X 190 MM.

E27 X 2

860.-



● DNMZ3001C/BK

● DNMZ3001C/GR

SIZE : DIA. 180 X 200 MM.

IP : 54

E27 X 1

660.-



SQUARE SURFACE MOUNT

“ โคมระบ้องติดลอย ”

ALUMINIUM DIE-CAST

E27 X 1



ROUND SURFACE MOUNT

“ โคมระบ้องติดลอย ”

ALUMINIUM DIE-CAST

E27 X 1

PRODUCT	COLOR	DIMENSIONS	PRICE
MD3016S/BK	● BLACK	110 X 110 X 155 MM. (3")	275.-
MD3016S/WH	○ WHITE	110 X 110 X 155 MM. (3")	275.-
MD4016S/BK	● BLACK	136 X 136 X 190 MM. (4")	328.-
MD4016S/WH	○ WHITE	136 X 136 X 190 MM. (4")	328.-
MD6016S/BK	● BLACK	170 X 170 X 205 MM. (6")	487.-
MD6016S/WH	○ WHITE	170 X 170 X 205 MM. (6")	487.-
MD8016S/BK	● BLACK	182 X 182 X 235 MM. (8")	687.-
MD8016S/WH	○ WHITE	182 X 182 X 235 MM. (8")	687.-

PRODUCT	COLOR	DIMENSIONS	PRICE
MD3011C/BK	● BLACK	DIA. 110 X 115 MM. (3")	185.-
MD3011C/WH	○ WHITE	DIA. 110 X 115 MM. (3")	185.-
MD4011C/BK	● BLACK	DIA. 133 X 148 MM. (4")	258.-
MD4011C/WH	○ WHITE	DIA. 133 X 148 MM. (4")	258.-
MD6011C/BK	● BLACK	DIA. 170 X 180 MM. (6")	358.-
MD6011C/WH	○ WHITE	DIA. 170 X 180 MM. (6")	358.-
MD8011C/BK	● BLACK	DIA. 220 X 220 MM. (8")	529.-
MD8011C/WH	○ WHITE	DIA. 220 X 220 MM. (8")	529.-

WALL LAMP





○ AB136/BK

○ AB136/WH

WATT : 6W X 2

VOLTAGE : 220V

CCT : 3000K

SIZE : 100 X 100 X 100 MM.

845.-



● MB40237

SIZE : 68 X 81 X 92 MM.

MR16 X 1

575.-



● MB40239

SIZE : 68 X 92 X 150 MM.

MR16 X 2

860.-



● MB40238

SIZE : 68 X 81 X 92 MM.

IMR16 X 1

575.-



● MB40240

SIZE : 68 X 92 X 150 MM.

MR16 X 2

860.-

TRACK LIGHT โคมไฟแทรคไลท์



● DNTR08/BK
○ DNTR08/WH
MR16 X 1
200.-

● DNTR04/BK
○ DNTR04/WH
MR16 X 1
200.-

● DNTR10/BK
○ DNTR10/WH
MR16 / GU10 X 1
360.- / 430.-

● DNTR01/BK
○ DNTR01/WH
E27 X 1 (PAR30)
175.-

● DNTR03/BK
○ DNTR03/WH
E27 X 1 (PAR30)
195.-

● DNGR920/BK
○ DNGR920/WH
WATT : 20W
CCT : 3000K
4000K
6500K
PRICE : 500.-

● DNGR930/BK
○ DNGR930/WH
WATT : 30W
CCT : 3000K
4000K
6500K
PRICE : 645.-



PRODUCT	COLOR	DIMENSIONS	PRICE
TR-1M-BK-PR05	● BLACK	1 M. (1000 MM.)	195.-
TR-1M-WH-PR05	○ WHITE	1 M. (1000 MM.)	195.-
TR-15M-BK-PR05	● BLACK	1.5 M. (1500 MM.)	290.-
TR-15M-WH-PR05	○ WHITE	1.5 M. (1500 MM.)	290.-
TR-2M-BK-PR05	● BLACK	2 M. (2000 MM.)	375.-
TR-2M-WH-PR05	○ WHITE	2 M. (2000 MM.)	375.-

NEW !

MAGNETIC TRACK LIGHT



PRODUCT	COLOR	DIMENSIONS	PRICE
DNDMFL2815	● BLACK	1 M. (1000 MM.)	715.-
DNDMFL2816	● BLACK	2 M. (2000 MM.)	1430.-
DN-HFL2521	● BLACK	1 M. (1000 MM.)	580.-
DN-HFL2521	● BLACK	2 M. (2000 MM.)	1150.-



● GD20-B-WW / GD20-B-4K
WATT : 20W
CCT : 3000K
4000K
SIZE : DIA.56 X 140 MM.
830.-

● FG600-WW / FG600-4K
WATT : 24W
CCT : 3000K
4000K
SIZE : 220 X 250 X 600 MM.
790.-

● ZD12
WATT : 12W 48V
CCT : 3000K
4000K
SIZE : 24 X 220 X 120 MM.
930.-

● ZD6
WATT : 6W 48V
CCT : 3000K
4000K
SIZE : 24 X 110 X 120 MM.
690.-

STRIP LIGHT ไฟเส้น LED 12V / 24V



LEDCHIPS : 2835 / 120 LEDS
WATT : 4.8W/M.
VOLTAGE : 12V / 24V
DIMENSION : PCB 8 MM.
LUMEN : 570/M.
BEAM ANGLE : 120D
IP RATING : IP20
CCT : 3000K
CCT : 4000K
PRICE : 400.- (5M./ROLL)



LEDCHIPS : 2835 / 120 LEDS
WATT : 9.6W/M.
VOLTAGE : 12V / 24V
DIMENSION : PCB 8 MM.
LUMEN : 1150/M.
BEAM ANGLE : 120D
IP RATING : IP20
CCT : 3000K
CCT : 4000K
CCT : 6500K
PRICE : 545.- (5M./ROLL)



LEDCHIPS : 2835 / 120 LEDS
WATT : 9.6W/M.
VOLTAGE : 12V / 24V
DIMENSION : PCB 10 MM.
LUMEN : 1150/M.
BEAM ANGLE : 120D
IP RATING : IP65
CCT : 3000K
CCT : 4000K
CCT : 6500K
PRICE : 690.- (5M./ROLL)



LEDCHIPS : 5050 / 60 LEDS
WATT : 14.4W/M.
VOLTAGE : 12V / 24V
DIMENSION : PCB 8 MM.
LUMEN : 1500/M.
BEAM ANGLE : 120D
IP RATING : IP20
CCT : 3000K
CCT : 4000K
CCT : 6500K
PRICE : 515.- (5M./ROLL)



LEDCHIPS : 5050 / 60 LEDS
WATT : 14.4W/M.
VOLTAGE : 12V
DIMENSION : PCB 10 MM.
LUMEN : 1500/M.
BEAM ANGLE : 120D
IP RATING : IP65
CCT : 3000K
CCT : 4000K
CCT : 6500K
PRICE : 545.- (5M./ROLL)

MINI DOWNLIGHT LED

RECESSED DOWNLIGHT

“ ปรับหน้าได้ มาพร้อม DRIVER ”



DNCWH03
WATT : 3W
VOLTAGE : 220V
CCT : 3000K
6500K
SIZE : DIA. 85 X 30 MM.
CUTTING : 75 MM.
PRICE : 215.-



DNCWH03
WATT : 3W
VOLTAGE : 220V
CCT : 3000K
6500K
SIZE : DIA. 85 X 30 MM.
CUTTING : 75 MM.
PRICE : 215.-



DNCHW, DNCBK
WATT : 3W
VOLTAGE : 220V
CCT : 3000K
4000K
6500K
SIZE : DIA. 52 X 30 MM.
CUTTING : 40 MM.
PRICE : 215.-



DNDSLCOB
WATT : 3W
VOLTAGE : 220V
CCT : 3000K
6500K
SIZE : DIA. 52 X 30 MM.
CUTTING : 40 MM.
PRICE : 230.-



DNXC01
WATT : 2W
VOLTAGE : 220V
CCT : 3000K
6500K
SIZE : DIA. 32 X 20 MM.
CUTTING : 25 MM.
PRICE : 290.-

PANEL DOWNLIGHT LED

RECESSED DOWNLIGHT ฝังฝ้า “ บางเฉียบเพียง 1.5 ซม. ”



PRODUCT	WATT	VOLTAGE	LUMEN	CCT	CRI	LIFE HOURS	DIAMENSIONS	PRICE
DNRSMD03	3W	220V	300	3000K	80	25,000	DIA. 82 X 15 MM.	145.-
DNRSMD03	3W	220V	300	4000K	80	25,000	DIA. 82 X 15 MM.	145.-
DNRSMD03	3W	220V	300	6500K	80	25,000	DIA. 82 X 15 MM.	145.-
DNRSMD09	9W	220V	900	3000K	80	25,000	DIA. 142 X 15 MM.	175.-
DNRSMD09	9W	220V	900	4000K	80	25,000	DIA. 142 X 15 MM.	175.-
DNRSMD09	9W	220V	900	6500K	80	25,000	DIA. 142 X 15 MM.	175.-
DNRSMD12	12W	220V	1200	3000K	80	25,000	DIA. 165 X 15 MM.	190.-
DNRSMD12	12W	220V	1200	4000K	80	25,000	DIA. 165 X 15 MM.	190.-
DNRSMD12	12W	220V	1200	6500K	80	25,000	DIA. 165 X 15 MM.	190.-
DNRSMD18	18W	220V	1800	3000K	80	25,000	DIA. 218 X 15 MM.	290.-
DNRSMD18	18W	220V	1800	4000K	80	25,000	DIA. 218 X 15 MM.	290.-
DNRSMD18	18W	220V	1800	6500K	80	25,000	DIA. 218 X 15 MM.	290.-

PRODUCT	WATT	VOLTAGE	LUMEN	CCT	CRI	LIFE HOURS	DIAMENSIONS	PRICE
DNSSMD09	9W	220V	900	3000K	80	25,000	145 X 145 X 15 MM.	190.-
DNSSMD09	9W	220V	900	4000K	80	25,000	145 X 145 X 15 MM.	190.-
DNSSMD09	9W	220V	900	6500K	80	25,000	145 X 145 X 15 MM.	190.-
DNSSMD12	12W	220V	1200	3000K	80	25,000	165 X 165 X 15 MM.	230.-
DNSSMD12	12W	220V	1200	4000K	80	25,000	165 X 165 X 15 MM.	230.-
DNSSMD12	12W	220V	1200	6500K	80	25,000	165 X 165 X 15 MM.	230.-
DNSSMD18	18W	220V	1800	3000K	80	25,000	220 X 220 X 15 MM.	330.-
DNSSMD18	18W	220V	1800	4000K	80	25,000	220 X 220 X 15 MM.	330.-
DNSSMD18	18W	220V	1800	6500K	80	25,000	220 X 220 X 15 MM.	330.-



SURFACE MOUNT DOWNLIGHT



SQUARE SURFACED DOWNLIGHT

DNSSMD12MBK

WATT : 12W

VOLTAGE : 220V

CCT : 3000K

4000K

6500K

MATERIAL : ALUMINIUM DIE-CAST

SIZE : 165 X 165 X 35 MM.

PRICE : 430.-



SQUARE SURFACED DOWNLIGHT

DNSSMD12M

WATT : 12W

VOLTAGE : 220V

CCT : 3000K

4000K

6500K

MATERIAL : ALUMINIUM DIE-CAST

SIZE : 165 X 165 X 35 MM.

PRICE : 375.-



SQUARE SURFACED DOWNLIGHT

DNRSMD12M

WATT : 12W

VOLTAGE : 220V

CCT : 3000K

4000K

6500K

MATERIAL : ALUMINIUM DIE-CAST

SIZE : DIA.155 X 28 MM.

PRICE : 375.-



SQUARE SURFACED DOWNLIGHT

DNRSMD12MBK

WATT : 12W

VOLTAGE : 220V

CCT : 3000K

4000K

6500K

MATERIAL : ALUMINIUM DIE-CAST

SIZE : DIA.155 X 28 MM.

PRICE : 375.-