

Vision Lockers

Providing a visual deterrent to theft



Probe



Prevent lockers being used as a hiding place for stolen items

Vision lockers allow employees to store personal belongings securely while providing a visual deterrent, offering a clear view of the interior of each compartment.

With the addition of clear polycarbonate vision panels in each compartment, Vision lockers provide visibility of the contents of each locker.

- Allows compartment inspection from outside the door.
- Ideal for retail, stockroom and warehouse environments.
- Deters concealment within the locker.
- Available in nests of 1 or 2.
- Wide choice of locks.
- Hard wearing powder coated finish in a wide range of colours.



MEETS BS 4680: 1996

excluding size specification



Probe Steel Products are fire tested and approved in line with European Standard - EN 13501-1: 2007 +A1: 2009



All painted components are protected with a powder coating which incorporates ActiveCoat anti-bacterial technology.

ActiveCoat has been tested by an Internationally recognised microbiological testing laboratory for antibacterial performance, against the most widely encountered and problematic organisms including the MRSA Super bug and E-coli. These micro-organisms suffered a 99.9% reduction in population.



Optional sloping top available



Viewing panel

Incorporates a toughened polycarbonate view panel, set within a steel door with an all-round edge.

Door and body finished with hard wearing matt textured paint in a choice of colours. See **page 3**

Panel is fixed onto the door.

Fitted with key-operated camlock or padlock fitting as standard

Optional locks available- see **page 4**

Semi-concealed knuckle hinges



Through frame locking

For added security, the cam locates through aperture in frame preventing door being easily forced open.


Nominal clear entry widths

Clear entry width = locker width minus 50mm


Important note regarding locker installations

Wherever possible lockers should be secured to ensure stability. Single lockers should ideally be fixed back to a wall. Runs of lockers should be fixed together side-to-side and either fixed back to a wall or fixed back-to-back to another run of lockers.

Configurations, sizes & colours



1 compartment
Fixed top shelf with double coat hook.



2 compartment
Double coat hook per compartment.



3 compartment




4 compartment



6 compartment

Height - 1800mm*	
Width mm	Depth mm
300	300
300	380
300	450
450	450

* Height rises with sloping top



Single locker Nest 2 Nest 3

Colour Options



ActiveCoat antimicrobial technology is incorporated into all our cupboards at the time of manufacture, offering constant protection against a wide range of bacteria.


Body colour range

Choice of 3 body colours.



Standard door colour range

Choice of 7 door colours.



Autumn door colour range

Choice of 5 door colours.



Please note that due to printing restrictions colours represented may differ from original product. We recommend you request a colour swatch before ordering.

Nesting

Lockers can be supplied as nested units with lockers of the same overall dimensions, sharing common side panels, manufactured and supplied fitted together. Locker nesting makes efficiencies in manufacture, delivery, installation and space utilisation.

1800mm high		Nesting		
Width mm	Depth mm	Nest 1	Nest 2	Nest 3
300	300	●	●	●
300	380	●	●	
300	450	●	●	
300	500	●	●	



Lock Options

*Included in locker price. Request lock type at time of ordering.



Type A – Probe cam lock*

Even the standard lock has a micro sprung 10 disc lock featuring a massive 2000 serial combinations- all exclusive to Probe. Two keys are included with each standard lock.



Type P – Re-programmable combination lock

User Re-programmable

An effective 4 digit code combination lock with 10,000 possible combinations, making losing keys a thing of the past.

Suitable for multi user applications. Master override key sold separately.



Type B – Hasp & staple*

Attractive design allowing easy use of padlock. Transfers responsibility for locking to the user. The user requires a padlock (not supplied) with a shackle diameter of 7mm.



Type GM – Gemini 2700 mechanical combination lock

This small and innovative lock is available in both flush and surface mount and in a silver or black finish. Master override key sold separately.

Can be used vertically

Subject to minimum order quantity. Specify when ordering.



Type C – Radial pin lock 10,000 combinations

This Radial Pin Lock is designed for greater levels of security. Two keys are included with each lock.



Type GM – Gemini 3700 digital combination lock

This small and innovative lock is available in both flush and surface mount and in a silver or black finish. Master override key sold separately.

Can be used vertically

Subject to minimum order quantity. Specify when ordering.



Type K-W Type K-B Mechanical reprogrammable lock with 10,000 combinations

These locks are easy to use and features a master key override (supplied separately). Available in black or white finish.



Type L – Digital combination lock 40,000 combinations

Simple to program battery operated lock which can last up to 50,000 operations before needing changing. Emergency access using service key. Single user supplied as standard but multi-user option is available (specify when ordering)



Type N – Nimbus RFID lock

The Nimbus RFID digital lock provides contactless locking and is compatible with RFID standards and incorporates a membrane touchpad for ease of programming. The keypad can also be used to override the lock when required.



Type H (£1) – Dual coin/token return/retain

These locks are available with coin denominations £/€ or tokens, for either return or retain.



Type SPU - Public Type SPR - Private Public multi-user auto scramble combination lock

Automatically scrambles to 0000 when opened. Has 999 highly secure combinations available - no batteries needed. It has a metal matte black shell and has a master key override (supplied separately) for code finding and lock resetting.

Accessories & locker weights

Accessories



Sloping top height	
Locker depth	Additional height
300	125
380	158
450	187

Sloping tops are essential in hygiene sensitive locations (such as hospitals and the food industry). The slope prevents items and litter being left on locker tops and makes cleaning easier. Sloping Tops have a 20° upward slope from front to back which will add height to your locker. This varies according to the locker depth.



Lockers are often used in areas where floors need frequent cleaning. Locker stands provide maximum floor access raising lockers 150mm off the floor.



Two hardwood slats and metal framework form a bench seat in front of the locker, allowing full access to the locker.

Units are 400mm high and come complete with adjustable feet.

Weights allows for Cam Lock and Hasp and Staple locks only.

Vision Panel lockers - 1800mm high

ONE Compartment		Single locker	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
300	300	17	32	47
300	380	18	33	48
300	450	19	34	49
300	500	18	33	48

TWO Compartment		Single locker	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
300	300	17	32	47
300	380	18	33	48
300	450	19	34	49
300	500	18	33	48

THREE Compartment		Single locker	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
300	300	17	32	47
300	380	18	33	48
300	450	19	35	52
300	500	22	41	

FOUR Compartment		Single locker	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
300	300	18	33	48
300	380	19	34	49
300	450	20	37	54
300	500	23	43	

Six Compartment		Single locker	Nest of 2	Nest of 3
Width mm	Depth mm	Weight Kg	Weight Kg	Weight Kg
300	300	19	34	49
300	380	20	35	50
300	450	21	39	58
300	500	26	46	

Probe
A Trusted **Whittan** Brand



STORAGE DESIGN LIMITED
Tel: 01446 772614
email: info@storage-design.ltd.uk
web: www.storage-design.ltd.uk

The information contained in this leaflet was accepted as correct at the date of publication. However, we reserve the right to make any necessary changes, in line with product development and trading conditions. Although all reasonable care has been taken to make it as complete and accurate as possible, no liability can be accepted for any inaccuracies or omissions. E+OE.