




Muscle Groups Focus




Leg Curl

A very useful and straight forward device for strengthening your thighs, legs. Grasping the handles helps you stay fixed in your position while lifting the bottom bar.


Attributes

Product code	1-1-310
Certificate	EN 16630, ASTM F3101
Age group	14 + years
Capacity	1 person
Max. weight load	286.60 lbs
Type	Recreational
Difficulty level	Easy

Side View




Plan View



Installation information

Number of installers (concrete)	At least 2 people
Total installation time (concrete)	45-90 min.
Number of installers (equipment)	At least 2 people
Total installation time (equipment)	90-120 min.
Excavation volume	17.66 ft ³
Concrete volume	17.66 ft ³
Size of the base structure	31.5 x 31.5 x 31.5"
Anchoring options	In-ground or surface
<small>In combined structures, the volume of concrete required varies.</small>	


Technical specification

Safety surface area	Around 4.92 ft radius
Net weight	126 lbs
Material	S235
Critic fall height	18.9"
Color options	
<small>For more color options, discuss with your sales representative.</small>	

Warranty

Structure	25 years
Steel	15 years
Paint	2 years
Plastic	5-10 years
Rubber	1-3 years
Moving parts	2 years
<small>Detailed information in the warranty document</small>	

Material specification




The element is made of high quality S235 steel, which has been cleaned via sandblasting. A corrosion resistant powder coating finish is then applied. Also available with galvanized surface for even greater protection and longevity!




The device is equipped with an ergonomic non-slip HDPE phone holder for convenience.



At the end of the arms, the handle is rubber-coated for a more comfortable and secure grip.



The device is fitted with composite bearings that are weather-resistant. The bearing does not require regular maintenance.



The seats and backrests are made of strong HDPE material. Which is fully heat, moisture and UV resistant.

BESTRONG

bestrongworld bestrongworld usa.bestrong.com usa@bestrong.com

