

EXTERIOR LIGHTING

PLASTIC GARDEN LIGHT SERIES



 synergies group limited[®]

2025
PRODUCT CATALOG





EXTERIOR LIGHTING

Engineered for Outdoors. Designed for Trust.

We are a professional outdoor lighting manufacturer offering integrated capabilities in injection molding, die-casting, and final assembly. Our aluminum and plastic lighting solutions are built with both structural integrity and refined aesthetics, designed for walls, gardens, walkways, and coastal environments.

Certified under ISO9001, ISO14001, and BSCI, we operate an in-house lab for IP waterproof, IK impact, UV aging, salt spray, and optical performance testing, ensuring long-term durability even in harsh outdoor conditions. Our products comply with CE, RoHS, ErP, ETL, and other major international standards—ready for distribution across Europe, the Americas, and Southeast Asia.

With over 300 SKUs and ongoing product development, we support OEM/ODM projects with flexibility and speed. Our customers include lighting brands, home improvement retailers, and professional distributors worldwide. We aim to deliver reliable, visually appealing, and globally compliant outdoor lighting solutions, while building lasting partnerships based on quality, trust, and growth.

2025

PRODUCT CATALOG

Vida



• ITEM NO: GD-PW054-E27-SEN



Model: GD-PW054-E27-SEN
Material: Anti-UV ABS housing+PC lens
Size: 83*112*165mm
Light Source: E27 lampholder
Power: MAX 10W
Rating: IP44/ IK06

Size:83*112*165mm

- ◆ Smart PIR Sensor
5m detection range (adjustable 3-5m)
15s auto-off (configurable)
- ◆ Dual Control
Light sensor (<10lux activation)
Manual override
Energy Saving





• ITEM NO: GD-PW055-SEN



Model: GD-PW055-SEN

Material: Anti-UV ABS housing+PC lens

Size: 167*80*240mm

Light Source: SMD 2835

Power: 12W

Rating: IP65/ Ik06

Size: 167*80*240mm

- ◆ PIR sensor optional
- ◆ Smart PIR Sensor
 - 5m detection range (adjustable 3-5m)
 - 15s auto-off (configurable)
- ◆ Dual Control
 - Light sensor (<10lux activation)
 - Manual override
 - Energy Saving





- ★ Smart PIR Sensor
 - 5m detection range (adjustable 3-5m)
 - 15s auto-off (configurable)
- ★ Dual Control
 - Light sensor (<10lux activation)
 - Manual override
 - Energy Saving

• ITEM NO: GD-GD-PW049-SEN



Size:180*162*202mm

Model: GD-PW049-SEN

Material: Anti-UV ABS housing+PC diffuser

Size: 180*162*202mm

Light Source: SMD 2835

Power: MAX 10W

Rating: IP 65/ IK06



• ITEM NO: GD-PW050-SEN



Size:145*94*205mm

Model: GD-PW050-SEN

Material: Anti-UV ABS housing+PMMA lamshade

Size: 145*94*205mm

Light Source: E27 lampholder

Power: MAX 15W

Rating: IP44/ Ik04



Rotation

• ITEM NO: GD-PW051-SEN



Size:165*150*192mm

Model: GD-PW051-SEN

Material: Anti-UV ABS housing+PMMA lamshade

Size: 165*150*192mm

Light Source: E27 lampholder

Power: MAX 15W

Rating: IP44/ Ik04





• ITEM NO: GD-PW047-E27



Size:135*170*240mm

Model: GD-PW047-E27

Material: Anti-UV ABS housing+PC lens

Size: 135*170*240mm

Light Source: E27 lampholder

Power: MAX 10W

Rating: IP44/ IK06



• ITEM NO: GD-PCL03-E27



Size:135*135*200mm

Model: GD-PCL03-E27

Material: Anti-UV ABS housing+PC lens

Size: 135*135*200mm

Light Source: E27 lampholder

Power: MAX 10W

Rating: IP44/ IK06





• ITEM NO: GD-PW053-300



Size:45*85*300mm

Model: GD-PW053-300

Material: Anti-UV fiberhousing
+tempered glass

Size: ,45*85*300mm

Light Source: COB

Power: 3W*2

Rating: Ip65/ IK06

• ITEM NO: GD-PW053-600



Size:45*85*600mm

Model: GD-PW053-600

Material: Anti-UV fiberhousing
+tempered glass

Size: ,45*85*600mm

Light Source: COB

Power: 3W*2

Rating: Ip65/ IK06



• ITEM NO: GD-PW048



Model: GD-PW048

Material: Anti-UV ABS housing+PC diffuser

Size: 150*100*200mm

Light Source: SMD 2835

Power: 10W

Rating: IP 65/ IK06

Size: 150*100*200mm

PIR sensor optional



Smart PIR Sensor

5m detection range (adjustable 3-5m)

15s auto-off (configurable)



Dual Control

Light sensor (<10lux activation)

Manual override

Energy Saving



Rotation



• ITEM NO: GD-PNL01

Material: Anti-UV ABS housing+PC diffuser

Size: 305*230*62mm

Light Source: SMD 2835

Power: 20W/1500lm/ Ra>80

Rating: IP65/ IK06

Key Features

- Includes a set of self-adhesive letters and numbers (A-Z / 0-9).
Designed as a house number light, clearly visible at night.
- 3CCT switchable (3000K / 4000K / 6500K) for versatile ambiance
- Choice of four elegant finishes: Black, White, Dark Grey, Light Grey
- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments



• ITEM NO: GD-PW044-GU10-SEN



Size:186*129.5*138mm

Model: GD-PW044-GU10-SEN

Material: Anti-UV ABS housing+tempered glass

Size: 186*129.5*138mm

Light Source: GU 10 lampholder*2

Power: MAX 5W*2

Rating: IP44/ IK06



- ★ Smart PIR Sensor
 - 5m detection range (adjustable 3-5m)
 - 15s auto-off (configurable)
- ★ Dual Control
 - Light sensor (<10lux activation)
 - Manual override
 - Energy Saving



Key Features

- Head adjustable: 355° horizontal rotation and 160° vertical tilt.
- Anti-UV housing for long-lasting outdoor use

Choice of four elegant finishes: Black, White, Dark Grey, Light Grey



• ITEM NO: GD-PUD017-GU10



Size:140*140*80mm

Model: GD-PUD017-GU10

Material: Anti-UV ABS housing+tempered glass

Size: 140*140*80mm

Light Source: GU10*2 lampholder

Power: MAX 5W*2

Rating: IP44/ IK06



• ITEM NO: GD-PW045-GU10



Size:120*120*150mm

Model: GD-PW045-GU10

Material: Anti-UV ABS housing+PC lens

Size: 120*120*150mm

Light Source: Gu10 lampholder

Power: MAX 5W

Rating: IP44/ IK06



GD-PS04

Key Features

- Head adjustable: 355° horizontal rotation and 160° vertical tilt.
- Anti-UV housing for long-lasting outdoor use

Choice of four elegant finishes: Black, White, Dark Grey, Light Grey



• ITEM NO: GD-WP42-1-E27



Size: 65*90*195mm

• ITEM NO: GD-BL23-E27-800



Size:65*135*800mm

• ITEM NO: GD-WP42-2-E27



Size: 65*90*300mm

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional
GD-WP42-1-E27	Plastic wall light	65*90*195mm	ABS housing+glass lampshade	E27 lamp holder	MAX 15W	IP 44/ Ik 04	
GD-WP42-2-E27	Plastic wall light	65*90*300mm	ABS housing+glass lampshade	E27 lamp holder*2	MAX 15W*2		
GD-BL23-E27-800	Plastic bollard light	65*135*800mm	ABS housing+PVC pole+glass lampshade	E27 lamp holder	MAX 15W		Available in optional heights: 500mm / 600mm / 700mm / 800mm

Key Features

- Featuring elegant brown glass shades, available as single-head and double-head wall lights, as well as matching bollard lights.





• ITEM NO: GD-PW052



Size: 160*150*270mm

Model: GD-PW052

Material: Anti-UV PC housing+PC lampshade

Size: 160*150*270mm

Light Source: E27 lampholder

Power: MAX 25W

Rating: IP44/ IK06

Notes: Lampshade available in milky white or transparent options

Choice of four elegant finishes: Black, White,

Dark Grey, Light Grey

Key Features

- Anti-UV housing for long-lasting outdoor use



• ITEM NO: GD-BL052-600



Size: 100*100*600mm

Model: GD-BL052-600

Material: Anti-UV ABS housing and fibre pole +PC lampshade

Size: 100*100*600mm

Light Source: E27 lampholder

Power: MAX 25W

Rating: IP44/ Ik06

Notes: Lampshade available in milky white or transparent options

Choice of four elegant finishes: Black, White,

Dark Grey,

Light Grey

Key Features


- Anti-UV housing for long-lasting outdoor use



• ITEM NO: GD-BOX01




Size: 107*107*55mm



• ITEM NO: GD-BOX01-R



Size:108*108*55mm




Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 2
GD-BOX01-R	LED Plastic wall light	108*108*55mm	Anti-UV ABS housing+ PC lens	SMD 2835	3W*2/ 200lm/ Ra>80	IP 65/ IK 06	Choice of four elegant finishes: Black, White, Dark Grey, Light Grey
GD-BOX01	LED Plastic wall light	107*107*55mm	Anti-UV ABS housing+ PC lens	SMD 2835	3W*2/ 200lm/ Ra>80	IP 65/ IK 06	


Key Features

- Rotatable housing for different lighting effects
- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments






• ITEM NO: GD-BOX10



• ITEM NO: GD-BOX10-R



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1	optional 2
GD-BOX10	LED Plastic wall light	100*100*100 mm	Anti-UV ABS housing+tempered	COB	3W*2/ 250lm/ Ra>80	IP 65/ IK 06	Single CCT or 3CCT (3000K / 4000K / 6500K) via switch	Choice of four elegant finishes: Black, White, Dark Grey, Light Grey
GD-BOX10-R	LED Plastic wall light	140*100*130 mm	Anti-UV ABS housing+tempered glass	COB	3W*2/ 250lm/ Ra>80	IP 65/ IK 06		


Key Features

- Adjustable beam angle: 0°–120°
- 3CCT switchable (3000K / 4000K / 6500K) for versatile ambiance
- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments





Light Source





• ITEM NO: GD-BOX012-2



Model: GD-BOX12-2

Material: Anti-UV ABS housing+PC lens

Size: 120*120*54mm

Light Source: SMD 2835 Power: 3W/ 150lm/ Ra>80


Rating: IP65/ Ik06

Notes: Choice of four elegant finishes: Black, White, Dark Grey, Light Grey

Key Features

- Adjustable beam angle: 0°–120°
- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments

• ITEM NO: GD-BOX225



Model: GD-BOX225

Material: Anti-UV ABS housing+tempered glass

Size: 225*31*94mm




Light Source: SMD 2835 Power: 12W/ 600lm/ Ra>80

Rating: IP65/ IK06

Notes: Choice of four elegant finishes: Black, White, Dark Grey, Light Grey

Key Features

- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments



• ITEM NO: GD-BOX04



Black




White



Light Grey



Dark Grey



Model: GD-BOX04

Material: Anti-UV ABS housing+tempered glass

Size: 120*42*31mm

Light Source: SMD 2835 Power: 4W/ 160lm/ Ra>80

Rating: IP65/ IK06

Notes: Choice of four elegant finishes: Black, White, Dark Grey, Light Grey


Key Features

- Includes 2 sets of beam control stickers; customizable light pattern
- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments

• ITEM NO: GD-BOX08



Black




White



Light Grey



Dark Grey



Model: GD-BOX08

Material: Anti-UV ABS housing+tempered glass

Size: 124*30*85mm

Light Source: SMD 2835 Power: 4W/ 180lm/ Ra>80

Rating: IP65/ IK06

Notes: Choice of four elegant finishes: Black, White, Dark Grey, Light Grey

Key Features

- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments



• ITEM NO: GD-PW043



Size: 135*100*105mm

• ITEM NO: GD-BL20-1-600



Size: 150*230*600mm

• ITEM NO: GD-BL20-2-600



Size: 150*305*600mm

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional
GD-PW043	Plastic wall light	135*100*105mm	Anti-UV ABS housing+tempered glass	GU10 lampholder	MAX 5W	IP 54/IK 06	Choice of four elegant finishes: Black, White, Dark Grey, Light Grey
GD-BL20-1-600	Plastic bollard light	150*230*600mm	Anti-UV ABS housing and PVC pole+tempered glass	GU10 lampholder	MAX 5W		Available in optional heights: 500mm / 600mm / 700mm / 800mm
GD-BL20-2-	Plastic bollard	150*305*600mm		GU10*2 lampholder	MAX 5W *2		

Key Features

- Head adjustable: 355° horizontal rotation
- Anti-UV housing for long-lasting outdoor use



• ITEM NO: GD-PW01



Black



White



Light Grey




Dark Grey



• ITEM NO: GD-BL02-50



Black




Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1	optional 2
GD-PW01-120	LED Plastic wall light	120*120*45 mm	Anti-UV ABS housing+ PC diffuser	SMD 2835	6W / 300lm/ Ra>80	IP 65/ IK 06	Single CCT or 3CCT (3000K / 4000K / 6500K) via switch	
GD-PW01-170		170*170*55 mm			12W / 700lm/ Ra>80			
GD-PW01-220		220*220*80 mm			18W / 900lm/ Ra>80			
GD-BL02-50	LED Plastic bollard light	170*170*500 mm	Anti-UV ABS housing+ PC diffuser+P VC pole		12W/ 700lm/ Ra>80			Available in optional heights: 500mm / 600mm / 700mm / 800mm

Key Features

- 3CCT switchable (3000K / 4000K / 6500K) for versatile ambiance
- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments
- Choice of four elegant finishes: Black, White, Dark Grey, Light Grey



• ITEM NO: GD-PW02



• ITEM NO: GD-BL03



Black



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1	optional 2
GD-PW02	LED Plastic wall light	160*160*60mm	Anti-UV ABS housing+ PC diffuser	SMD 2835	12W / 700lm/ Ra>80	IP 65/ IK 06	Single CCT or 3CCT (3000K / 4000K / 6500K) via switch	Choice of four elegant finishes: Black, White, Dark Grey, Light Grey
GD-BL03-50	LED Plastic bollard light	160*160*500mm	Anti-UV ABS housing+ PC diffuser+ PVC pole					Available in optional heights: 500mm / 600mm / 700mm / 800mm

- Key Features
- 3CCT switchable (3000K / 4000K / 6500K) for versatile ambiance
- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments



● ITEM NO: GD-PW39



Size:154x231x280mm

● ITEM NO: GD-PW40



Size:195x252x271mm

● ITEM NO: GD-PW42




Size:246x180x260mm

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1	optional 2
GD-PW39	LED Plastic wall light	231*154*280mm	Anti-UV ABS housing+ PC diffuser	SMD 2835	12W/ 500lm/ Ra>80	IP 65/ IK 06	Single CCT or 3CCT (3000K / 4000K / 6500K) via switch	Choice of four elegant finishes: Black, White, Dark Grey, Light Grey
GD-PW40		252*195*271mm			12W/ 600lm/ Ra>80			
GD-PW42		245*180*260mm						

Key Features

- 3CCT switchable (3000K / 4000K / 6500K) for versatile ambiance
- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments







23



● ITEM NO: GD-BL16-600

● ITEM NO: GD-BL18-600

● ITEM NO: GD-BL19-600




Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1	optional 2
GD-BL16-600	LED Plastic bollard light	155*155*600mm	Anti-UV ABS housing and PVC pole+PC diffuser	SMD 2835	12W/ 500lm/ Ra>80	IP 65/ IK 06	Single CCT or 3CCT (3000K / 4000K / 6500K) via switch	Available in optional heights: 500mm / 600mm / 700mm / 800mm
GD-BL18-600		195*195*600mm			12W/ 600lm/ Ra>80			
GD-BL19-600		180*180*600mm						

Key Features

- **GD-BL16-600: unique fish scale light effect casts decorative patterns on the ground**
- 3CCT switchable (3000K / 4000K / 6500K) for versatile ambiance
- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments



ITEM NO: GD-PUD019-R



Black



White




Light Grey



Dark Grey


ITEM NO: GD-PUD020



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1	optional 2
GD-PUD019-R-G9	Plastic wall light	171*46*83mm	Anti-UV ABS housing+ PC diffuser	G9 lampholder	MAX 12W	IP 65/ IK 06	Single CCT or 3CCT (3000K / 4000K / 6500K) via switch	Choice of four elegant finishes: Black, White, Dark Grey, Light Grey
GD-PUD019-R				SMD 2835	9W/ 400lm/ Ra>80			
GD-PUD020				SMD 2835	14W/ 800lm/ Ra>80			

Key Features


- 3CCT switchable (3000K / 4000K / 6500K) for versatile ambiance
- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments



ITEM NO: GD-PUD018



Black




White



Light Grey



Dark Grey



ITEM NO: GD-PUD019



Black




White



Light Grey



Dark Grey



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1	optional 2
GD-PUD018-E27	Plastic wall light	230*90*102mm	Anti-UV ABS housing +PC diffuser	E27 lamp holder	MAX 18W	IP 65/ IK 06	Single CCT or 3CCT (3000K / 4000K / 6500K) via switch	Choice of four elegant finishes: Black, White, Dark Grey, Light Grey
PUD018				SMD 2835	12W/ 700lm/ Ra>80			
GD-PUD019-G9	171*46*83mm			G9 lampholder	MAX 12W	Single CCT or 3CCT (3000K / 4000K / 6500K) via switch		
GD-PUD019				SMD 2835	9W/ 400lm/ Ra>80			


Key Features

- 3CCT switchable (3000K / 4000K / 6500K) for versatile ambiance
- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments






• ITEM NO: GD-PDL01



• ITEM NO: GD-PDL02



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1	optional 2
GD-PDL01-GU10	Plastic spot light	94*94*141mm	Anti-UV ABS housing+PC lens glass	GU10 lampholder	MAX 7W	IP44/ Ik06		Choice of four elegant finishes: Black, White, Dark Grey, Light Grey
GD-PDL02-GU10		59*59*91mm	Anti-UV ABS housing+tempered glass		MAX 5W			

Key Features

- Anti-UV housing for long-lasting outdoor use



ITEM NO:GD-PUD015-2-GU10

ITEM NO:GD-PUD016-2-GU10



Size:65*90*177mm




Size:65*90*177mm

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PUD015-2-GU10	Plastic wall light	65*90*177mm	ABS+GL ASS	GU10*2 lampholder	MAX 5W*2	IP 44/IK 06
GD-PUD016-2-GU10		65*90*177mm				

Key Features

Durable ABS housing and IP44 weather resistance

ROTATABLE FOR 270 DEGREES



• ITEM NO: GD-PUD09-1



Black



White



Light Grey



Dark Grey



73*113*113mm

• ITEM NO: GD-PUD09-2



Black




White



Light Grey



Dark Grey



73*113*152mm


Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 2
GD-PUD09-1-GU10	Plastic wall light	73*113*113mm	Anti-UV ABS housing+ tempered glass	GU10 lampholder	MAX 5W	IP44/ Ik06	Choice of four elegant finishes: Black, White, Dark Grey, Light Grey
GD-PUD09-2-GU10		73*113*152mm		GU10*2 lampholder	MAX 5W*2		

Key Features

- Head adjustable: 355° horizontal rotation
- Anti-UV housing for long-lasting outdoor use



• ITEM NO: GD-PUD03-1




Black

White



Light Grey

Dark Grey




• ITEM NO: GD-PUD03-2




Black

White



Light Grey

Dark Grey



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 2
GD-PUD03-1-GU10	Plastic wall light	70*90*80mm	Anti-UV ABS housing+ tempered glass	GU10 lampholder	MAX 5W	IP 44/ IK 06	Choice of four elegant finishes: Black, White, Dark Grey, Light Grey
GD-PUD03-2-GU10		70*90*147mm		GU10*2 lampholder	MAX 5W*2		

Key Features

- Anti-UV housing for long-lasting outdoor use



• ITEM NO: GD-PUD04-1



Black




White



Light Grey



Dark Grey



• ITEM NO: GD-PUD04-2



Black




White



Light Grey



Dark Grey



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 2
GD-PUD04-1-GU10	Plastic wall light	70*90*80mm	Anti-UV ABS housing+ tempered glass	GU10 lampholder	MAX 5W	IP 44/ IK 06	Choice of four elegant finishes: Black, White, Dark Grey, Light Grey
GD-PUD04-2-GU10		70*90*147mm		GU10*2 lampholder	MAX 5W*2		

Key Features


- Anti-UV housing for long-lasting outdoor use





Model: GD-PCL02-300

Plastic Ceiling Light
 Size: 300 × 300 × 65 mm
 material: ABS Housing + PC Diffuser
 IP65 waterproof & IK08 impact-resistant



Version	Light Configuration	CCT / RGB Control
Front Light Only	SMD 2835 / 20W (front)	Single CCT or 3CCT (3000K / 4000K / 6500K) via switch
Front + Back Light	20W Front + 10W Back (SMD 2835)	3CCT (same front & back) via
Front + RGB Back Light	20W Front (3CCT) + 10W RGB Back	3CCT front (via switch) + RGB back (via remote)

Key Features

- Three lighting options: front-only, front + back, or front + RGB backlight
- CCT selectable (3000K / 4000K / 6500K) or fixed single CCT upon request
- Ideal for ceiling applications in balconies, corridors, or modern indoor spaces



**Model: GD-PCL01-285-E27
 GD-PCL01-285-LED**

Plastic Ceiling Light
 Size: 285 × 285 × 90 mm
 IP Rating: IP65 IK Rating: IK08



Version	Material	Light Source	CCT / Wattage Options
GD-PCL01-285-E27	Anti-UV ABS + PC	E27 lampholder (×1), Max 18W	Depends on bulb (not included)
GD-PCL01-285-LED	PC Housing + PC Diffuser	SMD 2835 DOB (12W / 18W / 24W)	3CCT Switchable (3000K / 4000K / 6500K) + Power Switch

Key Features

Two switch options:

- Adjustable color temperature (3000K / 4000K / 6500K)
- Selectable wattage (12W / 18W / 24W) for desired brightness

One fixture provides 3 brightness levels:

- 600 lm (12W), 900 lm (18W), 1200 lm (24W)


E27 version compatible with various bulb types (bulb not included)

Durable PC construction with IP65 waterproof protection

Suitable for staircases, entrances, corridors, and balconies



• ITEM NO: GD-PW012-E27



• ITEM NO: GD-PW012-5



GD-BL012-50



GD-BL012-60



GD-BL012-70



GD-BL012-80

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1	optional 2
GD-PW012-1	Plastic wall light	110*135*295mm	Anti-UV ABS housing+PC lampshade	E27 lampholder	MAX 25W	IP 44/IK 06		Choice of four elegant finishes: Black, White, Dark Grey, Light Grey
GD-PW012-5		90*190*376mm						
GD-BL012-60	Plastic bollard light	90*160*500mm	Anti-UV ABS housing and PVC pole+PC lampshade				Available in optional heights: 500mm / 600mm / 700mm / 800mm	

Key Features

- Anti-UV housing for long-lasting outdoor use



GD-PW012-2
Size: 160x156x276mm



GD-BL012-2-50
Size: 160x160x500mm



GD-BL012-2-80
Size: 160x160x800mm



GD-PW012-3
Size: 134x171x279mm



GD-BL012-3-50
Size: 160x160x500mm



GD-BL012-3-80
Size: 160x160x800mm



GD-PW012-4
Size: 133x110x280mm



GD-BL012-4-50
Size: 160x160x500mm



GD-BL012-4-80
Size: 160x160x800mm

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1	optional 2
GD-PW012-2	Plastic wall light	156*160*276mm	Anti-UV ABS housing+PC lampshade	E27 lampholder	MAX 25W	IP 44/IK 06		Choice of four elegant finishes: Black, White, Dark Grey, Light Grey
GD-PW012-3		134*171*279mm						
GD-PW012-4		133*110*280mm						
GD-BL012-2-50	Plastic bollard light	160*160*500mm	Anti-UV ABS housing and PVC pole+PC lampshade				Available in optional heights: 500mm / 600mm / 700mm / 800mm	
GD-BL012-3-50		160*160*500mm						
GD-BL012-4-50		160*160*500mm						

Key Features

- Anti-UV housing for long-lasting outdoor use





• **Models: GD-PF01-150 / 200 / 270 / 330**



Plastic Gate Light (E27 Versions)
 Sizes: 150 / 200 / 275 / 335 mm square bases
 Material: ABS Housing + PS Lampshade
 IP Rating: Ip44 IK Rating: IK04
 Light Source: E27 lampholder (bulb not included)

Model	Size (mm)	Max Wattage
GD-PF01-150	150*150*190mm	Max 10W
GD-PF01-200	200*200*255mm	Max 15W
GD-PF01-270	275*275*320mm	Max 40W
GD-PF01-330	335*335*398mm	Max 60W

• **Models: GD-PCS04-1/GD-PCS04-2**



Plastic Solar Gate Light (Solar + E27 Hybrid)
 Sizes: 150 / 200 mm square bases
 Material: ABS Housing + PS Lampshade
 IP Rating: IP44 IK Rating: IK04

Model	Size (mm)	LED Output	Solar Panel	Battery	Additional
GD-PCS04-1	150 × 150 ×	4W LED / 3CCT	6V / 2W	3.7V / 2000mAh	E27 Max 10W
GD-PCS04-2	200 × 200 ×	5W LED / 3CCT	6V / 5W	3.7V / 4000mAh	E27 Max 15W

Key Features

Classic square gate light design in multiple sizes
 E27 versions compatible with various LED bulbs
 Solar versions feature built-in 3CCT LED + E27 dual lighting options
 Integrated polysilicon solar panels with rechargeable Li-ion batteries
 Ideal for gate posts, garden walls, and outdoor columns as single-head and double-head wall lights, as well as matching bollard lights.

P1003 / P1004 Solar Light Series

Wall / Fence / Bollard – Multiple Sizes & Mounting Options



GD-P1003B-sol



GD-P1003A-sol



GD-P1003D-sol-600



Model	Type	Size (mm)	Notes
GD-P1003B-sol	Wall Light	175 × 195 × 230mm	
GD-P1003A-sol	Fence Light	175 × 135 × 240mm	
GD-P1003D-sol-600	Bollard Light	175 × 135 × 600mm	Available in optional heights: 500 / 600 / 700 / 800 mm

Material: ABS + PS
 Light Source: 2835 LED / 2W and E27 lampholder(bulb not included)
 Solar Panel: Grade A Polycrystalline Silicon, 6V 1.8W
 Battery: 18650 Ternary Lithium Battery, 3.7V 1800mAh
 IP Rating: IP65 IK Rating: IK08
 Warranty: 1 year

GD-P1004B-sol



GD-P1004A-sol



GD-P1004D-sol-600



Model	Type	Size (mm)	Notes
GD-P1004B-sol	Wall Light	175 × 195 × 230mm	
GD-P1004A-sol	Fence Light	175 × 135 × 240mm	
GD-P1004D-sol-600	Bollard Light	175 × 135 × 600mm	Available in optional heights: 500 / 600 / 700 / 800 mm

Material: ABS + PS
 Light Source: 2835 LED / 2W and E27 lampholder(bulb not included)
 Solar Panel: Grade A Polycrystalline Silicon, 6V 1.8W
 Battery: 18650 Ternary Lithium Battery, 3.7V 1800mAh
 IP Rating: IP65 IK Rating: IK08
 Warranty: 1 year

- Key Features
- 3CCT switchable (3000K / 4000K / 6500K) via remote control
 - Available in wall, fence-top, and bollard mounting options
 - Optional heights for bollard versions: 500 / 600 / 700 / 800 mm
 - Durable ABS + PS body for outdoor durability
 - Uniform design style for residential and landscape integration

GD-P1002B-sol



GD-P1002A-sol



GD-P1002D-sol 600



Model	Type	Size (mm)	Notes
GD-P1002B-sol	Wall Light	175 × 195 × 230mm	
GD-P1002A-sol	Fence Light	175 × 135 × 240mm	
GD-P1002D-sol-600	Bollard Light	175 × 135 × 600mm	Available in optional heights: 500 / 600 / 700 / 800 mm

Material: ABS + PS
 Light Source: 2835 LED / 2W and E27 lampholder(bulb not included)
 Solar Panel: Grade A Polycrystalline Silicon, 6V 1.8W
 Battery: 18650 Ternary Lithium Battery, 3.7V 1800mAh
 IP Rating: IP65 IK Rating: IK08
 Warranty: 1 year

GD-P1001B-sol



GD-P1001A-sol



GD-P1001D-sol-600



Model	Type	Size (mm)	Notes
GD-P1001B-sol	Wall Light	175 × 195 × 230mm	
GD-P1001A-sol	Fence Light	175 × 135 × 240mm	
GD-P1001D-sol-600	Bollard Light	175 × 135 × 600mm	Available in optional heights: 500 / 600 / 700 / 800 mm

Material: ABS + PS
 Light Source: 2835 LED / 2W and E27 lampholder(bulb not included)
 Solar Panel: Grade A Polycrystalline Silicon, 6V 1.8W
 Battery: 18650 Ternary Lithium Battery, 3.7V 1800mAh
 IP Rating: IP65 IK Rating: IK08
 Warranty: 1 year

- Key Features
- 3CCT switchable (3000K / 4000K / 6500K) via remote control
 - Available in wall, fence-top, and bollard mounting options
 - Optional heights for bollard versions: 500 / 600 / 700 / 800 mm
 - Durable ABS + PS body for outdoor durability
 - Uniform design style for residential and landscape integration

P1001 / P1002 Solar Light Series

Wall / Fence / Bollard – Multiple Sizes & Mounting Options





Solar Globe Fence Lights

Globe Diameter: 250 mm / 300 mm

Material: ABS Base + PMMA Lampshade

IP Rating: IP44 IK Rating: IK04



Model	Size (mm)	Solar Panel	Battery	Lamp Holder
GD-S01-250-CP	250 × 250 × 350mm	6V / 190mA / 1.1W Poly	3.7V 1500mAh	E27 / Max 25W
GD-S01-300-CP	300 × 300 × 350mm	6V / 250mA / 1.5W Poly	3.7V 1500mAh	E27 / Max 40W

Key Features

- Stylish spherical solar light for fence and pillar tops
- PMMA globe ensures soft, diffused lighting
- Integrated solar charging with replaceable E27 socket
- Rechargeable lithium battery built-in
- Available in Ø250 mm and Ø300 mm globe sizes
- Ideal for gate posts, villas, courtyards, and low columns

GD001-B-250-b-210-1H GD001-B-250-b-210-2H

GD001-B-250-b-W6



Traditional Globe Lights (E27)

Material: Resin Arm / Pole + PMMA Lampshade

IP Rating: IP44 IK Rating: Ik04

GD001-B-250-b-210-3H




Model	Type	Size (mm)	Lamp Holder	Power
GD001-B-250-b-W6	Wall Light	250 × 250 × 350mm	E27	Max 60W
GD001-B-250-b-210-1H	Garden Light	250 × 250 × 2135mm	E27	Max 60W
GD001-B-250-b-210-2H	Garden Light	685 × 250 × 2135mm	E27*2	Max 60W*2
GD001-B-250-b-210-3H	Garden Light	627*578*2135mm	E27*3	Max 60W*3

Key Features


- Classic globe light design for wall and garden pole mounting
- Compatible with standard E27 LED bulbs (not included)
- Durable resin and PMMA construction for long-lasting outdoor use
- Available in single or dual-head configurations
- Perfect for gardens, gates, driveways, and villa entrances




GD-PUD01-1




GD-PUD02-1



GD-PUD01-2



GD-PUD02-2



Models	Type	Size(mm)	Material	Light Source	Power / Output	IP / IK	optional 1	
GD-PUD01-1	Plastic wall light	170*120*120mm	Anti-UV ABS housing+PC lampshade	E27 lampholder	MAX 25W	IP 44/IK 06		
GD-PUD02-1		170*120*120mm						
GD-PUD01-2		310*120*120mm					MAX 25W*2	
GD-PUD02-2		310*120*120mm						
GD-BL21-E27-600	Plastic bollard light	70*120*600mm	Anti-UV PVC pole+PMMA lampshade		MAX 25W		Available in optional heights: 500mm / 600mm / 700mm /	

GD-BL21-E27-600



Key Features

- Anti-UV housing for long-lasting outdoor use





GD-PUD010



GD-PUD06



GD-PUD07



GD-PUD08



GD-PUD011

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PUD010	LED Plastic wall light	80*77*35mm	ABS+PC lens	SMD 3030	2*1W/ 120lm/ Ra>80	IP 44/ IK 06
GD-PUD06		120*77*45mm			4*1W/ 200lm/ Ra>80	
GD-PUD07		170*77*45mm			6*1W/ 300lm/ Ra>80	
GD-PUD08		220*77*45mm			8*1W/ 400lm/ Ra>80	
GD-PUD011		220*77*45mm			10*1W/ 500lm/ Ra>80	

Features :

Wall washer with PC lens

High brightness

Anti-corrosion



GD-PUD013-1



GD-PUD013-2



GD-PUD05-1



GD-PUD05-2



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PUD05-1	LED Plastic wall light	105*95*86mm	ABS+PC lampshade	SMD 2835	4W/ 200lm/ Ra>80	IP 44/ IK 06
GD-PUD013-1		105*95*86mm				
GD-PUD05-2		105*95*133mm			4W*2/ 400lm/ Ra>80	
GD-PUD013-2		105*95*133mm				



GD-PW08



Dark Grey



Light Grey



Black



White

GD-PW09



Dark Grey



Light Grey



Black



White

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PW08-1	LED Plastic wall light	133*133*67mm	Anti-UV ABS housing+PC diffuser	SMD 2835	6W/ 300lm/ Ra>80	IP 65/ IK 06
GD-PW09-1		133*133*67mm				
GD-PW08-2		170*170*102mm			12W/ 600lm/ Ra>80	
GD-PW09-2		170*170*102mm				

Key Features

- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments



GD-PW05



Black




White



Light Grey



Dark Grey



GD-PW06



Black




White



Light Grey



Dark Grey




Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1	optional 2
GD-PW05	LED Plastic wall light	230*110*77mm	Anti-UV ABS housing +PC diffuser	SMD 2835	12W/ 600lm/ Ra>80	IP 65/ IK 06	Single CCT or 3CCT (3000K / 4000K / 6500K) via switch	Choice of four elegant finishes: Black, White, Dark Grey, Light Grey
GD-PW06		230*110*77mm						
GD-PW05-G9	Plastic wall light	230*110*77mm		G9*2 lampholder	MAX 2*6W			
GD-PW06-G9		230*110*77mm						

✓ Key Features

- Both G9 and LED version available
- 3CCT switchable (3000K / 4000K / 6500K) for versatile ambiance
- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments



Model:GD-PW04



Black



Light Grey



Dark Grey



White

Model:GD-PW020



Black



White



Dark Grey



Light Grey

Model:GD-PW022




Black



White



Dark Grey



Light Grey

Model:GD-PW021



Black



White



Dark Grey



Light Grey

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1	optiona l2			
GD-PW04-E27	Plastic wall light	320*130*130mm	Anti-UV ABS housing +PC diffuser	E27 lampholder	MAX 18W	IP 65/IK 06		Choice of four elegant finishes: Black, White, Dark Grey, Light Grey			
GD-PW020-E27		320*130*128mm									
GD-PW021-E27		320*130*130mm									
GD-PW022-E27		320*130*130mm									
GD-PW04	LED Plastic wall light	320*130*130mm		SMD 2835	13W/ 1050lm/ Ra>80				13W/ 1050lm/ Ra>80	Single CCT or 3CCT (3000K / 4000K / 6500K) via switch	
GD-PW020		320*130*128mm									
GD-PW021		320*130*130mm									
GD-PW022		320*130*130mm									

✓ Key Features

- Both E27 and LED version available
- 3CCT switchable (3000K / 4000K / 6500K) for versatile ambiance
- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments



• ITEM NO: GD-PBL04



Black




White



Light Grey



Dark Grey



• ITEM NO: GD-PBL05



Black




White



Light Grey



Dark Grey



• ITEM NO: GD-PBL01



Black



White



Light Grey



Dark Grey



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1	optional 2
GD-PBL01	LED Plastic brick light	148*148*26mm	Anti-UV ABS housin g+PC diffuser	SMD 2835	3W/ 150lm/ Ra>80	IP 65/ IK 06	Single CCT or 3CCT (3000K / 4000K / 6500K) via switch	Choice of four elegant finishes: Black, White, Dark Grey, Light Grey
GD-PBL05		123*123*26mm			2W/ 140lm/ Ra>80			
GD-PBL04		221*80*34mm			3W/ 160lm/ Ra>80			

✓ Key Features

- 3CCT switchable (3000K / 4000K / 6500K) for versatile ambiance
- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments



• ITEM NO: GD-PBL06



Black




White



Light Grey



Dark Grey



221*80*34mm

• ITEM NO: GD-PBL08



Black




White



Light Grey



Dark Grey



123*123*26mm

• ITEM NO: GD-PBL10



Black




White



Light Grey



Dark Grey



148*148*26mm



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1	optional 2
GD-PBL06	LED Plastic brick light	221*80*34mm	Anti-UV ABS housing +PC diffuser	SMD 2835	4W/ 280lm/ Ra>80	IP 65/ IK 06	Single CCT or 3CCT (3000K / 4000K / 6500K) via switch	Choice of four elegant finishes: Black, White, Dark Grey, Light Grey
GD-PBL08		123*123*26mm						
GD-PBL10		148*148*26mm			4W/ 260lm/ Ra>80			

✓ Key Features


- 3CCT switchable (3000K / 4000K / 6500K) for versatile ambiance
- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments



• ITEM NO: GD-PBL02




• ITEM NO: GD-PBL03




Models	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1
GD-PBL02	70×50×12 mm	Anti-UV ABS housing + PC diffuser	SMD 2835	1.5W / 75 lm / Ra > 80	IP 65/ IK 06	Choice of four elegant finishes: Black, White, Dark Grey, Light Grey
GD-PBL03	121×121×12 mm					

✓ Key Features

- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments
- Slim low-profile design suitable for decorative mounting
- Soft, diffused lighting effect ideal for ambient accents





GD-PW03-PIR



Black



White



Light Grey



Dark Grey

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1	optional 2
GD-PW03-PIR	LED Plastic wall light	170*170*140mm	ABS+PC diffuser	SMD 2835	13W/600lm/ Ra>80	IP 65/IK 06	with PIR sensor	Choice of four elegant finishes: Black, White, Dark Grey, Light Grey
GD-PW03								
GD-PW03-E27	Plastic wall light			E27 lampholde	MAX 18W			

✓ Key Features

- High waterproof rating for outdoor environments



• ITEM NO: GD-PBL15



Black




White



Light Grey




Dark Grey





210*30*85mm

• ITEM NO: GD-PBL14



• ITEM NO: GD-PBL16



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1	optional 2	
GD-PBL14	LED Plastic brick light	128*128*32mm	Anti-UV ABS housing+PC diffuser	SMD 2835	2W/ 100lm/ Ra>80	IP 65/ IK 06	Single CCT or 3CCT (3000K / 4000K / 6500K) via switch	Choice of four elegant finishes: Black, White, Dark Grey, Light Grey	
GD-PBL15		221*80*35mm							3W/ 180lm/ Ra>80
GD-PBL16		221*80*35mm							4W/ 280lm/ Ra>80

✓ Key Features

- 3CCT switchable (3000K / 4000K / 6500K) for versatile ambiance
- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments



• ITEM NO: GD-PBL17



Black




White



Light Grey




Dark Grey




100*60*35mm

• ITEM NO: GD-PBL18



160*70*35mm

• ITEM NO: GD-PBL19




220*80*40mm

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1	optional 2	
GD-PBL17	LED Plastic brick light	100*60*35mm	Anti-UV ABS housing+PC diffuser	SMD 2835	2W/ 140lm/ Ra>80	IP 65/ IK 06	Single CCT or 3CCT (3000K / 4000K / 6500K) via switch	Choice of four elegant finishes: Black, White, Dark Grey, Light Grey	
GD-PBL18		160*70*35mm							3W/ 200lm/ Ra>80
GD-PBL19		220*80*40mm							4W/ 280lm/ Ra>80

✓ Key Features

- 3CCT switchable (3000K / 4000K / 6500K) for versatile ambiance
- Anti-UV housing for long-lasting outdoor use
- High waterproof rating for outdoor environments





• ITEM NO: GD-WP41



175x90x28mm

• ITEM NO: GD-WP41-PC



175*106*28mm

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1
GD-WP41	LED Plastic wall light	175*90*28mm	ABS+tempered glass	SMD 2835	6W*2/ 600lm/ Ra>80	IP 44/ IK 06	Single CCT or 3CCT (3000K / 4000K / 6500K) via switch
GD-WP41-PC		175*106*28mm					

✓ Key Features

- 3CCT switchable (3000K / 4000K / 6500K) for versatile ambiance





GD-PW010-1



GD-PW010-2



GD-PW010-3



GD-PW011-1



GD-PW011-2



GD-PW011-3

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PW010-1	LED Plastic wall light	110*150*110mm	ABS +PC diffuser	SMD 2835	7W/ 450lm/ Ra>80 MAX 2*6W	IP 20/ IK 06
GD-PW011-1		120*90*135mm				
GD-PW010-2		308*150*110mm			7W*2/ 900lm/ Ra>80	
GD-PW011-2		280*90*135mm				
GD-PW010-3		308*150*110mm			7W*3/ 1350lm/ Ra>80	
GD-PW011-3		280*90*135mm				

✓ Key Features

- Head adjustable: 355° horizontal rotation and 160° vertical tilt.
- 3CCT switchable (3000K / 4000K / 6500K) for versatile ambiance




GD-WP01/WP02



GD-WP03/WP04



GD-WP17/WP18



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1
GD-WP01	LED Plastic wall light	198*98*55 mm	ABS+PS diffuser	SMD 2835	12W/ 1000lm/ Ra>80	IP65/ Ik04	Single CCT or 3CCT (3000K / 4000K / 6500K) via switch
GD-WP02		230*105*55 mm			15W/ 1300lm/ Ra>80		
GD-WP03		175*175*60 mm			12W/ 1000lm/ Ra>80		
GD-WP04		210*210*60 mm			15W/ 1300lm/ Ra>80		
GD-WP17		198*98*55 mm			12W/ 800lm/ Ra>80		
GD-WP18		230*105*55 mm			15W/ 1000lm/ Ra>80		

✓ Key Features


- 3CCT switchable (3000K / 4000K / 6500K) for versatile ambiance
- High waterproof rating for outdoor environments



GD-PW19




GD-PW20



GD-PW05



GD-PW06



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1
GD-WP19	LED Plastic ceiling light	175*175*60mm	ABS+PS diffuser	SMD 2835	12W/ 800lm/ Ra>80	IP65/ Ik04	Single CCT or 3CCT (3000K / 4000K / 6500K) via switch
GD-WP20		210*210*60mm			15W/ 1000lm/ Ra>80		
GD-WP05		222*222*55mm			18W/ 1500lm/ Ra>80		
GD-WP06		282*282*55mm			21W/ 1800lm/ Ra>80		

✓ Key Features



- 3CCT switchable (3000K / 4000K / 6500K) for versatile ambiance
- High waterproof rating for outdoor environments



GD-WP28



GD-WP29



GD-WP09



GD-WP08








GD-WP07



222mm

282mm

332mm



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional 1
GD-WP07	LED Plastic ceiling light	222*222*55mm	ABS+PS diffuser	SMD 2835	18W/ 1450lm/ Ra>80	IP 54/ IK 04	Single CCT or 3CCT (3000K / 4000K / 6500K) via switch
GD-WP08		282*282*55mm			21W/ 1800lm/ Ra>80		
GD-WP09		332*332*60mm			28W/ 2300lm/ Ra>80		
GD-WP33-3CCT		235*235*50mm			18W/ 900lm/ Ra>80		
GD-WP28-3CCT	LED Plastic wall light	260*97*77mm			10W/ 800lm/ Ra>80		
GD-WP29-3CCT		260*97*75mm			20W/ 1600lm/ Ra>80		

✓ Key Features

- 3CCT switchable (3000K / 4000K / 6500K) for versatile ambiance
- High waterproof rating for outdoor environments



Black



White



Light Grey



Dark Grey



190*237*242mm

Model: GD-PW017-E27

Material: Anti-UV ABS housing+PC lampshade

Size: 190*237*242mm

Light Source: E27 lampholder

Power: MAX 25W

Rating: IP44/ Ik06



Black



White



Light Grey



Dark Grey



180*110*210mm

Model: GD-PW019-E27

Material: Anti-UV ABS housing+PC lampshade

Size: 180*110*210mm

Light Source: E27 lampholder

Power: MAX 25W

Rating: IP44/ Ik06



Black




White



Light Grey



Dark Grey



150*110*190mm

Model: GD-PW016-E27

Material: Anti-UV PP housing+PC lampshade

Size: 150*110*190mm

Light Source: E27 lampholder

Power: MAX 25W

Rating: IP44/ IK06


✓ Key Features

- Anti-UV housing for long-lasting outdoor use
- Choice of four elegant finishes: Black, White, Dark Grey, Light Grey





Model: GD-PW031-E27
 Material: Anti-UV PC housing
 +PC lampshade
 Size: 360*180*100mm
 Light Source: E27 lampholder
 Power: MAX 40W
 Rating: IP44/ Ik08



Model: GD-PW037-E27
 Material: anti-weathering resin
 housing+PC lampshade
 Size: 363*220*100mm
 Light Source: E27 lampholder
 Power: MAX 40W
 Rating: IP44/ IK08

✓ Key Features

- Anti-UV housing for long-lasting outdoor use

GD-PW046 / GD-BL22 Series

Traditional + Solar Outdoor Light – Wall / Fence / Bollard



- ITEM NO: GD-PW046-E27
- ITEM NO: GD-PW046-sol-E27



Material: ABS Housing
+ PC Lampshade
IP Rating: IP44
IK Rating: IK04

- GD-BL22-E27-40
- GD-BL22-E27-sol-40
- GD-BL22-E27-80
- GD-BL22-E27-sol-80



Model	Type	Size (mm)	Light Source	Power / Notes	Optional
GD-PW046-E27	Wall Light	165 × 235 × 205mm	E27 Lampholder (Max 25W)		
GD-BL22-E27-40	Fence Light	165 × 165 × 295mm	E27 Lampholder (Max 25W)		
GD-BL22-E27-80	Bollard Light	165 × 165 × 800mm	E27 Lampholder (Max 25W)		Optional Heights: 500 / 600 / 700 / 800 mm
GD-PW046-E27-sol	Wall Light	170 × 200 × 290mm	Warm LED Filament	Solar / 3.7V 1200mAh / 2W Panel	
GD-BL22-E27-sol-40	Fence Light	170 × 170 × 290mm	Warm LED Filament	Solar / 3.7V 1200mAh / 2W Panel	
GD-BL22-E27-sol-80	Bollard Light	170 × 170 × 600mm	Warm LED Filament	Solar / 3.7V 1200mAh / 2W Panel	Optional Heights: 500 / 600 / 700 / 800 mm

✓ Key Features

- Classic traditional garden light design, available in wall / pillar / bollard styles
- E27 models compatible with replaceable LED bulbs (not included)
- Solar models powered by integrated panel and 3.7V lithium battery
- Vintage-inspired warm LED filament bulb (included in solar version)
- Optional height choices for solar bollard lights
- Ideal for gates, fences, pathways, and gardens



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PW035-E27	Plastic wall light	230*290*415mm	Anti-weathering resin housing+PC lampshade	E27 lampholder	MAX 40W	IP 44/ IK 08
GD-PP035-E27	Plastic pendant light	225*225*1150mm		E27 lampholder	MAX 40W	
GD-BL14-E27-40	Plastic pillar light	225*225*390mm		E27 lampholder	MAX 40W	
GD-BL14-E27-120	Plastic bollard light	225*225*1395mm		E27 lampholder	MAX 40W	
GD-BL14-E27-210-2H	Plastic garden light	230*660*2220mm		E27 lampholder*2	MAX 40W*2	
GD-BL14-E27-210-3H	Plastic garden light	600*520*2220mm		E27 lampholder*2	MAX 40W*3	



GD-PW035-E27



GD-BL14-E27-40



GD-BL14-E27-120



GD-BL14-E27-210-2H



GD-BL14-E27-210-3H



GD-PP035-E27



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PW038-E27	Plastic wall light	230*290*415mm	Anti-weathering resin housing+PC lampshade	E27 lampholder	MAX 40W	IP 44/ IK 08
GD-PP038-E27	Plastic pendant light	225*225*1150mm		E27 lampholder	MAX 40W	
GD-BL17-E27-40	Plastic pillar light	225*225*390mm		E27 lampholder	MAX 40W	
GD-BL17-E27-120	Plastic bollard light	225*225*1395mm		E27 lampholder	MAX 40W	
GD-BL17-E27-210-2H	Plastic garden light	225*631*2210mm		E27 lampholder*2	MAX 40W*2	
GD-BL17-E27-210-3H	Plastic garden light	603*522*2210mm		E27 lampholder*2	MAX 40W*3	



GD-PW038-E27



GD-BL17-E27-40



GD-BL17-E27-120



GD-BL17-E27-210-2H



GD-BL17-E27-210-3H



GD-PP038-E27



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PW036-E27 / GD-PW036-1-E27	Plastic wall light	315*225*485mm / 314*222*460mm	Anti-weathering resin housing +PC lampshade	E27 lampholder	MAX 40W	IP 44/ IK 08
GD-PP036-E27	Plastic pendant light	225*225*1090mm		E27 lampholder	MAX 40W	
GD-BL15-E27-40	Plastic pillar light	225*225*485mm		E27 lampholder	MAX 40W	
GD-BL15-E27-120	Plastic bollard light	225*225*145mm		E27 lampholder	MAX 40W	
GD-BL15-E27-210-2H	Plastic garden light	660*223*2230mm		E27 lampholder*2	MAX 40W*2	
GD-BL15-E27-210-3H	Plastic garden light	601*550*2230mm		E27 lampholder*2	MAX 40W*3	



GD-PW036



GD-PW036-1



GD-BL15-E27-120



GD-BL15-E27-210-2H



GD-BL15-E27-210-3H



GD-PP036-E27



GD-BL15-E27-40



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional
GD-PW033-E27	Plastic wall light	165*211*46 8mm	Anti-UV PP housing+PC lampshade	E27 lampholder	MAX 40W	IP 44/ IK 08	PIR sensor optional
GD-PP033-E27	Plastic pendant light	190*190*1400mm		E27 lampholder	MAX 40W		
GD-BL09-E27-40	Plastic pillar light	190*165*525mm		E27 lampholder	MAX 40W		
GD-BL09-E27-120	Plastic bollard light	190*165*1200mm		E27 lampholder	MAX 40W		
GD-BL09-E27-210-2H	Plastic garden light	590*228*2280mm	Anti-weathering PP housing & resin pole+PC	E27 lampholder*2	MAX 40W*2		
GD-BL09-E27-210-3H	Plastic garden light	540*480*2280mm		E27 lampholder*2	MAX 40W*3		



GD-PW033-E27



GD-BL09-E27-40

- ITEM NO: GD-PW033-E27(sensor for option)



GD-BL09-E27-120



GD-BL09-E27-210-2H



GD-BL09-E27-210-3H



GD-PP033-E27

✓ Key Features

- Anti-UV housing for long-lasting outdoor use



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PW015-E27	Plastic wall light	221*185*300 mm	Anti-UV ABS housing+PC lampshade	E27 lampholder	MAX 40W	IP 44/IK 06
GD-BL01-E27-40	Plastic pillar light	190*185*353 mm		E27 lampholder	MAX 40W	
GD-BL01-E27-120	Plastic bollard light	190*185*1200 mm	Anti-UV ABS housing and PVC pole+PC lampshade	E27 lampholder	MAX 40W	
GD-BL01-E27-210-2H	Plastic garden light	592*228*2110 mm	Anti-UV ABS housing and resin pole+PC lampshade	E27 lampholder*2	MAX 40W*2	
GD-BL01-E27-210-3H	Plastic garden light	587*515*2110 mm		E27 lampholder*3	MAX 40W*3	

✓ Key Features

- Anti-UV housing for long-lasting outdoor use

- ITEM NO: GD-PW15-E27(sensor for option)




221*185*300mm

- ITEM NO: GD-BL01-E27-40



190*185*353m



190*185*1200mm



GD-BL01-E27-40

GD-BL01-E27-210-2H

GD-BL01-E27-210-3H




Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional
GD-PW028-E27	Plastic wall light	221*185*367mm	Anti-UV ABS housing+PC lampshade	E27 lampholder	MAX 40W	IP 44/IK 06	PIR sensor optional
GD-PP028-E27	Plastic pendant light	185*185*1400mm		E27 lampholder	MAX 40W		
GD-BL08-E27-40	Plastic pillar light	190*185*423mm		E27 lampholder	MAX 40W		
GD-BL08-E27-120	Plastic garden light	190*185*1200mm	Anti-UV ABS housing and PVC pole+PC lampshade	E27 lampholder	MAX 40W		
GD-BL08-E27-210-2H	Plastic garden light	592*228*2180mm	Anti-UV ABS housing and resin pole+PC lampshadelampshade	E27 lampholder*2	MAX 40W*2		
GD-BL08-E27-210-3H	Plastic garden light	587*515*2180mm		E27 lampholder*2	MAX 40W*3		

✓ Key Features

- Anti-UV housing for long-lasting outdoor use

● GD-PW028-E27(sensor for option)

● GD-BL08-E27-40



GD-BL08-E27-210-3H

GD-BL08-E27-210-2H

GD-BL08-E27-120

GD-PP028-E27




Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	option al 1
GD-PW018-E27	Plastic wall light	187*237*360mm	Anti-UV PP housing+PC lampshade	E27 lampholder	MAX 40W	IP 44/IK 06	glass lens for option
GD-PP08-E27	Plastic pendant light	216*187*1400mm		E27 lampholder	MAX 40W		
GD-BL05-E27-40	Plastic pillar light	216*187*426mm		E27 lampholder	MAX 40W		
GD-BL05-E27-120	Plastic garden light	216*187*1200mm		E27 lampholder	MAX 40W		
GD-BL05-E27-210-2H	Plastic garden light	228*622*2170mm	Anti-weathering PP housing & resin pole+PC lampshade	E27 lampholder*2	MAX 40W*2		
GD-BL05-E27-210-3H	Plastic garden light	540*520*2170mm		E27 lampholder*2	MAX 40W*3		


✓ Key Features

- Anti-UV housing for long-lasting outdoor use

- ITEM NO: GD-PW018-E27 (sensor for option)



- ITEM NO: GD-BL05-E27-40



216*187*426mm

- Glass diffuser
- GD-PW027-E27
- GD-BL07-E27-40
- GD-BL07-E27-120
- GD-BL07-210-2H
- GD-BL07-210-3H
- GD-PP027-E27



GD-BL05-E27-120



GD-BL05-E27-210-2H



GD-BL05-E27-210-3H



GD-PP018-E27



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK	optional
GD-PW026-E27	Plastic wall light	150*205*350mm	anti-UV PP housing+GLASS lens	E27 lampholder	MAX 40W	IP 44/IK 06	PIR sensor optional
GD-PP026-E27	Plastic pendant light	150*150*1420mm		E27 lampholder	MAX 40W		
GD-BL06-E27-40	Plastic pillar light	195*165*405mm		E27 lampholder	MAX 40W		
GD-BL06-E27-120	Plastic garden light	195*165*1200mm		E27 lampholder	MAX 40W		
GD-BL06-E27-210-2H	Plastic garden light	556*228*2160mm	Anti-weathering PP housing & resin pole+GLASS lens	E27 lampholder*2	MAX 40W*2		
GD-BL06-E27-210-3H	Plastic garden light	556*482*2160mm		E27 lampholder*2	MAX 40W*3		

✓ Key Features

- Anti-UV housing for long-lasting outdoor use

GD-PW026-E27

- product size: 15*21*36cm



• GD-BL06-E27-40

- product size: 15*40cm



GD-PP026-E27



GD-BL06-E27-210-2H



GD-BL06-E27-210-3H



GD-BL06-E27-120



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PW026B-E27	Plastic wall light	185*250*475mm	Anti-UV PC housing+ PC lampshade	E27 lampholder	MAX 40W	IP 44/ IK 08
GD-PP026B-E27	Plastic pendant light	185*185*1100mm		E27 lampholder	MAX 40W	
GD-BL06B-E27-40	Plastic pillar light	185*185*470mm		E27 lampholder	MAX 40W	
GD-BL06B-E27-120	Plastic garden light	185*185*1500mm		E27 lampholder	MAX 40W	

✓ Key Features

- Anti-UV housing for long-lasting outdoor use



GD-PW026B-E27

GD-PP026B-E27



GD-BL06B-E27-120



GD-BL06B-E27-40



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PW029-E27	Plastic wall light	205*165*275mm	Anti-UV PC housing+ PC lampshade	E27 lampholder	MAX 40W	IP 44 / IK 08
GD-PP029-E27	Plastic pendant light	165*165*1045mm		E27 lampholder	MAX 40W	
GD-BL11-E27-40	Plastic pillar light	165*224*395mm		E27 lampholder	MAX 40W	
GD-BL11-E27-120	Plastic garden light	165*165*1490mm		E27 lampholder	MAX 40W	

✓ Key Features

- Anti-UV housing for long-lasting outdoor use



GD-PW029-E27



GD-PP029-E27



GD-BL11-E27-120



GD-BL11-E27-40



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PW030-E27	Plastic wall light	205*250*425mm	Anti-UV PC housing+ PC lampshade	E27 lampholder	MAX 40W	IP 44/ IK 08
GD-PP030-E27	Plastic pendant light	205*205*1080mm		E27 lampholder	MAX 40W	
GD-BL13-E27-40	Plastic pillar light	205*205*400mm		E27 lampholder	MAX 40W	
GD-BL13-E27-120	Plastic garden light	205*205*1465mm		E27 lampholder	MAX 40W	

✓ Key Features

- Anti-UV housing for long-lasting outdoor use



GD-PW030-E27



GD-PP030-E27



GD-BL13-E27-120



GD-BL13-E27-40



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PW030B-E27	Plastic wall light	220*275*475mm	Anti-UV PC housing+ PC lampshade	E27 lampholder	MAX 40W	IP 44/ IK 08
GD-PP030B-E27	Plastic pendant light	220*220*1080mm		E27 lampholder	MAX 40W	
GD-BL13B-E27-40	Plastic pillar light	220*220*400mm		E27 lampholder	MAX 40W	
GD-BL13B-E27-120	Plastic garden light	220*220*1500mm		E27 lampholder	MAX 40W	

✓ Key Features

- Anti-UV housing for long-lasting outdoor use



GD-PW030B-E27



GD-PP030B-E27



GD-BL13B-E27-120



GD-BL13B-E27-40



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PW034-E27	Plastic wall light	165*205*370mm	Anti-UV PC housing+ PC lampshade	E27 lampholder	MAX 40W	IP 44/ IK 08
GD-PP034-E27	Plastic pendant light	165*165*1035mm		E27 lampholder	MAX 40W	
GD-BL10-E27-40	Plastic pillar light	165*165*425mm		E27 lampholder	MAX 40W	
GD-BL10-E27-120	Plastic garden light	165*165*1470mm		E27 lampholder	MAX 40W	

✓ Key Features

- Anti-UV housing for long-lasting outdoor use



GD-PW034-E27



GD-PP034-E27



GD-BL10-E27-120



GD-BL10-E27-40



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PW034B-E27	Plastic wall light	270*236*454mm	Anti-UV PC housing+ PC lampshade	E27 lampholder	MAX 40W	IP 44/IK 08
GD-PP034B-E27	Plastic pendant light	236*236*1120mm		E27 lampholder	MAX 40W	
GD-BL10B-E27-40	Plastic pillar light	236*236*537mm		E27 lampholder	MAX 40W	
GD-BL10B-E27-120	Plastic garden light	236*236*1510mm		E27 lampholder	MAX 40W	

✓ Key Features

- Anti-UV housing for long-lasting outdoor use



GD-PW034B-E27



GD-PP034B-E27




GD-BL10B-E27-120



GD-BL10B-E27-40



• ITEM NO: GD-PW032-E27



• ITEM NO: GD-PP032-E27



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PW032-E27	Plastic wall light	326.5*217.5*408.2mm	Anti-UV PP housing+PC lampshade	E27 lampholder	MAX 40W	IP44/ Ik08
GD-PP032-E27	Plastic pendant light	218*218*832mm	Anti-UV PP housing+PC lampshade	E27 lampholder	MAX 40W	IP44/ Ik08

✓ Key Features

- Anti-UV housing for long-lasting outdoor use





GD-WP35-1-1C



GD-WP35-1-2C



GD-WP35-1-3C



GD-WP35-2-1C



GD-WP35-2-2C



GD-WP35-2-3C

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-WP35-1-1C	Plastic wall light	90*155*150mm	ABS housing+P C lens	E27 lampholder	MAX 15W	IP 44/IK 04
GD-WP35-1-2C		90*155*185mm		E27 lampholder		
GD-WP35-1-3C		90*155*220mm		E27 lampholder	MAX 20W	
GD-WP35-2-1C		90*155*225mm		E27 lampholder	MAX 15W*2	
GD-WP35-2-2C		90*155*285mm		E27 lampholder		
GD-WP35-2-3C		90*155*355mm		E27 lampholder	MAX 20W*2	

✓ Key Features

- Equipped with custom silicone gaskets at every joint for enhanced waterproof protection
- All exposed screws are made of stainless steel for superior corrosion resistance





GD-WP36-1-1C



GD-WP36-1-2C



GD-WP36-1-3C



GD-WP36-2-1C



GD-WP36-2-2C



GD-WP36-2-3C

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-WP36-1-1C	Plastic wall light	110*140*150mm	ABS housing+P C lens	E27 lampholder	MAX 15W	IP 44/ IK 04
GD-WP36-1-2C		110*140*185mm		E27 lampholder		
GD-WP36-1-3C		110*140*220mm		E27 lampholder	MAX 20W	
GD-WP36-2-1C		110*140*225mm		E27 lampholder	MAX 15W*2	
GD-WP36-2-2C		110*140*295mm		E27 lampholder		
GD-WP36-2-3C		110*140*365mm		E27 lampholder	MAX 20W*2	

✓ Key Features

- Equipped with custom silicone gaskets at every joint for enhanced waterproof protection
- All exposed screws are made of stainless steel for superior corrosion resistance





GD-WP37-1-1C



GD-WP37-1-2C



GD-WP37-1-3C



GD-WP37-2-1C



GD-WP37-2-2C



GD-WP37-2-3C

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-WP37-1-1C	Plastic wall light	110*140*150mm	ABS housing+P C lens	E27 lampholder	MAX 15W	IP 44/ IK 04
GD-WP37-1-2C		110*140*185mm		E27 lampholder		
GD-WP37-1-3C		110*140*220mm		E27 lampholder	MAX 20W	
GD-WP37-2-1C		110*140*225mm		E27 lampholder	MAX 15W*2	
GD-WP37-2-2C		110*140*285mm		E27 lampholder		
GD-WP37-2-3C		110*140*355mm		E27 lampholder	MAX 20W*2	

✓ Key Features

- Equipped with custom silicone gaskets at every joint for enhanced waterproof protection
- All exposed screws are made of stainless steel for superior corrosion resistance





GD-WP38-1-1C



GD-WP38-1-2C



GD-WP38-1-3C



GD-WP38-2-1C



GD-WP38-2-2C



GD-WP38-2-3C

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-WP38-1-1C	Plastic wall light	90*155*150mm	ABS housing+P C lens	E27 lampholder	MAX 15W	IP 44/ IK 04
GD-WP38-1-2C		90*155*185mm		E27 lampholder		
GD-WP38-1-3C		90*155*220mm		E27 lampholder	MAX 20W	
GD-WP38-2-1C		90*155*225mm		E27 lampholder	MAX 15W*2	
GD-WP38-2-2C		90*155*295mm		E27 lampholder		
GD-WP38-2-3C		90*155*365mm		E27 lampholder	MAX 20W*2	

✓ Key Features

- Equipped with custom silicone gaskets at every joint for enhanced waterproof protection
- All exposed screws are made of stainless steel for superior corrosion resistance



• ITEM NO: GD-WP38-1-S-2C



• ITEM NO: GD-WP38-2-S-2C



Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-WP38-2-S-2C	Plastic wall light	65*90*156mm	ABS housing+PC lens	E27 lampholder	MAX 10W	IP44/ Ik04
GD-WP38-2-S-2C		65*90*220mm				

✓ Key Features

Smaller version, more economy

- Equipped with custom silicone gaskets at every joint for enhanced waterproof protection
- All exposed screws are made of stainless steel for superior corrosion resistance



Model: GD-BL25-E27-600

Material: ABS housing+PC lens

Size: 90*135*600mm

Light Source: E27 lampholder

Power: MAX 25W

Rating: IP44/ IK04

Notes: Available in optional heights: 500mm / 600mm / 700mm / 800mm

✓ Key Features

- Equipped with custom silicone gaskets at every joint for enhanced waterproof protection
- All exposed screws are made of stainless steel for superior corrosion resistance



Model: GD-BL24-E27-600

Material: ABS housing+PC lens

Size: 90*135*600mm

Light Source: E27 lampholder

Power: MAX 25W

Rating: IP44/ IK04

Notes: Available in optional heights: 500mm / 600mm / 700mm / 800mm

✓ Key Features

- Equipped with custom silicone gaskets at every joint for enhanced waterproof protection
- All exposed screws are made of stainless steel for superior corrosion resistance



Model: GD-BL27-E27-600

Material: ABS housing+PC lens

Size: 120*155*600mm

Light Source: E27 lampholder

Power: MAX 25W

Rating: IP44/ IK04

Notes: Available in optional heights: 500mm / 600mm /
700mm / 800mm



Model: GD-BL28-E27-600

Material: ABS housing+PC lens

Size: 90*135*600mm

Light Source: E27 lampholder

Power: MAX 25W

Rating: IP44/ IK04

Notes: Available in optional heights: 500mm / 600mm /
700mm / 800mm




135



GD-WP39-1



GD-WP39-2




110*130*305mm

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-WP39-1	Plastic wall light	110*130*170mm	PVC+PS	E27 lampholder	MAX 15W	IP 44/IK 04
GD-WP39-2	Plastic wall light	110*130*305mm	PVC+PS	E27 *2 lampholder	MAX 15W*2	IP 44/IK 04





GD-PUD012-1



90*155*170mm



White




Black



Light Grey



Dark Grey



GD-PUD012-2

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PUD012-2-E27	Plastic wall light	90*155*260mm	PVC+GLASS	E27*2 lampholder	MAX 15W*2	IP 44/ IK 04
GD-PUD012-1-E27	Plastic wall light	90*155*170mm	PVC+GLASS	E27 lampholder	MAX 15W	IP 44/ IK 04







GD-PUD014-1



GD-PUD014-2

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PUD014-S-2-E27	Plastic wall light	90*155*260mm	PVC+GLASS	E27*2 lampholder	MAX 15W*2	IP 44/ IK 04
GD-PUD014-B-2-E27	Plastic wall light	120*120*290mm	PVC+GLASS	E27*2 lampholder	MAX 20W*2	IP 44/ IK 04
GD-PUD014-S-1-E27	Plastic wall light	90*155*170mm	PVC+GLASS	E27 lampholder	MAX 15W	IP 44/ IK 04
GD-PUD014-B-1-E27	Plastic wall light	120*120*180mm	PVC+GLASS	E27 lampholder	MAX 20W	IP 44/ IK 04






Black



White




• ITEM NO: GD-PBH01



Black



White



• ITEM NO: GD-PBH02


Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PBH01	Plastic bulkhead	185*185*10mm	ABS+glass lampshade	E27 lampholder	MAX 15W	IP 44/ IK 04
GD-PBH02	Plastic bulkhead	125*180*10mm		E27 lampholder	MAX 15W	IP 44/ IK 04





GD-PSB01


GD-PS01



GD-PSB02



GD-PS02



86*155*73mm



86*155*235mm

Models	Type	Size(s)	Material	Light Source	Power / Output	IP / IK
GD-PS01-5W	LED Plastic spike light	160*80*50mm	ABS+PC lens	COB	5W/ 180lm/ Ra>80	IP65/ Ik06
GD-PS01-7W	LED Plastic spike light	160*80*50mm	ABS+PC lens	COB	5W/ 220lm/ Ra>80	IP65/ Ik06
GD-PSB01-5W	LED Plastic spike light	160*80*50mm	ABS+PC lens	COB	5W/ 180lm/ Ra>80	IP65/ Ik06
GD-PSB01-7W	LED Plastic spike light	160*80*50mm	ABS+PC lens	COB	7W/ 220lm/ Ra>80	IP65/ Ik06
GD-PS02-GU10	Plastic spike light	155*86*235mm	ABS+tempered glass	GU10 lampholder	MAX 7W	IP44/ Ik06
GD-PSB02-GU10	Plastic spike light	155*86*73mm	ABS+tempered glass	GU10 lampholder	MAX 7W	IP44/ Ik06

✓ Key Features

- High waterproof rating for outdoor environments