


**f** bestrongworld **o** bestrongworld **⊕** usa.bestrong.com **o** usa@bestrong.com

## **Muscle Groups Focus**





#### Dip Bar

Push-ups are perhaps the simplest of the movements, yet they are a highly effective form of bodyweight training. Pushing is a great way to work and develop a wide range of muscle groups, and this dip bar is a great exercise tool. Thanks to its open design, everyone can find the optimal grip width for their body.

### **Attributes**

Product code Certificate Age group Capacity Max. weight load

Туре

Difficulty level


1-1-051 EN 16630, ASTM F3101 14 + years

> 1 person 218.26 lbs

Calisthenics

Medium

### **Side View**




45-75 min.

20-30 min.

7.06 ft<sup>3</sup>

7,06 ft<sup>3</sup>

### Plan View



#### Installation information

Number of installers (concrete) At least 2 people Total installation time (concrete) Number of installers (equipment) At least 2 people Total installation time (equipment) Excavation volume Concrete volume 19.69 x 19.69 x 31.5 " Size of the base structure Anchoring options In-g
In combined structures, the volume of concrete required varies. In-ground or surface

### **Technical specification**

Safety surfice area Around 4.92 ft radius Net weight 41.89 lbs Material S235 Critic fall height 54.13" Color options For more color options, discuss with your sales representative.

### Warranty

Structure
Steel
Paint
Plastic
Rubber
Moving parts
Detailed information in the warranty document

25 years

15 years


2 years

5-10 years

1-3 years

2 years

# Material specification





The element is made of high quality S235 steel, which has been cleaned via sandblasting. A corrosion resistant powder coating finish is then applied. Also available with galvanized surface for even greater protection and longevity!



The clamp system allows for easy assembly and extreme stability.



The connecting ments are fastened with vandal-proof stainless steel screws and nuts.



The ends of the bars and posts are sealed with injection-moulded plastic caps.













