



# SCALING BLUEPRINTS FOR WATER SUPPLY BUSINESS MODELS

A compilation of insights, milestones, benchmarks and data points along the journey of building impact-oriented water enterprises



cewas

PRENEURS





# Foreword

Water supply enterprises play a crucial role in achieving SDG 6 and related development goals. Over the past decade, various promising business models have been tested and developed to different extents. These models include, among others, Household Water Filters, Water Kiosks, Mini Grids, Preventive Hand Pump Maintenance, and Rural Utilities.

To thrive and generate impact, enterprises pursuing these models require different types of support at various stages of their entrepreneurial journey. But what exactly should water enterprises aim to achieve at these different stages? Which KPIs are most important for each business model? What external factors create a conducive context for a specific business model? What types of investments are needed at different points in the entrepreneurial journey? And how should financial resources be allocated? Answering these questions is key to guiding entrepreneurs, support organisations, funders, and impact investors in their efforts to establish viable models to improve water supply for all.

In an effort to address some of these questions, this document introduces what we call *Scaling Blueprints* for some of the business models most relevant to achieving SDG 6. These scaling blueprints encompass an analysis of the factors influencing the success of these models, as well as key milestones and financing needs at different stages of their development (maturity progression).

Based on interviews and literature reviews, this document draws on a decade of pioneering work by water entrepreneurs, financiers, support organisations, and sector experts, compiling key data points, insights, experiences, and lessons learned. In addition to these insights, we incorporated Cewas' own experience supporting water entrepreneurs since 2009 to draw conclusions and structure directional information.

We hope this publication contributes to building a pipeline of scalable, impact-oriented enterprises by making water supply business models more accessible to funders and impact investors, and by providing helpful guidance to water enterprises.

# Disclaimer

This document is for informational purposes only. You should not construe any information or other material contained in this publication as investment, legal, financial, or other advice. All presented content is information of a general nature and does not address the circumstances of any particular entity or individual.









# Acknowledgements

We extend our sincere gratitude to everyone who contributed to this project. Special thanks to the water entrepreneurs (many but not all of whom are mentioned throughout the document), financiers, and sector experts who generously shared their knowledge and experiences.

A special recognition goes to the Majipreneurs partners, WASEU, Young Water Solutions and Viva con Agua, who facilitated the consultations around the scaling blueprints with numerous individual stakeholders and through a sequence of participatory workshops in Uganda.

We extend our special thanks to Paul Gustensen, who shared his vast insights, made valuable connections to knowledgeable experts and entrepreneurs, and was a great sparring partner in developing the content of this publication. We would also like to express our appreciation to Reto Wey for his strategic insights and valuable contributions.

Our sincere thanks further goes to the Conrad N. Hilton Foundation, whose funding and trust in Cewas made the work on the Scaling Blueprints of Water Supply Business Models possible.

## ● Abbreviations

**BM** - Business Model

**CapEx** - Capital expenditure

**CapManEx** - Capital maintenance expenditure

**CNG** - Compressed natural gas

**CO<sub>2</sub>eq** - Carbon dioxide equivalent

**CRM** - Customer relationship management

**CSR** - Corporate social responsibility

**ERP** - Enterprise resource planning

**GHG** - Green house gases

**HH** - Household

**KPI** - Key performance indicator

**MFI** - Micro finance institution

**NRW** - Non-revenue water

**OpEx** - Operational expenditure


**O&M** - Operation and maintenance

**RBF** - Results-based finance

**RoI** - Return on investment

**R&D** - Research and development

**SDG(s)** - Sustainable development goal(s)





# HYDRO-ELITE SOLUTIONS



# TARGET COMMUNITY





# Table of contents

Acknowledgements .....	5
Abbreviations .....	5
Scaling Blueprints .....	8
Benefits .....	8
The User Journey .....	9
<b>SCALING BLUEPRINTS</b> .....	<b>10-32</b>
Section 1: Household Water Filters .....	10-15
Section 2: Water Kiosk Models .....	16-21
Section 3: Mini Grid .....	22-27
Section 4: Hand Pump Maintenance .....	28-33
Section 5: Rural Utility .....	34-39
<b>ANNEX: Financing Enterprise Development</b> .....	<b>40-45</b>
<b>External Financing for Enterprise Development</b> .....	41
<b>Types of Finance</b> .....	42-43
About this Guide .....	44

# Scaling Blueprints


After a decade of pioneering efforts to expand safely managed water supply through social water enterprises, there remains a lack of comprehensive guidance on successfully establishing, funding, and expanding such enterprises. To address this gap, we have gathered a wide range of relevant data points, milestones, and insights pertaining to the key business models that directly contribute to safe water supply. This document synthesises our findings into what we call 'Scaling Blueprints', which outline the various stages of development—from inception to expansion—of these enterprises.

In crafting these blueprints, **we had to simplify the intricate process of building water supply enterprises**. In reality, **numerous variations of each presented business model exist, and enterprises often combine aspects of multiple models**. We urge users of this document to duly consider the need to adjust business models and tailor implementation strategies to the varying contexts and challenges of water provision.

## Benefits

The Scaling Blueprints compile available experiences, insights and data into fundamental water supply business models in developing markets. They provide guidance that helps maximising impact through WASH entrepreneurship by:

- Building a thorough **understanding** of **different** water supply **business models** and their prospects
- Specifying **KPIs, milestones and strategies** to create impact through viable business models
- Guiding **enterprise mapping and due diligence** with a clear enterprise typology and tailored criteria
- Determining **opportunities and risks** based on success factors, requirements and potential barriers
- Facilitating the **comparison** of investment options, portfolio choices and types of investments
- Identifying **barriers** and options to **improve the enabling environment** for specific business models to thrive



We hope that the blueprints provide both entrepreneurs and impact(-first) investors who seek to solve the water crisis with relevant insights into a very specific niche sector.



# The User Journey

The 'Scaling Blueprints' can be used by foundations, philanthropic and impact-first investors, donor agencies promoting market-based approaches in WASH and intermediaries, who seek to:



## 01 Objectives

Establish specific objectives and suitable impact and return options, based on an **overview of impact models** as well as **scaling pathways** and **timelines**.



## 02 Entry Points

Identify a portfolio of suitable business models by **matching prospects** of the respective models **with investor needs**.



## 03 Investment Options

Understand success factors and financing characteristics, using **data-based benchmarks** to **analyse** investment options.



## 04 Operationalize

Analyse markets and the investment pipeline, with an overview of **requirements**, **success factors** and **stages of enterprise development** for different business models.



## 05 Investment Support

Inform your due diligence, post-investment monitoring and technical support, based on **business model specific KPIs**, benchmarks, **milestones** and timelines.






01

# HOUSEHOLD WATER FILTERS

SCALING BLUEPRINT



## 01 HOUSEHOLD WATER FILTERS



### BUSINESS MODEL

Water filter enterprises gear their products and services towards communities lacking access to clean drinking water for long-term household use, as well as use during humanitarian contexts. The affordable and portable water filtration solutions remove contaminants and pathogens, ensuring water is safe for consumption. They can reach remote areas and generally distribute through local (often female) on-sellers, who purchase the filters in bulk through collaboration with micro-finance institutions.

The local distributors reach out either directly to customers, or to intermediary customers such as governments, community centres, healthcare facilities and relief organizations to deliver the product, and provide education and after-sales service. Sales are often accompanied by community outreach, education, and partnerships to promote health and hygiene practices.

### BUSINESS MODEL VARIATIONS

- This business model sees variations focused on the type of customer and minor product adaptations. Many business models started out in a humanitarian context, which some continued to focus on, whereas others moved to lower income households. The last-mile distribution being the most cost-intensive, some businesses collaborate with or expand to the cook-stove and solar lamp fields, and all successful businesses move from local on-sellers to higher level distributors. Profitability increases significantly with the use of carbon credit schemes.
- Replacement of filter elements can generate recurring revenue from customers and contribute to financing after-sales services and monitoring activities. Since such offers affect both the operational elements of the business model as well as the value proposition, not all businesses use replacement components.

### REQUIREMENTS

- Last-mile distribution systems and value chains for similar target groups (e.g. for cook stoves / solar home systems) should be somewhat established
- Existence of Micro-Finance Institutions (MFIs) with adequate regulation thereof
- National regulation accepting of water filters or third party verification (e.g., WHO certificate)
- Government policies and NGOs actively promoting safe drinking water

### TYPE OF IMPACT

- Affordability of safe drinking water
- SDG 3.3: End water-borne diseases

### FINANCING OPTIONS

- Grants and awards to start up
- Debt finance for working capital
- Equity impact investments for expansion and establishment in new markets
- Carbon credits to subsidize sales and offer after-sales services
- Micro-finance for on-sellers and distributors
- Debt at low interest rate focused on businesses working with low-income households
- CSR funding for awareness campaigns and projects that support demand creation

## Investing Along Maturity Progression



## Business Milestones

Develop & certify own filter(s).  
Product - market fit established with B2C customers through sales to **>1K customers** in initial target market.

Increase sales with a clear product pricing, achieving **20-30% margin** on cost of goods sold.



Break-even based on increased production capacity for at least **1K units per month**, and building a system that monitors **>10K filters** as a basis to leverage carbon credits

## Impact &amp; Return

Entrepreneurial engagement in rural water supply triggered

Up to **10K households** benefit from safe water and savings of up to US\$200/a.  
**~50 CO2eq reduced per annum.**

Up to **100K households** benefit from safe water and savings of up to US\$200/a.  
**~50 CO2eq reduced per annum.**

## Required Resources

**US\$20-50K** from awards, start-up grants and self-financing.  
+ support through incubation, coaching and/or on-the job trainings

**US\$100K** as a mix of grant funding, debt (for inventory finance) and potentially equity

**US\$150-250K** typically as a mix of grants & concessional loans

## CapEx Investments

- Equipment for assembly workshop
- Depending on the distribution model, potentially purchase vehicles

- Purchase molds and set up lean production / assembly workshops

- Invest into distribution hubs, storage infrastructure and workshops for maintenance & repairs
- Reduce production costs through efficiency investments in production (or localisation of supply chains and / or outsourcing of production)

## Working Capital

- Refine marketing strategy
- Piloting distribution channels (e.g. storage hubs, saving groups, MFIs)
- Develop after sales services and processes to monitor and ensure proper use filters

- Refine marketing strategy
- Piloting distribution channels (e.g. storage hubs, saving groups, MFIs)
- Develop after sales services and processes to monitor and ensure proper use filters

- Develop finance, HR, and marketing teams
- Develop a data-based monitoring and inventory management systems
- R&D to diversify product portfolio
- Continuous investments into the training and expansion of sales teams to increase coverage and market penetration

## Value Chain

- Campaigning to raise awareness on benefits of safe drinking water and purification with household water filters.

- Potentially leverage CSR funding (linked to off-set models for water use) for awareness raising initiatives

- Establish partnerships to centrally source materials for production partner; and build a network of service partners to enable distribution and ensure after-sales services in remote areas.





**04****Demand Creation  
& Market  
Expansion****+ 2-3 YEARS****05****Replicating  
Units / Scaling****+ 2-5 YEARS**

## Business Milestones

**Capacities to produce 10K units per month**, and building a system that monitors **>10K filters** as a basis to leverage carbon credits

**Sell 2 million filters within 5 years** and establish profitable operations in at least **2 countries** with **10%-15% EBITA margin**.



## Impact & Return

At least **250K households** benefit from safe water and savings of up to **US\$200/a**.  
**~125 tons CO2eq reduced** per annum

At least 2 million households benefit from safe water and savings of up to **US\$200/a**  
**~125 tons CO2eq reduced** per annum

## Required Resources

**US\$150-250K** typically as a mix of grants & concessional loans

**US\$100K-200K** to finance expansion to other countries.  
+ pot. up to **US\$ 1M for CapEx investments** in debt and equity depending on production setup

## CapEx Investments

- Invest into distribution hubs, storage infrastructure and workshops for maintenance & repairs
- Reduce production costs through efficiency investments in production (or localisation of supply chains and/or outsourcing of production)

- Depending on the production model, investments to increase (efficiency of) production capacities

## Working Capital

- Certification of impact data
- Leverage carbon credits to subsidize salaries and overheads and bring down market price
- Continuous investments into the training and expansion of sales teams to increase coverage and market penetration
- Make governance adjustments to set business up for commercial investments\*

- Expand team and corporate structures
- Potentially invest into the development of commercial product lines to subsidise mission products
- Establish long-term carbon credit projects to allow offering filters at a reduced price, while establishing a pathway towards generating RoI for investors

\*Aqua Clara Kenya, for example, opted for a setup in which a non-profit entity fully owns a for-profit entity. The shares of the non-profit entity get diluted if investors become shareholders in the for-profit entity.

## Value Chain

- Establish partnerships to centrally source materials for production partner; and build a network of service partners to enable distribution and ensure after-sales services in remote areas.

- Establish additional distribution channels



## Investment Model - KPIs, Targets & Other Relevant Parameters

Aside from knowing what to invest into and when, it is key to establish performance targets. These assist in monitoring whether you are progressing on your scaling journey. Specific targets will depend on the context in which you operate, your pricing strategy and various other factors.

The following section provides EXAMPLES of targets and target ranges for KPIs affecting the impact and viability of household water filter models, compiled based on insights from Aqua Clara (Kenya), Nazava (Indonesia and Kenya) and Spouts (Uganda).

### Cost of Production

In the process of scaling their production, Aqua Clara Kenya is bringing production costs down to approx. 1'800 KES (14 USUS\$) from around 2'400 KES, by using more local materials, sourcing input materials in bulk and outsourcing assembly, etc.

Aside from the cost of production, the sales commission is a key factor contributing to the price for the end-user. Aqua Clara offers a commission of 500 KES per filter and Nazava calculates a commission into the product price.

### Distribution Channels

Aqua Clara Kenya operates with a model of distribution hubs and a minimum sales target of 350 filters per hub and month. Currently at expansion stage, ACK plans to setup 10 additional hubs within 3 years.

Nazava has successfully scaled the distribution of water filters in Indonesia through cooperation with MFIs that provide pre-financing for saving groups and sales agents to buy filters from Nazava.

### # and Density of Customers

Aqua Clara Kenya and Nazava have annual sales targets ranging from 15'000 to 35'000 filters per year per country. Long-term sales targets at the scaling stage can reach as high as 500'000 filters per year to establish operations at scale, generating attractive returns on investment.

After-sales services are typically managed by regional teams that provide follow-up support, visit customers to monitor filter usage, and ensure maintenance. To optimise logistics, these teams ideally serve dense clusters of customers.

### Market Penetration

Local sales agents have been reported to cover up to 80% of targeted villages. While these agents typically operate with monthly sales targets of 30 to 50 filters, the income opportunity for sales agents decreases as market penetration increases.



## KPIs, Targets & Other Relevant Parameters (cont.)

### Market Price for Household Water Filters

A pricing and financing model that matches ability and willingness to pay of BoP customers is key to scaling HH water filter models. By reducing costs from 3'700 KES to 2'500 KES (~20 USUS\$) in pilots Aqua Clara has seen conversion rates triple. Spouts is selling its Purifaya filters in Uganda starting from 100K UGX (~25 USUS\$). Nazava has been able to sell close to 200K filter units in Indonesia and other countries with prices ranging between 20 to 40 USUS\$ and replacement filters priced at 8 USUS\$.

### Cost Reduction for Safe Drinking Water

As a benchmark, Nazava and other household water filter enterprises claim to reduce costs for safe drinking water by >95% as compared to bottled water alternatives.

### Subsidising Filters with Profit Margins of High End Products

By targeting more affluent customers with commercial products, HH Water Filter businesses can cross-subsidize mission products for the BoP. For this purpose, commercial products should be priced to yield a 50% profit margin, while maintaining a strong comparative advantage with water dispensers.

### Certified CO2 Reductions

Carbon finance offers a relevant revenue stream for HH Water Filter businesses. For continuously used filters, enterprises can obtain mitigation certificates of up to 3 tons of CO2-eq per year.







02

# WATER KIOSK MODELS

SCALING BLUEPRINT

## 02 WATER KIOSK MODELS



### BUSINESS MODEL

Water kiosks (or water vendors) provide a modular, decentralized approach to delivering safely treated drinking water, which is typically sold in bottles or 20 liter containers that are collected at a storefront or home-delivered. Water kiosks offer complementary services to centralized water supply, targeting customer groups who are currently unserved by piped networks as well as those using unsafe water from piped supply.

The value proposition of water kiosk models revolves around a promise of high quality water for domestic consumption. The business model highly depends on the amount of water sold (demand for water is subject to seasonal fluctuation). Given the low brand loyalty of customers, the model needs to also focus on getting the water as close as possible to the customer and invest into sales and marketing to achieve the market penetration that is critical to success. Given the comparably high capital expenditures (CapEx), it is important to use the production capacity of the infrastructure assets effectively.

### BUSINESS MODEL VARIATIONS

- Variations of this business model are characterised by the source of water and the delivery mode.
- The water source affects the cost and available amount. The two main variations of this business model are water kiosks that have their own source (requiring extraction permits) and on-seller models that purchase water from utilities in bulk, treat it and act as last mile distributor.
- The rather passive fetch and pay model is usually applied in kiosks run by centralised utilities and NGOs and has limited quality assurance and convenience, as customers collect water in their own containers. Bottled water models are often more entrepreneurial, adapting different approaches to bring water closer to the customer, focusing on actively taking market share and overcoming the lack of brand loyalty.

### REQUIREMENTS

- Service provision licenses or agreement with local government, water extraction permits or bulk water agreement with central utility
- Tariff autonomy or sufficiently profitable tariffs; Note: Sales price affects viability and affordability and fluctuates between countries and (peri-)urban and rural contexts
- Clarity on taxes that apply to (bottled) water sales from kiosks
- Capable local kiosk operators
- Presence of alternative water sources can be a limiting factor

### TYPE OF IMPACT

- SDG 6.1: Kiosks provide customers with basic water supply
- IRIS+: Public water point coverage

### FINANCING OPTIONS

- Grant & debt financing for CapEx: Enterprises have reported costs ranging between 20-50K USUS\$ per water kiosks and 6-10K USUS\$ per water ATMs
- Ground water quality further affects CapEx: with good quality, CapEX can be as low as 18k USUS\$/unit, for polluted peri-urban sources it can reach 55k–87k USUS\$/unit\*
- Self financing, grants or debt for operators to start-up kiosks and reach unit break-even
- Grants and/or equity for working capital to bring holding company to break even (particularly as units may be profitable but company overhead may not be covered for extended periods of time)



## Investing Along Maturity Progression

### 01 Starting Up

6-12 MONTHS

### 02 Initial Growth

+ 1-3 YEARS

### 03 Proof of Concept

+ 1-3 YEARS

#### Business Milestones

##### 1-3 kiosks set up

Each selling 1'500 L / Day, reaching cost coverage of operations

##### At least 10 kiosks set up

>5 kiosks operating with full cost coverage

Proven scaling model with based on profitable unit economics of 20-30 Kiosks operated at >120% cost coverage

#### Impact & Return

- Basic services for up to 2K people across all kiosks
- Creation of 2 - 5 jobs

- Basic services for up to 10K people across all kiosks
- Creation of 10 - 15 jobs

- Basic services for up to 10K people across all kiosks
- Creation of 25 - 30 jobs



#### Required Resources

US\$50-100K typically self finance, award funding and/or start-up grants

US\$200-400K likely a mix of public finance and grant funding/RBF, possibly combined with a service agreement with utilities

US\$300-600K combination of grants / RBF public and/or debt finance

#### CapEx Investments

- Kiosk CapEx, including building, filtration system and initial rent
- Investment in logistics assets (bikes, etc.) if you are delivering

- Investments into kiosk network expansion
- In case of delivery investment into fleet expansion (purchase of additional bikes)

- Further capital for kiosk setup, inventory and fleet expansion, in case of delivery models
- Investments into operational & technical efficiency, e.g., via billing platform, mobile payments, PAY-Go

#### Working Capital

- Location and community buy-in
- Obtain permits, licenses & agreements
- Initial team development and office rent
- Establish a CRM system
- Initial inventory finance for bottles
- Trial and error to set up effective sale efforts to reach targets on market penetration, # of customers and volume of water sold

- Development of financial, technical/operational and M&E team
- Enhance sales, marketing and branding
- Establishing internal systems and processes to manage a growing team
- Data collection on kiosk performance, operations and maintenance (O&M)
- Replacement of bottles and additional inventory

- Inventory sourcing adaptations to shift towards sourcing locally
- Setup customer response mechanisms
- Replacement of bottles and additional inventory
- Investment in expanding technical / operational, financial and M&E team
- Systematic sales & marketing, efforts to drive market penetration, e.g., through competitions, incentives for operators, etc.
- Roll out of additional products and services, like selling CNG bottles for cooking, porridge, selling water to farmers or water bowzers, offering hand pump maintenance or adding household connections, etc.

#### Value Chain

- Acquiring initial approvals & permits is tedious for the first kiosks, where no guidance is in place

- Potentially engage with government to establish awareness / sensitisation campaigns on safe water

- Possibly investments into capacities of partners to enable local sourcing of inventory
- Potentially engage with government to establish awareness / sensitisation campaigns on safe water





## 04 Expansion

+ 2-3 YEARS

## 05 Profitability

+ 2-5 YEARS



### Business Milestones

**Geographical expansion** with operations in at least two countries and annual growth rate of 20% - 30%

Enterprise reaches overall viability / profitability through optimisation and maintains steady growth



### Impact & Return

- **Basic services for up to 20K people** across all kiosks
- Creation of **25 - 50 jobs**

- **Basic services for up to 250K people** across all kiosks
- Creation of **+200 jobs**
- Interest on debt funding & Rol on equity

### Required Resources

Depending on expansion strategy & technology this stage could require around **US\$1M**

Mix of grant, debt and equity, likely including >50% grant funding to facilitate growth

**US\$5M+** in (sub-)commercial debt and/or equity finance for Capex and equity for working capital

### CapEx Investments

- Further capital for kiosk setup, inventory and fleet expansion, in case of delivery models
- Investments into operational & technical efficiency, e.g. via energy sourcing and management

- Further capital for kiosk network (and fleet) expansion
- Roll-out of proven investments into operational & technical efficiency across entire portfolio

### Working Capital

- Corporate governance, including setting up a board of directors
- Continued investment into internal systems & processes
- Geographical expansion
- Investment in expanding technical / operational, financial and M&E team
- Systematic sales & marketing, efforts to drive market penetration, e.g., through competitions, incentives for operators, etc.
- Roll out of additional products and services, like selling CNG bottles for cooking, porridge, selling water to farmers or water bowsers, offering hand pump maintenance or adding household connections, etc.

- Adapt and align corporate governance to growth and expansion, including to new countries
- Tailor internal systems & processes to growth strategy



### Value Chain

- Possibly investments into capacities of partners to enable local sourcing of inventory
- Potentially engage with government to establish awareness / sensitisation campaigns on safe water

- Invest into clarifying processes and creating conducive conditions in new target markets

## Investment Model - KPIs, Targets & Other Relevant Parameters

The scaling model for water kiosks depends on profitable unit economics. The scaling formula to reach profitability is composed of the # of kiosks, the market share and the consumption per month. Final targets depend on the context in which an enterprise operates, your pricing strategy, overhead costs for running kiosks via a central office, among others.

The following overview provides KPIs for water kiosk models and provides EXAMPLES of targets and target ranges that we compiled based on insights from the Stone Family Foundation, 1001fontaine (Africa/Asia), Jibu (East Africa), drinkwell (Bangladesh), Swiss Fresh Water (Senegal), Naandi (India), Iriba (Rwanda), and UDUMA (West Africa).

### Consumption per Sales Point

Targets for water sales per kiosk typically range from 60K to 90K liters per month for financially viable operations.

With water ATMs, drinkwell sets a minimum target of 80K liters per month to cover OpEx, but has a benchmark of ~200K liters per month and water ATM.

To meet sales targets, drinkwell - who operate water ATMs in urban areas - also sets the target of selling 70 pre-paid cards per ATM and month, which can be seen as a proxy indicator for additional customers gained.

### Pricing

To live up to the ambition of being an impact-oriented water enterprise, water kiosks need to make access to safe drinking water affordable to the Base of the Pyramid (BoP). Water prices should enable customers to purchase drinking water for direct consumption (approx. 2 liters per person per day) for <3% of the available income.

Purchase power of clients varies significantly between urban, peri-urban and rural areas, thus influencing pricing and financial models.

As a result, tariffs range from 0,02 USD/20 L to >1,5 USD/20 L (Dalberg, 2017).

### Number of Customers

The # of customers highly depends on the target market. In urban target markets, water kiosks can serve up to 200 customers per day (equivalent to ~1K beneficiaries). In India, Naandi has been serving 125 to 145 daily customers per station in less densely populated rural areas.

Water kiosks typically need to be located in settlements of 1000+ households to be able to access a sufficiently large pool of customers to ensure minimum sales volumes (Dalberg, 2017).

### Unit Profitability

In Jibu's scaling model, an average **net profit per kiosk unit of 20%** provides the basis for CapEx repayment under concessional revenue based loans.



## KPIs, Targets & Other Relevant Parameters (cont.)

### Consumption per Customer

Based on the consumption targets per sales point and the number of customers, each client need to purchase between 8 and 15 litres per day, depending on the market and context.

UDUMA sets targets of selling at least 8 litres per customer per day, which matches sales estimates by Swiss Fresh Water of 240 litres per family per month.

### Market Penetration

For financial viability, water kiosk models typically need at least 20% market share (market penetration) in target markets.

A key challenge for water kiosk model is low customer loyalty. To increase market penetration (as well as consumption per kiosk and # of customers), the product must be brought as close as possible to the customer.

### Asset Utilisation Level

Costs for production & treatment infrastructure make up a large share of the CapEx of water kiosks; it is therefore crucial to reach a high utilisation level (sweating kiosk assets) for a viable scaling strategy: Performance should at least be above 50% and ideally around 70% of the available production capacity.

Dalberg (2017) showed that many kiosks use less than 20% of their production capacity. Often 2 hours of production a day could service the sales targets. Establishing a hub and spoke model allows reaching higher utilisation levels.

### Time for CapEx Repayment

Depending on the technology, pricing model and target market, repayment for CapEx investments into water kiosks can range from 2.5 to 6 years (based on insights from drinkwell and Jibu).

Dalberg (2017). The untapped potential of decentralized safe drinking water enterprises. Dalberg Global Development Advisors on behalf of Aqua for All, Danone Communities, The Stone Family Foundation, Osprey Foundation and Conrad N. Hilton Foundation.





A blue water meter with a handle and green pipes, installed in a concrete trench. The meter is surrounded by dirt and some dry grass. The text "03" is overlaid on the left side of the image.

03

# MINI GRID

SCALING BLUEPRINT



## 03 MINI GRID



## BUSINESS MODEL

A mini grid is a decentralized water supply system that runs in a small town or collection of villages (between 500 and 5K connections). It uses its own water source, pumps to storage, treats and distributes water through a variety of delivery options (including household connections but sometimes also collection points, delivery, or bottled water). The infrastructure, maintenance and management models can vary, but normally include water pumping from underground or surface water, treatment, delivery and maintenance through in-house or external service providers.

Water delivery from mini grids adds value to customers by allowing them to comfortably access larger quantities of water at home. The value proposition evolves more around convenience than water quality. The success of mini grid models depends heavily on the volume of water that is consumed, billed and collected. Mini grids can be managed as individual schemes or via holding structures that manage multiple schemes to leverage economies of scale.

## BUSINESS MODEL VARIATIONS

- We distinguish two variations of mini grid models that vary in scale: At small scale, entrepreneurs operate single systems (or a very limited number) whereas larger enterprises act as consolidators / holding companies that manage several mini grids. The former model focuses on optimising operations and expanding them in a given service area. The latter further creates centralised structures and consolidated services, reducing costs and leveraging economies of scale to reach profitability across a portfolio of schemes.
- The conditions for private operators of mini grids heavily depend on the policy and regulatory context and licensing conditions. Regulations and agreements influence the operator's level of control, defining asset ownership, responsibilities and planning periods. Regulations on tariff-setting equally affect the viability of business models.

## REQUIREMENTS

- Water extraction permits and service provision licenses for extended periods (ideally > 10 years)
- License is ideally exclusive (to avoid competing investments) and either provides control over assets or offers payments for O&M services
- Tariff regulations should provide for 15% profit margin or give enterprises (some) influence on tariff setting
- Purchasing power difference of rural or peri-urban clients affects the financial model
- Water sources influence CapEx requirements (drilling, rehab, treatment technology)

## TYPE OF IMPACT

- SDG 6.1: Safely managed services via HH connections and basic services via sales points

## FINANCING NEEDS

- Public finance, grants and concessional loans to develop or upgrade piped systems (CapEx)
- Grants/concessional loans for working capital to cover viability gap until break even
- Debt and potentially impact finance to invest in household (HH) connections
- Micro finance for end-user contribution to connection
- Debt finance for efficiency investments

## Investing Along Maturity Progression

### 01 Starting Up

1-2 YEARS

### 02 OPEX break even

+ 2-6 YEARS

### 03 Credit worthy scheme

+ 1-3 YEARS

#### Business Milestones

At least one mini grid under operation with all required licenses.  
**<100% OPEX Coverage**



Viable operations through investments to increase # of connections, consumption and efficiency.  
**Full OPEX Coverage**

Eligibility of bank loans through credit-worthy operations, availing capital for investments & expansion.  
Agreement with banks that avails access to loans



#### Impact & Return

• Provision of improved services to:  
1K - 12K people per scheme

Improved services:  
1'500 - 20K people per scheme

Provision of improved services to:  
2K - 30K people per scheme

#### Required Resources

**US\$250-500K** depending on the size of the system this could be **up to US\$ 1M**, typically via public finance or grants for CapEx and start-up grants for working capital

**US\$250-500K** plus ~US\$75K per annum for viability gap finance (likely public finance, RBF and concessional loans for CapEx and grants for working capital)

**US\$250-500K** per mini grid /scheme plus ~**US\$100K** per annum for viability gap finance (transitioning to debt and concessional finance for CapEx investments)

#### CapEx Investments

- Bulk of CapEx for investments into water source, storage, treatment and primary network development
- Limited investment in secondary network and funding for initial connections off the existing network to generate revenue.

- Secondary network extension
- Funding for household connections programme
- Setting up billing and revenue software and investment in energy management / cost reduction (e.g., via solar systems)

- Additional pumping, storage, treatment capacities and further investments into distribution
- Final investment in connections and tertiary extensions within existing network area
- Upgrading systems and processes to drive efficiencies

#### Working Capital

- For viability gap finance during start-up phase
- Obtaining commission, permits & license
- Funding for initial technical & financial management team

• Inventory finance: Funding equipment for installation

- Organisational development, development of management, sales and marketing team
- Development of sales & marketing approach

- Setting up governance structures, including a board of directors
- Resources to prepare and raise finance for scaling phase

#### Value Chain

Where needed, clarify the licensing process and support the setting up of required entities at local governmental level (e.g., water boards)

Ensure integration of operations into national and local governance structures

- Establish a case for lending to utility operators with local banks





FOR CONSOLIDATOR MODELS  
AND HOLDING COMPANIES

## 04 Scaling Model

+ 2-4 YEARS

FOR CONSOLIDATOR MODELS  
AND HOLDING COMPANIES

## 05 Economies of Scale

+ 2 - 5 YEARS



### Business Milestones

Establishing an evidence-based pathway to viability and scaling with **3-10 economically viable piped water schemes**

Centralised structures and consolidated services reduce costs, yielding profitable investments opportunities



### Impact & Return

Provision of improved services for up to: **100K people per scheme** across all **3-10 mini grids**.

Provision of improved services to: **>1 million** with expanded network of mini grids  
+ Interest on debt funding & RoI on equity

### Required Resources

**US\$ 300K - 1M per mini grid / scheme** usually via public finance and concessional loans plus **~US\$200K per annum for viability gap finance** depending on available funding via grants, RBF, debt and/or equity

CapEx amount depends on size and number of schemes: **US\$200+K of Working Capital per annum**.

### CapEx Investments

- Finance to purchase new schemes or greenfield investments in new mini grids
- Upgrading systems and processes to drive efficiencies
- Finance to purchase new schemes or greenfield investments in new mini grids
- Investment in energy & pressure management / cost reduction (e.g., via solar systems)

### Working Capital

- OPEX subsidies of new mini grids until they break even
- Start setting up centralized systems and processes
- Further improving governance structures, roles and responsibilities to growing business operations
- Investment in centralised operations and financial management team
- Continued development of centralised systems and processes and accompanying organisation development



### Value Chain

- Engage government and lobby for service contracts for operations / extension in(to) commercially non viable areas
- Securing licenses and contracts

## Investment Model - KPIs, Targets & Other Relevant Parameters

The viability of mini grids depends on the volumes of water sold. This translates into a scaling model composed of market penetration (through connections) and the level of consumption. In a consolidator model, it is necessary to determine the number of profitable mini grids required to finance the centralised structures. Besides the consumption, factors such as the capital expenditure (CapEx) per scheme, the costs per connection, non-revenue water (NRW), and energy costs also affect the viability of mini grids.

The following overview provides KPIs for water kiosk models and provides EXAMPLES of targets and target ranges that we compiled based on insights from KWASH (Cambodia), UDUMA (West Africa), Water4 (Uganda), Max Tapwater (Bangladesh) and Safe Water Network (Ghana).

### Market penetration

In areas where assets are installed, a rough benchmark for piped water enterprises is to establish direct connections to at least 50% of HHs. For this purpose, it is key to invest in densifying the number of customers within the network area. This can lead to connection ratios of up to 80% of households in the service area.

### Consumption per Connection

In **rural** areas, targets for consumption are around **5 m<sup>3</sup>** per connection per month. In **urban** areas, mini grids typically aim at **>7 m<sup>3</sup>** (ideally 10 m<sup>3</sup>) of water consumed per HH connection and month.

Industrial, business and institutional clients often have significantly higher levels of consumption. This makes them attractive customer segments to move towards viable operations. At the same time, a bias towards these clients effects the business model's impact.

### Cost per Connection

- <200 USUS\$ is typically considered commercially viable cost for HH connections
- at 200 to 300 USUS\$ viability depends on context
- >300 USUS\$ is non viable, requiring impact finance

Connections for customers that are commercially non viable provide a strong case for impact financing. The SFF, for example, established a revenue-based loan facility to expand connections to such clients in Cambodia.

### CapEx per scheme

300K USUS\$ - 1 million USUS\$ for larger systems, highly depends on whether existing systems are upgraded or operators make greenfield investments.

Depending on size Max Tapwater requires approx. 20K USUS\$ CapEx for very small systems (<100 connections) projecting CapEx recovery within 9 years.



## KPIs, Targets & Other Relevant Parameters (cont.)

### Water Sold per Scheme

Viable sizes of mini grids typically range from **500 to 5K connections** per system. With the above consumption targets, such mini grids should achieve sales between minimum **2'500 m<sup>3</sup>/month for small and 40K m<sup>3</sup>/month** for large systems. Mini grids can, however, be as small as 100 connections or less.

### Revenue per Connection

The key to profitable operations is ultimately the revenue generated per connection. Depending on the context and water tariffs, the average monthly consumption fee per household connection is expected to range from **US\$4 to US\$10+ per month**.

### # of connections to break even

Profitability of consolidator / holding companies can be expected **starting from 35K - 50K connections** across the portfolio of mini grids.

### Non Revenue Water (NRW)

NRW is the portion of water produced that is lost before it reaches the customer, either through leaks, theft, or meter inaccuracies, resulting in no revenue for the water utility.

NRW has a direct influence on the revenue that can be generated from the water that is being produced. The World Bank suggests 25% or less NRW as a reasonable level.

### Margin

To move towards financial viability, mini grid operators should strive to achieve an operational cost coverage ratio of 120% (according to Aqua for All and IRC WASH).








04

# HAND PUMP MAINTENANCE

SCALING BLUEPRINT

## 04 HAND PUMP MAINTENANCE



### BUSINESS MODEL

(Preventive) hand pump maintenance models are based on pre-paid user contributions, performance-based contracts and remote monitoring. They provide a professional and rapid maintenance service for community water supply systems (maintenance subscription / micro insurance). Enterprises' services typically also include refurbishing / upgrading water points to facilitate continued services, but usually do not include the development of new hand pumps or other water point infrastructure (boreholes, etc.).

The focus on service provision to rural (and sometimes peri-urban) areas results in high impact and low profitability. As a result, hand pump maintenance models depend on subsidies and results-based finance to bridge time to reach cost coverage through saturation / economies of scale. CapEx expenditures are typically covered by government or donor financing to limit the financial burden on rural communities.

### BUSINESS MODEL VARIATIONS

- Hand-pump maintenance is usually based on a fixed monthly tariff / subscription. Some service providers, like Sunda in Uganda, have developed pre-paid solutions to implement models for customers to pay-by-volume of water consumed.
- Logistical requirements for hand pump maintenance may outweigh the ability to pay of rural communities in different contexts. As a result, there may be a need for government to provide paid (performance) contracts for service providers.
- In cases where the prospects for viable operations are insufficient, restructuring service providers into two entities may be required: A non-profit entity that raises funds to subsidize O&M services in commercially non-viable service areas and a profitable O&M service provision enterprise.

### REQUIREMENTS

- A concise and consistent framework for operation and maintenance in rural water supply
- Clear contracting provisions to obtain service licenses
- System for mapping of assets and O&M responsibilities
- Control of collected tariffs by service provider
- Compliance of NGOs & donors with O&M responsibilities
- Depending on the context, remuneration for O&M service by government or RBF contracts may be required to achieve cost coverage

### TYPE OF IMPACT

- SDG 6.1: Basic water supply via water points
- IRIS+: Water supply service hours (uptime / water point functionality)

### FINANCING NEEDS

- The growth of maintenance service providers, necessary to leverage economies of scale, requires long-term results-based or viability-gap financing
- Working capital to set up agreements and operations in service areas
- Public and/or grant finance for the rehabilitation of hand pumps
- Funding for infrastructure upgrades (piped water points / pre-paid water points)

## Investing Along Maturity Progression

### 01 Starting Up

6-12 MONTHS

### 02 Piloting

+ 1-2 YEARS

### 03 Establish a mngt. entity

+ 1-2 YEARS

#### Business Milestones

Business model developed, key processes tested & piloting agreements established



System for performance payments of local technicians established to service.  
~20 water points based on service agreements facilitating uptake of model into local structures

System to monitor and make performance payments for O&M services for 100+ enrolled water points established, yielding at least 40% OpEx/CapManEx coverage with collected revenues

#### Impact & Return

Entrepreneurial engagement in rural water supply triggered



Maintaining basic services for up to: 5K people  
+ Creation of 3 - 7 jobs

Maintaining basic services for up to: 25K people.  
+ Creation of 10 - 15 jobs



#### Required Resources

US\$20K awards, start-up grants and self financing.

US\$60-100K grants (ideally RBF) and potentially revenue from service contracts

US\$60-100K grants and RBF and potentially public finance

#### CapEx Investments

- Investments in motorbikes, tools and equipment

- Investments into fleet extension and additional tools and equipment

- Investments into fleet extension and additional tools and equipment
- Developing electronic visit tracking and data management system

#### Working Capital

- Development of business model, internal systems and processes
- Setting up the initial management and technical team, including recruitment and training of technicians
- Development of financial management and M&E systems

- Continued development of internal systems and processes, including SOPs
- Invest into the development of technical, operational, financial, and M&E capacities and teams
- Data collection
- Finance spare part inventory

- Establish internal systems and processes for RBF management
- O&M for motorcycle fleet
- Setting up governance structures
- Problem solving to create conducive service conditions
- Testing different incentives and sanctioning mechanisms to increase payment compliance


#### Value Chain

- Capacitating local government entities to understand performance payments approach for water point maintenance

- Mapping of water points, functionality and service responsibility in target areas
- Where needed facilitate the setting up of local entities (like water boards)

- Invest into the development of a spare parts supply chain or partnerships to import and store bulk quantities





## 04 Service Area Expansion

+ 2-3 YEARS

## 05 Cost Covering Service Model

+ 2 - 5 YEARS



### Business Milestones

Increased # (>500) & density of enrolled water points in at least 3 service clusters. Reduction of viability gap to <50%. 20% - 40% efficiency gains through route optimisation

Efficiency gains through growth & optimised density of clients; **10%-15% annual growth**; **>70% cost coverage through revenue**



### Impact & Return

Basic services up to **100K people** with all kiosks.  
+ Creation of **25 - 100 jobs**

Maintaining basic services for at least **1.5 million people**  
+ Creation of **100 - 500 jobs**

### Required Resources

**US\$50-200K** grants and RBF and potentially concessional debt for specific assets and efficiency investments

**~US\$600K per annum** (based on the UPTIME cost estimate of total cost per beneficiary of ~1 US\$ per year and a viability gap of 40%), likely through a mix of RBF, grants and public finance

### CapEx Investments

- Investments into fleet extension and additional tools and equipment
- Route optimisation, giving structure to circuit riders and increasing logistical efficiency

- Infrastructure upgrades, depending on status of assets with the objective of increasing the share of profitable systems

### Working Capital

- Potentially pre-financing of bulk imports of spare parts
- Testing different incentives and sanctioning mechanisms to increase payment compliance

- Whave, a Uganda based social enterprise, estimates that approx. **600KUS\$** of RBF are required to achieve break-even in a Ugandan district with **1K hand pumps** financing the viability gap of services over a period of **5 years**



### Value Chain

- Invest into the development of a spare parts supply chain or partnerships to import and store bulk quantities
- Lobby for the introduction of service contracts with government / donors paying subsidies for O&M services

- Lobby for the establishment of contractual RBF / transfers for subsidies of O&M services from government

## Investment Model - KPIs, Targets & Other Relevant Parameters

The viability of hand pump maintenance models relies on having suitable service areas with an adequate number of water points and service fees. This translates into a logistics model where reducing costs necessitates efficient logistics, achieved through customer density and route optimisation. Payment compliance and collection efficiency are also critical factors. To ensure the cost coverage of the maintenance model, these elements must be optimised. By determining the optimal number of serviceable water points and ensuring efficient fee collection, the model bears potential to attain full cost coverage. Since maintaining rural water supply in developing countries has to date been heavily subsidised the model bears an interesting case for impact financing.

The following data points provide targets for KPIs of some of the most advanced hand pump maintenance models compiled based on insights from Uptime, Water for Good (Central African Republic), Whave, Sunda and Uganda Water Project (all Uganda)

### Costs per Customer

Water for Good (> 3'500 hand pumps enrolled) estimates average costs per hand pump and year to be approximately 370 USUS\$, despite having to collect user fees in cash.

Whave determined costs at low economy of scale (100 water points per district) to be approx. 470 USUS\$ per hand pump and projects costs to be as low as 260 USUS\$ at scale.

Uptime estimates average costs for maintenance services per water user to be between 1 USUS\$ to 1,20 USUS\$ per year.

The availability of mobile payment infrastructure, density of customers, optimisation of routes are some of the factors influencing maintenance costs.

### Hand Pumps per Technician

To ensure that the capacities of technicians are fully used, Water for Good aims to enroll approx. 150 to 220 hand pumps per (team of) technician(s). Water for Good also sets daily targets of 5-6 hand pumps technicians should visit and service during longer (21 days) maintenance missions.

UWP aims to have technicians working at 90% of their capacity to reach OpEx/CapManEx coverage.


### Density of Hand Pumps

Whave is targeting 4K enrolled water points in each service cluster to establish cost covering operations.

### Revenue per Hand Pump

For a community of 50 families sharing a hand pump, monthly payments of 100K UGX - 150K UGX (25 USUS\$ - 40 USUS\$) are generally accepted fee levels.

In contexts, where cost coverage cannot be achieved with customers fees, paid service contracts are needed for viable operations.



## KPIs, Targets & Other Relevant Parameters (cont.)

### Uptime of Hand Pumps

The target for uptime of hand pumps is at least 96% functionality (Uptime global).

### Ratio of Hand-pumps to Automated or Mechanised Water Points

To move towards cost coverage, entrepreneurs can upgrade selected systems to make them profitable. These profits can be used to subsidise maintenance of non-viable areas.

- Pre-paid hand pump systems can increase revenue collection and reduce costs for service providers. In Uganda, Sunda offers such systems (approx. 1K USUS\$ / pump).
- Upgrading hand pumps to mechanised, gravity-fed stand posts improves convenience of services for customers and increases willingness to pay.

### Costs for Enrollment of Communities

For efforts to expand the service area of hand pump maintenance models, costs for enrolling new communities need to be duly considered. Analysis by the Uganda Water Project put these costs at 1 Mio UGX (equivalent to ~250 USUS\$) per community.

### Time for Repairs

To ensure continued use of hand pumps and willingness to pay at least 90% of breakdowns should be repaired within 24 hrs and all breakdowns should be repaired within max 48 hours.

**Uptime and repair time are key to the value proposition** of hand pump maintenance models.





A photograph of a rural utility site. In the foreground, there is a paved area with reddish-brown bricks. A large black pipe runs horizontally across the middle ground. To the left, a circular concrete structure with a blue corrugated metal cover is visible. In the background, there are two circular concrete tanks with blue metal railings. A person in a dark blue shirt is standing near the tanks. The background is filled with lush greenery, including tall trees and banana plants. A house with a red-tiled roof is partially visible behind the trees. The sky is overcast with grey clouds. A text overlay is present in the lower center of the image.

05

# RURAL UTILITY

SCALING BLUEPRINT

## 05 RURAL UTILITY



### BUSINESS MODEL

Rural utility models combine several of the previously presented models, taking over responsibilities for water supply services in designated service areas. Unlike models focused solely on maintaining water points, these utilities provide water treatment, manage sales points, and often handle distribution and other services, depending on the business model variation. To achieve financial viability, they typically invest in developing water supply systems, evolving from supply at production sites to setting up networks of kiosks and small piped networks (usually under 250 per system), while also maintaining less viable hand pumps. The mix of water systems and prospects to make them viable over time are key to the success of the rural utility model.

As rural water systems are small in size and offer limited prospects to generate profits, rural utilities models typically aim to provide services to a growing number of communities or to secure commissions for service provision in large geographical service areas. The ability to leverage economies of scale through more efficient, centralized services plays a central role in this model.

### BUSINESS MODEL VARIATIONS

Generally, there are two different approaches to scaling a rural utility model:

- Gradually expanding and upgrading the number of water points and systems under the utilities operations. This requires recurring efforts to secure CapEx investments, permits and licenses for communities that are newly added to the utilities operations. Especially during the early stages, rural utility enterprises have to revert to this approach to establish operations that are adapted to the local markets to build a track record.
- Where government is willing and able to offer service contracts, rural utility entrepreneurs may strive to acquire service provision contracts for extended geographical service areas. Uduma has pursued this approach successfully in West Africa

### REQUIREMENTS

- Government offers service contracts delegating right to manage water for dedicated geographical areas, ideally for a longer term period (> 10 years)
- Service area needs to be big enough to leverage economies of scale and comprise a mix of (potentially) profitable systems that can balance commercially non-viable systems
- Responsibilities for asset maintenance and investments into system upgrades (ideally with allocation of public finance) are clearly defined
- Regulations should provide enterprises with influence on tariff setting or establish tariffs that include sufficient profit margins for different systems
- Water extraction permits and other approvals to produce drinking water are granted through clear processes



### TYPE OF IMPACT

- SDG 6.1: **Basic water supply** via sales points / stand posts and **safely managed services** via hh connections



### FINANCING NEEDS



- Longer term subsidies or results based payments for viability gap finance until break even
- Grants, public and debt finance for efficiency investments to reduce operational costs by automating water points, adopting solar energy, smart metering, etc
- Capital to invest into acquiring and upgrading piped water systems to improve systems mix
- Tenders of profitable infrastructure development projects that can help subsidise operations later on

## Investing Along Maturity Progression

### 01 Starting Up

~ 12 MONTHS

### 02 OPEX Break Even

+ 1-2 YEARS

### 03 Transition to larger Service Area

+ 1-3 YEARS

#### Business Milestones

Set up 3 - 5 stations, with kiosk-based operations and initial connections to selected institutions / households.

Expand services to 100 - 150 water points and systems with approximately 1'000 connections covering direct operational costs (Opex & daily rehabilitation).

Commission for large geographical areas to build a case for area service provision in one context - **secure investments through formalized agreements**

#### Impact & Return

Improved services (mix of basic and safely managed) for **500 - 2'000** people

Safely managed services for **5K - 10K people** and basic services for **20K - 50K people**

Service provision to **100K - 250K** people with a combination of basic and safely managed services



#### Required Resources

**US\$125-225K** from grants and/or public finance

**US\$250-500K plus revenue from public contracts** from grants and/or public finance

**US\$5-20M through public contracts** with complementary RBF/grant funding for viability gap finance

- Leverage results-based financing via Uptime and similar sector-specific mechanisms, followed by carbon finance from 100K+ beneficiaries

#### CapEx Investments

- Investments into constructing or rehabilitating motorized water point, including treatment, storage & taps
- Investments into fleet extension and additional tools and equipment
- Construction and acquisition of water points and water systems
- Leverage larger contracts w/ profit margin for infrastructure development, to subsidize startup of operations

#### Working Capital

- Establish key operational processes
- Build an initial team for core functions incl. operations, administration and sales
- Develop an approach to upgrade water systems
- Develop a data collection and management system
- Develop a clear trajectory towards viable service provision, based on operational data and experiences
- Pilot and optimize customer service and effective ways to keep customers happy
- Finance extension of connections and introduce water safety plans
- Optimize financial models using historical data & sensitivity analyses
- Setup enterprise and team structures for increased growth and large scale infrastructure projects
- Develop sales and customer service teams
- Optimization for centralized services
- Build own capacities or partnerships for infrastructure development and ability to influence the design and selection of water schemes, optimising infrastructure for sustainable operations.

#### Value Chain

- Cooperate with public authorities for inventory of water points and systems, their functionality and service responsibility
- Introduce government to and develop their capacities for working with businesses
- Lobby with government to get larger service areas being assigned for operations





# Investing Along Maturity Progression

## 04 Expansion & Internationalisation

+ 2-5 YEARS

## 05 Commercial Viability

+ 2-5 YEARS



### Business Milestones

Achieve **net profit break even** in at least one large service area.  
Secure **contracts** for upgrading of water systems and **commissions** for service provision in additional countries or large geographical areas

Establishing **commercially viable operations** in 3 to 4 countries that cover costs, based on revenues from sales.



### Impact & Return

Gradually expanding service provision to **>500K people** within service area.  
Building an initial track record in repaying loans, incl. interest for efficiency investments.

Provision of improved services (via piped water systems) and basic services (via water kiosks and stand pipes) to **>1 million people per country**.  
Establishing **proven cases for asset investments** that attract additional capital to the water sector.

### Required Resources

- US\$40-50M for asset investments in public finance / concessional loans (~75%) and grants (~25%) to expand portfolio of water systems to leverage economies of scale
- Growth capital (~20% of operational costs) to fund the viability gap for system and service expansion
- Leverage results-based financing via Uptime and similar sector-specific mechanisms, followed by carbon finance from 100K+ beneficiaries

### CapEx Investments

- Systematically upgrade water systems to achieve a revenue mix where over 50% is generated from mechanised and piped systems across the entire portfolio
- Sell assets with operation agreements to investors to secure liquidity for extension of services through new infrastructure development

### Working Capital

- Structuring management and country operations into business units or new legal entities.
- Build team for expansion with focus on experiences in navigating politics, PPP contracts and legal expertise
- Establish geographical departments to adopt operational models with teams to be deployed on the ground
- Growth capital (approx. 20% of costs of the company), to finance the expansion of systems & services that take time to reach cost coverage
- Build own capacities or partnerships for infrastructure development and ability to influence the design and selection of water schemes, optimising infrastructure for sustainable operations
- Finance, Operations, Legal adopted to scaling stage
- Systems and processes further refined and integrated (e.g. consolidating accounts, etc.)
- (Branding for) talent acquisition and HR solutions - more people, more problems; systems and checks



### Value Chain

- Raise awareness of investors for the case of water-related asset investments

Lobby with government to get larger service areas being assigned for operations

## Investment Model Success Factors

The viability of rural water utility models hinges on factors related to the service area that support the development of a sustainable financial model. Critical elements include aspects of the service agreement, such as the duration of the service delegation and the size of the service area, which must allow for a return on investment and the achievement of economies of scale. Additionally, the geographical context and population density significantly influence the costs associated with logistics, system upgrades, and the operation of water systems. Moreover, the service area must offer a balanced mix of potentially profitable water systems that can generate enough surplus to subsidize services in commercially non-viable areas.

For different types of water systems, the KPI targets outlined in the Scaling Blueprints for water kiosk, handpump maintenance, and mini-grid models provide relevant KPIs and benchmarks for rural water utilities.

Instead of compiling additional KPIs and benchmarks, which are shaped by the overall framework conditions for rural utilities, we compiled a number of success factors and related data points specifically pertinent to models that use a mix of these systems across larger service areas, drawn from exchanges with Uduma (West Africa), Safe Water Network (Ghana), WaterCompass (Uganda) and insights shared by Water4 (Uganda) and cova (Central America).



### FINANCIAL MODEL WITH CLEAR PATHWAY TOWARDS BREAK EVEN

Uduma assesses the viability of expanding into new countries by determining whether a financial model can achieve **EBITA break-even within three years**, highlighting the importance of securing financial stability early in the operations lifecycle.

SWN and Water Compass employs a financial model that creates operational clusters, enabling centralized services to improve efficiency and streamline resource use.

Water4's financial model, meanwhile, sets clear milestones toward achieving cost coverage and CapEx recovery. In Uganda, for instance, operating approximately 100 systems is expected to direct operational expenses. At a global level, Water4 aims for full cost recovery to attract capital and scale sustainably. This model is supported by a focus on sales growth, customer service, and efficient staffing.



### MIX OF WATER SYSTEMS

The combination of water systems within a service area greatly affects the operational sustainability of rural water utilities. These utilities typically manage a mix of handpumps (see p. 27ff), small mechanised water points—often solar-powered—and piped water systems (see p. 21ff).

In establishing a financial model across various West African countries, UDUMA estimates that handpumps generally serve 300–500 people, small solar-powered water points serve at least 500 people, and piped water systems can support 2,000–10,000 people.


To move toward financial sustainability, rural utilities aim to develop a **portfolio** with a larger and growing share of piped water schemes and mechanised water points, which are more viable in the long term. Some rural utilities choose to focus exclusively on larger communities (e.g., those with more than 5,000 inhabitants) to ensure the commercial viability of their operations. By **centralizing services**, they also improve efficiency, leveraging economies of scale to reduce costs and enhance service delivery.



## Relative Risk Factor

In its efforts to balance financial sustainability with public health outcomes and guide investment planning, UDUMA evaluates health risks across the various water systems it manages, using data from the Global Health Metrics Report on Unsafe Water (IHME, 2021).

UDUMA assigns relative risk scores to different types of systems (e.g., household connections with higher levels of chlorination are assigned lower risk scores, while unchlorinated kiosks are assigned higher risk scores). Although UDUMA aims to continuously reduce the overall risk level of its operations, this risk-based approach also informs investment decisions. For example, it helps determine whether to prioritize pre-paid systems or invest in additional chlorination measures. By leveraging this data, UDUMA optimizes resource allocation to upgrade water systems, with the overarching goal of maximizing its impact on public health.



### CENTRALISED SERVICES

At scale, rural utilities can reduce costs by centralising services such as maintenance, technical support, procurement, billing, data management, and customer service, etc. Serving entire operational clusters, these centralized services drive down operational expenses.

A notable example is Cova, a Central American enterprise focused on providing centralised support services for rural water systems (rather than being a full fledged rural utility). Cova's model deploys "Circuit Rider" water technicians who visit 50–60 communities monthly, delivering training, technical assistance, chlorine, and water quality monitoring. Through a phased approach, community boards gradually assume greater responsibility for maintenance, allowing each Circuit Rider to eventually support up to 200 communities while remaining available for ongoing support.



### LEVERAGING CONSTRUCTION CONTRACTS

Rural water utilities can leverage profitable infrastructure projects to subsidise operational costs during the early stages when a viability gap often exists. Since much of their work involves infrastructure development, public construction contracts become an essential revenue source. By building capacity and expertise in infrastructure development (including in quantities), rural utilities can secure contracts that generate profits. These profits, in turn, can be reinvested to support operational expenses, helping bridge the financial gap until cost coverage and operational sustainability are achieved.





06

# ANNEX

FINANCING ENTERPRISE DEVELOPMENT



# External Financing for Enterprise Development

Water supply enterprises rely on external finance to develop approaches to increase their impact and financial viability and ultimately scale their operations to maximize their social and / or environmental impact. Access to external funding can have different effects, enabling them to expand their reach, invest in infrastructure, and navigate financial uncertainties. This ultimately empowers growing enterprises to achieve their mission while ensuring financial sustainability.

## Product & Business Model Development



Finance plays a vital role in product and business model development by providing entrepreneurs with the essential resources needed for idea validation, prototype development, market research, and product refinement or diversification. It also enables the hiring of key talent and experimentation with revenue streams, laying the foundation for sustainable growth and attracting additional investment.

## Unit Profitability



Achieving unit profitability is crucial as it proves the viability and sustainability of a business model at its core. By leveraging investments to enhance efficiency and drive innovation, a water enterprise can demonstrate its potential to generate financial and impact returns and mitigate risks. This, in turn, positions the enterprise to attract additional investment and support future expansion.

## Replicating Units / Scaling



Funding for CAPEX allows water enterprises to replicate their service delivery units, such as piped water schemes and water kiosks. Traditionally, debt and/or equity financing is utilized for these infrastructure investments. In cases of particularly high-impact projects, enterprises may also receive grants that provide the necessary liquidity to purchase additional assets, construct new water stations, and launch operations in new markets.

## Covering Operational Costs




For early-stage or financially less viable water enterprises, various forms of external financing can help achieve stability by covering operational expenditures (OpEx) and addressing outstanding financial needs. This support can come in the form of subsidies to bridge viability gaps for service providers or by allocating resources towards operational expenses and efficiency improvements to stabilize day-to-day operations.

## Demand Creation & Market Expansion



External financing can drive demand and expand customer bases by enabling price reductions, particularly in BoP (Base of the Pyramid) markets, or by facilitating investments in network expansion and increasing the number of connections. In this way, various forms of financing enhance the accessibility and affordability of clean water, thereby stimulating demand and fostering sustainable growth within communities.



# Types of Finance

Different types of funding vary in their suitability for achieving specific milestones. Below is a mapping of selected funding types to key areas of enterprise development.



## Seed funding

Initial funding, e.g., from founders or start-up awards, supports entrepreneurs in refining business ideas, creating prototypes, and establishing a viable business model, fostering dedication, higher survival rates at early stages and ideally follow-up investments.

## Results-based funding

RBF provides funding to water enterprises in exchange for the delivery of pre-agreed and verified outcomes, such as water supply, maintenance services, or CO2 emission reductions. It is often used to bridge viability gaps in service and business models. This type of financing can subsidize initial services, helping to cover OpEx. Additionally, it can support the expansion of offerings to target groups with limited ability to pay or fund after-sales services that can be provided while monitoring results.

## R&D funding

R&D funding backs the creation of innovative, impact-oriented products and services, typically lasting 6 months to 3 years. It often comes from development agencies and impact investors to refine products and business models.

## Efficiency investments

Efficiency investments in water supply enterprises in developing contexts are typically funded through grants and debt finance. These investments aim to enhance efficiency by reducing costs or increasing revenue generation. Measures may include implementing customer tracking systems, CRM or ERP systems, investing in sales and marketing, lowering energy costs (e.g., through solar solutions), adopting smart metering, digital billing and invoicing solutions, or improving revenue collection via mobile banking integration. All of these efforts contribute to reducing the costs associated with revenue collection.

## Catalytic funding

Catalytic funding provides resources designed to mitigate risk and enhance the overall viability or impact of an enterprise. It can be used, for instance, to test new business approaches, optimize operations, or improve cost coverage and impact. The goal is to facilitate scaling and attract new investment for development objectives. A key aim of catalytic funding is to validate underlying assumptions, enabling enterprises to secure or leverage additional funding based on achieved results and the evidence generated to support their business model.





#### Impact-linked / revenue-based loans

A revenue-based loan offers debt funding in exchange for a share of future revenues. Impact-linked loans, similar to uncollateralized SME loans, tie interest and principal repayments to the achievement of impact goals. These innovative debt financing options account for factors such as seasonality and impact value in their repayment terms, specifically tailored for water enterprises. They facilitate the expansion of piped schemes or the replication of units (e.g. water kiosks), while also helping enterprises build a track record and enhance their creditworthiness.

#### Infrastructure investments

Infrastructure investments involve providing capital to develop new infrastructure or acquire profitable assets. Investors often extend performance-based contracts for ongoing operations to the enterprises responsible for these developments. This type of financing supplies the necessary capital to invest in new assets and replicate critical infrastructure, thereby expanding services to new target markets.

#### End-user / pre-financing

Microfinance allows customers with limited purchasing power to access market-based water solutions, such as household water filters, that might otherwise be unaffordable. Additionally, it provides pre-financing for end-user solutions, such as household connections, enabling entrepreneurs to cover initial investments, which are then gradually reimbursed by customers. These end-user financing methods are crucial for stimulating demand and effectively penetrating new markets with entrepreneurial offerings.

# About this Guide

Thank you for taking part in this informational journey toward empowering WASH entrepreneurs and businesses from early stages to growth and development. To support you further, we work closely with local partners globally to develop programmes that are tailored to the need of each region and provide continuous support to scale up, we also create a variety of tools, best practices and resources that are all available on Cewas' website.

To receive impact, access and be the first to know, visit [cewas.com](https://cewas.com)

To partner with us or get support for your businesses transformation journey kick off, apply to one of our focused programmes and get advice from our experts, visit [cewas.com](https://cewas.com)

## Authors

**Janek Hermann-Friede**

## Creative & Design

**Firas Ibrahim**

## Copy Writing

**Hannah Wuzel**

## Recommended citation:

Hermann-Friede, J. (2024). Scaling Blueprints of WATER SUPPLY Business Models. Cewas, Willisau, Switzerland.









# cewas

Water.  
Entrepreneurship.  
Impact.

Visit [Cewas.org](http://Cewas.org)

Cewas is committed to driving meaningful change in alignment with SDG-6 and sustainable agriculture. We firmly believe that solutions in agriculture and water efficiency achieve genuine sustainability when they empower communities to thrive.

For the latest updates, connect with us on social media:  
@Cewas or visit [cewas.org](http://cewas.org)



Visit [majipreneurs.creation.camp](http://majipreneurs.creation.camp)

Majipreneurs bridges the gap between entrepreneurs, investors, development partners and policymakers, creating a supportive space and common mission to build an ecosystem for sustainable water and sanitation initiatives.