

HP Indigo Optimized Paper & Film Collection

U.S. Roll Stock List



| Eco | Weight | Facestock | Adh. | Liner | Catalog # | Microns | |
|--|--------|---|------------------|-------------------|-------------|----------|-----|
| COATED PAPERS | | | | | | | |
| | 60# | High Gloss | H-318 | 44# PK | W027672 | 194 | |
| | | | 245 | 40# | W019029 | 174 | |
| | | | | 1.2 mil PET | W027742 | 143 | |
| ✓ | 55# | Digital White Semi Gloss, FSC® Certified | 245 | 40# | W015353 | 161 | |
| | 60# | Semi Gloss | 245 BO | 40# | W017485 | 157 | |
| ✓ | 53# | Semi Gloss, FSC® Certified | 245 | 40# | W329028 | 157 | |
| | | | PCT-524 | 40# | W039014 | 160 | |
| | | | PCT-245 Blockout | 40# | W039001 | 147 | |
| | | | H-318 | 44# PK | W039031 | 176 | |
| | | | AT-2060 | 40# | W039012 | 147 | |
| | 60# | Matte | H-318 | 44# PK | W030285 | 191 | |
| | 60# | Matte w/ Wet Strength | H-318 | 44# PK | W027761 | 188 | |
| ✓ | 70# | Recycled Matte 80% Recycled | H-318 | 44# PK | W030160 | 193 | |
| WINE, BEVERAGE & GOURMET FOOD | | | | | | | |
| ✓ | 60# | Estate Label® #4 w/ Wet Strength, FSC® Certified | H-318 | 44# PK | W027828 | 229 | |
| | | | | 1.2 mil PET | W027833 | 179 | |
| | | | | 40# | W028890 | 212 | |
| ✓ | 60# | Estate Label® #8 w/ Wet Strength, FSC® Certified | H-318 | 44# PK | W027826 | 222 | |
| | | | | 1.2 mil PET | W025551 | 171 | |
| | | | | 40# | W028166 | 204 | |
| | | | | 890 | 44# PK | W034210 | 226 |
| | | | | i8017 | 1.2 mil PET | W024689* | 180 |
| ✓ | 60# | Estate Label® #9 Laid w/ Wet Strength, FSC® Certified | H-318 | 40# | W028894 | 220 | |
| | | | | 44# PK | W027835 | 237 | |
| | | | | 1.2 mil PET | W027886 | 186 | |
| ✓ | 60# | Estate Label® #12 - 100% PCW, w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil 90% r-PET | W032713 | 171 | |
| ✓ | 60# | Avon Brilliant White Classic® Linen w/ Wet Strength, FSC® Certified | H-318 | 44# PK | W027842 | 212 | |
| | | | | 1.2 mil PET | W027899 | 161 | |
| ✓ | 60# | Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified | H-318 | 44# PK | W027845 | 212 | |
| ✓ | 60# | Solar White Classic Crest® - 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 44# PK | W028897 | 212 | |
| | | | | 1.2 mil PET | W029459 | 161 | |
| ✓ | 60# | Classic Natural White Classic Crest® w/ Wet Strength, FSC® Certified | H-318 | 44# PK | W028046 | 218 | |
| | | | H-318 | 1.2 mil PET | W031708 | 168 | |
| ✓ | 70# | Classic Natural White Felt, w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | W031368 | 218 | |
| ✓ | 70# | Bright White Felt - 30% PCW, w/ Wet Strength, FSC® Certified | 890 | 44# PK | W034214 | 264 | |
| | | | H-318 | 40# | W028147 | 247 | |
| | | | | 44# PK | W027649 | 264 | |
| | | | | 1.2 mil PET | W026971 | 213 | |
| | | | i8017 | 1.2 mil PET | W027510* | 218 | |
| ✓ | 90# | Bright White Felt - 30% PCW, w/ Wet Strength, FSC® Certified | i8017 | 1.2 mil 90% r-PET | W035288 | 218 | |
| ✓ | 70# | Natural Felt - 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 44# PK | W027852 | 255 | |
| | | | | 1.2 mil PET | W027854 | 204 | |
| ✓ | 70# | Espresso Felt - 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 44# PK | W027651 | 269 | |

| Eco | Weight | Facestock | Adh. | Liner | Catalog # | Microns |
|------------------------|--------|---|--------|-------------------|-----------|---------|
| ✓ | 70# | Eggshell Felt - 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | W027877 | 218 |
| ✓ | 60# | Starlight Diamond w/ Wet Strength, FSC® Certified | H-318 | 44# PK | W029017 | 212 |
| ✓ | 60# | Starlight w/ Wet Strength, FSC® Certified | H-318 | 44# PK | W029026 | 212 |
| ✓ | 60# | Starlight Linear w/ Wet Strength, FSC® Certified | H-318 | 44# PK | W029023 | 212 |
| ✓ | 60# | Shimmer w/ Wet Strength, FSC® Certified | H-318 | 44# PK | W029021 | 190 |
| ✓ | 60# | Pearlescent w/ Wet Strength, FSC® Certified | H-318 | 44# PK | W029020 | 213 |
| | | | | 1.2 mil PET | W029461 | 162 |
| ✓ | 60# | White Gold w/ Wet Strength, FSC® Certified | H-318 | 44# PK | W029019 | 213 |
| ✓ | 70# | Sunset Gold Felt - 30% PCW, w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | W029280 | 220 |
| ✓ | 60# | Gold Starlight w/ Wet Strength, FSC® Certified | H-318 | 44# PK | W029281 | 213 |
| | 60# | White Latitude w/ Wet Strength | H-318 | 1.2 mil PET | W026261 | 171 |
| ✓ | 100# | Rustichello Non-Woven, FSC® Certified | 245-R | 1.2 mil PET | W037645 | 225 |
| ✓ | 70# | White Celtic Linen w/ Wet Strength, FSC® Certified | i8017 | 1.2 mil PET | W032538 | 256 |
| ✓ | 95# | White Valencia Laminate w/ Wet Strength, FSC® Certified | i8017 | 1.2 mil PET | W032927 | 256 |
| ✓ | 60# | Natural White Picasso w/ Wet Strength, FSC® Certified | H-318 | 1.2 mil PET | W032858 | 168 |
| ✓ | 70# | Cotton Courtyard (100% Cotton) w/ Wet Strength | H-318 | 44# PK | W027811 | 262 |
| | | | | 1.2 mil PET | W028068 | 212 |
| ✓ | 84# | Cotton Courtyard Felt (100% Cotton) w/ Wet Strength | i8017 | 1.2 mil 90% r-PET | W036708 | 280 |
| ✓ | 60# | 420 Vellum, 50% Hemp, 50% PCW, w/ Wet Strength, FSC® Certified | i8017 | 1.2 mil 90% r-PET | W033744 | 198 |
| ✓ | 60# | Agave Signature, 50% Agave, 50% PCW w/ Wet Strength, FSC® Certified | WL-105 | 1.2 mil 90% r-PET | W039483 | 172 |
| | 60# | Tramado Blanco w/ Wet Strength | H-318 | 44# PK | W029076 | 214 |
| | 60# | White Cobblestone w/ Wet Strength | i8017 | 1.2 mil PET | W027168 | 177 |
| ✓ | 55# | 100% Recycled Natural Kraft | 245 | 40# | W021008 | 230 |
| | | | H-318 | 1.2 mil 90% r-PET | W034895 | 196 |
| | | Cherry Wood Veneer | i8017 | 1.2 mil PET | W031478 | 378 |
| | | Birch Wood Veneer | i8017 | 1.2 mil PET | W031558 | 312 |
| | 143# | Castile Bright Silver Foil | i8017 | 1.2 mil PET | W031410 | 245 |
| | 152# | Castile Cotton Courtyard w/ Wet Strength | i8017 | 1.2 mil PET | W032244 | 330 |
| | 155# | Crimson Flocked Marquee | i8017 | 1.2 mil PET | W031100 | 312 |
| | 155# | Midnight Flocked Marquee | i8017 | 1.2 mil PET | W031538 | 312 |
| | 14 mil | Twill Natural Cloth | i8076 | 1.2 mil PET | W039692 | 382 |
| | | Satin Cloth | i8308 | 44# PK | W029546 | 250 |
| | 60# | Black Vellum w/ Wet Strength | H-318 | 44# PK | W028844 | 229 |
| | | | | 1.2 mil PET | W028128 | 176 |
| | 60# | Black Cobblestone w/ Wet Strength | i8017 | 1.2 mil PET | W035147 | 187 |
| ✓ | 60# | Recycled Vellum - 100% PCW, w/ Wet Strength, FSC® Certified | H-318 | 44# PK | W029180 | 229 |
| | | | H-318 | 1.2 mil 90% r-PET | W035882 | 178 |
| ✓ | 60# | Sugar Cane Paper w/ Wet Strength | H-318 | 1.2 mil 90% r-PET | W035302 | 168 |
| ✓ | 74# | Polar White Opaque w/ Wet Strength | H-318 | 1.2 mil PET | W026242 | 187 |
| EVER OPAQUE® XL | | | | | | |
| ✓ | 75# | Ever Opaque® XL - Estate Label® #8 w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET | W028788 | 189 |
| | | | | 44# PK | W029195 | 240 |
| ✓ | 75# | Ever Opaque® XL - Estate Label® #9 w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET | W029234 | 205 |
| ✓ | 75# | Ever Opaque® XL - Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET | W029233 | 179 |
| ✓ | 85# | Ever Opaque® XL - Bright White Felt - 30% PCW, w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET | W028785 | 228 |
| | | | | 44# PK | W029194 | 280 |
| ✓ | 85# | Ever Opaque® XL - Eggshell Felt - 30% PCW, w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET | W029232 | 232 |

| Eco | Weight | Facestock | Adh. | Liner | Catalog # | Microns |
|---------------------------|---------|---|---------|------------------|-----------|---------|
| SPECIALTY PRODUCTS | | | | | | |
| | 70# | Dull Silver Foil | PCT-524 | 44# PK | W015257 | 192 |
| | | | | 44# SC | W011378 | 172 |
| | 70# | Bright Silver Foil | WL-105 | 44# PK | W034900 | 191 |
| | 60# | Shimless Rainbow Holographic Paper | AT-2060 | 40# | W016451 | 153 |
| ✓ | 4 mil | White Stone Paper | 245 | 40# | W017352 | 181 |
| | 63# | Bright Silver Metalized Paper | 245 | 40# | W012036 | 162 |
| | | | | 44# PK | W012900 | 173 |
| | | | WL-105 | 1.2 mil PET | W034898 | 131 |
| FILMS | | | | | | |
| | 2.6 mil | White Polypropylene | PCT-524 | 40# | W012825 | 149 |
| | | | R-218 | 40# | W035315 | 137 |
| | | | AT-2060 | 40# | W018134 | 145 |
| | | | | 44# PK | W018510 | 162 |
| | | | | 80# (3/4" Score) | W038033 | 198 |
| | | | | 6 mil Layfat | W037656 | 239 |
| | | | | 1.2 mil PET | W017954 | 112 |
| | 2.3 mil | White Polypropylene | AT-2060 | 1.2 mil PET | W017956 | 104 |
| | | | 40# | W018140 | 137 | |
| | 2 mil | Clear Polypropylene | CP-300 | 1.2 mil PET | W011594 | 95 |
| | 1.9 mil | Clear Polypropylene | AT-2060 | 40# | W034103 | 130 |
| | | | R-167 | 50# SC | W034104 | 143 |
| | 2 mil | Metalized Polypropylene | AT-2060 | 40# | W019205 | 128 |
| | | | | 50# SC | W018153 | 147 |
| | | | | 1.2 mil PET | W020187 | 96 |
| ✓ | 2 mil | Shimless Rainbow Holographic Polyester w/ 30% PCR | AT-2060 | 50# SC | W016187 | 147 |
| | | | | 1.2 mil PET | W023760 | 147 |
| | 3.4 mil | White Matte Flexible Vinyl | SP-920 | 40# | W018885 | 173 |
| | | | | 80# | W018990 | 228 |

EverOpaque® XL is a trademark of Wausau Coated Products, Inc.

Estate Label®, Classic Crest®, and Classic® Linen are registered trademarks of Neenah, Inc.

FSC® is a Registered Trademark of the Forest Stewardship Council® C008943

Trim Program Guidelines - Indigo

MOQ - 1 roll x 2,500 and/or 5,000 or 10,000 If

roll at 12-13" roll or One Master x 1,668 If.

MOQ for orders shipping from all other warehouses is one master x 1,668 If.

Order deadline for next day shipments from Las Vegas: 4:00 pm CST

1 splice per 2,500-5,000 If

Warehouse availability, master widths, and minimum order quantities are available upon quote.

For More Information, please reach out to our Customer Solutions Specialists at 800-345-8039.

WAREHOUSE LOCATIONS: Wausau, WI | Las Vegas, NV | Roopville, GA | Mexico City, MX