


## Muscle Groups Focus



### Low Parallel Bars

The low parallel bar is a classic piece of exercise equipment that can be used to develop a wide range of muscles by performing a variety of deadlift exercises, and its small size makes it particularly suitable for more difficult exercises.


### Attributes

Product code	1-1-018
Certificate	EN 16630
Age group	14 + years
Capacity	2 people
Max. weight load	99 kg
Type	Calisthenics
Difficulty level	Medium


### QR Code



## Side View




## Plan View



## Installation information

Number of installers (concrete)	At least 2 people
Total installation time (concrete)	70-120 min.
Number of installers (equipment)	At least 2 people
Total installation time (equipment)	15-20 min.
Excavation volume	0.875 m <sup>3</sup>
Concrete volume	0.875 m <sup>3</sup>
Size of the base structure	1 x 2,5 x 0,35 m
Anchoring options	In-ground or surface
In combined structures, the volume of concrete required varies.	

## Technical specification

Safety surface area	Around 1,5 m radius
Net weight	46 kg
Material	S235
Critic fall height	600 mm
Color options	

For more color options, discuss with your sales representative.

## Warranty

Structure	10 years
Steel	5-10 years
Paint	2 years
Plastic	5-10 years
Rubber	1-3 years
Moving parts	2 years
Detailed information in the warranty document	

# Material specification



The element is made of high quality S235 steel, which has been cleaned via sandblasting. A corrosion resistant powder coating finish is then applied. Also available with galvanized surface for even greater protection and longevity!

