

# Innovation and elegance for every room in your home



For more information visi www.covetiles.co.uk



Cove wall and floor tiles offer the finest products for every room in the house, from busy areas like kitchens and living rooms to cozy bedrooms and bright bathrooms. The solid SPC coverings ensure durability and with a choice of colours and design styles give you everything you need to transform the walls and floors throughout your home.

SPC wall and floor tiles are waterproof, rigid, dimensionally stable, and environmentally friendly making them ideal for areas with sustained exposure to moisture, such as bathrooms, laundry rooms and kitchens.

### **Contents**



WALL AND FLOOR TILES



**GLOSS TILES** 



**FLOOR TILES** 



HERRINGBONE FLOOR TILES

THE BENEFITS
OF COVE
SPC WALL AND
FLOOR TILES



Fireproof



Waterproof



Easy to install



Eco-Friendly



No heavy metal



15 Year guarantee



Anti slip



Compatible with underfloor heating



Impact resistant



Stain resistant

## Transform any room with a choice of styles and finishes

### Living room

Cove SPC products bring a blend of innovation and elegance to living room spaces. Known for their exceptional durability, these products are a perfect fit for the busy environment of a living room.

Being 100% waterproof they are stain resistant and also resist impacts and scratches, ensuring they maintain their aesthetic appeal under daily use.



Inverness floor tile
CT-INVERNESS2291220
Page 11



### Bantry wall tile

CT-BANTRY610305 Page 07


### Bathroom

Cove SPC products are designed to withstand the humid and wet conditions in bathrooms and offer an ideal solution for bathroom flooring and walling, combining style with exceptional functionality.

The Cove range includes a variety of designs and textures, allowing you to create a bathroom that's not only practical but also aligns with your personal style.

### Kitchen

Being exceptionally durable these products are ideal for the demands of a busy kitchen resisting the bumps, scratches and spills of everyday life. With the added benefit of being easy to install and maintain, Cove SPC products enable you to transform your kitchen.



CT-DONEGAL2291220 Page 11



### Bedroom

Cove SPC products bring a blend of comfort, style and durability to bedroom spaces.

The solid SPC core of Cove tiles provide strength and stability, ensuring a long-lasting, beautiful floor that withstands the test of time. The sealed high-tech top layer adds an extra layer of protection, making the floors easy to clean and maintain.



Lumley Herringbone floor tile

CTH-LUMLEY125625 Page 13

### SPC wall and floor tiles Panel size / 610 x 305 x 4.5mm Cove SPC tiles will bring your walls and floors to life with a choice of finishes that will help transform any space in your home. WHITBY **FLOOR TILE OBAN** WALL TILE **BANTRY** FLOOR TILE

### Panel size / 610 x 305 x 4.5mm





BANTRY
CT-BANTRY610305



TENBY CT-TENBY610305



KINSALE CT-KINSALE610305




GREYSTONES
CT-GREYSTONES610305



CT-WHITBY610305



CT-MULROY610305




CT-OBAN610305



CHESIL CT-CHESIL610305



SEAFORD
CT-SEAFORD610305



### SPC Gloss wall tiles

Panel size / 457 x 914 x 6.5mm

Gloss SPC wall tiles add a touch of elegance and sophistication to any room. Their high-shine finish reflects light, making the space look larger and brighter. Whichever room in your home you are tranforming, gloss wall tiles can instantly elevate your overall feel.



RUNSWICK GLOSS WALL TILE

### Panel size / 457 x 914 x 6.5mm



RUNSWICK CT-RUNSWICK457914G



CT-BRIXHAM457914G





### Panel size / 229 x 1220 x 5.5mm



**INVERNESS** CT-INVERNESS2291220






DONEGAL CT-DONEGAL2291220



CT-KILKENNY2291220





CT-RABY2291220



RABY FLOOR TILE

## SPC Herringbone floor planks

Panel size / 125 x 625 x 5.5mm

Our collection of SPC herringbone floor planks offer you the perfect way to add style and character to your home. With their zigzag pattern, these tiles feel both on-trend and classic, making them a natural choice for floors in hallways, living rooms, kitchens and bathrooms.

DONEGAL HERRINGBONE FLOOR TILE

### Panel size / 125 x 625 x 5.5mm



DONEGAL
CTH-DONEGAL125625



KILKENNY
CTH-KILKENNY125625



INVERNESS
CTH-INVERNESS125625



CTH-LUMLEY125625



CTH-RABY125625



### SPC wall and floor tiles / Product overview

### SPC wall and floor tiles



BERWICK CT-BERWICK610305

GREYSTONES

CT-GREYSTONES610305



CT-BANTRY610305



MULROY

CT-MULROY610305



KINSALE CT-KINSALE610305

OBAN

CT-OBAN610305



CT-CHESIL610305



SEAFORD CT-SEAFORD610305

	WALL AND FLOOR TILES	
Dimensions	305mm x 610mm x 4.5mm	
M <sup>2</sup> in Pack	2.2326 sqm	
Thickness	4.5mm	
Wear Layer	0.55mm	
Bevel	Micro	
Waterproof	Yes	
Installation	2G + 5Gi Click	
Pieces / pack	12	

### SPC Herringbone floor planks

WHITBY

CT-WHITBY610305









CTH-KILKENNY125625



**INVERNESS** 



LUMLEY CTH-INVERNESS125625 CTH-LUMLEY125625



RABY CTH-RABY125625

	HERRINGBONE FLOORING		
Dimensions	125mm x 625mm x 5.5mm		
M <sup>2</sup> in Pack	1.5625 sqm		
Thickness	5.5mm with integrated underlay		
Wear Layer	0.55mm		
Bevel	Micro		
Waterproof	Yes		
Installation	5Gi		
Pieces / pack	10 left + 10 right		

### SPC Wood effect floor planks



DONEGAL CT-DONEGAL2291220



KILKENNY CT-KILKENNY2291220



**INVERNESS** CT-INVERNESS2291220



LUMLEY CT-LUMLEY2291220



RABY CT-RABY2291220

FLOORING PLANKS	
229mm x 1220mm x 5.5mm	
2.235 sqm	
5.5mm with integrated underlay	
0.55mm	
Micro	
Yes	
2G + 5Gi Click	
8	

### SPC Gloss tiles XL



RUNSWICK



BRIXHAM CT-RUNSWICK457914G CT-BRIXHAM457914G

	WALL TILES XL	
Dimensions	457mm x 914mm x 6.5mm	
M <sup>2</sup> in Pack	2.506 sqm	
Thickness	6.5mm	
Wear Layer	UV coated high gloss	
Bevel	Micro	
Waterproof	Yes	
Installation	2G + 5Gi Click	
Pieces / pack	6	

### SPC wall and floor tiles / Technical Data

PROPERTY	TEST METHOD STANDARD	REVIEW IN ACCORDANCE WITH STANDARD
Use of class	EN ISO 10874	Class 23, 32 and 33
Formaldehyde emission	EN 717-1	E1
Reaction to fire	EN 13501-1	Bfl-s1
Slip resistance	EN 13893	Class DS Yes
Slip resistance	DIN EN 16165	R9/R10 (PTV + 36)
Wear resistance	ISO 24338 Procedure A	≥ 5000 cycles
Micro-scratch resistance	EN 16094	MSR-A1
Impact resistance	EN 13329	≥ 1800mm
Effect of furniture legs	EN ISO 16581	No visible damage
Castor chair resistance	EN ISO 4918	25,000 cycles
Resistance to staining	EN 438-2	Groups 1 and 2: grade 5 Group 3: grade 4
Locking strength [kN/m]	ISO 24334	Long side 4.3kN/m; Short side: 4.0kN/m
Light stability	EN ISO	105-B02 ≥ 6
Antistatic resistance	EN 1815	< 2kV
Thermal conductivity & Thermal resistance	EN 12664 0	0.112 W/(m·K) & 0.085 (m2.K)/W
Dimensional stability	Dimensional stability	Long side ≥ 1,0kN/m; short side ≥ 1,5kN/m
Curling after exposure to heat	Curling after exposure to heat	105-B02 ≥ 6
Residual Indentation	ISO 24343-1	≤0.1mm without underlay, ≤0.2mm with underlay
Sound Insulation	ISO 10140-3 ISO 717-2	21 db
VOC emissions	ISO 16000 parts -3, -6, -9, 11	A+
CE		Certified
UKCA		Certified
EPD		Certified
Floorscore		Certified
Indoor Air Comfort Gold		Certified
Utilisation		Recyclable

### THE BENEFITS OF COVE SPC WALL AND FLOOR TILES











No heavy

metal



Stain resistant



Waterproof

Easy to install







For fitting instructions please contact your local distributor

15 Year guarantee

Anti slip

Compatible with underfloor heating

mpatible Impact underfloor resistant

Does not emit harmful substances

We do our best to ensure that our swatch and roomset images in this brochure are as true to color as possible. However, due to the limitations of printing processes we cannot guarantee that the colours are a 100% accurate representation of the product. Images are intended as a guide only and samples should be checked before installation.



### THE BENEFITS OF COVE SPC WALL AND FLOOR TILES

























