


Muscle Groups Focus




Ski Walker

As the Ski Walker is intended to be an excellent cardio and endurance tool, its design and function are inspired by skiing. The device makes it easy to strengthen the trunk, buttocks and thigh muscles without putting any strain on the user's joints, and is therefore highly recommended for all ages.


Attributes

Product code	1-1-311
Certificate	EN 16630, ASTM F3101
Age group	14 + years
Capacity	1 person
Max. weight load	286.60 lbs
Type	Recreational
Difficulty level	Easy

Side View




Plan View



Installation information

Number of installers (concrete)	At least 2 people
Total installation time (concrete)	80-140 min.
Number of installers (equipment)	At least 2 people
Total installation time (equipment)	90-120 min.
Excavation volume	40,61 ft ³
Concrete volume	40,61 ft ³
Size of the base structure	31.5 x 7.87 x 31.5 „
Anchoring options	Surface mounted
In combined structures, the volume of concrete required varies.	

Technical specification

Safety surface area	Around 4.92 ft radius
Net weight	218.26 lbs
Material	S235,KO33
Critic fall height	22.83"
Color options	
For more color options, discuss with your sales representative.	

Warranty

Structure	25 years
Steel	15 years
Paint	2 years
Plastic	5-10 years
Rubber	1-3 years
Moving parts	2 years
Detailed information in the warranty document	

Material specification



The element is made of high quality S235 steel, which has been cleaned via sandblasting. A corrosion resistant powder coating finish is then applied. Also available with galvanized surface for even greater protection and longevity!




The footrests are made of premium quality non-slip HDPE with a high wear resistance.



The device is equipped with an ergonomic non-slip HDPE phone holder for convenience.



At the end of the arms, the handle is rubber-coated for a more comfortable and secure grip.



The device is fitted with composite bearings that are weather-resistant. The bearing does not require regular maintenance.



[f bestrongworld](#)
[i bestrongworld](#)
[globe usa.bestrong.com](#)
[envelope usa@bestrong.com](#)

