
# Photography

Catalogue Edition
One

A complete guide to products, applications and print suitability.



For creatives that push the boundaries.



# and fine art



# Exceptional Print Quality for Photography & Fine Art

At Spicers, we believe every image deserves to be showcased at its absolute best. Whether you're producing gallery-quality photography, museum-grade fine art, or commercial display prints, achieving outstanding color accuracy, depth, and detail is essential. That's why we offer a carefully curated range of Aqueous and Solvent solutions—each designed to meet the highest standards of print reproduction.



### **AQUEOUS**



For prints that demand the finest detail and color precision, our Aqueous range delivers exceptional results. Designed for water-based inkjet systems, these media offer superior tonal gradation, deep blacks, and brilliant color vibrancy—making them ideal for professional photography and fine art reproductions. With options ranging from matte and satin finishes to textured art papers, Spicers' Aqueous solutions ensure your work is presented with the utmost clarity and richness.

### **ECO-SOLVENT, LATEX & UV**



When durability and impact are just as important as print quality, our Solvent range provides a perfect balance of performance and longevity. Engineered for solvent, eco-solvent, UV, and latex ink systems, these media offer outstanding resilience against fading, moisture, and handling—ideal for high-traffic environments, commercial displays, and outdoor applications. With a selection of gloss, satin, and canvas finishes, Spicers' Solvent solutions bring artwork and photography to life with stunning vibrancy and long-lasting appeal.

### **EDITION 1**


# Welcome to the latest edition of the Photography and Fine Art Catalogue.

Explore our extensive range of high-quality media tailored for photographers, artists, and CAD professionals. Our selection includes specialised materials for stunning photo prints with vibrant colours and superior detail, premium fine art media that ensures beautiful reproductions of paintings and drawings, and reliable CAD media engineered for precise technical drawings and plans.

Discover the perfect media to meet your creative and technical needs with our carefully curated collection designed for exceptional clarity and performance. With our team of Photo Fine Art specialists, Spicers can provide you with information and expert advice. We are your local supplier with stock on the floor and a distribution network ready to deliver to you. Please contact your local Spicers representative for enquiries or to request a sample.











Spicers is a dynamic and solutions-focused company with a passion for supplying quality materials, equipment, and solutions to our customers in the commercial print, labelling, signage, visual display, and architectural industries.

Our wide range of products, high quality materials, commitment to sustainability, and experienced and knowledgeable team can offer expert advice and guidance to clients. We aim to be the business partner of choice for our customers, by delivering on our promises, every day.

### **Environment**

Spicers is FSC\* and PEFC certified, offers a wide choice of environmentally friendly materials and operates under a Sustainable Supply Chain Policy.

### **Roll Media**

Spicers carries your roll media essentials as well as a collection of specialty products to help bring your creative ideas to life. We have media for eco-solvent, UV curable, Latex and LED ink technologies. Key brands include 3M™, General Formulations, Neschen, Yupo® and Photo-Tex™.

Spicers offers a range of computer cut colours, wall coverings, banners and repositionable materials to create a unique look and feel.

### **Rigid Media**

Spicers supplies a market leading range of essential sign and display substrates, as well as some unique products that stand out from the crowd. Key brands include Ace, Yupo®, Skybond™ and Rodure.

### Finishing

If you require essential laminating products to protect your print and extend its longevity, Spicers can help you. Our range includes matt, gloss, specialty, anti-graffiti and textured floor graphic products.

### Ink

OEM ink for a vast range of digital wide printers are part of our offering. These include Mimaki™, Roland and Epson®.

### **Hardware**

Spicers holds a vast portfolio of wide format printing and finishing equipment. We are proud to sell machinery from respected brands such as Mimaki™, Roland, Epson°, ROLLSROLLER™ and Neolt.

### **Sales & Distribution Network**

Spicers boasts a dedicated sales team and stock on the floor ready to deliver in Melbourne, Sydney, Brisbane, Townsville, Darwin, Perth, Adelaide and Hobart.







Spicers Credit Application form is the easiest way to start driving your business forward. Applications are open to businesses registered in Australia, and individuals requiring Spicers for business purposes.

# Easily apply for a credit account online.

- 1. Visit spicers.com.au
- **2.** Click on the **Credit Application** option on the Home page.
- 3. Complete the form.

If you require any assistance with your application, please contact Spicers Accounts Department on **03 9768 8400.** 



Apply now! spicers.com.au



# **Contents**



### **AQUEOUS**

PROOFING PAPER	
Bauhaus 39Proof 260	17
Bauhaus 51Proof 260	17
Bauhaus 52Proof 185	17
CAD PAPER	
Bauhaus Techplot Bond Paper	10
badilads recripiot bond raper	19
SELF ADHESIVE AND SYNTHETICS	
Neschen PP Nolite	21
Bauhaus Clear Film	21
Bauhaus Blockout Aqueous	21
POSTER PAPERS	
Bauhaus Matt Aqueous	23
Bauhaus Satin Aqueous	
Bauhaus Gloss Aqueous	
badilads dioss / iqueous	23
WALL GRAPHICS	
PhotoTex	27
PHOTOGRAPHIC PAPERS	
Hahnemühle Photographic	20
Bauhaus Matt Aqueous	
Bauhaus Satin Aqueous	
Bauhaus Gloss Aqueous	
333,1333 (1333), 1423333, 111111111111111111111111111111111	
FINE ART PAPERS	
Matt Textured Aqueous	
Matt Smooth Aqueous	
Gloss Aqueous	
Natural Aqueous	
Hahnemühle Sample Packs	57
FINE ART CANVAS	
Matt Aqueous	59
Satin Aqueous	
ARCHIVAL MOUNTING FILMS AND LAMINATES	63
Neschen Gudy	
Neschen Lam Filmolux Photo	63
ACCESSORIES	
Breathing Color Timeless Varnish	64
Breathing Color Glamour II Varnish	
Hahnemühle Varnish Satin Matt	65
Hahnemühle Protective Spray	65
Hahnemühle Signing Pen Duo	65

Hahnemühle Certificate of Authenticity ......65

### **ECO-SOLVENT, LATEX & UV**

POSTER PAPER	
Bauhaus Gloss Solvent	68
Bauhaus Satin Solvent	69
Bauhaus Matt Solvent	69
PHOTOGRAPHIC PAPER	
Bauhaus Gloss Solvent	71
Bauhaus Satin Solvent	71
Bauhaus Matt Solvent	71
FINE ART PAPER	
Matt Smooth Solvent	74
Matt Textured Solvent	74
FINE ART CANVAS	
Gloss Solvent	75
Satin Solvent	75
Matt Solvent	75





# Explore our Green Spotlight sustainable products.

Spicers provide a range of sustainable and environmentally friendly solutions for all your visual communication requirements. Find the Green Spotlight throughout the catalogue.

With industry leading brands, our tested and approved substrates are sure to perform both technically and aesthetically during all processes. We are committed to the development of sustainable products and services which help our customers and their clients achieve their sustainability goals.

The Spicers Visual Communication product portfolio includes a range of sustainable paper-based, polypropylene, non-PVC vinyl and non-PVC wall covering products.

Find out more spicers.com.au/ environs or contact your local Spicers representative on 1300 132 644 for enquiries or to request a sample.

PROUD SUPPORTER OF







# **Icons Guide**

By choosing substrates that are environmentally sound, you can continue to enjoy the many benefits of using print, while keeping your environmental footprint to a minimum.

Please refer to the below icons which are used throughout the catalogue to guide you through a range of applications and features to assist in your environmental stock choices.



Find the Green Spotlight throughout the catalogue.

# **Application Icons**























































### Features Icons





































### **Green Icons**













































# Greenfleet partnership

In 2022 Spicers embarked on our journey towards Carbon Neutrality.

Spicers Australia is offsetting CO2 emissions relating to our Australian operations. This includes emissions from LPG for our gas forklifts, the diesel used in our fleet of trucks, the fuel used in company cars (including those with car allowances) and electricity used in our offices and Distribution centres. Whilst Spicers have taken action through solar panels on some of our sites, LED lighting upgrades and movement to more electric forklifts, we still have some work to go. We are proud to be partnering with Greenfleet to take climate action and offset our carbon emissions through native reforestation.

Greenfleet is a leading not-for-profit environmental organisation committed to protecting our climate by restoring our forests. Greenfleet plants native biodiverse forests to capture carbon emissions and help fight the impacts of climate change. Since 1997, Greenfleet has planted over 10.8 million trees across 550+ forests in Australia and New Zealand. As they grow, Greenfleet forests absorb carbon emissions, improve soil and water quality and restore habitat for native wildlife, including many endangered species.

Spicers' first offset was allocated to Glendalough, VIC. In the rolling hills of South Gippsland, this previously cleared 240-hectare property will be returned to native ecosystem. The property is adjacent to remnant native forest and will provide an important vegetation link for Strzelecki Koalas and habitat for native birds such as the Yellow-faced Honeyeater and Grey Fantail.

"By partnering with Greenfleet, we are confident that our climate action provides genuine and lasting environmental benefits. We are proud of the impact we have made and that we will continue to make into the future," said David Martin, CEO of Spicers Limited. "By offsetting our emissions with Greenfleet, we are taking practical action against climate change to help to restore Australia's forests, recreate crucial habitat for native wildlife and transform degraded land back to its natural state."

Through practical climate action, Greenfleet is growing hope for our climate.

For more information visit www.greenfleet.com.au

# SUSTAINABLE DELIVERIES

### SPICERS' JOURNEY TO CARBON NEUTRALITY



We are proud to highlight that all Spicers deliveries are now carbon neutral made possible through our partnership with Greenfleet.

### **Delivering Sustainability**


Greenfleet's remarkable efforts include the revegetation of land in Victoria, New South Wales, Queensland and New Zealand. The forests they plant will be protected beyond this century and are projected to remove nearly 513,887 tonnes of carbon as they grow. This initiative not only offsets our emissions but also contributes to the long-term health and sustainability of our environment.







Spicers are proud to be partnered with Greenfleet.



All Spicers deliveries are now carbon neutral.



Balancing emissions for a sustainable future.














Photo-Tex™

Spicers carry all of your print media essentials as well as a fine collection of specialty products to suit any creative sign and display project. We supply media for aqueous, eco-solvent, UV curable, latex and LED ink technologies, with innovative brands that include Bauhaus, Breathing Color®, Hahnemühle, Neschen and Photo-Tex™.









# **PROOFING PAPERS**

Media designed to enable the highest precision in proofing to industry standards.

Photography by Markus Spiske

# **Proofing Papers**

# Bauhaus 39Proof 260gsm

### **PROOFING**



- · FOGRA certified to meet ISO12647-7 standard
- · High colour fidelity with a unique semi matt finish and wide colour gamut
- Fogra 39 260gsm semi matt microporous resin coated proofing paper
- · Ink Compatibility: Aqueous (Dye & Pigment), Indigo, Latex







Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
171383	Bauhaus 39Proof	Premium Semi Matt Coated	270	260	430	35
171384	Bauhaus 39Proof	Premium Semi Matt Coated	270	260	610	35
171385	Bauhaus 39Proof	Premium Semi Matt Coated	270	260	914	35
171386	Bauhaus 39Proof	Premium Semi Matt Coated	270	260	1120	35

# Bauhaus 51Proof 260gsm





- FOGRA51 Certified
- 51Proof is your perfect paper-white match according to ISO 12647-7:2013
- The 260gsm weight also ensures accurate measurements due to no show-through
- Premium Semi matt microporous proofing paper
- This high-end, resin-coated proofing stock is also quick drying, wipefast and has a wide colour gamut with a high batch to batch stability
- · Ink Compatibility: Aqueous (Dye & Pigment), Indigo, Latex











Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
171380	Bauhaus 51Proof	Premium Semi Matt Coated	270	260	610	35
171381	Bauhaus 51Proof	Premium Semi Matt Coated	270	260	914	35
171382	Bauhaus 51Proof	Premium Semi Matt Coated	270	260	1120	35

# Bauhaus 52Proof 185gsm

### **PROOFING**



- This newly enhanced, premium Matt Coated inkjet paper is designed for full colour, photorealistic applications and graphics
- Ink Compatibility: Aqueous (dye & pigment), Indigo, Latex














Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
171574	Bauhaus 52Proof	Premium Matt Coated	240	185	610	35
171575	Bauhaus 52Proof	Premium Matt Coated	240	185	914	35
171576	Bauhaus 52Proof	Premium Matt Coated	240	185	1120	35
198546	Bauhaus 52Proof	Premium Matt Coated	240	185	1524	35





# **CAD PAPERS**

Uncoated bond papers for CAD applications, ideal for drawings and high quality draft prints.

# **CAD Papers - Techplot**

# **Bauhaus Techplot - Aqueous Unglued**

BAUHAUS TECHPLOT BOND PAPER



- · 80gsm uncoated bond paper
- $\boldsymbol{\cdot}$  For use with inkjet printers & plan copiers
- Unglued
- · Perfect for architectural & engineering plan drawings
- 50mm core
- Ink Compatibility: Aqueous (Dye & Pigment)







Material	Material Description	Finish	Box QTY	Grammage (GSM)	Width (mm)	Length (m)
166894	Bauhaus Techplot - Aqueous Unglued	Uncoated	6	80	594	50
166893	Bauhaus Techplot - Aqueous Unglued	Uncoated	2	80	594	100
166896	Bauhaus Techplot - Aqueous Unglued	Uncoated	6	80	610	50
166895	Bauhaus Techplot - Aqueous Unglued	Uncoated	2	80	610	100
166900	Bauhaus Techplot - Aqueous Unglued	Uncoated	6	80	841	50
166899	Bauhaus Techplot - Aqueous Unglued	Uncoated	2	80	841	100

# **Bauhaus Techplot - Dry Toner Unglued**

BAUHAUS TECHPLOT BOND PAPER



- · 80gsm Uncoated bond paper
- For use with plan copiers
- · 76mm core
- · Perfect for architectural & engineering plan drawings
- Unglued
- · Ink Compatibility: Dry Toner







Material	Material Description	Finish	Box QTY	Grammage (GSM)	Width (mm)	Length (m)
165361	Bauhaus Techplot - Dry Toner Unglued	Uncoated	2	80	594	150
165367	Bauhaus Techplot - Dry Toner Unglued	Uncoated	2	80	841	150





# **SELF ADHESIVE AND SYNTHETICS**

We compliment our offering with a range of Polypropylene and Polyester films for various applications in signage, drafting and proofing.

# Self Adhesive & Synthetics

### **Neschen PP Nolite**

### **SYNTHETIC**



- · An opaque, matt white PP film designed for roll-up displays
- · Can be used in most applications without an additional protective laminate
- · Anti-curling property for optimal flatness
- Indoor applications
- · Has a high scratch resistance and enables a photo-realistic print quality
- PVC-free PP film specially developed for roll-ups and L-banners
- · High opacity thanks to silver back coating
- · Ink Compatibility: Aqueous (Dye & Pigment)











Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
163205	Neschen PP Nolite	Matt White	170	914	30

### **Bauhaus Clear Film**





- 175qsm clear polyester film used in the manufacture of digitally created screen separations
- · Excellent quality, quick drying, excellent dot definition and line sharpness
- · Ink Compatibility: Aqueous (Dye & Pigment)







Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
171454	Bauhaus Clear Film	Clear	142	175	914	30.5
178646	Bauhaus Clear Film	Clear	142	175	1118	30.5

### **Bauhaus Blockout PP Self Adhesive**

### **BAUHAUS BLOCKOUT AQUEOUS**



- Matt White Polypropylene film with good scratch resistance and water resistance
- · Permanent, Grey block-out adhesive
- Unique lay-flat properties making it well suited for Roll-Ups, banners, poster work and mounted point of sale
- For indoor and short-term outdoor use
- · Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (LM)
172951	Bauhaus Blockout PP Self Adhesive	Matt White	270	1070	30





## **POSTER PAPERS**

Poster papers are ideal for full colour graphics and features a large colour gamut and excellent black density.

Available in Matt, Satin, Gloss or Clear.

Photography by Florencia Viadana

# **Poster Papers**

# Bauhaus Matt Paper 170gsm

### **BAUHAUS MATT AQUEOUS**



- 170qsm matt coated paper for CAD & high resolution graphics
- · Razor-sharp image with precise lines, crystal clear image quality and excellent colour reproduction
- $\bullet \ \, \text{Applications photography, posters, graphic art reproduction, POS, CAD and exhibition graphics}$
- Specially developed instant-dry properties ensures that the ink fixes with total precision and dries in seconds
- · Suitable for hot and cold lamination
- Ink Compatibility: Aqueous (Dye & Pigment), UV curable









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
167525	Bauhaus Matt Paper	Matt	200	170	914	30

## Bauhaus Poster Matt 140gsm

### **BAUHAUS MATT AQUEOUS**



- High white matt, premium coated presentation paper for posters and full colour graphics requiring high ink absorption
- · Fast drying
- Meets Criteria for permanence according to ISO 9706
- · Ink Compatibility: Aqueous (Dye & Pigment), Indigo, Latex













Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
171572	Bauhaus Poster Matt	Matt Coated	177	140	1120	35

### **Bauhaus Poster Matt 90gsm**

### **BAUHAUS MATT AQUEOUS**



- High white matt, premium coated presentation paper for posters and full colour graphics requiring high ink absorption
- · Fast drying
- Meets Criteria for permanence according to ISO 9706
- · Ink Compatibility: Aqueous (Dye & Pigment), Indigo, Latex













Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
171562	Bauhaus Poster Matt	Matt Coated	90	1120	45



OUT NOW! OUT NOW!



OUT HOM! OUT HOM: OUT NOM! OUT NOM! OUT NOM!

# BAUHAUS

**MEDIA FOR CREATIVES** 

FOR CREATIVES THAT PUSH
THE BOUNDARIES, BAUHAUS IS
THE AQUEOUS MEDIA RANGE
THAT OFFERS HIGH END
RESULTS AND QUALITY.



FOR ENQUIRIES PLEASE CONTACT YOUR LOCAL SPICERS REPRESENTATIVE

PHOTOGRAPHY
PROOFING

DYE SUBLIMATION

WALL GRAPHICS

POSTERS AND CAD




# **Poster Papers**

## **Bauhaus Ultra Satin**

### **BAUHAUS SATIN AQUEOUS**



- 170gsm microporous resin coated photopaper for poster and economy proofing
- This economical inkjet paper features excellent black density, a large colour gamut with a lustre finish







Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
171796	Bauhaus Ultra Satin	Resin Coated	176	170	610	30
171797	Bauhaus Ultra Satin	Resin Coated	176	170	914	30
171798	Bauhaus Ultra Satin	Resin Coated	176	170	1120	30

# **Bauhaus Ultra Glossy**

### **BAUHAUS GLOSS AQUEOUS**



- 170gsm microporous resin coated photopaper for poster and economy proofing
- This economical inkjet paper features excellent black density, a large colour gamut
- · Ink Compatibility: Aqueous (Dye & Pigment), Indigo, Latex







Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
171800	Bauhaus Ultra Glossy	Resin Coated	174	170	914	30





# WALL GRAPHICS

Transform a space with printable self-adhesive wallpaper that is water resistant, removable and repositionable.

# **Wall Graphics**

# **Photo-Tex Opaque Aqueous**

### **PHOTO-TEX**

- Polyester blend fabric with a low-tack, BLOCKOUT adhesive that is removable, repositionable & reusable, also totally paste free
- Removes easily with no residue for sharp-looking, seamless graphics and superior photographic images every time







### Photo-Tex<sup>™</sup>

- Liquid laminate recommended to protect the printed image
- Sticks to any non-porous surface, walls, windows, doors & floors
- · Very easy application with air bubbles filtering out through the fabric
- Ideal for life-size photographic cut-outs, P.O.S and wall murals
- REFER TO THE SPEC SHEET FOR INSTALLATION INSTRUCTIONS
- Ink Compatibility: Aqueous Dye, Pigment, UV curable & Latex Inks

Material	Material Description	Finish	Adhesive	Face Film (um)	Width (mm)	Length (m)
195077	Photo-Tex Opaque Aqueous	Matt White	Grey Low Tack	165	1070	30
190601	Photo-Tex Opaque Aqueous	Matt White	Grey Low Tack	165	1370	30
194935	Photo-Tex Opaque Aqueous	Matt White	Grey Low Tack	165	1524	30





# **PHOTOGRAPHIC**

A premium selection in photographic papers for a professional result offering perfect sharpness and precision.

Photography by Praewthida K

# Hahnemühle Photo Silk Baryta X

### **HAHNEMÜHLE PHOTOGRAPHIC**



- · Cellulose based inkjet paper
- · Smooth, non-textured surface
- Optimised inkjet coating for photo application310 gsm
- · Silky gloss finish
- Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
163288	Hahnemühle Photo Silk Baryta X	Silk Gloss	300	310	430	15
163287	Hahnemühle Photo Silk Baryta X	Silk Gloss	300	310	610	15
163286	Hahnemühle Photo Silk Baryta X	Silk Gloss	300	310	1120	15
163285	Hahnemühle Photo Silk Baryta X	Silk Gloss	300	310	1524	15

# Hahnemühle Photo Silk Baryta X Sheets наниемühle Photographic



- · Cellulose based inkjet paper
- · Smooth, non-textured surface
- Optimised inkjet coating for photo application310 gsm
- · Silky gloss finish
- Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
163301	Hahnemühle Photo Silk Baryta X Sheets	Silk Gloss	300	310	297	210
163302	Hahnemühle Photo Silk Baryta X Sheets	Silk Gloss	300	310	420	297
163304	Hahnemühle Photo Silk Baryta X Sheets	Silk Gloss	300	310	420	594



### Hahnemühle Sustainable Photo Satin

### **HAHNEMÜHLE PHOTOGRAPHIC**

Approx.



- · Bright white
- 100% recyclable via wastepaper cycle
- · Smooth, non-textured surface
- · Satin-finish optimized inkjet coating for photo applications
- · ICC-profiles available
- · Ink Compatibility: Aqueous (Dye & Pigment)








gth (m)	Lengtl (m	Width (mm)	Grammage (GSM)
30	30	430	220
		430	220

### Material **Material Description** (GSN 163292 Hahnemühle Sustainable Photo Satin Bright White Satin 230 220 163291 Hahnemühle Sustainable Photo Satin Bright White Satin 230 220 610 30 163290 Bright White Satin 230 220 1120 30 Hahnemühle Sustainable Photo Satin 163289 Hahnemühle Sustainable Photo Satin Bright White Satin 230 220 1524 30

# Hahnemühle Sustainable Photo Satin **Sheets**

### **HAHNEMÜHLE PHOTOGRAPHIC**



Hahnemühle

- · 220 gsm, 100% a-cellulose
- · Bright white
- · Optimized inkjet coating for photo applications

- Satin-finish
- 100% recyclable via wastepaper cycle
- · Ink Compatibility: Aqueous (Dye & Pigment)











			A	C	Width	1
Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
163305	Hahnemühle Sustainable Photo Satin Sheets	Bright White Satin	230	220	430	30
163306	Hahnemühle Sustainable Photo Satin Sheets	Bright White Satin	230	220	1120	30
163308	Hahnemühle Sustainable Photo Satin Sheets	Bright White Satin	230	220	1524	30

## Bauhaus Photo Matt High White 230gsm

### **BAUHAUS MATT AQUEOUS**



- · 230gsm premium matt coated photo paper for professionals and photo labs
- · Meets Criteria for permanence according to ISO9706
- Unique PH Neutral media designed for brilliant colours and high contrast in full colour applications and graphics
- · Ink Compatibility: Aqueous (Dye & Pigment), Indigo, Latex











Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
171578	Bauhaus Photo Matt High White	Premium Matt Coated	305	230	610	30
171579	Bauhaus Photo Matt High White	Premium Matt Coated	305	230	914	30
171580	Bauhaus Photo Matt High White	Premium Matt Coated	305	230	1120	30
171581	Bauhaus Photo Matt High White	Premium Matt Coated	305	230	1524	30

# Bauhaus Photo Matt Warm White 210gsm





- · 210gsm premium matt coated photo paper with a warm tone for professionals and photo labs
- · Meets Criteria for permanence according to ISO9706
- Unique PH Neutral media designed for brilliant colours and high contrast in photorealistic prints and graphics
- · Ink Compatibility: Aqueous (Dye & Pigment), Indigo, Latex













Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
171582	Bauhaus Photo Matt Warm White	Premium Matt Coated	266	210	430	30
171583	Bauhaus Photo Matt Warm White	Premium Matt Coated	266	210	610	30
171585	Bauhaus Photo Matt Warm White	Premium Matt Coated	266	210	1120	30
171586	Bauhaus Photo Matt Warm White	Premium Matt Coated	266	210	1524	30

# Bauhaus Photo Satin Warm White 255gsm

### **BAUHAUS SATIN AQUEOUS**



- 255gsm micro porous, resin coated photo paper with a warm-tone semi-matt surface offering perfect sharpness and precision with little to no reflection
- · For photo prints and posters with a premium look
- · This is quick drying with high batch to batch consistency
- · Ink Compatibility: Aqueous (Dye & Pigment), Indigo, Latex









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
171468	Bauhaus Photo Satin Warm White	Satin	265	255	610	30
171475	Bauhaus Photo Satin Warm White	Satin	265	255	914	30
171476	Bauhaus Photo Satin Warm White	Satin	265	255	1120	30



## Bauhaus Photo Satin High White 255gsm

### **BAUHAUS SATIN AQUEOUS**



- · 255gsm micro porous, resin coated photo paper with a high-white, satin surface offering perfect sharpness and precision with little to no reflection
- · Quick drying with high batch to batch consistency
- · Thick coating for stability with high ink loads on full gamut prints
- · For Photo prints and posters with a premium look
- · Ink Compatibility: Aqueous (Dye & Pigment), Indigo, Latex

PHOTO PRINT	
PRINT	

Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
171479	Bauhaus Photo Satin High White	Satin	265	255	610	30
171480	Bauhaus Photo Satin High White	Satin	265	255	914	30
171539	Bauhaus Photo Satin High White	Satin	265	255	1120	30
171540	Bauhaus Photo Satin High White	Satin	265	255	1524	30

## Bauhaus Satin Photo Paper 190gsm

### **BAUHAUS SATIN AQUEOUS**



- · Satin 190gsm FOGRA Certified PE-Photopaper
- · Outstanding colour consistency with a large colour gamut & excellent image sharpness
- Suitable for hot and cold lamination
- · FOGRA Certification guarantees verified quality to meet the highest standards in the pre-press and production stage
- · Instant dry, with perfect ink control and absorption
- · Perfect for photorealistic prints, proofing, POS, posters and exhibition graphics
- · Ink Compatibility: Aqueous (Dye & Pigment), UV curable













Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
167536	Bauhaus Satin Photo Paper	Satin	204	190	610	30
167537	Bauhaus Satin Photo Paper	Satin	204	190	914	30
167538	Bauhaus Satin Photo Paper	Satin	204	190	1067	30
167539	Bauhaus Satin Photo Paper	Satin	204	190	1270	30

# Bauhaus Photo Satin Heavyweight 290gsm BAUHAUS SATIN AQUEOUS



- · 290qsm micro porous, resin coated photo paper with a lustre finish offering the look and feel of a traditional silver halide photo paper
- The unique stipple offers perfect sharpness and precision with little to no reflection
- · This is a super white, lustre paper specifically designed for high quality professional photographic output and is exceptional for both colour and b/w prints
- · This is quick drying with high batch to batch consistency
- · Ink Compatibility: Aqueous (Dye & Pigment), Indigo, Latex

Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
171547	Bauhaus Photo Satin Heavyweight	Lustre Coated	290	290	610	30
171549	Bauhaus Photo Satin Heavyweight	Lustre Coated	290	290	1120	30
171550	Bauhaus Photo Satin Heavyweight	Lustre Coated	290	290	1524	30



# Bauhaus Lustre Photopaper 250gsm

### **BAUHAUS SATIN AQUEOUS**



- Ultra white, lustre finish 250gsm PE Photopaper with a lightly textured surface
- Instant dry with very consistent layflat properties
- · Applications photography, posters, graphic art reproduction, POS & fine art
- Excellent pin sharp detail and large colour gamut
- · Suitable for hot and cold lamination
- Ink Compatibility: Aqueous (Dye & Pigment, UV curable











Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
167550	Bauhaus Lustre Photopaper	Lustre	242	250	1067	30

# Bauhaus Photo Metallic Warm White 260gsm

### **BAUHAUS GLOSS AQUEOUS**



- Unique, Micro porous, resin coated 260gsm photo paper with a high gloss, warmwhite, pearlescent metallic effect
- · Quick drying and wipe-fast, offering high moisture resistance
- · Perfect for mounting behind high quality acrylic
- Excellent black density and a huge colour gamut
- · High batch to batch stability due to stringent quality control
- · Ink Compatibility: Aqueous (Dye & Pigment), Indigo, Latex



Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
171459	Bauhaus Photo Metallic Warm White	Premium High Gloss	265	260	610	30
171460	Bauhaus Photo Metallic Warm White	Premium High Gloss	265	260	914	30
171461	Bauhaus Photo Metallic Warm White	Premium High Gloss	265	260	1120	30
171462	Bauhaus Photo Metallic Warm White	Premium High Gloss	265	260	1524	30





# **FINE ART**

Fine Art prints demand high quality archival results. The range includes a selection of Coated, Silk-Matt Coated and 100% Cotton Rag papers that perform.

Photography by Deanna J

Fine Art **AQUEOUS** 

## Hahnemühle German Etching 310gsm

### **MATT TEXTURED AQUEOUS**



- · 310gsm, 100% a-cellulose
- Matt premium inkjet coating for outstanding print results
- Clearly defined felt structureAcid and lignin-free
- · Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
172581	Hahnemühle German Etching	Premium Matt Coated	500	310	430	12
172582	Hahnemühle German Etching	Premium Matt Coated	500	310	610	12
172579	Hahnemühle German Etching	Premium Matt Coated	500	310	914	12
172580	Hahnemühle German Etching	Premium Matt Coated	500	310	1117	12

# Hahnemühle German Etching 310gsm Sheets MATT TEXTURED AQUEOUS



- · 310qsm, 100% a-cellulose
- Matt premium inkjet coating for outstanding print results
- Clearly defined felt structureAcid and lignin-free
- · Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172608	Hahnemühle German Etching Sheets	Premium Matt Coated	500	310	210	297
172607	Hahnemühle German Etching Sheets	Premium Matt Coated	500	310	297	420
172707	Hahnemühle German Etching Sheets	Premium Matt Coated	500	310	329	483
172606	Hahnemühle German Etching Sheets	Premium Matt Coated	500	310	420	59/

# Hahnemühle Museum Etching 350gsm

### **MATT TEXTURED AQUEOUS**



- 350gsm, 100% cotton Natural white, without optical brighteners
- · Matt premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- · Acid and lignin-free
- · Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
199805	Hahnemühle Museum Etching	Premium Matt Coated	600	350	610	12
197744	Hahnemühle Museum Etching	Premium Matt Coated	600	350	914	12
172816	Hahnemühle Museum Etching	Premium Matt Coated	600	350	1120	12



Fine Art

# Hahnemühle Museum Etching 350gsm Sheets

### MATT TEXTURED AQUEOUS



- · 350gsm, 100% cotton Natural white, without optical brighteners
- · Matt premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- · Finely textured surface
- · Acid and lignin-free
- Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172605	Hahnemühle Museum Etching Sheets	Premium Matt Coated	600	350	210	297
197727	Hahnemühle Museum Etching Sheets	Premium Matt Coated	600	350	329	483
197655	Hahnemühle Museum Etching Sheets	Premium Matt Coated	600	350	420	297

# Hahnemühle Museum Etching Deckle Edge 350gsm Sheets

### **MATT TEXTURED AQUEOUS**



- 350gsm, 100% cotton natural white, without optical brighteners
- · Finely textured surface
- · Acid and lignin-free
- · Torn deckle edges on 4 sides
- · Matt premium inkjet coating for outstanding print results
- · ISO 9706 conform / museum quality for highest age resistance
- Ink Compatibility: Aqueous (Dye & Pigment)

Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172870	Hahnemühle Museum Etching Deckle Edge Sheets	Premium Matt Coated	600	350	329	483
172869	Hahnemühle Museum Etching Deckle Edge Sheets	Premium Matt Coated	600	350	420	594

# Hahnemühle Torchon 285gsm

### **MATT TEXTURED AQUEOUS**



- 285gsm, 100% a-cellulose bright white
- Matt premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- Coarsely structured felt mark
- Acid and lignin-free
- Ink Compatibility: Aqueous (Dye & Pigment)







Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
172624	Hahnemühle Torchon	Premium Matt Coated	500	285	610	12
197609	Hahnemühle Torchon	Premium Matt Coated	500	285	914	12
172623	Hahnemühle Torchon	Premium Matt Coated	500	285	1120	12

### Hahnemühle Torchon 285gsm Sheets

#### **MATT TEXTURED AQUEOUS**



- · 285gsm, 100% a-cellulose bright white
- · Matt premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- · Acid and lignin-free
- Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172593	Hahnemühle Torchon Sheets	Premium Matt Coated	500	285	210	297
172592	Hahnemühle Torchon Sheets	Premium Matt Coated	500	285	329	483
197779	Hahnemühle Torchon Sheets	Premium Matt Coated	500	285	420	297
172591	Hahnemühle Torchon Sheets	Premium Matt Coated	500	285	420	594

### Hahnemühle William Turner 310gsm

#### **MATT TEXTURED AQUEOUS**



- 310gsm, 100% cotton white, without optical brighteners
- Matt premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- Hahnemühle Fine yet highly pronounced felt structure
  - · Acid and lignin-free
  - · Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
197519	Hahnemühle William Turner	Premium Matt Coated	620	310	610	12
197518	Hahnemühle William Turner	Premium Matt Coated	620	310	914	12
197517	Hahnemühle William Turner	Premium Matt Coated	620	310	1118	12

#### Hahnemühle William Turner 310gsm Sheets **MATT TEXTURED AQUEOUS**



- · 310gsm or 190gsm, 100% cotton white, without optical brighteners
- Matt premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance Fine yet highly pronounced felt structure

  - · Acid and lignin-free
  - Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172815	Hahnemühle William Turner Sheets	Premium Matt Coated	620	310	297	210
197994	Hahnemühle William Turner Sheets	Premium Matt Coated	620	310	420	297
172814	Hahnemühle William Turner Sheets	Premium Matt Coated	620	310	483	329
172813	Hahnemühle William Turner Sheets	Premium Matt Coated	620	310	594	420

Fine Art

### Hahnemühle William Turner 190gsm Sheets MATT TEXTURED AQUEOUS



- · Matt premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- · Fine yet highly pronounced felt structure
- · Acid and lignin-free
- · Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172812	Hahnemühle William Turner Sheets	Premium Matt Coated	420	190	297	210
172811	Hahnemühle William Turner Sheets	Premium Matt Coated	420	190	420	297

### **Breathing Color Elegance Velvet**





- $\cdot$  Elegance Velvet is a 100% cotton rag, bright white matt, moderate textured timeless fine art classic
- · The go to media for textured fine art enthusiasts
- · Certified archival by an accredited third party for 100+ years display life
- 300gsm with a nominal OBA content
- · 76mm core
- · Ink Compatibility: Aqueous (Dye & Pigment)




Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
173497	Breathing Color Elegance Velvet	Bright White Matt	457	300	610	12
173498	Breathing Color Elegance Velvet	Bright White Matt	457	300	914	12
173499	Breathing Color Elegance Velvet	Bright White Matt	457	300	1120	12
173500	Breathing Color Elegance Velvet	Bright White Matt	457	300	1370	12
173501	Breathing Color Elegance Velvet	Bright White Matt	457	300	1524	12

### Bauhaus True Rag Etching 310gsm

#### **MATT TEXTURED AQUEOUS**



- 310gsm archival, lightly textured, 100% Cotton, etching paper with no optical brighteners
- · Meets criteria for permanence according to ISO 9706



• Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
171420	Bauhaus True Rag Etching	Matt Textured	520	310	430	15
171421	Bauhaus True Rag Etching	Matt Textured	520	310	610	15
171422	Bauhaus True Rag Etching	Matt Textured	520	310	914	15
171423	Bauhaus True Rag Etching	Matt Textured	520	310	1120	15
171424	Bauhaus True Rag Etching	Matt Textured	520	310	1524	15

### Hahnemühle Photo Rag 308gsm

#### **MATT SMOOTH AQUEOUS**



- · 308gsm 100% Cotton
- · Acid and lignin-free
- ISO 9706 and museum quality for highest age resistance
- Hahnemühle

   Matt premium inkjet coating for outstanding print results
  - · Characteristic, beautiful defined felt structure
  - Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
172577	Hahnemühle Photo Rag	Premium Matt Coated	480	308	430	12
172574	Hahnemühle Photo Rag	Premium Matt Coated	480	308	610	12
172575	Hahnemühle Photo Rag	Premium Matt Coated	480	308	914	12
172576	Hahnemühle Photo Rag	Premium Matt Coated	480	308	1117	12

### Hahnemühle Photo Rag 308gsm Sheets

#### **MATT SMOOTH AQUEOUS**



- · 308gsm 100% Cotton
- · Acid and lignin-free
- $\bullet$  ISO 9706 and museum quality for highest age resistance
- Hahnemühle Matt premium inkjet coating for outstanding print results
  - · Characteristic, beautiful defined felt structure
  - Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172604	Hahnemühle Photo Rag Sheets	Premium Matt Coated	480	308	210	297
172603	Hahnemühle Photo Rag Sheets	Premium Matt Coated	480	308	297	420
172602	Hahnemühle Photo Rag Sheets	Premium Matt Coated	480	308	329	483
172601	Hahnemühle Photo Rag Sheets	Premium Matt Coated	480	308	420	594

### Hahnemühle Photo Rag 188gsm



- · 188gsm 100% Cotton
- · Acid and lignin-free
- ISO 9706 and museum quality for highest age resistance
- Hahnemühle

  Matt premium inkjet coating for outstanding print results
  - · Characteristic, beautiful defined felt structure
  - Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
197788	Hahnemühle Photo Rag	Premium Matt Coated	300	188	914	12
172578	Hahnemühle Photo Rag	Premium Matt Coated	300	188	610	12
172629	Hahnemühle Photo Rag	Premium Matt Coated	300	188	1120	420

### Hahnemühle Photo Rag 188gsm Sheets

#### **MATT SMOOTH AQUEOUS**



- · 308gsm 100% Cotton
- Acid and lignin-free
- ISO 9706 and museum quality for highest age resistance
- Hahnemühle

   Matt premium inkjet coating for outstanding print results
  - · Characteristic, beautiful defined felt structure
  - · Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
197662	Hahnemühle Photo Rag Sheets	Premium Matt Coated	300	188	297	210
172600	Hahnemühle Photo Rag Sheets	Premium Matt Coated	300	188	329	483
197661	Hahnemühle Photo Rag Sheets	Premium Matt Coated	300	188	420	297
197659	Hahnemühle Photo Rag Sheets	Premium Matt Coated	300	188	594	420

### Hahnemühle Photo Rag Ultra Smooth 305gsm

#### **MATT SMOOTH AQUEOUS**



- · 305qsm, 100% cotton
- · Matt premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- Hahnemühle Discreet, very finely textured surface with a strikingly silky feel
  - · Acid and lignin-free
  - · Ink Compatibility: Aqueous (Dye & Pigment)

	PH
ISO 9706 PAPER	pH NEU









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
197722	Hahnemühle Photo Rag Ultra Smooth	Premium Matt Coated	480	305	430	12
197724	Hahnemühle Photo Rag Ultra Smooth	Premium Matt Coated	480	305	610	12
197723	Hahnemühle Photo Rag Ultra Smooth	Premium Matt Coated	480	305	914	12
172571	Hahnemühle Photo Rag Ultra Smooth	Premium Matt Coated	480	305	1117	12
172572	Hahnemühle Photo Rag Ultra Smooth	Premium Matt Coated	480	305	1524	12
178008	Hahnemühle Photo Rag Ultra Smooth	Premium Matt Coated	480	305	1626	12

### Hahnemühle Photo Rag Ultra Smooth 305gsm Sheets



- · 305gsm, 100% cotton
- · Matt premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- Hahnemühle Discreet, very finely textured surface with a strikingly silky feel
  - · Acid and lignin-free
  - · Ink Compatibility: Aqueous (Dye & Pigment)










Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
197777	Hahnemühle Photo Rag Ultra Smooth Sheets	Premium Matt Coated	480	305	297	210
197776	Hahnemühle Photo Rag Ultra Smooth Sheets	Premium Matt Coated	480	305	420	297
172810	Hahnemühle Photo Rag Ultra Smooth Sheets	Premium Matt Coated	480	305	483	329

### Hahnemühle Photo Rag Bright White 310gsm

#### **MATT SMOOTH AQUEOUS**



- · 310 gsm, 100% cotton bright white
- · Matt premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- · Acid and lignin-free
- Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
197734	Hahnemühle Photo Rag Bright White	Premium Matt Coated	500	310	610	12
197520	Hahnemühle Photo Rag Bright White	Premium Matt Coated	500	310	914	12
197733	Hahnemühle Photo Rag Bright White	Premium Matt Coated	500	310	1120	12

### Hahnemühle Photo Rag Bright White 310gsm Sheets

#### **MATT SMOOTH AQUEOUS**



- · 310 gsm, 100% cotton bright white
- · Matt premium inkjet coating for outstanding print results
- $\bullet\,$  ISO 9706 conform / museum quality for highest age resistance
- · Characteristic, beautiful defined felt structure
- · Acid and lignin-free
- Ink Compatibility: Aqueous (Dye & Pigment)

ISO 9706 PAPER
PERMANENCE







ıπ	PHOTO	
\$	PRINT	

Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172866	Hahnemühle Photo Rag Bright White Sheets	Premium Matt Coated	500	310	329	483
172865	Hahnemühle Photo Rag Bright White Sheets	Premium Matt Coated	500	310	420	594

### Hahnemühle Photo Rag Matt Baryta 308gsm



- · Printed areas reveal an elegant, subtle sheen, while the unprinted areas remain matt to beautifully accentuate brilliance
- · Contains no optical brighteners
- 300gsm
- Features a matt premium inkjet coating
- · Acid and lignin-free
- 510um

Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
178007	Hahnemühle Photo Rag Matt Baryta	Premium Matt Coated	510	308	610	12
178006	Hahnemühle Photo Rag Matt Baryta	Premium Matt Coated	510	308	1120	12
177994	Hahnemühle Photo Rag Matt Baryta	Premium Matt Coated	510	308	1626	12





The Digital FineArt Collection is a comprehensive assortment of high-quality, unique FineArt inkjet papers created for customers who are looking for something special and want to get the best out of their images.

Achieving outstanding printing results, the FineArt inkjet papers meet the highest standards for fine art applications and are perfect for long-term exhibitions, art collections and special editions.

Spicers is stocking Hahnemühle products from the Digital Fine Art range.

**HAHNEMÜHLE PLATINUM CERTIFIED PRINTER** 



HAHNEMÜHLE GOLD CERTIFIED PRINTERS



















For enquiries please contact your local Spicers representative.

### Hahnemühle Photo Rag Matt Baryta 308gsm Sheets

#### **MATT SMOOTH AQUEOUS**



- · Printed areas reveal an elegant, subtle sheen, while the unprinted areas remain matt to beautifully accentuate brilliance
- · Contains no optical brighteners
- 300gsm
- · Features a matt premium inkjet coating
- · Acid and lignin-free
- 510um


ISO	SO 9706
CERTIFICATION	ISO 9706 PERMAN



Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
178028	Hahnemühle Photo Rag Matt Baryta Sheets	Premium Matt Coated	510	308	210	297
178051	Hahnemühle Photo Rag Matt Baryta Sheets	Premium Matt Coated	510	308	420	297
178052	Hahnemühle Photo Rag Matt Baryta Sheets	Premium Matt Coated	510	308	420	420

### Hahnemühle Photo Rag 500gsm Sheets





- · 500gsm 100% Cotton
- · Acid and lignin-free
- · ISO 9706 and museum quality for highest age resistance
- · Characteristic, beautiful defined felt structure
- Ink Compatibility: Aqueous (Dye & Pigment)

Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172856	Hahnemühle Photo Rag	Premium Matt Coated	800	500	420	594

### Hahnemühle Photo Rag Album 220gsm Sheets



- · 220qsm, 100% cotton White
- · Double-sided, matt premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- Hahnemühle · Characteristic, beautiful defined felt structure
  - · Acid and lignin-free
  - · Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172692	Hahnemühle Photo Rag Album Sheets	Premium Matt Coated	330	220	297	210
172691	Hahnemühle Photo Rag Album Sheets	Premium Matt Coated	330	220	410	297
172690	Hahnemühle Photo Rag Album Sheets	Premium Matt Coated	330	220	483	329



Fine Art

### Hahnemühle Photo Rag Duo 276gsm Sheets MATT SMOOTH AQUEOUS

- 276gsm, 100% cotton White
- · Double-sided, matt premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- · Characteristic, beautiful defined felt structure
- · Acid and lignin-free
- · Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172863	Hahnemühle Photo Rag Duo Sheets	Premium Matt Coated	450	276	210	297
172862	Hahnemühle Photo Rag Duo Sheets	Premium Matt Coated	450	276	297	420

### Hahnemühle Platinum Rag 308gsm Sheets





- · 308qsm 100% cotton natural bright white paper
- Both sides have a very good print quality
- · Smooth, slightly textured surface
- · Acid free
- · Ink Compatibility: Aqueous (Dye & Pigment)







Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
197799	Hahnemühle Platinum Rag Sheets	Bright White	430	308	203	254
172687	Hahnemühle Platinum Rag Sheets	Bright White	430	308	381	279
197800	Hahnemühle Platinum Rag Sheets	Bright White	430	308	508	610

### Hahnemühle Rice Paper 100gsm Sheets



- 100gsm, 100% a-cellulose white, without optical brighteners
- Matt premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- · Lightly textured and with subtle laid lines
- · Acid and lignin-free
- · Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172688	Hahnemühle Rice Paper Sheets	Premium Matt Coated	150	100	297	210

### Fine Art

### **Breathing Color Optica One Smooth Matt**

#### **MATT SMOOTH AQUEOUS**



- 100% cotton rag. Optica One is a uniquely smooth top choice for translating photography to fine art. It has excellent image definition, clarity and colour brilliance
- · Certified archival by an accredited third party for 100+ years display life
- · 300gsm, acid and lignin free
- · 76mm core
- · Ink Compatibility: Aqueous (Dye & Pigment)

PH	
pH NEUTRAL	PHOTO
ARCHIVAL	PRINT

Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
173491	Breathing Color Optica One Smooth	100% Cotton Rag	406	300	430	12
173492	Breathing Color Optica One Smooth	100% Cotton Rag	406	300	610	12
173493	Breathing Color Optica One Smooth	100% Cotton Rag	406	300	914	12
173494	Breathing Color Optica One Smooth	100% Cotton Rag	406	300	1120	12
173495	Breathing Color Optica One Smooth	100% Cotton Rag	406	300	1524	12

### **Breathing Color Signa Smooth**

#### **MATT SMOOTH AQUEOUS**



- 100% cotton rag archival fine art paper. A beautiful paper for high resolution photography and detailed art prints. Top tier Dmax and colour gamut
- Certified archival by an accredited third party for 100+ years display life
- · 270qsm offers better flexibility for easy handling. Acid and lignin as well as OBA-free for colour stability
- · 76mm core
- Ink Compatibility: Aqueous (Dye & Pigment)

Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
173507	Breathing Color Signa Smooth	100% Cotton Rag	406	270	610	15
173508	Breathing Color Signa Smooth	100% Cotton Rag	406	270	914	15
173509	Breathing Color Signa Smooth	100% Cotton Rag	406	270	1120	15
173510	Breathing Color Signa Smooth	100% Cotton Rag	406	270	1524	15

### Bauhaus True Rag Smooth 310gsm

#### **MATT SMOOTH AQUEOUS**



- Do your Fine Art Prints justice with this 310qsm True Raq Smooth
- · The unique, stable and smooth surface makes it ideal for printing both black and white and colour photographs and art reproductions with impressive pictorial depth
- · Will stand the test of time because it is free of any optical brighteners
- Meets criteria for permanence according to ISO 9706
- Use only the best, 100% Cotton Rag media for your high quality fine art prints
- The surface has a high, water resistance and can reproduce a huge colour gamut
- · Ink Compatibility: Aqueous (Dye & Pigment)

Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
171425	Bauhaus True Rag Smooth	100% Cotton Rag	440	310	430	15
171426	Bauhaus True Rag Smooth	100% Cotton Rag	440	310	610	15
171427	Bauhaus True Rag Smooth	100% Cotton Rag	440	310	914	15
171428	Bauhaus True Rag Smooth	100% Cotton Rag	440	310	1120	15

1300 132 644 | spicers.com.au









### Hahnemühle Photo Rag Metallic 340gsm

#### **GLOSS AQUEOUS**



- 340gsm, 100% cotton natural white, without optical brighteners
- · High-gloss premium inkjet coating for outstanding printing results with a unique, silvery-shimmering metallic effect
- ISO9706 compliant / museum quality for a high age resistance
- Sophisticated surface texture
- · Acid and lignin-free
- · Ink Compatibility: Aqueous (Dye & Pigment)










Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
198071	Hahnemühle Photo Rag Metallic	Premium High Gloss	470	340	430	12
172683	Hahnemühle Photo Rag Metallic	Premium High Gloss	470	340	610	12
197730	Hahnemühle Photo Rag Metallic	Premium High Gloss	470	340	914	12
172682	Hahnemühle Photo Rag Metallic	Premium High Gloss	470	340	1120	12

#### Hahnemühle Photo Rag Metallic 340gsm Sheets **GLOSS AQUEOUS**


















- ISO9706 compliant / museum quality for a high age resistance
  Sophisticated surface texture
- · Acid and lignin-free
- Ink Compatibility: Aqueous (Dye & Pigment)

Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172704	Hahnemühle Photo Rag Metallic Sheets	Premium High Gloss	470	340	210	297
172703	Hahnemühle Photo Rag Metallic Sheets	Premium High Gloss	470	340	297	420
172702	Hahnemühle Photo Rag Metallic Sheets	Premium High Gloss	470	340	329	483
172701	Hahnemühle Photo Rag Metallic Sheets	Premium High Gloss	470	340	420	594

### Fine Art

### Hahnemühle Photo Rag Baryta 315gsm

#### **GLOSS AQUEOUS**



- 315gsm, 100% cotton white, without optical brighteners
- · High-gloss premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- · Acid and lignin-free
- Ink Compatibility:Aqueous (Dye & Pigment)

ISO 9706 PAPER	





Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
198462	Hahnemühle Photo Rag Baryta	Premium High Gloss	430	315	432	12
173236	Hahnemühle Photo Rag Baryta	Premium High Gloss	430	315	610	12
173235	Hahnemühle Photo Rag Baryta	Premium High Gloss	430	315	1120	12
199675	Hahnemühle Photo Rag Baryta	Premium High Gloss	430	315	1524	12
178009	Hahnemühle Photo Rag Baryta	Premium High Gloss	430	315	1626	12

### Hahnemühle Photo Rag Baryta 315gsm Sheets





- 315gsm, 100% cotton white, without optical brighteners
- · High-gloss premium inkjet coating for outstanding print results
- · ISO 9706 conform / museum quality for highest age resistance
- · Acid and lignin-free
- · Ink Compatibility: Aqueous (Dye & Pigment)

ISO 9706 PAPER









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172599	Hahnemühle Photo Rag Baryta Sheets	Premium High Gloss	430	315	210	297
197921	Hahnemühle Photo Rag Baryta Sheets	Premium High Gloss	430	315	420	297
197726	Hahnemühle Photo Rag Baryta Sheets	Premium High Gloss	430	315	420	594
197920	Hahnemühle Photo Rag Baryta Sheets	Premium High Gloss	430	315	483	329

### Hahnemühle Photo Rag Satin 310gsm



- · Satin-gloss premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- · Acid and lignin-free
- · Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
197729	Hahnemühle Photo Rag Satin	Premium Satin Gloss	500	310	430	12
172636	Hahnemühle Photo Rag Satin	Premium Satin Gloss	500	310	610	12
197656	Hahnemühle Photo Rag Satin	Premium Satin Gloss	500	310	1120	12

### Hahnemühle Photo Rag Pearl 320gsm

#### **GLOSS AQUEOUS**



- · 320gsm, 100% cotton natural white, without optical brighteners
- · Pearl-gloss premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- · Acid and lignin-free
- Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
172573	Hahnemühle Photo Rag Pearl	Premium Pearl Gloss	480	320	610	12
172627	Hahnemühle Photo Rag Pearl	Premium Pearl Gloss	480	320	914	12
172626	Hahnemühle Photo Rag Pearl	Premium Pearl Gloss	480	320	1120	12

### Hahnemühle Photo Pearl 310gsm Sheets

**GLOSS AQUEOUS** 



- · 310gsm coated inkjet paper
- · Bright white Pearl finish
- · Perfectly suitable for daily use
- Smooth, non-textured surface
- · Optimised inkjet coating for photo applications
- Ink Compatibility: Aqueous (Dye & Pigment)

Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172874	Hahnemühle Photo Pearl Sheets	Bright White Pearl	300	310	210	297
172875	Hahnemühle Photo Pearl Sheets	Bright White Pearl	300	310	297	420
197735	Hahnemühle Photo Pearl Sheets	Bright White Pearl	300	310	329	483
197736	Hahnemühle Photo Pearl Sheets	Bright White Pearl	300	310	420	594

### Hahnemühle Fine Art Pearl 285gsm



- · 285gsm, 100% a-cellulose bright white
- · Pearl-gloss premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- · Acid and lignin-free
- · Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
172679	Hahnemühle Fine Art Pearl	Premium Pearl Gloss	400	285	610	12
172678	Hahnemühle Fine Art Pearl	Premium Pearl Gloss	400	285	1120	12

### Fine Art

### Hahnemühle Fine Art Baryta 325gsm

#### **GLOSS AQUEOUS**



- · 325gsm, 100% a-cellulose Bright white
- High-gloss premium inkjet coating for outstanding print results
  ISO 9706 conform / museum quality for highest age resistance
- · Acid and lignin-free
- · Ink Compatibility: Aqueous (Dye & Pigment)

ISO 9706 PAPER







Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
197743	Hahnemühle Fine Art Baryta	Premium High Gloss	410	325	1524	12

### Hahnemühle Fine Art Baryta 325gsm Sheets



- 325gsm, 100% a-cellulose Bright white
- High-gloss premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- · Acid and lignin-free
- · Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172700	Hahnemühle Fine Art Baryta Sheets	Premium High Gloss	410	325	210	297

### Hahnemühle Fine Art Baryta Satin 300gsm

#### **GLOSS AQUEOUS**



- 300gsm, 100% a-cellulose natural white, without optical brighteners · Satin premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance Hahnemühle • Smooth, subtle surface texture

  - · Acid and lignin-free
  - · Ink Compatibility: Aqueous (Dye & Pigment)








Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
176769	Hahnemühle Fine Art Baryta Satin	Premium Satin	370	300	1120	12

#### Hahnemühle Fine Art Baryta Satin 300gsm Sheets **GLOSS AQUEOUS**





- $\bullet\,$  ISO 9706 conform / museum quality for highest age resistance
- · Smooth, subtle surface texture
- · Acid and lignin-free
- · Ink Compatibility: Aqueous (Dye & Pigment)











Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
178029	Hahnemühle Fine Art Baryta Satin Sheets	Premium Satin	370	300	210	297
178053	Hahnemühle Fine Art Baryta Satin Sheets	Premium Satin	370	300	297	420
178054	Hahnemühle Fine Art Baryta Satin Sheets	Premium Satin	370	300	329	483
178055	Hahnemühle Fine Art Baryta Satin Sheets	Premium Satin	370	300	420	594

### Hahnemühle Baryta FB 350gsm Sheets



- 350gsm, 100% a-cellulose bright white
- · High-gloss premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- · Minimally textured surface
- · Acid and lignin-free
- · Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172609	Hahnemühle Baryta FB Sheets	Premium High Gloss	370	350	210	297
197555	Hahnemühle Baryta FB Sheets	Premium High Gloss	370	350	297	420
172706	Hahnemühle Baryta FB Sheets	Premium High Gloss	370	350	329	483
172705	Hahnemühle Baryta FB Sheets	Premium High Gloss	370	350	420	594

### Hahnemühle Fine Art Pearl 285gsm Sheets

#### **GLOSS AQUEOUS**



- · 285gsm, 100% a-cellulose bright white
- Pearl-gloss premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- · Delicately textured surface
- Acid and lignin-freeInk Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172696	Hahnemühle Fine Art Pearl Sheets	Premium Pearl Gloss	400	285	210	297

### Hahnemühle Photo Silk Baryta 315gsm Sheets

**GLOSS AQUEOUS** 



- · Cellulose based inkjet paper with 310gsm
- · Silky gloss finish
- · Perfectly suitable for daily use
- · Smooth, non-textured surface
- · Optimised inkjet coating for photo application
- Ink Compatibility: Aqueous (Dye & Pigment)



Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172871	Hahnemühle Photo Silk Baryta Sheets	Silk Gloss	312	310	210	297
172873	Hahnemühle Photo Silk Baryta Sheets	Silk Gloss	312	310	329	483

### Hahnemühle Photo Rag Pearl 320gsm Sheets



- 320gsm, 100% cotton natural white, without optical brighteners
- Pearl-gloss premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- · Delicately defined, even surface texture
- · Acid and lignin-free
- · Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172646	Hahnemühle Photo Rag Pearl Sheets	Premium Pearl Gloss	480	320	210	297
172644	Hahnemühle Photo Rag Pearl Sheets	Premium Pearl Gloss	480	320	420	594



## Natural Line

# Artist papers made from environmentally friendly fibres.

The Natural Line is the sustainable range of Fine Art inkjet papers from the Hahnemühle Digital Fine Art Collection. The Natural Line is made from unique raw materials: Bamboo, Hemp and Agave.

The plants that provide the cellulose require minimal maintenance, grow quickly and don't need any pesticides. Their rapid growth means that more cellulose can be produced on the same cropland than with other raw materials, and they also require much less water, helping to save valuable resources and protect the environment.

The new Fine Art inkjet papers from the Natural Line are the next step in Hahnemühle's continuous pursuit of sustainability and careful use of our resources.





#### The Natural Line features:

- Matt premium inkjet coating for outstanding print results
- Acid- and lignin-free
- ISO 9706 conform/ museum quality for highest age resistance
- Compatible with pigment and dye inkjet systems
- ICC-profiles available
- Available in sheets and rolls\*

#### Bamboo

#### 290 gsm 90% Bamboo fibres 10% Cotton

#### Natural White

#### Hemp

290 gsm
60% Hemp fibres
40% Cotton

#### White

#### Agave

\*Contact your local Spicers representative for stock availability.



<sup>290</sup> gsm 70% Agave fibres 30% Cotton

White

Fine Art

### Hahnemühle Agave 290gsm

Hahnemühle

Hahnemühle

#### **NATURAL AQUEOUS**



- · Rough, yet delicately defined surface texture
- · Acid and lignin-free
- · White, without optical brighteners
- Matt premium inkjet coating for outstanding print results
- ISO 9706 compliant / museum quality for high age resistance
- Ink Compatibility: Aqueous (Dye & Pigment)

ISO 9706 PAPER PERMANENCE








Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
172635	Hahnemühle Agave	Premium Matt Coated	500	290	610	12
197775	Hahnemühle Agave	Premium Matt Coated	500	290	914	12
172634	Hahnemühle Agave	Premium Matt Coated	500	290	1120	12

### Hahnemühle Agave 290gsm Sheets

#### **NATURAL AQUEOUS**







· White, without optical brighteners

- Matt premium inkjet coating for outstanding print results
- ISO 9706 compliant / museum quality for high age resistance
- Ink Compatibility: Aqueous (Dye & Pigment)

	(
ISO 9706 PAPER PERMANENCE	







Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172639	Hahnemühle Agave Sheets	Premium Matt Coated	500	290	210	297
172638	Hahnemühle Agave Sheets	Premium Matt Coated	500	290	297	420
172637	Hahnemühle Agave Sheets	Premium Matt Coated	500	290	420	594

### Hahnemühle Bamboo 290gsm

#### **NATURAL AQUEOUS**





Acid and lignin-free

· Natural white, without optical brighteners

- · Matt premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance

Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
172588	Hahnemühle Bamboo	Premium Matt Coated	500	290	610	12
197515	Hahnemühle Bamboo	Premium Matt Coated	500	290	914	12
197514	Hahnemühle Bamboo	Premium Matt Coated	500	290	1118	12

### Hahnemühle Bamboo 290gsm Sheets

#### **NATURAL AQUEOUS**





- ISO 9706 conform / museum quality for highest age resistance Hahnemühle Soft, lightly textured felt structure

  - · Acid and lignin-free
  - Ink Compatibility: Aqueous (Dye & Pigment)









Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172612	Hahnemühle Bamboo Sheets	Premium Matt Coated	500	290	210	297
197773	Hahnemühle Bamboo Sheets	Premium Matt Coated	500	290	297	420
172611	Hahnemühle Bamboo Sheets	Premium Matt Coated	500	290	329	483
172610	Hahnemühle Bamboo Sheets	Premium Matt Coated	500	290	420	594

### Hahnemühle Hemp 290gsm

#### **NATURAL AQUEOUS**



- · 290qsm, 60% hemp fibre, 40% cotton white, without optical brighteners
- · Matt premium inkjet coating for outstanding print results
- ISO 9706 compliant / museum quality for high age resistance
- · Acid and lignin-free
- Ink Compatibility: Aqueous (Dye & Pigment)











Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
197657	Hahnemühle Hemp	Premium Matt Coated	500	290	430	12
172633	Hahnemühle Hemp	Premium Matt Coated	500	290	610	12
197774	Hahnemühle Hemp	Premium Matt Coated	500	290	914	12
172632	Hahnemühle Hemp	Premium Matt Coated	500	290	1120	12

### Hahnemühle Hemp 290gsm Sheets

#### **NATURAL AQUEOUS**



- 290gsm, 60% hemp fibre, 40% cotton white, without optical brighteners
- · Matt premium inkjet coating for outstanding print results
- ISO 9706 compliant / museum quality for high age resistance
- · Lightly textured felt structure
- · Acid and lignin-free
- Ink Compatibility: Aqueous (Dye & Pigment)










Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (mm)
172642	Hahnemühle Hemp Sheets	Premium Matt Coated	500	290	210	297
172641	Hahnemühle Hemp Sheets	Premium Matt Coated	500	290	297	420
197741	Hahnemühle Hemp Sheets	Premium Matt Coated	500	290	329	483
172640	Hahnemühle Hemp Sheets	Premium Matt Coated	500	290	420	594







Hahnemühle papers have always been exclusive for preserving valuable art treasures to individuals and creatives looking for the right paper to bring their ideas to life. NATURAL LINE
MATT SMOOTH FINE ART
MATT TEXTURED FINE ART
GLOSSY FINE ART
CANVAS FINE ART
FINE ART VARNISH

The Digital Fine Art collection is a comprehensive assortment of high-quality, unique Fine Art inkjet papers created for customers who are looking for something special and want to get the best out of their images.

Achieving outstanding printing results, the Fine Art inkjet papers meet the highest standards for Fine Art applications and are perfect for long-term exhibitions, art collections and special editions.

### Fine Art

### Hahnemühle Sample Packs

**FINE ART PAPER** 



Material	Material Description	Pack QTY
172596	Gloss Fine Art	10
172595	Matt Fine Art	10
172594	Matt Fine Art Smooth	10
172643	Natural Line	10

· Sample a range of Hahnemühle's fine art and photography papers





### **FINE ART CANVAS**

For high quality Fine Art & Photography reproduction, our range offers archival and acid-free Canvas with good scratch resistance for easy stretching.

### Hahnemühle Daguerre Canvas

#### **MATT AQUEOUS**



- · 400gsm, bright white poly cotton blend
- · Matt premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- · Fine, uniform canvas texture
- · Acid and lignin-free
- · Ink Compatibility: Aqueous (Dye & Pigment)

PH
pH NEUTRA



Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
197725	Hahnemühle Daguerre Canvas	Premium Matt Coated	560	400	430	12
172587	Hahnemühle Daguerre Canvas	Premium Matt Coated	560	400	610	12
172586	Hahnemühle Daguerre Canvas	Premium Matt Coated	560	400	914	12
172585	Hahnemühle Daguerre Canvas	Premium Matt Coated	560	400	1117	12
172584	Hahnemühle Daguerre Canvas	Premium Matt Coated	560	400	1524	12

### Hahnemühle Cezanne Canvas





- · 430qsm, 100% cotton natural white, without optical brighteners
- · Matt premium inkjet coating for outstanding print results
- ISO 9706 conform / museum quality for highest age resistance
- Elegant, finely woven surface textureAcid and lignin-free
- · Ink Compatibility: Aqueous (Dye & Pigment)

	(
ISO 9706 PAPER PERMANENCE	F







Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
172877	Hahnemühle Cezanne Canvas	Premium Matt Coated	520	430	1120	12

### **Breathing Color Lyve Canvas**

**MATT AQUEOUS** 



- Lyve Canvas is made from a blend of 65% cotton and 35% polyester and is Breathing Color's most celebrated canvas. It is easy to stretch, has a greater Dmax and a wider colour gamut
- Workable and highly archival, the Fine Art Trade Guild awarded Lyve the exclusive Blue Wool certification for 100+ years display life, when paired with Timeless or Glamour II Varnish
- · 400gsm bright white, matt medium textured canvas. OBA-free for colour stability
- · 50mm and 76mm core

Breathing Color Lyve Canvas

· Ink Compatibility: Aqueous (Dye & Pigment)

Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
198847	Breathing Color Lyve Canvas	Matt Canvas	480	400	430	12
173469	Breathing Color Lyve Canvas	Matt Canvas	480	400	610	12
173470	Breathing Color Lyve Canvas	Matt Canvas	480	400	914	12
173471	Breathing Color Lyve Canvas	Matt Canvas	480	400	1120	12
173472	Breathing Color Lyve Canvas	Matt Canvas	480	400	1370	12

480

400

1524

Matt Canvas







173473

12

**Material Description** 

### **Breathing Color Decore Matt Canvas**

#### **MATT AQUEOUS**



Material

173489

Decore Matt is a water-resistant canvas made from a blend of 65% cotton and 35% polyester.
 Prints with precision and stretches like a dream

**Finish** 

Matt

- · Moderate OBA content
- · 330gsm matt canvas with a fine 1-over-1 weave texture
- · 76mm core

Breathing Color Decore Matt Canvas

· Ink Compatibility: Aqueous (Dye & Pigment)



Grammage	Width	Length
(GSM)	(mm)	(m)
330	1370	22.5

Approx.

UM

430

### Bauhaus Bright White Canvas





- · 380gsm bright white matt surface
- · Applies without wrinkles
- Good UV fade resistance
- Features a high degree of water resistance
- Superior tear resistance Easy to stretch around frames
- Ink Compatibility: Aqueous (Dye & Pigment), Latex, UV curable





Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
171833	Bauhaus Bright White Canvas 380	Matt White	380	1118	30
197485	Bauhaus Bright White Canvas 380	Matt White	380	1524	30

### **Breathing Color Crystalline Satin Canvas**

#### **SATIN AQUEOUS**









- · 440gsm heavyweight canvas, OBA-free for colour stability
- 50mm and 76mm core
- · Offers best print quality and highest durability. Top tier Dmax and colour gamut
- $\cdot$  Certified for 55+ years display life with no coating and 75+ years when paired with Timeless or Glamour II Varnish
- Ink Compatibility: Aqueous (Dye & Pigment)

Material	Material Description	Finish	Core (mm)	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
173475	Breathing Color Crystalline Satin Canvas	Satin	50	530	440	914	12
173476	Breathing Color Crystalline Satin Canvas	Satin	76	530	440	1120	12

### **Breathing Color 17M Satin Canvas**

#### **SATIN AQUEOUS**



- Breathing Color set the benchmark for satin canvas 17M Satin Canvas is made from a blend of 65% cotton and 35% polyester
- · 360gsm satin canvas with a fine 1-over-1 weave texture
- 50mm and 76mm core
- With the exclusive Breathing Color NO-LAM coating, this canvas is protected from scuffs and moisture
- With quick dry technology, 17M is ready to stretch just minutes after printing
- · Ink Compatibility: Aqueous (Dye & Pigment)

Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
Breathing Color 17M Satin Canvas	Satin	445	360	610	22.5
Breathing Color 17M Satin Canvas	Satin	445	360	914	22.5
Breathing Color 17M Satin Canvas	Satin	445	360	1120	22.5
Breathing Color 17M Satin Canvas	Satin	445	360	1370	22.5
Breathing Color 17M Satin Canvas	Satin	445	360	1524	22.5
Breathing Color 17M Satin Canvas	Satin	445	360	1625	22.5
	Breathing Color 17M Satin Canvas  Breathing Color 17M Satin Canvas	Breathing Color 17M Satin Canvas Satin  Breathing Color 17M Satin Canvas Satin	Material DescriptionFinishUMBreathing Color 17M Satin CanvasSatin445Breathing Color 17M Satin CanvasSatin445	Material DescriptionFinishUM(GSM)Breathing Color 17M Satin CanvasSatin445360Breathing Color 17M Satin CanvasSatin445360	Material DescriptionFinishUM(GSM)(mm)Breathing Color 17M Satin CanvasSatin445360610Breathing Color 17M Satin CanvasSatin445360914Breathing Color 17M Satin CanvasSatin4453601120Breathing Color 17M Satin CanvasSatin4453601370Breathing Color 17M Satin CanvasSatin4453601524





# For all your Epson P-Series and T-Series Hardware and Consumables

Spicers are proud distributors of Epson Large Format Aqueous Printers and Consumables. Epson's Photo and Fine Art printers have long set the standard for colour and B&W image reproduction.

Epson inks are renowned for their superior Color Gamut and intense Blacks. Epson inks ensure that your image is always reproduced to the highest quality and with the archival rating you expect for your fine art prints. Epson's revolutionary ink technologies create consistent brilliance every time.

### **Epson Wide Format Aqueous Inks**

Epson UltraChrome HDR Ink Epson UltraChrome Ink Epson UltraChrome HD Ink Epson UltraChrome XD Ink
Epson UltraChrome PRO12 Ink
Epson UltraChrome PRO Ink





Visit our website for a full range of Epson Wide Format Aqueous Inks. For enquiries please contact your local Spicers representative.

1300 132 644 spicers.com.au





### Laminates

### **Neschen Gudy®**

#### **ARCHIVAL MOUNTING FILMS AND LAMINATES**



- Gudy\* is a range of double-sided mounting adhesives for cold lamination
- Gudy 808 is a white PP film with a permanent, clear adhesive on both sides and is self-wound with a siliconised paper liner on one side
- Gudy 802 and 808 are P.A.T certified according to ISO 18916
- Gudy 802 is a clear PET film with a permanent, clear adhesive on both sides and is self-wound with a siliconised paper liner on one side
- Gudy window is a clear PET film with permanent, clear, adhesive on one side, an air-flow, removable, clear adhesive on the other and has liners on both side

Material	Material Description	Adhesive	Width (mm)	Length (m)
163165	Neschen Gudy® 802	Permanent/Permanent	1040	50
163166	Neschen Gudy® 802	Permanent/Permanent	1300	50
177395	Neschen Gudy® 802	Permanent/Permanent	1600	50
177396	Neschen Gudy® 808	Permanent/Permanent White	1040	50
163167	Neschen Gudy® 808	Permanent/Permanent White	1300	50
177397	Neschen Gudy® 808	Permanent/Permanent White	1600	50
163168	Neschen Gudy® WINDOW	Permanent/Removable Clear	1300	50

### Neschen Lam Filmolux Photo

#### **ARCHIVAL MOUNTING FILMS AND LAMINATES**



- · Self-adhesive and transparent protection film
- · Integrated UV protection delays the fading of prints
- Suitable for both indoor and outdoor bonding without edge protection for up to 2 years
- · Provides a high-quality finish and makes photos look even more decorative and intense
- · Environmentally friendly, water-based adhesive











Material	Material Description	Finish	Adhesive	Face Thickness (ums)	Width (mm)	Length (m)
163213	Neschen Lam Filmolux Photo	Matt Clear	Permanent Clear	70	1040	50
163214	Neschen Lam Filmolux Photo	Satin Clear	Permanent Clear	75	1300	50



Accessories

### **Breathing Color Timeless Varnish**

BREATHING® COLOR

BREATHING® COLOR

#### **ACCESSORIES**



- · Certified for use with archival media for 100+ years display life
- · UV protected to prevent yellowing and fading
- · Formulated to pair with Breathing Color media
- Dries to the touch in 60 Minutes
- Adds water and scruff protection and depth of colour in a single step



Material	Material Description	Finish	Size
177873	Breathing Color Timeless Varnish	Gloss	3780ml
178644	Breathing Color Timeless Varnish	Matt	3780ml
178308	Breathing Color Timeless Varnish	Satin	3780ml

### **Breathing Color Glamour II Varnish**



- $\boldsymbol{\cdot}$  Recommended for roller application, this is Breathing Color's most popular varnish
- Certified for use with archival media for 100+ years display life
- · UV protected to prevent yellowing and fading
- $\cdot$  Dilute with distilled water up to 30% when rolling & 50% when spraying
- No more tackiness while rolling Glamour II's 24 hour cure time gives large prints the time they need to rest and self-level for a streak-free finish
- · Adds water and scuff protection, as well as depth of colour in a single step

Material	Material Description	Finish	Size
173519	Breathing Color Glamour II Varnish	Gloss	3780ml
173520	Breathing Color Glamour II Varnish	Matt	3780ml

### **Accessories**

#### Hahnemühle Varnish Satin Matt

**ACCESSORIES** 



- · Available in 1 litre bottles
- · Hahnemühle Varnish will professionally add a protective finish to the surface of your canvas inkjet prints
- · Can be applied with a foam roller
- Water based

Material	Material Description	Finish	Size
172570	Hahnemühle Varnish Satin Matt	Matt	1000ml
197516	Hahnemühle Varnish Satin Matt	Satin	1000ml

### Hahnemühle Protective Spray

**ACCESSORIES** 



- · No yellowing
- · Permanent stay of intensity and the high brilliance
- · Protects and seals the print
- Easy to apply
- Fast-drying
- · Made in Germany

Material	Material Description	Size
172569	Hahnemühle Protective Spray	400ml

### Hahnemühle Signing Pen Duo

**ACCESSORIES** 



· A high-quality pigment liner and graphite pencil, for your signature on matt, satin, and high-gloss paper surfaces

Material	Material Description	Pack QTY
172878	Hahnemühle Signing Pen Duo	1 pair

### Hahnemühle Certificate of Authenticity

**ACCESSORIES** 



 Designed to protect the security and genuineness of your limited edition art works and reproductions on Hahnemühle paper and to reduce the risk of forgery

Material	Material Description	Pack QTY	Width (mm)	Length (m)
172590	Hahnemühle Certificate of Authenticity	25	210	297







Engineered for solvent, eco-solvent, UV, and latex ink systems, these media offer outstanding resilience against fading, moisture, and handling—ideal for high-traffic environments, commercial displays, and outdoor applications.







### **Poster Papers**

### Bauhaus Gloss Poster 225gsm

#### **BAUHAUS GLOSS SOLVENT**



- · Gloss 225gsm, 2 side PE coated Poster and Photo Paper
- · Suitable for indoor and outdoor applications
- · Applications posters, POS, photoprints & exhibition graphics
- Ultra white surface offering supreme image definition with a large colour gamut & fast drying properties
- · Suitable for hot and cold lamination
- Ink Compatibility: Eco-Solvent, Latex, UV curable











Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
167555	Bauhaus Gloss Poster 225	Gloss	214	225	1270	50
167556	Bauhaus Gloss Poster 225	Gloss	214	225	1524	50

### **Bauhaus Gloss Poster 140gsm**

### BAUHAUS GLOSS SOLVENT



- · Gloss 140gsm poster and photo paper
- · Fast prints in premium quality
- · Applications posters, POS, photoprints & exhibition graphics
- $\boldsymbol{\cdot}$  Excellent image quality with brilliant colours
- · Free of cutting dust
- · Ink Compatibility: Eco-Solvent, Latex, UV curable













Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
168676	Bauhaus Gloss Poster 140	Gloss	147	140	1372	50

### Bauhaus Satin Poster 225gsm

#### **BAUHAUS GLOSS SOLVENT**



- · Satin 225qsm, 2 side PE coated Poster and photo paper
- Suitable for indoor and outdoor applications
- Applications posters, POS, photoprints & exhibition graphics
- Ultra white surface offering supreme image definition with a large colour gamut & fast drying properties
- · Suitable for hot and cold lamination
- Ink Compatibility: Eco-Solvent, Latex, UV curable











Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
167559	Bauhaus Satin Poster 225	Satin	215	225	1270	50
167560	Bauhaus Satin Poster 225	Satin	215	225	1524	50

### **Poster Papers**

### Bauhaus Satin Poster 140gsm

#### **BAUHAUS SATIN SOLVENT**



- · Satin 140gsm poster and photo paper
- · Fast prints in premium quality
- · Applications posters, POS, photoprints & exhibition graphic
- Excellent image quality with brilliant colours
- Free of cutting dust
- · Ink Compatibility: Eco-Solvent, Latex, UV curable











Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
168678	Bauhaus Satin Poster 140	Satin	150	140	1372	50
168679	Bauhaus Satin Poster 140	Satin	150	140	1524	50

### Bauhaus Matt Poster 120 & 180gsm

#### **BAUHAUS MATT SOLVENT**



- Bauhaus Matt Poster Paper 120gsm grey back or 180gsm white back
- · Perfect for printing photos, rigid boards, posters, or any other indoor applications that requires high image resolution
- Excellent quality of printing and stability, with vibrant colours
- Ink Compatibility: Eco-Solvent, UV curable










Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (LM)
173237	Bauhaus Matt Poster 120	Matt White	120	1400	100
173238	Bauhaus Matt Poster 180	Matt White	180	1400	50





BAUHAUS BY SPICERS IS A CAREFULLY SELECTED AND CURATED RANGE OF MEDIA OFFERING SOLUTIONS FOR FINE ART, PHOTOGRAPHY, PROOFING, DYE SUBLIMATION, TEXTILES, DISPLAY AND WALL GRAPHICS.

### **Photographic Papers**

### Bauhaus Gloss Photo Paper 275gsm

#### **BAUHAUS GLOSS SOLVENT**



- · 275gsm resin coated, alpine white, extra glossy photo paper that holds pin-sharp details
- and reproduces the most vivid colours Fast drying
- · High Colour consistency and gamut together with high light fastness, outdoor durability and optimal handling properties make this photo paper your ideal choice

ISO	
$\smile$	
MANAGEMENT	PHOTO
	PRINT





Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
171776	Bauhaus Gloss Photo Paper 275	Extra Glossy	258	275	1524	30

### Bauhaus Satin Photo Paper 275gsm

#### **BAUHAUS SATIN SOLVENT**



- · 275qsm resin coated, alpine white, photo paper that holds pin-sharp details and reproduces the most vivid colours · Fast drying
- · High Colour consistency and gamut together with high light fastness, outdoor durability and optimal handling properties make this photo paper your ideal choice
- · Ink Compatibility: Eco-Solvent, Latex, UV curable

Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
171777	Bauhaus Satin Photo Paper 275	Satin	256	275	1524	30

### Bauhaus Matt Photo Paper 200gsm





- 200gsm coated paper with SLP, bright white, matt surface photo paper holds pin-sharp details and reproduces the most brilliant colours
- $\boldsymbol{\cdot}$  Fast drying, No waviness with Latex inks, PVC Free
- · Low gloss levels and minimised differential gloss together with outdoor durability and optimal handling properties make this photo paper your ideal choice
- Ink Compatibility: Eco-Solvent, Latex, UV curable







			Approx.	Grammage	Width	Length
Material	Material Description	Finish	UM	(GSM)	(mm)	(m)
168678	Bauhaus Matt Photo Paper 200	Matt	206	200	1524	50






Spicers is now stocking
Breathing Color products as
part of its Photo Fine Art range,
offering premium-quality media
for exceptional photographic
and fine art printing.

### For Photographers

Breathing Color's archival-quality media ensures photographers achieve stunning, true-to-life prints with exceptional color accuracy, deep blacks, and fine detail. Its premium canvas, paper, and metallic options elevate the presentation and longevity of photographic work, making it the perfect choice for professionals looking to showcase their images at the highest standard.



### For Artists

For artists, Breathing Color's fine art papers and canvases provide the perfect medium to reproduce their work with outstanding vibrancy, texture, and depth. The range supports both watercolor-like softness and bold, high-contrast details, ensuring every piece maintains its artistic integrity and lasts for generations.

### For Print Makers

Breathing Color offers print makers museum-grade media with superior consistency, color performance, and durability. Whether producing limited edition prints, giclée reproductions, or large-scale works, its cutting-edge coatings and high Dmax values ensure breathtaking results that meet the highest industry standards.



### **Fine Art**

### **Breathing Color Mint Smooth Art**

#### **MATT SMOOTH SOLVENT**



- A luxurious smooth fine art paper with a near-matt finish. Made out of 100% cotton
- Rated for 100+ light-fastness according to ISO standards
- · 290gsm, acid and lignin free fine art paper
- 76mm core
- · Ink Compatibility: Eco-Solvent, Latex & UV curable inks





Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
173511	Breathing Color Mint Smooth Art	Matt Smooth	381	290	1370	22.5
173512	Breathing Color Mint Smooth Art	Matt Smooth	381	290	1524	22.5

### **Breathing Color Mint Textured Art**





- 100% alpha-cellulose well-textured fine art paper with a near-matt finish.
   Robust base adds nuance and interest to any image
- Rated for 100+ light-fastness according to ISO standards
- $\cdot$  90gsm acid and lignin free fine art paper
- · 76mm core
- · Ink Compatibility: Eco-Solvent, Latex & UV curable inks





Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
173513	Breathing Color Mint Textured Art	Matt Textured	381	290	1370	22.5
173514	Breathing Color Mint Textured Art	Matt Textured	381	290	1524	22.5

### **Breathing Color Motif Gloss**

#### **GLOSS SOLVENT**



- · 65% Cotton 35% Polyester
- 430um
- · Gloss finish
- 325gsm
- Fine texture
- Ink Compatibility: Eco-Solvent, Latex & UV curable inks





Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
173516	Breathing Color Motif Gloss	Gloss	430	325	1370	45.7

### **Breathing Color Motif Satin**





- Motif Satin is a premium canvas made from a blend of 65% cotton and 35% polyester.
   Results in fewer passes which means less ink use
- · Moderate OBA content
- 325qsm satin canvas with a fine 1-over-1 unique weave texture
- · 76mm core
- Ink Compatibility: Eco-Solvent, Latex & UV curable inks

Material	Material Description	Finish	Approx. UM	Grammage (GSM)	Width (mm)	Length (m)
173515	Breathing Color Motif Satin	Satin	430	325	1370	45.7
198608	Breathing Color Motif Satin	Satin	430	325	1524	45.7
199081	Breathing Color Motif Satin	Satin	430	325	1620	45.7

### Bauhaus Matt 1444 Eco Canvas

#### **MATT SOLVENT**



- 340qsm matt, 100% cotton canvas with fast curing time
- · Acid Free
- · Perfect for indoor decoration & photography reproductions
- · Water resistant
- Ink Compatibility: Eco-Solvent, Latex & UV curable inks









Material	Material Description	Finish	Grammage (GSM)	Width (mm)	Length (m)
171133	Bauhaus Matt 1444 Eco Canvas	Matt White	340	1370	20
171135	Bauhaus Matt 1444 Eco Canvas	Matt White	340	1524	20





# BRILLIANT CONSISTENT RESULTS IN DYE SUBLIMATION

Our range of Dye Sublimation papers offer outstanding lay-flat performance, fast drying, brilliant image quality and exceptional consistency in quality for high speed and large volume applications.

### CHOOSE FROM A RANGE OF DYE SUBLIMATION PAPERS

Ideal for a wide variety of applications from home textiles, fabrics, soft-signage, flags, sports apparel, ceramic mugs, tiles, polyester coated hard substrates such as glass, fiberglass and boards.











Visit our website for the full range and product information. For enquiries please contact your local Spicers representative.

1300 132 644 spicers.com.au





BAUHAUS

## Our products inspire, so you can invent.

We're here to assist you on your creative journey, and we know there's nothing quite like getting the tactile sense of a product to encourage inspiration.

### Sample Requests.

Email us for samples, mockups & swatches. samples@spicers.com.au

#### Resources.

Access and download icons, catalogues and product guides. spicers.com.au/icons

### Follow us.

Get all the latest news and products by following us.







@spicersausSpicers Australia

# Shop your favourite products online.

Shop for a great range of products for Commercial Print, Digital Media, Labels, Packaging, Visual Communications, Architecture & Interior Design, Photography & Fine Art, Dye Sublimation & Heat transfer, Ink & Consumables and Industrial Packaging.

Go to **spicers.com.au** to register and start shopping.





### Creating solutions together.

### For product queries please contact your Spicers representative directly, or your local branch from the list below.

VIC	NSW	QLD Brisbane	QLD Townsville
155 Logis Boulevard Dandenong South VIC 3175	Unit 2/100 Lockwood Road Erskine Park NSW 2759	75 Tradecoast Drive Eagle Farm QLD 4009	28A Casey Street Aitkenvale QLD 4818
<b>T</b> (03) 9768 8400 <b>F</b> (03) 9768 8401	<b>T</b> (02) 9735 2666 <b>F</b> (02) 9735 2600	<b>T</b> (07) 3084 5200 <b>F</b> (07) 3084 5297	<b>T</b> (07) 3084 5200 <b>F</b> (07) 3084 5297
info.vic@spicers.com.au	salesnsw@spicers.com.au	info.qld@spicers.com.au	info.qld@spicers.com.au
WA	SA	NT	TAS
<b>WA</b> 19 Milly Court Malaga WA 6090	<b>SA</b> 113 Ledger Road Beverley SA 5009	<b>NT</b> 57 Winnellie Road Winnellie NT 0820	TAS 4-8 Sunmont Street Derwent Park TAS 7009
19 Milly Court	113 Ledger Road	57 Winnellie Road	4-8 Sunmont Street

Printed on Sirio Color Ultra Black 370gsm Cover and Revive Eco 100 135gsm Text - May 2025

