



**BT METALS**

**BT** / **STEEL  
RANGE**



**PERTH**  
(08) 9459 8600  
**KALGOORLIE**  
(08) 9021 8300

**ADELAIDE**  
(08) 8231 1513  
**NEWMAN**  
(08) 9175 1164

**DARWIN**  
(08) 8963 5621  
**MT ISA**  
(07) 4743 6458

✉ [sales@bendtechgroup.com.au](mailto:sales@bendtechgroup.com.au)  
🌐 [bendtechgroup.com.au](http://bendtechgroup.com.au)

2-10 Kewdale Road, Welshpool WA 6106





**BT METALS** .....

**BT METALS**

**BT METALS** is at the forefront of material processing capabilities, dedicated to supporting Australian manufacturing with specialized laser services such as tube lasering and flat bed laser cutting. Our laser cutting and pressing techniques offer precision methods for processing metallurgical components.

Our versatile processes can be applied to a wide range of materials such as flat sheets, tubes, and other long metallurgical products, making us your one-stop shop for all laser cutting needs.

As an industry-leading supplier, Bend-tech utilises the latest computerized systems to accept drawing information from clients in multiple formats: CAD files, fully dimensioned drawings, or even by reverse engineering samples. Our processing equipment, including our state-of-the-art tube and flat bed lasers, come with internal systems designed to allow clients the flexibility to easily change part geometry without the need for tooling changes. Moreover, we store your processed material data to enable us to recall the latest revision of any job and reproduce it with 100% accuracy, every time.

**BT** .....



**STEEL RANGE****INDEX**

|                            |            |                |
|----------------------------|------------|----------------|
| <b>ABOUT US</b>            | <b>///</b> | <b>3</b>       |
| <b>UNIVERSAL BEAMS</b>     | <b>///</b> | <b>5 - 7</b>   |
| <b>UNIVERSAL COLUMNS</b>   | <b>///</b> | <b>8 - 9</b>   |
| <b>CHANNEL</b>             | <b>///</b> | <b>10</b>      |
| <b>RHS PAINTED / BLACK</b> | <b>///</b> | <b>11 - 14</b> |
| <b>RHS GALVANISED</b>      | <b>///</b> | <b>15 - 16</b> |
| <b>FLAT BAR</b>            | <b>///</b> | <b>17 - 19</b> |
| <b>ANGLES</b>              | <b>///</b> | <b>20 - 21</b> |
| <b>SOLID BAR</b>           | <b>///</b> | <b>22</b>      |
| <b>PIPE BLACK</b>          | <b>///</b> | <b>23</b>      |
| <b>PIPE GALVANISED</b>     | <b>///</b> | <b>24</b>      |
| <b>PLATE GRADE 250</b>     | <b>///</b> | <b>25 - 26</b> |
| <b>PLATE GRADE 350</b>     | <b>///</b> | <b>27</b>      |

**ABOUT  
US**

We deliver sustained value by providing cutting-edge solutions through collaboration and innovation. For more than 30 years we have delivered intelligent design and custom-certified products and services to the Mining, Fabrication, Marine and Oil and Gas industries across Australia and around the world. We have achieved this through a deep understanding of our customers and their requirements as well as innovative and industry leading design, engineering and construction.

We enable high performance and efficiency outcomes across any industry we are involved in. Our safety systems, industrial solutions and steel products have full certification to ensure compliance with Australian Standards. We deliver sustained value and a high-quality experience through constant innovation and collaboration. Internally and externally we develop relationships and understanding that puts our thinking ahead of the curve. We stay in front of problems and ready ourselves with technology and processes to provide the outcomes our global client base needs. Our people are what sets us apart, organisation-wide adoption of our culture and commitment to the customer is why we have such long and loyal relationships with suppliers, contractors and our customers.

**“ OUR PROCESSES, AND  
OUR PEOPLE PROVIDE EACH  
OF OUR CUSTOMERS AN  
UNRIVALLED EXPERIENCE  
AND SERVICE THAT DOESN'T  
END AT SOLUTION DELIVERY ”**





STEEL RANGE



[www.bendtechgroup.com.au](http://www.bendtechgroup.com.au)




**BT**



## STEEL RANGE

# UNI BEAMS



| CODE   | SECTION |    |      | LENGTH | KG/PL |
|--------|---------|----|------|--------|-------|
| 93751  | 150     | UB | 14   | 12000  | 168.0 |
| 104502 | 150     | UB | 14   | 15000  | 210.0 |
| 94227  | 150     | UB | 18   | 12000  | 216.0 |
| 103102 | 150     | UB | 18   | 15000  | 270.0 |
| 102345 | 180     | UB | 16.1 | 12000  | 193.2 |
| 90991  | 180     | UB | 18.1 | 12000  | 217.2 |
| 97190  | 180     | UB | 18.1 | 15000  | 271.5 |
| 103558 | 180     | UB | 22.2 | 12000  | 266.4 |
| 90992  | 200     | UB | 18.2 | 12000  | 218.4 |
| 104249 | 200     | UB | 18.2 | 15000  | 273.0 |
| 93113  | 200     | UB | 22.3 | 12000  | 267.6 |
| 93753  | 200     | UB | 22.3 | 15000  | 334.5 |
| 93649  | 200     | UB | 25.4 | 9000   | 228.6 |
| 92388  | 200     | UB | 25.4 | 12000  | 304.8 |
| 92386  | 200     | UB | 25.4 | 15000  | 381.0 |
| 93011  | 200     | UB | 29.8 | 12000  | 357.6 |
| 93012  | 200     | UB | 29.8 | 15000  | 447.0 |
| 90993  | 250     | UB | 25.7 | 9000   | 231.3 |
| 92245  | 250     | UB | 25.7 | 12000  | 308.4 |
| 100436 | 250     | UB | 25.7 | 15000  | 385.5 |
| 104505 | 250     | UB | 25.7 | 18000  | 462.6 |
| 92891  | 250     | UB | 31.4 | 12000  | 376.8 |
| 95673  | 250     | UB | 31.4 | 13500  | 423.9 |
| 93754  | 250     | UB | 31.4 | 15000  | 471.0 |
| 103670 | 250     | UB | 31.4 | 16500  | 518.1 |
| 97283  | 250     | UB | 37.3 | 12000  | 447.6 |
| 100426 | 250     | UB | 37.3 | 13500  | 503.6 |
| 97180  | 250     | UB | 37.3 | 15000  | 559.5 |
| 97179  | 250     | UB | 37.3 | 18000  | 671.4 |

# STEEL RANGE

## UNI BEAMS

|        |     |    |      |       |        |
|--------|-----|----|------|-------|--------|
| 92898  | 310 | UB | 32   | 12000 | 384.0  |
| 93756  | 310 | UB | 32   | 15000 | 480.0  |
| 95762  | 310 | UB | 32   | 18000 | 576.0  |
| 93757  | 310 | UB | 40.4 | 10500 | 424.2  |
| 92896  | 310 | UB | 40.4 | 12000 | 484.8  |
| 93759  | 310 | UB | 40.4 | 15000 | 606.0  |
| 99539  | 310 | UB | 40.4 | 16500 | 666.6  |
| 94938  | 310 | UB | 40.4 | 18000 | 727.2  |
| 96764  | 310 | UB | 46.2 | 12000 | 554.4  |
| 104506 | 310 | UB | 46.2 | 13500 | 623.7  |
| 96356  | 310 | UB | 46.2 | 15000 | 693.0  |
| 96955  | 310 | UB | 46.2 | 18000 | 831.6  |
| 92897  | 360 | UB | 44.7 | 12000 | 536.4  |
| 104352 | 360 | UB | 44.7 | 13500 | 603.5  |
| 95876  | 360 | UB | 44.7 | 15000 | 670.5  |
| 104590 | 360 | UB | 44.7 | 16500 | 737.6  |
| 94939  | 360 | UB | 44.7 | 18000 | 804.6  |
| 94224  | 360 | UB | 50.7 | 12000 | 608.4  |
| 96755  | 360 | UB | 50.7 | 15000 | 760.5  |
| 104591 | 360 | UB | 50.7 | 16500 | 836.6  |
| 97178  | 360 | UB | 50.7 | 18000 | 912.6  |
| 102259 | 360 | UB | 56.7 | 12000 | 680.4  |
| 104515 | 360 | UB | 56.7 | 15000 | 850.5  |
| 104593 | 360 | UB | 56.7 | 16500 | 935.6  |
| 103120 | 360 | UB | 56.7 | 18000 | 1020.6 |
| 93899  | 410 | UB | 53.7 | 12000 | 644.4  |
| 95371  | 410 | UB | 53.7 | 13500 | 725.0  |
| 95444  | 410 | UB | 53.7 | 15000 | 805.5  |
| 104595 | 410 | UB | 53.7 | 16500 | 886.1  |
| 93156  | 410 | UB | 53.7 | 18000 | 966.6  |
| 96756  | 410 | UB | 59.7 | 12000 | 716.4  |
| 96757  | 410 | UB | 59.7 | 15000 | 895.5  |
| 100842 | 410 | UB | 59.7 | 18000 | 1074.6 |
| 97118  | 460 | UB | 67.1 | 12000 | 805.2  |
| 104598 | 460 | UB | 67.1 | 13500 | 905.9  |
| 95446  | 460 | UB | 67.1 | 15000 | 1006.5 |
| 104599 | 460 | UB | 67.1 | 16500 | 1107.2 |
| 95447  | 460 | UB | 67.1 | 18000 | 1207.8 |



## STEEL RANGE UNI BEAMS


|        |     |    |      |       |        |
|--------|-----|----|------|-------|--------|
| 100394 | 460 | UB | 74.6 | 12000 | 895.2  |
| 96758  | 460 | UB | 74.6 | 15000 | 1119.0 |
| 95760  | 460 | UB | 74.6 | 18000 | 1342.8 |
| 101105 | 460 | UB | 82   | 12000 | 984.0  |
| 104604 | 460 | UB | 82   | 15000 | 1230.0 |
| 104606 | 460 | UB | 82   | 18000 | 1476.0 |
| 103022 | 530 | UB | 82   | 12000 | 984.0  |
| 104512 | 530 | UB | 82   | 13500 | 1107.0 |
| 95448  | 530 | UB | 82   | 15000 | 1230.0 |
| 104607 | 530 | UB | 82   | 16500 | 1353.0 |
| 95449  | 530 | UB | 82   | 18000 | 1476.0 |
| 94225  | 530 | UB | 92.4 | 12000 | 1108.8 |
| 94226  | 530 | UB | 92.4 | 15000 | 1386.0 |
| 96759  | 530 | UB | 92.4 | 18000 | 1663.2 |
| 100058 | 610 | UB | 101  | 12000 | 1212.0 |
| 95450  | 610 | UB | 101  | 15000 | 1515.0 |
| 95451  | 610 | UB | 101  | 18000 | 1818.0 |
| 20659  | 610 | UB | 113  | 12000 | 1356.0 |
| 104609 | 610 | UB | 113  | 15000 | 1695.0 |
| 104611 | 610 | UB | 113  | 18000 | 2034.0 |
| 19848  | 610 | UB | 125  | 12000 | 1500.0 |
| 104612 | 610 | UB | 125  | 15000 | 1875.0 |
| 101696 | 610 | UB | 125  | 18000 | 2250.0 |
|        |     |    |      |       |        |

### TAPER FLANGE BEAMS

| CODE  | SECTION |     |    | LENGTH | KG/PL |
|-------|---------|-----|----|--------|-------|
| 91693 | 100     | TFB | 45 | 12000  | 86.4  |
| 19810 | 125     | TFB | 65 | 12000  | 166.7 |

## STEEL RANGE

# UNI COLUMNS



| CODE   | SECTION |    |      | LENGTH | KG/PL  |
|--------|---------|----|------|--------|--------|
| 93565  | 100     | UC | 14.8 | 12000  | 177.6  |
| 95455  | 150     | UC | 23.4 | 12000  | 280.8  |
| 13707  | 150     | UC | 23.4 | 13500  | 315.9  |
| 95456  | 150     | UC | 23.4 | 15000  | 351.0  |
| 95457  | 150     | UC | 30   | 12000  | 360.0  |
| 95458  | 150     | UC | 30   | 15000  | 450.0  |
| 98695  | 150     | UC | 37.2 | 12000  | 446.4  |
| 12644  | 150     | UC | 37.2 | 15000  | 558.0  |
| 95459  | 200     | UC | 46.2 | 12000  | 554.4  |
| 102774 | 200     | UC | 46.2 | 13500  | 623.7  |
| 95460  | 200     | UC | 46.2 | 15000  | 693.0  |
| 95461  | 200     | UC | 46.2 | 18000  | 831.6  |
| 97973  | 200     | UC | 52.2 | 12000  | 626.4  |
| 104503 | 200     | UC | 52.2 | 13500  | 704.7  |
| 97974  | 200     | UC | 52.2 | 15000  | 783.0  |
| 104514 | 200     | UC | 52.2 | 18000  | 939.6  |
| 100843 | 200     | UC | 59.5 | 12000  | 714.0  |
| 100844 | 200     | UC | 59.5 | 15000  | 892.5  |
| 100845 | 200     | UC | 59.5 | 18000  | 1071.0 |



## STEEL RANGE

# UNI COLUMNS

|        |     |    |      |       |        |
|--------|-----|----|------|-------|--------|
| 95462  | 250 | UC | 72.9 | 12000 | 874.8  |
| 20785  | 250 | UC | 72.9 | 13500 | 984.2  |
| 95463  | 250 | UC | 72.9 | 15000 | 1093.5 |
| 95464  | 250 | UC | 72.9 | 18000 | 1312.2 |
| 90220  | 250 | UC | 89.5 | 12000 | 1074.0 |
| 20787  | 250 | UC | 89.5 | 13500 | 1208.3 |
| 20788  | 250 | UC | 89.5 | 15000 | 1342.5 |
| 11971  | 250 | UC | 89.5 | 18000 | 1611.0 |
| 96838  | 310 | UC | 96.8 | 12000 | 1161.6 |
| 104682 | 310 | UC | 96.8 | 13500 | 1306.8 |
| 97513  | 310 | UC | 96.8 | 15000 | 1452.0 |
| 97514  | 310 | UC | 96.8 | 18000 | 1742.4 |
| 20579  | 310 | UC | 118  | 12000 | 1416.0 |
| 20793  | 310 | UC | 118  | 15000 | 1770.0 |
| 13407  | 310 | UC | 118  | 18000 | 2124.0 |
| 104508 | 310 | UC | 137  | 12000 | 1644.0 |
| 13258  | 310 | UC | 137  | 15000 | 2055.0 |
| 13408  | 310 | UC | 137  | 18000 | 2466.0 |
| 20875  | 310 | UC | 158  | 12000 | 1896.0 |
| 20952  | 310 | UC | 158  | 15000 | 2370.0 |
| 20874  | 310 | UC | 158  | 18000 | 2844.0 |


## STEEL RANGE CHANNELS



| CODE   | SECTION |   |     | LENGTH | KG/PL |
|--------|---------|---|-----|--------|-------|
| 93815  | 75      | x | 40  | 9000   | 53.3  |
| 130428 | 75      | x | 40  | 12000  | 71.1  |
| 90109  | 100     | x | 50  | 9000   | 74.8  |
| 20830  | 100     | x | 50  | 12000  | 99.8  |
| 94873  | 125     | x | 65  | 9000   | 107.1 |
| 5015   | 125     | x | 65  | 12000  | 142.8 |
| 89460  | 150     | x | 75  | 9000   | 159.3 |
| 88728  | 150     | x | 75  | 12000  | 212.4 |
| 92389  | 150     | x | 75  | 15000  | 265.5 |
| 89358  | 180     | x | 75  | 9000   | 188.1 |
| 90245  | 180     | x | 75  | 12000  | 250.8 |
| 95452  | 180     | x | 75  | 15000  | 313.5 |
| 90246  | 200     | x | 75  | 9000   | 206.1 |
| 90247  | 200     | x | 75  | 12000  | 274.9 |
| 95250  | 200     | x | 75  | 15000  | 343.5 |
| 93750  | 230     | x | 75  | 12000  | 301.2 |
| 94054  | 230     | x | 75  | 15000  | 376.5 |
| 88924  | 250     | x | 90  | 9000   | 319.5 |
| 90250  | 250     | x | 90  | 12000  | 426.1 |
| 97515  | 250     | x | 90  | 15000  | 532.5 |
| 20885  | 250     | x | 90  | 18000  | 639.0 |
| 90248  | 300     | x | 90  | 12000  | 481.5 |
| 96730  | 300     | x | 90  | 15000  | 601.5 |
| 102721 | 300     | x | 90  | 18000  | 721.8 |
| 95453  | 380     | x | 100 | 12000  | 662.7 |
| 95454  | 380     | x | 100 | 15000  | 828.5 |
| 101426 | 380     | x | 100 | 18000  | 993.6 |

# STEEL RANGE

## RHS BLACK



| CODE   | SECTION |   |    |   |     | LENGTH | PACK | KG/PL |
|--------|---------|---|----|---|-----|--------|------|-------|
| 87824  | 20      | x | 20 | x | 1.6 | 6500   | 96   | 5.7   |
| 87825  | 25      | x | 25 | x | 1.6 | 6500   | 100  | 7.3   |
| 88835  | 25      | x | 25 | x | 2   | 6500   | 100  | 8.9   |
| 88836  | 25      | x | 25 | x | 2.5 | 6500   | 100  | 10.7  |
| 88837  | 25      | x | 25 | x | 3   | 6500   | 100  | 12.3  |
| 87826  | 30      | x | 30 | x | 1.6 | 8000   | 100  | 11    |
| 89193  | 30      | x | 30 | x | 2   | 8000   | 100  | 13.5  |
| 89194  | 30      | x | 30 | x | 2.5 | 8000   | 100  | 16.3  |
| 88892  | 30      | x | 30 | x | 3   | 8000   | 64   | 18.9  |
| 88383  | 35      | x | 35 | x | 1.6 | 8000   | 100  | 13.1  |
| 89195  | 35      | x | 35 | x | 2   | 8000   | 100  | 16    |
| 89196  | 35      | x | 35 | x | 2.5 | 8000   | 64   | 19.4  |
| 89161  | 35      | x | 35 | x | 3   | 8000   | 64   | 22.7  |
| 88839  | 40      | x | 40 | x | 2   | 8000   | 81   | 18.5  |
| 88732  | 40      | x | 40 | x | 2.5 | 8000   | 64   | 22.6  |
| 88840  | 40      | x | 40 | x | 3   | 8000   | 64   | 26.4  |
| 89197  | 40      | x | 40 | x | 4   | 8000   | 49   | 33.8  |
| 103482 | 50      | x | 20 | x | 2.5 | 8000   | 72   | 19.4  |
| 88844  | 50      | x | 25 | x | 1.6 | 8000   | 96   | 14    |
| 88845  | 50      | x | 25 | x | 2   | 8000   | 96   | 17.2  |
| 88291  | 50      | x | 25 | x | 2.5 | 8000   | 72   | 21    |
| 88194  | 50      | x | 25 | x | 3   | 8000   | 60   | 24.6  |
| 87827  | 50      | x | 50 | x | 1.6 | 8000   | 64   | 19    |



## RHS BLACK


| CODE   | SECTION |   |    |   |     | LENGTH | PACK | KG/PL |
|--------|---------|---|----|---|-----|--------|------|-------|
| 88804  | 50      | x | 50 | x | 2   | 8000   | 64   | 23.5  |
| 88841  | 50      | x | 50 | x | 2.5 | 8000   | 49   | 28.7  |
| 87828  | 50      | x | 50 | x | 3   | 8000   | 49   | 34    |
| 88195  | 50      | x | 50 | x | 4   | 8000   | 36   | 43.3  |
| 88286  | 50      | x | 50 | x | 5   | 8000   | 30   | 51.9  |
| 143655 | 50      | x | 50 | x | 6   | 8000   | 25   | 58.56 |
| 15996  | 65      | x | 35 | x | 2   | 8000   | 54   | 23.5  |
| 89171  | 65      | x | 35 | x | 2.5 | 8000   | 54   | 28.7  |
| 89172  | 65      | x | 35 | x | 3   | 8000   | 45   | 34    |
| 16014  | 65      | x | 35 | x | 4   | 8000   | 35   | 43.6  |
| 89198  | 65      | x | 65 | x | 2   | 8000   | 42   | 31.1  |
| 89199  | 65      | x | 65 | x | 2.5 | 8000   | 42   | 38.3  |
| 89200  | 65      | x | 65 | x | 3   | 8000   | 36   | 45.3  |
| 89201  | 65      | x | 65 | x | 4   | 8000   | 30   | 57.9  |
| 89202  | 65      | x | 65 | x | 5   | 8000   | 25   | 70    |
| 86752  | 65      | x | 65 | x | 6   | 8000   | 20   | 80.8  |
| 89175  | 75      | x | 25 | x | 2   | 8000   | 65   | 23.5  |
| 89176  | 75      | x | 25 | x | 2.5 | 8000   | 48   | 28.7  |
| 89177  | 75      | x | 50 | x | 2   | 8000   | 42   | 29.7  |
| 88846  | 75      | x | 50 | x | 2.5 | 8000   | 42   | 36.7  |
| 88847  | 75      | x | 50 | x | 3   | 8000   | 35   | 43.4  |
| 88848  | 75      | x | 50 | x | 4   | 8000   | 28   | 55.4  |
| 15775  | 75      | x | 50 | x | 5   | 8000   | 24   | 66.8  |
| 88196  | 75      | x | 50 | x | 6   | 8000   | 20   | 77.4  |
| 87829  | 75      | x | 75 | x | 2.5 | 8000   | 30   | 44.5  |
| 87830  | 75      | x | 75 | x | 3   | 8000   | 30   | 52.8  |
| 87831  | 75      | x | 75 | x | 4   | 8000   | 25   | 68    |
| 88197  | 75      | x | 75 | x | 5   | 8000   | 20   | 82.5  |
| 104652 | 75      | x | 75 | x | 6   | 8000   | 16   | 97.3  |
| 89204  | 89      | x | 89 | x | 3.5 | 8000   | 20   | 72.6  |
| 89205  | 89      | x | 89 | x | 5   | 8000   | 16   | 100   |
| 89206  | 89      | x | 89 | x | 6   | 8000   | 12   | 117.6 |

| CODE   | SECTION |   |     |   |     | LENGTH | PACK | KG/PL    |
|--------|---------|---|-----|---|-----|--------|------|----------|
| 89180  | 100     | x | 50  | x | 2   | 8000   | 32   | 36       |
| 88849  | 100     | x | 50  | x | 2.5 | 8000   | 32   | 44.5     |
| 88850  | 100     | x | 50  | x | 3   | 8000   | 32   | 52.8     |
| 88851  | 100     | x | 50  | x | 4   | 8000   | 24   | 68.4     |
| 89182  | 100     | x | 50  | x | 5   | 8000   | 18   | 83.3     |
| 88965  | 100     | x | 50  | x | 6   | 8000   | 15   | 96.1     |
| 88842  | 100     | x | 100 | x | 3   | 8000   | 20   | 71.7     |
| 88843  | 100     | x | 100 | x | 4   | 8000   | 16   | 93.5     |
| 93212  | 100     | x | 100 | x | 4   | 12000  | 12   | 139.2    |
| 104569 | 100     | x | 100 | x | 5   | 8000   | 12   | 113.6    |
| 89896  | 100     | x | 100 | x | 5   | 12000  | 9    | 169.5    |
| 88285  | 100     | x | 100 | x | 6   | 8000   | 12   | 133.6    |
| 90994  | 100     | x | 100 | x | 6   | 12000  | 9    | 200.4    |
| 89208  | 100     | x | 100 | x | 9   | 8000   | 9    | 188      |
| 91750  | 100     | x | 100 | x | 9   | 12000  | 6    | 282      |
| 87832  | 125     | x | 75  | x | 3   | 8000   | 20   | 71.7     |
| 87833  | 125     | x | 75  | x | 4   | 8000   | 15   | 92.8     |
| 16006  | 125     | x | 75  | x | 4   | 12000  | 15   | 140.8    |
| 89024  | 125     | x | 75  | x | 5   | 8000   | 15   | 113.7    |
| 89025  | 125     | x | 75  | x | 6   | 8000   | 12   | 133.6    |
| 15998  | 125     | x | 125 | x | 4   | 8000   | 12   | 118.7    |
| 91751  | 125     | x | 125 | x | 4   | 12000  | 9    | 178.5    |
| 89209  | 125     | x | 125 | x | 5   | 8000   | 9    | 145.7    |
| 16009  | 125     | x | 125 | x | 5   | 12000  | 9    | 218.9    |
| 89210  | 125     | x | 125 | x | 6   | 8000   | 9    | 172.6    |
| 92232  | 125     | x | 125 | x | 6   | 12000  | 6    | 258.9    |
| 90104  | 125     | x | 125 | x | 9   | 8000   | 8    | 244.8    |
| 94879  | 125     | x | 125 | x | 9   | 12000  | 8    | 367.2002 |
| 89183  | 150     | x | 50  | x | 3   | 8000   | 21   | 71.7     |
| 89184  | 150     | x | 50  | x | 4   | 8000   | 15   | 92.8     |
| 89185  | 150     | x | 50  | x | 5   | 8000   | 15   | 114.7    |
| 96768  | 150     | x | 50  | x | 6   | 8000   | 15   | 134.9    |
| 89186  | 150     | x | 100 | x | 4   | 8000   | 12   | 118.4    |
| 91558  | 150     | x | 100 | x | 4   | 12000  | 9    | 177.7    |
| 89187  | 150     | x | 100 | x | 5   | 8000   | 12   | 145.7    |

| CODE   | SECTION |   |     |   |   | LENGTH | PACK | KG/PL |
|--------|---------|---|-----|---|---|--------|------|-------|
| 93734  | 150     | x | 100 | x | 5 | 12000  | 12   | 218.4 |
| 90710  | 150     | x | 100 | x | 6 | 8000   | 9    | 171.2 |
| 131022 | 150     | x | 100 | x | 6 | 12000  | 6    | 256.8 |
| 89188  | 150     | x | 100 | x | 9 | 8000   | 6    | 244.8 |
| 90221  | 150     | x | 100 | x | 9 | 12000  | 4    | 367.2 |
| 89211  | 150     | x | 150 | x | 5 | 8000   | 9    | 176.8 |
| 93056  | 150     | x | 150 | x | 5 | 12000  | 6    | 266   |
| 89212  | 150     | x | 150 | x | 6 | 8000   | 6    | 209.7 |
| 92233  | 150     | x | 150 | x | 6 | 12000  | 6    | 314.4 |
| 20808  | 150     | x | 150 | x | 9 | 8000   | 6    | 303.6 |
| 145235 | 150     | x | 150 | x | 9 | 12000  | 4    | 452   |
| 88980  | 200     | x | 100 | x | 4 | 8000   | 8    | 143.2 |
| 92695  | 200     | x | 100 | x | 4 | 12000  | 6    | 215.1 |
| 89189  | 200     | x | 100 | x | 5 | 8000   | 8    | 176.8 |
| 19620  | 200     | x | 100 | x | 5 | 12000  | 6    | 266.2 |
| 88214  | 200     | x | 100 | x | 6 | 8000   | 8    | 210.3 |
| 131025 | 200     | x | 100 | x | 6 | 12000  | 4    | 314.5 |
| 90146  | 200     | x | 100 | x | 9 | 8000   | 6    | 301.6 |
| 135008 | 200     | x | 100 | x | 9 | 12000  | 4    | 452.4 |
| 89214  | 200     | x | 200 | x | 5 | 8000   | 6    | 239.2 |
| 98580  | 200     | x | 200 | x | 5 | 12000  | 4    | 358.9 |
| 89215  | 200     | x | 200 | x | 6 | 8000   | 4    | 285   |
| 98889  | 200     | x | 200 | x | 6 | 12000  | 4    | 427.3 |
| 135007 | 200     | x | 200 | x | 9 | 8000   | 4    | 414.4 |
| 16017  | 200     | x | 200 | x | 9 | 12000  | 2    | 613.5 |
| 135006 | 250     | x | 150 | x | 5 | 8000   | 6    | 239.2 |
| 134487 | 250     | x | 150 | x | 6 | 8000   | 4    | 284.8 |
| 131024 | 250     | x | 150 | x | 6 | 12000  | 4    | 427.3 |
| 92396  | 250     | x | 150 | x | 9 | 8000   | 4    | 414.5 |
| 103264 | 250     | x | 150 | x | 9 | 12000  | 2    | 621.6 |
| 19649  | 250     | x | 250 | x | 6 | 8000   | 4    | 360   |
| 98615  | 250     | x | 250 | x | 6 | 12000  | 2    | 540.6 |
| 94741  | 250     | x | 250 | x | 9 | 8000   | 2    | 526.6 |
| 16018  | 250     | x | 250 | x | 9 | 12000  | 2    | 787.5 |

## STEEL RANGE

# RHS GALVANISED




| CODE  | SECTION |   |    |   |     | LENGTH | PACK | KG/PL |
|-------|---------|---|----|---|-----|--------|------|-------|
| 89236 | 20      | x | 20 | x | 1.6 | 6500   | 96   | 5.7   |
| 87834 | 25      | x | 25 | x | 1.6 | 6500   | 100  | 7.3   |
| 87835 | 25      | x | 25 | x | 2   | 6500   | 100  | 8.9   |
| 88671 | 25      | x | 25 | x | 2.5 | 6500   | 100  | 10.7  |
| 89237 | 25      | x | 25 | x | 3   | 6500   | 100  | 12.3  |
| 93843 | 30      | x | 30 | x | 1.6 | 6500   | 100  | 9     |
| 89238 | 30      | x | 30 | x | 1.6 | 8000   | 100  | 11.1  |
| 19770 | 30      | x | 30 | x | 2   | 8000   | 100  | 13.5  |
| 89242 | 35      | x | 35 | x | 1.6 | 8000   | 100  | 13.1  |
| 89243 | 35      | x | 35 | x | 2   | 8000   | 100  | 16    |
| 89244 | 35      | x | 35 | x | 2.5 | 8000   | 64   | 19.36 |
| 88672 | 40      | x | 40 | x | 1.6 | 8000   | 81   | 15    |
| 88673 | 40      | x | 40 | x | 2   | 8000   | 81   | 18.5  |
| 88674 | 40      | x | 40 | x | 2.5 | 8000   | 64   | 22.6  |
| 19773 | 40      | x | 40 | x | 3   | 8000   | 64   | 26.4  |
| 88676 | 50      | x | 25 | x | 1.6 | 8000   | 96   | 14    |
| 88677 | 50      | x | 25 | x | 2   | 8000   | 96   | 17.2  |
| 89216 | 50      | x | 25 | x | 2.5 | 8000   | 72   | 21    |
| 89217 | 50      | x | 25 | x | 3   | 8000   | 60   | 24.6  |
| 19227 | 50      | x | 50 | x | 1.6 | 6500   | 64   | 15.5  |
| 88974 | 50      | x | 50 | x | 1.6 | 8000   | 64   | 19    |
| 89247 | 50      | x | 50 | x | 2   | 8000   | 64   | 23.5  |
| 87836 | 50      | x | 50 | x | 2.5 | 8000   | 49   | 28.8  |
| 87837 | 50      | x | 50 | x | 3   | 8000   | 49   | 34    |
| 89248 | 50      | x | 50 | x | 4   | 8000   | 36   | 42.8  |
| 89249 | 50      | x | 50 | x | 5   | 8000   | 30   | 51.2  |
| 89218 | 65      | x | 35 | x | 2   | 8000   | 54   | 23.5  |
| 89219 | 65      | x | 35 | x | 2.5 | 8000   | 54   | 28.8  |
| 89220 | 65      | x | 35 | x | 3   | 8000   | 45   | 34    |
| 89250 | 65      | x | 65 | x | 1.6 | 8000   | 49   | 25.1  |



## RHS GALVANISED

| CODE   | SECTION |   |     |   |     | LENGTH | PACK | KG/PL  |
|--------|---------|---|-----|---|-----|--------|------|--------|
| 130698 | 65      | x | 65  | x | 2   | 8000   | 42   | 31.1   |
| 89252  | 65      | x | 65  | x | 2.5 | 8000   | 42   | 38.3   |
| 90636  | 65      | x | 65  | x | 3   | 8000   | 36   | 45.3   |
| 91231  | 75      | x | 50  | x | 1.6 | 8000   | 54   | 24.1   |
| 88973  | 75      | x | 50  | x | 2   | 8000   | 42   | 29.8   |
| 88678  | 75      | x | 50  | x | 2.5 | 8000   | 42   | 36.7   |
| 88679  | 75      | x | 50  | x | 3   | 8000   | 35   | 43.4   |
| 91627  | 75      | x | 50  | x | 4   | 8000   | 28   | 56.2   |
| 92910  | 75      | x | 75  |   | 2   | 8000   | 30   | 36     |
| 87840  | 75      | x | 75  | x | 2.5 | 8000   | 30   | 44.5   |
| 87838  | 75      | x | 75  | x | 3   | 8000   | 30   | 52.8   |
| 87839  | 75      | x | 75  | x | 4   | 8000   | 25   | 68     |
| 88198  | 75      | x | 75  | x | 5   | 8000   | 20   | 82.5   |
| 19233  | 76      | x | 38  | x | 1.6 | 6100   | 49   | 16.7   |
| 19232  | 76      | x | 38  | x | 1.6 | 7315   | 49   | 20.1   |
| 19239  | 76      | x | 38  | x | 1.6 | 8000   | 49   | 21.8   |
| 89256  | 89      | x | 89  | x | 2   | 8000   | 20   | 43     |
| 92654  | 89      | x | 89  | x | 3.5 | 8000   | 20   | 72.6   |
| 89698  | 89      | x | 89  | x | 5   | 8000   | 16   | 101.44 |
| 92376  | 100     | x | 50  | x | 1.6 | 8000   | 32   | 29.2   |
| 88975  | 100     | x | 50  | x | 2   | 8000   | 32   | 36     |
| 93549  | 100     | x | 50  | x | 2.5 | 8000   | 32   | 44.5   |
| 88682  | 100     | x | 50  | x | 3   | 8000   | 32   | 52.8   |
| 88683  | 100     | x | 50  | x | 4   | 8000   | 24   | 68     |
| 89226  | 100     | x | 50  | x | 5   | 8000   | 18   | 80     |
| 97814  | 100     | x | 100 | x | 2   | 8000   | 20   | 48.4   |
| 97815  | 100     | x | 100 | x | 2.5 | 8000   | 20   | 59.9   |
| 87841  | 100     | x | 100 | x | 3   | 8000   | 20   | 71.7   |
| 87842  | 100     | x | 100 | x | 4   | 8000   | 16   | 93.9   |
| 89259  | 100     | x | 100 | x | 5   | 8000   | 12   | 115.3  |
| 97819  | 125     | x | 75  | x | 2.5 | 8000   | 24   | 60     |
| 87843  | 125     | x | 75  | x | 3   | 8000   | 20   | 71.7   |
| 87844  | 125     | x | 75  | x | 4   | 8000   | 15   | 92.8   |
| 92904  | 125     | x | 125 | x | 4   | 8000   | 12   | 119    |
| 92919  | 125     | x | 125 | x | 5   | 8000   | 12   | 146    |
| 91902  | 150     | x | 50  | x | 2   | 8000   | 21   | 48.4   |
| 92903  | 150     | x | 50  | x | 2.5 | 8000   | 24   | 60     |
| 89228  | 150     | x | 50  | x | 3   | 8000   | 21   | 71.7   |
| 89229  | 150     | x | 50  | x | 4   | 8000   | 15   | 92.8   |
| 89230  | 150     | x | 50  | x | 5   | 8000   | 15   | 113.6  |

## STEEL RANGE FLAT BAR



| CODE   | SECTION |   |   | LENGTH | KG/PL |
|--------|---------|---|---|--------|-------|
| 15870  | 20      | x | 3 | 6000   | 2.9   |
| 87291  | 25      | x | 3 | 6000   | 3.7   |
| 87292  | 32      | x | 3 | 6000   | 4.7   |
| 87293  | 40      | x | 3 | 6000   | 6     |
| 87294  | 50      | x | 3 | 6000   | 7.3   |
| 159238 | 20      | x | 5 | 6000   | 4.9   |
| 159319 | 25      | x | 5 | 6000   | 5.9   |
| 159320 | 32      | x | 5 | 6000   | 7.6   |
| 159321 | 40      | x | 5 | 6000   | 9.5   |
| 159322 | 50      | x | 5 | 6000   | 11.8  |
| 159323 | 65      | x | 5 | 6000   | 15.3  |
| 159324 | 75      | x | 5 | 6000   | 17.7  |
| 155797 | 100     | x | 5 | 6000   | 23.6  |
| 159325 | 150     | x | 5 | 6000   | 35.4  |
| 159327 | 25      | x | 6 | 6000   | 7.1   |
| 159328 | 32      | x | 6 | 6000   | 9.1   |
| 156932 | 40      | x | 6 | 6000   | 11.3  |
| 159329 | 50      | x | 6 | 6000   | 14.2  |
| 159330 | 65      | x | 6 | 6000   | 18.4  |
| 156016 | 75      | x | 6 | 6000   | 21.2  |
| 159331 | 90      | x | 6 | 6000   | 25.5  |
| 159332 | 100     | x | 6 | 6000   | 28.3  |
| 157203 | 110     | x | 6 | 6000   | 31.1  |
| 159333 | 130     | x | 6 | 6000   | 36.8  |
| 159334 | 150     | x | 6 | 6000   | 42.5  |
| 159335 | 180     | x | 6 | 6000   | 50.1  |
| 155800 | 200     | x | 6 | 6000   | 56.6  |
| 159336 | 250     | x | 6 | 6000   | 70.8  |
| 159337 | 300     | x | 6 | 6000   | 84.6  |

| CODE   | SECTION |   |    | LENGTH | KG/PL |
|--------|---------|---|----|--------|-------|
| 159338 | 25      | x | 8  | 6000   | 9.5   |
| 159339 | 32      | x | 8  | 6000   | 12.1  |
| 156933 | 40      | x | 8  | 6000   | 15.1  |
| 157248 | 50      | x | 8  | 6000   | 18.9  |
| 157246 | 65      | x | 8  | 6000   | 24.5  |
| 157520 | 75      | x | 8  | 6000   | 28.3  |
| 159340 | 90      | x | 8  | 6000   | 33.9  |
| 159341 | 100     | x | 8  | 6000   | 37.7  |
| 159342 | 110     | x | 8  | 6000   | 41.5  |
| 159343 | 130     | x | 8  | 6000   | 49    |
| 157244 | 150     | x | 8  | 6000   | 56.6  |
| 159344 | 200     | x | 8  | 6000   | 75.6  |
| 159345 | 250     | x | 8  | 6000   | 94.2  |
| 159346 | 300     | x | 8  | 6000   | 112.8 |
| 159347 | 20      | x | 10 | 6000   | 9.5   |
| 159348 | 25      | x | 10 | 6000   | 11.8  |
| 159349 | 32      | x | 10 | 6000   | 15.1  |
| 159350 | 40      | x | 10 | 6000   | 18.9  |
| 157242 | 50      | x | 10 | 6000   | 23.6  |
| 156931 | 65      | x | 10 | 6000   | 30.6  |
| 156665 | 75      | x | 10 | 6000   | 35.4  |
| 157521 | 90      | x | 10 | 6000   | 42.4  |
| 155734 | 100     | x | 10 | 6000   | 47.1  |
| 159351 | 110     | x | 10 | 6000   | 51.9  |
| 159471 | 130     | x | 10 | 6000   | 61.2  |
| 157201 | 150     | x | 10 | 6000   | 70.8  |
| 159352 | 180     | x | 10 | 6000   | 84.6  |
| 157522 | 200     | x | 10 | 6000   | 94.2  |
| 159353 | 250     | x | 10 | 6000   | 117.6 |
| 159354 | 300     | x | 10 | 6000   | 141.6 |
| 159355 | 25      | x | 12 | 6000   | 14.2  |
| 159356 | 40      | x | 12 | 6000   | 22.7  |
| 159357 | 50      | x | 12 | 6000   | 28.3  |
| 159358 | 65      | x | 12 | 6000   | 36.8  |
| 159359 | 75      | x | 12 | 6000   | 42.4  |
| 159360 | 90      | x | 12 | 6000   | 50.9  |
| 159361 | 100     | x | 12 | 6000   | 56.6  |
| 159362 | 110     | x | 12 | 6000   | 62.4  |
| 159363 | 130     | x | 12 | 6000   | 73.2  |
| 157238 | 150     | x | 12 | 6000   | 84.6  |
| 159364 | 180     | x | 12 | 6000   | 102   |
| 157523 | 200     | x | 12 | 6000   | 112.8 |
| 159365 | 250     | x | 12 | 6000   | 141.6 |
| 159366 | 300     | x | 12 | 6000   | 169.8 |

## FLAT BAR


| CODE   | SECTION |   |    | LENGTH | KG/PL |
|--------|---------|---|----|--------|-------|
| 160430 | 40      | x | 16 | 6000   | 30.2  |
| 159367 | 50      | x | 16 | 6000   | 37.7  |
| 159368 | 65      | x | 16 | 6000   | 49    |
| 159369 | 75      | x | 16 | 6000   | 56.6  |
| 159370 | 100     | x | 16 | 6000   | 75.6  |
| 159485 | 130     | x | 16 | 6000   | 97.8  |
| 157250 | 150     | x | 16 | 6000   | 112.8 |
| 159486 | 180     | x | 16 | 6000   | 139.1 |
| 159487 | 200     | x | 16 | 6000   | 154.5 |
| 159488 | 250     | x | 16 | 6000   | 193.2 |
| 159489 | 300     | x | 16 | 6000   | 231.8 |
| 159371 | 40      | x | 20 | 6000   | 37.68 |
| 155801 | 50      | x | 20 | 6000   | 47.1  |
| 159372 | 65      | x | 20 | 6000   | 61.2  |
| 159373 | 75      | x | 20 | 6000   | 70.8  |
| 159374 | 100     | x | 20 | 6000   | 94.2  |
| 159375 | 130     | x | 20 | 6000   | 122.4 |
| 156196 | 150     | x | 20 | 6000   | 141.6 |
| 159490 | 180     | x | 20 | 6000   | 173.8 |
| 159491 | 200     | x | 20 | 6000   | 193.2 |
| 159470 | 250     | x | 20 | 6000   | 241.4 |
| 159493 | 300     | x | 20 | 6000   | 289.7 |
| 159494 | 50      | x | 25 | 6000   | 58.9  |
| 159496 | 75      | x | 25 | 6000   | 88.2  |
| 159376 | 100     | x | 25 | 6000   | 117.6 |
| 159377 | 130     | x | 25 | 6000   | 153   |
| 159378 | 150     | x | 25 | 6000   | 176.4 |
| 159500 | 200     | x | 25 | 6000   | 241.4 |
| 159498 | 250     | x | 25 | 6000   | 301.8 |
| 159499 | 300     | x | 25 | 6000   | 362.1 |

## DURAGAL FLAT

| CODE   | SECTION |   |   | LENGTH | KG/PL |
|--------|---------|---|---|--------|-------|
| 95040  | 50      | x | 4 | 6000   | 8.94  |
| 142174 | 50      | x | 5 | 6000   | 11.04 |



# STEEL RANGE ANGLES



| CODE   | SECTION |   |     |   |   | LENGTH | KG/PL |
|--------|---------|---|-----|---|---|--------|-------|
| 87003  | 25      | x | 25  | x | 3 | 7500   | 8.4   |
| 159285 | 30      | x | 30  | x | 3 | 7500   | 10.2  |
| 157249 | 40      | x | 40  | x | 3 | 7500   | 13.8  |
| 157247 | 50      | x | 50  | x | 3 | 7500   | 17.4  |
| 159287 | 50      | x | 50  | x | 3 | 9000   | 20.8  |
| 159288 | 25      | x | 25  | x | 5 | 7500   | 12.4  |
| 161678 | 30      | x | 30  | x | 5 | 7500   | 15.1  |
| 159289 | 40      | x | 40  | x | 5 | 7500   | 20.5  |
| 157202 | 50      | x | 50  | x | 5 | 7500   | 26.1  |
| 159293 | 50      | x | 50  | x | 5 | 9000   | 31.4  |
| 159296 | 65      | x | 65  | x | 5 | 9000   | 41.1  |
| 159297 | 75      | x | 50  | x | 5 | 7500   | 33    |
| 155736 | 75      | x | 50  | x | 5 | 9000   | 39.6  |
| 159298 | 75      | x | 75  | x | 5 | 9000   | 47.5  |
| 159305 | 40      | x | 40  | x | 6 | 7500   | 26.3  |
| 159306 | 50      | x | 50  | x | 6 | 7500   | 33.5  |
| 157245 | 50      | x | 50  | x | 6 | 9000   | 40.2  |
| 20539  | 65      | x | 65  | x | 6 | 7500   | 44.20 |
| 156201 | 65      | x | 65  | x | 6 | 9000   | 52.90 |
| 159307 | 75      | x | 50  | x | 6 | 7500   | 42.7  |
| 157243 | 75      | x | 50  | x | 6 | 9000   | 51    |
| 159442 | 75      | x | 75  | x | 6 | 7500   | 51.08 |
| 157200 | 75      | x | 75  | x | 6 | 9000   | 61.3  |
| 157239 | 75      | x | 75  | x | 6 | 12000  | 81.8  |
| 159309 | 90      | x | 90  | x | 6 | 9000   | 74    |
| 159308 | 90      | x | 90  | x | 6 | 12000  | 98.7  |
| 155946 | 100     | x | 75  | x | 6 | 9000   | 71.9  |
| 155911 | 100     | x | 75  | x | 6 | 12000  | 95.8  |
| 159299 | 100     | x | 100 | x | 6 | 12000  | 110   |
| 159301 | 125     | x | 75  | x | 6 | 12000  | 110   |
| 163116 | 50      | x | 50  | x | 8 | 7500   | 42.6  |
| 159314 | 50      | x | 50  | x | 8 | 9000   | 51.2  |
| 156200 | 65      | x | 65  | x | 8 | 9000   | 67.6  |
| 19382  | 75      | x | 50  | x | 8 | 7500   | 54.3  |
| 159315 | 75      | x | 50  | x | 8 | 9000   | 65.1  |
| 156450 | 75      | x | 75  | x | 8 | 9000   | 78.6  |
| 159316 | 75      | x | 75  | x | 8 | 12000  | 107   |


# ANGLES

|        |     |   |     |   |    |       |          |
|--------|-----|---|-----|---|----|-------|----------|
| 159317 | 90  | x | 90  | x | 8  | 12000 | 127.2    |
| 159311 | 100 | x | 75  | x | 8  | 9000  | 92.7     |
| 159310 | 100 | x | 75  | x | 8  | 12000 | 123.7    |
| 155964 | 100 | x | 100 | x | 8  | 9000  | 106.2    |
| 156241 | 100 | x | 100 | x | 8  | 12000 | 141.6    |
| 159313 | 125 | x | 75  | x | 8  | 9000  | 106.2    |
| 159312 | 125 | x | 75  | x | 8  | 12000 | 141.6    |
| 160423 | 125 | x | 125 | x | 8  | 9000  | 134.1    |
| 155874 | 125 | x | 125 | x | 8  | 12000 | 178.8    |
| 159461 | 150 | x | 90  | x | 8  | 9000  | 128.7    |
| 159443 | 150 | x | 90  |   | 8  | 12000 | 170.4    |
| 157118 | 65  | x | 65  | x | 10 | 9000  | 81.2     |
| 155795 | 75  | x | 75  | x | 10 | 9000  | 94.5     |
| 159279 | 75  | x | 75  | x | 10 | 12000 | 126      |
| 159280 | 90  | x | 90  | x | 10 | 12000 | 152.5    |
| 159276 | 100 | x | 75  | x | 10 | 9000  | 111.6    |
| 159275 | 100 | x | 75  | x | 10 | 12000 | 148.8    |
| 159444 | 100 | x | 100 | x | 10 | 9000  | 127.8    |
| 159274 | 100 | x | 100 | x | 10 | 12000 | 170.4    |
| 159278 | 125 | x | 75  | x | 10 | 9000  | 127.8    |
| 159277 | 125 | x | 75  | x | 10 | 12000 | 170.4    |
| 159452 | 125 | x | 125 | x | 10 | 9000  | 162      |
| 159445 | 125 | x | 125 | x | 10 | 12000 | 216      |
| 160425 | 150 | x | 90  | x | 10 | 12000 | 207.70   |
| 159453 | 150 | x | 100 | x | 10 | 12000 | 216.4    |
| 159579 | 150 | x | 150 | x | 10 | 12000 | 262.8    |
| 159281 | 100 | x | 100 | x | 12 | 12000 | 212.4    |
| 159456 | 125 | x | 125 | x | 12 | 12000 | 264.3    |
| 159459 | 150 | x | 90  | x | 12 | 12000 | 259.2    |
| 160434 | 150 | x | 100 | x | 12 | 12000 | 270      |
| 159458 | 150 | x | 150 | x | 12 | 12000 | 327.6    |
| 149433 | 125 | x | 125 | x | 16 | 12000 | 349.1998 |
| 159460 | 150 | x | 150 | x | 16 | 12000 | 425      |
| 160435 | 200 | x | 200 | x | 13 | 12000 | 480      |
| 104908 | 200 | x | 200 | x | 16 | 12000 | 584.4    |

## DURAGAL ANGLES

| CODE   |    |   | SECTION |   |     | LENGTH | KG/PL |
|--------|----|---|---------|---|-----|--------|-------|
| 91226  | 30 | x | 30      | x | 2.5 | 6000   | 6.4   |
| 90369  | 40 | x | 40      | x | 2.5 | 6000   | 8.6   |
| 20916  | 50 | x | 50      | x | 2.5 | 6000   | 10.9  |
| 92348  | 40 | x | 40      | x | 4   | 6000   | 13.2  |
| 20961  | 50 | x | 50      | x | 4   | 6000   | 16.8  |
| 90350  | 50 | x | 50      | x | 4   | 9000   | 25.2  |
| 88213  | 50 | x | 50      | x | 5   | 6000   | 20.6  |
| 132103 | 50 | x | 50      | x | 5   | 9000   | 30.8  |
| 93223  | 75 | x | 75      | x | 5   | 9000   | 47.34 |

## STEEL RANGE SOLID BAR



### ROUND

| CODE   | SECTION | LENGTH | KG/PL |
|--------|---------|--------|-------|
| 15289  | 6.3GAL  | 6000   | 1.6   |
| 88384  | 6       | 6000   | 1.4   |
| 88160  | 8       | 6000   | 2.4   |
| 159379 | 10      | 6000   | 3.7   |
| 159380 | 12      | 6000   | 5.5   |
| 159381 | 14      | 6000   | 7.3   |
| 155738 | 16      | 6000   | 9.5   |
| 157112 | 20      | 6000   | 14.8  |
| 159384 | 24      | 6000   | 21.3  |
| 159385 | 30      | 6000   | 33.3  |
| 160426 | 36      | 6000   | 48    |

### SQUARE

| CODE   | SECTION | LENGTH | KG/PL |
|--------|---------|--------|-------|
| 159388 | 10      | 6000   | 4.8   |
| 159389 | 12      | 6000   | 6.8   |
| 159390 | 16      | 6000   | 12.1  |
| 155803 | 20      | 6000   | 18.9  |
| 159391 | 25      | 6000   | 29.5  |
| 159392 | 40      | 6000   | 75    |

### DEFORM BAR

| CODE  | SECTION | LENGTH | KG/PL |
|-------|---------|--------|-------|
| 99323 | 12      | 6000   | 5.4   |
| 99324 | 16      | 6000   | 9.5   |
| 99325 | 20      | 6000   | 14.9  |

## STEEL RANGE BLACK PIPE



| CODE  | N.B | SIZE | O.D   | WALL | LENGTH | SLING | KG/LG |
|-------|-----|------|-------|------|--------|-------|-------|
| 89768 | 15  | Med  | 21.3  | 2.3  | 6500   | 217   | 7.9   |
| 88995 | 20  | Med  | 26.9  | 2.6  | 6500   | 127   | 10.2  |
| 88546 | 25  | Med  | 33.7  | 3.2  | 6500   | 91    | 15.7  |
| 89087 | 25  | Hvy  | 33.7  | 4    | 6500   | 91.00 | 19.11 |
| 88547 | 32  | Med  | 42.4  | 3.2  | 6500   | 61    | 20.2  |
| 89130 | 32  | Hvy  | 42.4  | 4.0  | 6500   | 61    | 24.7  |
| 88193 | 40  | Med  | 48.3  | 3.2  | 6500   | 61    | 23.3  |
| 88729 | 40  | Hvy  | 48.3  | 4.0  | 6500   | 61    | 28.5  |
| 88548 | 50  | Med  | 60.3  | 3.6  | 6500   | 37    | 32.7  |
| 88730 | 50  | Hvy  | 60.3  | 4.5  | 6500   | 37    | 40.2  |
| 88549 | 65  | Med  | 76.1  | 3.6  | 6500   | 37    | 41.8  |
| 88550 | 80  | Med  | 88.9  | 4.0  | 6500   | 19    | 54.5  |
| 88300 | 90  | Med  | 101.6 | 4.0  | 6500   | 19    | 62.6  |
| 89140 | 90  | Hvy  | 101.6 | 5.0  | 6500   | 19    | 77.4  |
| 88301 | 100 | Med  | 114.3 | 4.5  | 6500   | 19    | 79.4  |
| 89145 | 125 | Med  | 139.7 | 5.0  | 6500   | 13    | 107.9 |
| 89149 | 150 | Med  | 165.1 | 5.0  | 6500   | 10    | 128.1 |

# STEEL RANGE GALVANISED

## PIPE


| CODE  | N.B | SIZE | O.D   | WALL | LENGTH | SLING | KG/LG |
|-------|-----|------|-------|------|--------|-------|-------|
| 88561 | 15  | Med  | 21.3  | 2.6  | 6500   | 217   | 8.2   |
| 88506 | 20  | XLT  | 26.9  | 2.0  | 6500   | 127   | 8.5   |
| 86991 | 20  | Med  | 26.9  | 2.6  | 6500   | 127   | 10.6  |
| 86987 | 25  | XLT  | 33.7  | 2.0  | 6500   | 91    | 10.8  |
| 86992 | 25  | Med  | 33.7  | 3.2  | 6500   | 91    | 16.4  |
| 86988 | 32  | XLT  | 42.4  | 2.0  | 6500   | 61    | 13.8  |
| 86993 | 32  | Med  | 42.4  | 3.2  | 6500   | 61    | 21.0  |
| 86989 | 40  | XLT  | 48.3  | 2.3  | 6500   | 61    | 17.9  |
| 86994 | 40  | Med  | 48.3  | 3.2  | 6500   | 61    | 24.1  |
| 15636 | 40  | Hvy  | 48.3  | 3.2  | 6500   | 61    | 28.0  |
| 86990 | 50  | XLT  | 60.3  | 2.9  | 6500   | 37    | 22.6  |
| 86995 | 50  | Med  | 60.3  | 3.6  | 6500   | 37    | 33.9  |
| 86996 | 65  | Med  | 76.1  | 3.6  | 6500   | 37    | 43.3  |
| 93760 | 80  | XLT  | 88.9  | 2.6  | 6500   | 19    | 36.3  |
| 86997 | 80  | Med  | 88.9  | 4.0  | 6500   | 19    | 56.1  |
| 89769 | 90  | Med  | 101.6 | 4.0  | 6500   | 19    | 64.7  |
| 86999 | 100 | Med  | 114.3 | 4.5  | 6500   | 19    | 81.3  |
| 89846 | 125 | Med  | 139.7 | 5.0  | 6500   | 13    | 109.9 |
| 87000 | 150 | Med  | 165.1 | 5.0  | 6500   | 10    | 132.0 |





## STEEL RANGE

## PLATE GRADE 250



\* ALL PLATE PRICING P.O.A.\*

| CODE   | GRADE | THICK | PLATE SIZE |   |      | WEIGHT |
|--------|-------|-------|------------|---|------|--------|
| 133338 | 250   | 5.00  | 1800       | x | 6000 | 424    |
| 47041  | 250   | 5.00  | 2400       | x | 6000 | 565    |
| 132167 | 250   | 5.00  | 2400       | x | 9000 | 848    |
| 132166 | 250   | 5.00  | 3000       | x | 9000 | 1060   |
| 45956  | 250   | 6.00  | 1800       | x | 6000 | 509    |
| 112345 | 250   | 6.00  | 2400       | x | 6000 | 678    |
| 47588  | 250   | 6.00  | 2400       | x | 9000 | 1017   |
| 47695  | 250   | 6.00  | 3000       | x | 9000 | 1272   |
| 47701  | 250   | 8.00  | 1800       | x | 6000 | 678    |
| 4853   | 250   | 8.00  | 2400       | x | 6000 | 904    |
| 4854   | 250   | 8.00  | 2400       | x | 9000 | 1356   |
| 4855   | 250   | 8.00  | 3000       | x | 9000 | 1696   |
| 46164  | 250   | 10.00 | 1800       | x | 6000 | 848    |
| 46230  | 250   | 10.00 | 2400       | x | 6000 | 1130   |
| 91205  | 250   | 10.00 | 2400       | x | 9000 | 1696   |
| 88516  | 250   | 10.00 | 3000       | x | 9000 | 2119   |
| 4860   | 250   | 12.00 | 1800       | x | 6000 | 1017   |
| 46206  | 250   | 12.00 | 2400       | x | 6000 | 1356   |
| 4864   | 250   | 12.00 | 2400       | x | 9000 | 2035   |
| 4866   | 250   | 12.00 | 3000       | x | 9000 | 2543   |

## STEEL RANGE

# PLATE GRADE 250

\* ALL PLATE PRICING P.O.A.\*

| CODE   | GRADE | THICK | PLATE SIZE |   |      | WEIGHT |
|--------|-------|-------|------------|---|------|--------|
| 4867   | 250   | 16.00 | 1800       | x | 6000 | 1356   |
| 4868   | 250   | 16.00 | 2400       | x | 6000 | 1809   |
| 4869   | 250   | 16.00 | 2400       | x | 9000 | 2713   |
| 112398 | 250   | 16.00 | 3000       | x | 9000 | 3391   |
| 4871   | 250   | 20.00 | 1800       | x | 6000 | 1696   |
| 112405 | 250   | 20.00 | 2400       | x | 6000 | 2261   |
| 91512  | 250   | 20.00 | 2400       | x | 9000 | 3391   |
| 112408 | 250   | 20.00 | 3000       | x | 9000 | 4239   |
| 112415 | 250   | 25.00 | 1800       | x | 6000 | 2119   |
| 112418 | 250   | 25.00 | 2400       | x | 6000 | 2826   |
| 51092  | 250   | 25.00 | 2400       | x | 9000 | 4239   |
| 112419 | 250   | 25.00 | 3000       | x | 9000 | 5299   |
| 47549  | 250   | 28.00 | 2400       | x | 6000 | 3165   |
| 132333 | 250   | 28.00 | 2400       | x | 9000 | 4748   |
| 46216  | 250   | 32.00 | 1800       | x | 6000 | 2713   |
| 46217  | 250   | 32.00 | 2400       | x | 6000 | 3617   |
| 64501  | 250   | 32.00 | 2400       | x | 9000 | 5426   |
| 47582  | 250   | 32.00 | 3000       | x | 9000 | 6782   |
| 47577  | 250   | 36.00 | 2400       | x | 6000 | 4069   |
| 105306 | 250   | 36.00 | 2400       | x | 9000 | 6104   |
| 112424 | 250   | 40.00 | 1800       | x | 6000 | 3391   |
| 112425 | 250   | 40.00 | 2400       | x | 6000 | 4522   |
| 46219  | 250   | 40.00 | 2400       | x | 9000 | 6782   |
| 50189  | 250   | 45.00 | 2400       | x | 6000 | 5087   |
| 132332 | 250   | 45.00 | 2400       | x | 9000 | 7630   |
| 4887   | 250   | 50.00 | 1800       | x | 6000 | 4239   |
| 112427 | 250   | 50.00 | 2400       | x | 6000 | 5652   |
| 20470  | 250   | 50.00 | 2400       | x | 9000 | 8478   |

## STEEL RANGE

## PLATE GRADE 350




\* ALL PLATE PRICING P.O.A.\*

| CODE   | GRADE | THICK | PLATE SIZE |   |      | WEIGHT |
|--------|-------|-------|------------|---|------|--------|
| 47041  | 350   | 5.00  | 2400       | x | 6000 | 565    |
| 132167 | 350   | 5.00  | 2400       | x | 9000 | 848    |
| 132166 | 350   | 5.00  | 3000       | x | 9000 | 1060   |
| 20112  | 350   | 6.00  | 2400       | x | 9600 | 1085   |
| 87901  | 350   | 8.00  | 2400       | x | 9600 | 1447   |
| 47616  | 350   | 10.00 | 2400       | x | 6000 | 1130   |
| 91221  | 350   | 10.00 | 2400       | x | 9600 | 1809   |
| 132329 | 350   | 10.00 | 3100       | x | 9600 | 2336   |
| 47803  | 350   | 12.00 | 2400       | x | 6000 | 1356   |
| 91223  | 350   | 12.00 | 2400       | x | 9600 | 2170   |
| 132328 | 350   | 12.00 | 3100       | x | 9600 | 2803   |
| 90794  | 350   | 16.00 | 2400       | x | 6000 | 1809   |
| 91222  | 350   | 16.00 | 2400       | x | 9600 | 2894   |
| 105028 | 350   | 16.00 | 3100       | x | 9600 | 3738   |
| 112446 | 350   | 20.00 | 2400       | x | 6000 | 2261   |
| 20025  | 350   | 20.00 | 2400       | x | 9600 | 3617   |
| 132327 | 350   | 20.00 | 3100       | x | 9600 | 4672   |
| CODE   | GRADE | THICK | PLATE SIZE |   |      | WEIGHT |
| 112450 | 350   | 25.00 | 2400       | x | 6000 | 2826   |
| 100790 | 350   | 25.00 | 2400       | x | 9600 | 4522   |
| 47690  | 350   | 32.00 | 2400       | x | 6000 | 3617   |
| 50359  | 350   | 32.00 | 2400       | x | 9600 | 5788   |
| 47691  | 350   | 40.00 | 2400       | x | 6000 | 4522   |
| 20741  | 350   | 40.00 | 2400       | x | 7600 | 5727   |
| 47615  | 350   | 50.00 | 2400       | x | 6000 | 5652   |
| 132326 | 350   | 50.00 | 2400       | x | 7600 | 7159   |

## FLOOR PLATE

| CODE   | THICK | PLATE SIZE |   |      | WEIGHT |
|--------|-------|------------|---|------|--------|
| 112335 | 5.00  | 1500       | x | 6000 | 371.3  |
| 20130  | 6.00  | 1500       | x | 6000 | 442.5  |


## TAKE NOTE



**TAKE NOTE**



## TAKE NOTE



**TAKE NOTE**

## EXPERIENCE OUR CONSULTING, DESIGN AND ENGINEERING SERVICE

Projects and the associated challenges often require custom solutions which our CDEC system facilitates. Consultation, Design, Engineering and Construction is our holistic approach to solution development, making maintenance on-site safe, efficient, and easy.



### CONSULTATION

We come to you and visit your site to get a hands-on feel for your project. The aim of our consultation is to listen to and understand your requirements. If the project requires it, our 3D scanning capabilities will streamline measurement and data capture. This approach allows us to discuss your problem on-site, possible solutions, and the benefits we can offer.



### DESIGN

After the consultation we go back to our design team to begin the development of your custom solution. Our team produce designs in CAD Design complete with all drafting documentation ensuring an advanced manufacturing process.



### ENGINEERING

Once the design is approved, we begin the engineering process. This ensures that the right material grade is used for your project to guarantee structural and functional integrity. We provide full certification that includes WLL, load ratings, integrity reports as well as certification plates and identifications. We design and engineer all our solutions to ensure full compliance with Australian standards.

Our engineering department includes 9 draftsman and 14 engineers. We are experienced in the design and development of complex mechanical engineering analysis and solutions.



### CONSTRUCTION AND FABRICATION

Our industry leading 10000 sq/m facility in Welshpool, Western Australia is armed with highly qualified consulting, drafting, engineering and fabrication personnel dedicated to manufacturing precision, engineered high performance industrial solutions.

