

# UV INKJET MEDIA STOCK LIST




Wausau Coated offers an assortment of pressure sensitive roll products that are engineered specifically for UV Inkjet presses. Select from a variety of paper, film or specialty facestocks to fit your specific needs. We continue to expand our digital product offerings and work closely with OEMs (Original Equipment Manufacturers) to ensure that our products will consistently perform to your expectations.

The items listed are stocked and available for immediate shipment with a low minimum order quantity. Trial rolls are available and recommended to determine the suitability of any product for a particular application. In addition to our stocked items, we can mix and match many of our facestocks with various adhesive technologies and liner options.

For more information about our line of UV Inkjet media visit [wausaucoated.com](http://wausaucoated.com) or contact our Customer Solutions Team at **800-345-8039**.



A  signifies an environmentally friendly facestock.

WAREHOUSES: WI = Wausau, Wisconsin    NV = Las Vegas, Nevada    GA = Roopville, Georgia    MX = Gacela, Mexico

# UV INKJET ROLL STOCK LIST



| No.                      | Eco | Wt.   | Facestock  | Adh.   | Liner                               | Catalog# | No Trim |
|--------------------------|-----|-------|--|--------|-------------------------------------|----------|---------|
| <b>Paper &amp; Foils</b> |     |       |  |        |                                     |          |         |
| 1                        |     | 55#   | Digital White Semi Gloss, FSC® Certified                                     | 245    | 40#                                 | W015353  | ✓       |
| 2                        |     | 60#   | Semi Gloss, FSC® Certified   | 241    | 40#                                 | W039003  |         |
| 3                        |     | 60#   | Matte  | H-318  | 44# PK                              | W030279  |         |
| 4                        |     | 60#   | Matte w/ Wet Strength  | H-318  | 44# PK                              | W027759  |         |
|                          |     |       |  |        | 1.2 mil PET                         | W027823  |         |
| 5                        |     | 60#   | Estate Label® #4 w/ Wet Strength, FSC® Certified                             | H-318  | 44# PK                              | W027827  | ✓       |
| 6                        |     | 60#   | Estate Label® #8 w/ Wet Strength, FSC® Certified                             | H-318  | 44# PK                              | W026462  | ✓       |
|                          |     |       |  |        | 1.2 mil PET                         | W025550  | ✓       |
|                          |     | 60#   | Estate Label® #8 TC w/ Wet Strength, FSC® Certified                          | H-318  | 1.2 mil PET                         | W034339  |         |
| 7                        |     | 60#   | Estate Label® #9 w/ Wet Strength, FSC® Certified                             | H-318  | 44# PK                              | W027834  | ✓       |
| 8                        |     | 70#   | Bright White Felt 30% PCW w/ Wet Strength, FSC® Certified                    | H-318  | 44# PK                              | W026460  | ✓       |
|                          |     |       | Bright White Felt TC 30% PCW w/ Wet Strength, FSC® Certified                 |        | 1.2 mil PET                         | W026970  | ✓       |
|                          |     |       |  |        | 1.2 mil PET                         | W034338  |         |
| 9                        |     | 70#   | Eggshell Felt 30% PCW, w/ Wet Strength, FSC® Certified                       | H-318  | 44# PK                              | W027650  | ✓       |
| 10                       |     | 60#   | Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified          | H-318  | 1.2 mil PET                         | W027846  | ✓       |
| 11                       |     | 85#   | Ever Opaque® XL - Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | PW-831 | 1.2 mil PET                         | W029153  | ✓       |
| 12                       |     | 63#   | Bright Silver Metalized Paper  | 241    | 40#                                 | W012035  |         |
| 14                       |     | 3 mil | Gloss VersaPly®, FSC® Certified  | H-311  | 80#                                 | W023826  |         |
|                          |     |       |  | R-214  | 80#                                 | W035231  |         |
| 15                       |     | 3 mil | MTX VersaPly®, FSC® Certified  | H-311  | 3 mil MTX VersaPly®, FSC® Certified | W029112  |         |

# UV INKJET ROLL STOCK LIST



| No.                              | Eco | Wt.     | Facestock                                | Adh.    | Liner            | Catalog# | No Trim |
|----------------------------------|-----|---------|--|---------|------------------|----------|---------|
| <b>Film &amp; Specialty Film</b> |     |         |  |         |                  |          |         |
| 16                               |     | 2.3 mil | TC White Polypropylene                   | AT-2060 | 40#              | W027926  |         |
| 17                               |     | 2.6 mil | TC White Polypropylene                   | AT-2060 | 40#              | W027927  |         |
|                                  |     |         |  |         | 1.2 mil PET      | W029462  |         |
|                                  |     |         |  |         | 80# (3/4" Score) | W038223  |         |
|                                  |     |         |  |         | 6 mil Layflat    | W034394  |         |
|                                  |     |         |  |         | 44# PK           | W029463  |         |
|                                  |     |         |  | PCT-524 | 40#              | W029464  |         |
|                                  |     |         |  | R-218   | 40#              | W035316  |         |
|                                  |     |         | P-592                                    | 40#     | W036193          |          |         |
| 18                               |     | 3.4 mil | TC White Matte Flexible Vinyl            | SP-920  | 40#              | W029692  |         |
| 19                               |     | 2 mil   | TC Metalized Polypropylene               | AT-2060 | 40#              | W025420  |         |
|                                  |     |         |  |         | 50#              | W028783  |         |
|                                  |     |         |  |         | 1.2 mil PET      | W026292  |         |
| 20                               |     | 1.9 mil | TC Clear Polypropylene                   | AT-2060 | 40#              | W034118  |         |
| 21                               |     | 2 mil   | TC Clear Polypropylene                   | CP-300  | 1.2 mil PET      | W026027  |         |
| 22                               |     | 2 mil   | Clear Polyester                          | CP-300  | 50#              | W013956  |         |
| 23                               |     | 2 mil   | TC Rainbow Holographic PET 30% PCR       | AT-2060 | 1.2 mil PET      | W035556  |         |
|                                  |     |         | Shimless Rainbow PET Hologram w/ 30% PCR |         | 40#              | W020658  |         |

Ever Opaque® XL and VersaPly® are registered trademarks of Wausau Coated Products, Inc.  
 Estate Label®, Classic Crest®, and Classic® Linen are registered trademarks of Neenah, Inc.  
 Look for our FSC®-certified products  
 FSC® is a registered trademark of the Forest Stewardship Council® FSC® C008943

\*2 mil Shimless Rainbow Holographic Film w/ 30% PCR has standard print treatment, suitable for ILP/Indigo presses and most Flexo presses. Enhanced Print Treated Film is available for all Flexo printing presses on a custom basis.

### No Trim Program Guidelines

- Roll length can vary by +/- 5%
- **Minimum Order Quantity** - 1 roll x 2,500 lf, and/or 5,000 or 10,000 lf
  - **Minimum width** - 4" roll
  - 1 splice per 2,500 - 5,000 lf
- Palletizing is Customer Preference

**Warehouse availability, master widths, and minimum order quantities are available upon quote.  
 For more information, please reach out to our Customer Solutions Specialists at 800-345-8039.**

WAREHOUSE LOCATIONS: Wausau, Wisconsin | Las Vegas, Nevada | Roopville, Georgia | Mexico City, Mexico

# UV INKJET DOMINO STOCK LIST



| Eco | Wt.     | Facestock   | Adh.    | Liner       | Catalog# | No Trim |
|-----|---------|---|---------|-------------|----------|---------|
|     | 55#     | Digital White Semi Gloss, FSC® Certified                  | 245     | 40#         | W015353  | ✓       |
|     | 60#     | Semi Gloss, FSC® Certified                                | 241     | 40#         | W037098  |         |
|     | 60#     | Matte   | H-318   | 44# PK      | W030279  |         |
|     | 60#     | Matte w/ Wet Strength                                     | H-318   | 44# PK      | W027759  |         |
|     |         |   |         | 1.2 mil PET | W027823  |         |
|     | 60#     | Estate Label® #8 w/ Wet Strength, FSC® Certified          | H-318   | 44# PK      | W026462  | ✓       |
|     |         |   |         | 1.2 mil PET | W025550  | ✓       |
|     | 60#     | Estate Label® #8 TC w/ Wet Strength, FSC® Certified       | H-318   | 1.2 mil PET | W034339  |         |
|     | 70#     | Bright White Felt 30% PCW w/ Wet Strength, FSC® Certified | H-318   | 44# PK      | W026460  | ✓       |
|     |         |   |         | 1.2 mil PET | W026970  | ✓       |
|     | 70#     | TC Bright White Felt 30% PCW w/ Wet Strength              | H-318   | 1.2 mil PET | W034338  |         |
|     | 63#     | Bright Silver Metalized Paper                             | 241     | 40#         | W012035  |         |
|     | 2.6 mil | TC White Polypropylene                                    | AT-2060 | 40#         | W027927  |         |
|     |         |   |         | 1.2 mil PET | W029462  |         |
|     |         |   |         | 44# PK      | W029463  |         |
|     |         |   | PCT-524 | 40#         | W029464  |         |
|     | 2 mil   | TC Clear Polypropylene                                    | CP-300  | 1.2 mil PET | W026027  |         |
|     | 2 mil   | TC Metalized Polypropylene                                | AT-2060 | 40#         | W025420  |         |
|     |         |   | AT-2060 | 50#         | W028783  |         |
|     |         |   | AT-2060 | 1.2 mil PET | W026292  |         |

Ever Opaque® XL and VersaPly® are registered trademarks of Wausau Coated Products, Inc.  
 Estate Label®, Classic Crest®, and Classic® Linen are registered trademarks of Neenah, Inc.  
 Look for our FSC®-certified products  
 FSC® is a registered trademark of the Forest Stewardship Council® FSC® C008943

\*2 mil Shimless Rainbow Holographic Film w/ 30% PCR has standard print treatment, suitable for ILP/Indigo presses and most Flexo presses. Enhanced Print Treated Film is available for all Flexo printing presses on a custom basis.

### No Trim Program Guidelines

- Roll length can vary by +/- 5%
- Minimum Order Quantity - 1 roll x 2,500 lf, and/or 5,000 or 10,000 lf
  - Minimum width - 4" roll
  - 1 splice per 2,500 - 5,000 lf
- Palletizing is Customer Preference

**Warehouse availability, master widths, and minimum order quantities are available upon quote.  
 For more information, please reach out to our Customer Solutions Specialists at 800-345-8039.**

WAREHOUSE LOCATIONS: Wausau, Wisconsin | Las Vegas, Nevada | Roopville, Georgia | Mexico City, Mexico

# UV INKJET DURST STOCK LIST



| Eco | Wt.     | Facestock                                 | Adh.    | Liner       | Catalog# | No Trim |
|-----|---------|---|---------|-------------|----------|---------|
|     | 55#     | Digital White Semi Gloss - FSC® Certified | 245     | 40#         | W015353  | ✓       |
|     | 60#     | Semi Gloss - FSC® Certified               | 241     | 40#         | W037098  |         |
|     | 63#     | Bright Silver Metalized Paper             | 241     | 40#         | W012035  |         |
|     | 2.6 mil | TC White Polypropylene                    | AT-2060 | 40#         | W027927  |         |
|     |         |   | P-592   | 40#         | W036193  |         |
|     | 2 mil   | TC Clear Polypropylene                    | CP-300  | 1.2 mil PET | W026027  |         |
|     | 2 mil   | Clear Polyester                           | CP-300  | 50#         | W013956  |         |
|     | 2 mil   | TC Metalized Polypropylene                | AT-2060 | 50#         | W028783  |         |
|     | 3.4 mil | TC White Matte Flexible Vinyl             | SP-920  | 40#         | W029692  |         |

Ever Opaque® XL and VersaPly® are registered trademarks of Wausau Coated Products, Inc.  
 Estate Label®, Classic Crest®, and Classic® Linen are registered trademarks of Neenah, Inc.  
 Look for our FSC®-certified products  
 FSC® is a registered trademark of the Forest Stewardship Council® FSC® C008943

\*2 mil Shimless Rainbow Holographic Film w/ 30% PCR has standard print treatment, suitable for ILP/Indigo presses and most Flexo presses. Enhanced Print Treated Film is available for all Flexo printing presses on a custom basis.

### No Trim Program Guidelines

- Roll length can vary by +/- 5%
- **Minimum Order Quantity - 1 roll x 2,500 lf, and/or 5,000 or 10,000 lf**
  - **Minimum width - 4" roll**
  - 1 splice per 2,500 - 5,000 lf
- Palletizing is Customer Preference

**Warehouse availability, master widths, and minimum order quantities are available upon quote.**  
**For more information, please reach out to our Customer Solutions Specialists at 800-345-8039.**

WAREHOUSE LOCATIONS: Wausau, Wisconsin | Las Vegas, Nevada | Roopville, Georgia | Mexico City, Mexico

# UV INKJET GALLUS ONE STOCK LIST



| Eco                              | Wt.     | Facestock  | Adh.    | Liner       | Catalog# | No Trim |
|----------------------------------|---------|--|---------|-------------|----------|---------|
| <b>Paper &amp; Foils</b>         |         |  |         |             |          |         |
|                                  | 60#     | Matte w/ Wet Strength  | H-318   | 1.2 mil PET | W027823  |         |
|                                  | 55#     | Digital White Semi Gloss, FSC® Certified                                     | 245     | 40#         | W015353  | ✓       |
|                                  | 60#     | Semi Gloss, FSC® Certified   | 241     | 40#         | W037098  |         |
|                                  | 60#     | Estate Label® #8 w/ Wet Strength, FSC® Certified                             | H-318   | 1.2 mil PET | W025550  | ✓       |
|                                  | 60#     | Estate Label® #8 TC w/ Wet Strength, FSC® Certified                          | H-318   | 1.2 mil PET | W034339  |         |
|                                  | 70#     | Bright White Felt TC 30% PCW w/ Wet Strength FSC® Certified                  | H-318   | 1.2 mil PET | W034338  |         |
|                                  | 70#     | Bright White Felt 30% PCW w/ Wet Strength, FSC® Certified                    | H-318   | 44# PK      | W026460  | ✓       |
|                                  | 60#     | Avon Brilliant White Classic Crest® w/ Wet Strength, FSC® Certified          | H-318   | 1.2 mil PET | W027846  | ✓       |
|                                  | 85#     | Ever Opaque® XL - Bright White Felt 30% PCW, w/ Wet Strength, FSC® Certified | PW-831  | 1.2 mil PET | W029153  | ✓       |
|                                  | 63#     | Bright Silver Metalized Paper  | 241     | 40#         | W012035  |         |
| <b>Film &amp; Specialty Film</b> |         |  |         |             |          |         |
|                                  | 2.6 mil | White TC Polypropylene   | AT-2060 | 40#         | W027927  |         |
|                                  | 2 mil   | TC Clear Polypropylene   | CP-300  | 1.2 mil PET | W026027  |         |
|                                  | 2 mil   | Shimless Rainbow PET Hologram w/ 30% PCR                                     | AT-2060 | 40#         | W020658  |         |

Ever Opaque® XL and VersaPly® are registered trademarks of Wausau Coated Products, Inc.  
 Estate Label®, Classic Crest®, and Classic® Linen are registered trademarks of Neenah, Inc.  
 Look for our FSC®-certified products  
 FSC® is a registered trademark of the Forest Stewardship Council® FSC® C008943

\*2 mil Shimless Rainbow Holographic Film w/ 30% PCR has standard print treatment, suitable for ILP/Indigo presses and most Flexo presses. Enhanced Print Treated Film is available for all Flexo printing presses on a custom basis.

### No Trim Program Guidelines

- Roll length can vary by +/- 5%
- **Minimum Order Quantity - 1 roll x 2,500 lf, and/or 5,000 or 10,000 lf**
  - **Minimum width - 4" roll**
  - 1 splice per 2,500 - 5,000 lf
- Palletizing is Customer Preference

**Warehouse availability, master widths, and minimum order quantities are available upon quote.  
 For more information, please reach out to our Customer Solutions Specialists at 800-345-8039.**

WAREHOUSE LOCATIONS: Wausau, Wisconsin | Las Vegas, Nevada | Roopville, Georgia | Mexico City, Mexico

# UV INKJET INX STOCK LIST



| Eco | Wt.     | Facestock  | Adh.    | Liner  | Catalog# | No Trim |
|-----|---------|--|---------|--------|----------|---------|
|     | 55#     | Digital White Semi Gloss, FSC® Certified                   | 245     | 40#    | W015353  | ✓       |
|     | 60#     | Semi Gloss, FSC® Certified                                 | 241     | 40#    | W037098  |         |
|     | 70#     | Bright White Felt 30% PCW w/ Wet Strength, FSC® Certified* | H-318   | 44# PK | W026460  | ✓       |
|     | 63#     | Bright Silver Metalized Paper                              | 241     | 40#    | W012035  |         |
|     | 2.6 mil | TC White Polypropylene                                     | AT-2060 | 40#    | W027927  |         |

Ever Opaque® XL and VersaPly® are registered trademarks of Wausau Coated Products, Inc.  
 Estate Label®, Classic Crest®, and Classic® Linen are registered trademarks of Neenah, Inc.  
 Look for our FSC®-certified products  
 FSC® is a registered trademark of the Forest Stewardship Council® FSC® C008943

### No Trim Program Guidelines

- Roll length can vary by +/- 5%
- Minimum Order Quantity - 1 roll x 2,500 lf, and/or 5,000 or 10,000 lf
  - Minimum width - 4" roll
  - 1 splice per 2,500 - 5,000 lf
- Palletizing is Customer Preference

\*2 mil Shimless Rainbow Holographic Film w/ 30% PCR has standard print treatment, suitable for ILP/Indigo presses and most Flexo presses. Enhanced Print Treated Film is available for all Flexo printing presses on a custom basis.

**Warehouse availability, master widths, and minimum order quantities are available upon quote.**  
**For more information, please reach out to our Customer Solutions Specialists at 800-345-8039.**

WAREHOUSE LOCATIONS: Wausau, Wisconsin | Las Vegas, Nevada | Roopville, Georgia | Mexico City, Mexico

# UV INKJET SCREEN TRUEPRESS STOCK LIST



| Eco                              | Wt.     | Facestock   | Adh.    | Liner                               | Catalog# | No Trim |
|----------------------------------|---------|---|---------|-------------------------------------|----------|---------|
| <b>Film &amp; Specialty Film</b> |         |   |         |                                     |          |         |
|                                  | 2 mil   | Shimless Rainbow PET Hologram w/ 30% PCR            | AT-2060 | 40#                                 | W020658  |         |
|                                  | 2 mil   | TC Rainbow Holographic PET 30% PCR                  | AT-2060 | 1.2 mil PET                         | W035556  |         |
|                                  | 2 mil   | TC Clear Polypropylene                              | CP-300  | 1.2 mil PET                         | W026027  |         |
|                                  | 2 mil   | TC Metalized Polypropylene                          | AT-2060 | 40#                                 | W025420  |         |
|                                  |         |   |         | 1.2 mil PET                         | W026292  |         |
|                                  |         |   |         | 50#                                 | W028783  |         |
|                                  | 2.3 mil | TC White Polypropylene                              | AT-2060 | 40#                                 | W027926  |         |
|                                  | 2.6 mil | TC White Polypropylene                              | AT-2060 | 1.2 mil PET                         | W029462  |         |
|                                  |         |   |         | 44# PK                              | W029463  |         |
|                                  |         |   | PCT-524 | 40#                                 | W029464  |         |
|                                  | 2.6 mil | TC White Polypropylene                              | R-218   | 40#                                 | W035316  |         |
|                                  | 3 mil   | Gloss VersaPly®, FSC® Certified                     | H-311   | 80#                                 | W023826  |         |
|                                  | 3 mil   | MTX VersaPly®, FSC® Certified                       | H-311   | 3 mil MTX VersaPly®, FSC® Certified | W029112  |         |
|                                  | 3.4 mil | White Matte Flexible Vinyl                          | SP-920  | 40#                                 | W029692  |         |
| <b>Paper &amp; Foils</b>         |         |   |         |                                     |          |         |
|                                  | 55#     | Digital White Semi Gloss, FSC® Certified            | 245     | 40#                                 | W015353  | ✓       |
|                                  | 60#     | Estate Label® #8 TC w/ Wet Strength, FSC® Certified | H-318   | 1.2 mil PET                         | W034339  |         |
|                                  | 60#     | Semi Gloss, FSC® Certified                          | 241     | 40#                                 | W037098  |         |
|                                  | 63#     | Bright Silver Metalized Paper                       | 241     | 40#                                 | W012035  |         |
|                                  | 70#     | TC Bright White Felt 30% PCW w/ Wet Strength        | H-318   | 1.2 mil PET                         | W034338  |         |
|                                  | 70#     | Dull Silver Foil                                    | 890     | 44# PK                              | W035471  |         |

Ever Opaque® XL and VersaPly® are registered trademarks of Wausau Coated Products, Inc.  
 Estate Label®, Classic Crest®, and Classic® Linen are registered trademarks of Neenah, Inc.  
 Look for our FSC®-certified products  
 FSC® is a registered trademark of the Forest Stewardship Council® FSC® C008943

### No Trim Program Guidelines

- Roll length can vary by +/- 5%
- Minimum Order Quantity - 1 roll x 2,500 lf, and/or 5,000 or 10,000 lf
  - Minimum width - 4" roll
  - 1 splice per 2,500 - 5,000 lf
- Palletizing is Customer Preference

\*2 mil Shimless Rainbow Holographic Film w/ 30% PCR has standard print treatment, suitable for ILP/Indigo presses and most Flexo presses. Enhanced Print Treated Film is available for all Flexo printing presses on a custom basis.

**Warehouse availability, master widths, and minimum order quantities are available upon quote.  
 For more information, please reach out to our Customer Solutions Specialists at 800-345-8039.**

WAREHOUSE LOCATIONS: Wausau, Wisconsin | Las Vegas, Nevada | Roopville, Georgia | Mexico City, Mexico

# UV INKJET XEIKON PANTHER STOCK LIST



| Eco | Wt.     | Facestock                                | Adh.    | Liner                               | Catalog# | No Trim |
|-----|---------|--|---------|-------------------------------------|----------|---------|
|     | 2.6 mil | White TC Polypropylene                   | AT-2060 | 40#                                 | W027927  |         |
|     | 3.4 mil | White Matte Flexible Vinyl               | SP-920  | 40#                                 | W029692  |         |
|     | 3 mil   | Gloss VersaPly®, FSC® Certified          | H-311   | 80#                                 | W023826  |         |
|     | 3 mil   | MTX VersaPly®, FSC® Certified            | H-311   | 3 mil MTX VersaPly®, FSC® Certified | W029112  |         |
|     | 2 mil   | Shimless Rainbow PET Hologram w/ 30% PCR | AT-2060 | 40#                                 | W020658  |         |

Ever Opaque® XL and VersaPly® are registered trademarks of Wausau Coated Products, Inc.  
 Estate Label®, Classic Crest®, and Classic® Linen are registered trademarks of Neenah, Inc.  
 Look for our FSC®-certified products  
 FSC® is a registered trademark of the Forest Stewardship Council® FSC® C008943

### No Trim Program Guidelines

- Roll length can vary by +/- 5%
- Minimum Order Quantity - 1 roll x 2,500 lf, and/or 5,000 or 10,000 lf
  - Minimum width - 4" roll
  - 1 splice per 2,500 - 5,000 lf
- Palletizing is Customer Preference

\*2 mil Shimless Rainbow Holographic Film w/ 30% PCR has standard print treatment, suitable for ILP/Indigo presses and most Flexo presses. Enhanced Print Treated Film is available for all Flexo printing presses on a custom basis.

**Warehouse availability, master widths, and minimum order quantities are available upon quote.  
 For more information, please reach out to our Customer Solutions Specialists at 800-345-8039.**

WAREHOUSE LOCATIONS: Wausau, Wisconsin | Las Vegas, Nevada | Roopville, Georgia | Mexico City, Mexico