

THIS IS THE MOMENT.

Swanky - Cocora Valley



TITAN
SURFACES

2026 Resource Guide & Product Line

CHOOSING A CORE

UNDERSTANDING THE DIFFERENCE BETWEEN SPC, HPC, AND WPC CORES.



Traditions - American Chestnut



Genesis - Restoration Pine




Colossal - Maximus

SPC

Designed for value and dependability.

Benefits:

- Affordable
- Impact-resistant
- Waterproof




- 1 UV LAYER** - Aluminum Oxide UV Coating with Anti-Bacterial Protection
- 2 WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 FILM LAYER** - Natural Wood Decors & Textures
- 4 CORE** - Solid Waterproof Core Provides Extra Dimensional Stability & Indentation Resistance
- 5 ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction

HPC

Balance of performance and comfort.

Benefits:

- Balanced density
- Good sound reduction
- Softer underfoot than SPC
- Waterproof



- 1 UV LAYER** - Aluminum Oxide UV Coating with Anti-Bacterial Protection
- 2 WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 FILM LAYER** - Natural Wood Decors & Textures
- 4 CORE** - Hybrid Light Weight Waterproof Core for Indentation Resistance, Extra Cushion, Warmth and Sound Deadening
- 5 PVC MOISTURE BARRIER** - Added Layer of Moisture Protection
- 6 ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction

WPC

The ultimate comfort and reliability.

Benefits:

- Best sound reduction
- Foamed core provides cushioning and enhanced strength
- Most warmth and softness underfoot
- Forgiving of imperfect subfloors
- Easiest transportation and installation
- Most realistic textures
- Waterproof



- 1 UV LAYER** - Aluminum Oxide UV Coating with Anti-Bacterial Protection
- 2 WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 FILM LAYER** - Natural Wood Decors & Textures
- 4 VINYL LAYER** - 100% Virgin for Reliable Dimensional Stability
- 5 CORE** - Foamed Waterproof Core Provides Extra Cushion, Warmth & Sound Deadening
- 6 ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction

WHY CUSTOMERS CHOOSE WPC

WPC delivers the highest customer satisfaction across all core types thanks to its unmatched **comfort, stability,** and everyday performance.



Swanky - St Croix



TITAN
SURFACES


866.735.6570 | titansurfaces.com




STAIR TREADS & TRIMS AVAILABLE!

Tigris


COLOSSAL TW06V




6001 Archillia




6002 Augustus




6003 Maximus




6004 Murmilllo



6005 Spartacus



6006 Tigris



6007 Atlas




6008 Oceanus

SPECIFICATIONS

CONSTRUCTION: **WPC**
 SIZE: **9" X 71"**
 TOTAL THICKNESS: **12mm**
 WEAR LAYER: **30 mil**
 ATTACHED PAD: **1.5mm IXPE**
 BEVEL TYPE: **Painted Bevel**
 EMBOSS TYPE: **Embossed In Register Hi Definition Wood Grain**
 INSTALLATION: **Floating / Uniclic®**
 SQ FT / CARTON: **17.67**
 CARTONS / PALLET: **48**
 SQ FT / PALLET: **848.17**

- 1 **UV LAYER** - Aluminum Oxide UV Coating
- 2 **WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 **FILM LAYER** - Natural Wood Decors & Textures
- 4 **VINYL LAYER** - 100% Virgin for Reliable Dimensional Stability
- 5 **CORE** - Foamed Waterproof Core Provides Extra Cushion, Warmth & Sound Deadening
- 6 **ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction



WHERE WARMTH BEGINS

Create a home that's ready for every season with floors built for comfort and connection.



Colossal - Maximus



TITAN
SURFACES

866.735.6570 | titansurfaces.com

THE TITAN ADVANTAGE

WITH A PREMIUM IXPE PAD AND THE UNICLIC LOCKING SYSTEM, TITAN SURFACES FLOORS OFFER ENHANCED COMFORT, STRONG SEAM INTEGRITY, AND A SMOOTH, RELIABLE INSTALL.



PREMIUM IXPE PAD

Our blue premium IXPE underlayment adds **quiet comfort** and **reliable protection** beneath every Titan Surfaces floor. Its high-performance, closed-cell foam **enhances acoustics**, **resists moisture**, and **delivers long-lasting cushioning** that supports everyday living.

Benefits:

- Superior sound absorption for a quieter home
- Closed-cell waterproof protection
- Comfortable, cushioned underfoot feel
- Mold, mildew, and bacteria resistance
- Durable foam that maintains performance over time



Sound Reduction



Waterproof

UNICLIC® LOCKING SYSTEM

The Uniclic® locking system is **the original locking system**, with proven **reliability** and **performance**. Engineered for precision and ease, it **speeds up installation**, **minimizes errors**, and **ensures long-term stability** across all Titan Surfaces WPC, HPC, and SPC floors.

Benefits:

- Tight, dependable seams that resist separation
- Fast, easy installation for pros and DIY users
- Enhanced structural stability throughout the floor
- Reduced risk of gapping or misalignment
- Consistent, reliable performance in every space



Floating Installation

STANDARD ACROSS ALL TITAN SURFACES WPC, HPC, AND SPC FLOORING.




TRIMS AVAILABLE!


Coral Bay




SWANKY TW12V




1201 Scottsdale




1202 Coral Bay




1203 St Croix



1204 Mojito Hill



1205 San Domenico




1206 Cocora Valley

SPECIFICATIONS

CONSTRUCTION: WPC
SIZE: 7" X 60"
TOTAL THICKNESS: 10mm
WEAR LAYER: 28 mil
ATTACHED PAD: 1.5mm IXPE
BEVEL TYPE: Painted Bevel
EMBOSS TYPE: Embossed in Register Hi Definition Wood Grain Floating / Uniclic®
INSTALLATION:
SQ FT / CARTON: 17.72
CARTONS / PALLET: 75
SQ FT / PALLET: 1328.75

- 1 **UV LAYER** - Aluminum Oxide UV Coating
- 2 **WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 **FILM LAYER** - Natural Wood Decors & Textures
- 4 **VINYL LAYER** - 100% Virgin for Reliable Dimensional Stability
- 5 **CORE** - Foamed Waterproof Core Provides Extra Cushion, Warmth & Sound Deadening
- 6 **ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction



RETRO STYLE. ENDURING STRENGTH.

Flooring that feels both familiar and fresh, blending nostalgia with dependable comfort.



Retro Plank - Golden Oak



866.735.6570 | titansurfaces.com




TRIMS AVAILABLE!

Provincial Oak




RETRO PLANK TW09V




9001 Golden Oak




9002 Common White Oak




9003 Provincial Oak



9004 Red Oak Natural



9005 Mill Run Hickory




9006 Antique Heart Pine

SPECIFICATIONS

CONSTRUCTION:	WPC
SIZE:	5" X 60"
TOTAL THICKNESS:	6.5mm
WEAR LAYER:	20 mil
ATTACHED PAD:	1mm IXPE
BEVEL TYPE:	Micro Bevel
EMBOSS TYPE:	Standard Wood Grain
INSTALLATION:	Floating / Uniclic®
SQ FT / CARTON:	32.81
CARTONS / PALLET:	40
SQ FT / PALLET:	1312.36

- 1 **UV LAYER** - Aluminum Oxide UV Coating
- 2 **WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 **FILM LAYER** - Natural Wood Decors & Textures
- 4 **VINYL LAYER** - 100% Virgin for Reliable Dimensional Stability
- 5 **CORE** - Foamed Waterproof Core Provides Extra Cushion, Warmth & Sound Deadening
- 6 **ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction







TRIMS AVAILABLE!

Sandalwood Koa


ESSENTIALS TW05V




5001 Caribbean Beech




5002 Charleston Pine




5003 Natural Pecan




5004 Tropical Walnut



5005 Tuscan Ash



5006 Yellowstone Oak



5007 Sandalwood Koa




5008 Frisco Oak

SPECIFICATIONS

CONSTRUCTION: **WPC**
 SIZE: **9" X 60"**
 TOTAL THICKNESS: **8mm**
 WEAR LAYER: **22 mil**
 ATTACHED PAD: **1.5mm IXPE**
 BEVEL TYPE: **Painted Bevel**
 EMBOSS TYPE: **Embossed In Register Hi Definition Wood Grain**

INSTALLATION: **Floating / Uniclic®**
 SQ FT / CARTON: **29.92**
 CARTONS / PALLET: **32**
 SQ FT / PALLET: **957.49**

- 1 **UV LAYER** - Aluminum Oxide UV Coating
- 2 **WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 **FILM LAYER** - Natural Wood Decors & Textures
- 4 **VINYL LAYER** - 100% Virgin for Reliable Dimensional Stability
- 5 **CORE** - Foamed Waterproof Core Provides Extra Cushion, Warmth & Sound Deadening
- 6 **ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction



TITAN SURFACES

titan-surfaces.com



TRIMS AVAILABLE!


Sao Paulo




EPIC TW04V




4001 Broughton Street



4002 Copper Ridge




4003 Park Place




4004 Rio Grande




4005 Sunset Cruise



4006 Victoria Falls



4007 Sao Paulo




4008 Salvador

SPECIFICATIONS

CONSTRUCTION:	WPC
SIZE:	7" X 60"
TOTAL THICKNESS:	8mm
WEAR LAYER:	20 mil
ATTACHED PAD:	1.5mm IXPE Painted
BEVEL TYPE:	Bevel
EMBOSS TYPE:	Standard Wood Grain
INSTALLATION:	Floating / Uniclic®
SQ FT / CARTON:	23.62
CARTONS / PALLET:	70
SQ FT / PALLET:	1653.4

- 1 **UV LAYER** - Aluminum Oxide UV Coating
- 2 **WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 **FILM LAYER** - Natural Wood Decors & Textures
- 4 **VINYL LAYER** - 100% Virgin for Reliable Dimensional Stability
- 5 **CORE** - Foamed Waterproof Core Provides Extra Cushion, Warmth & Sound Deadening
- 6 **ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction



TITAN SURFACES

titansurfaces.com



STAIR TREADS &
TRIMS AVAILABLE!

Desert Willow

Includes
ARTISAN EDGE™
A pressed bevel that has the appearance of a handcrafted hardwood flooring edge.

GENESIS TS07V

TITAN
PROTECTION
LIFETIME
RESIDENTIAL
WARRANTY

TITAN
PROTECTION
10 YEAR
COMMERCIAL
WARRANTY


TITAN
PROTECTION
SCRATCH
& STAIN
RESISTANT



SPECIFICATIONS

CONSTRUCTION: **HPC**
 SIZE: **7" X 60"**
 TOTAL THICKNESS: **10mm**
 WEAR LAYER: **22 mil**
 ATTACHED PAD: **1.5mm IXPE**
 BEVEL TYPE: **Artisan Edge™
Pressed Bevel**
 EMOSS TYPE: **Embossed In Register
Hi Definition Wood Grain**
 INSTALLATION: **Floating / Uniclic®**
 SQ FT / CARTON: **17.71**
 CARTONS / PALLET: **55**
 SQ FT / PALLET: **974.05**

- 1 **UV LAYER** - Aluminum Oxide UV Coating
- 2 **WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 **FILM LAYER** - Natural Wood Decors & Textures
- 4 **CORE** - Hybrid Light Weight Waterproof Core for Indentation Resistance, Extra Cushion, Warmth and Sound Deadening
- 5 **PVC MOISTURE BARRIER** - Added Layer of Moisture Protection
- 6 **ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction



Easy To Clean

Floating Installation

Phthalate Free

Scratch & Stain Resistant

Sound Reduction

Waterproof

floor score

ASSURE CERTIFIED
RIGID CORE TECHNOLOGY

GREENGUARD GOLD

TITAN
SURFACES

titansurfaces.com



GENESIS

featuring **ARTISAN EDGE™**

ARTISAN EDGE™

A pressed bevel that has the appearance of a handcrafted hardwood flooring edge.



TRIMS AVAILABLE!

Classic Oak

TRADITIONS TS03V



3001 Character Maple

3002 Coastal Pine

3003 Heritage Birch

3004 Low Country Oak

3005 Small Leaf Acacia

3006 Southern Red Oak

3007 American Chestnut

3008 Classic Oak

3009 Sienna Cypress



3010 Boardwalk Pine

SPECIFICATIONS

CONSTRUCTION: **Solid Polymer Core**
 SIZE: **7" X 48"**
 TOTAL THICKNESS: **5mm**
 WEAR LAYER: **22 mil**
 ATTACHED PAD: **1mm IXPE**
 BEVEL TYPE: **Painted Bevel**
 EMBOSS TYPE: **Embossed In Register Hi Definition Wood Grain**

INSTALLATION: **Floating / Uniclic®**
 SQ FT / CARTON: **23.64**
 CARTONS / PALLET: **50**
 SQ FT / PALLET: **1182**

- 1 **UV LAYER** - Aluminum Oxide UV Coating
- 2 **WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 **FILM LAYER** - Natural Wood Decors & Textures
- 4 **CORE** - Solid Waterproof Core Provides Extra Dimensional Stability & Indentation Resistance
- 5 **ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction







TRIMS AVAILABLE!

Shenandoah


SIMPLICITY TS02V




2001 Asheville




2002 Moonlight



2003 Mountain Scapes



2004 Oasis



2005 Roasted Pine




2006 Shenandoah

SPECIFICATIONS

CONSTRUCTION: **Solid Polymer Core**
 SIZE: **7" X 48"**
 TOTAL THICKNESS: **4.5mm**
 WEAR LAYER: **12 mil**
 ATTACHED PAD: **1mm IXPE**
 BEVEL TYPE: **Micro Bevel**
 EMBOSS TYPE: **Standard Wood Grain**
 INSTALLATION: **Floating / Uniclic®**
 SQ FT / CARTON: **23.64**
 CARTONS / PALLET: **60**
 SQ FT / PALLET: **1418.26**

- 1 **UV LAYER** - Aluminum Oxide UV Coating
- 2 **WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- 3 **FILM LAYER** - Natural Wood Decors & Textures
- 4 **CORE** - Solid Waterproof Core Provides Extra Dimensional Stability & Indentation Resistance
- 5 **ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction



TITAN SURFACES

titansurfaces.com

DRYBACK




Milan


REVIVAL TG11V




1101 Milan



1102 Verona




1103 Florence



1104 Venice



1105 Naples




1106 Turin

SPECIFICATIONS

CONSTRUCTION: **DRYBACK**
 SIZE: **7" X 48"**
 TOTAL THICKNESS: **2.5mm**
 WEAR LAYER: **20 mil**
 BEVEL TYPE: **Micro Bevel**
 EMBOSS TYPE: **Standard Wood Grain**
 INSTALLATION: **Glue Down**
 SQ FT / CARTON: **37.33**
 CARTONS / PALLET: **55**
 SQ FT / PALLET: **2053.37**

- ① **UV LAYER** - Aluminum Oxide UV Coating
- ② **WEAR LAYER** - Thicker, Stronger Wear Layers for Superior Scratch & Stain Protection
- ③ **FILM LAYER** - Natural Wood Decors & Textures
- ④ **VINYL LAYER** - 100% Virgin for Reliable Dimensional Stability




titansurfaces.com



Big Tooth Aspen




LEGACY GROVE TL08




8001 Texana Hickory




8002 Big Tooth Aspen




8003 Live Oak




8004 Cape Holly




8005 Honey Mesquite



8006 Morado



8007 Monterey Cypress




8008 Marblewood

SPECIFICATIONS

CONSTRUCTION: Laminate
SIZE: 7.68" X 59.65"
TOTAL THICKNESS: 12mm
WEAR LAYER: AC4
ATTACHED PAD: 2mm IXPE
BEVEL TYPE: Painted
EMBOSS TYPE: Embossed In Register
INSTALLATION: Floating / Uniclic®
SQ FT / CARTON: 19.08
CARTONS / PALLET: 55
SQ FT / PALLET: 1049.40

- 1 **AC OVERLAY** - Scratch & Stain-Resistant Wear Layer
- 2 **DECOR LAYER** - Natural Wood Decors & Textures
- 3 **DENT-RESISTANT COMPOSITE WOOD HDF CORE** - Higher Density & More Water Resistant Than Regular Laminate with Wax Sealant for Water Resistance
- 4 **BALANCING LAYER** - Added Layer of Structural Support & Moisture Barrier
- 5 **ACOUSTICAL PAD** - IXPE for Maximum Comfort & Sound Reduction



titansurfaces.com

COORDINATING MOLDINGS

COLOR MATCHED TRIM PIECES AVAILABLE – WE’VE TAKEN THE GUESS WORK OUT OF TRIM WORK!



Slim-trim




Endcap



Flush Stairnose



Stair Tread



TRIM COORDINATION

WHY IT MATTERS

A seamless floor depends on more than just the planks.

All trims and planks are made with the same decorative film, but pattern variation means not every plank will match a trim piece. The right match is always in the carton — it just requires planning.

MATCHES



NOT A MATCH



NOT A MATCH



BEST PRACTICES FOR INSTALLERS

- **Review before you start.** Compare trims with multiple planks.
- **Select the match.** Set aside planks that align closely with each trim.
- **Install with care.** Using matched planks next to trims ensures a flawless look.

THE RIGHT MATCH IS ALWAYS IN THE CARTON

- **Consumers:** Your floor and trims do match - coordination is key.
- **Installers:** Proper planning is your responsibility.
- **Dealers:** Sharing this practice prevents callbacks and dissatisfaction.

SLIM TRIM

Includes Shim & Track

ENDCAP

Includes Track

FLUSH STAIRNOSE



THESE THREE TRIMS AVAILABLE IN 94.49" LENGTHS!








Transition between floors of equal or variable heights & doorways.



Transition from floors to higher surfaces like doors, thicker flooring.




Create a smooth seamless finish on the edges of stairs.



STAIR TREAD WITH RETURNS



**AVAILABLE IN
COLOSSAL AND GENESIS**



LOAD SPECIFICATIONS

LAMINATE					LUXURY VINYL PLANK										
PRODUCT	MAX PIECES PER 3" TUBE				MAX PIECES PER 6" TUBE				PRODUCT	MAX PIECES PER 3" TUBE			MAX PIECES PER 6" TUBE		
	REDUCER	T-MOLD	ENDCAP	STAIRNOSE	REDUCER	T-MOLD	ENDCAP	STAIRNOSE		SLIM TRIM	ENDCAP	STAIRNOSE	SLIM TRIM	ENDCAP	STAIRNOSE
LEGACY GROVE	5	6	5	N/A	20	25	20	6	ALL LVP	7	7	N/A	32	30	6

COORDINATING MOLDINGS - LAMINATE

REDUCER

Includes Shim & Track

T-MOLDING

Includes Shim & Track

ENDCAP

Includes Shim & Track

FLUSH STAIRNOSE


THESE FOUR TRIMS AVAILABLE IN 94.49" LENGTHS!



Transition between floors of different heights & doorways.




Transition between floors of equal heights & doorways.



Transition from floors to higher surfaces like doors, thicker flooring.



Create a smooth seamless finish on the edges of stairs.



TITAN SURFACES PRODUCT PACKAGING DETAILS

NAME / STYLE #	COLOSSAL / TW06	EPIC / TW04	ESSENTIALS / TW05	GENESIS / TS07	LEGACY GROVE / TL08
ACTUAL PLANK SIZE	8.98" x 70.87"	7.09" x 60"	8.98" x 60"	7" x 60"	7.68" x 59.65"
PLANKS / CARTON	4	8	8	8	6
SQ FT / CARTON	17.67	23.62	29.92	17.71	19.08
LBS / CARTON	45	37.25	48.95	54	36
CARTONS / PALLET	48	70	32	55	55
SQ FT / PALLET	848.17	1653.4	957.49	974.05	1049.4
LBS / PALLET	2225	2825	1691	3021	2111
CARTON DIMENSIONS	9.5" W x 72" L x 2" H	7.6" W x 60.7" L x 2.7" H	9.5" W x 60.7" L x 2.7" H	7.6" W x 60.7" L x 2.7" H	8.5" W x 60.25" L x 3" H
PALLET DIMENSIONS	38.58" W x 72.05" L x 30.32" H	38.58" W x 61.02" L x 45.28" H	38.58" W x 61.02" L x 27.36" H	38.58" W x 61.02" L x 45.28" H	44" W x 61" L x 38" H

NAME / STYLE #	RETRO PLANK / TW09	REVIVAL / TG11	SIMPLICITY / TS02	SWANKY / TW12	TRADITIONS / TS03
ACTUAL PLANK SIZE	5" x 60"	7" x 48"	7.09" x 48.03"	7.09" x 59.96"	7.09" x 48.03"
PLANKS / CARTON	16	16	10	6	10
SQ FT / CARTON	32.81	37.33	23.64	17.72	23.64
LBS / CARTON	51	45.85	36.3	37.48	39.65
CARTONS / PALLET	40	55	60	75	50
SQ FT / PALLET	1312.36	2053.37	1418.26	1328.75	1182
LBS / PALLET	2092	1834	2217	2811	2091
CARTON DIMENSIONS	8.5" W x 62.5" L x 3" H	7" W x 48" L x 3" H	7.6" W x 48.8" L x 2" H	7" W x 60" L x 4" H	7.6" W x 48.8" L x 2" H
PALLET DIMENSIONS	44" W x 62" L x 38" H	37.4" W x 49.22" L x 25.6" H	39.37" W x 49.21" L x 28.74" H	38.98" W x 61.02" L x 43.3" H	39.37" W x 49.21" L x 27.17" H



16 SLOT DISPLAY
55" W x 65" H x 22" D



8 SLOT DISPLAY
27.5" W x 65" H x 21.5" D



8 SLOT GENESIS DISPLAY
27.5" W x 65" H x 21.5" D



MASTER DISPLAY
85.63" W x 85.43" H x 29.53" D



8 SLOT LEGACY GROVE DISPLAY
27.5" W x 65" H x 21.5" D

COLOSSAL - MAXIMUS TW06-6003

SPECIFICATIONS

CONSTRUCTION:	WPC	● SPIN LAYER - Rotavirus/Chick Or Covid
SIZE:	9" x 19"	● WEAR LAYER - Tri-layer, Strong Wear Layer for Superior Scratch & Stain Protection
TOTAL THICKNESS:	3mm	● FILM LAYER - Natural Wood Grains & Texture
WEAR LAYER:	20 mil	● STABILIZER - 100% Virgin for Reliable Dimensional Stability
PLANK LAYER:	1.5mm WPC	● COE - Formed WPC of Cellulose Powder, Extra Calcium, Minerals & Special Coloring
EDGE TYPE:	Planned Bevel	● ACOUSTICAL PING - 10% for Maximum Sound Reduction
CONSTRUCTION:	Engineered in Europe	
INSTALLATION:	Floating / Unadhesive	
SOFT TOUCH:	13.67	
CERTIFIED FINISH:	48	
NOTIFY PRIMER:	NO.117	

TITAN SURFACES



DISPLAY BOARDS

Size varies by plank width - 21" W x 30" H and 27" W x 30" H

EPIC - TW04V

4007 SAO PAULO

4008 SALVADOR

COORDINATING MOLDINGS

- ENDCAP
- RODGER
- T-MOLDING
- PUSH STAIRROSE

COOR. INCLUDES BAY NEEZ:
80% OF BAYZ THE BAYZ AND 20% OF YOUR BAYZ!
This is a general guide for bay neez and is not intended to be a contract. The bay neez will be subject to change without notice and is subject to the availability of the bay neez.

EPIC - TW04V

4002 COPPER RIDGE

4003 PARK PLACE

4004 RIO GRANDE

4005 SUNSET CRUISE

4006 VICTORIA FALLS



STRAP SETS

Size varies by plank width
7" W x 12" H and 9" W x 15" H



BUILDER BOARDS

Size varies by plank width - 21" W x 30" H and 27" W x 30" H

TRIM CHAIN SET

5.875" W x 12.25" H



**SOPHISTICATED STYLE WITH
EVERYDAY STRENGTH.**

Swanky - Mojito Hill

TEAM TITAN

Contact Team Titan to learn more about our product line.

info@titansurfaces.com or orders@titansurfaces.com

866.735.6570 | titansurfaces.com