

TACTICAL PARACHUTE DELIVERY SYSTEMS, Inc.



RAPID RELEASE HARNESS-800
(TPDS-RRH-800) Brochure



TACTICAL PARACHUTE DELIVERY SYSTEMS, Inc.
4035 Correia Drive Zephyrhills, FL 33542 U.S.A.
Website: www.tpdairborne.com
Email: info@tpdsairborne.com
Phone: +1(813)782-7482
Fax: +1(813)788-2799



RAPID RELEASE HARNESS-800 Cargo Carrying Bag



The **Rapid Release Harness** is a unique carrying bag that attaches to the Parachute/ Harness System. The **Rapid Release Harness (TPDS-RRH-800)** is manufactured in the United States in a facility that is Federal Aviation Administration (FAA) certified for manufacturing parachute equipment.

The **Rapid Release Harness-800** is designed for HALO-HAHO operations and training with personnel carrying full combat equipment and bundles.

The **Rapid Release Harness-800** can be configured in three (3) different ways to allow for a range of missions.

- High Front
- Low Front
- Low Back

The **Rapid Release Harness-800** may be set up for **Static Line** or **Freefall**.

The **Rapid Release Harness-800** has an optional **Drop-Line System** that easily and safely allows the load to be suspended below the jumper while under canopy then released upon landing or while still in the air in an emergency situation.

The **TPDS-RRH-800 Drop-Line Assembly** can be set up with a Double attachment strap or a Single attachment strap with the use of a quick and easy separating Clevis Hook.

Cargo Bag Capabilities and Features:

Physical Specifications:

Materials:

Webbing:

Main Webbing-

1 23/32" (4.3 cm.) wide Type 8 Mil-W-4088

Top Connectors-

1 23/32" (4.3 cm.) wide Type 8 Mil-W-4088

Primary Release Handle-

1" (2.54 cm.) wide Tubular Nylon Mil-W-5625

Tensile Strength **4000 lbs. / 1814 kg.**

Tensile Strength **4000 lbs. / 1814 kg.**

Tensile Strength **4000 lbs. / 1814 kg.**



Materials cond. :

Webbing:

Carry Handle-

1” (2.54 cm.) wide Tubular Nylon Mil-W-5625

Drop-Line Connector-

1 23/32” (4.3 cm.) wide Type 8 Mil-W-4088

Drop-Line-

1” (2.54 cm.) wide T-17 Mil-W-4088

Tensile Strength **4000 lbs. / 1814 kg.**

Tensile Strength **4000 lbs. / 1814 kg.**

Hardware:

3-Ring Release System-

5010 Ring

No. 2 Ring

Tensile Strength **2500 lbs. / 1130 kg.**

Upper Connectors-

Adjustable B-12 PS22043-1

Lower Connectors-

Adjustable Quick Ejectors PS22018

Drop-Line Connectors-

Non-Adjustable B-12 PS22044-1

Lower Side Attachments-

Harness Ring No.8

Friction Adapters-

Quick Fit Adapters PS70101-1

Tensile Strength **2500 lbs. / 1130 kg.**

Tensile Strength **600 lbs. / 272 kg.**

Tensile Strength **2500 lbs. / 1130 kg.**

Tensile Strength **2500 lbs. / 1130 kg.**

Tensile Strength **2500 lbs. / 1130 kg.**

Tensile Strength **2500 lbs. / 1130 kg.**

Size:

Cargo Bag -

24” high x 18” wide x 12” deep
60.96 cm. x 45.72 cm. x 30.48 cm.

Weight:

Cargo Bag -

8 lbs. (3.7 kg.)

Fabric Colors:

Black, Smoke, Desert Camouflage, Woodland Camouflage, Multi-Camouflage, Olive Drab Green and others upon request.

Harness Colors:

Black, Smoke, Silver, Olive Drab Green and others upon request.





Three Ways to Carry the TPDS-RRH-800



High Front



Low Front



Low Back





Back View of the **TPDS-RRH-800**



Front View of the **TPDS-RRH-800**



Drop-Line Assembly (**TPDS-RRH-112**)



TACTICAL PARACHUTE DELIVERY SYSTEMS, Inc.

4035 Correia Drive Zephyrhills, FL 33542 U.S.A.

Website: www.tpdsairborne.com

Email: info@tpdsairborne.com

Phone: +1 (813)782-7482

Fax: +1 (813)788-2799