



MARKETING TOOLBOX

MARKETING ASSETS OVERVIEW AVAILABLE ON THE

 B2B PORTAL

JANUARY 2025



WHAT IS THE MARKETING TOOLBOX?

One presentation, sent every month, which sums up all the content available on the **B2B Portal**.

Every month, you will get an updated version of the Marketing Toolbox with new materials.

01

WHAT IS THE **B2B PORTAL** ?

An online content marketing platform which centralize all our assets to empower BS BATTERY brand and products in your local market.

02

HOW DO I GET ACCESS TO THE **B2B PORTAL** ?

On <https://bs-battery.com/b2b-portal/> with your password.

03

WHO GETS ACCESS TO THE **B2B PORTAL** ?

B2B Portal is a private area only available for BS Battery Official Distributors (marketing / sales team). Please never share your access information to external members.

04

WHAT TYPE OF CONTENTS ARE DOWNLOADABLE ON THE **B2B PORTAL** ?

Online, Offline assets such as Catalogues, Leaflets, Posters, Designs for booth, Social Media Campaigns, Press Release, Photos/Videos... Pdf, png, jpeg, mp4, design files...

All the Master files are available in English to facilitate your local adaptation.

B2B PORTAL



BRAND

Promote the BS BATTERY brand

IDENTITY (Logo/Guidelines)

PRESENTATION

ADS (online/offline)

PRESS (Press release)

SOCIAL MEDIA (Campaign)

TRADESHOW (Booth design & Inspiration)

RACING (Sponsors/Events)

PRODUCTS

Develop business, promote products & services

TOOLBOX

PRODUCT INFORMATION

(data sheet & product info)

SALES TOOLS (online/offline)

PRODUCTS CAMPAIGN (Press release)

POS DEVELOPMENT (Campaign)

MERCHANDISING

(Booth design & Inspiration)

BS BATTERY ACADEMY

(Sponsors/Events)

PICTURE LIBRARY

MEDIAs including pictures & videos

PRODUCTS (packshots / product placement)

MERCHANDISING (packshots / product placement)

RACING (races / pilots / VIP Client expériences)

MOTORCYCLE BRANDS (Yamaha / CFMoto...)


CORPORATE (Tradeshow, Trainings, Internal event)



HAPPY NEW YEAR!!

**Wishing you a wonderful and successful
2025! We can't wait to power your ride
and continue growing together this year.**

Thank you for your trust and partnership!





WHAT'S NEW ?



RALLY DAKAR 2025

RACING NEWS

Sherco Racing hit the dunes at the Dakar Rally powered by our lithium battery BSLi-04/06!

After facing extreme conditions and intense competition, Rui Gonçalves secured P11 in the general classification, and Lorenzo Santolino finished at P18.

[SEE MORE](#)

Format 9:16 (.mp4) available [here!](#)



WHAT'S NEW ?



[SEE MORE](#)



Format 9:16 (.mp4) available [here!](#)

UNBOXING

PRODUCT NEWS



Unbox the BS10 Smart Charger & Maintainer with MotoGP rider Fabio Quartararo!

COMING SOON

More unboxing videos for our chargers coming soon! Stay tuned!




NORTH AMERICAN
NVP PRODUCT EXPO
EVENT



WHAT'S NEW ?

Every January, we kick off the year at the **North American NVP Product Expo** in Louisville, KY, hosted by our partners Parts Unlimited and Drag Specialties.



READ MORE

APRILIA RACING
MotoGP



1

EARLY FEB

FABIO
QUARTARARO
MotoGP



2

LATE FEB

GMT94
SBLK
SUPERBIKE
FIM WORLD CHAMPIONSHIP



3

MARCH

4

BUD RACING
MXGP



5

Racing partnership renewals on the way!

Complete with a ready-to-use media kit featuring a key visual, official sponsor logo, press release, and photos!

And many more coming soon!
Details will be shared in the
February Toolbox.



POWERSPORT
SOLUTIONS



2025

BATTERY | CHARGER | BOOSTER | TESTER



POWERSPORT

CATALOG 2025 - ONLINE

BS Battery new 2025 Powersport catalog, which was unveiled at EICMA, is now available online!

B2B PORTAL

Full Catalog with Application List

DOWNLOAD AREA

Catalog without Application List



LITHIUM MAX

INNOVATION FOR MAXIMUM PERFORMANCE

Designed to offer maximum performance thanks to highly reduced weight, low self-discharge, much longer battery life. The Lithium Max battery can be in specially developed to meet the specific needs of off-road motorcycles, V-twins, ATVs, UTVs and SSVs.

MAX

- READY TO USE**
Just plug & ride
- LIGHTER WEIGHT**
Up to 10% lighter than acid batteries
- EXTENSIVE CYCLE LIFE**
Over 2000 cycles
- HEAT RESISTANCE**
Up to 120°C
- ROBUST BRASS TERMINALS**
To enhance electrical performance
- STATE OF CHARGE INDICATOR**
Monitor the state of charge with the indicator screen on the top
- HIGHEST STARTING POWER**
Up to 300A
- HIGHEST CAPACITY**
Up to 2 times that of the lithium range

Note: Lithium motorcycle batteries can be charged over 15V and require a specific charger for lithium technology.

MOUNTING ANGLES

HIGH INCLINATION

COMPATIBLE CHARGERS

BS 10
battery size up to 10Ah


BS 30
battery size up to 30Ah

BK 20
battery size up to 20Ah




DID YOU KNOW?

Our BSLI-10 Max and BSLI-12 Max battery casings are designed to fit with original OEM Acid batteries with no spaces are required.

Lithium battery is exceeding 1000Wh, must be shipped as dangerous goods. Our Lithium Max batteries are packaged with UN documentation according to international transportation standards.



12V - TECHNICAL FEATURES

SET-UP	BS CODE	POWER WATT	22A VOLT	40 AMP HOUR	STANDARD 40 HOUR	DIMENSIONS				WEIGHT KG	TERMINAL	SEAL-ACTIVITY	ROSE PIPER AIR MODEL SEAL-AIRSET	
						L	B	H	D					
BSL-03/03 MAX	BS03115	35	180	9	114	20	95					BSL-02	72N5-26 80N5-9 90N5-6 95N5-4 100N5-2 105N5-2 110N5-2 115N5-2 120N5-2 125N5-2 130N5-2 135N5-2 140N5-2 145N5-2 150N5-2 155N5-2 160N5-2 165N5-2 170N5-2 175N5-2 180N5-2 185N5-2 190N5-2 195N5-2 200N5-2 205N5-2 210N5-2 215N5-2 220N5-2 225N5-2 230N5-2 235N5-2 240N5-2 245N5-2 250N5-2 255N5-2 260N5-2 265N5-2 270N5-2 275N5-2 280N5-2 285N5-2 290N5-2 295N5-2 300N5-2 305N5-2 310N5-2 315N5-2 320N5-2 325N5-2 330N5-2 335N5-2 340N5-2 345N5-2 350N5-2 355N5-2 360N5-2 365N5-2 370N5-2 375N5-2 380N5-2 385N5-2 390N5-2 395N5-2 400N5-2 405N5-2 410N5-2 415N5-2 420N5-2 425N5-2 430N5-2 435N5-2 440N5-2 445N5-2 450N5-2 455N5-2 460N5-2 465N5-2 470N5-2 475N5-2 480N5-2 485N5-2 490N5-2 495N5-2 500N5-2 505N5-2 510N5-2 515N5-2 520N5-2 525N5-2 530N5-2 535N5-2 540N5-2 545N5-2 550N5-2 555N5-2 560N5-2 565N5-2 570N5-2 575N5-2 580N5-2 585N5-2 590N5-2 595N5-2 600N5-2 605N5-2 610N5-2 615N5-2 620N5-2 625N5-2 630N5-2 635N5-2 640N5-2 645N5-2 650N5-2 655N5-2 660N5-2 665N5-2 670N5-2 675N5-2 680N5-2 685N5-2 690N5-2 695N5-2 700N5-2 705N5-2 710N5-2 715N5-2 720N5-2 725N5-2 730N5-2 735N5-2 740N5-2 745N5-2 750N5-2 755N5-2 760N5-2 765N5-2 770N5-2 775N5-2 780N5-2 785N5-2 790N5-2 795N5-2 800N5-2 805N5-2 810N5-2 815N5-2 820N5-2 825N5-2 830N5-2 835N5-2 840N5-2 845N5-2 850N5-2 855N5-2 860N5-2 865N5-2 870N5-2 875N5-2 880N5-2 885N5-2 890N5-2 895N5-2 900N5-2 905N5-2 910N5-2 915N5-2 920N5-2 925N5-2 930N5-2 935N5-2 940N5-2 945N5-2 950N5-2 955N5-2 960N5-2 965N5-2 970N5-2 975N5-2 980N5-2 985N5-2 990N5-2 995N5-2 1000N5-2	
BSL-13/13 MAX	BS03116	180	730	75	175	52	155					BSL-10	86Z04-6 92Z04-4 97Z04-4 103Z04-4 109Z04-4 115Z04-4 121Z04-4 127Z04-4 133Z04-4 139Z04-4 145Z04-4 151Z04-4 157Z04-4 163Z04-4 169Z04-4 175Z04-4 181Z04-4 187Z04-4 193Z04-4 199Z04-4 205Z04-4 211Z04-4 217Z04-4 223Z04-4 229Z04-4 235Z04-4 241Z04-4 247Z04-4 253Z04-4 259Z04-4 265Z04-4 271Z04-4 277Z04-4 283Z04-4 289Z04-4 295Z04-4 301Z04-4 307Z04-4 313Z04-4 319Z04-4 325Z04-4 331Z04-4 337Z04-4 343Z04-4 349Z04-4 355Z04-4 361Z04-4 367Z04-4 373Z04-4 379Z04-4 385Z04-4 391Z04-4 397Z04-4 403Z04-4 409Z04-4 415Z04-4 421Z04-4 427Z04-4 433Z04-4 439Z04-4 445Z04-4 451Z04-4 457Z04-4 463Z04-4 469Z04-4 475Z04-4 481Z04-4 487Z04-4 493Z04-4 499Z04-4 505Z04-4 511Z04-4 517Z04-4 523Z04-4 529Z04-4 535Z04-4 541Z04-4 547Z04-4 553Z04-4 559Z04-4 565Z04-4 571Z04-4 577Z04-4 583Z04-4 589Z04-4 595Z04-4 601Z04-4 607Z04-4 613Z04-4 619Z04-4 625Z04-4 631Z04-4 637Z04-4 643Z04-4 649Z04-4 655Z04-4 661Z04-4 667Z04-4 673Z04-4 679Z04-4 685Z04-4 691Z04-4 697Z04-4 703Z04-4 709Z04-4 715Z04-4 721Z04-4 727Z04-4 733Z04-4 739Z04-4 745Z04-4 751Z04-4 757Z04-4 763Z04-4 769Z04-4 775Z04-4 781Z04-4 787Z04-4 793Z04-4 799Z04-4 805Z04-4 811Z04-4 817Z04-4 823Z04-4 829Z04-4 835Z04-4 841Z04-4 847Z04-4 853Z04-4 859Z04-4 865Z04-4 871Z04-4 877Z04-4 883Z04-4 889Z04-4 895Z04-4 901Z04-4 907Z04-4 913Z04-4 919Z04-4 925Z04-4 931Z04-4 937Z04-4 943Z04-4 949Z04-4 955Z04-4 961Z04-4 967Z04-4 973Z04-4 979Z04-4 985Z04-4 991Z04-4 997Z04-4 1003Z04-4 1009Z04-4 1015Z04-4 1021Z04-4 1027Z04-4 1033Z04-4 1039Z04-4 1045Z04-4 1051Z04-4 1057Z04-4 1063Z04-4 1069Z04-4 1075Z04-4 1081Z04-4 1087Z04-4 1093Z04-4 1099Z04-4 1105Z04-4 1111Z04-4 1117Z04-4 1123Z04-4 1129Z04-4 113	
BSL-12/12 MAX	BS03117	215	900	18	156	122	125					BSL-12	86Z04-6 92Z04-4 97Z04-4 103Z04-4 109Z04-4 115Z04-4 121Z04-4 127Z04-4 133Z04-4 139Z04-4 145Z04-4 151Z04-4 157Z04-4 163Z04-4 169Z04-4 175Z04-4 181Z04-4 187Z04-4 193Z04-4 199Z04-4 205Z04-4 211Z04-4 217Z04-4 223Z04-4 229Z04-4 235Z04-4 241Z04-4 247Z04-4 253Z04-4 259Z04-4 265Z04-4 271Z04-4 277Z04-4 283Z04-4 289Z04-4 295Z04-4 301Z04-4 307Z04-4 313Z04-4 319Z04-4 325Z04-4 331Z04-4 337Z04-4 343Z04-4 349Z04-4 355Z04-4 361Z04-4 367Z04-4 373Z04-4 379Z04-4 385Z04-4 391Z04-4 397Z04-4 403Z04-4 409Z04-4 415Z04-4 421Z04-4 427Z04-4 433Z04-4 439Z04-4 445Z04-4 451Z04-4 457Z04-4 463Z04-4 469Z04-4 475Z04-4 481Z04-4 487Z04-4 493Z04-4 499Z04-4 505Z04-4 511Z04-4 517Z04-4 523Z04-4 529Z04-4 535Z04-4 541Z04-4 547Z04-4 553Z04-4 559Z04-4 565Z04-4 571Z04-4 577Z04-4 583Z04-4 589Z04-4 595Z04-4 601Z04-4 607Z04-4 613Z04-4 619Z04-4 625Z04-4 631Z04-4 637Z04-4 643Z04-4 649Z04-4 655Z04-4 661Z04-4 667Z04-4 673Z04-4 679Z04-4 685Z04-4 691Z04-4 697Z04-4 703Z04-4 709Z04-4 715Z04-4 721Z04-4 727Z04-4 733Z04-4 739Z04-4 745Z04-4 751Z04-4 757Z04-4 763Z04-4 769Z04-4 775Z04-4 781Z04-4 787Z04-4 793Z04-4 799Z04-4 805Z04-4 811Z04-4 817Z04-4 823Z04-4 829Z04-4 835Z04-4 841Z04-4 847Z04-4 853Z04-4 859Z04-4 865Z04-4 871Z04-4 877Z04-4 883Z04-4 889Z04-4 895Z04-4 901Z04-4 907Z04-4 913Z04-4 919Z04-4 925Z04-4 931Z04-4 937Z04-4 943Z04-4 949Z04-4 955Z04-4 961Z04-4 967Z04-4 973Z04-4 979Z04-4 985Z04-4 991Z04-4 997Z04-4 1003Z04-4 1009Z04-4 1015Z04-4 1021Z04-4 1027Z04-4 1033Z04-4 1039Z04-4 1045Z04-4 1051Z04-4 1057Z04-4 1063Z04-4 1069Z04-4 1075Z04-4 1081Z04-4 1087Z04-4 1093Z04-4 1099Z04-4 1105Z04-4 1111Z04-4 1117Z04-4 1123Z04-4 1129Z04-4 113	



BK 2

SMART BANK BATTERY CHARGER & MAINTAINER WITH RECONDITIONING FUNCTION

FOR PROFESSIONAL

BS Code: 10

BK 20 LEAD ACID & LITHIUM 6V/12V - 3X 2A

- Charges and maintains 3 batteries at once with different voltages and technologies as well.
- Auto-detect lead Acid or Lithium technology
- Zero overcharge, adaptable charging algorithms
- Lead Acid & Lithium (LiFePO₄)
- 7 Phase mode function: to activate low voltage "boost"
- Lead Acid battery or wake up "dead" LiFePO₄ battery
- Safe control on spark free, reverse polarity, short circuit and internal overcurrent protection
- Easy to use, connect selected battery voltage & burst
- 6V & 12V mode selection
- Battery capacity up to 40Ah

CHARGING CURVE - 10 STAGES

Only if Harcourt is selected:
- Fastest full reconditioning stage
- Up to 40 Ah max charge

Adaptable device, capable to 150 Ah
to fully recondition them.
Once the battery is fully charged, the charge is stopped

DID YOU KNOW?

CHARGING STRATION

Build your own Charging Station to charge
and maintain 3 batteries at once!
Refer to page 48

BATTERY WORTH 1000€
ASSEMBLY PART 100€
CHARGER BK 20 100€*

www.bs-batteries.com



    | www.bs-battery.com

OCT 2024



[READ MORE](#)



IMPORTANT REMINDER

MERCHANDISING ITEMS

► Production on request - please share your interest and needs to our marketing team by [February 15th](#).

3X3 TENT



INFLATED TENT



COUNTERMAT



BATTERY FINDER

Our 24/7 BATTERY FINDER app is available on our website

bs-battery.com



IMPORTANT REMINDER

UPDATE

BATTERY FINDER

Find the right battery in seconds for your :



Moto



Scooter



ATV/UTV/SSV



Watercraft





Snowmobile



Lawnmower




Robot





DISCOVER MORE NEWS





BRAND

NEXT SLIDES

Discover all the content available on B2B PORTAL →

BRAND 

BRAND

ADS

LINK



NEW

OFFLINE ADS - Maximum Performance

BS
BATTERY

The Power you need...

BS
BATTERY

MAXIMUM PERFORMANCE

f i y t | www.bs-battery.com | contact@bs-battery.com

Format :

- Offline Ad - Printing file
- .pdf & source files
- 8.625 x 5.5 in

Featuring the **Lithium Max**, **SLA Max BGZ Series**, **BS30 charger**, and **Powerbox PB-02** this campaign highlights the spirit of the MAX range, as the ultimate solutions for performance.

NEW

BS Battery range - MV Agusta Dragster

Video : 30 sec
Format : .mp4 | 9:16



SOCIAL MEDIA

LINK



REMINDER

NEW MERCHANDISING ITEMS

▶ Production on request - please share your interest and needs to our marketing team

by February 15th.

TENT

On request

Easy to set up not inflatable, ideal for racing events and exhibitions.

Dimensions suggested: 3 x 3 m



COUNTERMAT

On request

Dealers hands-on support with upgrade cross reference chart, battery range overview, and quick access to our fitment list (battery finder). Scratch-resistant matte laminate counter mat, non-skid rubber backing.

Dimensions suggested: 400 x 550 mm (16x22" in) 1.5mm Thick (~1/16")



INFLATED TENT


On request

Durable and easy to set up inflatable tent, ideal for outdoor events and exhibitions.

MERCHANDISING

LINK





PRODUCTS

NEXT SLIDES

Discover all the content available on B2B PORTAL →

PRODUCTS





PRODUCTS

PRODUCT INFORMATION

LINK



NEW


DRY / SLA replacement

P/N	DESIGNATION	P/N	REPLACEMENT
310531	<div>STOP</div> <div>BS DRY BATTERY - 12N5.5-4B (With Acid Pack)</div>	300841	BS SLA BATTERY - 12N5.5-4A/4B (FA)



The **dry battery 12N5.5-4B** model has been discontinued and is no longer be available. As an alternative, we recommend our **SLA battery 12N5.5-4A/4B (FA)**.

Technical features SLA 12N5.5-4A/4B (FA)

BS CODE	VOLTS (V)	CCA (A)	CAPACITY AH (10Hr)	CAPACITY AH (20Hr)	DIMENSIONS (±2mm)			ASSEMBLY LAYOUT	TERMINAL
					L	W	H		
300841	12	70	5.5	5.8	135	60	130		A



PRODUCTS

PRODUCT INFORMATION

LINK



NEW

REACH DECLARATION 2025



REACH DECLARATION

This declaration refers to Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

Articles listed below **do not contain** any substances above 0.1 % (w/w) per product that are listed on the "Candidate List" of substances of very high concern (SVHC), as updated on **2024/06/27**

- Lithium starter battery (BSLI RANGE)
- Lithium booster
- Lithium robot battery
- NiMH robot battery

Articles listed below **contain** more than 0.1 % (w/w) of an SVHC.

Product category	EC No.	CAS No.	SVHC
Lead acid starter battery (CA/CA, DRY, MF, SLA)	231-100-4	7439-92-1	Lead

In the sense of REACH Regulation (EC) No 1907/2006 all products listed in this declaration are articles (not chemicals or mixtures), which are not intended to release any substance under normal and reasonably foreseeable conditions of use.

The relevant instructions to ensure the safe use of these articles, as a result of the presence of the above identified Candidate List substance in their chemical composition, throughout their whole life cycle including service life and waste/recycling stage, as well as foreseeable misuse are provided in the respective Safety Data Sheet (MSDS).

All articles listed above do not contain any substances above 0.1 % (w/w) per product that are listed in the current edition of Annex XIV of the REACH Regulation ("Authorization List").

All articles listed above are in conformance with the current edition of Annex XVII of the REACH Regulation ("List of Restrictions").

The above statements include packaging materials.



Articles containing more than 0.1 % (w/w) of an SVHC have been registered according to the Directive 2008/98/EC of European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives (Waste Framework Directive, WFD).

Product category	SCIP number
Lead acid starter battery (CA/CA)	0e77cab5-e226-40be-bd77-f388533f8262
Lead acid starter battery (DRY)	652157f5-fb94-4c45-8aab-33d771bce542
Lead acid starter battery (MF)	9fb175dc-f2c7-49b2-9531-99597e91a1a
Lead acid starter battery (SLA)	6d4dd272-c1bb-4d7d-a662-fe31e991d86a

Signed for and on behalf of: BS BATTERY SAS
Place and date of issue: SURESNES, 2025/01/03
Name, Function: ROMAIN MENDUNI
PRODUCT MARKETING MANAGER

Signature





PRODUCTS

PRODUCT INFORMATION

LINK



REMINDER

Lithium Range Update



LITHIUM

LiFePO4

P/N	DESIGNATION	UPGRADES
360107	BS LITHIUM - BSLi-07	
360119	BS LITHIUM - BSLi-09	

BSLi-07 lithium battery model has been discontinued and is no longer be available.

As an alternative, we recommend our BSLi-09 model which offers superior performance

BS TYPE	BS CODE	POWER (Wh)	CCA (A)	CAPACITY AH (10Hr)	DIMENSIONS (±2mm)			POLARITY	TERMINAL	REPLACEMENT - MOST POPULAR MODELS		
					L	W	H			SLA / SLA MAX	MF	DRY
BSLi-09	360119	90	480	7.5	148	86	105		 M6	BTX16 BTX16H BTX20H BTX20CH	BTX16-BS BTX16-BS-1 BTX20-BS BTX20CH-BS BTX20A-BS	BB16B-B BB16B-A/A1 HBB16A-A/AB BB18-A



PRODUCTS

PRODUCT INFORMATION

LINK





Lithium Range Upgrades

LITHIUM
LiFePO4

REMINDER

P/N	DESIGNATION	UPGRADES
360119	BS LITHIUM - BSLI-09	CCA : 360A > 480A Capacity : 6Ah > 7,5Ah Power : 72Wh > 90wh
360118	BS LITHIUM - BSLI-10	CCA : 360A > 480A Capacity : 6Ah > 7,5Ah Power : 72Wh > 90wh
360112	BS LITHIUM - BSLI-12	CCA : 440A > 560A

We kindly remind you that our lithium batteries **BSLi-09, BSLi-10 and BSLi-12** have been upgraded and now feature higher CCA. Please make sure to update your system accordingly.

Product packshots with right labels are downloadable from here : [CLICK HERE](#)

Please update your product information with new datasheets & packshot

NEW

SLA MAZ BGZ SERIES

SLA MAX BGZ Series range

Video : 35 sec

Format : .mp4 | 1:1



Lithium Max range

Video : 35 sec

Format : .mp4 | 1:1



REMINDER

Lithium Max Range

PRODUCTS

PRODUCT
CAMPAIGN

LINK





PRODUCTS

PRODUCT
CAMPAIGN

LINK



NEW BS BATTERY x Fabio Quartararo | BS10 - Smart Battery Charger & Maintainer

Unbox the BS10 Smart Charger & Maintainer with MotoGP rider Fabio Quartararo!
Video : 0:45 sec
Format : .mp4 | 9-16 ; 16-9



NEW

BST1000

PRODUCTS

PRODUCT
CAMPAIGN

LINK



Our BST1000 tester in situation

Video : 20 sec

Format : .mp4 | 9:16

B2B PORTAL

All BS BATTERY Pictures & Videos :

- Product (packshot & product placement)
- Merchandising (packshot & product placement)
- NEW Racing (Races; Pilots; Client Expériences)
- Motorcycle Brands (pictures filtered by Brands)
- Corporate (Internal Event, Tradeshow...)

BRAND

PRODUCTS

**PICTURE
LIBRARY**

NEXT SLIDES

Discover all the content available on B2B PORTAL



**PICTURE
LIBRARY**



NEW HELMETS COLLECTION

**PICTURE
LIBRARY**

RACING

LINK



PICTURE
LIBRARY

PRODUCTS

LINK



REMINDER SLA MAX BGZ SERIES



LITHIUM MAX



PRODUCT PLACEMENT

REMINDER

BOOSTER

PICTURE
LIBRARY



PRODUCTS


PA-01 JAR



LINK




DISCOVER MORE ON



SOCIAL MEDIAS

BS BATTERY WEBSITE

<https://bs-battery.com/>



[@bsbatteryofficial](https://www.instagram.com/bsbatteryofficial)



[@bsbattery.](https://www.linkedin.com/company/bsbattery)



[@bsbattery.](https://www.facebook.com/bsbattery)



[@bsbattery.](https://www.youtube.com/bsbattery)

CONTACT

BS BATTERY - Paris Headoffice (France)
contact@bs-battery.com

UPDATED IN NOVEMBER 2024 !

BATTERY FINDER
find the right battery for your bike!



THANK YOU
FOR YOUR ATTENTION

    | bs-battery.com

