


B-FLEX
HEAT TRANSFER VINYL



SPEC SHEET
COLOR CHART

TOOLS FOR
CREATIVES



Spicers 

1300 132 644 spicers.com.au

A close-up photograph of a person's hands operating a black heat press machine. The person is wearing a light blue long-sleeved shirt. One hand is holding a black handle of the machine's upper platen, while the other hand is adjusting a dial on the lower platen. A blue t-shirt is laid flat on the lower platen, and a piece of white vinyl with the text 'MAY 11 1994' is being applied to it. The background is a bright, indoor setting with a window and a plant.

B-FLEX
HEAT TRANSFER VINYL

We produce the highest quality heat transfer vinyl on the market. Ease of use, quick application, and long-lasting results are the main features of our products.

Contents

Gimmes	4
Work	4
Sport	5
Fashion	6

Spec Sheet

Films for Garment Decoration: CAD-CAM	8
Films for Garment Decoration: Print & Cut	10

Color Chart

Gimme5	14
Gimme5 Special	15
Gimme5 Fluo	15
BF Sublistop	16
BF Sublistop Fluo	16
BF Nylon	16
BF Sport Subli	17
BF Sport	17
BF Mirror	17
BF Metallic	17
BF Glam	17
BF Glitter	18
BF Sandy Glitter	18
BF Promotional	19
BF Varnish	19
BF Windstop	19
BF Fatty	20
BF Flock	20
BF Stretch	20
BF Digital Printing	21
BF Gimme5 Digital Printing	21
Application tape	21

GIMME5

Top-notch quality with a quick application

“Whether I customize cotton t-shirts, hoodies, or work pants, which heat transfer vinyl can offer ease of use while guaranteeing a long-lasting result?”

We created **GIMME5** to answer that question. It applies in just 4 seconds at 140°C/285°F, offers a wide color selection, is fully opaque even on dark garments, and has an elegant matt finish. Thanks to its thickness of only 80 microns, **GIMME5** is pleasant and soft on any garment and easy to use. This film is made using only the highest quality raw materials, which ensures a long-lasting application. We have tested it to last over 100 wash cycles at 90°C/194°F. **GIMME5** is also available in a printable version called **FIVE PRINT 00**, with a semi-matt finish, or **FIVE PRINT 01**, with a matt finish.

Are you old school? Is four seconds too fast for you? Use our **BF700** series. It's a quality film that has been tested over time as it was the first product released by B-Flex. The printable version of our **BF700** is called **BF PRINT 00**, with a semi-matt finish, or **BF PRINT 01** with a matt finish.

GIMME5



FIVE PRINT00

WORK

Are you a professional in the workwear industry?

These products are ideal for safety gear as they can provide high visibility

REFLECTIVE EFFECT


Choose **BF REFLEX**, or **BF PRINTREF** for the printable version.

It can be applied on vests, jackets, pants, and other cotton or synthetic garments. Its reflective finish will give your products that high visibility you're looking for.

GLOW-IN-THE-DARK EFFECT

Make your designs stand out thanks to the glow-in-the-dark effect of our **BF GLOW IN THE DARK**, and its printable version, **BF PRINTGLOW**. It's ideal for applications on cotton, synthetics, and mixed fibers.

BF REFLEX





BF SUBLISTOP

SPORT

Are you in the sportswear industry?

How do you choose the correct heat transfer vinyl to use on specialized fibers used in the sportswear world?

POLYESTER ATHLETIC GARMENTS

How can you prevent dye-migration from sublimated polyester onto your heat transfer letters?

Use **BF SUBLISTOP**, or its printable version, **BF PRINTSU**. Also try **BF SUBLISTOP 80**, with a thickness of just 80 microns it's soft.

K-WAY®, WINDBREAKERS, BAGS, AND NYLON FABRICS

Use **BF NYLON** and its printable version **BF PRINT NYLON**. Thanks to its custom-designed adhesive, **BF NYLON** ensures a strong bond for a long-lasting result.

BATHING SUITS, LEGGINGS, AND ELASTIC FIBERS

Use **BF STRETCH**. Our most stretchable heat transfer vinyl. Thanks to its thickness of only 65 microns, it has a soft feel and blends perfectly with the garment it's being pressed on.

SOFTSHELL AND PUFFER JACKETS


The exceptional **BF WINDSTOP** has three main characteristics that make it ideal for applications on Soft Shell jackets: It applies at just 110°C/230°F, it has a sublistop barrier that prevents dye-migration, and a powerful bond that ensures a long-lasting application even on difficult garments.



BF NYLON



BF WINDSTOP



BF SANDY GLITTER

FASHION

Are you in the fashion industry?

Are you inspired by the latest fashion trends? Unleash your creativity using B-Flex's heat transfer vinyl created specifically for the fashion industry.

SPARKLY EFFECT

Use **BF GLITTER** or **BF SANDY GLITTER**. Both will provide a sparkly effect that only a glitter vinyl can provide. With **BF GLITTER**, you can maintain a soft and pleasant surface on your garment. Its glitter flakes are placed inside the vinyl's layers during production. With **BF SANDY GLITTER**, you'll have the flashiest glitter vinyl with a textured surface. **BF GLITTER** is available in a printable version in three different colors: white (**BF PRINTGW**), silver (**BF PRINTSG**), and gold (**BF PRINTGG**).

GLOSSY FINISH

With **BF VARNISH** you can obtain a super glossy finish that will give your garments a shiny appearance.

PEARL EFFECT

BF METALLIC is a cuttable film that will make heads turn thanks to its pearlescent finish.

HOLOGRAPHIC EFFECT

BF GLAM will provide you with the highly sought-after holographic effect. Check out **BF GLAM RAINBOW** which contains four rainbow colors.

MIRROR EFFECT

Are you looking for a traditional mirror look? Use **BF MIRROR**. If you want that same look but need something softer to the touch, try **BF MIRROR SOFT**.

3D EFFECT

If you're trying to make your garments stand out, use **BF FATTY** and its printable version, **BF PRINTFATTY**. Having a thickness of 750 microns will make your designs pop out and feel three-dimensional.

VELVET EFFECT

BF FLOCK and its printable version, **BF PRINTFLOCK** are soft and provide a true velvet finish.



BF MIRROR



BF GLAM

BF METALLIC



BF FATTY

S P

M C

S H

E E

T



PRODUCT NAME	PU	PET	THICKNESS	MATT FINISHING	GLOSSY FINISHING	FINISHING	ADHESIVE LINER	PLOTTER CUT	ORGANIC FABRICS
GIMMES	■		80 μ	■			■	45°	■
GIMMES SPECIAL	■		80 μ	■			■	45°	■
GIMMES FLUO	■		90 μ	■			■	45°	■
BF 700	■		90 μ	■			■	45°	■
BF 700 SPECIAL	■		90 μ	■			■	45°	■
BF 700 FLUO	■		90 μ	■			■	45°	■
BF SUBLISTOP 80	■		80 μ	■			■	45°	
BF SUBLISTOP	■		120 μ	■			■	45°	
BF WINDSTOP	■		180 μ	■			■	45°	
BF NYLON	■		75 μ	■			■	45°	
BF STRETCH	■		65 μ	■				45°	
BF SPORT SUBLI	■		80 μ	■			■	45°	
BF SPORT	■		80 μ	■			■	45°	■
BF REFLEX	■		140 μ			REFLEX	■	60°	■
BF PROMOTIONAL	■		80 μ	■				45°	■
BF VARNISH	■		100 μ		■		■	45°	■
BF FATTY	■		750 μ	■				60°	■
BF FLOCK		RAYON	~500 μ			VELVET	■	60°	■
BF MIRROR		■	100 μ		■		■	45° - 60°	■
BF MIRROR SOFT		■	60 μ		■		■	45°	■
BF METALLIC	■		90 μ		■		■	45°	■
BF GLITTER	■		100 μ		■		■	45°	■
BF SANDY GLITTER	■		320 μ			ROUGH	■	60°	■
BF GLAM		■	90 μ		■		■	45°	■
BF GLOW IN THE DARK	■		140 μ	■			■	45°	■



You can view the data sheets directly from the label outside and inside the packaging with the QR code and work faster and easier.



SCAN THE QR CODE

FILMS FOR GARMENT DECORATION: CAD-CAM



POLYESTER FABRICS	NYLON FABRICS	STRETCH FABRICS	SUBLIMATED POLYESTER	TEMPERATURE	TIME	TRANSFER PRESSURE	LINER REMOVAL	WASH TEMPERATURE	DRYER
■				140°C - 285°F	4"	3,5 bar - 50 PSI	HOT	90°C	■
■				140°C - 285°F	4"	3,5 bar - 50 PSI	HOT	60°C	■
■				140°C - 285°F	4"	3,5 bar - 50 PSI	HOT	60°C	■
■				140°C - 285°F	10"	3,5 bar - 50 PSI	HOT	90°C	■
■				140°C - 285°F	10"	3,5 bar - 50 PSI	HOT	60°C	■
■				140°C - 285°F	10"	3,5 bar - 50 PSI	HOT	60°C	■
■			■	130°C - 265°F	8"	3,5 bar - 50 PSI	HOT	40°C	
■			■	140°C - 285°F	10"	3,5 bar - 50 PSI	HOT	40°C	
SOFT-SHELL	■		■	110°C - 230°F	8"	3,5 bar - 50 PSI	HOT	40°C	
■	■			145°C - 295°F	12"	3,5 bar - 50 PSI	SEMI-HOT	40°C	
■		■		140°C - 285°F	10"	3,5 bar - 50 PSI	COLD	60°C	■
■			■	130°C - 265°F	8"	3,5 bar - 50 PSI	HOT	40°C	
■				145°C - 295°F	10"	3,5 bar - 50 PSI	HOT	40°C	■
■	■			140°C - 285°F	10"	3,5 bar - 50 PSI	HOT	40°C	
■				145°C - 295°F	10"	3,5 bar - 50 PSI	COLD	40°C	■
■				145°C - 295°F	10"	3,5 bar - 50 PSI	HOT	40°C	
■				150°C - 305°F	15"	2,0 bar - 30 PSI	COLD	40°C	
■				160°C - 320°F	16"	2,0 bar - 30 PSI	SEMI-HOT	40°C	
■				150°C - 305°F	12"	3,5 bar - 50 PSI	SEMI-HOT	30°C	
■				150°C - 305°F	12"	3,5 bar - 50 PSI	SEMI-HOT	30°C	
■				140°C - 285°F	12"	3,5 bar - 50 PSI	HOT	40°C	
■				145°C - 295°F	10"	3,5 bar - 50 PSI	HOT	60°C	■
■				150°C - 305°F	10"	3,5 bar - 50 PSI	HOT	60°C	■
■				140°C - 285°F	12"	3,5 bar - 50 PSI	HOT	40°C	
■				145°C - 295°F	12"	3,5 bar - 50 PSI	SEMI-HOT	40°C	

Our products comply with regulation n° 1907/2006/EU (REACH)

The data represents the average values tested in our laboratory at normal environmental conditions. This information is given without guarantee. Due to variances in the manufacturing process of fabrics, B-Flex highly recommends conducting a test on the desired material before each application.



SELECT YOUR LANGUAGE



DOWNLOAD THE DATA SHEET



START WITH YOUR APPLICATION

The Oeko Tex certification applies to certain products as listed on our website www.b-flexitalia.com





PRODUCT NAME	PU	PVC	THICKNESS	MATT FINISHING	GLOSSY FINISHING	ECO SOLVENT INKS	LATEX INKS	UV INKS	SUBLI INKS
BF PRINT50	■		55 μ	■		■	■		
BF PRINT00	■		90 μ	SEMI MATT		■	■		
BF PRINT01	■		90 μ	■		■	■		
BF PRINT02	■		50 μ	■		■	■		
BF PRINT02 GLOSSY	■		50 μ		■	■	■		
BF PRINT03	50%	50%	120 μ	■		■	■		
BF PRINT04	50%	50%	160 μ	■		■	■		
BF PRINTSU	■		120 μ	■		■	■		
BF PRINTSU 80	■		80 μ	■		■	■		
BF PRINT NYLON	■		75 μ	■		■	■		
BF PRINT UV	■		80 μ	■				■	
BF PRINT GLITTER	■		100 μ		■	■	■		
BF PRINTTOPM/P ¹	■		60 μ	■		■	■		
BF PRINTTOPG/P ¹	■		60 μ		■	■	■		
BF PRINTGLOW	■		140 μ	■		■	■		
BF PRINTREF	■		150 μ	REFLEX		■	■		
BF PRINTOLD	■		170 μ	■		■	■		
BF PRINTFATTY	■		750 μ	■		■	■		
BF PRINTFATTY UV	■		750 μ	■				■	
BF PRINTFLOCK	RAYON		~500 μ	VELVET		■			
BF PRINTFLOCKSUBLI	PET		~600 μ	VELVET					■
FIVE PRINT00	■		80 μ	SEMI MATT		■	■		
FIVE PRINT01	■		80 μ	■		■	■		
FIVE PRINTTOPG/P ¹	■		60 μ		■	■	■		
FIVE PRINTTOPM/P ¹	■		60 μ	■		■	■		
BF MYLAR - application tape	PET		100 μ		■				

1. P=available also with paper liner.

2. Temperatures related on heat transfer vinyl; for the inks features, refer to the data sheet inks producer's.



You can view the data sheets directly from the label outside and inside the packaging with the QR code and work faster and easier.



SCAN THE QR CODE

FILMS FOR GARMENT DECORATION: PRINT&CUT

ADHESIVE LINER	ORGANIC FABRICS	POLYESTER FABRICS	NYLON FABRICS	SUBLIMATED POLYESTER	TEMPERATURE	TIME	TRANSFER PRESSURE	LINER REMOVAL	WASH TEMPERATURE ²
■	■	■			140°C - 285°F	6"	3,5 bar - 50 PSI	SEMI-HOT	40°C
■	■	■			140°C - 285°F	10"	3,5 bar - 50 PSI	HOT	90°C
■	■	■			140°C - 285°F	10"	3,5 bar - 50 PSI	HOT	90°C
	■	■			150°C - 305°F	10"	3,5 bar - 50 PSI	SEMI-HOT	40°C
	■	■			150°C - 305°F	10"	3,5 bar - 50 PSI	SEMI-HOT	40°C
■	■	■			145°C - 295°F	12"	3,5 bar - 50 PSI	HOT	40°C
■	■	■			145°C - 295°F	12"	3,5 bar - 50 PSI	HOT	40°C
■		■		■	140°C - 285°F	10"	3,5 bar - 50 PSI	HOT	40°C
■		■		■	130°C - 265°F	8"	3,5 bar - 50 PSI	HOT	40°C
■		■	■		145°C - 295°F	12"	3,5 bar - 50 PSI	HOT	40°C
■	■	■			140°C - 285°F	10"	3,5 bar - 50 PSI	HOT	40°C
■	■	■			150°C - 305°F	10"	3,5 bar - 50 PSI	HOT	40°C
■	■	■	■		145°C - 295°F	8"	3,5 bar - 50 PSI	HOT	40°C
■	■	■	■		145°C - 295°F	8"	3,5 bar - 50 PSI	HOT	40°C
■	■	■			145°C - 295°F	12"	3,5 bar - 50 PSI	SEMI-HOT	40°C
■	■	■			150°C - 305°F	10"	3,5 bar - 50 PSI	SEMI-HOT	40°C
■	■	■			145°C - 295°F	12"	3,5 bar - 50 PSI	SEMI-HOT	40°C
■	■	■			150°C - 305°F	15"	2,0 bar - 30 PSI	HOT	40°C
■	■	■			150°C - 305°F	15"	2,0 bar - 30 PSI	HOT	40°C
■	■	■			160°C - 320°F	16"	2,0 bar - 30 PSI	HOT	40°C
■	■	■			160°C - 320°F	16"	1,5 bar - 20 PSI	HOT	40°C
■	■	■			140°C - 285°F	4"	3,5 bar - 50 PSI	HOT	90°C
■	■	■			140°C - 285°F	4"	3,5 bar - 50 PSI	HOT	90°C
■	■	■	■		140°C - 285°F	4"	3,5 bar - 50 PSI	HOT	40°C
■	■	■	■		140°C - 285°F	4"	3,5 bar - 50 PSI	HOT	40°C
■									

The data represents the average values tested in our laboratory at normal environmental conditions. This information is given without guarantee. Due to variances in the manufacturing process of fabrics, B-Flex highly recommends conducting a test on the desired material before each application.

Our products comply with regulation n° 1907/2006/EU (REACH)

The Oeko Tex certification applies to certain products as listed on our website www.b-flexitalia.com



SELECT YOUR LANGUAGE



DOWNLOAD THE DATA SHEET



START WITH YOUR APPLICATION







Bflex is available in a wide variety of colors and will make your product stand out. Refer to our color chart for this comprehensive range.

GIMMES and **BF 700** are two different product lines with different application times.

* Available from Spicers Australia.
Other colours are available on indent.

BF 700A Gimme5

			
BF 700A WHITE	FIVE 700A *	BF 732A FLAME RED	FIVE 732A *
			
BF 728A LEMON YELLOW	FIVE 728A *	BF 730A RED	FIVE 730A *
			
BF 720A MEDIUM YELLOW	FIVE 720A *	BF 762A BORDEAUX	FIVE 762A *
			
BF 722A PUMPKIN YELLOW	FIVE 722A *	BF 773A LAVENDER	FIVE 773A *
			
BF 727A OCRA YELLOW	FIVE 727A *	BF 737A BLUSH PINK	FIVE 737A *
			
BF 729A SALMON	FIVE 729A *	BF 745A PERIWINKLE	FIVE 745A *
			
BF 734A ORANGE	FIVE 734A *	BF 748A NAVY BLUE	FIVE 748A *
			
BF 733A CARROT ORANGE	FIVE 733A *	BF 747A MIDNIGHT BLUE	FIVE 747A *
			
BF 735A CORAL RED	FIVE 735A *	BF 742A ELECTRIC BLUE	FIVE 742A *
	BF 738A CYCLAMEN		FIVE 752A *



IMPORTANT NOTE

GIMMES and **BF 700** are two different product lines with different application times.

* Available from Spicers Australia
Other colours are available on indent.

Gimme5 Special BF 700 Special

Gimme5 Fluo BF 700 Fluo



BF 754A **FIVE 754A**
GRASS GREEN *



BF 764A **FIVE 764A**
LEATHER *



BF 791A **FIVE 791A**
ROSE GOLD *



BF FLUO20A **FIVE FLUO20A**
NEON YELLOW *



BF 750A **FIVE 750A**
GREEN *



BF 769A **FIVE 769A**
CARAMEL BEIGE *



BF 792A **FIVE 792A**
GOLD *



BF FLUO30A **FIVE FLUO30A**
NEON ORANGE *



BF 780A **FIVE 780A**
FOREST GREEN *



BF 763A **FIVE 763A**
CAPPUCCINO *




BF 793A **FIVE 793A**
BRONZE *



BF FLUO40A **FIVE FLUO40A**
NEON PINK *



BF 781A **FIVE 781A**
OLIVE GREEN *



BF 768A **FIVE 768A**
SAND *



BF 794A **FIVE 794A**
COPPER *



BF FLUO50A **FIVE FLUO50A**
NEON GREEN *



BF 788A **FIVE 788A**
MINT GREEN *



BF 766A **FIVE 766A**
BEIGE *



BF 795A **FIVE 795A**
GRAPHITE *



BF FLUO46A **FIVE FLUO46A**
NEON BLUE *



BF 787A **FIVE 787A**
LIGHT TURQUOISE *



BF 712A **FIVE 712A**
LIGHT GREY *



BF 796A **FIVE 796A**
SILVER *



BF 783A **FIVE 783A**
AQUAMARINE *



BF 714A **FIVE 714A**
GREY *



BF 782A **FIVE 782A**
TURQUOISE *



BF 710A **FIVE 710A**
BLACK *




BF 760A **FIVE 760A**
BROWN *

Our products comply
with regulation
n° 1907/2006/EU
(REACH)

The Oeko Tex certification applies
to certain products as listed on our
website www.b-flexitalia.com



BF Sublistop



BF 700ASU80
WHITE SUBLISTOP (80µ)



BF 700ASU
WHITE SUBLISTOP



BF 728ASU
LEMON YELLOW SUBLISTOP



BF 720ASU
MEDIUM YELLOW SUBLISTOP



BF 734ASU
ORANGE SUBLISTOP



BF 730ASU
RED SUBLISTOP



BF 792ASU
GOLD SUBLISTOP



BF 796ASU
SILVER SUBLISTOP

BF Sublistop Fluo



BF FLU020ASU
NEON YELLOW SUBLISTOP



BF FLU030ASU
NEON ORANGE SUBLISTOP




BF FLU040ASU
NEON PINK SUBLISTOP



BF FLU050ASU
NEON GREEN SUBLISTOP

BF Nylon



BF Y700A
WHITE NYLON *



BF Y720A
MEDIUM YELLOW NYLON *



BF Y734A
ORANGE NYLON



BF Y730A
RED NYLON



BF Y740A
ROYAL BLUE NYLON



BF Y748A
NAVY BLUE NYLON



BF Y750A
GREEN NYLON *



BF Y710A
BLACK NYLON *



BF Y792A
GOLD NYLON




BF Y796A
SILVER NYLON

BF Super Special




BF REF
REFLECTIVE *



BF GLOW
GLOW IN THE DARK *



BF Sport Subli



BF R700ASU80
WHITE SPORT SUBLISTOP (80 µ)

BF Sport



BF R720A
MEDIUM YELLOW SPORT



BF R730A
RED SPORT



BF R740A
ROYAL BLUE SPORT



BF R710A
BLACK SPORT

BF Mirror



BF SG
GOLD MIRROR



BF SS
SILVER MIRROR



BF SR
RED MIRROR



BF S777
HOLOGRAPHIC MIRROR




BF SG SOFT
SOFT GOLD MIRROR



BF SS SOFT
SOFT SILVER MIRROR

BF Metallic



BF M700A
WHITE METALLIC



BF M730A
RED METALLIC



BF M738A
CYCLAMEN METALLIC




BF M742A
BLUE METALLIC



BF M751A
ACID GREEN METALLIC

BF Glam




BF L796A
SILVER GLAM



BF L792A
GOLD GLAM



BF L734A
ORANGE GLAM



BF L730A
RED GLAM




BF L750A
GREEN GLAM



BF L736A
PINK GLAM



BF L735A
LILAC GLAM




BF L738A
CYCLAMEN GLAM




BF L777A
RAINBOW GLAM




BF Glitter



BF G700A
WHITE GLITTER




BF G710A
BLACK GLITTER



BF D770A
PURPLE



BF D710A
BLACK



BF G796A
SILVER GLITTER



BF D748A
NAVY BLUE



BF D792A
GOLD

BF Sandy Glitter



BF G792A
GOLD GLITTER




BF D700A
WHITE



BF D740A
ROYAL BLUE




BF D796A
SILVER



BF G728A
LEMON YELLOW GLITTER



BF D722A
PUMPKIN YELLOW



BF D744A
LIGHT BLUE




BF DFLU020A
NEON YELLOW



BF G734A
ORANGE GLITTER




BF D734A
ORANGE



BF D750A
GREEN



BF DFLU030A
NEON ORANGE



BF G730A
RED GLITTER



BF D730A
RED



BF D783A
AQUAMARINE



BF DFLU040A
NEON PINK



BF G736A
PINK GLITTER



BF D737A
BLUSH PINK



BF D782A
TURQUOISE



BF DFLU050A
NEON GREEN




BF G770A
PURPLE GLITTER




BF D735A
CORAL RED



BF D712A
LIGHT GREY



BF DFLU046A
NEON BLUE



BF G740A
ROYAL BLUE GLITTER




BF D738A
CYCLAMEN



BF D714A
GREY



BF Promotional



BF P700NA
WHITE PROMOTIONAL



BF P728NA
LEMON YELLOW PROMOTIONAL



BF P720NA
MEDIUM YELLOW PROMOTIONAL



BF P734NA
ORANGE PROMOTIONAL



BF P730NA
RED PROMOTIONAL



BF P738NA
CYCLAMEN PROMOTIONAL



BF P746NA
SKY BLUE PROMOTIONAL



BF P740NA
ROYAL BLUE PROMOTIONAL



BF P748NA
NAVY BLUE PROMOTIONAL



BF P750NA
GREEN PROMOTIONAL



BF P710NA
BLACK PROMOTIONAL



BF P714NA
GREY PROMOTIONAL




BF P796NA
SILVER PROMOTIONAL



BF P792NA
GOLD PROMOTIONAL

BF Varnish



BF V700A
WHITE VARNISH



BF V702A
CLEAR VARNISH




BF V730A
RED VARNISH



BF V710A
BLACK VARNISH

BF Windstop



BF W700A
WHITE WINDSTOP



BF W792A
GOLD WINDSTOP



BF W796A
SILVER WINDSTOP



BF WFLU020A
NEON YELLOW WINDSTOP



BF WFLU030A
NEON ORANGE WINDSTOP




BF WFLU040A
NEON PINK WINDSTOP



BF WFLU050A
NEON GREEN WINDSTOP



BF Fatty



BF T700NA
WHITE FATTY



BF T720NA
MEDIUM YELLOW FATTY



BF T734NA
ORANGE FATTY



BF T730NA
RED FATTY



BF T740NA
ROYAL BLUE FATTY



BF T748NA
NAVY BLUE FATTY



BF T750NA
GREEN FATTY



BF T714NA
GREY FATTY



BF T710NA
BLACK FATTY




BF T792NA
GOLD FATTY



BF T796NA
SILVER FATTY



BF Flock



BF FLOCK700A
WHITE



BF FLOCK728A
LEMON YELLOW



BF FLOCK720A
MEDIUM YELLOW



BF FLOCK734A
ORANGE



BF FLOCK730A
RED



BF FLOCK738A
CYCLAMEN



BF FLOCK746A
SKY BLUE



BF FLOCK740A
ROYAL BLUE



BF FLOCK748A
NAVY BLUE



BF FLOCK750A
GREEN




BF FLOCK710A
BLACK



BF FLOCK714A
GREY

BF Stretch



BF H700NA
WHITE STRETCH



BF H720NA
MEDIUM YELLOW STRETCH



BF H730NA
RED STRETCH



BF H740NA
ROYAL BLUE STRETCH



BF H748NA
BLU NAVY STRETCH



BF H750NA
GREEN STRETCH



BF H710NA
BLACK STRETCH




BF H792NA
GOLD STRETCH




BF H796NA
SILVER STRETCH




BF Digital Printing




BF PRINT50
WHITE MATT 55MY




BF PRINTNYLON
WHITE MATT 75MY




BF PRINTFLOCK
WHITE 500MY
With paper liner




BF PRINT00
WHITE SEMI MATT 90MY




BF PRINTUV
WHITE MATT 80MY



BF PRINTFLOCKSUBLI
WHITE 600MY
With paper liner




BF PRINT01
WHITE MATT 90MY




BF PRINTTOPM/P*
WHITE MATT 60MY
*P: with paper liner



BF PRINTGW
WHITE GLOSS GLITTER 100MY




BF PRINT02
TRANSPARENT MATT 50MY




BF PRINTTOPG/P*
WHITE GLOSS 60MY
*P: with paper liner



BF PRINTGG
GOLD GLOSS GLITTER 100MY




BF PRINT02G
TRANSPARENT GLOSS 50MY




BF PRINTOLD
WHITE MATT OLD FASHION
vintage effect 170MY



BF PRINTGS
SILVER GLOSS GLITTER 100MY



BF PRINT03
WHITE MATT 120MY



BF PRINTGLOW
GLOW IN THE DARK 140MY



Application Tape




BF PRINT04
WHITE MATT 160MY




BF PRINTREF
REFLECTIVE 150MY



BF MYLAR
APPLICATION TAPE




BF PRINTSU80
WHITE MATT SUBLISTOP 80MY



BF PRINTFATTY
WHITE MATT 750MY




BF PRINTSU
WHITE MATT SUBLISTOP 120 MY




BF PRINTFATTYUV
WHITE MATT 750MY

Gimme5 Digital Printing




FIVE PRINT00
WHITE SEMI MATT 80MY



FIVE PRINT01
WHITE MATT 80MY



FIVE PRINTTOPM/P*
WHITE MATT 60MY
*P: with paper liner



FIVE PRINTTOPG/P*
WHITE GLOSS 60MY
*P: with paper liner

Our products comply with regulation n° 1907/2006/EU (REACH)



The Oeko Tex certification applies to certain products as listed on our website www.b-flexitalia.com







Choosing a heat transfer vinyl has never been so easy.

Whether it is for sportswear, workwear or fashion, Bflex is the product for you. Not only does Bflex offer a wide range of colours it also has the added benefits of reflective, glow in the dark, sparkly, glossy, pearl, mirror, 3D and velvet effects.

The possibilities of Bflex are only limited by your imagination.



For enquiries please contact your local Spicer's representative. **1300 132 644** spicers.com.au

VIC

155 Logis Boulevard
Dandenong South VIC 3175
T (03) 9768 8400
F (03) 9768 8401
info.vic@spicers.com.au

NT

57 Winnellie Road
Winnellie NT 0820
T (08) 8947 0188
F (08) 8947 1366
info.nt@spicers.com.au

QLD Townsville

28A Casey Street
Aitkenvale QLD 4818
T 1800 810 273
F 1800 818 283
info.qld@spicers.com.au

TAS

4-8 Sunmont Street
Derwent Park TAS 7009
T (03) 6272 5333
F (03) 6272 8103
info.tas@spicers.com.au

NSW

21 Worth Street
Chullora NSW 2190
T (02) 9735 2666
F (02) 9735 2600
salesnsw@spicers.com.au

QLD Brisbane

Building 5, 441 Nudgee Road
Hendra, Queensland 4011
T (07) 3084 5200
F (07) 3084 5297
info.qld@spicers.com.au

SA

113 Ledger Road
Beverly SA 5009
T (08) 8243 9393
F (08) 8243 9397
info.sa@spicers.com.au

WA

19 Milly Court
Malaga WA 6090
T (08) 6310 4300
F (08) 9248 6515
info.wa@spicers.com.au