




Muscle Groups Focus




Low Parallel Bars

The low parallel bar is a classic piece of exercise equipment that can be used to develop a wide range of muscles by performing a variety of deadlift exercises, and its small size makes it particularly suitable for more difficult exercises.


Attributes

Product code	1-1-018
Certificate	EN 16630, ASTM F3101
Age group	14 + years
Capacity	2 people
Max. weight load	218.26 lbs
Type	Calisthenics
Difficulty level	Medium

Side View




Plan View



Installation information

Number of installers (concrete)	At least 2 people
Total installation time (concrete)	70-120 min.
Number of installers (equipment)	At least 2 people
Total installation time (equipment)	15-20 min.
Excavation volume	30,9 ft ³
Concrete volume	30,9 ft ³
Size of the base structure	39.37 x 98.43 x 13.78 „
Anchoring options	In-ground or surface
In combined structures, the volume of concrete required varies.	


Technical specification

Safety surface area	Around 4.92 ft radius
Net weight	101.41 lbs
Material	S235
Critic fall height	23.62"
Color options	
For more color options, discuss with your sales representative.	


Warranty

Structure	25 years
Steel	15 years
Paint	2 years
Plastic	5-10 years
Rubber	1-3 years
Moving parts	2 years
Detailed information in the warranty document	

Material specification



The element is made of high quality S235 steel, which has been cleaned via sandblasting. A corrosion resistant powder coating finish is then applied. Also available with galvanized surface for even greater protection and longevity!



 [bestrongworld](#)  [bestrongworld](#)  [usa.bestrong.com](#)  usa@bestrong.com

