




SPORTS

DANCE

FLOORING

Estasport Pro




Characteristic	Data
Flooring construction	ESTA Sport Pro
Flooring dimensions, mm	22 x 204 x 2200
Construction Height, mm	22 + 9 + 8 = 39
Species	Oak, Ash
Shock absorption, %	65
Vertical Deformation, mm	3,00
Constant of friction	0,94
Ball bounce, %	90
Rolling load, mm	0,19
Finish	UV Sports Lacquer Gloss 15-20%


- The floor is well suited for **local and school sports halls**.

Estasport Pro Long Life

Characteristic	Data
Flooring construction	ESTA Sport Pro Longlife
Flooring dimensions, mm	22 x 204 x 2200
Construction Height, mm	22 + 12 + 8 = 42
Species	Oak, Ash
Shock absorption, %	63
Vertical Deformation, mm	3,10
Constant of friction	0,94
Ball bounce, %	92
Rolling load, mm	0,20
Finish	UV Sports Lacquer Gloss 15-20%



- The floor is mainly suitable for **local sports halls and school halls**. Because of the thick top layer, the floor has the same lifetime as solid floor, but outperforms it in board stability. With proper care and maintenance such floor will **last for years and years**.



Our flooring sets the standard for quality in sports events, including the **2012 Olympic Games**, where it demonstrated exceptional durability and performance.

Sepa Zaragoza
Handball and basket court

(3 strip floor)

Estasport Light



Characteristic	Data
Flooring construction	ESTA Sport Light
Flooring dimensions, mm	18 x 204 x 2200
Construction Height, mm	14 + 9 + 3 = 26
Species	Oak, Ash, Merbau
Shock absorption, %	61
Vertical Deformation, mm	3,50
Constant of friction	0,94
Ball bounce, %	90
Rolling load, mm	0,30
Finish	UV Sports Lacquer Gloss 15-20%

NB! Almost any color and design can be offered.

- Esta Light is well suited for gyms or renovation of the floor over a subfloor. This construction ideally suits **gyms, fitness halls, dance studios, school sports halls.**

(1 and 3 strip floor)

Estasport Fitness

Characteristic	Data
Flooring construction	ESTA Sport Fitness
Flooring dimensions, mm	18 x 204 x 2200
Construction Height, mm	18 + 3 = 21
Species	Oak, Ash
Shock absorption, %	55
Vertical Deformation, mm	3,50
Constant of friction	0,94
Ball bounce, %	98
Rolling load, mm	0,28
Finish	UV Sports Lacquer Gloss 15-20%



- Esta Fitness is well suited for **private gyms and smaller dance studios**, especially where small overall floor height is very important and the hall is **not suited for professional sports.**

Bona Sportive System



Designed for high-performance sports floors, the Bona Sportive System offers durable UV-resistant finishes and is ideal for both new installations and refurbishments. With Lifetime Support, Bona ensures long-lasting quality and reliability.



Bona lacquer forms an ultra-durable protective layer that effectively resists mechanical damage, such as scratches, impacts, and abrasion. This makes it the perfect choice for sports, dance, and other activities requiring a reliable and stable floor.

Protected by



SPORTS AND DANCE FLOOR SOLUTIONS

Our sports parquet is where design meets performance. Trusted by professionals, it offers durability, precision, and style, making it ideal for everything from international arenas to local gyms.

Easy to install and maintain, it combines innovative solutions with striking aesthetics to create the perfect foundation for any sports space. Built to perform, designed to inspire.

ESTA PARKET sport floors meet EN-14904 athletic floor performance standard.



Wood Choice:

Ash

Finest selection of Ash lamellas with natural light color and little contrast, free of knots.

Beech

Top selection of Beech, with naturally light color and no knots. Color variation is minimal.

Oak

This classical selection of oak has little grain variation and accepts only smaller knots. The boards have a uniform look and small color variation.

Merbau

Merbau is one of the hardest woods, with a naturally red tone that always gives a warm feeling to the floor.

Maple

Maple is the classic choice for sport's flooring, that has fine texture and is generally straight grained.