

DOUBLE  
CHARGE  
600X1200MM





The elegance of  
**charisma**

**DOUBLE  
CHARGE**  
600X1200MM



Choose your  
living  
**chunk**



## about us...

the dynamic sector of polished glazed vitrified tiles, where it is providing the wide range of digitally printed products in the different type of finishes such as high gloss, polished matt, polished glossy and in various sizes like 60 x 60, 60 x 120, 80 x 80, 90 x 180 & 120 x 120 cm which fits in the customers modern tiling requirement, the company is using modern technology, design, and materials from the reputed companies.

we are a leading player in the ceramic & vitrified tiles. sector. The company is located in center of top international ceramic tiles manufacturing hub for the creation of state of the high-end polished glazed vitrified tiles. Its mission is to provide covering solutions suitable for every destination use, ensuring modern and aesthetic appeal that is in line with market needs.



# Application



BEDROOM

---



DINING ROOM

---



BATHROOM

---



LIVING ROOM

---



KITCHEN



the soft colors and the  
textures of the surfaces


Living with  
**art**


a charming and  
appealing colour  
for outstanding  
interior



**DOUBLE**  
**CHARGE**  
**600X1200MM**

# AMAZON BLUE







# AMAZON BLUE


SIZE: 600x1200MM

Series: GLOSSY


Random: 01







# AMAZON ASH





# AMAZON ASH

SIZE: 600x1200MM

Series: GLOSSY


Random: 01





**AMAZON  
BEIGE**





# AMAZON BEIGE

SIZE: 600x1200MM

Series: GLOSSY


Random: 01








# AMAZON RED






# AMAZON RED

SIZE: 600x1200MM

Series: GLOSSY


Random: 01





**AMAZONE**  
**WHITE**





# AMAZON WHITE

SIZE: 600x1200MM

Series: GLOSSY


Random: 01








# CRYSTAL ROYAL BLUE





# CRYSTAL ROYAL BLUE

SIZE: 600x1200MM


Series: GLOSSY

Random: 01





# CRYSTAL ASH





# CRYSTAL ASH

SIZE: 600x1200MM

Series: GLOSSY

Random: 01








# CRYSTAL BLACK PEARL





# CRYSTAL BLACK PEARL

SIZE: 600x1200MM


Series: GLOSSY

Random: 01





# CRYSTAL CHOCO





# CRYSTAL CHOCO

SIZE: 600x1200MM

Series: GLOSSY

Random: 01








**CRYSTAL  
WHITE**





# CRYSTAL WHITE

SIZE: 600x1200MM


Series: GLOSSY


Random: 01





# LOTUS BLUE






# LOTUS BLUE

SIZE: 600x1200MM

Series: GLOSSY

Random: 01







# LOTUS BROWN





# LOTUS BROWN

SIZE: 600x1200MM

Series: GLOSSY

Random: 01





RECEPTION

**LOTUS  
PEACH**





# LOTUS PEACH

SIZE: 600x1200MM

Series: GLOSSY


Random: 01







**LOTUS  
CREMA**





# LOTUS CREMA

SIZE: 600x1200MM

Series: GLOSSY


Random: 01





**LOTUS  
BIANCO**





# LOTUS BIANCO

SIZE: 600x1200MM

Series: GLOSSY

Random: 01







**GALAXY MELODY**  
**BEIGE**





# GALAXY MELODY BEIGE



SIZE  
600x  
1200MM


Series  
GLOSSY

Random  
03






**GALAXY MELODY BEIGE**




CONCIERGE



# **GALAXY MELODY BLUE**









# **GALAXY MELODY BLUE**



**SIZE**  
**600x**  
**1200MM**


**Series**  
**GLOSSY**

**Random**  
**03**





**GALAXY MELODY BLUE**



# GALAXY MELODY BRONZE





# GALAXY MELODY BRONZE





SIZE  
600x  
1200MM

Series  
GLOSSY

Random  
03





**GALAXY MELODY BRONZE**



informations



01 cafe

03 administration


02 office lobby


01 meeting room

00 reception


-01 parking

# **GALAXY MELODY GREEN**







# GALAXY MELODY GREEN



SIZE  
600x  
1200MM

Series  
GLOSSY

Random  
03





**GALAXY MELODY GREEN**





# **GALAXY MELODY MIST**





# GALAXY MELODY MIST



SIZE  
600x  
1200MM

Series  
GLOSSY

Random  
03






**GALAXY MELODY MIST**




**REAL STONE**



**BLUE**









# REAL STONE BLUE



SIZE  
600x  
1200MM

Series  
GLOSSY

Random  
03





**REAL STONE BLUE**



**REAL STONE**  
**BRONZE**





# REAL STONE BRONZE





SIZE  
600x  
1200MM

Series  
GLOSSY

Random  
03






**REAL STONE BRONZE**





# REAL STONE STEEL







# REAL STONE STEEL



SIZE  
600x  
1200MM

Series  
GLOSSY

Random  
03





**REAL STONE STEEL**





**REAL STONE**  
**CREMA**





# REAL STONE CREMA



SIZE  
600x  
1200MM

Series  
GLOSSY

Random  
03





**REAL STONE CREMA**



# REAL STONE COPPER







# REAL STONE COPPER



**SIZE**  
**600x**  
**1200MM**

**Series**  
**GLOSSY**

**Random**  
**03**







**REAL STONE COPPER**



# RUMBLE FLURRY





# RUMBLE FLURRY





SIZE  
600x  
1200MM

Series  
GLOSSY

Random  
03






**RUMBLE FLURRY**



# RUMBLE AQUA





# RUMBLE AQUA



SIZE  
600x  
1200MM

Series  
GLOSSY

Random  
03





RUMBLE AQUA





# RUMBLE STROME





# RUMBLE STROME



SIZE  
600x  
1200MM

Series  
GLOSSY

Random  
03







**RUMBLE STROME**



# DRAGON BLUE








# DRAGON BLUE

SIZE: 600x1200MM

Series: GLOSSY


Random: 01





**DRAGON**

**ELITE**





# DRAGON ELITE

SIZE: 600x1200MM


Series: GLOSSY

Random: 01





# DRAGON JASPER







# DRAGON JASPER

SIZE: 600x1200MM

Series: GLOSSY

Random: 01





# DRAGON SLATE





# DRAGON SLATE

SIZE: 600x1200MM


Series: GLOSSY

Random: 01






# MERCURY FERRY







# MERCURY FERRY

SIZE: 600x1200MM

Series: GLOSSY

Random: 01





# DRAGON WHITE





# DRAGON WHITE

SIZE: 600x1200MM


Series: GLOSSY

Random: 01





**DRAGON  
YELLOW**







# DRAGON YELLOW

SIZE: 600x1200MM

Series: GLOSSY


Random: 01






**MERCURY**

**BLUE**






# MERCURY BLUE

SIZE: 600x1200MM

Series: GLOSSY

Random: 01





**MERCURY**

**ASH**







# MERCURY ASH

SIZE: 600x1200MM

Series: GLOSSY

Random: 01





**MERCURY  
GREY**





# MERCURY GREY

SIZE: 600x1200MM


Series: GLOSSY

Random: 01





# MERCURY BUTTERSCOTCH







# MERCURY BUTTERSCOTCH

SIZE: 600x1200MM

Series: GLOSSY

Random: 01





# Technical Specifications

| CHARACTERISTIC                         | STANDARD AS PER ISO-13006/EN 14411 GROUP Bla | MEAN VALUE OF POLISHED GVT | MEAN VALUE OF GVT / PGVT    |
|--|--|----------------------------|-----------------------------|
| <b>REGULATORY PROPERTIES</b>           |  |                            |                             |
| Deviation in length & width            | ±0.5 %                                       | ±0.1 %                     | ±0.1 %                      |
| Deviation in thickness                 | ±5.0 %                                       | ±4.0 %                     | ±4.0 %                      |
| Straightness in side                   | ±0.5 %                                       | ±0.1 %                     | ±0.1 %                      |
| Rectangularity                         | ±0.5 %                                       | ±0.1 %                     | ±0.1 %                      |
| Surface flatness                       | ±0.5 %                                       | ±0.2 %                     | ±0.2 %                      |
| Color difference                       | Unaltered                                    | No change                  | No change                   |
| Glossiness                             | As per mfg                                   | Min 90%                    | Min 4%                      |
| <b>STRUCTURAL PROPERTIES</b>           |  |                            |                             |
| Water absorption                       | < 0.50 %                                     | < 0.20 %                   | < 0.20 %                    |
| Apparent density                       | > 2.0 g/cc                                   | >2.10 g/cc                 | >2.10 g/cc                  |
| <b>MASSIVE MECHANICAL PROPERTIES</b>   |  |                            |                             |
| Modulus of rupture                     | Min. 35 N/mm                                 | Min. 40 N/mm <sup>2</sup>  | Min. 40 N/mm <sup>2</sup>   |
| Breaking strength                      | Min. 1300 N                                  | Min. 2000 N                | Min. 2000 N                 |
| Impact resistance                      | As per mfg                                   | Min. 0.55                  | Min. 0.55                   |
| <b>SURFACE MECHANICAL PROPERTIES</b>   |  |                            |                             |
| Surface abrasion resistance            | As per mfg                                   | Min. Class-3               | Min. Class-4                |
| MOH's hardness                         | As per mfg                                   | Min. 4                     | Min. 5                      |
| <b>THERMO HYDROMETRIC PROPERTIES</b>   |  |                            |                             |
| Frost resistance                       | No damage                                    | No damage                  | No damage                   |
| Thermal shock resistance               | No damage                                    | No damage                  | No damage                   |
| Moisture expansion                     | Nil  | Nil                        | Nil                         |
| Thermal expansion (COE)                | Max. 9.0 x 10 <sup>-6</sup>                  | Max. 6.5x10 <sup>-6</sup>  | Max. 6.5 x 10 <sup>-6</sup> |
| Crazing resistance                     | As per mfg.                                  | Min. 10 Cycle              | Min. 10 Cycle               |
| <b>CHEMICAL PROPERTIES</b>             |  |                            |                             |
| Chemical resistance                    | No damage                                    | No damage                  | No damage                   |
| Stain resistance                       | Resistant                                    | Resistant                  | Resistant                   |
| <b>SAFETY PROPERTIES</b>               |  |                            |                             |
| Slip resistance                        | As per mfg.                                  | >0.40                      | >0.40                       |
| Fire resistance                        | As per mfg.                                  | Fire proof                 | Fire proof                  |
| Lead & Cadmium given o by glazed tiles | As per mfg.                                  | Does not yield Pb & Cd     | Does not yield Pb & Cd      |

| TEST METHOD |              |
|-------------|--------------|
|             | ISO-10545-2  |
|             | ISO-10545-2  |
|             | ISO-10545-2  |
|             | ISO-10545-2  |
|             | ISO-10545-2  |
|             | ISO-10545-16 |
|             | GLOSSOMETER  |
|             | ISO-10545-3  |
|             | DIN 51082    |
|             | ISO-10545-4  |
|             | ISO-10545-4  |
|             | ISO-10545-5  |
|             | ISO-10545-7  |
|             | EN 101       |
|             | ISO-10545-12 |
|             | ISO-10545-9  |
|             | ISO-10545-10 |
|             | ISO-10545-8  |
|             | ISO-10545-11 |
|             | ISO-10545-13 |
|             | ISO-10545-14 |
|             | ISO-10545-17 |
|             | N. A.        |
|             | ISO-10545-15 |

# Packing Details

| Size       | Thickness (approx*) | Pieces / Box |
|------------|---------------------|--------------|
| 600x1200mm | 9 mm                | 2 pcs.       |

**Note:** •Colour Shown are as accurate as the limitations of the printing process of the tile before ordering. •Every effort has been made to ensure the accuracy of the specifications without prior notice. •Sometime variations in size may occur, we advise you to follow the fixing instructions on the cartons of the tiles before being fixed.

---

# Applications



Gymnasium



Super Market



Home



Airport



Hospital




Bank

**DISCLAIMER :** We reserves the right to delete & amend either totally or partially the specification contain in catalogue at any time. the colours shown of tiles in this catalogue are for actual sample final selection. The details of colours, size, references shown are subject to the inherent characteristics of ceramics. NO COMPLIANT SHALL BE SHALL EN

| Area / Box<br>(approx*) |              | Weight / Box<br>(approx*) |
|-------------------------|--------------|---------------------------|
| 1.44 sq. mtr.           | 15.5 sq. ft. | 28.5 kgs.                 |

cess will allow. •Prospective customers are advised to inspect a sample of  
 acy of the information given. •However, the company reserve the right to  
 made or size being inherent to ceramic industry may occur. •Before fixing,  
 as no responsibility can be accepted by the company once the tiles have



partially, and of the colours, shapes, size, references and other technical  
 s catalogue are purely illustrative and limited to printing process. Please refer  
 ould be vitrified for Typographical errors. SHADE & SIZE VARIATIONS are  
 DERTAINED ON TILES ALREADY LAID/FIXED.

