



**RETAIL EURO EU PRICELIST OCTOBER 2024**





## CONTENTS

This is an interactive price list. You can navigate to your desired product by clicking on the name of the collection below.  
There are also navigation markers in the footer of each page to help you move through the document seamlessly.

04	<b>ABSTRACT</b> Wall	116	<b>CASCATA</b> Chandelier	181	<b>JULES</b> Pendant	277	<b>ROC</b> Table
07	<b>ACROPOLIS</b> Table	126	<b>CIELO</b> Pendant, Ceiling & Wall	190	<b>LUCID</b> Pendant, Ceiling, Wall & Table	279	<b>ROMA</b> Pendant & Wall
09	<b>ANVERS</b> Pendant, Ceiling & Wall	136	<b>CLOUDESLEY</b> Chandelier	202	<b>MEZZO</b> Pendant, Ceiling & Wall	287	<b>SASHA</b> Pendant
29	<b>ARRAY</b> Pendant, Wall, Table & Floor	143	<b>COLUMBO</b> Table	216	<b>MODULO</b> Chandelier & Wall	290	<b>SHARD</b> Pendant
45	<b>ARTES</b> Pendant, Wall & Floor	145	<b>CUBIST</b> Table	230	<b>NIMBUS</b> Chandelier & Wall	293	<b>STELLA</b> Table
68	<b>AVALON</b> Chandelier	147	<b>FLOREN</b> Pendant	245	<b>OSCAR</b> Floor	295	<b>TINTO</b> Pendant
99	<b>AXIS</b> Pendant	152	<b>GAIA</b> Wall	247	<b>PENDULUM</b> Pendant, Ceiling, Wall & Floor	300	<b>TORRES</b> Pendant, Wall & Floor
104	<b>BIG BULB</b> Wall	163	<b>HEPWORTH</b> Ceiling & Wall	253	<b>PETRA</b> Pendant	317	<b>TREVI</b> Pendant
107	<b>BRAQUE</b> Table	168	<b>HERON</b> Wall, Table & Floor	256	<b>RELIC</b> Wall	327	<b>WHISTLER</b> Wall
109	<b>CARAPACE</b> Pendant, Ceiling & Wall	173	<b>IVY</b> Pendant	261	<b>RING</b> Pendant, Wall & Table		




## ABSTRACT


WALL

Designed to catch the light, this abstract leaf wall light is hand sateened and can be adjusted from its rotating arm. Placed in compositions it casts an ambient light onto the wall.



ABSTRACT



380mm





75mm



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ABSWAOAB-240	ABSTRACT WALL antique bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	W 204 D 75 H 380	D 114 H 5	n/a	630€	CE 
ABSWAOBZ-240	ABSTRACT WALL bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	W 204 D 75 H 380	D 114 H 5	n/a	630€	CE 
ABSWAOSB-240	ABSTRACT WALL satin brass	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	W 204 D 75 H 380	D 114 H 5	n/a	630€	CE 








DALI A



DALI B



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the wall cavity  
DALI B included - The light will feature a deeper wall rose. For use when there is no space in the existing wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ABSWAOAB-DALIA-240	ABSTRACT WALL antique bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	W 204 D 100 H 380	D 116 H 25	n/a	1,300€	CE 
ABSWAOAB-DALIB-240	ABSTRACT WALL antique bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	W 204 D 100 H 380	D 116 H 25	n/a	1,335€	CE 
ABSWAOBZ-DALIA-240	ABSTRACT WALL bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	W 204 D 75 H 380	D 114 H 5	n/a	1,300€	CE 
ABSWAOBZ-DALIB-240	ABSTRACT WALL bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	W 204 D 100 H 380	D 116 H 25	n/a	1,335€	CE 
ABSWAOSB-DALIA-240	ABSTRACT WALL satin brass	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	W 204 D 75 H 380	D 114 H 5	n/a	1,300€	CE 
ABSWAOSB-DALIB-240	ABSTRACT WALL satin brass	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	W 204 D 100 H 380	D 116 H 25	n/a	1,335€	CE 







## ACROPOLIS

TABLE

A classic form reinterpreted in the most luxurious of materials, the Acropolis table light glows with refinement to highlight the unique veining of this natural alabaster stone.



480mm



250mm

SKU NUMBER	PRODUCT DESCRIPTION	CORDSET	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ACRTAOHABS-240C	ACROPOLIS TABLE honed alabaster and black steel 2 pin Euro plug	2000mm cordset with black flex and inline dimmer	1 x E27 60w max (or 8w LED 2700K)	9	ø 250 H 480	n/a	n/a	2,540€	 
ACRTAOHABS-240J	ACROPOLIS TABLE honed alabaster and black steel Swiss plug	2000mm cordset with black flex and inline dimmer	1 x E27 60w max (or 8w LED 2700K)	9	ø 250 H 480	n/a	n/a	2,540€	 





## ANVERS COLLECTION

PENDANT, WALL / CEILING

With its refined silhouette, Anvers collection creates a maximum impact through its exquisite disc of natural alabaster stone encased within solid brass, creating a pure and elegant piece.







SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ANPELABHA-240	ANVERS PENDANT LARGE antique bronze with honed alabaster	Supplied with 3 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 24w (LED 3000K modified to 2700K)	25	ø 545 H 48	ø 335 H 40	108	5,920€	CE IP20
ANPELBZHA-240	ANVERS PENDANT LARGE bronze with honed alabaster	Supplied with 3 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 24w (LED 3000K modified to 2700K)	25	ø 545 H 48	ø 335 H 40	108	5,920€	CE IP20
ANPELSBHA-240	ANVERS PENDANT LARGE satin brass with honed alabaster	Supplied with 3 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 24w (LED 3000K modified to 2700K)	25	ø 545 H 48	ø 335 H 40	108	5,920€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 860€ per 1000mm

\*for customer lengths over 2000mm please contact us directly







DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ANVPELABHA-DALIA-240	ANVERS PENDANT LARGE antique bronze with honed alabaster	Supplied with 3 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 24w (LED 3000K modified to 2700K)	25	ø 545 H 48	ø 335 H 40	108	6,050€	CE 
ANVPELBZHA-DALIA-240	ANVERS PENDANT LARGE bronze with honed alabaster	Supplied with 3 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 24w (LED 3000K modified to 2700K)	25	ø 545 H 48	ø 335 H 40	108	6,050€	CE 
ANVPELSBHA-DALIA-240	ANVERS PENDANT LARGE satin brass with honed alabaster	Supplied with 3 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 24w (LED 3000K modified to 2700K)	25	ø 545 H 48	ø 335 H 40	108	6,050€	CE 


\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 860€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ANVPEMABHA-240	ANVERS PENDANT MEDIUM antique bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 17w (LED 3000K modified to 2700K)	9	ø 335 H 48	ø 140 H 35	103	2,605€	CE IP20
ANVPEMBZHA-240	ANVERS PENDANT MEDIUM bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 17w (LED 3000K modified to 2700K)	9	ø 335 H 48	ø 140 H 35	103	2,605€	CE IP20
ANVPEMSBHA-240	ANVERS PENDANT MEDIUM satin brass with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 17w (LED 3000K modified to 2700K)	9	ø 335 H 48	ø 140 H 35	103	2,605€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm


\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ANVP EMABHA-DALIA-240	ANVERS PENDANT MEDIUM antique bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 17w (LED 3000K modified to 2700K)	9	ø 335 H 48	ø 140 H 35	103	2,735€	CE IP20
ANVP MBZHA-DALIA-240	ANVERS PENDANT MEDIUM bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 17w (LED 3000K modified to 2700K)	9	ø 335 H 48	ø 140 H 35	103	2,735€	CE IP20
ANVP EMSBHA-DALIA-240	ANVERS PENDANT MEDIUM satin brass with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 17w (LED 3000K modified to 2700K)	9	ø 335 H 48	ø 140 H 35	103	2,735€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly






SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ANVPESABHA-240	ANVERS PENDANT SMALL antique bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 10.5w (LED 3000K modified to 2700K)	3.5	ø 195 H 48	ø 140 H 35	103	1,885€	CE IP20
ANVPESBZHA-240	ANVERS PENDANT SMALL bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 10.5w (LED 3000K modified to 2700K)	3.5	ø 195 H 48	ø 140 H 35	103	1,885€	CE IP20
ANVPESBHA-240	ANVERS PENDANT SMALL satin brass with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 10.5w (LED 3000K modified to 2700K)	3.5	ø 195 H 48	ø 140 H 35	103	1,885€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly





DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ANVPESABHA-DALIA-240	ANVERS PENDANT SMALL antique bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 10.5w (LED 3000K modified to 2700K)	3.5	ø 195 H 48	ø 140 H 35	103	2,015€	CE 
ANVPESBZHA-DALIA-240	ANVERS PENDANT SMALL bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 10.5w (LED 3000K modified to 2700K)	3.5	ø 195 H 48	ø 140 H 35	103	2,015€	CE 
ANVPESBHA-DALIA-240	ANVERS PENDANT SMALL satin brass with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 10.5w (LED 3000K modified to 2700K)	3.5	ø 195 H 48	ø 140 H 35	103	2,015€	CE 



\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly








LED driver to be installed in the ceiling/wall cavity



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	BACK PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ANVCWLABHA-FL-240	ANVERS WALL/CEILING FLUSH LARGE antique bronze with honed alabaster	n/a	integrated LED 24w (LED 3000K modified to 2700K)	20	ø 545 H 48	ø 545	n/a	4,915€	CE 
ANVCWLBZHA-FL-240	ANVERS WALL/CEILING FLUSH LARGE bronze with honed alabaster	n/a	integrated LED 24w (LED 3000K modified to 2700K)	20	ø 545 H 48	ø 545	n/a	4,915€	CE 
ANVCWLSBHA-FL-240	ANVERS WALL/CEILING FLUSH LARGE satin brass with honed alabaster	n/a	integrated LED 24w (LED 3000K modified to 2700K)	20	ø 545 H 48	ø 545	n/a	4,915€	CE 





DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity  
LED driver to be installed in the ceiling/wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	BACK PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ANVCWLABHA-FL-DALIA-240	ANVERS WALL/CEILING FLUSH LARGE antique bronze with honed alabaster	n/a	integrated LED 24w (LED 3000K modified to 2700K)	20	ø 545 H 48	ø 545	n/a	5,045€	CE 
ANVCWLBZHA-FL-DALIA-240	ANVERS WALL/CEILING FLUSH LARGE bronze with honed alabaster	n/a	integrated LED 24w (LED 3000K modified to 2700K)	20	ø 545 H 48	ø 545	n/a	5,045€	CE 
ANVCWLSBHA-FL-DALIA-240	ANVERS WALL/CEILING FLUSH LARGE satin brass with honed alabaster	n/a	integrated LED 24w (LED 3000K modified to 2700K)	20	ø 545 H 48	ø 545	n/a	5,045€	CE 







SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL/CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ANVCWLABHA-WR-240	ANVERS WALL/CEILING ROSE LARGE antique bronze with honed alabaster	n/a	integrated LED 24w (LED 3000K modified to 2700K)	20	ø 545 H 88	ø 335 H 40	n/a	5,395€	CE 
ANVCWLBZHA-WR-240	ANVERS WALL/CEILING ROSE LARGE bronze with honed alabaster	n/a	integrated LED 24w (LED 3000K modified to 2700K)	20	ø 545 H 88	ø 335 H 40	n/a	5,395€	CE 
ANVCWLSBHA-WR-240	ANVERS WALL/CEILING ROSE LARGE satin brass with honed alabaster	n/a	integrated LED 24w (LED 3000K modified to 2700K)	20	ø 545 H 88	ø 335 H 40	n/a	5,395€	CE 










DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL/CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ANVCWLABHA-WR-DALIA-240	ANVERS WALL/CEILING ROSE LARGE antique bronze with honed alabaster	n/a	integrated LED 24w (LED 3000K modified to 2700K)	20	ø 545 H 88	ø 335 H 40	n/a	5,525€	CE 
ANVCWLBZHA-WR-DALIA-240	ANVERS WALL/CEILING ROSE LARGE bronze with honed alabaster	n/a	integrated LED 24w (LED 3000K modified to 2700K)	20	ø 545 H 88	ø 335 H 40	n/a	5,525€	CE 
ANVCWLSBHA-WR-DALIA-240	ANVERS WALL/CEILING ROSE LARGE satin brass with honed alabaster	n/a	integrated LED 24w (LED 3000K modified to 2700K)	20	ø 545 H 88	ø 335 H 40	n/a	5,525€	CE 








LED driver to be installed in the ceiling/wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	BACK PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ANVCWMABHA-FL-240	ANVERS WALL/CEILING FLUSH MEDIUM antique bronze with honed alabaster	n/a	integrated LED 17w (LED 3000K modified to 2700K)	7	ø 335 H 48	ø 335	n/a	2,025€	CE 
ANVCWMABHA44-FL-240	ANVERS WALL/CEILING FLUSH MEDIUM - IP44 antique bronze with honed alabaster	n/a	integrated LED 17w (LED 3000K modified to 2700K)	7	ø 335 H 48	ø 335	n/a	2,240€	CE 
ANVCWMBZHA-FL-240	ANVERS WALL/CEILING FLUSH MEDIUM bronze with honed alabaster	n/a	integrated LED 17w (LED 3000K modified to 2700K)	7	ø 335 H 48	ø 335	n/a	2,025€	CE 
ANVCWMBZHA44-FL-240	ANVERS WALL/CEILING FLUSH MEDIUM - IP44 bronze with honed alabaster	n/a	integrated LED 17w (LED 3000K modified to 2700K)	7	ø 335 H 48	ø 335	n/a	2,240€	CE 
ANVCWMSBHA-FL-240	ANVERS WALL/CEILING FLUSH MEDIUM satin brass with honed alabaster	n/a	integrated LED 17w (LED 3000K modified to 2700K)	7	ø 335 H 48	ø 335	n/a	2,025€	CE 
ANVCWMSBHA44-FL-240	ANVERS WALL/CEILING FLUSH MEDIUM - IP44 satin brass with honed alabaster	n/a	integrated LED 17w (LED 3000K modified to 2700K)	7	ø 335 H 48	ø 335	n/a	2,240€	CE 





DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity  
LED driver to be installed in the ceiling/wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	BACK PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ANVCWMABHA-FL-DALIA-240	ANVERS WALL/CEILING FLUSH MEDIUM antique bronze with honed alabaster	n/a	integrated LED 17w (LED 3000K modified to 2700K)	7	ø 335 H 48	ø 335	n/a	2,155€	CE 
ANVCWMBZHA-FL-DALIA-240	ANVERS WALL/CEILING FLUSH MEDIUM bronze with honed alabaster	n/a	integrated LED 17w (LED 3000K modified to 2700K)	7	ø 335 H 48	ø 335	n/a	2,155€	CE 
ANVCWMSBHA-FL-DALIA-240	ANVERS WALL/CEILING FLUSH MEDIUM satin brass with honed alabaster	n/a	integrated LED 17w (LED 3000K modified to 2700K)	7	ø 335 H 48	ø 335	n/a	2,155€	CE 




SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL/CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ANVCWMABHA-WR-240	ANVERS WALL/CEILING ROSE MEDIUM antique bronze with honed alabaster	n/a	integrated LED 17w (LED 3000K modified to 2700K)	7	ø 335 H 88	ø 195 H 40	n/a	2,400€	CE IP20
ANVCWMBZHA-WR-240	ANVERS WALL/CEILING ROSE MEDIUM bronze with honed alabaster	n/a	integrated LED 17w (LED 3000K modified to 2700K)	7	ø 335 H 88	ø 195 H 40	n/a	2,400€	CE IP20
ANVCWMSBHA-WR-240	ANVERS WALL/CEILING ROSE MEDIUM satin brass with honed alabaster	n/a	integrated LED 17w (LED 3000K modified to 2700K)	7	ø 335 H 88	ø 195 H 40	n/a	2,400€	CE IP20






DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL/CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ANVCWMABHA-WR-DALIA-240	ANVERS WALL/CEILING ROSE MEDIUM antique bronze with honed alabaster	n/a	integrated LED 17w (LED 3000K modified to 2700K)	7	ø 335 H 88	ø 195 H 40	n/a	2,530€	CE
ANVCWMBZHA-WR-DALIA-240	ANVERS WALL/CEILING ROSE MEDIUM bronze with honed alabaster	n/a	integrated LED 17w (LED 3000K modified to 2700K)	7	ø 335 H 88	ø 195 H 40	n/a	2,530€	CE
ANVCWMSBHA-WR-DALIA-240	ANVERS WALL/CEILING ROSE MEDIUM satin brass with honed alabaster	n/a	integrated LED 17w (LED 3000K modified to 2700K)	7	ø 335 H 88	ø 195 H 40	n/a	2,530€	CE



LED driver to be installed in the ceiling/wall cavity



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	BACK PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ANVCWSABHA-FL-240	ANVERS WALL/CEILING FLUSH SMALL antique bronze with honed alabaster	n/a	integrated LED 10.5w (LED 3000K modified to 2700K)	2.5	ø 195 H 48	ø 195	n/a	1,470€	CE 
ANVCWSABHA44-FL-240	ANVERS WALL/CEILING FLUSH SMALL - IP44 antique bronze with honed alabaster	n/a	integrated LED 10.5w (LED 3000K modified to 2700K)	2.5	ø 195 H 48	ø 195	n/a	1,645€	CE 
ANVCWSBZHA-FL-240	ANVERS WALL/CEILING FLUSH SMALL bronze with honed alabaster	n/a	integrated LED 10.5w (LED 3000K modified to 2700K)	2.5	ø 195 H 48	ø 195	n/a	1,470€	CE 
ANVCWSBZHA44-FL-240	ANVERS WALL/CEILING FLUSH SMALL - IP44 bronze with honed alabaster	n/a	integrated LED 10.5w (LED 3000K modified to 2700K)	2.5	ø 195 H 48	ø 195	n/a	1,645€	CE 
ANVCWSSBHA-FL-240	ANVERS WALL/CEILING FLUSH SMALL satin brass with honed alabaster	n/a	integrated LED 10.5w (LED 3000K modified to 2700K)	2.5	ø 195 H 48	ø 195	n/a	1,470€	CE 
ANVCWSSBHA44-FL-240	ANVERS WALL/CEILING FLUSH SMALL - IP44 satin brass with honed alabaster	n/a	integrated LED 10.5w (LED 3000K modified to 2700K)	2.5	ø 195 H 48	ø 195	n/a	1,645€	CE 





DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity  
LED driver to be installed in the ceiling/wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	BACK PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ANVCWSABHA-FL-DALIA-240	ANVERS WALL/CEILING FLUSH SMALL antique bronze with honed alabaster	n/a	integrated LED 10.5w (LED 3000K modified to 2700K)	2.5	ø 195 H 48	ø 195	n/a	1,600€	CE IP20
ANVCWSBZHA-FL-DALIA-240	ANVERS WALL/CEILING FLUSH SMALL bronze with honed alabaster	n/a	integrated LED 10.5w (LED 3000K modified to 2700K)	2.5	ø 195 H 48	ø 195	n/a	1,600€	CE IP20
ANVCWSSBHA-FL-DALIA-240	ANVERS WALL/CEILING FLUSH SMALL satin brass with honed alabaster	n/a	integrated LED 10.5w (LED 3000K modified to 2700K)	2.5	ø 195 H 48	ø 195	n/a	1,600€	CE IP20





SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL/CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ANVCWSABHA-WR-240	ANVERS WALL/CEILING ROSE SMALL antique bronze with honed alabaster	n/a	integrated LED 10.5w (LED 3000K modified to 2700K)	2.5	ø 195 H 83	ø 140 H 35	n/a	1,775€	CE 
ANVCWSBZHA-WR-240	ANVERS WALL/CEILING ROSE SMALL bronze with honed alabaster	n/a	integrated LED 10.5w (LED 3000K modified to 2700K)	2.5	ø 195 H 83	ø 140 H 35	n/a	1,775€	CE 
ANVCWSSBHA-WR-240	ANVERS WALL/CEILING ROSE SMALL satin brass with honed alabaster	n/a	integrated LED 10.5w (LED 3000K modified to 2700K)	2.5	ø 195 H 83	ø 140 H 35	n/a	1,775€	CE 



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall rose


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL/CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ANVCWSABHA-WR-DALIA-240	ANVERS WALL/CEILING ROSE SMALL antique bronze with honed alabaster	n/a	integrated LED 10.5w (LED 3000K modified to 2700K)	2.5	ø 195 H 83	ø 140 H 35	n/a	1,905€	CE 
ANVCWSBZHA-WR-DALIA-240	ANVERS WALL/CEILING ROSE SMALL bronze with honed alabaster	n/a	integrated LED 10.5w (LED 3000K modified to 2700K)	2.5	ø 195 H 83	ø 140 H 35	n/a	1,905€	CE 
ANVCWSSBHA-WR-DALIA-240	ANVERS WALL/CEILING ROSE SMALL satin brass with honed alabaster	n/a	integrated LED 10.5w (LED 3000K modified to 2700K)	2.5	ø 195 H 83	ø 140 H 35	n/a	1,905€	CE 





## ARRAY COLLECTION


PENDANT, WALL, TABLE, FLOOR

Inspired by 60s Italian design this light is formed with bronzed arms with contrasting brass details. The hand blown glass shades can be adjusted to cast light to every corner of the room.





extension kit available - see details on [page 36](#)


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARRPELBZBZOG-240	ARRAY PENDANT LARGE bronze with bronze details and shiny opal glass	Fixed drop (not adjustable on site)	11 x G9 25w max halogen (or 2.3w 2700k)	18	W 2700 D 2700 H 1100	ø 150 H 40	n/a	6,800€	CE 
ARRPELBZSBOG-240	ARRAY PENDANT LARGE bronze with satin brass details and shiny opal glass	Fixed drop (not adjustable on site)	11 x G9 25w max halogen (or 2.3w 2700k)	18	W 2700 D 2700 H 1100	ø 150 H 40	n/a	6,800€	CE 





extension kit available - see details on [page 36](#)


DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARRPELBZBZOG-DALIA-240	ARRAY PENDANT LARGE bronze with bronze details and shiny opal glass	Fixed drop (not adjustable on site)	11 x G9 25w max halogen (or 2.3w 2700k)	18	W 2700 D 2700 H 1100	ø 150 H 40	n/a	7,470€	CE 
ARRPELBZSBOG-DALIA-240	ARRAY PENDANT LARGE bronze with satin brass details and shiny opal glass	Fixed drop (not adjustable on site)	11 x G9 25w max halogen (or 2.3w 2700k)	18	W 2700 D 2700 H 1100	ø 150 H 40	n/a	7,470€	CE 





extension kit available - see details on [page 36](#)



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARRPEMBZBZOG-240	ARRAY PENDANT MEDIUM bronze with bronze details and shiny opal glass	Fixed drop (not adjustable on site)	7 x G9 25w max halogen (or 2.3w 2700k)	15	W 1725 D 1725 H 800	ø 116 H 25	n/a	5,170€	CE 
ARRPEMBZSBOG-240	ARRAY PENDANT MEDIUM bronze with satin brass details and shiny opal glass	Fixed drop (not adjustable on site)	7 x G9 25w max halogen (or 2.3w 2700k)	15	W 1725 D 1725 H 800	ø 116 H 25	n/a	5,170€	CE 





extension kit available - see details on [page 36](#)

DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARRPEMBZBZOG-DALIA-240	ARRAY PENDANT MEDIUM bronze with bronze details and shiny opal glass	Fixed drop (not adjustable on site)	7 x G9 25w max halogen (or 2.3w 2700k)	15	W 1725 D 1725 H 800	ø 116 H 25	n/a	5,840€	CE 
ARRPEMBZSBOG-DALIA-240	ARRAY PENDANT MEDIUM bronze with satin brass details and shiny opal glass	Fixed drop (not adjustable on site)	7 x G9 25w max halogen (or 2.3w 2700k)	15	W 1725 D 1725 H 800	ø 116 H 25	n/a	5,840€	CE 



extension kit available - see details on [page 36](#)



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARRPESBZBZOG-240	ARRAY PENDANT MINI bronze with bronze details and shiny opal glass	Fixed drop (not adjustable on site)	3 x G9 25w max halogen (or 2.3w 2700k)	7	W 750 D 750 H 425	ø 116 H 25	n/a	1,705€	CE 
ARRPESBZSBOG-240	ARRAY PENDANT MINI bronze with satin brass details and shiny opal glass	Fixed drop (not adjustable on site)	3 x G9 25w max halogen (or 2.3w 2700k)	7	W 750 D 750 H 425	ø 116 H 25	n/a	1,705€	CE 






extension kit available - see details on [page 36](#)

DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARRPESBZBZOG-DALIA-240	ARRAY PENDANT MINI bronze with bronze details and shiny opal glass	Fixed drop (not adjustable on site)	3 x G9 25w max halogen (or 2.3w 2700k)	7	W 750 D 750 H 425	ø 116 H 25	n/a	2,375€	CE 
ARRPESBZSBOG-DALIA-240	ARRAY PENDANT MINI bronze with satin brass details and shiny opal glass	Fixed drop (not adjustable on site)	3 x G9 25w max halogen (or 2.3w 2700k)	7	W 750 D 750 H 425	ø 116 H 25	n/a	2,375€	CE 




ARRAY PENDANT EXTENSION KITS







SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ACCGENEXOLBZBZ	ARRAY PENDANT LARGE - EXTENSION KIT bronze with bronze details	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	n/a		W 1000 ø 150	ø 116 H 25	n/a	2,485€	CE 
ACCGENEXOLBZ	ARRAY PENDANT LARGE - EXTENSION KIT bronze with satin brass details	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	n/a		W 1000 ø 150	ø 116 H 25	n/a	2,485€	CE 
ACCGENEXOMBZBZ	ARRAY PENDANT MEDIUM - EXTENSION KIT bronze with bronze details	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	n/a		W 1000 ø 150	ø 116 H 25	n/a	1,165€	CE 
ACCGENEXOMBZ	ARRAY PENDANT MEDIUM - EXTENSION KIT bronze with satin brass details	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	n/a		W 1000 ø 150	ø 116 H 25	n/a	1,165€	CE 
ACCGENEXOSBZBZ	ARRAY PENDANT MINI - EXTENSION KIT bronze with bronze details	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	n/a		W 1000 ø 150	ø 116 H 25	n/a	1,075€	CE 
ACCGENEXOSBZ	ARRAY PENDANT MINI - EXTENSION KIT bronze with satin brass details	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	n/a		W 1000 ø 150	ø 116 H 25	n/a	1,075€	CE 

\*supplied with up to 1000mm drop rod as standard (adjustable on site), additional drop rod at 3,190€ per 1000mm - Array Pendant Large Extension Kit  
\*supplied with up to 1000mm drop rod as standard (adjustable on site), additional drop rod at 2,610€ per 1000mm - Array Pendant Medium Extension Kit  
\*supplied with up to 1000mm drop rod as standard (adjustable on site), additional drop rod at 870€ per 1000mm - Array Pendant Mini Extension Kit  
\*for customer lengths over 2000mm please contact us directly











SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARRWA2BZBZOG-240	ARRAY WALL TWIN bronze with bronze details and shiny opal glass	n/a	2 x G9 25w max halogen (or 2.3w LED 2700K)	3	W 825 D 120 H 350	ø 116 H 25	n/a	1,175€	CE 
ARRWA2BZSBOG-240	ARRAY WALL TWIN bronze with satin brass details and shiny opal glass	n/a	2 x G9 25w max halogen (or 2.3w LED 2700K)	3	W 825 D 120 H 350	ø 116 H 25	n/a	1,175€	CE 





DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the wall rose



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARRWA2BZBZOG-DALIA-240	ARRAY WALL TWIN bronze with bronze details and shiny opal glass	n/a	2 x G9 25w max halogen (or 2.3w LED 2700K)	3	W 825 D 120 H 350	ø 116 H 25	n/a	1,845€	CE 
ARRWA2BZSBOG-DALIA-240	ARRAY WALL TWIN bronze with satin brass details and shiny opal glass	n/a	2 x G9 25w max halogen (or 2.3w LED 2700K)	3	W 825 D 120 H 350	ø 116 H 25	n/a	1,845€	CE 




SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARRWAIBZBZOG-240	ARRAY WALL SINGLE bronze with bronze details and shiny opal glass	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	W 120 D 280 H 280	ø 116 H 25	n/a	715€	CE 
ARRWAIBZSBOG-240	ARRAY WALL SINGLE bronze with satin brass details and shiny opal glass	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	W 120 D 280 H 280	ø 116 H 25	n/a	715€	CE 




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the wall rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARRWAIBZBZOG-DALIA-240	ARRAY WALL SINGLE bronze with bronze details and shiny opal glass	n/a	1 x C9 25w max halogen (or 2.3w LED 2700K)	1	W 120 D 280 H 280	ø 116 H 25	n/a	1,385€	CE 
ARRWAIBZSBOG-DALIA-240	ARRAY WALL SINGLE bronze with satin brass details and shiny opal glass	n/a	1 x C9 25w max halogen (or 2.3w LED 2700K)	1	W 120 D 280 H 280	ø 116 H 25	n/a	1,385€	CE 






600mm




120mm

SKU NUMBER	PRODUCT DESCRIPTION	CORDSET	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARRTAIBZBZOG-240C	ARRAY TABLE bronze with bronze details and shiny opal glass - 2 pin Euro plug	2000mm cordset with black flex and inline dimmer	1 x G9 25w max halogen (or 2.3w LED 2700K)	5	W 230 D 120 H 600	n/a	n/a	1,460€	CE 
ARRTAIBZBZOG-240J	ARRAY TABLE bronze with bronze details and shiny opal glass - Swiss plug	2000mm cordset with black flex and inline dimmer	1 x G9 25w max halogen (or 2.3w LED 2700K)	5	W 230 D 120 H 600	n/a	n/a	1,460€	CE 
ARRTAIBZSBOG-240C	ARRAY TABLE bronze with satin brass details and shiny opal glass - 2 pin Euro plug	2000mm cordset with black flex and inline dimmer	1 x G9 25w max halogen (or 2.3w LED 2700K)	5	W 230 D 120 H 600	n/a	n/a	1,460€	CE 
ARRTAIBZSBOG-240J	ARRAY TABLE bronze with satin brass details and shiny opal glass - Swiss plug	2000mm cordset with black flex and inline dimmer	1 x G9 25w max halogen (or 2.3w LED 2700K)	5	W 230 D 120 H 600	n/a	n/a	1,460€	CE 










600mm



410mm

120mm

SKU NUMBER	PRODUCT DESCRIPTION	CORDSET	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARRTA2BZBZOG-240F	ARRAY TABLE TWIN bronze with bronze details and shiny opal glass - Earthed Schuko plug	2000mm cordset with black flex and inline dimmer	2 x G9 25w max halogen (or 2.3w LED 2700K)	6	W 410 D 120 H 600	n/a	n/a	2,045€	CE 
ARRTA2BZBZOG-240J	ARRAY TABLE TWIN bronze with bronze details and shiny opal glass - Swiss plug	2000mm cordset with black flex and inline dimmer	2 x G9 25w max halogen (or 2.3w LED 2700K)	6	W 410 D 120 H 600	n/a	n/a	2,045€	CE 
ARRTA2BZSBOG-240F	ARRAY TABLE TWIN bronze with satin brass details and shiny opal glass - Earthed Schuko Plug	2000mm cordset with black flex and inline dimmer	2 x G9 25w max halogen (or 2.3w LED 2700K)	6	W 410 D 120 H 600	n/a	n/a	2,045€	CE 
ARRTA2BZSBOG-240J	ARRAY TABLE TWIN bronze with satin brass details and shiny opal glass - Swiss plug	2000mm cordset with black flex and inline dimmer	2 x G9 25w max halogen (or 2.3w LED 2700K)	6	W 410 D 120 H 600	n/a	n/a	2,045€	CE 





SKU NUMBER	PRODUCT DESCRIPTION	CORDSET	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARRFLOBZBZOG-240F	ARRAY FLOOR bronze with bronze details and shiny opal glass - earthed schuko plug	2000mm cordset with black flex and inline dimmer	3 x G9 25w max halogen (or 2.3w LED 2700K)	10	W 725 D 600 H 1540	n/a	n/a	2,970€	CE 
ARRFLOBZBZOG-240J	ARRAY FLOOR bronze with bronze details and shiny opal glass - Swiss plug	2000mm cordset with black flex and inline dimmer	3 x G9 25w max halogen (or 2.3w LED 2700K)	10	W 725 D 600 H 1540	n/a	n/a	2,970€	CE 
ARRFLOBZSBOG-240F	ARRAY FLOOR bronze with satin brass details and shiny opal glass - earthed schuko plug	2000mm cordset with black flex and inline dimmer	3 x G9 25w max halogen (or 2.3w LED 2700K)	10	W 725 D 600 H 1540	n/a	n/a	2,970€	CE 
ARRFLOBZSBOG-240J	ARRAY FLOOR bronze with satin brass details and shiny opal glass - Swiss plug	2000mm cordset with black flex and inline dimmer	3 x G9 25w max halogen (or 2.3w LED 2700K)	10	W 725 D 600 H 1540	n/a	n/a	2,970€	CE 







## ARTES COLLECTION


PENDANT, WALL, TABLE, FLOOR

Minimal in form yet decorative in material, the Artés collection has a strong presence through its premium materials. The LED light illuminates the translucent alabaster perfectly.



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTPE6ABABHA-240	ARTES PENDANT 600 antique bronze with antique bronze details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 16w (LED 2700K)	6	W 610 D 45 H 90	ø 116 H 25	135	2,485€	CE 
ARTPE6BZBZHA-240	ARTES PENDANT 600 bronze with bronze details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 16w (LED 2700K)	6	W 610 D 45 H 90	ø 116 H 25	135	2,485€	CE 
ARTPE6BZSBHA-240	ARTES PENDANT 600 bronze with satin brass details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 16w (LED 2700K)	6	W 610 D 45 H 90	ø 116 H 25	135	2,485€	CE 
ARTPE6SBSBHA-240	ARTES PENDANT 600 satin brass with satin brass details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 16w (LED 2700K)	6	W 610 D 45 H 90	ø 116 H 25	135	2,485€	CE 


\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali is fitted in the body of the light


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTPE6ABABHA-DALIA-240	ARTES PENDANT 600 antique bronze with antique bronze details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 16w (LED 2700K)	6	W 610 D 45 H 90	ø 116 H 25	135	2,645€	CE IP20
ARTPE6BZBZHA-DALIA-240	ARTES PENDANT 600 bronze with bronze details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 16w (LED 2700K)	6	W 610 D 45 H 90	ø 116 H 25	135	2,645€	CE IP20
ARTPE6BZSBHA-DALIA-240	ARTES PENDANT 600 bronze with satin brass details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 16w (LED 2700K)	6	W 610 D 45 H 90	ø 116 H 25	135	2,645€	CE IP20
ARTPE6SBSBHA-DALIA-240	ARTES PENDANT 600 satin brass with satin brass details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 16w (LED 2700K)	6	W 610 D 45 H 90	ø 116 H 25	135	2,645€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly











SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTPE9ABABHA-240	ARTES PENDANT 900 antique bronze with antique bronze details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 24w (LED 2700K)	8	W 900 D 45 H 90	ø 116 H 25	135	3,110€	CE IP20
ARTPE9BZBZHA-240	ARTES PENDANT 900 bronze with bronze details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 24w (LED 2700K)	8	W 900 D 45 H 90	ø 116 H 25	135	3,110€	CE IP20
ARTPE9BZSBHA-240	ARTES PENDANT 900 bronze with satin brass details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 24w (LED 2700K)	8	W 900 D 45 H 90	ø 116 H 25	135	3,110€	CE IP20
ARTPE9SBSBHA-240	ARTES PENDANT 900 satin brass with satin brass details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 24w (LED 2700K)	8	W 900 D 45 H 90	ø 116 H 25	135	3,110€	CE IP20


\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly







DALI A included - For lights that do not require aesthetic alterations. Dali is fitted in the body of the light

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTPE9ABABHA-DALIA-240	ARTES PENDANT 900 antique bronze with antique bronze details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 24w (LED 2700K)	8	W 900 D 45 H 90	ø 116 H 25	135	3,225€	 
ARTPE9BZBZHA-DALIA-240	ARTES PENDANT 900 bronze with bronze details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 24w (LED 2700K)	8	W 900 D 45 H 90	ø 116 H 25	135	3,225€	 
ARTPE9BZSBHA-DALIA-240	ARTES PENDANT 900 bronze with satin brass details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 24w (LED 2700K)	8	W 900 D 45 H 90	ø 116 H 25	135	3,225€	 
ARTPE9SBSBHA-DALIA-240	ARTES PENDANT 900 satin brass with satin brass details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 24w (LED 2700K)	8	W 900 D 45 H 90	ø 116 H 25	135	3,225€	 


\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly







SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTPEIABABHA-240	ARTES PENDANT 1200 antique bronze with antique bronze details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 32w (LED 2700K)	10	W 1190 D 45 H 90	ø 116 H 25	135	3,735€	CE 
ARTPEIBZBZHA-240	ARTES PENDANT 1200 bronze with bronze details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 32w (LED 2700K)	10	W 1190 D 45 H 90	ø 116 H 25	135	3,735€	CE 
ARTPEIBZSBHA-240	ARTES PENDANT 1200 bronze with satin brass details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 32w (LED 2700K)	10	W 1190 D 45 H 90	ø 116 H 25	135	3,735€	CE 
ARTPEISBSBHA-240	ARTES PENDANT 1200 satin brass with satin brass details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 32w (LED 2700K)	10	W 1190 D 45 H 90	ø 116 H 25	135	3,735€	CE 

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly







DALI A included - For lights that do not require aesthetic alterations. Dali is fitted in the body of the light

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTPEIABABHA-DALIA-240	ARTES PENDANT 1200 antique bronze with antique bronze details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 32w (LED 2700K)	10	W 1190 D 45 H 90	ø 116 H 25	135	3,845€	CE 
ARTPEIBZBZHA-DALIA-240	ARTES PENDANT 1200 bronze with bronze details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 32w (LED 2700K)	10	W 1190 D 45 H 90	ø 116 H 25	135	3,845€	CE 
ARTPEIBZSBHA-DALIA-240	ARTES PENDANT 1200 bronze with satin brass details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 32w (LED 2700K)	10	W 1190 D 45 H 90	ø 116 H 25	135	3,845€	CE 
ARTPEISBSBHA-DALIA-240	ARTES PENDANT 1200 satin brass with satin brass details and honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 32w (LED 2700K)	10	W 1190 D 45 H 90	ø 116 H 25	135	3,845€	CE 





\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly




SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTPE6ABABHA-CO-240	ARTES PENDANT COLLECTIVE 600 antique bronze with antique bronze details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 48w (LED 2700K)	18	W 610 D 550 H variable	ø 204 H 25	Variable – please contact our sales team for more information	8,090€	CE IP20
ARTPE6BZBZHA-CO-240	ARTES PENDANT COLLECTIVE 600 bronze with bronze details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 48w (LED 2700K)	18	W 610 D 550 H variable	ø 204 H 25	Variable – please contact our sales team for more information	8,090€	CE IP20
ARTPE6BZSBHA-CO-240	ARTES PENDANT COLLECTIVE 600 bronze with satin brass details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 48w (LED 2700K)	18	W 610 D 550 H variable	ø 204 H 25	Variable – please contact our sales team for more information	8,090€	CE IP20
ARTPE6SBSBHA-CO-240	ARTES PENDANT COLLECTIVE 600 satin brass with satin brass details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 48w (LED 2700K)	18	W 610 D 550 H variable	ø 204 H 25	Variable – please contact our sales team for more information	8,090€	CE IP20




DALI A included - For lights that do not require aesthetic alterations. Dali is fitted in the body of the light

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTPE6ABABHA-CO-DALIA-240	ARTES PENDANT COLLECTIVE 600 antique bronze with antique bronze details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 48w (LED 2700K)	18	W 610 D 550 H variable	ø 204 H 25	Variable - please contact our sales team for more information	8,560€	CE 
ARTPE6BZBZHA-CO-DALIA-240	ARTES PENDANT COLLECTIVE 600 bronze with bronze details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 48w (LED 2700K)	18	W 610 D 550 H variable	ø 204 H 25	Variable - please contact our sales team for more information	8,560€	CE 
ARTPE6BZSBHA-CO-DALIA-240	ARTES PENDANT COLLECTIVE 600 bronze with satin brass details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 48w (LED 2700K)	18	W 610 D 550 H variable	ø 204 H 25	Variable - please contact our sales team for more information	8,560€	CE 
ARTPE6BSBSHA-CO-DALIA-240	ARTES PENDANT COLLECTIVE 600 satin brass with satin brass details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 48w (LED 2700K)	18	W 610 D 550 H variable	ø 204 H 25	Variable - please contact our sales team for more information	8,560€	CE 





SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTPE9ABABHA-CO-240	ARTES PENDANT COLLECTIVE 900 antique bronze with antique bronze details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 72w (LED 2700K)	24	W 900 D 800 H variable	ø 204 H 25	Variable – please contact our sales team for more information	9,535€	CE IP20
ARTPE9BZBZHA-CO-240	ARTES PENDANT COLLECTIVE 900 bronze with bronze details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 72w (LED 2700K)	24	W 900 D 800 H variable	ø 204 H 25	Variable – please contact our sales team for more information	9,535€	CE IP20
ARTPE9BZSBHA-CO-240	ARTES PENDANT COLLECTIVE 900 bronze with satin brass details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 72w (LED 2700K)	24	W 900 D 800 H variable	ø 204 H 25	Variable – please contact our sales team for more information	9,535€	CE IP20
ARTPE9SBSBHA-CO-240	ARTES PENDANT COLLECTIVE 900 satin brass with satin brass details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 72w (LED 2700K)	24	W 900 D 800 H variable	ø 204 H 25	Variable – please contact our sales team for more information	9,535€	CE IP20





DALI A included - For lights that do not require aesthetic alterations. Dali is fitted in the body of the light





SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTPE9ABABHA-CO-DALIA-240	ARTES PENDANT COLLECTIVE 900 antique bronze with antique bronze details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 72w (LED 2700K)	24	W 900 D 800 H variable	ø 204 H 25	Variable - please contact our sales team for more information	9,875€	CE IP20
ARTPE9BZBZHA-CO-DALIA-240	ARTES PENDANT COLLECTIVE 900 bronze with bronze details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 72w (LED 2700K)	24	W 900 D 800 H variable	ø 204 H 25	Variable - please contact our sales team for more information	9,875€	CE IP20
ARTPE9BSBHA-CO-DALIA-240	ARTES PENDANT COLLECTIVE 900 bronze with satin brass details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 72w (LED 2700K)	24	W 900 D 800 H variable	ø 204 H 25	Variable - please contact our sales team for more information	9,875€	CE IP20
ARTPE9SBSBHA-CO-DALIA-240	ARTES PENDANT COLLECTIVE 900 satin brass with satin brass details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 72w (LED 2700K)	24	W 900 D 800 H variable	ø 204 H 25	Variable - please contact our sales team for more information	9,875€	CE IP20



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTPE0ABABHA-CO-240	ARTES PENDANT COLLECTIVE 600, 900, 1200 antique bronze with antique bronze details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 72w (LED 2700K)	24	W 1190 D 800 H variable	ø 204 H 25	Variable – please contact our sales team for more information	9,945€	CE 
ARTPE0BZBZHA-CO-240	ARTES PENDANT COLLECTIVE 600, 900, 1200 bronze with bronze details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 72w (LED 2700K)	24	W 1190 D 800 H variable	ø 204 H 25	Variable – please contact our sales team for more information	9,945€	CE 
ARTPE0BZSBHA-CO-240	ARTES PENDANT COLLECTIVE 600, 900, 1200 bronze with satin brass details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 72w (LED 2700K)	24	W 1190 D 800 H variable	ø 204 H 25	Variable – please contact our sales team for more information	9,945€	CE 
ARTPE0SB5BHA-CO-240	ARTES PENDANT COLLECTIVE 600, 900, 1200 satin brass with satin brass details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 72w (LED 2700K)	24	W 1190 D 800 H variable	ø 204 H 25	Variable – please contact our sales team for more information	9,945€	CE 




DALI A included - For lights that do not require aesthetic alterations. Dali is fitted in the body of the light

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTPE0ABABHA-CO-DALIA-240	ARTES PENDANT COLLECTIVE 600, 900, 1200 antique bronze with antique bronze details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 72w (LED 2700K)	24	W 1190 D 800 H variable	ø 204 H 25	Variable – please contact our sales team for more information	10,325€	CE 
ARTPE0BZBZHA-CO-DALIA-240	ARTES PENDANT COLLECTIVE 600, 900, 1200 bronze with bronze details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 72w (LED 2700K)	24	W 1190 D 800 H variable	ø 204 H 25	Variable – please contact our sales team for more information	10,325€	CE 
ARTPE0BSBHA-CO-DALIA-240	ARTES PENDANT COLLECTIVE 600, 900, 1200 bronze with satin brass details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 72w (LED 2700K)	24	W 1190 D 800 H variable	ø 204 H 25	Variable – please contact our sales team for more information	10,325€	CE 
ARTPE0SBSBHA-CO-DALIA-240	ARTES PENDANT COLLECTIVE 600, 900, 1200 satin brass with satin brass details and honed alabaster	please specify the required overall drop from the ceiling to the bottom of the longest fitting (not adjustable on site)	integrated LED 72w (LED 2700K)	24	W 1190 D 800 H variable	ø 204 H 25	Variable – please contact our sales team for more information	10,325€	CE 


























LED driver to be installed in the ceiling/wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTCW3ABABHA-240	ARTES WALL 300 antique bronze with antique bronze details and honed alabaster	n/a	integrated LED 8w (LED 2700K)	2	W 45 D 90 H 320	W 320 D 45	n/a	1,805€	CE 
ARTCW3ABABHA44-240	ARTES WALL 300 - IP44 antique bronze with antique bronze details and honed alabaster	n/a	integrated LED 8w (LED 2700K)	2	W 45 D 90 H 320	W 320 D 45	n/a	2,185€	CE 
ARTCW3BZBZHA-240	ARTES WALL 300 bronze with bronze details and honed alabaster	n/a	integrated LED 8w (LED 2700K)	2	W 45 D 90 H 320	W 320 D 45	n/a	1,805€	CE 
ARTCW3BZBZHA44-240	ARTES WALL 300 - IP44 bronze with bronze details and honed alabaster	n/a	integrated LED 8w (LED 2700K)	2	W 45 D 90 H 320	W 320 D 45	n/a	2,185€	CE 
ARTCW3BZSBHA-240	ARTES WALL 300 bronze with satin brass details and honed alabaster	n/a	integrated LED 8w (LED 2700K)	2	W 45 D 90 H 320	W 320 D 45	n/a	1,805€	CE 
ARTCW3BZSBHA44-240	ARTES WALL 300 - IP44 bronze with satin brass details and honed alabaster	n/a	integrated LED 8w (LED 2700K)	2	W 45 D 90 H 320	W 320 D 45	n/a	2,185€	CE 
ARTCW3SBSBHA-240	ARTES WALL 300 satin brass with satin brass details and honed alabaster	n/a	integrated LED 8w (LED 2700K)	2	W 45 D 90 H 320	W 320 D 45	n/a	1,805€	CE 
ARTCW3SBSBHA44-240	ARTES WALL 300 - IP44 satin brass with satin brass details and honed alabaster	n/a	integrated LED 8w (LED 2700K)	2	W 45 D 90 H 320	W 320 D 45	n/a	2,185€	CE 




DALI A included - For lights that do not require aesthetic alterations. Dali is fitted in the body of the light LED driver to be installed in the ceiling/wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTCW3ABABHA-DALIA-240	ARTES WALL 300 antique bronze with antique bronze details and honed alabaster	n/a	integrated LED 8w (LED 2700K)	2	W 45 D 90 H 320	W 320 D 45	n/a	1,935€	CE 
ARTCW3ABABHA44-DALIA-240	ARTES WALL 300 - IP44 antique bronze with antique bronze details and honed alabaster	n/a	integrated LED 8w (LED 2700K)	2	W 45 D 90 H 320	W 320 D 45	n/a	2,315€	CE 
ARTCW3BZBZHA-DALIA-240	ARTES WALL 300 bronze with bronze details and honed alabaster	n/a	integrated LED 8w (LED 2700K)	2	W 45 D 90 H 320	W 320 D 45	n/a	1,935€	CE 
ARTCW3BZBZHA44-DALIA-240	ARTES WALL 300 - IP44 bronze with bronze details and honed alabaster	n/a	integrated LED 8w (LED 2700K)	2	W 45 D 90 H 320	W 320 D 45	n/a	2,315€	CE 
ARTCW3BZSBHA-DALIA-240	ARTES WALL 300 bronze with satin brass details and honed alabaster	n/a	integrated LED 8w (LED 2700K)	2	W 45 D 90 H 320	W 320 D 45	n/a	1,935€	CE 
ARTCW3BZSBHA44-DALIA-240	ARTES WALL 300 - IP44 bronze with satin brass details and honed alabaster	n/a	integrated LED 8w (LED 2700K)	2	W 45 D 90 H 320	W 320 D 45	n/a	2,315€	CE 
ARTCW3SBSBHA-DALIA-240	ARTES WALL 300 satin brass with satin brass details and honed alabaster	n/a	integrated LED 8w (LED 2700K)	2	W 45 D 90 H 320	W 320 D 45	n/a	1,935€	CE 
ARTCW3SBSBHA44-DALIA-240	ARTES WALL 300 - IP44 satin brass with satin brass details and honed alabaster	n/a	integrated LED 8w (LED 2700K)	2	W 45 D 90 H 320	W 320 D 45	n/a	2,315€	CE 












LED driver to be installed in the ceiling/wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTCW6ABABHA-240	ARTES WALL 600 antique bronze with antique bronze details and honed alabaster	n/a	integrated LED 16w (LED 2700K)	4	W 45 D 90 H 610	W 610 D 45	n/a	2,270€	CE 
ARTCW6ABABHA44-240	ARTES WALL 600 - IP44 antique bronze with antique bronze details and honed alabaster	n/a	integrated LED 16w (LED 2700K)	4	W 45 D 90 H 610	W 610 D 45	n/a	2,650€	CE 
ARTCW6BZBZHA-240	ARTES WALL 600 bronze with bronze details and honed alabaster	n/a	integrated LED 16w (LED 2700K)	4	W 45 D 90 H 610	W 610 D 45	n/a	2,270€	CE 
ARTCW6BZBZHA44-240	ARTES WALL 600 - IP44 bronze with bronze details and honed alabaster	n/a	integrated LED 16w (LED 2700K)	4	W 45 D 90 H 610	W 610 D 45	n/a	2,650€	CE 
ARTCW6BZSBHA-240	ARTES WALL 600 bronze with satin brass details and honed alabaster	n/a	integrated LED 16w (LED 2700K)	4	W 45 D 90 H 610	W 610 D 45	n/a	2,270€	CE 
ARTCW6BZSBHA44-240	ARTES WALL 600 - IP44 bronze with satin brass details and honed alabaster	n/a	integrated LED 16w (LED 2700K)	4	W 45 D 90 H 610	W 610 D 45	n/a	2,650€	CE 
ARTCW6SBSBHA-240	ARTES WALL 600 satin brass with satin brass details and honed alabaster	n/a	integrated LED 16w (LED 2700K)	4	W 45 D 90 H 610	W 610 D 45	n/a	2,270€	CE 
ARTCW6SBSBHA44-240	ARTES WALL 600 - IP44 satin brass with satin brass details and honed alabaster	n/a	integrated LED 16w (LED 2700K)	4	W 45 D 90 H 610	W 610 D 45	n/a	2,650€	CE 






DALI A included - For lights that do not require aesthetic alterations. Dali is fitted in the body of the light LED driver to be installed in the ceiling/wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTCW6ABABHA-DALIA-240	ARTES WALL 600 antique bronze with antique bronze details and honed alabaster	n/a	integrated LED 16w (LED 2700K)	4	W 45 D 90 H 610	W 610 D 45	n/a	2,425€	CE 
ARTCW6ABABHA44-DALIA-240	ARTES WALL 600 - IP44 antique bronze with antique bronze details and honed alabaster	n/a	integrated LED 16w (LED 2700K)	4	W 45 D 90 H 610	W 610 D 45	n/a	2,780€	CE 
ARTCW6BZBZHA-DALIA-240	ARTES WALL 600 bronze with bronze details and honed alabaster	n/a	integrated LED 16w (LED 2700K)	4	W 45 D 90 H 610	W 610 D 45	n/a	2,425€	CE 
ARTCW6BZBZHA44-DALIA-240	ARTES WALL 600 - IP44 bronze with bronze details and honed alabaster	n/a	integrated LED 16w (LED 2700K)	4	W 45 D 90 H 610	W 610 D 45	n/a	2,780€	CE 
ARTCW6BZSBHA-DALIA-240	ARTES WALL 600 bronze with satin brass details and honed alabaster	n/a	integrated LED 16w (LED 2700K)	4	W 45 D 90 H 610	W 610 D 45	n/a	2,425€	CE 
ARTCW6BZSBHA44-DALIA-240	ARTES WALL 600 - IP44 bronze with satin brass details and honed alabaster	n/a	integrated LED 16w (LED 2700K)	4	W 45 D 90 H 610	W 610 D 45	n/a	2,780€	CE 
ARTCW6SBSBHA-DALIA-240	ARTES WALL 600 satin brass with satin brass details and honed alabaster	n/a	integrated LED 16w (LED 2700K)	4	W 45 D 90 H 610	W 610 D 45	n/a	2,425€	CE 
ARTCW6SBSBHA44-DALIA-240	ARTES WALL 600 - IP44 satin brass with satin brass details and honed alabaster	n/a	integrated LED 16w (LED 2700K)	4	W 45 D 90 H 610	W 610 D 45	n/a	2,780€	CE 












LED driver to be installed in the ceiling/wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTCW9ABABHA-240	ARTES WALL 900 antique bronze with antique bronze details and honed alabaster	n/a	integrated LED 24w (LED 2700K)	6	W 45 D 90 H 900	W 900 D 45	n/a	2,850€	CE 
ARTCW9ABABHA44-240	ARTES WALL 900 - IP44 antique bronze with antique bronze details and honed alabaster	n/a	integrated LED 24w (LED 2700K)	6	W 45 D 90 H 900	W 900 D 45	n/a	3,225€	CE 
ARTCW9BZBZHA-240	ARTES WALL 900 bronze with bronze details and honed alabaster	n/a	integrated LED 24w (LED 2700K)	6	W 45 D 90 H 900	W 900 D 45	n/a	2,850€	CE 
ARTCW9BZBZHA44-240	ARTES WALL 900 - IP44 bronze with bronze details and honed alabaster	n/a	integrated LED 24w (LED 2700K)	6	W 45 D 90 H 900	W 900 D 45	n/a	3,225€	CE 
ARTCW9BZSBHA-240	ARTES WALL 900 bronze with satin brass details and honed alabaster	n/a	integrated LED 24w (LED 2700K)	6	W 45 D 90 H 900	W 900 D 45	n/a	2,850€	CE 
ARTCW9BZSBHA44-240	ARTES WALL 900 - IP44 bronze with satin brass details and honed alabaster	n/a	integrated LED 24w (LED 2700K)	6	W 45 D 90 H 900	W 900 D 45	n/a	3,225€	CE 
ARTCW9SBSBHA-240	ARTES WALL 900 satin brass with satin brass details and honed alabaster	n/a	integrated LED 24w (LED 2700K)	6	W 45 D 90 H 900	W 900 D 45	n/a	2,850€	CE 
ARTCW9SBSBHA44-240	ARTES WALL 900 - IP44 satin brass with satin brass details and honed alabaster	n/a	integrated LED 24w (LED 2700K)	6	W 45 D 90 H 900	W 900 D 45	n/a	3,225€	CE 




DALI A included - For lights that do not require aesthetic alterations. Dali is fitted in the body of the light LED driver to be installed in the ceiling/wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTCW9ABABHA-DALIA-240	ARTES WALL 900 antique bronze with antique bronze details and honed alabaster	n/a	integrated LED 24w (LED 2700K)	6	W 45 D 90 H 900	W 900 D 45	n/a	2,960€	CE 
ARTCW9ABABHA44-DALIA-240	ARTES WALL 900 - IP44 antique bronze with antique bronze details and honed alabaster	n/a	integrated LED 24w (LED 2700K)	6	W 45 D 90 H 900	W 900 D 45	n/a	3,340€	CE 
ARTCW9BZBZHA-DALIA-240	ARTES WALL 900 bronze with bronze details and honed alabaster	n/a	integrated LED 24w (LED 2700K)	6	W 45 D 90 H 900	W 900 D 45	n/a	2,960€	CE 
ARTCW9BZBZHA44-DALIA-240	ARTES WALL 900 - IP44 bronze with bronze details and honed alabaster	n/a	integrated LED 24w (LED 2700K)	6	W 45 D 90 H 900	W 900 D 45	n/a	3,340€	CE 
ARTCW9BZSBHA-DALIA-240	ARTES WALL 900 bronze with satin brass details and honed alabaster	n/a	integrated LED 24w (LED 2700K)	6	W 45 D 90 H 900	W 900 D 45	n/a	2,960€	CE 
ARTCW9BZSBHA44-DALIA-240	ARTES WALL 900 - IP44 bronze with satin brass details and honed alabaster	n/a	integrated LED 24w (LED 2700K)	6	W 45 D 90 H 900	W 900 D 45	n/a	3,340€	CE 
ARTCW9SBSBHA-DALIA-240	ARTES WALL 900 satin brass with satin brass details and honed alabaster	n/a	integrated LED 24w (LED 2700K)	6	W 45 D 90 H 900	W 900 D 45	n/a	2,960€	CE 
ARTCW9SBSBHA44-DALIA-240	ARTES WALL 900 - IP44 satin brass with satin brass details and honed alabaster	n/a	integrated LED 24w (LED 2700K)	6	W 45 D 90 H 900	W 900 D 45	n/a	3,340€	CE 











LED driver to be installed in the ceiling/wall cavity


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTCW1ABABHA-240	ARTES WALL 1200 antique bronze with antique bronze details and honed alabaster	n/a	integrated LED 32w (LED 2700K)	8	W 45 D 90 H 1190	W 1190 D 45	n/a	3,575€	CE IP20
ARTCW1ABABHA44-240	ARTES WALL 1200 - IP44 antique bronze with antique bronze details and honed alabaster	n/a	integrated LED 32w (LED 2700K)	8	W 45 D 90 H 1190	W 1190 D 45	n/a	3,975€	CE IP44
ARTCW1BZBZHA-240	ARTES WALL 1200 bronze with bronze details and honed alabaster	n/a	integrated LED 32w (LED 2700K)	8	W 45 D 90 H 1190	W 1190 D 45	n/a	3,575€	CE IP20
ARTCW1BZBZHA44-240	ARTES WALL 1200 - IP44 bronze with bronze details and honed alabaster	n/a	integrated LED 32w (LED 2700K)	8	W 45 D 90 H 1190	W 1190 D 45	n/a	3,975€	CE IP44
ARTCW1BZSBHA-240	ARTES WALL 1200 bronze with satin brass details and honed alabaster	n/a	integrated LED 32w (LED 2700K)	8	W 45 D 90 H 1190	W 1190 D 45	n/a	3,575€	CE IP20
ARTCW1BZSBHA44-240	ARTES WALL 1200 - IP44 bronze with satin brass details and honed alabaster	n/a	integrated LED 32w (LED 2700K)	8	W 45 D 90 H 1190	W 1190 D 45	n/a	3,975€	CE IP44
ARTCW1SBSBHA-240	ARTES WALL 1200 satin brass with satin brass details and honed alabaster	n/a	integrated LED 32w (LED 2700K)	8	W 45 D 90 H 1190	W 1190 D 45	n/a	3,575€	CE IP20
ARTCW1SBSBHA44-240	ARTES WALL 1200 - IP44 satin brass with satin brass details and honed alabaster	n/a	integrated LED 32w (LED 2700K)	8	W 45 D 90 H 1190	W 1190 D 45	n/a	3,975€	CE IP44



DALI A included - For lights that do not require aesthetic alterations. Dali is fitted in the body of the light LED driver to be installed in the ceiling/wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTCW1ABABHA-DALIA-240	ARTES WALL 1200 antique bronze with antique bronze details and honed alabaster	n/a	integrated LED 32w (LED 2700K)	8	W 45 D 90 H 1190	W 1190 D 45	n/a	3,690€	CE 
ARTCW1ABABHA44-DALIA-240	ARTES WALL 1200 - IP44 antique bronze with antique bronze details and honed alabaster	n/a	integrated LED 32w (LED 2700K)	8	W 45 D 90 H 1190	W 1190 D 45	n/a	4,090€	CE 
ARTCW1BZBZHA-DALIA-240	ARTES WALL 1200 bronze with bronze details and honed alabaster	n/a	integrated LED 32w (LED 2700K)	8	W 45 D 90 H 1190	W 1190 D 45	n/a	3,690€	CE 
ARTCW1BZBZHA44-DALIA-240	ARTES WALL 1200 - IP44 bronze with bronze details and honed alabaster	n/a	integrated LED 32w (LED 2700K)	8	W 45 D 90 H 1190	W 1190 D 45	n/a	4,090€	CE 
ARTCW1BZSBHA-DALIA-240	ARTES WALL 1200 bronze with satin brass details and honed alabaster	n/a	integrated LED 32w (LED 2700K)	8	W 45 D 90 H 1190	W 1190 D 45	n/a	3,690€	CE 
ARTCW1BZSBHA44-DALIA-240	ARTES WALL 1200 - IP44 bronze with satin brass details and honed alabaster	n/a	integrated LED 32w (LED 2700K)	8	W 45 D 90 H 1190	W 1190 D 45	n/a	4,090€	CE 
ARTCW1SBSBHA-DALIA-240	ARTES WALL 1200 satin brass with satin brass details and honed alabaster	n/a	integrated LED 32w (LED 2700K)	8	W 45 D 90 H 1190	W 1190 D 45	n/a	3,690€	CE 
ARTCW1SBSBHA44-DALIA-240	ARTES WALL 1200 - IP44 satin brass with satin brass details and honed alabaster	n/a	integrated LED 32w (LED 2700K)	8	W 45 D 90 H 1190	W 1190 D 45	n/a	4,090€	CE 





SKU NUMBER	PRODUCT DESCRIPTION	CORDSET	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ARTFLOABABHA-240F	ARTES FLOOR 1200 antique bronze with antique bronze details and honed alabaster - earthed schuko plug	2000mm cordset with black flex and inline dimmer	integrated LED	10	ø 300 H 1220	n/a	n/a	4,135€	CE IP20
ARTFLOABABHA-240J	ARTES FLOOR 1200 antique bronze with antique bronze details and honed alabaster - Swiss plug	2000mm cordset with black flex and inline dimmer	integrated LED	10	ø 300 H 1220	n/a	n/a	4,135€	CE IP20
ARTFLOBZBZHA-240F	ARTES FLOOR 1200 bronze with bronze details and honed alabaster - earthed schuko plug	2000mm cordset with black flex and inline dimmer	integrated LED	10	ø 300 H 1220	n/a	n/a	4,135€	CE IP20
ARTFLOBZBZHA-240J	ARTES FLOOR 1200 bronze with bronze details and honed alabaster - Swiss plug	2000mm cordset with black flex and inline dimmer	integrated LED	10	ø 300 H 1220	n/a	n/a	4,135€	CE IP20
ARTFLOBZSBHA-240F	ARTES FLOOR 1200 bronze with satin brass details and honed alabaster - earthed schuko plug	2000mm cordset with black flex and inline dimmer	integrated LED	10	ø 300 H 1220	n/a	n/a	4,135€	CE IP20
ARTFLOBZSBHA-240J	ARTES FLOOR 1200 bronze with satin brass details and honed alabaster - Swiss plug	2000mm cordset with black flex and inline dimmer	integrated LED	10	ø 300 H 1220	n/a	n/a	4,135€	CE IP20
ARTFLOSBSBHA-240F	ARTES FLOOR 1200 satin brass with satin brass details and honed alabaster - earthed schuko plug	2000mm cordset with black flex and inline dimmer	integrated LED	10	ø 300 H 1220	n/a	n/a	4,135€	CE IP20
ARTFLOSBSBHA-240J	ARTES FLOOR 1200 satin brass with satin brass details and honed alabaster - Swiss plug	2000mm cordset with black flex and inline dimmer	integrated LED	10	ø 300 H 1220	n/a	n/a	4,135€	CE IP20




## AVALON COLLECTION

CHANDELIER

A continuous ring of alabaster columns, encapsulated in brass or bronze creating a powerful contrast. Each column is illuminated, highlighting the unique striations of every piece of alabaster producing a sophisticated ambience.


AVALON COLLECTION



LED driver to be installed in the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACHMBZHA-CM-240	AVALON CHANDELIER MEDIUM CEILING MOUNTING PLATE bronze with honed alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 38w (LED 2700K)	20	ø 640 H 70	ø 160 H 10	325	6,075€	CE IP20
AVACHMSBHA-CM-240	AVALON CHANDELIER MEDIUM CEILING MOUNTING PLATE satin brass with honed alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 38w (LED 2700K)	20	ø 640 H 70	ø 160 H 10	325	6,075€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 90€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly





DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity LED driver to be installed in the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACHMBZHA-CM-DALIA-240	AVALON CHANDELIER MEDIUM CEILING MOUNTING PLATE bronze with honed alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 38w (LED 2700K)	20	ø 640 H 70	ø 160 H 10	325	6,365€	CE IP20
AVACHMSBHA-CM-DALIA-240	AVALON CHANDELIER MEDIUM CEILING MOUNTING PLATE satin brass with honed alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 38w (LED 2700K)	20	ø 640 H 70	ø 160 H 10	325	6,365€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 90€ per 1000mm



\*for customer lengths over 2000mm please contact us directly



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACHMBZHA-CR-240	AVALON CHANDELIER MEDIUM CEILING ROSE bronze finish with alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 38w (LED 2700K)	20	ø 640 H 70	ø 240 H 65	380	6,730€	CE IP20
AVACHMSBHA-CR-240	AVALON CHANDELIER MEDIUM CEILING ROSE satin brass with honed alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 38w (LED 2700K)	20	ø 640 H 70	ø 240 H 65	380	6,730€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 90€ per 1000mm


\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACHMBZHA-CR-DALIA-240	AVALON CHANDELIER MEDIUM CEILING ROSE bronze with honed alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 38w (LED 2700K)	20	ø 640 H 70	ø 240 H 65	380	7,015€	CE IP20
AVACHMSBHA-CR-DALIA-240	AVALON CHANDELIER MEDIUM CEILING ROSE satin brass with honed alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 38w (LED 2700K)	20	ø 640 H 70	ø 240 H 65	380	7,015€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 90€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly




LED driver to be installed in the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACHLBZHA-CM-240	AVALON CHANDELIER LARGE CEILING MOUNTING PLATE bronze finish with alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 67w (LED 2700K)	30	ø 1010 H 70	ø 160 H 10	430	8,860€	CE IP20
AVACHLSBHA-CM-240	AVALON CHANDELIER LARGE CEILING MOUNTING PLATE satin brass with honed alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 67w (LED 2700K)	30	ø 1010 H 70	ø 160 H 10	430	8,860€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 90€ per 1000mm

\*for customer lengths over 2000mm please contact us directly





DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity LED driver to be installed in the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACHLBZHA-CM-DALIA-240	AVALON CHANDELIER LARGE CEILING MOUNTING PLATE bronze with honed alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 67w (LED 2700K)	30	ø 1010 H 70	ø 160 H 10	430	9,145€	CE IP20
AVACHLSBHA-CM-DALIA-240	AVALON CHANDELIER LARGE CEILING MOUNTING PLATE satin brass with honed alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 67w (LED 2700K)	30	ø 1010 H 70	ø 160 H 10	430	9,145€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 90€ per 1000mm

\*for customer lengths over 2000mm please contact us directly







SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACHLBZHA-CR-240	AVALON CHANDELIER LARGE CEILING ROSE bronze finish with alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 67w (LED 2700K)	30	ø 1010 H 70	ø 240 H 65	485	9,510€	CE IP20
AVACHLSBHA-CR-240	AVALON CHANDELIER LARGE CEILING ROSE satin brass with honed alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 67w (LED 2700K)	30	ø 1010 H 70	ø 240 H 65	485	9,510€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 90€ per 1000mm

\*for customer lengths over 2000mm please contact us directly





DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACHLBZHA-CR-DALIA-240	AVALON CHANDELIER LARGE CEILING ROSE bronze with honed alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 67w (LED 2700K)	30	ø 1010 H 70	ø 240 H 65	485	9,800€	CE IP20
AVACHLSBHA-CR-DALIA-240	AVALON CHANDELIER LARGE CEILING ROSE satin brass with honed alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 67w (LED 2700K)	30	ø 1010 H 70	ø 240 H 65	485	9,800€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 90€ per 1000mm

\*for customer lengths over 2000mm please contact us directly





LED driver to be installed in the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACH1BZHA-CM-240	AVALON CHANDELIER X-LARGE CEILING MOUNTING PLATE bronze finish with alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 89w (LED 2700K)	45	ø 1300 H 70	ø 160 H 10	615	15,475€	CE IP20
AVACH1SBHA-CM-240	AVALON CHANDELIER X-LARGE CEILING MOUNTING PLATE satin brass with honed alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 89w (LED 2700K)	45	ø 1300 H 70	ø 160 H 10	615	15,475€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 90€ per 1000mm

\*for customer lengths over 2000mm please contact us directly





DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity LED driver to be installed in the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACHIBZHA-CM-DALIA-240	AVALON CHANDELIER X-LARGE CEILING MOUNTING PLATE bronze with honed alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 89w (LED 2700K)	45	ø 1300 H 70	ø 160 H 10	615	15,760€	CE IP20
AVACHISBHA-CM-DALIA-240	AVALON CHANDELIER X-LARGE CEILING MOUNTING PLATE satin brass with honed alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 89w (LED 2700K)	45	ø 1300 H 70	ø 160 H 10	615	15,760€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 90€ per 1000mm



\*for customer lengths over 2000mm please contact us directly



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACHIBZHA-CR-240	AVALON CHANDELIER X-LARGE CEILING ROSE bronze finish with alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 89w (LED 2700K)	45	ø 1300 H 70	ø 240 H 65	670	15,990€	CE IP20
AVACHISBHA-CR-240	AVALON CHANDELIER X-LARGE CEILING ROSE satin brass with honed alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 89w (LED 2700K)	45	ø 1300 H 70	ø 240 H 65	670	15,990€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 90€ per 1000mm

\*for customer lengths over 2000mm please contact us directly




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACHIBZHA-CR- DALIA-240	AVALON CHANDELIER X-LARGE CEILING ROSE bronze with honed alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 89w (LED 2700K)	45	ø 1300 H 70	ø 240 H 65	670	16,280€	CE IP20
AVACHISBHA-CR- DALIA-240	AVALON CHANDELIER X-LARGE CEILING ROSE satin brass with honed alabaster	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 89w (LED 2700K)	45	ø 1300 H 70	ø 240 H 65	670	16,280€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 90€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly






LED driver to be installed in the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACHOBZHA-CM-240	AVALON CHANDELIER HALO CEILING MOUNTING PLATE bronze finish with alabaster	Supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 38w + 67w (LED 2700K)	50	ø 1010 H 70	ø 160 H 10	598	14,945€	CE IP20
AVACHOSBHA-CM-240	AVALON CHANDELIER HALO CEILING MOUNTING PLATE satin brass with honed alabaster	Supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 38w + 67w (LED 2700K)	50	ø 1010 H 70	ø 160 H 10	598	14,945€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 175€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly






DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity LED driver to be installed in the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACHOBZHA-CM-DALIA-240	AVALON CHANDELIER HALO CEILING MOUNTING PLATE bronze with honed alabaster	Supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 38w + 67w (LED 2700K)	50	ø 1010 H 70	ø 160 H 10	598	15,230€	CE IP20
AVACHOSBHA-CM-DALIA-240	AVALON CHANDELIER HALO CEILING MOUNTING PLATE satin brass with honed alabaster	Supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 38w + 67w (LED 2700K)	50	ø 1010 H 70	ø 160 H 10	598	15,230€	CE IP20


\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 175€ per 1000mm

\*for customer lengths over 2000mm please contact us directly



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACHOBZHA-CR-240	AVALON CHANDELIER HALO CEILING ROSE bronze finish with alabaster	Supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 38w + 67w (LED 2700K)	50	ø 1010 H 70	ø 240 H 65	653	15,595€	CE IP20
AVACHOSBHA-CR-240	AVALON CHANDELIER HALO CEILING ROSE satin brass with honed alabaster	Supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 38w + 67w (LED 2700K)	50	ø 1010 H 70	ø 240 H 65	653	15,595€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 175€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACHOBZHA-CR-DALIA-240	AVALON CHANDELIER HALO CEILING ROSE bronze with honed alabaster	Supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 38w + 67w (LED 2700K)	50	ø 1010 H 70	ø 240 H 65	653	15,885€	CE IP20
AVACHOSBHA-CR-DALIA-240	AVALON CHANDELIER HALO CEILING ROSE satin brass with honed alabaster	Supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 38w + 67w (LED 2700K)	50	ø 1010 H 70	ø 240 H 65	653	15,885€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 175€ per 1000mm

\*for customer lengths over 2000mm please contact us directly




LED driver to be installed in the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACH2BZHA-CM-240	AVALON CHANDELIER HALO X-LARGE CEILING MOUNTING PLATE bronze finish with alabaster	Supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 67w + 89w (LED 2700K)	75	ø 1300 H 70	ø 160 H 10	785	26,545€	CE IP20
AVACH2SBHA-CM-240	AVALON CHANDELIER HALO X-LARGE CEILING MOUNTING PLATE satin brass with honed alabaster	Supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 67w + 89w (LED 2700K)	75	ø 1130 H 70	ø 160 H 10	785	26,545€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 175€ per 1000mm

\*for customer lengths over 2000mm please contact us directly






DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
LED driver to be installed in the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACH2BZHA-CM-DALIA-240	AVALON CHANDELIER HALO X-LARGE CEILING MOUNTING PLATE bronze with honed alabaster	Supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 67w + 89w (LED 2700K)	75	ø 1300 H 70	ø 160 H 10	785	26,830€	CE IP20
AVACH2SBHA-CM-DALIA-240	AVALON CHANDELIER HALO X-LARGE CEILING MOUNTING PLATE satin brass with honed alabaster	Supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 67w + 89w (LED 2700K)	75	ø 1130 H 70	ø 160 H 10	785	26,830€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 175€ per 1000mm


\*for customer lengths over 2000mm please contact us directly



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACH2BZHA-CR-240	AVALON CHANDELIER HALO X-LARGE CEILING ROSE bronze finish with alabaster	Supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 67w + 89w (LED 2700K)	76	ø 1300 H 70	ø 240 H 65	840	27,060€	CE 
AVACH2SBHA-CR-240	AVALON CHANDELIER HALO X-LARGE CEILING ROSE satin brass with honed alabaster	Supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 67w + 89w (LED 2700K)	76	ø 1130 H 70	ø 240 H 65	840	27,060€	CE 

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 175€ per 1000mm


\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACH2BZHA-CR-DALIA-240	AVALON CHANDELIER HALO X-LARGE CEILING ROSE bronze with honed alabaster	Supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 67w + 89w (LED 2700K)	76	ø 1300 H 70	ø 240 H 65	840	27,350€	CE IP20
AVACH2SBHA-CR-DALIA-240	AVALON CHANDELIER HALO X-LARGE CEILING ROSE satin brass with honed alabaster	Supplied with 6 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 67w + 89w (LED 2700K)	76	ø 1130 H 70	ø 240 H 65	840	27,350€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 175€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly




LED driver to be installed in the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACH3BZHA-CM-240	AVALON CHANDELIER TRIPLE CEILING MOUNTING PLATE bronze finish with alabaster	Supplied with 9 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 38w + 67w + 89w (LED 2700K)	95	ø 1300 H 70	ø 180 H 10	955	34,560€	CE IP20
AVACH3SBHA-CM-240	AVALON CHANDELIER TRIPLE CEILING MOUNTING PLATE satin brass with honed alabaster	Supplied with 9 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 38w + 67w + 89w (LED 2700K)	95	ø 1300 H 70	ø 180 H 10	955	34,560€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 260€ per 1000mm

\*for customer lengths over 2000mm please contact us directly






DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity LED driver to be installed in the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACH3BZHA-CM-DALIA-240	AVALON CHANDELIER TRIPLE CEILING MOUNTING PLATE bronze with honed alabaster	Supplied with 9 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 38w + 67w + 89w (LED 2700K)	95	ø 1300 H 70	ø 180 H 10	955	34,850€	CE IP20
AVACH3SBHA-CM-DALIA-240	AVALON CHANDELIER TRIPLE CEILING MOUNTING PLATE satin brass with honed alabaster	Supplied with 9 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 38w + 67w + 89w (LED 2700K)	95	ø 1300 H 70	ø 180 H 10	955	34,850€	CE IP20


\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 260€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACH3BZHA-CR-240	AVALON CHANDELIER TRIPLE CEILING ROSE bronze finish with alabaster	Supplied with 9 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 38w + 67w + 89w (LED 2700K)	96	ø 1300 H 70	ø 240 H 75	1020	35,080€	CE IP20
AVACH3SBHA-CR-240	AVALON CHANDELIER TRIPLE CEILING ROSE satin brass with honed alabaster	Supplied with 9 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 38w + 67w + 89w (LED 2700K)	96	ø 1300 H 70	ø 240 H 75	1020	35,080€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 260€ per 1000mm

\*for customer lengths over 2000mm please contact us directly




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACH3BZHA-CR-DALIA-240	AVALON CHANDELIER TRIPLE CEILING ROSE bronze with honed alabaster	Supplied with 9 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 38w + 67w + 89w (LED 2700K)	96	ø 1300 H 70	ø 240 H 75	1020	35,365€	CE IP20
AVACH3SBHA-CR-DALIA-240	AVALON CHANDELIER TRIPLE CEILING ROSE satin brass with honed alabaster	Supplied with 9 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	Integrated LED 38w + 67w + 89w (LED 2700K)	96	ø 1300 H 70	ø 240 H 75	1020	35,365€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 260€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly










\*Diagrams are not to scale.

LED driver to be installed in the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACHOVZHA-CM-240	AVALON CHANDELIER OVAL CEILING MOUNTING PLATE bronze finish with honed alabaster	supplied with 4 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 110w (LED 2700K)	45	W 1590 D 340 H 70	W 450 D 130 H 10	300	13,000€	CE 
AVACHOVSBHA-CM-240	AVALON CHANDELIER OVAL CEILING MOUNTING PLATE satin brass with honed alabaster	supplied with 4 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 110w (LED 2700K)	45	W 1590 D 340 H 70	W 450 D 130 H 10	300	13,000€	CE 

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable per 1000mm 120€ RETAIL  
\*for customer lengths over 2000mm please contact us directly  
\*remote mounted driver up to 20m from the light source




\*Diagrams are not to scale.

DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity LED driver to be installed in the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACHOVZHA-CM-DALIA-240	AVALON CHANDELIER OVAL CEILING MOUNTING PLATE bronze finish with honed alabaster	supplied with 4 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 110w (LED 2700K)	45	W 1590 D 340 H 70	W 450 D 130 H 10	300	13,210€	CE IP20
AVACHOVSBHA-CM-DALIA-240	AVALON CHANDELIER OVAL CEILING MOUNTING PLATE satin brass with honed alabaster	supplied with 4 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 110w (LED 2700K)	45	W 1590 D 340 H 70	W 450 D 130 H 10	300	13,210€	CE IP20


\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable per 1000mm 120€ RETAIL  
 \*for customer lengths over 2000mm please contact us directly  
 \*remote mounted driver up to 20m from the light source



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACHOVZHA-CR-240	AVALON CHANDELIER OVAL CEILING ROSE bronze finish with honed alabaster	supplied with 4 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 110w (LED 2700K)	45	W 1590 D 340 H 70	W 450 D 130 H 55	345	13,200€	CE IP20
AVACHOVSBHA-CR-240	AVALON CHANDELIER OVAL CEILING ROSE satin brass with honed alabaster	supplied with 4 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 110w (LED 2700K)	45	W 1590 D 340 H 70	W 450 D 130 H 55	345	13,200€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable per 1000mm 120€ RETAIL  
\*for customer lengths over 2000mm please contact us directly  
\*remote mounted driver up to 20m from the light source





DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AVACHOVZHA-CR-DALIA-240	AVALON CHANDELIER OVAL CEILING ROSE bronze finish with honed alabaster	supplied with 4 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 110w (LED 2700K)	45	W 1590 D 340 H 70	W 450 D 130 H 55	345	13,210€	CE IP20
AVACHOVSBHA-CR-DALIA-240	AVALON CHANDELIER OVAL CEILING ROSE satin brass with honed alabaster	supplied with 4 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 110w (LED 2700K)	45	W 1590 D 340 H 70	W 450 D 130 H 55	345	13,210€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable per 1000mm 120€ RETAIL

\*for customer lengths over 2000mm please contact us directly

\*remote mounted driver up to 20m from the light source







## AXIS COLLECTION

PENDANT

Inspired by antique streetlamps and made from satin brass, bronzed brass, and conical smoked glass shades. It can be mounted close to the ceiling or suspended from a drop rod.





SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AXIPELBZSG-240	AXIS PENDANT LARGE bronze with smoked glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	15	W 1720 D 1170 H 190	ø 116 H 25	345	4,695€	CE IP20
AXIPELSBSG-240	AXIS PENDANT LARGE satin brass with smoked glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	15	W 1720 D 1170 H 190	ø 116 H 25	345	4,695€	CE IP20



\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



DALI A





DALI B



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
 DALI B included - The light will feature a deeper ceiling rose. For use when there is no space in the existing ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AXIPELBZSG-DALIA-240	AXIS PENDANT LARGE bronze with smoked glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	15	W 1720 D 1170 H 190	ø 116 H 25	325	5,365€	CE IP20
AXIPELBZSG-DALIB-240	AXIS PENDANT LARGE bronze with smoked glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	15	W 1720 D 1170 H 190	ø 140 H 35	335	5,400€	CE IP20
AXIPELSBSG-DALIA-240	AXIS PENDANT LARGE satin brass with smoked glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	15	W 1720 D 1170 H 190	ø 116 H 25	325	5,365€	CE IP20
AXIPELSBSG-DALIB-240	AXIS PENDANT LARGE satin brass with smoked glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	15	W 1720 D 1170 H 190	ø 140 H 35	335	5,400€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
 \*for customer lengths over 2000mm please contact us directly





SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AXIPESBZSG-240	AXIS PENDANT SMALL bronze with smoked glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	9	W 1210 D 1080 H 190	ø 116 H 25	345	3,130€	CE IP20
AXIPESBSG-240	AXIS PENDANT SMALL satin brass with smoked glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	9	W 1210 D 1080 H 190	ø 116 H 25	345	3,130€	CE IP20



\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



DALI A



DALI B



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
 DALI B included - The light will feature a deeper ceiling rose. For use when there is no space in the existing ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
AXIPESBZSG-DALIA-240	AXIS PENDANT SMALL bronze with smoked glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	9	W 1210 D 1080 H 190	ø 116 H 25	325	3,800€	CE IP20
AXIPESBZSG-DALIB-240	AXIS PENDANT SMALL bronze with smoked glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	9	W 1210 D 1080 H 190	ø 140 H 35	335	3,835€	CE IP20
AXIPESSBSG-DALIA-240	AXIS PENDANT SMALL satin brass with smoked glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	9	W 1210 D 1080 H 190	ø 116 H 25	325	3,800€	CE IP20
AXIPESSBSG-DALIB-240	AXIS PENDANT SMALL satin brass with smoked glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	9	W 1210 D 1080 H 190	ø 140 H 35	335	3,835€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
 \*for customer lengths over 2000mm please contact us directly







## **BIG BULB**

WALL


This elegant and timeless wall light made from polished brass and hand blown glass creates a warm glow through its quality materials.

**BIG BULB**



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
BULWAOPBOG-240	BIG BULB WALL polished brass with shiny opal glass	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	2	W 120 D 200 H 360	ø 114 H 5	n/a	805€	CE 
BULWAOPNOG-240	BIG BULB WALL polished nickel with shiny opal glass	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	2	W 120 D 200 H 360	ø 114 H 5	n/a	805€	CE 





DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the wall cavity  
DALI B included - The light will feature a deeper wall rose. For use when there is no space in the existing wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
BULWAOPBOG-DALIA-240	BIG BULB WALL polished brass with shiny opal glass	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	2	W 120 D 200 H 360	ø 114 H 5	n/a	1,475€	CE IP20
BULWAOPBOG-DALIB-240	BIG BULB WALL polished brass with shiny opal glass	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	2	W 120 D 225 H 360	ø 116 H 25	n/a	1,510€	CE IP20
BULWAOPNOG-DALIA -240	BIG BULB WALL polished nickel with shiny opal glass	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	2	W 120 D 200 H 360	ø 114 H 5	n/a	1,475€	CE IP20
BULWAOPNOG-DALIB -240	BIG BULB WALL polished nickel with shiny opal glass	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	2	W 120 D 225 H 360	ø 116 H 25	n/a	1,510€	CE IP20







## **BRAQUE**

TABLE

This sculptural table light is created by our artisans who hand-cast the brass base forming elegant undulations in the metal. The oval silk or linen shade has a diffuser which obscures the bulb.

**BRAQUE**




SKU NUMBER	PRODUCT DESCRIPTION	CORDSET	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
BRATAOABDG-240C	BRAQUE TABLE antique bronze base with dove grey shade 2 pin Euro plug	2000mm cordset with black flex and inline dimmer	1 x E27 60w max (or 8w LED 2700k)	2	W 400 D 250 H 535	n/a	n/a	2,215€	CE 
BRATAOABDG-240J	BRAQUE TABLE antique bronze base with dove grey shade Swiss plug	2000mm cordset with black flex and inline dimmer	1 x E27 60w max (or 8w LED 2700k)	2	W 400 D 250 H 535	n/a	n/a	2,215€	CE 
BRATAOBZDG-240C	BRAQUE TABLE bronze base with dove grey shade 2 pin Euro plug	2000mm cordset with black flex and inline dimmer	1 x E27 60w max (or 8w LED 2700k)	2	W 400 D 250 H 535	n/a	n/a	2,215€	CE 
BRATAOBZDG-240J	BRAQUE TABLE bronze base with dove grey shade Swiss plug	2000mm cordset with black flex and inline dimmer	1 x E27 60w max (or 8w LED 2700k)	2	W 400 D 250 H 535	n/a	n/a	2,215€	CE 



## CARAPACE COLLECTION


PENDANT, WALL / CEILING

Inspired by the European Bistro culture of the turn of the twentieth century, Carapace is made from bronze, satin brass and hand blown glass and fitted by a hand made bronze chain.



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CARPEOBZOG-CN-240	CARAPACE PENDANT CHAIN bronze with shiny opal glass	Supplied with 1000mm flex and chain as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	5	ø 320 H 140	ø 116 H 25	215	1,620€	CE IP20

\*supplied with upto 1000mm flex and chain as standard (NOT adjustable on site), additional drop rod at 80€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly





DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CARPEOBZOG-CN-DALIA-240	CARAPACE PENDANT CHAIN bronze with shiny opal glass	Supplied with 1000mm flex and chain as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	5	ø 320 H 140	ø 116 H 25	215	2,290€	CE IP20

\*supplied with upto 1000mm flex and chain as standard (NOT adjustable on site), additional drop rod at 80€ per 1000mm

\*for customer lengths over 2000mm please contact us directly





SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CARPEOBZOG-DR-240	CARAPACE PENDANT ROD bronze with shiny opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 320 H 140	ø 116 H 25	215	1,620€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm

\*for customer lengths over 2000mm please contact us directly







DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CARPEOBZOG-DR-DALIA-240	CARAPACE PENDANT ROD bronze with shiny opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 320 H 140	ø 116 H 25	215	2,290€	CE IP20



\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm

\*for customer lengths over 2000mm please contact us directly



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL/CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CARCWOBZOG-240	CARAPACE CEILING/WALL bronze with shiny opal glass	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	5	ø 320 H 140	ø 116 H 25	n/a	1,280€	CE 





DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall rose



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL/CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CARCWOBZOG-DALIA-240	CARAPACE CEILING/WALL bronze with shiny opal glass	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	5	ø 320 H 140	ø 116 H 25	n/a	1,950€	CE 



## CASCATA COLLECTION

CHANDELIER

The Cascata chandelier, with its fluid glass panels and contrasting triangular frame, is a highly unique, sculptural feature. The sleek metalwork forms a beautiful graphic structure when viewed from above, which is juxtaposed against the artisanal glass panels evocative of deep rivulets and flowing water.




LED driver to be installed in the ceiling cavity





SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CASCHOABWG-CM-240	CASCATA CHANDELIER - CEILING MOUNTING PLATE antique bronze with wavy kiln glass	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 50w (LED 2700K)	40	ø 1450 H 640	ø 160 H 10	850	9,910€	CE 
CASCHOBZWG-CM-240	CASCATA CHANDELIER - CEILING MOUNTING PLATE bronze with wavy kiln glass	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 50w (LED 2700K)	40	ø 1450 H 640	ø 160 H 10	850	9,910€	CE 
CASCHOPNWG-CM-240	CASCATA CHANDELIER - CEILING MOUNTING PLATE polished nickel with wavy kiln glass	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 50w (LED 2700K)	40	ø 1450 H 640	ø 160 H 10	850	9,910€	CE 
CASCHOSBWG-CM-240	CASCATA CHANDELIER - CEILING MOUNTING PLATE satin brass with wavy kiln glass	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 50w (LED 2700K)	40	ø 1450 H 640	ø 160 H 10	850	9,910€	CE 

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 90€ per 1000mm



\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
LED driver to be installed in the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CASCHOABWG-CM-DALIA-240	CASCATA CHANDELIER - CEILING MOUNTING PLATE antique bronze with wavy kiln glass	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 50w (LED 2700K)	40	ø 1450 H 640	ø 160 H 10	850	10,040€	CE 
CASCHOBZWG-CM-DALIA-240	CASCATA CHANDELIER - CEILING MOUNTING PLATE bronze with wavy kiln glass	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 50w (LED 2700K)	40	ø 1450 H 640	ø 160 H 10	850	10,040€	CE 
CASCHOPNWG-CM-DALIA-240	CASCATA CHANDELIER - CEILING MOUNTING PLATE polished nickel with wavy kiln glass	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 50w (LED 2700K)	40	ø 1450 H 640	ø 160 H 10	850	10,040€	CE 
CASCHOSBWG-CM-DALIA-240	CASCATA CHANDELIER - CEILING MOUNTING PLATE satin brass with wavy kiln glass	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 50w (LED 2700K)	40	ø 1450 H 640	ø 160 H 10	850	10,040€	CE 


\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 90€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly







SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CASCHOABWG-CR-240	CASCATA CHANDELIER - CEILING ROSE antique bronze with wavy kiln glass	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 50w (LED 2700K)	40	ø 1450 H 640	ø 195 H 40	880	10,430€	CE IP20
CASCHOBZWG-CR-240	CASCATA CHANDELIER - CEILING ROSE bronze with wavy kiln glass	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 50w (LED 2700K)	40	ø 1450 H 640	ø 195 H 40	880	10,430€	CE IP20
CASCHOPNWG-CR-240	CASCATA CHANDELIER - CEILING ROSE polished nickel with wavy kiln glass	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 50w (LED 2700K)	40	ø 1450 H 640	ø 195 H 40	880	10,430€	CE IP20
CASCHOSBWG-CR-240	CASCATA CHANDELIER - CEILING ROSE satin brass with wavy kiln glass	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 50w (LED 2700K)	40	ø 1450 H 640	ø 195 H 40	880	10,430€	CE IP20

\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 90€ per 1000mm

\*for customer lengths over 2000mm please contact us directly




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CASCHOABWG-CR-DALIA-240	CASCATA CHANDELIER - CEILING ROSE antique bronze with wavy kiln glass	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 50w (LED 2700K)	40	ø 1450 H 640	ø 195 H 40	880	10,560€	CE 
CASCHOBZWG-CR-DALIA-240	CASCATA CHANDELIER - CEILING ROSE bronze with wavy kiln glass	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 50w (LED 2700K)	40	ø 1450 H 640	ø 195 H 40	880	10,560€	CE 
CASCHOPNWG-CR-DALIA-240	CASCATA CHANDELIER - CEILING ROSE polished nickel with wavy kiln glass	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 50w (LED 2700K)	40	ø 1450 H 640	ø 195 H 40	880	10,560€	CE 
CASCHOSBWG-CR-DALIA-240	CASCATA CHANDELIER - CEILING ROSE satin brass with wavy kiln glass	Supplied with 3 x 2500mm stainless steel suspension power cables as standard (adjustable on site)	integrated LED 50w (LED 2700K)	40	ø 1450 H 640	ø 195 H 40	880	10,560€	CE 





\*2500mm stainless steel suspension power cable (adjustable on site), additional stainless steel suspension power cable at 90€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly








LED driver to be installed in the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP ~ from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CASCHLABWG-CM-240	CASCATA LONG CHANDELIER - CEILING MOUNTED antique bronze with wavy kiln glass	Supplied with 2 x 1000mm drop rod as standard (adjustable on site)	integrated LED 25w (LED 2700K)	35	W 1695 D 55 H 640	W 680 D 80 H 10	750	7,600€	CE 
CASCHLBZWG-CM-240	CASCATA LONG CHANDELIER - CEILING MOUNTED bronze with wavy kiln glass	Supplied with 2 x 1000mm drop rod as standard (adjustable on site)	integrated LED 25w (LED 2700K)	35	W 1695 D 55 H 640	W 680 D 80 H 10	750	7,600€	CE 
CASCHLPNWG-CM-240	CASCATA LONG CHANDELIER - CEILING MOUNTED polished nickel with wavy kiln glass	Supplied with 2 x 1000mm drop rod as standard (adjustable on site)	integrated LED 25w (LED 2700K)	35	W 1695 D 55 H 640	W 680 D 80 H 10	750	7,600€	CE 
CASCHLSBWG-CM-240	CASCATA LONG CHANDELIER - CEILING MOUNTED satin brass with wavy kiln glass	Supplied with 2 x 1000mm drop rod as standard (adjustable on site)	integrated LED 25w (LED 2700K)	35	W 1695 D 55 H 640	W 680 D 80 H 10	750	7,600€	CE 

\*1000mm drop rod (adjustable on site), additional drop rod per 1000mm 500€ RETAIL inc VAT  
\*for customer lengths over 1000mm please contact us directly







DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
LED driver to be installed in the ceiling cavity


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP ~ from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CASCHLABWG-CM-DALIA-240	CASCATA LONG CHANDELIER - CEILING MOUNTED antique bronze with wavy kiln glass	Supplied with 2 x 1000mm drop rod as standard (adjustable on site)	integrated LED 25w (LED 2700K)	35	W 1695 D 55 H 640	W 680 D 80 H 10	750	7,800€	CE IP20
CASCHLBZWG-CM-DALIA-240	CASCATA LONG CHANDELIER - CEILING MOUNTED bronze with wavy kiln glass	Supplied with 2 x 1000mm drop rod as standard (adjustable on site)	integrated LED 25w (LED 2700K)	35	W 1695 D 55 H 640	W 680 D 80 H 10	750	7,800€	CE IP20
CASCHLPNWG-CM-DALIA-240	CASCATA LONG CHANDELIER - CEILING MOUNTED polished nickel with wavy kiln glass	Supplied with 2 x 1000mm drop rod as standard (adjustable on site)	integrated LED 25w (LED 2700K)	35	W 1695 D 55 H 640	W 680 D 80 H 10	750	7,800€	CE IP20
CASCHLSBWG-CM-DALIA-240	CASCATA LONG CHANDELIER - CEILING MOUNTED satin brass with wavy kiln glass	Supplied with 2 x 1000mm drop rod as standard (adjustable on site)	integrated LED 25w (LED 2700K)	35	W 1695 D 55 H 640	W 670 D 70 H 10	750	7,800€	CE IP20

\*1000mm drop rod (adjustable on site), additional drop rod per 1000mm 580€ RETAIL  
\*for customer lengths over 1000mm please contact us directly








SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP ~ from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CASCHLABWG-CR-240	CASCATA LONG CHANDELIER - CEILING ROSE antique bronze with wavy kiln glass	Supplied with 2 x 1000mm drop rod as standard (adjustable on site)	integrated LED 25w (LED 2700K)	35	W 1695 D 55 H 640	W 680 D 60 H 35	750	7,800€	CE 
CASCHLBZWG-CR-240	CASCATA LONG CHANDELIER - CEILING ROSE bronze with wavy kiln glass	Supplied with 2 x 1000mm drop rod as standard (adjustable on site)	integrated LED 25w (LED 2700K)	35	W 1695 D 55 H 640	W 680 D 60 H 35	750	7,800€	CE 
CASCHLPNWG-CR-240	CASCATA LONG CHANDELIER - CEILING ROSE polished nickel with wavy kiln glass	Supplied with 2 x 1000mm drop rod as standard (adjustable on site)	integrated LED 25w (LED 2700K)	35	W 1695 D 55 H 640	W 680 D 60 H 35	750	7,800€	CE 
CASCHLSBWG-CR-240	CASCATA LONG CHANDELIER - CEILING ROSE satin brass with wavy kiln glass	Supplied with 2 x 1000mm drop rod as standard (adjustable on site)	integrated LED 25w (LED 2700K)	35	W 1695 D 55 H 640	W 680 D 60 H 35	750	7,800€	CE 

\*1000mm drop rod (adjustable on site), additional drop rod per 1000mm 580€ RETAIL  
\*for customer lengths over 1000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CASCHLABWG-CR-DALIA-240	CASCATA LONG CHANDELIER - CEILING ROSE antique bronze with wavy kiln glass	Supplied with 2 x 1000mm drop rod as standard (adjustable on site)	integrated LED 25w (LED 2700K)	35	W 1695 D 55 H 640	W 680 D 60 H 35	775	8,000€	 
CASCHLBZWG-CR-DALIA-240	CASCATA LONG CHANDELIER - CEILING ROSE bronze with wavy kiln glass	Supplied with 2 x 1000mm drop rod as standard (adjustable on site)	integrated LED 25w (LED 2700K)	35	W 1695 D 55 H 640	W 680 D 60 H 35	775	8,000€	 
CASCHLPNWG-CR-DALIA-240	CASCATA LONG CHANDELIER - CEILING ROSE polished nickel with wavy kiln glass	Supplied with 2 x 1000mm drop rod as standard (adjustable on site)	integrated LED 25w (LED 2700K)	35	W 1695 D 55 H 640	W 680 D 60 H 35	775	8,000€	 
CASCHLSBWG-CR-DALIA-240	CASCATA LONG CHANDELIER - CEILING ROSE satin brass with wavy kiln glass	Supplied with 2 x 1000mm drop rod as standard (adjustable on site)	integrated LED 25w (LED 2700K)	35	W 1695 D 55 H 640	W 680 D 60 H 35	775	8,000€	 



\*1000mm drop rod (adjustable on site), additional drop rod per 1000mm E216 RETAIL inc VAT  
\*for customer lengths over 1000mm please contact us directly



## CIELO COLLECTION

PENDANT, CEILING / WALL


A showstopper which has the 'quiet luxury' characterised by CTO designs. Developed exclusively by our artisans where crystal-like crushed glass is combined with refined metalwork.



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CIEPELBZFG-240	CIELO PENDANT LARGE bronze with fritted glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w (LED 2700K)	4.5	ø 385 H 85	ø 45 H 120	225	2,010€	CE IP20
CIEPELSBFG-240	CIELO PENDANT LARGE satin brass with fritted glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w (LED 2700K)	4.5	ø 385 H 85	ø 45 H 120	225	2,010€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm



\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
DALI B included - The light will feature a wider ceiling rose. For use when there is no space in the existing ceiling cavity


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CIEPELBZFG-DALIA-240	CIELO PENDANT LARGE bronze with fritted glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w (LED 2700K)	4.5	ø 385 H 85	ø 45 H 120	225	2,140€	CE IP20
CIEPELBZFG-DALIB-240	CIELO PENDANT LARGE bronze with fritted glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w (LED 2700K)	4.5	ø 385 H 85	ø 140 H 35	140	2,175€	CE IP20
CIEPELSBFG-DALIA-240	CIELO PENDANT LARGE satin brass with fritted glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w (LED 2700K)	4.5	ø 385 H 85	ø 45 H 120	225	2,140€	CE IP20
CIEPELSBFG-DALIB-240	CIELO PENDANT LARGE satin brass with fritted glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w (LED 2700K)	4.5	ø 385 H 85	ø 140 H 35	140	2,175€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CIEPESBZFG-240	CIELO PENDANT SMALL bronze with fritted glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w (LED 2700K)	3.5	ø 315 H 85	ø 45 H 120	225	1,910€	CE IP20
CIEPESSBFG-240	CIELO PENDANT SMALL satin brass with fritted glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w (LED 2700K)	3.5	ø 315 H 85	ø 45 H 120	225	1,910€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly





DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
DALI B included - The light will feature a wider ceiling rose. For use when there is no space in the existing ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CIEPESBZFG-DALIA-240	CIELO PENDANT SMALL bronze with fritted glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w (LED 2700K)	3.5	ø 315 H 85	ø 45 H 120	225	2,040€	CE IP20
CIEPESBZFG-DALIB-240	CIELO PENDANT SMALL bronze with fritted glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w (LED 2700K)	3.5	ø 315 H 85	ø 140 H 35	140	2,075€	CE IP20
CIEPESSBFG-DALIA-240	CIELO PENDANT SMALL satin brass with fritted glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w (LED 2700K)	3.5	ø 315 H 85	ø 45 H 120	225	2,040€	CE IP20
CIEPESSBFG-DALIB-240	CIELO PENDANT SMALL satin brass with fritted glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w (LED 2700K)	3.5	ø 315 H 85	ø 140 H 35	140	2,075€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly









SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL/CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CIECWLBZFG-240	CIELO CEILING/WALL LARGE bronze with fritted glass	n/a	integrated LED 8w (LED 2700K)	4	ø 385 D 130	ø 116 H 35	n/a	1,740€	CE 
CIECWLSBFG-240	CIELO CEILING/WALL LARGE satin brass with fritted glass	n/a	integrated LED 8w (LED 2700K)	4	ø 385 D 130	ø 116 H 35	n/a	1,740€	CE 




DALI A



DALI B






DALI A & DALI B



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity  
DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL/CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CIECWLBZFG-DALIA-240	CIELO CEILING/WALL LARGE bronze with fritted glass	n/a	integrated LED 8w (LED 2700K)	4	ø 385 D 130	ø 116 H 35	n/a	1,870€	CE IP20
CIECWLBZFG-DALIB-240	CIELO CEILING/WALL LARGE bronze with fritted glass	n/a	integrated LED 8w (LED 2700K)	4	ø 385 D 130	ø 140 H 35	n/a	1,905€	CE IP20
CIECWLSBFG-DALIA-240	CIELO CEILING/WALL LARGE satin brass with fritted glass	n/a	integrated LED 8w (LED 2700K)	4	ø 385 D 130	ø 116 H 35	n/a	1,870€	CE IP20
CIECWLSBFG-DALIB-240	CIELO CEILING/WALL LARGE satin brass with fritted glass	n/a	integrated LED 8w (LED 2700K)	4	ø 385 D 130	ø 140 H 35	n/a	1,905€	CE IP20




SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL/CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CIECWSBZFG-240	CIELO CEILING/WALL SMALL bronze with fritted glass	n/a	integrated LED 8w (LED 2700K)	3	ø 315 D 130	ø 116 H 35	n/a	1,635€	CE 
CIECWSSBFG-240	CIELO CEILING/WALL SMALL satin brass with fritted glass	n/a	integrated LED 8w (LED 2700K)	3	ø 315 D 130	ø 116 H 35	n/a	1,635€	CE 




DALI A



DALI B



DALI A & DALI B



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity  
DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL/CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CIECWSBZFG-DALIA-240	CIELO CEILING/WALL SMALL bronze with fritted glass	n/a	integrated LED 8w (LED 2700K)	3	ø 315 D 130	ø 116 H 35	n/a	1,760€	CE IP20
CIECWSBZFG-DALIB-240	CIELO CEILING/WALL SMALL bronze with fritted glass	n/a	integrated LED 8w (LED 2700K)	3	ø 315 D 130	ø 140 H 35	n/a	1,800€	CE IP20
CIECWSSBFG-DALIA-240	CIELO CEILING/WALL SMALL satin brass with fritted glass	n/a	integrated LED 8w (LED 2700K)	3	ø 315 D 130	ø 116 H 35	n/a	1,760€	CE IP20
CIECWSSBFG-DALIB-240	CIELO CEILING/WALL SMALL satin brass with fritted glass	n/a	integrated LED 8w (LED 2700K)	3	ø 315 D 130	ø 140 H 35	n/a	1,800€	CE IP20





## CLOUDESLEY COLLECTION

CHANDELIER

Inspired by the Georgian street name, the home of CTO's London showroom, made from brass or bronze with sandblasted glass shades, the Cloudesley chandelier creates a heavenly effect.

CLOUDESLEY COLLECTION





SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CLOCHLBZMO-240	CLOUDESLEY CHANDELIER LARGE bronze with matt opal glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	16 x E27 60w max (or 8w LED 2700K)	41	ø 1300 H 620	ø 204 H 30	670	16,755€	CE IP20
CLOCHLSBMO-240	CLOUDESLEY CHANDELIER LARGE satin brass with matt opal glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	16 x E27 60w max (or 8w LED 2700K)	41	ø 1300 H 620	ø 204 H 30	670	16,755€	CE IP20

\*supplied with up to 1000mm flex and chain as standard (adjustable on site), additional drop rod at 360€ per 1000mm

\*for customer lengths over 2000mm please contact us directly







DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CLOCHLBZMO-DALIA-240	CLOUDESLEY CHANDELIER LARGE bronze with matt opal glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	16 x E27 60w max (or 8w LED 2700K)	41	ø 1300 H 620	ø 204 H 30	670	17,420€	CE IP20
CLOCHLSBMO-DALIA-240	CLOUDESLEY CHANDELIER LARGE satin brass with matt opal glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	16 x E27 60w max (or 8w LED 2700K)	41	ø 1300 H 620	ø 204 H 30	670	17,420€	CE IP20

\*supplied with up to 1000mm flex and chain as standard (adjustable on site), additional drop rod at 360€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly








SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CLOCHMBZMO-240	CLOUDESLEY CHANDELIER MEDIUM bronze with matt opal glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	7 x E27 60w max (or 8w LED 2700K)	20	ø 920 H 450	ø 116 H 25	495	9,385€	CE 
CLOCHMSBMO-240	CLOUDESLEY CHANDELIER MEDIUM satin brass with matt opal glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	7 x E27 60w max (or 8w LED 2700K)	20	ø 920 H 450	ø 116 H 25	495	9,385€	CE 

\*supplied with up to 1000mm flex and chain as standard (adjustable on site), additional drop rod at 360€ per 1000mm



\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
DALI B included - The light will feature a deeper ceiling rose. For use when there is no space in the existing ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CLOCHMBZMO-DALIA-240	CLOUDESLEY CHANDELIER MEDIUM bronze with matt opal glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	7 x E27 60w max (or 8w LED 2700K)	20	ø 920 H 450	ø 116 H 25	495	10,055€	CE IP20
CLOCHMBZMO-DALIB-240	CLOUDESLEY CHANDELIER MEDIUM bronze with matt opal glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	7 x E27 60w max (or 8w LED 2700K)	20	ø 920 H 450	ø 204 H 30	500	10,090€	CE IP20
CLOCHMSBMO-DALIA-240	CLOUDESLEY CHANDELIER MEDIUM bronze with matt opal glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	7 x E27 60w max (or 8w LED 2700K)	20	ø 920 H 450	ø 116 H 25	495	10,055€	CE IP20
CLOCHMSBMO-DALIB-240	CLOUDESLEY CHANDELIER MEDIUM bronze with matt opal glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	7 x E27 60w max (or 8w LED 2700K)	20	ø 920 H 450	ø 204 H 30	500	10,090€	CE IP20




\*supplied with up to 1000mm flex and chain as standard (adjustable on site), additional drop rod at 360€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CLOCHSBZMO-240	CLOUDESLEY CHANDELIER SMALL bronze with matt opal glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	4 x E27 60w max (or 8w LED 2700K)	11	ø 850 H 450	ø 116 H 25	495	5,345€	CE IP20
CLOCHSSBMO-240	CLOUDESLEY CHANDELIER SMALL satin brass with matt opal glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	4 x E27 60w max (or 8w LED 2700K)	11	ø 850 H 450	ø 116 H 25	495	5,345€	CE IP20

\*supplied with up to 1000mm flex and chain as standard (adjustable on site), additional drop rod at 360€ per 1000mm

\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
DALI B included - The light will feature a deeper ceiling rose. For use when there is no space in the existing ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CLOCHSBZMO-DALIA-240	CLOUDESLEY CHANDELIER SMALL bronze with matt opal glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	4 x E27 60w max (or 8w LED 2700K)	11	ø 850 H 450	ø 116 H 25	495	6,010€	CE IP20
CLOCHSBZMO-DALIB-240	CLOUDESLEY CHANDELIER SMALL bronze with matt opal glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	4 x E27 60w max (or 8w LED 2700K)	11	ø 850 H 450	ø 204 H 30	500	6,050€	CE IP20
CLOCHSSBMO-DALIA-240	CLOUDESLEY CHANDELIER SMALL satin brass with matt opal glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	4 x E27 60w max (or 8w LED 2700K)	11	ø 850 H 450	ø 116 H 25	495	6,010€	CE IP20
CLOCHSSBMO-DALIB-240	CLOUDESLEY CHANDELIER SMALL satin brass with matt opal glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	4 x E27 60w max (or 8w LED 2700K)	11	ø 850 H 450	ø 204 H 30	500	6,050€	CE IP20



\*supplied with up to 1000mm flex and chain as standard (adjustable on site), additional drop rod at 360€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly





## COLUMBO

TABLE

A truly unique light. Luxurious veined made from honed grey alabaster with silk shade and brass plinth, its curved form is echoed by the silk shade which mirrors the profile of the base.



SKU NUMBER	PRODUCT DESCRIPTION	CORDSET	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
COLTAOGADG-240F	COLUMBO TABLE grey alabaster and dove grey shade earthed schuko plug	2000mm cordset with black flex and inline dimmer	2 x G9 25w max halogen (or 2.3w LED 2700k)	5	W 330 D 110 H 430	n/a	n/a	2,420€	CE 
COLTAOGADG-240J	COLUMBO TABLE grey alabaster and dove grey shade Swiss plug	2000mm cordset with black flex and inline dimmer	2 x G9 25w max halogen (or 2.3w LED 2700k)	5	W 330 D 110 H 430	n/a	n/a	2,420€	CE 






## CUBIST

TABLE

The Cubist table light is inspired by the artistic movement which brought us a new design language. Three dimensional forms broken into geometric planes and fragments brought a new artistic direction in the early 1900's.



SKU NUMBER	PRODUCT DESCRIPTION	CORDSET	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
CUBTAOCBWL-240C	CUBIST TABLE cast bronze with white linen shade 2-pin EU plug	2000mm cordset with black flex and inline dimmer	1 x E27 60w (or 8w LED 2700k)	18	W 450 D 450 H 750	n/a	n/a	3,300€	 
CUBTAOCBWL-240J	CUBIST TABLE cast bronze with white linen shade Swiss plug	2000mm cordset with black flex and inline dimmer	1 x E27 60w (or 8w LED 2700k)	18	W 450 D 450 H 750	n/a	n/a	3,300€	 








## FLOREN COLLECTION

PENDANT


Inspired by antique lighting on the Boulevards of Paris, made of brass metalwork and reeded glass shade, the Floren exudes craftsmanship through its expertly detailed design.

FLOREN COLLECTION



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
FLOPE2ABRG-240	FLOREN PENDANT 2 ARM antique brass and ribbed glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	2 x E27 60w max (or 8w LED 2700K)	5	W 2055 D 200 H 410	ø 105 H 50	660	6,125€	CE IP20



\*supplied with 1000mm drop rod as standard (adjustable on site) additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
DALI B included - The light will feature a deeper ceiling rose. For use when there is no space in the existing ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
FLOPE2ABRG-DALIA-240	FLOREN PENDANT 2 ARM antique brass and ribbed glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	2 x E27 60w max (or 8w LED 2700K)	5	W 2055 D 200 H 410	ø 105 H 50	660	6,795€	CE IP20
FLOPE2ABRG-DALIB-240	FLOREN PENDANT 2 ARM antique brass and ribbed glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	2 x E27 60w max (or 8w LED 2700K)	5	W 2055 D 200 H 410	ø 140 H 35	645	6,830€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site) additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly





SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
FLOPE4ABRG-240	FLOREN PENDANT 4 ARM antique brass and ribbed glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	4 x E27 60w max (or 8w LED 2700K)	7	W 2055 D 1355 H 410	ø 105 H 50	660	7,855€	CE IP20



\*supplied with 1000mm drop rod as standard (adjustable on site) additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



DALI A



DALI B



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
DALI B included - The light will feature a deeper ceiling rose. For use when there is no space in the existing ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
FLOPE4ABRG-DALIA-240	FLOREN PENDANT 4 ARM antique brass and ribbed glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	4 x E27 60w max (or 8w LED 2700K)	5	W 2055 D 1355 H 410	ø 105 H 50	660	8,525€	CE IP20
FLOPE4ABRG-DALIB-240	FLOREN PENDANT 4 ARM antique brass and ribbed glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	4 x E27 60w max (or 8w LED 2700K)	5	W 2055 D 1355 H 410	ø 140 H 35	645	8,560€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site) additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly






## GAIA COLLECTION


WALL

An elegant linear design made from the highest quality metalwork which has been expertly engineered to retain its minimal character.




SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
GAIWAOABMO-240	GAIA WALL - FLUSH antique bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	835€	CE IP20
GAIWAOABOG-240	GAIA WALL - FLUSH antique bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	835€	CE IP20
GAIWAOABSG-240	GAIA WALL - FLUSH antique bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	835€	CE IP20
GAIWAOABHF-240	GAIA WALL - FLUSH antique bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	835€	CE IP20
GAIWAOBZMO-240	GAIA WALL - FLUSH bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	835€	CE IP20
GAIWAOBZOG-240	GAIA WALL - FLUSH bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	835€	CE IP20
GAIWAOBZSG-240	GAIA WALL - FLUSH bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	835€	CE IP20
GAIWAOBZHF-240	GAIA WALL - FLUSH bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	835€	CE IP20
GAIWAOSBMO-240	GAIA WALL - FLUSH satin brass with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	835€	CE IP20
GAIWAOSBOG-240	GAIA WALL - FLUSH satin brass with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	835€	CE IP20
GAIWAOSBSG-240	GAIA WALL - FLUSH satin brass with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	835€	CE IP20
GAIWAOSBHF-240	GAIA WALL - FLUSH satin brass with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	835€	CE IP20








DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
GAIWAOABMO-DALIA-240	GAIA WALL - FLUSH antique bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,505€	CE IP20
GAIWAOABOG-DALIA-240	GAIA WALL - FLUSH antique bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,505€	CE IP20
GAIWAOABSG-DALIA-240	GAIA WALL - FLUSH antique bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,505€	CE IP20
GAIWAOABHF-DALIA-240	GAIA WALL - FLUSH antique bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,505€	CE IP20
GAIWAOBZMO-DALIA-240	GAIA WALL - FLUSH bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,505€	CE IP20
GAIWAOBZOG-DALIA-240	GAIA WALL - FLUSH bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,505€	CE IP20
GAIWAOBZSG-DALIA-240	GAIA WALL - FLUSH bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,505€	CE IP20
GAIWAOBZHF-DALIA-240	GAIA WALL - FLUSH bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,505€	CE IP20
GAIWAOSBMO-DALIA-240	GAIA WALL - FLUSH satin brass with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,505€	CE IP20
GAIWAOSBOG-DALIA-240	GAIA WALL - FLUSH satin brass with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,505€	CE IP20
GAIWAOSBSG-DALIA-240	GAIA WALL - FLUSH satin brass with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,505€	CE IP20
GAIWAOSBHF-DALIA-240	GAIA WALL - FLUSH satin brass with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,505€	CE IP20




DALI B included - The light will feature a deeper wall rose. For use when there is no space in the existing wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
GAIWAOABMO-DALIB-240	GAIA WALL - FLUSH antique bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,540€	CE IP20
GAIWAOABOG-DALIB-240	GAIA WALL - FLUSH antique bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,540€	CE IP20
GAIWAOABSG-DALIB-240	GAIA WALL - FLUSH antique bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,540€	CE IP20
GAIWAOABHF-DALIB-240	GAIA WALL - FLUSH antique bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,540€	CE IP20
GAIWAOBZMO-DALIB-240	GAIA WALL - FLUSH bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,540€	CE IP20
GAIWAOBZOG-DALIB-240	GAIA WALL - FLUSH bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,540€	CE IP20
GAIWAOBZSG-DALIB-240	GAIA WALL - FLUSH bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,540€	CE IP20
GAIWAOBZHF-DALIB-240	GAIA WALL - FLUSH bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,540€	CE IP20
GAIWAOSBMO-DALIB-240	GAIA WALL - FLUSH satin brass with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,540€	CE IP20
GAIWAOSBOG-DALIB-240	GAIA WALL - FLUSH satin brass with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,540€	CE IP20
GAIWAOSBSG-DALIB-240	GAIA WALL - FLUSH satin brass with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,540€	CE IP20
GAIWAOSBHF-DALIB-240	GAIA WALL - FLUSH satin brass with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	W 15 D 30	n/a	1,540€	CE IP20






SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
GAIWAOBMO-PL-240	GAIA WALL antique bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	895€	CE IP20
GAIWAOB OG-PL-240	GAIA WALL antique bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	895€	CE IP20
GAIWAOB SG-PL-240	GAIA WALL antique bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	895€	CE IP20
GAIWAOBHF-PL-240	GAIA WALL antique bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	895€	CE IP20
GAIWAOBZMO-PL-240	GAIA WALL bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	895€	CE IP20
GAIWAOBZOG-PL-240	GAIA WALL bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	895€	CE IP20
GAIWAOBZSG-PL-240	GAIA WALL bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	895€	CE IP20
GAIWAOBZHF-PL-240	GAIA WALL bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	895€	CE IP20
GAIWAOSBMO-PL-240	GAIA WALL satin brass with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	895€	CE IP20
GAIWAOSBOG-PL-240	GAIA WALL satin brass with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	895€	CE IP20
GAIWAOSBSG-PL-240	GAIA WALL satin brass with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	895€	CE IP20
GAIWAOSBHF-PL-240	GAIA WALL satin brass with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	895€	CE IP20




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
GAIWAOABMO-PL-DALIA-240	GAIA WALL antique bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	1,565€	CE IP20
GAIWAOABOG-PL-DALIA-240	GAIA WALL antique bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	1,565€	CE IP20
GAIWAOABSG-PL-DALIA-240	GAIA WALL antique bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	1,565€	CE IP20
GAIWAOABHF-PL-DALIA-240	GAIA WALL antique bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	1,565€	CE IP20
GAIWAOBZMO-PL-DALIA-240	GAIA WALL bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	1,565€	CE IP20
GAIWAOBZOG-PL-DALIA-240	GAIA WALL bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	1,565€	CE IP20
GAIWAOBZSG-PL-DALIA-240	GAIA WALL bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	1,565€	CE IP20
GAIWAOBZHF-PL-DALIA-240	GAIA WALL bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	1,565€	CE IP20
GAIWAOSBMO-PL-DALIA-240	GAIA WALL satin brass with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	1,565€	CE IP20
GAIWAOSBOG-PL-DALIA-240	GAIA WALL satin brass with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	1,565€	CE IP20
GAIWAOSBSG-PL-DALIA-240	GAIA WALL satin brass with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	1,565€	CE IP20
GAIWAOSBHF-PL-DALIA-240	GAIA WALL satin brass with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 190 H 183	ø 114 H 5	n/a	1,565€	CE IP20




SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
GAIWATABMO-240	GAIA WALL TALL - FLUSH antique bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	850€	CE IP20
GAIWATABOG-240	GAIA WALL TALL - FLUSH antique bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	850€	CE IP20
GAIWATABSG-240	GAIA WALL TALL - FLUSH antique bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	850€	CE IP20
GAIWATABHF-240	GAIA WALL TALL - FLUSH antique bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	850€	CE IP20
GAIWATBZMO-240	GAIA WALL TALL - FLUSH bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	850€	CE IP20
GAIWATBZOG-240	GAIA WALL TALL - FLUSH bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	850€	CE IP20
GAIWATBZSG-240	GAIA WALL TALL - FLUSH bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	850€	CE IP20
GAIWATBZHF-240	GAIA WALL TALL - FLUSH bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	850€	CE IP20
GAIWATSBMO-240	GAIA WALL TALL - FLUSH satin brass with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	850€	CE IP20
GAIWATSBOG-240	GAIA WALL TALL - FLUSH satin brass with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	850€	CE IP20
GAIWATSBSG-240	GAIA WALL TALL - FLUSH satin brass with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	850€	CE IP20
GAIWATSBHF-240	GAIA WALL TALL - FLUSH satin brass with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	850€	CE IP20



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the wall cavity




SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
GAIWATABMO-DALIA-240	GAIA WALL TALL - FLUSH antique bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,520€	CE IP20
GAIWATABOG-DALIA-240	GAIA WALL TALL - FLUSH antique bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,520€	CE IP20
GAIWATABSG-DALIA-240	GAIA WALL TALL - FLUSH antique bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,520€	CE IP20
GAIWATABHF-DALIA-240	GAIA WALL TALL - FLUSH antique bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,520€	CE IP20
GAIWATBZMO-DALIA-240	GAIA WALL TALL - FLUSH bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,520€	CE IP20
GAIWATBZOG-DALIA-240	GAIA WALL TALL - FLUSH bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,520€	CE IP20
GAIWATBZSG-DALIA-240	GAIA WALL TALL - FLUSH bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,520€	CE IP20
GAIWATBZHF-DALIA-240	GAIA WALL TALL - FLUSH bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,520€	CE IP20
GAIWATSBMO-DALIA-240	GAIA WALL TALL - FLUSH satin brass with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,520€	CE IP20
GAIWATSBOG-DALIA-240	GAIA WALL TALL - FLUSH satin brass with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,520€	CE IP20
GAIWATBSG-DALIA-240	GAIA WALL TALL - FLUSH satin brass with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,520€	CE IP20
GAIWATSBHF-DALIA-240	GAIA WALL TALL - FLUSH satin brass with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,520€	CE IP20




DALI B included - The light will feature a deeper wall rose. For use when there is no space in the existing wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
GAIWATABMO-DALIB-240	GAIA WALL TALL - FLUSH antique bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,555€	CE IP20
GAIWATABOG-DALIB-240	GAIA WALL TALL - FLUSH antique bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,555€	CE IP20
GAIWATABSG-DALIB-240	GAIA WALL TALL - FLUSH antique bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,555€	CE IP20
GAIWATABHF-DALIB-240	GAIA WALL TALL - FLUSH antique bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,555€	CE IP20
GAIWATBZMO-DALIB-240	GAIA WALL TALL - FLUSH bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,555€	CE IP20
GAIWATBZOG-DALIB-240	GAIA WALL TALL - FLUSH bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,555€	CE IP20
GAIWATBZSG-DALIB-240	GAIA WALL TALL - FLUSH bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,555€	CE IP20
GAIWATBZHF-DALIB-240	GAIA WALL TALL - FLUSH bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,555€	CE IP20
GAIWATSBMO-DALIB-240	GAIA WALL TALL - FLUSH satin brass with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,555€	CE IP20
GAIWATSBOG-DALIB-240	GAIA WALL TALL - FLUSH satin brass with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,555€	CE IP20
GAIWATBSG-DALIB-240	GAIA WALL TALL - FLUSH satin brass with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,555€	CE IP20
GAIWATSBHF-DALIB-240	GAIA WALL TALL - FLUSH satin brass with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	W 15 D 30	n/a	1,555€	CE IP20

















SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
GAIWATABMO-PL-240	GAIA WALL TALL antique bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	905€	CE IP20
GAIWATABOG-PL-240	GAIA WALL TALL antique bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	905€	CE IP20
GAIWATABSG-PL-240	GAIA WALL TALL antique bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	905€	CE IP20
GAIWATABHF-PL-240	GAIA WALL TALL antique bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	905€	CE IP20
GAIWATBZMO-PL-240	GAIA WALL TALL bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	905€	CE IP20
GAIWATBZOG-PL-240	GAIA WALL TALL bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	905€	CE IP20
GAIWATBZSG-PL-240	GAIA WALL TALL bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	905€	CE IP20
GAIWATBZHF-PL-240	GAIA WALL TALL bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	905€	CE IP20
GAIWATSBMO-PL-240	GAIA WALL TALL satin brass with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	905€	CE IP20
GAIWATSBOG-PL-240	GAIA WALL TALL satin brass with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	905€	CE IP20
GAIWATSBSG-PL-240	GAIA WALL TALL satin brass with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	905€	CE IP20
GAIWATSBHF-PL-240	GAIA WALL TALL satin brass with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	905€	CE IP20



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
GAIWATABMO-PL-DALIA-240	GAIA WALL TALL antique bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	1,575€	CE 
GAIWATABOG-PL-DALIA-240	GAIA WALL TALL antique bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	1,575€	CE 
GAIWATABSG-PL-DALIA-240	GAIA WALL TALL antique bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	1,575€	CE 
GAIWATABHF-PL-DALIA-240	GAIA WALL TALL antique bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	1,575€	CE 
GAIWATBZMO-PL-DALIA-240	GAIA WALL TALL bronze with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	1,575€	CE 
GAIWATBZOG-PL-DALIA-240	GAIA WALL TALL bronze with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	1,575€	CE 
GAIWATBZSG-PL-DALIA-240	GAIA WALL TALL bronze with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	1,575€	CE 
GAIWATBZHF-PL-DALIA-240	GAIA WALL TALL bronze with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	1,575€	CE 
GAIWATSBMO-PL-DALIA-240	GAIA WALL TALL satin brass with matt opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	1,575€	CE 
GAIWATSBOG-PL-DALIA-240	GAIA WALL TALL satin brass with shiny opal glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	1,575€	CE 
GAIWATBSOG-PL-DALIA-240	GAIA WALL TALL satin brass with smoked glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	1,575€	CE 
GAIWATSBHF-PL-DALIA-240	GAIA WALL TALL satin brass with smoked hand formed glass	n/a	1 x E14 25w max (or 4.5w LED 2700K)	1.5	W 150 D 183 H 350	ø 114 H 5	n/a	1,575€	CE 






## HEPWORTH


CEILING / WALL

Hepworth wall light stands as a luminous testament to Dame Barbara Hepworth. Drawing inspiration from Dame Barbara's iconic sculptures, renowned for their curvaceous, abstract representations of the human form, this light fitting embodies a similar aesthetic. Its elongated shape, punctuated by a delicate central line, mirrors the soft contours that made Hepworth's work so distinct.

HEPWORTH



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
HEPCWOABHA44-240	HEPWORTH CEILING/WALL - IP44 antique bronze with honed alabaster	n/a	integrated LED 24w (LED 2700K)	4	W 100 D 68 H 460	W 54 H 384	n/a	1,865€	CE 
HEPCWOBZHA44-240	HEPWORTH CEILING/WALL - IP44 bronze with honed alabaster	n/a	integrated LED 24w (LED 2700K)	4	W 100 D 68 H 460	W 54 H 384	n/a	1,865€	CE 
HEPCWOPNHA44-240	HEPWORTH CEILING/WALL - IP44 polished nickel with honed alabaster	n/a	integrated LED 24w (LED 2700K)	4	W 100 D 68 H 460	W 54 H 384	n/a	1,865€	CE 
HEPCWOSBHA44-240	HEPWORTH CEILING/WALL - IP44 satin brass with honed alabaster	n/a	integrated LED 24w (LED 2700K)	4	W 100 D 68 H 460	W 54 H 384	n/a	1,865€	CE 




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the body of the light or for IP44 they must be remote mounted

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
HEPCWOABHA-DALIA-240	HEPWORTH CEILING/WALL antique bronze with honed alabaster	n/a	integrated LED 24w (LED 2700K)	4	W 100 D 68 H 460	W 54 H 384	n/a	2,055€	CE IP20
HEPCWOABHA44-DALIA-240	HEPWORTH CEILING/WALL - IP44 antique bronze with honed alabaster	n/a	integrated LED 24w (LED 2700K)	4	W 100 D 68 H 460	W 54 H 384	n/a	2,055€	CE IP44
HEPCWOBZHA-DALIA-240	HEPWORTH CEILING/WALL bronze with honed alabaster	n/a	integrated LED 24w (LED 2700K)	4	W 100 D 68 H 460	W 54 H 384	n/a	2,055€	CE IP20
HEPCWOBZHA44-DALIA-240	HEPWORTH CEILING/WALL - IP44 bronze with honed alabaster	n/a	integrated LED 24w (LED 2700K)	4	W 100 D 68 H 460	W 54 H 384	n/a	2,055€	CE IP44
HEPCWOPNHA-DALIA-240	HEPWORTH CEILING/WALL polished nickel with honed alabaster	n/a	integrated LED 24w (LED 2700K)	4	W 100 D 68 H 460	W 54 H 384	n/a	2,055€	CE IP20
HEPCWOPNHA44-DALIA-240	HEPWORTH CEILING/WALL - IP44 polished nickel with honed alabaster	n/a	integrated LED 24w (LED 2700K)	4	W 100 D 68 H 460	W 54 H 384	n/a	2,055€	CE IP44
HEPCWOSBHA-DALIA-240	HEPWORTH CEILING/WALL satin brass with honed alabaster	n/a	integrated LED 24w (LED 2700K)	4	W 100 D 68 H 460	W 54 H 384	n/a	2,055€	CE IP20
HEPCWOSBHA44-DALIA-240	HEPWORTH CEILING/WALL - IP44 satin brass with honed alabaster	n/a	integrated LED 24w (LED 2700K)	4	W 100 D 68 H 460	W 54 H 384	n/a	2,055€	CE IP44



100mm



710mm

68mm




710mm

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
HEPCWTABHA44-240	HEPWORTH TALL CEILING/WALL - IP44 antique bronze with honed alabaster	n/a	integrated LED 30w (LED 2700K)	7	W 100 D 68 H 710	W 54 H 635	n/a	2,865€	CE 
HEPCWTBZHA44-240	HEPWORTH TALL CEILING/WALL - IP44 bronze with honed alabaster	n/a	integrated LED 30w (LED 2700K)	7	W 100 D 68 H 710	W 54 H 635	n/a	2,865€	CE 
HEPCWTPNHA44-240	HEPWORTH TALL CEILING/WALL - IP44 polished nickel with honed alabaster	n/a	integrated LED 30w (LED 2700K)	7	W 100 D 68 H 710	W 54 H 635	n/a	2,865€	CE 
HEPCWTSBHA44-240	HEPWORTH TALL CEILING/WALL - IP44 satin brass with honed alabaster	n/a	integrated LED 30w (LED 2700K)	7	W 100 D 68 H 710	W 54 H 635	n/a	2,865€	CE 




100mm











710mm

68mm



710mm

DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the body of the light or for IP44 they must be remote mounted

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
HEPCWTABHA-DALIA-240	HEPWORTH TALL CEILING/WALL antique bronze with honed alabaster	n/a	integrated LED 30w (LED 2700K)	7	W 100 D 68 H 710	W 54 H 635	n/a	3,190€	CE 
HEPCWTABHA44-DALIA-240	HEPWORTH TALL CEILING/WALL - IP44 antique bronze with honed alabaster	n/a	integrated LED 30w (LED 2700K)	7	W 100 D 68 H 710	W 54 H 635	n/a	3,000€	CE 
HEPCWTBZHA-DALIA-240	HEPWORTH TALL CEILING/WALL bronze with honed alabaster	n/a	integrated LED 30w (LED 2700K)	7	W 100 D 68 H 710	W 54 H 635	n/a	3,190€	CE 
HEPCWTBZHA44-DALIA-240	HEPWORTH TALL CEILING/WALL - IP44 bronze with honed alabaster	n/a	integrated LED 30w (LED 2700K)	7	W 100 D 68 H 710	W 54 H 635	n/a	3,000€	CE 
HEPCWTPNHA-DALIA-240	HEPWORTH TALL CEILING/WALL polished nickel with honed alabaster	n/a	integrated LED 30w (LED 2700K)	7	W 100 D 68 H 710	W 54 H 635	n/a	3,190€	CE 
HEPCWTPNHA44-DALIA-240	HEPWORTH TALL CEILING/WALL - IP44 polished nickel with honed alabaster	n/a	integrated LED 30w (LED 2700K)	7	W 100 D 68 H 710	W 54 H 635	n/a	3,000€	CE 
HEPCWTSBHA-DALIA-240	HEPWORTH TALL CEILING/WALL satin brass with honed alabaster	n/a	integrated LED 30w (LED 2700K)	7	W 100 D 68 H 710	W 54 H 635	n/a	3,190€	CE 
HEPCWTSBHA44-DALIA-240	HEPWORTH TALL CEILING/WALL - IP44 satin brass with honed alabaster	n/a	integrated LED 30w (LED 2700K)	7	W 100 D 68 H 710	W 54 H 635	n/a	3,000€	CE 








## HERON COLLECTION

WALL, TABLE, FLOOR


Designed by the Belgian designer Michaél Verheyden for CTO Lighting, the Heron has a quiet luxury achieved through the quality of metal craftsmanship.



\* electrical connection in cavity





\* electrical connection internally





SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
HERWAOBZ-240	HERON WALL bronze	n/a	1 x GU10 5.5w - 2700K - LED ONLY	2	W 114 D 145 H 200	ø 114 H 5	n/a	1,185€	CE 
HERWAOB-240	HERON WALL satin brass	n/a	1 x GU10 5.5w - 2700K - LED ONLY	2	W 114 D 145 H 200	ø 114 H 5	n/a	1,185€	CE 
HERWAOBZ-WR-240	HERON WALL bronze	n/a	1 x GU10 5.5w - 2700K - LED ONLY	2	W 114 D 145 H 200	ø 114 H 5	n/a	1,285€	CE 
HERWAOB-WR-240	HERON WALL satin brass	n/a	1 x GU10 5.5w - 2700K - LED ONLY	2	W 114 D 145 H 200	ø 114 H 5	n/a	1,285€	CE 



DALI A




DALI B




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the wall cavity  
DALI B included - The light will feature a deeper wall rose. For use when there is no space in the existing wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
HERWAOBZ-DALIA-240	HERON WALL bronze	n/a	1 x GU10 5.5w - 2700K - LED ONLY	2	W 114 D 170 H 200	ø 114 H 5	n/a	1,855€	CE IP20
HERWAOBZ-DALIB-240	HERON WALL bronze	n/a	1 x GU10 5.5w - 2700K - LED ONLY	2	W 114 D 170 H 200	ø 116 H 25	n/a	1,890€	CE IP20
HERWAOBZ-DALIA-240	HERON WALL satin brass	n/a	1 x GU10 5.5w - 2700K - LED ONLY	2	W 114 D 170 H 200	ø 114 H 5	n/a	1,855€	CE IP20
HERWAOBZ-DALIB-240	HERON WALL satin brass	n/a	1 x GU10 5.5w - 2700K - LED ONLY	2	W 114 D 170 H 200	ø 116 H 25	n/a	1,890€	CE IP20




690mm




370mm

260mm

SKU NUMBER	PRODUCT DESCRIPTION	CORDSET	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
HERTAOBZ-240C	HERON TABLE bronze - 2 pin Euro plug	2000mm cordset with black flex and inline dimmer	1 x GU10 5.5w - 2700K - LED ONLY	6	W 370 D 260 H 690	n/a	n/a	1,715€	CE 
HERTAOBZ-240J	HERON TABLE bronze - Swiss plug	2000mm cordset with black flex and inline dimmer	1 x GU10 5.5w - 2700K - LED ONLY	6	W 370 D 260 H 690	n/a	n/a	1,715€	CE 
HERTAOSB-240C	HERON TABLE satin brass - 2 pin Euro plug	2000mm cordset with black flex and inline dimmer	1 x GU10 5.5w - 2700K - LED ONLY	6	W 370 D 260 H 690	n/a	n/a	1,715€	CE 
HERTAOSB-240J	HERON TABLE satin brass - Swiss plug	2000mm cordset with black flex and inline dimmer	1 x GU10 5.5w - 2700K - LED ONLY	6	W 370 D 260 H 690	n/a	n/a	1,715€	CE 



1590mm



590mm

395mm

SKU NUMBER	PRODUCT DESCRIPTION	CORDSET	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
HERFLOBZ-240F	HERON FLOOR bronze - earthed schuko plug	2000mm cordset with black flex and inline dimmer	1 x GU10 5.5w - 2700K - LED ONLY	13	W 590 D 395 H 1590	n/a	n/a	2,540€	CE IP20
HERFLOBZ-240J	HERON FLOOR bronze - Swiss plug	2000mm cordset with black flex and inline dimmer	1 x GU10 5.5w - 2700K - LED ONLY	13	W 590 D 395 H 1590	n/a	n/a	2,540€	CE IP20
HERFLOBZCV-240F	HERON FLOOR bronze/calacatta viola - earthed schuko plug	2000mm cordset with black flex and inline dimmer	1 x GU10 5.5w - 2700K - LED ONLY	13	W 590 D 395 H 1590	n/a	n/a	2,935€	CE IP20
HERFLOBZCV-240J	HERON FLOOR bronze/calacatta viola - Swiss plug	2000mm cordset with black flex and inline dimmer	1 x GU10 5.5w - 2700K - LED ONLY	13	W 590 D 395 H 1590	n/a	n/a	2,935€	CE IP20
HERFLOSB-240F	HERON FLOOR satin brass - earthed schuko plug	2000mm cordset with black flex and inline dimmer	1 x GU10 5.5w - 2700K - LED ONLY	13	W 590 D 395 H 1590	n/a	n/a	2,540€	CE IP20
HERFLOSB-240J	HERON FLOOR satin brass - Swiss plug	2000mm cordset with black flex and inline dimmer	1 x GU10 5.5w - 2700K - LED ONLY	13	W 590 D 395 H 1590	n/a	n/a	2,540€	CE IP20
HERFLOSBNM-240F	HERON FLOOR satin brass/black marquina - earthed schuko plug	2000mm cordset with black flex and inline dimmer	1 x GU10 5.5w - 2700K - LED ONLY	13	W 590 D 395 H 1590	n/a	n/a	2,935€	CE IP20
HERFLOSBNM-240J	HERON FLOOR satin brass/black marquina - Swiss plug	2000mm cordset with black flex and inline dimmer	1 x GU10 5.5w - 2700K - LED ONLY	13	W 590 D 395 H 1590	n/a	n/a	2,935€	CE IP20






## IVY COLLECTION


PENDANT

Inspired by new plants in the spring growing towards the light, the organic curve of the bronze metal stem is soft and sculptural and is complemented by the hand blown glass shades.



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
IVYPE3BZBZOG-240	IVY PENDANT 3 bronze with bronze details and shiny opal glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	5	W 1330 D 400 H 350	ø 116 H 25	625	5,235€	CE 
IVYPE3BZBZSG-240	IVY PENDANT 3 bronze with bronze details and smoked glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	5	W 1330 D 400 H 350	ø 116 H 25	625	5,235€	CE 
IVYPE3BZSBOG-240	IVY PENDANT 3 bronze with satin brass details and shiny opal glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	5	W 1330 D 400 H 350	ø 116 H 25	625	5,235€	CE 
IVYPE3BZSBSG-240	IVY PENDANT 3 bronze with satin brass details and smoked glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	5	W 1330 D 400 H 350	ø 116 H 25	625	5,235€	CE 

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
 DALI B included - The light will feature a deeper ceiling rose. For use when there is no space in the existing ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
IVYPE3BZBZOG-DALIA-240	IVY PENDANT 3 bronze with bronze details and shiny opal glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	5	W 1330 D 400 H 350	ø 116 H 25	625	5,905€	CE IP20
IVYPE3BZBZOG-DALIB-240	IVY PENDANT 3 bronze with bronze details and shiny opal glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	5	W 1330 D 400 H 350	ø 140 H 35	635	5,940€	CE IP20
IVYPE3BZBZSG-DALIA-240	IVY PENDANT 3 bronze with bronze details and smoked glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	5	W 1330 D 400 H 350	ø 116 H 25	625	5,905€	CE IP20
IVYPE3BZBZSG-DALIB-240	IVY PENDANT 3 bronze with bronze details and smoked glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	5	W 1330 D 400 H 350	ø 140 H 35	635	5,940€	CE IP20
IVYPE3BZSBOG-DALIA-240	IVY PENDANT 3 bronze with satin brass details and shiny opal glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	5	W 1330 D 400 H 350	ø 116 H 25	625	5,905€	CE IP20
IVYPE3BZSBOG-DALIB-240	IVY PENDANT 3 bronze with satin brass details and shiny opal glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	5	W 1330 D 400 H 350	ø 140 H 35	635	5,940€	CE IP20
IVYPE3BZBSOG-DALIA-240	IVY PENDANT 3 bronze with satin brass details and smoked glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	5	W 1330 D 400 H 350	ø 116 H 25	625	5,905€	CE IP20
IVYPE3BZBSOG-DALIB-240	IVY PENDANT 3 bronze with satin brass details and smoked glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	5	W 1330 D 400 H 350	ø 140 H 35	635	5,940€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
 \*for customer lengths over 2000mm please contact us directly










SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
IVYPE4BZBZOG-240	IVY VERTICAL 4 bronze with bronze details and shiny opal glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	6	W 750 D 400 H 1250	ø 116 H 25	1295	7,130€	CE IP20
IVYPE4BZBZSG-240	IVY VERTICAL 4 bronze with bronze details and smoked glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	6	W 750 D 400 H 1250	ø 116 H 25	1295	7,130€	CE IP20
IVYPE4BZSBOG-240	IVY VERTICAL 4 bronze with satin brass details and shiny opal glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	6	W 750 D 400 H 1250	ø 116 H 25	1295	7,130€	CE IP20
IVYPE4BZSBSG-240	IVY VERTICAL 4 bronze with satin brass details and smoked glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	6	W 750 D 400 H 1250	ø 116 H 25	1295	7,130€	CE IP20


\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
DALI B included - The light will feature a deeper ceiling rose. For use when there is no space in the existing ceiling cavity


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
IVYPE4BZBZOG-DALIA-240	IVY VERTICAL 4 bronze with bronze details and shiny opal glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	6	W 750 D 400 H 1250	ø 116 H 25	1295	7,800€	CE IP20
IVYPE4BZBZOG-DALIB-240	IVY VERTICAL 4 bronze with bronze details and shiny opal glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	6	W 750 D 400 H 1250	ø 140 H 35	1305	7,835€	CE IP20
IVYPE4BZBZSG-DALIA-240	IVY VERTICAL 4 bronze with bronze details and smoked glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	6	W 750 D 400 H 1250	ø 116 H 25	1295	7,800€	CE IP20
IVYPE4BZBZSG-DALIB-240	IVY VERTICAL 4 bronze with bronze details and smoked glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	6	W 750 D 400 H 1250	ø 140 H 35	1305	7,835€	CE IP20
IVYPE4BZSBOG-DALIA-240	IVY VERTICAL 4 bronze with satin brass details and shiny opal glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	6	W 750 D 400 H 1250	ø 116 H 25	1295	7,800€	CE IP20
IVYPE4BZSBOG-DALIB-240	IVY VERTICAL 4 bronze with satin brass details and shiny opal glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	6	W 750 D 400 H 1250	ø 140 H 35	1305	7,835€	CE IP20
IVYPE4BZBSOG-DALIA-240	IVY VERTICAL 4 bronze with satin brass details and smoked glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	6	W 750 D 400 H 1250	ø 116 H 25	1295	7,800€	CE IP20
IVYPE4BZBSOG-DALIB-240	IVY VERTICAL 4 bronze with satin brass details and smoked glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	6	W 750 D 400 H 1250	ø 140 H 35	1305	7,835€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
IVYPE8BZBZOG-240	IVY PENDANT 8 bronze with bronze details and shiny opal glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	8 x E14 25w max (or 4.5w LED 2700K)	12	W 1800 D 1000 H 420	ø 116 H 25	695	12,365€	CE 
IVYPE8BZBZSG-240	IVY PENDANT 8 bronze with bronze details and smoked glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	8 x E14 25w max (or 4.5w LED 2700K)	12	W 1800 D 1000 H 420	ø 116 H 25	695	12,365€	CE 
IVYPE8BZSBOG-240	IVY PENDANT 8 bronze with satin brass details and shiny opal glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	8 x E14 25w max (or 4.5w LED 2700K)	12	W 1800 D 1000 H 420	ø 116 H 25	695	12,365€	CE 
IVYPE8BZSBSG-240	IVY PENDANT 8 bronze with satin brass details and smoked glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	8 x E14 25w max (or 4.5w LED 2700K)	12	W 1800 D 1000 H 420	ø 116 H 25	695	12,365€	CE 

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
 DALI B included - The light will feature a deeper ceiling rose. For use when there is no space in the existing ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
IVYPE8BZBZOG-DALIA-240	IVY PENDANT 8 bronze with bronze details and shiny opal glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	8 x E14 25w max (or 4.5w LED 2700K)	12	W 1800 D 1000 H 420	ø 116 H 25	695	13,030€	CE IP20
IVYPE8BZBZOG-DALIB-240	IVY PENDANT 8 bronze with bronze details and shiny opal glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	8 x E14 25w max (or 4.5w LED 2700K)	12	W 1800 D 1000 H 420	ø 140 H 35	705	13,070€	CE IP20
IVYPE8BZBZSG-DALIA-240	IVY PENDANT 8 bronze with bronze details and smoked glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	8 x E14 25w max (or 4.5w LED 2700K)	12	W 1800 D 1000 H 420	ø 116 H 25	695	13,030€	CE IP20
IVYPE8BZBZSG-DALIB-240	IVY PENDANT 8 bronze with bronze details and smoked glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	8 x E14 25w max (or 4.5w LED 2700K)	12	W 1800 D 1000 H 420	ø 140 H 35	705	13,070€	CE IP20
IVYPE8BZSBOG-DALIA-240	IVY PENDANT 8 bronze with satin brass details and shiny opal glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	8 x E14 25w max (or 4.5w LED 2700K)	12	W 1800 D 1000 H 420	ø 116 H 25	695	13,030€	CE IP20
IVYPE8BZSBOG-DALIB-240	IVY PENDANT 8 bronze with satin brass details and shiny opal glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	8 x E14 25w max (or 4.5w LED 2700K)	12	W 1800 D 1000 H 420	ø 140 H 35	705	13,070€	CE IP20
IVYPE8BZBSOG-DALIA-240	IVY PENDANT 8 bronze with satin brass details and smoked glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	8 x E14 25w max (or 4.5w LED 2700K)	12	W 1800 D 1000 H 420	ø 116 H 25	695	13,030€	CE IP20
IVYPE8BZBSOG-DALIB-240	IVY PENDANT 8 bronze with satin brass details and smoked glass	please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)	8 x E14 25w max (or 4.5w LED 2700K)	12	W 1800 D 1000 H 420	ø 140 H 35	705	13,070€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
 \*for customer lengths over 2000mm please contact us directly






## JULES


PENDANT

The Jules pendant is named after the Belgian architect Jules Wabbe. Influenced by his furniture and interiors which employed reductive forms of simple lines it showcases a true modernity fashioned in precious materiality.




SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	OVERALL DROP ~ from top of the ceiling plate to the bottom of the light.	RRP - EU	CERTIFICATION
JULPEOCBMO-240	JULES PENDANT 2 cast bronze elements with matt opal glass	n/a	1 x E27 60w (or 8w LED 2700K)	12	W 550 D 550 H 550	ø 116	550	3,800€	CE 






DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	OVERALL DROP ~ from top of the ceiling plate to the bottom of the light.	RRP - EU	CERTIFICATION
JULPEOCBMO-DALIA-240	JULES PENDANT 2 cast bronze elements with matt opal glass	n/a	1 x E27 60w (or 8w LED 2700K)	12	W 550 D 550 H 550	ø 116	550	4,209€	CE 




SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling plate to the bottom of the light.	RRP - EU	CERTIFICATION
JULPEOVCBMO-240	JULES PENDANT 2 cast bronze elements with matt opal glass and drop rod	Supplied with 1000mm drop rod (12.7 mm dia) as standard (adjustable on site)	1 x E27 60w (or 8w LED 2700K)	15	W 550 D 550 H 520	ø 116	600	4,000€	CE 




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling plate to the bottom of the light.	RRP - EU	CERTIFICATION
JULPEOVCBMO-DALIA-240	JULES PENDANT 2 cast bronze elements with matt opal glass and drop rod	Supplied with 1000mm drop rod (12.7 mm dia) as standard (adjustable on site)	1 x E27 60w (or 8w LED 2700K)	12	W 550 D 550 H 520	ø 116	600	4,409€	CE 





SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	OVERALL DROP ~ from top of the ceiling plate to the bottom of the light.	RRP - EU	CERTIFICATION
JULPETCBMO-240	JULES TALL PENDANT 4 cast bronze elements with matt opal glass	n/a	1 x E27 60w (or 8w LED 2700K)	14	W 550 D 550 H 850	ø 116	850	4,650€	CE 





DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	OVERALL DROP ~ from top of the ceiling plate to the bottom of the light.	RRP - EU	CERTIFICATION
JULPETCBMO-DALIA-240	JULES TALL PENDANT 4 cast bronze elements with matt opal glass	n/a	1 x E27 60w (or 8w LED 2700K)	14	W 550 D 550 H 850	ø 116	850	5,059€	CE 



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling plate to the bottom of the light.	RRP - EU	CERTIFICATION
JULPETVCBMO-240	JULES VAULT PENDANT 4 cast bronze elements with matt opal glass and drop rod	Supplied with 1000mm drop rod (12.7 mm dia) as standard (adjustable on site)	1 x E27 60w (or 8w LED 2700K)	14	W 550 D 550 H 820	ø 116	900	4,850€	 



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling plate to the bottom of the light.	RRP - EU	CERTIFICATION
JULPETVCBMO-DALIA-240	JULES VAULT PENDANT 4 cast bronze elements with matt opal glass and drop rod	Supplied with 1000mm drop rod (12.7 mm dia) as standard (adjustable on site)	1 x E27 60w (or 8w LED 2700K)	14	W 550 D 550 H 820	ø 116	900	5,259€	CE 







## LUCID COLLECTION


PENDANT, WALL / CEILING, TABLE

Designed by Michaël Verheyden for CTO Lighting and inspired by Parisian Brasseries reinterpreted using a palette of luxurious materials such as alabaster satin brass, bronze, or satin brass with oxidized silver.




SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
LUCPE3ABHA-240	LUCID PENDANT 300 antique bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E27 8w 2700K LED ONLY	10	ø 300 H 280	ø 116 H 25	330	3,775€	 
LUCPE3BZHA-240	LUCID PENDANT 300 bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E27 8w 2700K LED ONLY	10	ø 300 H 280	ø 116 H 25	330	3,775€	 
LUCPE3SBHA-240	LUCID PENDANT 300 satin brass with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E27 8w 2700K LED ONLY	10	ø 300 H 280	ø 116 H 25	330	3,775€	 
LUCPE3OSHA-240	LUCID PENDANT 300 silvered oxidised brass with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E27 8w 2700K LED ONLY	10	ø 300 H 280	ø 116 H 25	330	5,245€	 



\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
LUCPE3ABHA-DALIA-240	LUCID PENDANT 300 antique bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E27 8w 2700K LED ONLY	10	ø 300 H 280	ø 116 H 25	330	4,445€	CE 
LUCPE3BZHA-DALIA-240	LUCID PENDANT 300 bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E27 8w 2700K LED ONLY	10	ø 300 H 280	ø 116 H 25	330	4,445€	CE 
LUCPE3SBHA-DALIA-240	LUCID PENDANT 300 satin brass with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E27 8w 2700K LED ONLY	10	ø 300 H 280	ø 116 H 25	330	4,445€	CE 
LUCPE3OSHA-DALIA-240	LUCID PENDANT 300 silvered oxidised brass with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E27 8w 2700K LED ONLY	10	ø 300 H 280	ø 116 H 25	330	5,915€	CE 

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
LUCPE2ABHA-240	LUCID PENDANT 200 antique bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E14 6.5w 2700K LED ONLY	5	ø 200 H 200	ø 116 H 25	250	2,700€	 
LUCPE2BZHA-240	LUCID PENDANT 200 bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E14 6.5w 2700K LED ONLY	5	ø 200 H 200	ø 116 H 25	250	2,700€	 
LUCPE2SBHA-240	LUCID PENDANT 200 satin brass with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E14 6.5w 2700K LED ONLY	5	ø 200 H 200	ø 116 H 25	250	2,700€	 
LUCPE2OSHA-240	LUCID PENDANT 200 silvered oxidised brass with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E14 6.5w 2700K LED ONLY	5	ø 200 H 200	ø 116 H 25	250	3,300€	 



\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly





DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
LUCPE2ABHA-DALIA-240	LUCID PENDANT 200 antique bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E14 6.5w 2700K LED ONLY	5	ø 200 H 200	ø 116 H 25	250	3,370€	 
LUCPE2BZHA-DALIA-240	LUCID PENDANT 200 bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E14 6.5w 2700K LED ONLY	5	ø 200 H 200	ø 116 H 25	250	3,370€	 
LUCPE2SBHA-DALIA-240	LUCID PENDANT 200 satin brass with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E14 6.5w 2700K LED ONLY	5	ø 200 H 200	ø 116 H 25	250	3,370€	 
LUCPE2OSHA-DALIA-240	LUCID PENDANT 200 silvered oxidised brass with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E14 6.5w 2700K LED ONLY	5	ø 200 H 200	ø 116 H 25	250	3,970€	 

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly





SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
LUCCW3ABHA-240	LUCID WALL/CEILING FLUSH 300 antique bronze with honed alabaster	n/a	1 x E27 8w 2700K LED ONLY	9	ø 300 H 280	ø 116 H 25	n/a	3,215€	CE 
LUCCW3BZHA-240	LUCID WALL/CEILING FLUSH 300 bronze with honed alabaster	n/a	1 x E27 8w 2700K LED ONLY	9	ø 300 H 280	ø 116 H 25	n/a	3,215€	CE 
LUCCW3SBHA-240	LUCID WALL/CEILING FLUSH 300 satin brass with honed alabaster	n/a	1 x E27 8w 2700K LED ONLY	9	ø 300 H 280	ø 116 H 25	n/a	3,215€	CE 
LUCCW3OSHA-240	LUCID WALL/CEILING FLUSH 300 silvered oxidised brass with honed alabaster	n/a	1 x E27 8w 2700K LED ONLY	9	ø 300 H 280	ø 116 H 25	n/a	4,755€	CE 





DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
LUCCW3ABHA-DALIA-240	LUCID WALL/CEILING FLUSH 300 antique bronze with honed alabaster	n/a	1 x E27 8w 2700K LED ONLY	9	ø 300 H 280	ø 116 H 25	n/a	3,885€	CE IP20
LUCCW3BZHA-DALIA-240	LUCID WALL/CEILING FLUSH 300 bronze with honed alabaster	n/a	1 x E27 8w 2700K LED ONLY	9	ø 300 H 280	ø 116 H 25	n/a	3,885€	CE IP20
LUCCW3SBHA-DALIA-240	LUCID WALL/CEILING FLUSH 300 satin brass with honed alabaster	n/a	1 x E27 8w 2700K LED ONLY	9	ø 300 H 280	ø 116 H 25	n/a	3,885€	CE IP20
LUCCW3OSHA-DALIA-240	LUCID WALL/CEILING FLUSH 300 silvered oxidised brass with honed alabaster	n/a	1 x E27 8w 2700K LED ONLY	9	ø 300 H 280	ø 116 H 25	n/a	5,425€	CE IP20






SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
LUCCW2ABHA-240	LUCID WALL/CEILING FLUSH 200 antique bronze with honed alabaster	n/a	1 x E14 6.5w 2700K LED ONLY	4	ø 200 H 200	ø 116 H 25	n/a	2,250€	CE 
LUCCW2BZHA-240	LUCID WALL/CEILING FLUSH 200 bronze with honed alabaster	n/a	1 x E14 6.5w 2700K LED ONLY	4	ø 200 H 200	ø 116 H 25	n/a	2,250€	CE 
LUCCW2SBHA-240	LUCID WALL/CEILING FLUSH 200 satin brass with honed alabaster	n/a	1 x E14 6.5w 2700K LED ONLY	4	ø 200 H 200	ø 116 H 25	n/a	2,250€	CE 
LUCCW2OSHA-240	LUCID WALL/CEILING FLUSH 200 silvered oxidised brass with honed alabaster	n/a	1 x E14 6.5w 2700K LED ONLY	4	ø 200 H 200	ø 116 H 25	n/a	2,930€	CE 




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall rose


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
LUCCW2ABHA-DALIA-240	LUCID WALL/CEILING FLUSH 200 antique bronze with honed alabaster	n/a	1 x E14 6.5w 2700K LED ONLY	4	ø 200 H 200	ø 116 H 25	n/a	2,920€	CE IP20
LUCCW2BZHA-DALIA-240	LUCID WALL/CEILING FLUSH 200 bronze with honed alabaster	n/a	1 x E14 6.5w 2700K LED ONLY	4	ø 200 H 200	ø 116 H 25	n/a	2,920€	CE IP20
LUCCW2SBHA-DALIA-240	LUCID WALL/CEILING FLUSH 200 satin brass with honed alabaster	n/a	1 x E14 6.5w 2700K LED ONLY	4	ø 200 H 200	ø 116 H 25	n/a	2,920€	CE IP20
LUCCW2OSHA-DALIA-240	LUCID WALL/CEILING FLUSH 200 silvered oxidised brass with honed alabaster	n/a	1 x E14 6.5w 2700K LED ONLY	4	ø 200 H 200	ø 116 H 25	n/a	3,600€	CE IP20







260mm



SKU NUMBER	PRODUCT DESCRIPTION	CORDSET	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
LUCTA3ABHA-240C	LUCID TABLE 300 antique bronze with honed alabaster 2 pin Euro plug	2000mm cordset with black flex and inline dimmer	1 x E27 8w 2700K LED ONLY	9	ø 300 H 260	n/a	n/a	3,515€	 
LUCTA3ABHA-240J	LUCID TABLE 300 antique bronze with honed alabaster Swiss plug	2000mm cordset with black flex and inline dimmer	1 x E27 8w 2700K LED ONLY	9	ø 300 H 260	n/a	n/a	3,515€	 
LUCTA3BZHA-240C	LUCID TABLE 300 bronze with honed alabaster 2 pin Euro plug	2000mm cordset with black flex and inline dimmer	1 x E27 8w 2700K LED ONLY	9	ø 300 H 260	n/a	n/a	3,515€	 
LUCTA3BZHA-240J	LUCID TABLE 300 bronze with honed alabaster Swiss plug	2000mm cordset with black flex and inline dimmer	1 x E27 8w 2700K LED ONLY	9	ø 300 H 260	n/a	n/a	3,515€	 
LUCTA3SBHA-240C	LUCID TABLE 300 satin brass with honed alabaster 2 pin Euro plug	2000mm cordset with black flex and inline dimmer	1 x E27 8w 2700K LED ONLY	9	ø 300 H 260	n/a	n/a	3,515€	 
LUCTA3SBHA-240J	LUCID TABLE 300 satin brass with honed alabaster Swiss plug	2000mm cordset with black flex and inline dimmer	1 x E27 8w 2700K LED ONLY	9	ø 300 H 260	n/a	n/a	3,515€	 
LUCTA3OSHA-240C	LUCID TABLE 300 silvered oxidised brass with honed alabaster 2 pin Euro plug	2000mm cordset with black flex and inline dimmer	1 x E27 8w 2700K LED ONLY	9	ø 300 H 260	n/a	n/a	4,725€	 
LUCTA3OSHA-240J	LUCID TABLE 300 silvered oxidised brass with honed alabaster Swiss plug	2000mm cordset with black flex and inline dimmer	1 x E27 8w 2700K LED ONLY	9	ø 300 H 260	n/a	n/a	4,725€	 



180mm



SKU NUMBER	PRODUCT DESCRIPTION	CORDSET	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
LUCTA2ABHA-240C	LUCID TABLE 200 antique bronze with honed alabaster 2 pin Euro plug	2000mm cordset with black flex and inline dimmer	1 x E14 6.5w 2700K LED ONLY	4	ø 200 H 180	n/a	n/a	2,380€	CE IP20
LUCTA2ABHA-240J	LUCID TABLE 200 antique bronze with honed alabaster Swiss plug	2000mm cordset with black flex and inline dimmer	1 x E14 6.5w 2700K LED ONLY	4	ø 200 H 180	n/a	n/a	2,380€	CE IP20
LUCTA2BZHA-240C	LUCID TABLE 200 bronze with honed alabaster 2 pin Euro plug	2000mm cordset with black flex and inline dimmer	1 x E14 6.5w 2700K LED ONLY	4	ø 200 H 180	n/a	n/a	2,380€	CE IP20
LUCTA2BZHA-240J	LUCID TABLE 200 bronze with honed alabaster Swiss plug	2000mm cordset with black flex and inline dimmer	1 x E14 6.5w 2700K LED ONLY	4	ø 200 H 180	n/a	n/a	2,380€	CE IP20
LUCTA2SBHA-240C	LUCID TABLE 200 satin brass with honed alabaster 2 pin Euro plug	2000mm cordset with black flex and inline dimmer	1 x E14 6.5w 2700K LED ONLY	4	ø 200 H 180	n/a	n/a	2,380€	CE IP20
LUCTA2SBHA-240J	LUCID TABLE 200 satin brass with honed alabaster Swiss plug	2000mm cordset with black flex and inline dimmer	1 x E14 6.5w 2700K LED ONLY	4	ø 200 H 180	n/a	n/a	2,380€	CE IP20
LUCTA2OSHA-240C	LUCID TABLE 200 silvered oxidised brass with honed alabaster 2 pin Euro plug	2000mm cordset with black flex and inline dimmer	1 x E14 6.5w 2700K LED ONLY	4	ø 200 H 180	n/a	n/a	2,755€	CE IP20
LUCTA2OSHA-240J	LUCID TABLE 200 silvered oxidised brass with honed alabaster Swiss plug	2000mm cordset with black flex and inline dimmer	1 x E14 6.5w 2700K LED ONLY	4	ø 200 H 180	n/a	n/a	2,755€	CE IP20









## MEZZO COLLECTION

PENDANT, WALL / CEILING

The best in its class, the Mezzo collection represents refinement in quality materials. Satin brass or nickel metalwork and hand blown glass are a perfect pairing.

MEZZO COLLECTION




SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
MEZPEOABOG-240	MEZZO PENDANT antique bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	ø 120 H 150	ø 116 H 25	195	640€	CE 
MEZPEOBZOG-240	MEZZO PENDANT bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	ø 120 H 150	ø 116 H 25	195	640€	CE 
MEZPEOSBOG-240	MEZZO PENDANT satin brass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	ø 120 H 150	ø 116 H 25	195	640€	CE 

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm

\*for customer lengths over 2000mm please contact us directly






DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
MEZPEOABOG-DALIA-240	MEZZO PENDANT antique bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	ø 120 H 150	ø 116 H 25	195	1,310€	CE 
MEZPEOBZOG-DALIA-240	MEZZO PENDANT bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	ø 120 H 150	ø 116 H 25	195	1,310€	CE 
MEZPEOSBOG-DALIA-240	MEZZO PENDANT satin brass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	ø 120 H 150	ø 116 H 25	195	1,310€	CE 


\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly




cluster round 3




270mm




cluster round 4-7




370mm



cluster round 8-10


























450mm






this price doesn't include the pendants

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ACCCLURO03AB	MEZZO PENDANT CLUSTER ROUND 3 antique bronze	please specify the required number of shades (3-10) the length of the longest drop (max 6000 mm) the length of the shortest drop (min 300 mm)	n/a	variable	ø 270 H variable	ø 204	fully customisable	1,710€	CE 
ACCCLURO03BZ	MEZZO PENDANT CLUSTER ROUND 3 bronze		n/a	variable	ø 270 H variable	ø 204	fully customisable	1,710€	CE 
ACCCLURO03SB	MEZZO PENDANT CLUSTER ROUND 3 satin brass		n/a	variable	ø 270 H variable	ø 204	fully customisable	1,710€	CE 
ACCCLURO04AB	MEZZO PENDANT CLUSTER ROUND 4 antique bronze		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,300€	CE 
ACCCLURO04BZ	MEZZO PENDANT CLUSTER ROUND 4 bronze		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,300€	CE 
ACCCLURO04SB	MEZZO PENDANT CLUSTER ROUND 4 satin brass		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,300€	CE 
ACCCLURO05AB	MEZZO PENDANT CLUSTER ROUND 5 antique bronze		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,300€	CE 
ACCCLURO05BZ	MEZZO PENDANT CLUSTER ROUND 5 bronze		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,300€	CE 
ACCCLURO05SB	MEZZO PENDANT CLUSTER ROUND 5 satin brass		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,300€	CE 
ACCCLURO06AB	MEZZO PENDANT CLUSTER ROUND 6 antique bronze		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,300€	CE 
ACCCLURO06BZ	MEZZO PENDANT CLUSTER ROUND 6 bronze		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,300€	CE 
ACCCLURO06SB	MEZZO PENDANT CLUSTER ROUND 6 satin brass		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,300€	CE 
ACCCLURO07AB	MEZZO PENDANT CLUSTER ROUND 7 antique bronze		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,300€	CE 
ACCCLURO07BZ	MEZZO PENDANT CLUSTER ROUND 7 bronze		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,300€	CE 
ACCCLURO07SB	MEZZO PENDANT CLUSTER ROUND 7 satin brass		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,300€	CE 
ACCCLURO08AB	MEZZO PENDANT CLUSTER ROUND 8 antique bronze		n/a	variable	ø 450 H variable	ø 390	fully customisable	2,750€	CE 
ACCCLURO08BZ	MEZZO PENDANT CLUSTER ROUND 8 bronze		n/a	variable	ø 450 H variable	ø 390	fully customisable	2,750€	CE 
ACCCLURO08SB	MEZZO PENDANT CLUSTER ROUND 8 satin brass		n/a	variable	ø 450 H variable	ø 390	fully customisable	2,750€	CE 
ACCCLURO09AB	MEZZO PENDANT CLUSTER ROUND 9 antique bronze		n/a	variable	ø 450 H variable	ø 390	fully customisable	2,750€	CE 
ACCCLURO09BZ	MEZZO PENDANT CLUSTER ROUND 9 bronze		n/a	variable	ø 450 H variable	ø 390	fully customisable	2,750€	CE 
ACCCLURO09SB	MEZZO PENDANT CLUSTER ROUND 9 satin brass		n/a	variable	ø 450 H variable	ø 390	fully customisable	2,750€	CE 
ACCCLURO10AB	MEZZO PENDANT CLUSTER ROUND 10 antique bronze		n/a	variable	ø 450 H variable	ø 390	fully customisable	2,750€	CE 
ACCCLURO10BZ	MEZZO PENDANT CLUSTER ROUND 10 bronze		n/a	variable	ø 450 H variable	ø 390	fully customisable	2,750€	CE 
ACCCLURO10SB	MEZZO PENDANT CLUSTER ROUND 10 satin brass		n/a	variable	ø 450 H variable	ø 390	fully customisable	2,750€	CE 




this price doesn't include the pendants

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ACCCLURO03AB-DALIA	MEZZO PENDANT CLUSTER ROUND 3 antique bronze	please specify the required number of shades (3-10) the length of the longest drop (max 6000 mm) the length of the shortest drop (min 300 mm)	n/a	variable	ø 270 H variable	ø 204	fully customisable	2,380€	CE IP20
ACCCLURO03BZ-DALIA	MEZZO PENDANT CLUSTER ROUND 3 bronze		n/a	variable	ø 270 H variable	ø 204	fully customisable	2,380€	CE IP20
ACCCLURO03SB-DALIA	MEZZO PENDANT CLUSTER ROUND 3 satin brass		n/a	variable	ø 270 H variable	ø 204	fully customisable	2,380€	CE IP20
ACCCLURO04AB-DALIA	MEZZO PENDANT CLUSTER ROUND 4 antique bronze		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,970€	CE IP20
ACCCLURO04BZ-DALIA	MEZZO PENDANT CLUSTER ROUND 4 bronze		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,970€	CE IP20
ACCCLURO04SB-DALIA	MEZZO PENDANT CLUSTER ROUND 4 satin brass		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,970€	CE IP20
ACCCLURO05AB-DALIA	MEZZO PENDANT CLUSTER ROUND 5 antique bronze		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,970€	CE IP20
ACCCLURO05BZ-DALIA	MEZZO PENDANT CLUSTER ROUND 5 bronze		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,970€	CE IP20
ACCCLURO05SB-DALIA	MEZZO PENDANT CLUSTER ROUND 5 satin brass		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,970€	CE IP20
ACCCLURO06AB-DALIA	MEZZO PENDANT CLUSTER ROUND 6 antique bronze		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,970€	CE IP20
ACCCLURO06BZ-DALIA	MEZZO PENDANT CLUSTER ROUND 6 bronze		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,970€	CE IP20
ACCCLURO06SB-DALIA	MEZZO PENDANT CLUSTER ROUND 6 satin brass		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,970€	CE IP20
ACCCLURO07AB-DALIA	MEZZO PENDANT CLUSTER ROUND 7 antique bronze		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,970€	CE IP20
ACCCLURO07BZ-DALIA	MEZZO PENDANT CLUSTER ROUND 7 bronze		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,970€	CE IP20
ACCCLURO07SB-DALIA	MEZZO PENDANT CLUSTER ROUND 7 satin brass		n/a	variable	ø 370 H variable	ø 320	fully customisable	2,970€	CE IP20
ACCCLURO08AB-DALIA	MEZZO PENDANT CLUSTER ROUND 8 antique bronze		n/a	variable	ø 450 H variable	ø 390	fully customisable	3,420€	CE IP20
ACCCLURO08BZ-DALIA	MEZZO PENDANT CLUSTER ROUND 8 bronze		n/a	variable	ø 450 H variable	ø 390	fully customisable	3,420€	CE IP20
ACCCLURO08SB-DALIA	MEZZO PENDANT CLUSTER ROUND 8 satin brass		n/a	variable	ø 450 H variable	ø 390	fully customisable	3,420€	CE IP20
ACCCLURO09AB-DALIA	MEZZO PENDANT CLUSTER ROUND 9 antique bronze		n/a	variable	ø 450 H variable	ø 390	fully customisable	3,420€	CE IP20
ACCCLURO09BZ-DALIA	MEZZO PENDANT CLUSTER ROUND 9 bronze		n/a	variable	ø 450 H variable	ø 390	fully customisable	3,420€	CE IP20
ACCCLURO09SB-DALIA	MEZZO PENDANT CLUSTER ROUND 9 satin brass		n/a	variable	ø 450 H variable	ø 390	fully customisable	3,420€	CE IP20
ACCCLURO10AB-DALIA	MEZZO PENDANT CLUSTER ROUND 10 antique bronze		n/a	variable	ø 450 H variable	ø 390	fully customisable	3,420€	CE IP20
ACCCLURO10BZ-DALIA	MEZZO PENDANT CLUSTER ROUND 10 bronze		n/a	variable	ø 450 H variable	ø 390	fully customisable	3,420€	CE IP20
ACCCLURO10SB-DALIA	MEZZO PENDANT CLUSTER ROUND 10 satin brass		n/a	variable	ø 450 H variable	ø 390	fully customisable	3,420€	CE IP20



this price doesn't include the pendants


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ACCCLULO04AB	MEZZO PENDANT CLUSTER LONG 4 antique bronze	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 900 D 116 H variable	W 900 D 116	150	1,060€	CE 
ACCCLULO04BZ	MEZZO PENDANT CLUSTER LONG 4 bronze	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 900 D 116 H variable	W 900 D 116	150	1,060€	CE 
ACCCLULO04SB	MEZZO PENDANT CLUSTER LONG 4 satin brass	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 900 D 116 H variable	W 900 D 116	150	1,060€	CE 






this price doesn't include the pendants

DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ACCCLULO04AB-DALIA	MEZZO PENDANT CLUSTER LONG 4 antique bronze	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 900 D 116 H variable	W 900 D 116	150	1,730€	CE 
ACCCLULO04BZ-DALIA	MEZZO PENDANT CLUSTER LONG 4 bronze	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 900 D 116 H variable	W 900 D 116	150	1,730€	CE 
ACCCLULO04SB-DALIA	MEZZO PENDANT CLUSTER LONG 4 satin brass	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 900 D 116 H variable	W 900 D 116	150	1,730€	CE 



this price doesn't include the pendants

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ACCCLULO05AB	MEZZO PENDANT CLUSTER LONG 5 antique bronze	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 1700 D 116 H variable	W 1700 D 116	150	1,315€	CE 
ACCCLULO05BZ	MEZZO PENDANT CLUSTER LONG 5 bronze	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 1700 D 116 H variable	W 1700 D 116	150	1,315€	CE 
ACCCLULO05SB	MEZZO PENDANT CLUSTER LONG 5 satin brass	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 1700 D 116 H variable	W 1700 D 116	150	1,315€	CE 






this price doesn't include the pendants  
DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ACCCLULO05AB-DALIA	MEZZO PENDANT CLUSTER LONG 5 antique bronze	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 1700 D 116 H variable	W 1700 D 116	150	1,985€	CE 
ACCCLULO05BZ-DALIA	MEZZO PENDANT CLUSTER LONG 5 bronze	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 1700 D 116 H variable	W 1700 D 116	150	1,985€	CE 
ACCCLULO05SB-DALIA	MEZZO PENDANT CLUSTER LONG 5 satin brass	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 1700 D 116 H variable	W 1700 D 116	150	1,985€	CE 




SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
MEZCWLABOG44-240	MEZZO WALL/CEILING FLUSH LARGE IP44 antique bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1.5	ø 180 H 190	ø 130	n/a	575€	CE 
MEZCWLBOG44-240	MEZZO WALL/CEILING FLUSH LARGE IP44 bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1.5	ø 180 H 190	ø 130	n/a	575€	CE 
MEZCWLPNOG44-240	MEZZO WALL/CEILING FLUSH LARGE IP44 polished nickel	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1.5	ø 180 H 190	ø 130	n/a	575€	CE 
MEZCWLSBOG44-240	MEZZO WALL/CEILING FLUSH LARGE IP44 satin brass	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1.5	ø 180 H 190	ø 130	n/a	575€	CE 




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity  
 DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
MEZCWLABOG44-DALIA-240	MEZZO WALL/CEILING FLUSH LARGE IP44 antique bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1.5	ø 180 H 190	ø 130	n/a	1,245€	CE  IP44
MEZCWLABOG-DALIB-240	MEZZO WALL/CEILING FLUSH LARGE antique bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1.5	ø 180 H 205	ø 116 H25	n/a	1,280€	CE  IP20
MEZCWLBOG44-DALIA-240	MEZZO WALL/CEILING FLUSH LARGE IP44 bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1.5	ø 180 H 190	ø 130	n/a	1,245€	CE  IP44
MEZCWLBOG-DALIB-240	MEZZO WALL/CEILING FLUSH LARGE bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1.5	ø 180 H 205	ø 116 H25	n/a	1,280€	CE  IP20
MEZCWLPNOG44-DALIA-240	MEZZO WALL/CEILING FLUSH LARGE IP44 polished nickel	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1.5	ø 180 H 190	ø 130	n/a	1,245€	CE  IP44
MEZCWLPNOG-DALIB-240	MEZZO WALL/CEILING FLUSH LARGE polished nickel	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1.5	ø 180 H 205	ø 116 H25	n/a	1,280€	CE  IP20
MEZCWLSBOG44-DALIA-240	MEZZO WALL/CEILING FLUSH LARGE IP44 satin brass	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1.5	ø 180 H 190	ø 130	n/a	1,245€	CE  IP44
MEZCWLSBOG-DALIB-240	MEZZO WALL/CEILING FLUSH LARGE satin brass	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1.5	ø 180 H 205	ø 116 H25	n/a	1,280€	CE  IP20



130mm




130mm


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
MEZCWSABOG44-240	MEZZO WALL/CEILING FLUSH SMALL IP44 antique bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	ø 130 H 130	ø 130	n/a	505€	CE 
MEZCWSBZOG44-240	MEZZO WALL/CEILING FLUSH SMALL IP44 bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	ø 130 H 130	ø 130	n/a	505€	CE 
MEZCWSPNOG44-240	MEZZO WALL/CEILING FLUSH SMALL IP44 polished nickel	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	ø 130 H 130	ø 130	n/a	505€	CE 
MEZCWSSBOG44-240	MEZZO WALL/CEILING FLUSH SMALL IP44 satin brass	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	ø 130 H 130	ø 130	n/a	505€	CE 



DALI A - IP44



DALI B



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity  
 DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
MEZCWSABOG44-DALIA-240	MEZZO WALL/CEILING FLUSH SMALL IP44 antique bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	ø 130 H 130	ø 130	n/a	1,175€	CE IP44
MEZCWSABOG-DALIB-240	MEZZO WALL/CEILING FLUSH SMALL antique bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	ø 130 H 155	ø 116 H25	n/a	1,210€	CE IP20
MEZCWSBZOG44-DALIA-240	MEZZO WALL/CEILING FLUSH SMALL IP44 bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	ø 130 H 130	ø 130	n/a	1,175€	CE IP44
MEZCWSBZOG-DALIB-240	MEZZO WALL/CEILING FLUSH SMALL bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	ø 130 H 155	ø 116 H25	n/a	1,210€	CE IP20
MEZCWSPNOG44-DALIA-240	MEZZO WALL/CEILING FLUSH SMALL IP44 polished nickel	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	ø 130 H 130	ø 130	n/a	1,175€	CE IP44
MEZCWSPNOG-DALIB-240	MEZZO WALL/CEILING FLUSH SMALL polished nickel	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	ø 130 H 155	ø 116 H25	n/a	1,210€	CE IP20
MEZCWSSBOG44-DALIA-240	MEZZO WALL/CEILING FLUSH SMALL IP44 satin brass	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	ø 130 H 130	ø 130	n/a	1,175€	CE IP44
MEZCWSSBOG-DALIB-240	MEZZO WALL/CEILING FLUSH SMALL satin brass	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	1	ø 130 H 155	ø 116 H25	n/a	1,210€	CE IP20



## MODULO COLLECTION

CHANDELIER, PENDANT, WALL


Designed by Federico Peri for CTO Lighting, Modulo is a collection of chandelier, pendant and wall lights distinguished by its modular form, arranged in linear configurations, creating versatile lighting sculptures.



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
MODCH11ABSKMO-240	MODULO CHANDELIER GRID 11 antique bronze with smoked kiln glass and matt glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 49.5w LED 2700K	18	W 1665 D 1050 H 100	ø 116 H 25	145	13,475€	CE IP20
MODCH11BZSKMO-240	MODULO CHANDELIER GRID 11 bronze with smoked kiln glass and matt glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 49.5w LED 2700K	18	W 1665 D 1050 H 100	ø 116 H 25	145	13,475€	CE IP20
MODCH11SBKMO-240	MODULO CHANDELIER GRID 11 satin brass with smoked kiln glass and matt glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 49.5w LED 2700K	18	W 1665 D 1050 H 100	ø 116 H 25	145	13,475€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 580€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly






DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
DALI B included - The light will feature a deeper ceiling rose. For use when there is no space in the existing ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
MODCH11ABSKMO-DALIA-240	MODULO CHANDELIER GRID 11 antique bronze with smoked kiln glass and matt glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 49.5w LED 2700K	18	W 1665 D 1050 H 100	ø 116 H 25	145	14,145€	CE IP20
MODCH11ABSKMO-DALIB-240	MODULO CHANDELIER GRID 11 antique bronze with smoked kiln glass and matt glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 49.5w LED 2700K	18	W 1665 D 1050 H 100	ø 140 H 35	155	14,180€	CE IP20
MODCH11BZSKMO-DALIA-240	MODULO CHANDELIER GRID 11 bronze with smoked kiln glass and matt glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 49.5w LED 2700K	18	W 1665 D 1050 H 100	ø 116 H 25	145	14,145€	CE IP20
MODCH11BZSKMO-DALIB-240	MODULO CHANDELIER GRID 11 bronze with smoked kiln glass and matt glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 49.5w LED 2700K	18	W 1665 D 1050 H 100	ø 140 H 35	155	14,180€	CE IP20
MODCH11SBSKMO-DALIA-240	MODULO CHANDELIER GRID 11 satin brass with smoked kiln glass and matt glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 49.5w LED 2700K	18	W 1665 D 1050 H 100	ø 116 H 25	145	14,145€	CE IP20
MODCH11SBSKMO-DALIB-240	MODULO CHANDELIER GRID 11 satin brass with smoked kiln glass and matt glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 49.5w LED 2700K	18	W 1665 D 1050 H 100	ø 140 H 35	155	14,180€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 580€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly




SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
MODPEHLBSKMO-240	MODULO CHANDELIER HORIZONTAL antique bronze with smoked kiln glass and matt glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 27w LED 2700K	11	W 1880 D 120 H 100	ø 116 H 25	145	6,930€	CE 
MODPEHLBZSKMO-240	MODULO CHANDELIER HORIZONTAL bronze with smoked kiln glass and matt glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 27w LED 2700K	11	W 1880 D 120 H 100	ø 116 H 25	145	6,930€	CE 
MODPEHLSBSKMO-240	MODULO CHANDELIER HORIZONTAL satin brass with smoked kiln glass and matt glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 27w LED 2700K	11	W 1880 D 120 H 100	ø 116 H 25	145	6,930€	CE 

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 580€ per 1000mm






\*for customer lengths over 2000mm please contact us directly



DALI A





DALI B



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
DALI B included - The light will feature a deeper ceiling rose. For use when there is no space in the existing ceiling cavity


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
MODPEHLABSKMO-DALIA-240	MODULO CHANDELIER HORIZONTAL antique bronze with smoked kiln glass and matt glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	Integrated LED 27w LED 2700K	11	W 1880 D 120 H 100	ø 116 H 25	145	7,600€	CE IP20
MODPEHLABSKMO-DALIB-240	MODULO CHANDELIER HORIZONTAL antique bronze with smoked kiln glass and matt glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	Integrated LED 27w LED 2700K	11	W 1880 D 120 H 100	ø 140 H 35	155	7,635€	CE IP20
MODPEHLBZSKMO-DALIA-240	MODULO CHANDELIER HORIZONTAL bronze with smoked kiln glass and matt glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	Integrated LED 27w LED 2700K	11	W 1880 D 120 H 100	ø 116 H 25	145	7,600€	CE IP20
MODPEHLBZSKMO-DALIB-240	MODULO CHANDELIER HORIZONTAL bronze with smoked kiln glass and matt glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	Integrated LED 27w LED 2700K	11	W 1880 D 120 H 100	ø 140 H 35	155	7,635€	CE IP20
MODPEHLBZSKMO-DALIA-240	MODULO CHANDELIER HORIZONTAL satin brass with smoked kiln glass and matt glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	Integrated LED 27w LED 2700K	11	W 1880 D 120 H 100	ø 116 H 25	125	7,600€	CE IP20
MODPEHLBZSKMO-DALIB-240	MODULO CHANDELIER HORIZONTAL satin brass with smoked kiln glass and matt glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	Integrated LED 27w LED 2700K	11	W 1880 D 120 H 100	ø 140 H 35	135	7,635€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 580€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
MODPEHVLBSKMO-240	MODULO CHANDELIER VERTICAL antique bronze with smoked kiln glass and matt glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 27w LED 2700K	10	W 160 D 120 H 1700	ø 116 H 25	1745	6,775€	CE IP20
MODPEHVLBZSKMO-240	MODULO CHANDELIER VERTICAL bronze with smoked kiln glass and matt glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 27w LED 2700K	10	W 160 D 120 H 1700	ø 116 H 25	1745	6,775€	CE IP20
MODPEVLSBSKMO-240	MODULO CHANDELIER VERTICAL satin brass with smoked kiln glass and matt glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 27w LED 2700K	10	W 160 D 120 H 1700	ø 116 H 25	1745	6,775€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
DALI B included - The light will feature a deeper ceiling rose. For use when there is no space in the existing ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
MODPEHVLBSKMO-DALIA-240	MODULO CHANDELIER VERTICAL antique bronze with smoked kiln glass and matt glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 27w LED 2700K	10	W 160 D 120 H 1700	ø 116 H 25	1745	7,445€	CE IP20
MODPEHVLBSKMO-DALIB-240	MODULO CHANDELIER VERTICAL antique bronze with smoked kiln glass and matt glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 27w LED 2700K	10	W 160 D 120 H 1700	ø 140 H 35	1755	7,480€	CE IP20
MODPEHVLBZSKMO-DALIA-240	MODULO CHANDELIER VERTICAL bronze with smoked kiln glass and matt glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 27w LED 2700K	10	W 160 D 120 H 1700	ø 116 H 25	1745	7,445€	CE IP20
MODPEHVLBZSKMO-DALIB-240	MODULO CHANDELIER VERTICAL bronze with smoked kiln glass and matt glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 27w LED 2700K	10	W 160 D 120 H 1700	ø 140 H 35	1755	7,480€	CE IP20
MODPEVLBZSKMO-DALIA-240	MODULO CHANDELIER VERTICAL satin brass with smoked kiln glass and matt glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 27w LED 2700K	10	W 160 D 120 H 1700	ø 116 H 25	1745	7,445€	CE IP20
MODPEVLBZSKMO-DALIB-240	MODULO CHANDELIER VERTICAL satin brass with smoked kiln glass and matt glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 27w LED 2700K	10	W 160 D 120 H 1700	ø 140 H 35	1755	7,480€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly








LED driver to be installed in the ceiling/wall cavity


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
MODWA1ABSKMO-240	MODULO WALL SINGLE antique bronze with smoked kiln glass and matt glass	n/a	integrated LED 4.5w LED 2700K	1	W 120 D 80 H 280	W 34 D 132 H 15	n/a	1,025€	CE 
MODWA1ABSKMO44-240	MODULO WALL SINGLE - IP44 antique bronze with smoked kiln glass and matt glass	n/a	integrated LED 4.5w LED 2700K	1	W 120 D 80 H 280	W 34 D 132 H 15	n/a	1,115€	CE 
MODWA1BZSKMO-240	MODULO WALL SINGLE bronze with smoked kiln glass and matt glass	n/a	integrated LED 4.5w LED 2700K	1	W 120 D 80 H 280	W 34 D 132 H 15	n/a	1,025€	CE 
MODWA1BZSKMO44-240	MODULO WALL SINGLE - IP44 bronze with smoked kiln glass and matt glass	n/a	integrated LED 4.5w LED 2700K	1	W 120 D 80 H 280	W 34 D 132 H 15	n/a	1,115€	CE 
MODWA1BSKMO-240	MODULO WALL SINGLE satin brass with smoked kiln glass and matt glass	n/a	integrated LED 4.5w LED 2700K	1	W 120 D 80 H 280	W 34 D 132 H 15	n/a	1,025€	CE 
MODWA1BSKMO44-240	MODULO WALL SINGLE - IP44 satin brass with smoked kiln glass and matt glass	n/a	integrated LED 4.5w LED 2700K	1	W 120 D 80 H 280	W 34 D 132 H 15	n/a	1,115€	CE 






DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity  
LED driver to be installed in the ceiling/wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
MODWAIABSKMO-DALIA-240	MODULO WALL SINGLE antique bronze with smoked kiln glass and matt glass	n/a	integrated LED 4.5w LED 2700K	1	W 120 D 80 H 280	W 34 D 132 H 15	n/a	1,690€	CE IP20
MODWAIBZSKMO-DALIA-240	MODULO WALL SINGLE bronze with smoked kiln glass and matt glass	n/a	integrated LED 4.5w LED 2700K	1	W 120 D 80 H 280	W 34 D 132 H 15	n/a	1,690€	CE IP20
MODWAI SBSKMO-DALIA-240	MODULO WALL SINGLE satin brass with smoked kiln glass and matt glass	n/a	integrated LED 4.5w LED 2700K	1	W 120 D 80 H 280	W 34 D 132 H 15	n/a	1,690€	CE IP20





LED driver to be installed in the ceiling/wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
MODWA2ABSKMO-240	MODULO WALL TWIN antique bronze with smoked kiln glass and matt glass	n/a	integrated LED 9w LED 2700K	2	W 120 D 80 H 440	W 34 D 232 H 15	n/a	1,705€	CE 
MODWA2ABSKMO44-240	MODULO WALL TWIN - IP44 antique bronze with smoked kiln glass and matt glass	n/a	integrated LED 9w LED 2700K	2	W 120 D 80 H 440	W 34 D 232 H 15	n/a	1,850€	CE 
MODWA2BZSKMO-240	MODULO WALL TWIN bronze with smoked kiln glass and matt glass	n/a	integrated LED 9w LED 2700K	2	W 120 D 80 H 440	W 34 D 232 H 15	n/a	1,705€	CE 
MODWA2BZSKMO44-240	MODULO WALL TWIN - IP44 bronze with smoked kiln glass and matt glass	n/a	integrated LED 9w LED 2700K	2	W 120 D 80 H 440	W 34 D 232 H 15	n/a	1,850€	CE 
MODWA2SBSKMO-240	MODULO WALL TWIN satin brass with smoked kiln glass and matt glass	n/a	integrated LED 9w LED 2700K	2	W 120 D 80 H 440	W 34 D 232 H 15	n/a	1,705€	CE 
MODWA2SBSKMO44-240	MODULO WALL TWIN - IP44 satin brass with smoked kiln glass and matt glass	n/a	integrated LED 9w LED 2700K	2	W 120 D 80 H 440	W 34 D 232 H 15	n/a	1,850€	CE 




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity  
LED driver to be installed in the ceiling/wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
MODWA2ABSKMO-DALIA-240	MODULO WALL TWIN antique bronze with smoked kiln glass and matt glass	n/a	integrated LED 9w LED 2700K	2	W 120 D 80 H 440	W 34 D 232 H 15	n/a	2,375€	CE IP20
MODWA2BZSKMO-DALIA-240	MODULO WALL TWIN bronze with smoked kiln glass and matt glass	n/a	integrated LED 9w LED 2700K	2	W 120 D 80 H 440	W 34 D 232 H 15	n/a	2,375€	CE IP20
MODWA2SBSKMO-DALIA-240	MODULO WALL TWIN satin brass with smoked kiln glass and matt glass	n/a	integrated LED 9w LED 2700K	2	W 120 D 80 H 440	W 34 D 232 H 15	n/a	2,375€	CE IP20



LED driver to be installed in the ceiling/wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
MODWA3ABSKMO-240	MODULO WALL TRIPLE antique bronze with smoked kiln glass and matt glass	n/a	integrated LED 13.5w LED 2700K	3	W 120 D 80 H 600	W 34 D 393 H 15	n/a	2,425€	CE 
MODWA3ABSKMO44-240	MODULO WALL TRIPLE - IP44 antique bronze with smoked kiln glass and matt glass	n/a	integrated LED 13.5w LED 2700K	3	W 120 D 80 H 600	W 34 D 393 H 15	n/a	2,635€	CE 
MODWA3BZSKMO-240	MODULO WALL TRIPLE bronze with smoked kiln glass and matt glass	n/a	integrated LED 13.5w LED 2700K	3	W 120 D 80 H 600	W 34 D 393 H 15	n/a	2,425€	CE 
MODWA3BZSKMO44-240	MODULO WALL TRIPLE - IP44 bronze with smoked kiln glass and matt glass	n/a	integrated LED 13.5w LED 2700K	3	W 120 D 80 H 600	W 34 D 393 H 15	n/a	2,635€	CE 
MODWA3SBKMO-240	MODULO WALL TRIPLE satin brass with smoked kiln glass and matt glass	n/a	integrated LED 13.5w LED 2700K	3	W 120 D 80 H 600	W 34 D 393 H 15	n/a	2,425€	CE 
MODWA3SBKMO44-240	MODULO WALL TRIPLE - IP44 satin brass with smoked kiln glass and matt glass	n/a	integrated LED 13.5w LED 2700K	3	W 120 D 80 H 600	W 34 D 393 H 15	n/a	2,635€	CE 



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity  
LED driver to be installed in the ceiling/wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
MODWA3ABSKMO-DALIA-240	MODULO WALL TRIPLE antique bronze with smoked kiln glass and matt glass	n/a	integrated LED 13.5w LED 2700K	3	W 120 D 80 H 600	W 34 D 393 H 15	n/a	3,095€	CE IP20
MODWA3BZSKMO-DALIA-240	MODULO WALL TRIPLE bronze with smoked kiln glass and matt glass	n/a	integrated LED 13.5w LED 2700K	3	W 120 D 80 H 600	W 34 D 393 H 15	n/a	3,095€	CE IP20
MODWA3SBSKMO-DALIA-240	MODULO WALL TRIPLE satin brass with smoked kiln glass and matt glass	n/a	integrated LED 13.5w LED 2700K	3	W 120 D 80 H 600	W 34 D 393 H 15	n/a	3,095€	CE IP20




## NIMBUS COLLECTION

CHANDELIER, PENDANT, WALL

Referencing both retro and modern aesthetics, the Nimbus creates a stunning centrepiece and transfixes those who see it.







SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
NIMCHLABFG-240	NIMBUS CHANDELIER LARGE antique bronze with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	8 x E27 60w max (or 8w LED 2700K)	55	W 1590 D 940 H 870	ø 204 H 30	970	21,735€	CE IP20
NIMCHLBZFG-240	NIMBUS CHANDELIER LARGE bronze with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	8 x E27 60w max (or 8w LED 2700K)	55	W 1590 D 940 H 870	ø 204 H 30	970	21,735€	CE IP20
NIMCHLSBFG-240	NIMBUS CHANDELIER LARGE satin brass with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	8 x E27 60w max (or 8w LED 2700K)	55	W 1590 D 940 H 870	ø 204 H 30	970	21,735€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 560€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly






DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
NIMCHLABFG-DALIA-240	NIMBUS CHANDELIER LARGE antique bronze with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	8 x E27 60w max (or 8w LED 2700K)	55	W 1590 D 940 H 870	ø 204 H 30	970	22,405€	CE IP20
NIMCHLBZFG-DALIA-240	NIMBUS CHANDELIER LARGE bronze with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	8 x E27 60w max (or 8w LED 2700K)	55	W 1590 D 940 H 870	ø 204 H 30	970	22,405€	CE IP20
NIMCHLSBFG-DALIA-240	NIMBUS CHANDELIER LARGE satin brass with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	8 x E27 60w max (or 8w LED 2700K)	55	W 1590 D 940 H 870	ø 204 H 30	970	22,405€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 560€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
NIMCHMABFG-240	NIMBUS CHANDELIER MEDIUM antique bronze with frosted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	42	W 1190 D 710 H 650	ø 204 H 30	750	15,040€	CE IP20
NIMCHMBZFG-240	NIMBUS CHANDELIER MEDIUM bronze with frosted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	42	W 1190 D 710 H 650	ø 204 H 30	750	15,040€	CE IP20
NIMCHMSBFG-240	NIMBUS CHANDELIER MEDIUM satin brass with frosted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	42	W 1190 D 710 H 650	ø 204 H 30	750	15,040€	CE IP20



\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 560€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
NIMCHMABFG-DALIA-240	NIMBUS CHANDELIER MEDIUM antique bronze with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	42	W 1190 D 710 H 650	ø 204 H 30	720	15,710€	CE IP20
NIMCHMBZFG-DALIA-240	NIMBUS CHANDELIER MEDIUM bronze with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	42	W 1190 D 710 H 650	ø 204 H 30	720	15,710€	CE IP20
NIMCHMSBFG-DALIA-240	NIMBUS CHANDELIER MEDIUM satin brass with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	42	W 1190 D 710 H 650	ø 204 H 30	720	15,710€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 560€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
NIMCHOABFG-240	NIMBUS CHANDELIER CASCADE antique bronze with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	14 x E27 60w max (or 8w LED 2700K) 2 x GU10 50w max (or 5.5w LED 2700K)	100	W 1190 D 710 H 2000	ø 204 H 30	2100	39,245€	CE IP20
NIMCHOBZFG-240	NIMBUS CHANDELIER CASCADE bronze with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	14 x E27 60w max (or 8w LED 2700K) 2 x GU10 50w max (or 5.5w LED 2700K)	100	W 1190 D 710 H 2000	ø 204 H 30	2100	39,245€	CE IP20
NIMCHOSBFG-240	NIMBUS CHANDELIER CASCADE satin brass with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	14 x E27 60w max (or 8w LED 2700K) 2 x GU10 50w max (or 5.5w LED 2700K)	100	W 1190 D 710 H 2000	ø 204 H 30	2100	39,245€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 560€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
NIMCHOABFG-DALIA-240	NIMBUS CHANDELIER CASCADE antique bronze with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	14 x E27 60w max (or 8w LED 2700K) 2 x GU10 50w max (or 5.5w LED 2700K)	100	W 1190 D 710 H 2000	ø 204 H 30	2100	39,915€	CE IP20
NIMCHOBZFG-DALIA-240	NIMBUS CHANDELIER CASCADE bronze with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	14 x E27 60w max (or 8w LED 2700K) 2 x GU10 50w max (or 5.5w LED 2700K)	100	W 1190 D 710 H 2000	ø 204 H 30	2100	39,915€	CE IP20
NIMCHOSBFG-DALIA-240	NIMBUS CHANDELIER CASCADE satin brass with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	14 x E27 60w max (or 8w LED 2700K) 2 x GU10 50w max (or 5.5w LED 2700K)	100	W 1190 D 710 H 2000	ø 204 H 30	2100	39,915€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 560€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly








SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
NIMCHRLABFG-240	NIMBUS ROUND CHANDELIER LARGE antique bronze with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	6 x E27 60w max (or 8w LED 2700K)	50	ø1200 H 600	ø 204 H 30	700	21,350€	CE IP20
NIMCHRLBZFG-240	NIMBUS ROUND CHANDELIER LARGE bronze with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	6 x E27 60w max (or 8w LED 2700K)	50	ø1200 H 600	ø 204 H 30	700	21,350€	CE IP20
NIMCHRLSBFG-240	NIMBUS ROUND CHANDELIER LARGE satin brass with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	6 x E27 60w max (or 8w LED 2700K)	50	ø1200 H 600	ø 204 H 30	700	21,350€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 560€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly






DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
NIMCHRLABFG-DALIA-240	NIMBUS ROUND CHANDELIER LARGE antique bronze with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	6 x E27 60w max (or 8w LED 2700K)	50	ø 1200 H 600	ø 204 H 30	700	22,020€	CE IP20
NIMCHRLBZFG-DALIA-240	NIMBUS ROUND CHANDELIER LARGE bronze with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	6 x E27 60w max (or 8w LED 2700K)	50	ø 1200 H 600	ø 204 H 30	700	22,020€	CE IP20
NIMCHRLSBFG-DALIA-240	NIMBUS ROUND CHANDELIER LARGE satin brass with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	6 x E27 60w max (or 8w LED 2700K)	50	ø 1200 H 600	ø 204 H 30	700	22,020€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 560€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly




SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
NIMCHRMABFG-240	NIMBUS ROUND CHANDELIER MEDIUM antique bronze with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	38	ø 900 H 560	ø 204 H 30	660	15,680€	CE IP20
NIMCHRMBZFG-240	NIMBUS ROUND CHANDELIER MEDIUM bronze with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	38	ø 900 H 560	ø 204 H 30	660	15,680€	CE IP20
NIMCHRMSBFG-240	NIMBUS ROUND CHANDELIER MEDIUM satin brass with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	38	ø 900 H 560	D 204 H 30	660	15,680€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 560€ per 1000mm


\*for customer lengths over 2000mm please contact us directly



min 630mm



min 100mm  
560mm



900mm


DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
NIMCHRMABFG-DALIA-240	NIMBUS ROUND CHANDELIER MEDUM antique bronze with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	38	ø 900 H 560	D 204 H 30	660	16,350€	CE 
NIMCHRMBZFG-DALIA-240	NIMBUS ROUND CHANDELIER MEDUM bronze with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	38	ø 900 H 560	D 204 H 30	660	16,350€	CE 
NIMCHRMSBFG-DALIA-240	NIMBUS ROUND CHANDELIER MEDUM satin brass with fritted glass	Supplied with 1000mm drop rod (25.4mm dia) as standard (adjustable on site)	4 x E14 25w max (or 4.5w LED 2700K)	38	ø 900 H 560	D 204 H 30	660	16,350€	CE 


\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 560€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly








320mm



100mm

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP ~ from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
NIMWAOABFG-240	NIMBUS WALL antique bronze with fritted glass	n/a	1 x G9 2.3w LED 2700K LED ONLY	3	W 250 D 100 H 320	W 40 D 15 H 80	n/a	1,235€	CE 
NIMWAOBZFG-240	NIMBUS WALL bronze with fritted glass	n/a	1 x G9 2.3w LED 2700K LED ONLY	3	W 250 D 100 H 320	W 40 D 15 H 80	n/a	1,235€	CE 
NIMWAOSBFG-240	NIMBUS WALL satin brass with fritted glass	n/a	1 x G9 2.3w LED 2700K LED ONLY	3	W 250 D 100 H 320	W 40 D 15 H 80	n/a	1,235€	CE 



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the wall cavity  
DALI B included - The light will feature a deeper wall rose. For use when there is no space in the existing wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
NIMWAOABFG-DALIA-240	NIMBUS WALL antique bronze with fritted glass	n/a	1 x G9 2.3w LED 2700K LED ONLY	3	W 250 D 100 H 320	W 40 D 15 H 80	n/a	1,905€	CE IP20
NIMWAOABFG-DALIB-240	NIMBUS WALL antique bronze with fritted glass	n/a	1 x G9 2.3w LED 2700K LED ONLY	3	W 250 D 110 H 320	ø 116 H 25	n/a	1,940€	CE IP20
NIMWAOBZFG-DALIA-240	NIMBUS WALL bronze with fritted glass	n/a	1 x G9 2.3w LED 2700K LED ONLY	3	W 250 D 100 H 320	W 40 D 15 H 80	n/a	1,905€	CE IP20
NIMWAOBZFG-DALIB-240	NIMBUS WALL bronze with fritted glass	n/a	1 x G9 2.3w LED 2700K LED ONLY	3	W 250 D 110 H 320	ø 116 H 25	n/a	1,940€	CE IP20
NIMWAOSBFG-DALIA-240	NIMBUS WALL satin brass with fritted glass	n/a	1 x G9 2.3w LED 2700K LED ONLY	3	W 250 D 100 H 320	W 40 D 15 H 80	n/a	1,905€	CE IP20
NIMWAOSBFG-DALIB-240	NIMBUS WALL satin brass with fritted glass	n/a	1 x G9 2.3w LED 2700K LED ONLY	3	W 250 D 110 H 320	ø 116 H 25	n/a	1,940€	CE IP20







## OSCAR

FLOOR

This elegant and discreet floor light was designed with an adjustable glass globe which has a soft yet strong glow. Its superior solid brass base exudes quality with its satin brass or bronze stem.

OSCAR






SKU NUMBER	PRODUCT DESCRIPTION	CORDSET	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
OSCFLOBZBZOG-240F	OSCAR FLOOR bronze stem with bronze base and shiny opal glass - earthed schuko plug	2000mm cordset with black flex and inline dimmer	1 x G9 25w max halogen (or 2.3w LED 2700k)	9	W 340 D 180 H 1330	n/a	n/a	2,690€	CE 
OSCFLOBZBZOG-240J	OSCAR FLOOR bronze stem with bronze base and shiny opal glass - Swiss plug	2000mm cordset with black flex and inline dimmer	1 x G9 25w max halogen (or 2.3w LED 2700k)	9	W 340 D 180 H 1330	n/a	n/a	2,690€	CE 
OSCFLOBZSBOG-240F	OSCAR FLOOR bronze stem with satin brass base and shiny opal glass - earthed schuko plug	2000mm cordset with black flex and inline dimmer	1 x G9 25w max halogen (or 2.3w LED 2700k)	9	W 340 D 180 H 1330	n/a	n/a	2,690€	CE 
OSCFLOBZSBOG-240J	OSCAR FLOOR bronze stem with satin brass base and shiny opal glass - Swiss plug	2000mm cordset with black flex and inline dimmer	1 x G9 25w max halogen (or 2.3w LED 2700k)	9	W 340 D 180 H 1330	n/a	n/a	2,690€	CE 
OSCFLOSBSBOG-240F	OSCAR FLOOR satin brass stem with satin brass base and shiny opal glass - earthed schuko plug	2000mm cordset with black flex and inline dimmer	1 x G9 25w max halogen (or 2.3w LED 2700k)	9	W 340 D 180 H 1330	n/a	n/a	2,690€	CE 
OSCFLOSBSBOG-240J	OSCAR FLOOR satin brass stem with satin brass base and shiny opal glass - Swiss plug	2000mm cordset with black flex and inline dimmer	1 x G9 25w max halogen (or 2.3w LED 2700k)	9	W 340 D 180 H 1330	n/a	n/a	2,690€	CE 



## PENDULUM COLLECTION

PENDANT, WALL, FLOOR


Designed by Dan Yeffet for CTO Lighting, the Pendulum collection emanates light, which appears to oscillate in concentric bands from the light source, encased and diffused by the mouth-blown, curved glass.



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
PENPEOBZSG-240	PENDULUM PENDANT bronze with smoked glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w max LED 2700K	8	W 320 D 150 H 525	ø 45 H 120	645	3,565€	CE IP20
PENPEOSBSG-240	PENDULUM PENDANT satin brass with smoked glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w max LED 2700K	8	W 320 D 150 H 525	ø 45 H 120	645	3,565€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm



\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
DALI B included - The light will feature a wider ceiling rose. For use when there is no space in the existing ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
PENPEOBZSG-DALIA-240	PENDULUM PENDANT bronze with smoked glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	Integrated LED 8w max LED 2700K	8	W 320 D 150 H 525	ø 45 H 120	645	3,695€	CE IP20
PENPEOBZSG-DALIB-240	PENDULUM PENDANT bronze with smoked glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	Integrated LED 8w max LED 2700K	8	W 320 D 150 H 525	ø 140 H 35	560	3,730€	CE IP20
PENPEOSBSG-DALIA-240	PENDULUM PENDANT satin brass with smoked glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	Integrated LED 8w max LED 2700K	8	W 320 D 150 H 525	ø 45 H 120	645	3,695€	CE IP20
PENPEOSBSG-DALIB-240	PENDULUM PENDANT satin brass with smoked glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	Integrated LED 8w max LED 2700K	8	W 320 D 150 H 525	ø 140 H 35	560	3,730€	CE IP20


\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly




SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL/CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
PENWAOBZSG-240	PENDULUM WALL bronze with smoked glass	n/a	integrated LED 8w max LED 2700K	5	W 320 D 150 H 320	ø 116 H 35	n/a	1,705€	CE 
PENWAOSBSG-240	PENDULUM WALL satin brass with smoked glass	n/a	integrated LED 8w max LED 2700K	5	W 320 D 150 H 320	ø 116 H 35	n/a	1,705€	CE 



DALI A




DALI B




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity  
DALI B included - The light will feature a wider ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL/CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
PENWAOBZSG-DALIA-240	PENDULUM WALL bronze with smoked glass	n/a	integrated LED 8w max LED 2700K	5	W 320 D 150 H 320	ø 116 H 35	n/a	1,835€	CE IP20
PENWAOBZSG-DALIB-240	PENDULUM WALL bronze with smoked glass	n/a	integrated LED 8w max LED 2700K	5	W 320 D 150 H 320	ø 140 H 35	n/a	1,870€	CE IP20
PENWAOSBSG-DALIA-240	PENDULUM WALL satin brass with smoked glass	n/a	integrated LED 8w max LED 2700K	5	W 320 D 150 H 320	ø 116 H 35	n/a	1,835€	CE IP20
PENWAOSBSG-DALIB-240	PENDULUM WALL satin brass with smoked glass	n/a	integrated LED 8w max LED 2700K	5	W 320 D 150 H 320	ø 140 H 35	n/a	1,870€	CE IP20



1170mm



SKU NUMBER	PRODUCT DESCRIPTION	CORDSET	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
PENFLOBZSGNM-240F	PENDULUM FLOOR bronze with smoked glass and nero marquina marble earthed schuko plug	2000mm cordset with black flex and inline dimmer	integrated LED 8w max LED 2700K	14	W 320 D 155 H 1170	n/a	n/a	4,900€	 
PENFLOBZSGNM-240J	PENDULUM FLOOR bronze with smoked glass and nero marquina marble Swiss plug	2000mm cordset with black flex and inline dimmer	integrated LED 8w max LED 2700K	14	W 320 D 155 H 1170	n/a	n/a	4,900€	 
PENFLOSBSGNM-240F	PENDULUM FLOOR satin brass with smoked glass and nero marquina marble earthed schuko plug	2000mm cordset with black flex and inline dimmer	integrated LED 8w max LED 2700K	14	W 320 D 155 H 1170	n/a	n/a	4,900€	 
PENFLOSBSGNM-240J	PENDULUM FLOOR satin brass with smoked glass and nero marquina marble Swiss plug	2000mm cordset with black flex and inline dimmer	integrated LED 8w max LED 2700K	14	W 320 D 155 H 1170	n/a	n/a	4,900€	 






## PETRA COLLECTION

PENDANT

Delicate yet strong, this curvaceous pebble-like pendant contrasts a translucent hand blown glass shade with refined metalwork.


PETRA COLLECTION



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
PETPELBZSGMO-240	PETRA PENDANT LARGE bronze with smoked outer glass and matt opal inner glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E14 60w max (or 6.5w LED 2700K)	12	ø 500 H 260	ø 116 H 25	415	2,300€	CE IP20
PETPELBZSGHF-240	PETRA PENDANT LARGE bronze with smoked outer glass and matt opal inner glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E14 60w max (or 6.5w LED 2700K)	12	ø 500 H 260	ø 116 H 25	415	2,300€	CE IP20
PETPELSBSGMO-240	PETRA PENDANT LARGE satin brass with smoked outer glass and matt opal inner glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E14 60w max (or 6.5w LED 2700K)	12	ø 500 H 260	ø 116 H 25	415	2,300€	CE IP20
PETPELSBSGHF-240	PETRA PENDANT LARGE satin brass with smoked outer glass and smoked hand formed inner glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E14 60w max (or 6.5w LED 2700K)	12	ø 500 H 260	ø 116 H 25	415	2,300€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm

\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
PETPELBZSGMO-DALIA-240	PETRA PENDANT LARGE bronze with smoked outer glass and matt opal inner glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E14 60w max (or 6.5w LED 2700K)	12	ø 500 H 260	ø 116 H 25	415	2,970€	CE 
PETPELBZSGHF-DALIA-240	PETRA PENDANT LARGE bronze with smoked outer glass and matt opal inner glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E14 60w max (or 6.5w LED 2700K)	12	ø 500 H 260	ø 116 H 25	415	2,970€	CE 
PETPELSBSGMO-DALIA-240	PETRA PENDANT LARGE satin brass with smoked outer glass and matt opal inner glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E14 60w max (or 6.5w LED 2700K)	12	ø 500 H 260	ø 116 H 25	415	2,970€	CE 
PETPELSBSGHF-DALIA-240	PETRA PENDANT LARGE satin brass with smoked outer glass and smoked hand formed inner glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x E14 60w max (or 6.5w LED 2700K)	12	ø 500 H 260	ø 116 H 25	415	2,970€	CE 

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly












## RELIC




WALL





The design language of the Relic wall light draws from the notion of a precious fragment from the past.




A perfect example of simple elegance, its forms are reduced to clean lines and complimented by an asymmetric shade.







SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
RELWALBBG-240	RELIC WALL LEFT antique bronze with bronze kiln glass	n/a	integrated LED 9w 2700k	5	W 270 D 150 H 360	L 95 H 90	n/a	1,400€	CE 
RELWALPNBG-240	RELIC WALL LEFT polished nickel with bronze kiln glass	n/a	integrated LED 9w 2700k	5	W 270 D 150 H 360	L 95 H 90	n/a	1,400€	CE 
RELWALABHA-240	RELIC WALL LEFT antique bronze with honed alabaster	n/a	integrated LED 9w 2700k	5	W 270 D 150 H 360	L 95 H 90	n/a	1,550€	CE 
RELWALPNHA-240	RELIC WALL LEFT polished nickel with honed alabaster	n/a	integrated LED 9w 2700k	5	W 270 D 150 H 360	L 95 H 90	n/a	1,550€	CE 








SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
RELWALBBG-DALIA-240	RELIC WALL LEFT antique bronze with bronze kiln glass	n/a	integrated LED 9w 2700k	5	W 270 D 150 H 360	L 90 H 95	n/a	1,828€	CE 
RELWALPNBG-DALIA-240	RELIC WALL LEFT polished nickel with bronze kiln glass	n/a	integrated LED 9w 2700k	5	W 270 D 150 H 360	L 90 H 95	n/a	1,828€	CE 
RELWALABHA-DALIA-240	RELIC WALL LEFT antique bronze with honed alabaster	n/a	integrated LED 9w 2700k	5	W 270 D 150 H 360	L 90 H 95	n/a	1,978€	CE 
RELWALPNHA-DALIA-240	RELIC WALL LEFT polished nickel with honed alabaster	n/a	integrated LED 9w 2700k	5	W 270 D 150 H 360	L 90 H 95	n/a	1,978€	CE 



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
RELWARABBG-240	RELIC WALL RIGHT antique bronze with bronze kiln glass	n/a	integrated LED 9w 2700k	5	W 270 D 150 H 360	L 95 H 90	n/a	1,400€	CE 
RELWARPNBG-240	RELIC WALL RIGHT polished nickel with bronze kiln glass	n/a	integrated LED 9w 2700k	5	W 270 D 150 H 360	L 95 H 90	n/a	1,400€	CE 
RELWARABHA-240	RELIC WALL RIGHT antique bronze with honed alabaster	n/a	integrated LED 9w 2700k	5	W 270 D 150 H 360	L 95 H 90	n/a	1,550€	CE 
RELWARPNHA-240	RELIC WALL RIGHT polished nickel with honed alabaster	n/a	integrated LED 9w 2700k	5	W 270 D 150 H 360	L 95 H 90	n/a	1,550€	CE 






SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
RELWARABBG-DALIA-240	RELIC WALL RIGHT antique bronze with bronze kiln glass	n/a	integrated LED 9w 2700k	5	W 270 D 150 H 360	L 95 H 90	n/a	1,828€	CE 
RELWARPNBG-DALIA-240	RELIC WALL RIGHT polished nickel with bronze kiln glass	n/a	integrated LED 9w 2700k	5	W 270 D 150 H 360	L 95 H 90	n/a	1,828€	CE 
RELWARABHA-DALIA-240	RELIC WALL RIGHT antique bronze with honed alabaster	n/a	integrated LED 9w 2700k	5	W 270 D 150 H 360	L 95 H 90	n/a	1,978€	CE 
RELWARPNHA-DALIA-240	RELIC WALL RIGHT polished nickel with honed alabaster	n/a	integrated LED 9w 2700k	5	W 270 D 150 H 360	L 95 H 90	n/a	1,978€	CE 



## RING COLLECTION


PENDANT, TABLE, WALL

Chiaroscuro, inspired by strong light and shadows, delivering a richness and warmth to a space. The light from within the rings add a dramatic sculptural effect to the pendants.



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
RINPEOABSB-240	RING PENDANT antique bronze with satin brass detail	Supplied with 1000mm black silk flex as standard (adjustable on site)	1 x E14 6w max LED 2700K LED ONLY	2	ø 100 H 240	ø 116 H 25	415	1,145€	CE 
RINPEOBZSB-240	RING PENDANT bronze with satin brass detail	Supplied with 1000mm black silk flex as standard (adjustable on site)	1 x E14 6w max LED 2700K LED ONLY	2	ø 100 H 240	ø 116 H 25	415	1,145€	CE 
RINPEOSBSB-240	RING PENDANT satin brass with satin brass detail	Supplied with 1000mm black silk flex as standard (adjustable on site)	1 x E14 6w max LED 2700K LED ONLY	2	ø 100 H 240	ø 116 H 25	415	1,145€	CE 

\*supplied with 1000mm flex as standard (adjustable on site), additional flex at 80€ per 1000mm - black silk braided  
\*for customer lengths over 2000mm please contact us directly




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
RINPEOABSB-DALIA-240	RING PENDANT antique bronze with satin brass detail	Supplied with 1000mm black silk flex as standard (adjustable on site)	1 x E14 6w max LED 2700K LED ONLY	2	ø 100 H 240	ø 116 H 25	415	1,815€	CE IP20
RINPEOBZSB-DALIA-240	RING PENDANT bronze with satin brass detail	Supplied with 1000mm black silk flex as standard (adjustable on site)	1 x E14 6w max LED 2700K LED ONLY	2	ø 100 H 240	ø 116 H 25	415	1,815€	CE IP20
RINPEOSBSB-DALIA-240	RING PENDANT satin brass with satin brass detail	Supplied with 1000mm black silk flex as standard (adjustable on site)	1 x E14 6w max LED 2700K LED ONLY	2	ø 100 H 240	ø 116 H 25	415	1,815€	CE IP20


\*supplied with 1000mm flex as standard (adjustable on site), additional flex at 80€ per 1000mm - black silk braided  
\*for customer lengths over 2000mm please contact us directly




cluster round 3




270mm




cluster round 4-7




370mm



















































cluster round 8-10



















































450mm




this price doesn't include the pendants

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ACCCLURO03AB	RING PENDANT CLUSTER ROUND 3 antique bronze	please specify the required number of shades (3-10) the length of the longest drop (max 6000mm) the length of the shortest drop (min 300mm)	n/a	variable	ø 270 H variable	ø 204	415	1,710€	 
ACCCLURO03BZ	RING PENDANT CLUSTER ROUND 3 bronze		n/a	variable	ø 270 H variable	ø 204	415	1,710€	 
ACCCLURO03SB	RING PENDANT CLUSTER ROUND 3 satin brass		n/a	variable	ø 270 H variable	ø 204	415	1,710€	 
ACCCLURO04AB	RING PENDANT CLUSTER ROUND 4 antique bronze		n/a	variable	ø 370 H variable	ø 320	415	2,300€	 
ACCCLURO04BZ	RING PENDANT CLUSTER ROUND 4 bronze		n/a	variable	ø 370 H variable	ø 320	415	2,300€	 
ACCCLURO04SB	RING PENDANT CLUSTER ROUND 4 satin brass		n/a	variable	ø 370 H variable	ø 320	415	2,300€	 
ACCCLURO05AB	RING PENDANT CLUSTER ROUND 5 antique bronze		n/a	variable	ø 370 H variable	ø 320	415	2,300€	 
ACCCLURO05BZ	RING PENDANT CLUSTER ROUND 5 bronze		n/a	variable	ø 370 H variable	ø 320	415	2,300€	 
ACCCLURO05SB	RING PENDANT CLUSTER ROUND 5 satin brass		n/a	variable	ø 370 H variable	ø 320	415	2,300€	 
ACCCLURO06AB	RING PENDANT CLUSTER ROUND 6 antique bronze		n/a	variable	ø 370 H variable	ø 320	415	2,300€	 
ACCCLURO06BZ	RING PENDANT CLUSTER ROUND 6 bronze		n/a	variable	ø 370 H variable	ø 320	415	2,300€	 
ACCCLURO06SB	RING PENDANT CLUSTER ROUND 6 satin brass		n/a	variable	ø 370 H variable	ø 320	415	2,300€	 
ACCCLURO07AB	RING PENDANT CLUSTER ROUND 7 antique bronze		n/a	variable	ø 370 H variable	ø 320	415	2,300€	 
ACCCLURO07BZ	RING PENDANT CLUSTER ROUND 7 bronze		n/a	variable	ø 370 H variable	ø 320	415	2,300€	 
ACCCLURO07SB	RING PENDANT CLUSTER ROUND 7 satin brass		n/a	variable	ø 370 H variable	ø 320	415	2,300€	 
ACCCLURO08AB	RING PENDANT CLUSTER ROUND 8 antique bronze		n/a	variable	ø 450 H variable	ø 390	415	2,750€	 
ACCCLURO08BZ	RING PENDANT CLUSTER ROUND 8 bronze		n/a	variable	ø 450 H variable	ø 390	415	2,750€	 
ACCCLURO08SB	RING PENDANT CLUSTER ROUND 8 satin brass		n/a	variable	ø 450 H variable	ø 390	415	2,750€	 
ACCCLURO09AB	RING PENDANT CLUSTER ROUND 9 antique bronze		n/a	variable	ø 450 H variable	ø 390	415	2,750€	 
ACCCLURO09BZ	RING PENDANT CLUSTER ROUND 9 bronze		n/a	variable	ø 450 H variable	ø 390	415	2,750€	 
ACCCLURO09SB	RING PENDANT CLUSTER ROUND 9 satin brass		n/a	variable	ø 450 H variable	ø 390	415	2,750€	 
ACCCLURO10AB	RING PENDANT CLUSTER ROUND 10 antique bronze		n/a	variable	ø 450 H variable	ø 390	415	2,750€	 
ACCCLURO10BZ	RING PENDANT CLUSTER ROUND 10 bronze		n/a	variable	ø 450 H variable	ø 390	415	2,750€	 
ACCCLURO10SB	RING PENDANT CLUSTER ROUND 10 satin brass		n/a	variable	ø 450 H variable	ø 390	415	2,750€	 

this price doesn't include the pendants


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ACCCLURO03AB-DALIA	RING PENDANT CLUSTER ROUND 3 antique bronze	please specify the required number of shades (3-10) the length of the longest drop (max 6000 mm) the length of the shortest drop (min 300 mm)	n/a	variable	ø 270 H variable	ø 204	415	2,380€	 
ACCCLURO03BZ-DALIA	RING PENDANT CLUSTER ROUND 3 bronze		n/a	variable	ø 270 H variable	ø 204	415	2,380€	 
ACCCLURO03SB-DALIA	RING PENDANT CLUSTER ROUND 3 satin brass		n/a	variable	ø 270 H variable	ø 204	415	2,380€	 
ACCCLURO04AB-DALIA	RING PENDANT CLUSTER ROUND 4 antique bronze		n/a	variable	ø 370 H variable	ø 320	415	2,970€	 
ACCCLURO04BZ-DALIA	RING PENDANT CLUSTER ROUND 4 bronze		n/a	variable	ø 370 H variable	ø 320	415	2,970€	 
ACCCLURO04SB-DALIA	RING PENDANT CLUSTER ROUND 4 satin brass		n/a	variable	ø 370 H variable	ø 320	415	2,970€	 
ACCCLURO05AB-DALIA	RING PENDANT CLUSTER ROUND 5 antique bronze		n/a	variable	ø 370 H variable	ø 320	415	2,970€	 
ACCCLURO05BZ-DALIA	RING PENDANT CLUSTER ROUND 5 bronze		n/a	variable	ø 370 H variable	ø 320	415	2,970€	 
ACCCLURO05SB-DALIA	RING PENDANT CLUSTER ROUND 5 satin brass		n/a	variable	ø 370 H variable	ø 320	415	2,970€	 
ACCCLURO06AB-DALIA	RING PENDANT CLUSTER ROUND 6 antique bronze		n/a	variable	ø 370 H variable	ø 320	415	2,970€	 
ACCCLURO06BZ-DALIA	RING PENDANT CLUSTER ROUND 6 bronze		n/a	variable	ø 370 H variable	ø 320	415	2,970€	 
ACCCLURO06SB-DALIA	RING PENDANT CLUSTER ROUND 6 satin brass		n/a	variable	ø 370 H variable	ø 320	415	2,970€	 
ACCCLURO07AB-DALIA	RING PENDANT CLUSTER ROUND 7 antique bronze		n/a	variable	ø 370 H variable	ø 320	415	2,970€	 
ACCCLURO07BZ-DALIA	RING PENDANT CLUSTER ROUND 7 bronze		n/a	variable	ø 370 H variable	ø 320	415	2,970€	 
ACCCLURO07SB-DALIA	RING PENDANT CLUSTER ROUND 7 satin brass		n/a	variable	ø 370 H variable	ø 320	415	2,970€	 
ACCCLURO08AB-DALIA	RING PENDANT CLUSTER ROUND 8 antique bronze		n/a	variable	ø 450 H variable	ø 390	415	3,420€	 
ACCCLURO08BZ-DALIA	RING PENDANT CLUSTER ROUND 8 bronze		n/a	variable	ø 450 H variable	ø 390	415	3,420€	 
ACCCLURO08SB-DALIA	RING PENDANT CLUSTER ROUND 8 satin brass		n/a	variable	ø 450 H variable	ø 390	415	3,420€	 
ACCCLURO09AB-DALIA	RING PENDANT CLUSTER ROUND 9 antique bronze		n/a	variable	ø 450 H variable	ø 390	415	3,420€	 
ACCCLURO09BZ-DALIA	RING PENDANT CLUSTER ROUND 9 bronze		n/a	variable	ø 450 H variable	ø 390	415	3,420€	 
ACCCLURO09SB-DALIA	RING PENDANT CLUSTER ROUND 9 satin brass		n/a	variable	ø 450 H variable	ø 390	415	3,420€	 
ACCCLURO10AB-DALIA	RING PENDANT CLUSTER ROUND 10 antique bronze		n/a	variable	ø 450 H variable	ø 390	415	3,420€	 
ACCCLURO10BZ-DALIA	RING PENDANT CLUSTER ROUND 10 bronze		n/a	variable	ø 450 H variable	ø 390	415	3,420€	 
ACCCLURO10SB-DALIA	RING PENDANT CLUSTER ROUND 10 satin brass		n/a	variable	ø 450 H variable	ø 390	415	3,420€	 






this price doesn't include the pendants

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ACCCLULO04AB	RING PENDANT CLUSTER LONG 4 antique bronze	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 900 D 116 H variable	W 900 D 116	415	1,060€	CE 
ACCCLULO04BZ	RING PENDANT CLUSTER LONG 4 bronze	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 900 D 116 H variable	W 900 D 116	415	1,060€	CE 
ACCCLULO04SB	RING PENDANT CLUSTER LONG 4 satin brass	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 900 D 116 H variable	W 900 D 116	415	1,060€	CE 





this price doesn't include the pendants  
DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ACCCLULO04AB-DALIA	RING PENDANT CLUSTER LONG 4 antique bronze	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 900 D116 H variable	W 900 D 116	415	1,730€	CE IP20
ACCCLULO04BZ-DALIA	RING PENDANT CLUSTER LONG 4 bronze	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 900 D116 H variable	W 900 D 116	415	1,730€	CE IP20
ACCCLULO04SB-DALIA	RING PENDANT CLUSTER LONG 4 satin brass	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 900 D116 H variable	W 900 D 116	415	1,730€	CE IP20



this price doesn't include the pendants

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ACCCLULO05AB	RING PENDANT CLUSTER LONG 5 antique bronze	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 1700 D 116 H variable	W 1700 D 116	415	1,315€	CE 
ACCCLULO05BZ	RING PENDANT CLUSTER LONG 5 bronze	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 1700 D 116 H variable	W 1700 D 116	415	1,315€	CE 
ACCCLULO05SB	RING PENDANT CLUSTER LONG 5 satin brass	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 1700 D 116 H variable	W 1700 D 116	415	1,315€	CE 







this price doesn't include the pendants  
DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ACCCLULO05BZ-DALIA	RING PENDANT CLUSTER LONG 5 - DALI A antique bronze	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 1700 D 116 H variable	W 1700 D 116	415	1,985€	CE 
ACCCLULO05BZ-DALIA	RING PENDANT CLUSTER LONG 5 - DALI A bronze	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 1700 D 116 H variable	W 1700 D 116	415	1,985€	CE 
ACCCLULO05SB-DALIA	RING PENDANT CLUSTER LONG 5 - DALI A satin brass	please specify the length of the longest and shortest drop (min 150 mm)	n/a	variable	W 1700 D 116 H variable	W 1700 D 116	415	1,985€	CE 














SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	GBP Retail inc VAT	CERTIFICATION
RINWAOABSB-240	RING WALL antique bronze with satin brass detail	n/a	2 x G9 25w max halogen (or 2.3w LED 2700K)	4	W 120 D 130 H 300	W 40 D 15 H 270	n/a	995€	CE  IP20
RINWAOBZSB-240	RING WALL bronze with satin brass detail	n/a	2 x G9 25w max halogen (or 2.3w LED 2700K)	4	W 120 D 130 H 300	W 40 D 15 H 270	n/a	995€	CE  IP20
RINWAOSSN-240	RING WALL satin nickel with satin nickel detail	n/a	2 x G9 25w max halogen (or 2.3w LED 2700K)	4	W 120 D 130 H 300	W 40 D 15 H 270	n/a	995€	CE  IP20
RINWAOSSB-240	RING WALL satin brass with satin brass detail	n/a	2 x G9 25w max halogen (or 2.3w LED 2700K)	4	W 120 D 130 H 300	W 40 D 15 H 270	n/a	995€	CE  IP20










DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	GBP Retail inc VAT	CERTIFICATION
RINWAOABSB-DALIA-240	RING WALL antique bronze with satin brass detail	n/a	2 x G9 25w max halogen (or 2.3w LED 2700K)	4	W 120 D 130 H 300	W 40 D 15 H 270	n/a	1,665€	CE  IP20
RINWAOBZSB-DALIA-240	RING WALL bronze with satin brass detail	n/a	2 x G9 25w max halogen (or 2.3w LED 2700K)	4	W 120 D 130 H 300	W 40 D 15 H 270	n/a	1,665€	CE  IP20
RINWAOSNSN-DALIA-240	RING WALL satin nickel with satin nickel detail	n/a	2 x G9 25w max halogen (or 2.3w LED 2700K)	4	W 120 D 130 H 300	W 40 D 15 H 270	n/a	1,665€	CE  IP20
RINWAOSBSB-DALIA-240	RING WALL satin brass with satin brass detail	n/a	2 x G9 25w max halogen (or 2.3w LED 2700K)	4	W 120 D 130 H 300	W 40 D 15 H 270	n/a	1,665€	CE  IP20






SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	GBP Retail inc VAT	CERTIFICATION
RINWATABSB-240	RING WALL TALL antique bronze with satin brass detail	n/a	4 x G9 25w max halogen (or 2.3w LED 2700K)	7	W 120 D 130 H 540	W 40 D 15 H 505	n/a	2,075€	CE 
RINWATBZSB-240	RING WALL TALL bronze with satin brass detail	n/a	4 x G9 25w max halogen (or 2.3w LED 2700K)	7	W 120 D 130 H 540	W 40 D 15 H 505	n/a	2,075€	CE 
RINWATNSN-240	RING WALL TALL satin nickel with satin nickel detail	n/a	4 x G9 25w max halogen (or 2.3w LED 2700K)	7	W 120 D 130 H 540	W 40 D 15 H 505	n/a	2,075€	CE 
RINWATBSB-240	RING WALL TALL satin brass with satin brass detail	n/a	4 x G9 25w max halogen (or 2.3w LED 2700K)	7	W 120 D 130 H 540	W 40 D 15 H 505	n/a	2,075€	CE 



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	GBP Retail inc VAT	CERTIFICATION
RINWATABSB-DALIA-240	RING WALL TALL antique bronze with satin brass detail	n/a	4 x G9 25w max halogen (or 2.3w LED 2700K)	7	W 120 D 130 H 540	W 40 D 15 H 505	n/a	2,745€	CE 
RINWATBZSB-DALIA-240	RING WALL TALL bronze with satin brass detail	n/a	4 x G9 25w max halogen (or 2.3w LED 2700K)	7	W 120 D 130 H 540	W 40 D 15 H 505	n/a	2,745€	CE 
RINWATSNSN-DALIA-240	RING WALL TALL satin nickel with satin nickel detail	n/a	4 x G9 25w max halogen (or 2.3w LED 2700K)	7	W 120 D 130 H 540	W 40 D 15 H 505	n/a	2,745€	CE 
RINWATBSB-DALIA-240	RING WALL TALL satin brass with satin brass detail	n/a	4 x G9 25w max halogen (or 2.3w LED 2700K)	7	W 120 D 130 H 540	W 40 D 15 H 505	n/a	2,745€	CE 




SKU NUMBER	PRODUCT DESCRIPTION	CORDSET	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
RINTAOABSBDG-240C	RING TABLE antique bronze with satin brass details and dove grey silk shade - 2 pin Euro plug	2000mm cordset with black flex and inline dimmer	1 x E27 60w max halogen (or 8w LED 2700K)	4	ø 300 H 640	n/a	n/a	1,365€	CE IP20
RINTAOABSBDG-240J	RING TABLE antique bronze with satin brass details and dove grey silk shade - Swiss plug	2000mm cordset with black flex and inline dimmer	1 x E27 60w max halogen (or 8w LED 2700K)	4	ø 300 H 640	n/a	n/a	1,365€	CE IP20
RINTAOBZSBDG-240C	RING TABLE bronze with satin brass details and dove grey silk shade - 2 pin Euro plug	2000mm cordset with black flex and inline dimmer	1 x E27 60w max halogen (or 8w LED 2700K)	4	ø 300 H 640	n/a	n/a	1,365€	CE IP20
RINTAOBZSBDG-240J	RING TABLE bronze with satin brass details and dove grey silk shade - Swiss plug	2000mm cordset with black flex and inline dimmer	1 x E27 60w max halogen (or 8w LED 2700K)	4	ø 300 H 640	n/a	n/a	1,365€	CE IP20
RINTAOSBSBDG-240C	RING TABLE satin brass with satin brass details and dove grey silk shade - 2 pin Euro plug	2000mm cordset with black flex and inline dimmer	1 x E27 60w max halogen (or 8w LED 2700K)	4	ø 300 H 640	n/a	n/a	1,365€	CE IP20
RINTAOSBSBDG-240J	RING TABLE satin brass with satin brass details and dove grey silk shade - Swiss plug	2000mm cordset with black flex and inline dimmer	1 x E27 60w max halogen (or 8w LED 2700K)	4	ø 300 H 640	n/a	n/a	1,365€	CE IP20



## ROC

TABLE

The Roc table light takes two forms and two materials and blends them in perfect harmony. Desiring a strong material statement we have combined travertine with antique bronze to showcase a palette of noble materials in this table light which can be used in reception rooms, bedrooms and hospitality spaces.



SKU NUMBER	PRODUCT DESCRIPTION	CORDSET	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ROCTAOTNABNL-240C	ROC TABLE honed travertine base with antique bronze details and natural linen shade 2-pin EU plug	2000mm cordset with black flex and inline dimmer	1 x E27 60w (or 8w 2700k)	13	W 300 D 320 H 880	N/A	N/A	4,300€	CE IP20
ROCTAOTNABNL-240J	ROC TABLE honed travertine base with antique bronze details and natural linen shade Swiss plug	2000mm cordset with black flex and inline dimmer	1 x E27 60w (or 8w 2700k)	13	W 300 D 320 H 880	N/A	N/A	4,300€	CE IP20







## ROMA COLLECTION

PENDANT, WALL


Celebrating the simplicity of line and form, the Roma collection is designed to highlight the noble quality of materials. Its modern silhouette creates a sleek profile which seamlessly highlights a wall or ceiling.



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ROMPEOABHA-240	ROMA PENDANT antique bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 45w max LED 2700K	7.5	ø 1010 H 190	ø 116 H 25	345	4,175€	CE 
ROMPEOBZHA-240	ROMA PENDANT bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 45w max LED 2700K	7.5	ø 1010 H 190	ø 116 H 25	345	4,175€	CE 
ROMPEOSBHA-240	ROMA PENDANT satin brass with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 45w max LED 2700K	7.5	ø 1010 H 190	ø 116 H 25	345	4,175€	CE 

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly







DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
DALI B included - The light will feature a deeper ceiling rose. For use when there is no space in the existing ceiling cavity


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ROMPEOABHA-DALIA-240	ROMA PENDANT antique bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	Integrated LED 45w max LED 2700K	7.5	ø 1010 H 190	ø 116 H 25	345	4,845€	CE IP20
ROMPEOABHA-DALIB-240	ROMA PENDANT antique bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	Integrated LED 45w max LED 2700K	7.5	ø 1010 H 190	ø 140 H 35	355	4,880€	CE IP20
ROMPEOBZHA-DALIA-240	ROMA PENDANT bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	Integrated LED 45w max LED 2700K	7.5	ø 1010 H 190	ø 116 H 25	345	4,845€	CE IP20
ROMPEOBZHA-DALIB-240	ROMA PENDANT bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	Integrated LED 45w max LED 2700K	7.5	ø 1010 H 190	ø 140 H 35	355	4,880€	CE IP20
ROMPEOSBHA-DALIA-240	ROMA PENDANT satin brass with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	Integrated LED 45w max LED 2700K	7.5	ø 1010 H 190	ø 116 H 25	345	4,845€	CE IP20
ROMPEOSBHA-DALIB-240	ROMA PENDANT satin brass with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	Integrated LED 45w max LED 2700K	7.5	ø 1010 H 190	ø 140 H 35	355	4,880€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly






SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ROMWAOABHA-240	ROMA WALL antique bronze with honed alabaster	n/a	integrated LED 9w max LED 2700K	2	W 54 D 85 H 190	W 39 D 77 H 15	n/a	800€	 
ROMWAOBZHA-240	ROMA WALL bronze with honed alabaster	n/a	integrated LED 9w max LED 2700K	2	W 54 D 85 H 190	W 39 D 77 H 15	n/a	800€	 
ROMWAOSBHA-240	ROMA WALL satin brass with honed alabaster	n/a	integrated LED 9w max LED 2700K	2	W 54 D 85 H 190	W 39 D 77 H 15	n/a	800€	 




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the wall cavity  
DALI B included - The light will feature a deeper wall rose. For use when there is no space in the existing wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ROMWAOABHA-DALIA-240	ROMA WALL antique bronze with honed alabaster	n/a	integrated LED 9w max LED 2700K	2	W 54 D 85 H 190	W 39 D 77 H 15	n/a	1,470€	CE IP20
ROMWAOABHA-DALIB-240	ROMA WALL antique bronze with honed alabaster	n/a	integrated LED 9w max LED 2700K	2	W 54 D 95 H 190	ø 116 H 25	n/a	1,505€	CE IP20
ROMWAOBZHA-DALIA-240	ROMA WALL bronze with honed alabaster	n/a	integrated LED 9w max LED 2700K	2	W 54 D 85 H 190	W 39 D 77 H 15	n/a	1,470€	CE IP20
ROMWAOBZHA-DALIB-240	ROMA WALL bronze with honed alabaster	n/a	integrated LED 9w max LED 2700K	2	W 54 D 95 H 190	ø 116 H 25	n/a	1,505€	CE IP20
ROMWAOSBHA-DALIA-240	ROMA WALL satin brass with honed alabaster	n/a	integrated LED 9w max LED 2700K	2	W 54 D 85 H 190	W 39 D 77 H 15	n/a	1,470€	CE IP20
ROMWAOSBHA-DALIB-240	ROMA WALL satin brass with honed alabaster	n/a	integrated LED 9w max LED 2700K	2	W 54 D 95 H 190	ø 116 H 25	n/a	1,505€	CE IP20



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ROMWATABHA-240	ROMA WALL TALL antique bronze with honed alabaster	n/a	integrated LED 9w max LED 2700K	2.5	W 54 D 85 H 280	W 39 D 77 H 15	n/a	865€	CE 
ROMWATABHA44-240	ROMA WALL TALL - IP44 antique bronze with honed alabaster	n/a	integrated LED 9w max LED 2700K	2.5	W 54 D 85 H 280	W 39 D 77 H 15	n/a	1,030€	CE 
ROMWATBZHA-240	ROMA WALL TALL bronze with honed alabaster	n/a	integrated LED 9w max LED 2700K	2.5	W 54 D 85 H 280	W 39 D 77 H 15	n/a	865€	CE 
ROMWATBZHA44-240	ROMA WALL TALL - IP44 bronze with honed alabaster	n/a	integrated LED 9w max LED 2700K	2.5	W 54 D 85 H 280	W 39 D 77 H 15	n/a	1,030€	CE 
ROMWATSBHA-240	ROMA WALL TALL satin brass with honed alabaster	n/a	integrated LED 9w max LED 2700K	2.5	W 54 D 85 H 280	W 39 D 77 H 15	n/a	865€	CE 
ROMWATSBHA44-240	ROMA WALL TALL - IP44 satin brass with honed alabaster	n/a	integrated LED 9w max LED 2700K	2.5	W 54 D 85 H 280	W 39 D 77 H 15	n/a	1,030€	CE 



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the wall cavity  
DALI B included - The light will feature a deeper wall rose. For use when there is no space in the existing wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
ROMWATABHA-DALIA-240	ROMA WALL TALL antique bronze with honed alabaster	n/a	integrated LED 9w max LED 2700K	2.5	W 54 D 85 H 280	W 39 D 77 H 15	n/a	1,535€	CE IP20
ROMWATABHA-DALIB-240	ROMA WALL TALL antique bronze with honed alabaster	n/a	integrated LED 9w max LED 2700K	2.5	W 54 D 95 H 280	ø 116 H 25	n/a	1,570€	CE IP20
ROMWATBZHA-DALIA-240	ROMA WALL TALL bronze with honed alabaster	n/a	integrated LED 9w max LED 2700K	2.5	W 54 D 85 H 280	W 39 D 77 H 15	n/a	1,535€	CE IP20
ROMWATBZHA-DALIB-240	ROMA WALL TALL bronze with honed alabaster	n/a	integrated LED 9w max LED 2700K	2.5	W 54 D 95 H 280	ø 116 H 25	n/a	1,570€	CE IP20
ROMWATSBHA-DALIA-240	ROMA WALL TALL satin brass with honed alabaster	n/a	integrated LED 9w max LED 2700K	2.5	W 54 D 85 H 280	W 39 D 77 H 15	n/a	1,535€	CE IP20
ROMWATSBHA-DALIB-240	ROMA WALL TALL satin brass with honed alabaster	n/a	integrated LED 9w max LED 2700K	2.5	W 54 D 95 H 280	ø 116 H 25	n/a	1,570€	CE IP20







## SASHA

PENDANT

A showstopper which has the same 'quiet luxury' characterised by CTO designs. Developed exclusively by our artisans where crystal like crushed glass is combined with refined metalwork.



SASHA





SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
SASPEOABFG-240	SASHA PENDANT antique bronze with fritted glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	3 x E14 60w max (or 6.5w LED 2700K)	15	ø 600 H 350	ø 116 H 25	425	4,880€	CE 
SASPEOBZFG-240	SASHA PENDANT bronze with fritted glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	3 x E14 60w max (or 6.5w LED 2700K)	15	ø 600 H 350	ø 116 H 25	425	4,880€	CE 
SASPEOSBFG-240	SASHA PENDANT satin brass with fritted glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	3 x E14 60w max (or 6.5w LED 2700K)	15	ø 600 H 350	ø 116 H 25	425	4,880€	CE 

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
SASPEOABFG-DALIA-240	SASHA PENDANT antique bronze with fritted glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	3 x E14 60w max (or 6.5w LED 2700K)	15	ø 600 H 350	ø 116 H 25	425	5,550€	CE IP20
SASPEOBZFG-DALIA-240	SASHA PENDANT bronze with fritted glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	3 x E14 60w max (or 6.5w LED 2700K)	15	ø 600 H 350	ø 116 H 25	425	5,550€	CE IP20
SASPEOSBFG-DALIA-240	SASHA PENDANT satin brass with fritted glass	Supplied with 1000mm drop rod (16mm dia) as standard (adjustable on site)	3 x E14 60w max (or 6.5w LED 2700K)	15	ø 600 H 350	ø 116 H 25	425	5,550€	CE IP20



\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly




## SHARD



PENDANT

The petal like form of the pendant celebrates the angular tendencies of brutalist designs whilst the natural materials bring a softness to an interior. The pure brass pentagon base of the pendant is offered in either an antique bronze or polished nickel finish and can be paired with honed alabaster or artisan tinted glass.






\*Diagrams are not to scale.

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
SHAPEOABBC-240	SHARD PENDANT antique bronze with bronze kiln glass	Supplied with 1000mm drop rod (16 mm dia) as standard (adjustable on site)	integrated LED 22.5w LED 2700K	15	W 650 D 650 H 425	ø 116 H 25	550	4,850€	CE 
SHAPEOPNBG-240	SHARD PENDANT polished nickel with bronze kiln glass	Supplied with 1000mm drop rod (16 mm dia) as standard (adjustable on site)	integrated LED 22.5w LED 2700K	15	W 650 D 650 H 425	ø 116 H 25	550	4,850€	CE 
SHAPEOABHA-240	SHARD PENDANT antique bronze with honed alabaster	Supplied with 1000mm drop rod (16 mm dia) as standard (adjustable on site)	integrated LED 22.5w LED 2700K	15	W 650 D 650 H 425	ø 116 H 25	550	6,500€	CE 
SHAPEOPNHA-240	SHARD PENDANT polished nickel with honed alabaster	Supplied with 1000mm drop rod (16 mm dia) as standard (adjustable on site)	integrated LED 22.5w LED 2700K	15	W 650 D 650 H 425	ø 116 H 25	550	6,500€	CE 



\*Diagrams are not to scale.

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
SHAPEOABBG-DALIA-240	SHARD PENDANT antique bronze with bronze kiln glass	Supplied with 1000mm drop rod (16 mm dia) as standard (adjustable on site)	Integrated LED 22.5w LED 2700K	15	W 650 D 650 H 425	ø 116 H 25	550	5,275€	CE 
SHAPEOPNBG-DALIA-240	SHARD PENDANT polished nickel with bronze kiln glass	Supplied with 1000mm drop rod (16 mm dia) as standard (adjustable on site)	Integrated LED 22.5w LED 2700K	15	W 650 D 650 H 425	ø 116 H 25	550	5,275€	CE 
SHAPEOABHA-DALIA-240	SHARD PENDANT antique bronze with honed alabaster	Supplied with 1000mm drop rod (16 mm dia) as standard (adjustable on site)	Integrated LED 22.5w LED 2700K	15	W 650 D 650 H 425	ø 116 H 25	550	6,925€	CE 
SHAPEOPNHA-DALIA-240	SHARD PENDANT polished nickel with honed alabaster	Supplied with 1000mm drop rod (16 mm dia) as standard (adjustable on site)	Integrated LED 22.5w LED 2700K	15	W 650 D 650 H 425	ø 116 H 25	550	6,925€	CE 






## **STELLA**

TABLE

Classic and sculptural, the Stella table light is a beautifully hand-cast piece of solid sateened brass with a bronze outer surface. A forever piece, it creates a warm ambient glow.

**STELLA**



SKU NUMBER	PRODUCT DESCRIPTION	CORDSET	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
STETAOBZSBDG-240C	STELLA TABLE bronze/satin brass with dove grey shade 2 pin Euro plug	2000mm cordset with black flex and inline dimmer	1 x E27 60w max (or 8w LED 2700K)	5	W 400 D 250 H 640	n/a	n/a	2,390€	CE 
STETAOBZSBDG-240J	STELLA TABLE bronze/satin brass with dove grey shade Swiss plug	2000mm cordset with black flex and inline dimmer	1 x E27 60w max (or 8w LED 2700K)	5	W 400 D 250 H 640	n/a	n/a	2,390€	CE 








## TINTO COLLECTION

PENDANT


Inspired by the gentle incline of Scotland's Tinto Hill and chosen for its ability to cast light downward in a dramatic way, the shallow solid brass shade brings a refined simplicity to an interior.



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TINPEMBZBF-240	TINTO PENDANT MEDIUM bronze shade and black silk braided flex	Supplied with 1000mm flex as standard (adjustable on site)	integrated LED 8w LED 2700K	7	ø 450 H 145	ø 45 H 120	265	1,710€	CE 
TINPEMSBBF-240	TINTO PENDANT MEDIUM satin brass shade and black silk braided flex	Supplied with 1000mm flex as standard (adjustable on site)	integrated LED 8w LED 2700K	7	ø 450 H 145	ø 45 H 120	265	1,710€	CE 

\*supplied with 1000mm flex as standard (adjustable on site), additional flex at 80€ per 1000mm - black silk braided


\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
DALI B included - The light will feature a deeper ceiling rose. For use when there is no space in the existing ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TINPEMBZBF-DALIA-240	TINTO PENDANT MEDIUM bronze shade and black silk braided flex	Supplied with 1000mm flex as standard (adjustable on site)	integrated LED 8w LED 2700K	7	ø 450 H 145	ø 45 H 120	265	1,840€	CE IP20
TINPEMBZBF-DALIB-240	TINTO PENDANT MEDIUM bronze shade and black silk braided flex	Supplied with 1000mm flex as standard (adjustable on site)	integrated LED 8w LED 2700K	7	ø 450 H 145	ø 140 H 35	180	1,875€	CE IP20
TINPEMSBBF-DALIA-240	TINTO PENDANT MEDIUM satin brass shade and black silk braided flex	Supplied with 1000mm flex as standard (adjustable on site)	integrated LED 8w LED 2700K	7	ø 450 H 145	ø 45 H 120	265	1,840€	CE IP20
TINPEMSBBF-DALIB-240	TINTO PENDANT MEDIUM satin brass shade and black silk braided flex	Supplied with 1000mm flex as standard (adjustable on site)	integrated LED 8w LED 2700K	7	ø 450 H 145	ø 140 H 35	180	1,875€	CE IP20

\*supplied with 1000mm flex as standard (adjustable on site), additional flex at 80€ per 1000mm - black silk braided  
\*for customer lengths over 2000mm please contact us directly




SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TINPEMBZBZ-240	TINTO PENDANT MEDIUM bronze shade and bronze details	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w LED 2700K	7	ø 450 H 145	ø 45 H 120	265	1,960€	CE IP20
TINPEMBZSB-240	TINTO PENDANT MEDIUM bronze shade and satin brass details	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w LED 2700K	7	ø 450 H 145	ø 45 H 120	265	1,960€	CE IP20
TINPEMSBBZ-240	TINTO PENDANT MEDIUM satin brass shade and bronze details	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w LED 2700K	7	ø 450 H 145	ø 45 H 120	265	1,960€	CE IP20
TINPEMSBSB-240	TINTO PENDANT MEDIUM satin brass and satin brass details	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w LED 2700K	7	ø 450 H 145	ø 45 H 120	265	1,960€	CE IP20


\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



DALI A



DALI B



DALI A included - For lights that do not require aesthetic alterations, Dali can be fitted inside the ceiling cavity  
DALI B included - The light will feature a deeper ceiling rose. For use when there is no space in the existing ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TINPEMBZBZ-DALIA-240	TINTO PENDANT MEDIUM bronze shade and bronze details	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w LED 2700K	7	ø 450 H 145	ø 45 H 120	265	2,090€	CE IP20
TINPEMBZBZ-DALIB-240	TINTO PENDANT MEDIUM bronze shade and bronze details	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w LED 2700K	7	ø 450 H 145	ø 140 H 35	180	2,125€	CE IP20
TINPEMBZSB-DALIA-240	TINTO PENDANT MEDIUM bronze shade and satin brass details	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w LED 2700K	7	ø 450 H 145	ø 45 H 120	265	2,090€	CE IP20
TINPEMBZSB-DALIB-240	TINTO PENDANT MEDIUM bronze shade and satin brass details	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w LED 2700K	7	ø 450 H 145	ø 140 H 35	180	2,125€	CE IP20
TINPEMSBBZ-DALIA-240	TINTO PENDANT MEDIUM satin brass shade and bronze details	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w LED 2700K	7	ø 450 H 145	ø 45 H 120	265	2,090€	CE IP20
TINPEMSBBZ-DALIB-240	TINTO PENDANT MEDIUM satin brass shade and bronze details	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w LED 2700K	7	ø 450 H 145	ø 140 H 35	180	2,125€	CE IP20
TINPEMSBSB-DALIA-240	TINTO PENDANT MEDIUM satin brass and satin brass details	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w LED 2700K	7	ø 450 H 145	ø 45 H 120	265	2,090€	CE IP20
TINPEMSBSB-DALIB-240	TINTO PENDANT MEDIUM satin brass and satin brass details	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	integrated LED 8w LED 2700K	7	ø 450 H 145	ø 140 H 35	180	2,125€	CE IP20


\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly







## TORRES COLLECTION


PENDANT, WALL, FLOOR

Torres stands proud in its elevated form. A simple and refined design that showcases truly exquisite metalwork, handcrafted and assembled in the UK.



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TORCEOAB-240	TORRES FLUSH MOUNTED antique bronze	n/a	1 x GU10 9.6w max 2700K LED ONLY	3	ø 200 H 205	ø 64	n/a	1,515€	CE  IP20
TORCEOAB44-240	TORRES FLUSH MOUNTED - IP44 antique bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 64	n/a	1,595€	CE  IP44
TORCEOABHA44-240	TORRES FLUSH MOUNTED - IP44 antique bronze with honed alabaster	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 64	n/a	1,595€	CE  IP44
TORCEOBZ-240	TORRES FLUSH MOUNTED bronze	n/a	1 x GU10 9.6w max 2700K LED ONLY	3	ø 200 H 205	ø 64	n/a	1,515€	CE  IP20
TORCEOBZ44-240	TORRES FLUSH MOUNTED - IP44 bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 64	n/a	1,595€	CE  IP44
TORCEOBZHA44-240	TORRES FLUSH MOUNTED - IP44 bronze with honed alabaster	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 64	n/a	1,595€	CE  IP44
TORCEOPN-240	TORRES FLUSH MOUNTED polished nickel	n/a	1 x GU10 9.6w max 2700K LED ONLY	3	ø 200 H 205	ø 64	n/a	1,515€	CE  IP20
TORCEOPN44-240	TORRES FLUSH MOUNTED - IP44 polished nickel	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 64	n/a	1,595€	CE  IP44







DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TORCEOAB-DALIA-240	TORRES FLUSH MOUNTED antique bronze	n/a	1 x GU10 9.6w max 2700K LED ONLY	3	ø 200 H 205	ø 64	n/a	2,110€	CE 
TORCEOBZ-DALIA-240	TORRES FLUSH MOUNTED antique bronze	n/a	1 x GU10 9.6w max 2700K LED ONLY	3	ø 200 H 205	ø 64	n/a	2,110€	CE 
TORCEOBZHA-DALIA-240	TORRES FLUSH MOUNTED antique bronze with honed alabaster	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 64	n/a	2,110€	CE 
TORCEOBZ-DALIA-240	TORRES FLUSH MOUNTED bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 64	n/a	2,110€	CE 
TORCEOBZHA-DALIA-240	TORRES FLUSH MOUNTED bronze with honed alabaster	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 64	n/a	2,110€	CE
TORCEOPN-DALIA-240	TORRES FLUSH MOUNTED polished nickel	n/a	1 x GU10 9.6w max 2700K LED ONLY	3	ø 200 H 205	ø 64	n/a	2,110€	CE



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TORCETAB-240	TORRES FLUSH MOUNTED TALL antique bronze	n/a	1 x GU10 9.6w max 2700K LED ONLY	6	ø 200 H 700	ø 64	n/a	1,705€	CE  IP20
TORCETAB44-240	TORRES FLUSH MOUNTED TALL - IP44 antique bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 64	n/a	1,785€	CE  IP44
TORCETABHA44-240	TORRES FLUSH MOUNTED TALL - IP44 antique bronze with honed alabaster	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 64	n/a	1,785€	CE  IP44
TORCETBZ-240	TORRES FLUSH MOUNTED TALL bronze	n/a	1 x GU10 9.6w max 2700K LED ONLY	6	ø 200 H 700	ø 64	n/a	1,705€	CE  IP20
TORCETBZ44-240	TORRES FLUSH MOUNTED TALL - IP44 bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 64	n/a	1,785€	CE  IP44
TORCETBZHA44-240	TORRES FLUSH MOUNTED TALL - IP44 bronze with honed alabaster	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 64	n/a	1,785€	CE  IP44
TORCETPN-240	TORRES FLUSH MOUNTED TALL polished nickel	n/a	1 x GU10 9.6w max 2700K LED ONLY	6	ø 200 H 700	ø 64	n/a	1,705€	CE  IP20
TORCETPN44-240	TORRES FLUSH MOUNTED TALL - IP44 polished nickel	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 64	n/a	1,785€	CE  IP44




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TORCETAB-DALIA-240	TORRES FLUSH MOUNTED TALL antique bronze	n/a	1 x GU10 9.6w max 2700K LED ONLY	6	ø 200 H 700	ø 64	n/a	2,270€	CE 
TORCETABHA-DALIA-240	TORRES FLUSH MOUNTED TALL antique bronze with honed alabaster	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 64	n/a	2,270€	CE 
TORCETBZ-DALIA-240	TORRES FLUSH MOUNTED TALL bronze	n/a	1 x GU10 9.6w max 2700K LED ONLY	6	ø 200 H 700	ø 64	n/a	2,270€	CE 
TORCETBZHA-DALIA-240	TORRES FLUSH MOUNTED TALL bronze with honed alabaster	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 64	n/a	2,270€	CE 
TORCETPN-DALIA-240	TORRES FLUSH MOUNTED TALL polished nickel	n/a	1 x GU10 9.6w max 2700K LED ONLY	6	ø 200 H 700	ø 64	n/a	2,270€	CE 



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TORPEOAB-CM-240	TORRES PENDANT - CEILING PLATE antique bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	3	ø 200 H 205	ø 114 H 2	232	1,840€	CE IP20
TORPEOAB44-CM-240	TORRES PENDANT - CEILING PLATE - IP44 antique bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 114 H 2	232	1,945€	CE IP44
TORPEOABHA44-CM-240	TORRES PENDANT - CEILING PLATE - IP44 antique bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 114 H 2	232	1,945€	CE IP44
TORPEOBZ-CM-240	TORRES PENDANT - CEILING PLATE bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	3	ø 200 H 205	ø 114 H 2	232	1,840€	CE IP20
TORPEOBZ44-CM-240	TORRES PENDANT - CEILING PLATE - IP44 bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 114 H 2	232	1,945€	CE IP44
TORPEOBZHA44-CM-240	TORRES PENDANT - CEILING PLATE - IP44 bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 114 H 2	232	1,945€	CE IP44
TORPEOPN-CM-240	TORRES PENDANT - CEILING PLATE polished nickel	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	3	ø 200 H 205	ø 114 H 2	232	1,840€	CE IP20
TORPEOPN44-CM-240	TORRES PENDANT - CEILING PLATE - IP44 polished nickel	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 114 H 2	232	1,945€	CE IP44


\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
 \*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TORPEOAB-CM-DALIA-240	TORRES PENDANT - CEILING PLATE antique bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	3	ø 200 H 205	ø 114 H 2	232	2,460€	CE IP20
TORPEOABHA-CM-DALIA-240	TORRES PENDANT - CEILING PLATE antique bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 114 H 2	232	2,460€	CE IP20
TORPEOBZ-CM-DALIA-240	TORRES PENDANT - CEILING PLATE bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	3	ø 200 H 205	ø 114 H 2	232	2,460€	CE IP20
TORPEOBZHA-CM-DALIA-240	TORRES PENDANT - CEILING PLATE bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 114 H 2	232	2,460€	CE IP20
TORPEOPN-CM-DALIA-240	TORRES PENDANT - CEILING PLATE polished nickel	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	3	ø 200 H 205	ø 114 H 2	232	2,460€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TORPEOAB-CR-240	TORRES PENDANT - CEILING ROSE antique bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	3	ø 200 H 205	ø 116 H 25	250	1,945€	CE 
TORPEOAB44-CR-240	TORRES PENDANT - CEILING ROSE - IP44 antique bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 116 H 25	250	2,055€	CE 
TORPEOABHA44-CR-240	TORRES PENDANT - CEILING ROSE - IP44 antique bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 116 H 25	250	2,055€	CE 
TORPEOBZ-CR-240	TORRES PENDANT - CEILING ROSE bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	3	ø 200 H 205	ø 116 H 25	250	1,945€	CE 
TORPEOBZ44-CR-240	TORRES PENDANT - CEILING ROSE - IP44 bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 116 H 25	250	2,055€	CE 
TORPEOBZHA44-CR-240	TORRES PENDANT - CEILING ROSE - IP44 bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 116 H 25	250	2,055€	CE 
TORPEOPN-CR-240	TORRES PENDANT - CEILING ROSE polished nickel	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	3	ø 200 H 205	ø 116 H 25	250	1,945€	CE 
TORPEOPN44-CR-240	TORRES PENDANT - CEILING ROSE - IP44 polished nickel	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 116 H 25	250	2,055€	CE 

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly




DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TORPEOAB-CR-DALIA-240	TORRES PENDANT - CEILING ROSE antique bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	3	ø 200 H 205	ø 116 H 25	250	2,565€	CE IP20
TORPEOABHA-CR-DALIA-240	TORRES PENDANT - CEILING ROSE antique bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 116 H 25	250	2,565€	CE IP20
TORPEOBZ-CR-DALIA-240	TORRES PENDANT - CEILING ROSE bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	3	ø 200 H 205	ø 116 H 25	250	2,565€	CE IP20
TORPEOBZHA-CR-DALIA-240	TORRES PENDANT - CEILING ROSE bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	ø 200 H 205	ø 116 H 25	250	2,565€	CE IP20
TORPEOPN-CR-DALIA-240	TORRES PENDANT - CEILING ROSE polished nickel	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	3	ø 200 H 205	ø 116 H 25	250	2,565€	CE IP20


\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly





SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TORPETAB-CM-240	TORRES PENDANT TALL - CEILING PLATE antique bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	6	ø 200 H 700	ø 114 H 2	722	2,000€	CE IP20
TORPETAB44-CM-240	TORRES PENDANT TALL - CEILING PLATE - IP44 antique bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 114 H 2	722	2,110€	CE IP44
TORPETABHA44-CM-240	TORRES PENDANT TALL - CEILING PLATE - IP44 antique bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 114 H 2	722	2,110€	CE IP44
TORPETBZ-CM-240	TORRES PENDANT TALL - CEILING PLATE bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	6	ø 200 H 700	ø 114 H 2	722	2,000€	CE IP20
TORPETBZ44-CM-240	TORRES PENDANT TALL - CEILING PLATE - IP44 bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 114 H 2	722	2,110€	CE IP44
TORPETBZHA44-CM-240	TORRES PENDANT TALL - CEILING PLATE - IP44 bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 114 H 2	722	2,110€	CE IP44
TORPETPN-CM-240	TORRES PENDANT TALL - CEILING PLATE polished nickel	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	6	ø 200 H 700	ø 114 H 2	722	2,000€	CE IP20
TORPETPN44-CM-240	TORRES PENDANT TALL - CEILING PLATE - IP44 polished nickel	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 114 H 2	722	2,110€	CE IP44


\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TORPETAB-CM-DALIA-240	TORRES PENDANT TALL - CEILING PLATE antique bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	6	ø 200 H 700	ø 114 H 2	722	2,620€	CE 
TORPETABHA-DALIA-CM-240	TORRES PENDANT TALL - CEILING PLATE antique bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 114 H 2	722	2,620€	CE 
TORPETBZ-CM-DALIA-240	TORRES PENDANT TALL - CEILING PLATE bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	6	ø 200 H 700	ø 114 H 2	722	2,620€	CE 
TORPETBZHA-CM-DALIA-240	TORRES PENDANT TALL - CEILING PLATE bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 114 H 2	722	2,620€	CE 
TORPETPN-CM-DALIA-240	TORRES PENDANT TALL - CEILING PLATE polished nickel	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	6	ø 200 H 700	ø 114 H 2	722	2,620€	CE 

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TORPETAB-CR-240	TORRES PENDANT TALL - CEILING ROSE antique bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	6	ø 200 H 700	ø 116 H 25	745	2,110€	CE IP20
TORPETAB44-CR-240	TORRES PENDANT TALL - CEILING ROSE - IP44 antique bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 116 H 25	745	2,215€	CE IP44
TORPETABHA44-CR-240	TORRES PENDANT TALL - CEILING ROSE - IP44 antique bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 116 H 25	745	2,215€	CE IP44
TORPETBZ-CR-240	TORRES PENDANT TALL - CEILING ROSE bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	6	ø 200 H 700	ø 116 H 25	745	2,110€	CE IP20
TORPETBZ44-CR-240	TORRES PENDANT TALL - CEILING ROSE - IP44 bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 116 H 25	745	2,215€	CE IP44
TORPETBZHA44-CR-240	TORRES PENDANT TALL - CEILING ROSE - IP44 bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 116 H 25	745	2,215€	CE IP44
TORPETPN-CR-240	TORRES PENDANT TALL - CEILING ROSE polished nickel	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	6	ø 200 H 700	ø 116 H 25	745	2,110€	CE IP20
TORPETPN44-CR-240	TORRES PENDANT TALL - CEILING ROSE - IP44 polished nickel	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 116 H 25	745	2,215€	CE IP44



\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
 \*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling rose

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TORPETAB-CR-DALIA-240	TORRES PENDANT TALL - CEILING ROSE antique bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	6	ø 200 H 700	ø 116 H 25	745	2,730€	CE 
TORPETABHA-CR-DALIA-240	TORRES PENDANT TALL - CEILING ROSE antique bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 116 H 25	745	2,730€	CE 
TORPETBZ-CR-DALIA-240	TORRES PENDANT TALL - CEILING ROSE bronze	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	6	ø 200 H 700	ø 116 H 25	745	2,730€	CE 
TORPETBZHA-CR-DALIA-240	TORRES PENDANT TAL - CEILING ROSE bronze with honed alabaster	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x G9 25w max halogen (or 2.3w LED 2700K)	6	ø 200 H 700	ø 116 H 25	745	2,730€	CE 
TORPETPN-CR-DALIA-240	TORRES PENDANT TALL - CEILING ROSE polished nickel	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	1 x GU10 9.6w max 2700K LED ONLY	6	ø 200 H 700	ø 116 H 25	745	2,730€	CE 

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TORWAOAB44-240	TORRES WALL - IP44 antique bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	2	W 200 D 215 H 207	W 25 D 50	n/a	2,055€	CE 
TORWAOABHA44-240	TORRES WALL - IP44 antique bronze with honed alabaster	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	2	W 200 D 215 H 207	W 25 D 50	n/a	2,055€	CE 
TORWAOBZ44-240	TORRES WALL - IP44 bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	2	W 200 D 215 H 207	W 25 D 50	n/a	2,055€	CE 
TORWAOBZHA44-240	TORRES WALL - IP44 bronze with honed alabaster	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	2	W 200 D 215 H 207	W 25 D 50	n/a	2,055€	CE 
TORWAOPN44-240	TORRES WALL - IP44 polished nickel	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	2	W 200 D 215 H 207	W 25 D 50	n/a	2,055€	CE 














DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the body of the light or for IP44 they must be remote mounted

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL BOX DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TORWAOAB-DALIA-240	TORRES WALL - DALI A 240V antique bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	2	W 200 D 215 H 207	W 25 D 50	n/a	2,540€	CE IP20
TORWAOAB44-DALIA-240	TORRES WALL - IP44 DALI A 240V antique bronze								CE IP20
TORWAOABHA-DALIA-240	TORRES WALL - DALI A 240V antique bronze with honed alabaster	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	2	W 200 D 215 H 207	W 25 D 50	n/a	2,540€	CE IP44
TORWAOABHA44-DALIA-240	TORRES WALL - IP44 DALI A 240V antique bronze with honed alabaster	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	2	W 200 D 215 H 207	W 25 D 50	n/a	2,540€	CE IP20
TORWAOBZ-DALIA-240	TORRES WALL - DALI A 240V bronze	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	2	W 200 D 215 H 207	W 25 D 50	n/a	2,540€	CE IP20
TORWAOBZ44-DALIA-240	TORRES WALL - IP44 DALI A 240V bronze								CE IP44
TORWAOBZHA-DALIA-240	TORRES WALL - DALI A 240V bronze with honed alabaster	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	2	W 200 D 215 H 207	W 25 D 50	n/a	2,540€	CE IP20
TORWAOBZHA44-DALIA-240	TORRES WALL - IP44 DALI A 240V bronze with honed alabaster	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	2	W 200 D 215 H 207	W 25 D 50	n/a	2,540€	CE IP44
TORWAOBN-DALIA-240	TORRES WALL - DALI A 240V polished nickel	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	2	W 200 D 215 H 207	W 25 D 50	n/a	2,540€	
TORWAOBN44-DALIA-240	TORRES WALL - IP44 DALI A 240V polished nickel	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	2	W 200 D 215 H 207	W 25 D 50	n/a	2,540€	










SKU NUMBER	PRODUCT DESCRIPTION	CORDSET	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TORFLOBZ-240F	TORRES UPLIGHTER antique bronze - earthed schuko plug	2000mm cordset with black flex and inline dimmer	1 x GU10 6w min 2700K LED ONLY	12	ø 300 H 1750	n/a	n/a	3,270€	CE 
TORFLOBZ-240J	TORRES UPLIGHTER antique bronze - Swiss plug	2000mm cordset with black flex and inline dimmer	1 x GU10 6w min 2700K LED ONLY	12	ø 300 H 1750	n/a	n/a	3,270€	CE 
TORFLOBZHA-240F	TORRES UPLIGHTER antique bronze with alabaster shade earthed schuko plug	2000mm cordset with black flex and inline dimmer	1 x E14 25w max halogen (or 6.5w LED 2700K dimmable)	12	ø 300 H 1750	n/a	n/a	3,270€	CE 
TORFLOBZHA-240J	TORRES UPLIGHTER antique bronze with alabaster shade - Swiss plug	2000mm cordset with black flex and inline dimmer	1 x E14 25w max halogen (or 6.5w LED 2700K dimmable)	12	ø 300 H 1750	n/a	n/a	3,270€	CE 
TORFLOBZ-240F	TORRES UPLIGHTER bronze - earthed schuko plug	2000mm cordset with black flex and inline dimmer	1 x GU10 6w min 2700K LED ONLY	12	ø 300 H 1750	n/a	n/a	3,270€	CE 
TORFLOBZ-240J	TORRES UPLIGHTER bronze - Swiss plug	2000mm cordset with black flex and inline dimmer	1 x GU10 6w min 2700K LED ONLY	12	ø 300 H 1750	n/a	n/a	3,270€	CE 
TORFLOBZHA-240F	TORRES UPLIGHTER bronze with alabaster shade earthed schuko plug	2000mm cordset with black flex and inline dimmer	1 x E14 25w max halogen (or 6.5w LED 2700K dimmable)	12	ø 300 H 1750	n/a	n/a	3,270€	CE 
TORFLOBZHA-240J	TORRES UPLIGHTER bronze with alabaster shade - Swiss plug	2000mm cordset with black flex and inline dimmer	1 x E14 25w max halogen (or 6.5w LED 2700K dimmable)	12	ø 300 H 1750	n/a	n/a	3,270€	CE 
TORFLOPN-240F	TORRES UPLIGHTER polished nickel - earthed schuko plug	2000mm cordset with black flex and inline dimmer	1 x GU10 6w min 2700K LED ONLY	12	ø 300 H 1750	n/a	n/a	3,270€	CE 
TORFLOPN-240J	TORRES UPLIGHTER polished nickel - Swiss plug	2000mm cordset with black flex and inline dimmer	1 x GU10 6w min 2700K LED ONLY	12	ø 300 H 1750	n/a	n/a	3,270€	CE 



## TREVI COLLECTION

PENDANT


Originally inspired by the famous fountain at the Piazza di Trevi, the new multi-arm version features elongated brass or bronze arms composed in a grid like formation that provides light at two or three tiers.



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TREPEIABMO-240	TREVI MULTI PENDANT 10 antique bronze with matt opal glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	10 x E14 25w max (or 4.5w LED 2700K)	9.5	W 640 D 1690 H 640	ø 116 H 25	745	6,405€	CE IP20
TREPEIBZMO-240	TREVI MULTI PENDANT 10 bronze with matt opal glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	10 x E14 25w max (or 4.5w LED 2700K)	9.5	W 640 D 1690 H 640	ø 116 H 25	745	6,405€	CE IP20
TREPEISBMO-240	TREVI MULTI PENDANT 10 satin brass with matt opal glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	10 x E14 25w max (or 4.5w LED 2700K)	9.5	W 640 D 1690 H 640	ø 116 H 25	745	6,405€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 580€ per 1000mm


\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
 DALI B included - The light will feature a deeper ceiling rose. For use when there is no space in the existing ceiling cavity



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TREPEIABMO-DALIA-240	TREVI MULTI PENDANT 10 antique bronze with matt opal glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	10 x E14 25w max (or 4.5w LED 2700K)	9.5	W 640 D 1690 H 640	ø 116 H 25	745	7,075€	CE IP20
TREPEIABMO-DALIB-240	TREVI MULTI PENDANT 10 antique bronze with matt opal glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	10 x E14 25w max (or 4.5w LED 2700K)	9.5	W 640 D 1690 H 640	ø 140 H 35	755	7,110€	CE IP20
TREPEIBZMO-DALIA-240	TREVI MULTI PENDANT 10 bronze with matt opal glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	10 x E14 25w max (or 4.5w LED 2700K)	9.5	W 640 D 1690 H 640	ø 116 H 25	745	7,075€	CE IP20
TREPEIBZMO-DALIB-240	TREVI MULTI PENDANT 10 bronze with matt opal glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	10 x E14 25w max (or 4.5w LED 2700K)	9.5	W 640 D 1690 H 640	ø 140 H 35	755	7,110€	CE IP20
TREPEISBMO-DALIA-240	TREVI MULTI PENDANT 10 satin brass with matt opal glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	10 x E14 25w max (or 4.5w LED 2700K)	9.5	W 640 D 1690 H 640	ø 116 H 25	745	7,075€	CE IP20
TREPEISBMO-DALIB-240	TREVI MULTI PENDANT 10 satin brass with matt opal glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	10 x E14 25w max (or 4.5w LED 2700K)	9.5	W 640 D 1690 H 640	ø 140 H 35	755	7,110€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 580€ per 1000mm  
 \*for customer lengths over 2000mm please contact us directly



SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TREPE6ABMO-240	TREVI MULTI PENDANT 6 antique bronze with matt opal glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	7	W 640 D 1690 H 400	ø 116 H 25	505	4,540€	CE IP20
TREPE6BZMO-240	TREVI MULTI PENDANT 6 bronze with matt opal glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	7	W 640 D 1690 H 400	ø 116 H 25	505	4,540€	CE IP20
TREPE6SBMO-240	TREVI MULTI PENDANT 6 satin brass with matt opal glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	7	W 640 D 1690 H 400	ø 116 H 25	505	4,540€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 580€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
DALI B included - The light will feature a deeper ceiling rose. For use when there is no space in the existing ceiling cavity


SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TREPE6ABMO-DALIA-240	TREVI MULTI PENDANT 6 antique bronze with matt opal glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	7	W 640 D 1690 H 400	ø 116 H 25	505	5,210€	CE IP20
TREPE6ABMO-DALIB-240	TREVI MULTI PENDANT 6 antique bronze with matt opal glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	7	W 640 D 1690 H 400	ø 140 H 35	515	5,245€	CE IP20
TREPE6BZMO-DALIA-240	TREVI MULTI PENDANT 6 bronze with matt opal glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	7	W 640 D 1690 H 400	ø 116 H 25	505	5,210€	CE IP20
TREPE6BZMO-DALIB-240	TREVI MULTI PENDANT 6 bronze with matt opal glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	7	W 640 D 1690 H 400	ø 140 H 35	515	5,245€	CE IP20
TREPE6SBMO-DALIA-240	TREVI MULTI PENDANT 6 satin brass with matt opal glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	7	W 640 D 1690 H 400	ø 116 H 25	505	5,210€	CE IP20
TREPE6SBMO-DALIB-240	TREVI MULTI PENDANT 6 satin brass with matt opal glass	Supplied with 2 x 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	7	W 640 D 1690 H 400	ø 140 H 35	515	5,245€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 580€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly










SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TREPELABMO-240	TREVI PENDANT LARGE antique bronze with matt opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	10	W 1540 D 1010 H 250	ø 116 H 25	360	4,490€	CE IP20
TREPELBZMO-240	TREVI PENDANT LARGE bronze with matt opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	10	W 1540 D 1010 H 250	ø 116 H 25	360	4,490€	CE IP20
TREPELSBMO-240	TREVI PENDANT LARGE satin brass with matt opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	10	W 1540 D 1010 H 250	ø 116 H 25	360	4,490€	CE IP20


\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



DALI A





DALI B



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
DALI B included - The light will feature a deeper ceiling rose. For use when there is no space in the existing ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TREPELABMO-DALIA-240	TREVI PENDANT LARGE antique bronze with matt opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	10	W 1540 D 1010 H 250	ø 116 H 25	360	5,160€	CE IP20
TREPELABMO-DALIB-240	TREVI PENDANT LARGE antique bronze with matt opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	10	W 1540 D 1010 H 250	ø 140 H 35	370	5,195€	CE IP20
TREPELBZMO-DALIA-240	TREVI PENDANT LARGE bronze with matt opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	10	W 1540 D 1010 H 250	ø 116 H 25	360	5,160€	CE IP20
TREPELBZMO-DALIB-240	TREVI PENDANT LARGE bronze with matt opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	6 x E14 25w max (or 4.5w LED 2700K)	10	W 1540 D 1010 H 250	ø 140 H 35	370	5,195€	CE IP20
TREPELSBMO-DALIA-240	TREVI PENDANT LARGE satin brass with matt opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	E14 25w max (or 4.5w LED 2700K)	10	W 1540 D 1010 H 250	ø 116 H 25	360	5,160€	CE IP20
TREPELSBMO-DALIB-240	TREVI PENDANT LARGE satin brass with matt opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	E14 25w max (or 4.5w LED 2700K)	10	W 1540 D 1010 H 250	ø 140 H 35	370	5,195€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly




SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TREPESABMO-240	TREVI PENDANT SMALL antique bronze with matt opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	6	W 1100 D 950 H 265	ø 116 H 25	375	2,930€	CE 
TREPESBZMO-240	TREVI PENDANT SMALL bronze with matt opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	6	W 1100 D 950 H 265	ø 116 H 25	375	2,930€	CE 
TREPESBMO-240	TREVI PENDANT SMALL satin brass with matt opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	6	W 1100 D 950 H 265	ø 116 H 25	375	2,930€	CE 


\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly



DALI A



DALI B



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling cavity  
DALI B included - The light will feature a deeper ceiling rose. For use when there is no space in the existing ceiling cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	CEILING ROSE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
TREPESABMO-DALIA-240	TREVI PENDANT SMALL antique bronze with matt opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	6	W 1100 D 950 H 265	ø 116 H 25	375	3,600€	CE IP20
TREPESABMO-DALIB-240	TREVI PENDANT SMALL antique bronze with matt opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	6	W 1100 D 950 H 265	ø 140 H 35	385	3,635€	CE IP20
TREPESBZMO-DALIA-240	TREVI PENDANT SMALL bronze with matt opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	6	W 1100 D 950 H 265	ø 116 H 25	375	3,600€	CE IP20
TREPESBZMO-DALIB-240	TREVI PENDANT SMALL bronze with matt opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	6	W 1100 D 950 H 265	ø 140 H 35	385	3,635€	CE IP20
TREPESBMO-DALIA-240	TREVI PENDANT SMALL satin brass with matt opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	6	W 1100 D 950 H 265	ø 116 H 25	375	3,600€	CE IP20
TREPESBMO-DALIB-240	TREVI PENDANT SMALL satin brass with matt opal glass	Supplied with 1000mm drop rod (12.7mm dia) as standard (adjustable on site)	3 x E14 25w max (or 4.5w LED 2700K)	6	W 1100 D 950 H 265	ø 140 H 35	385	3,635€	CE IP20

\*supplied with 1000mm drop rod as standard (adjustable on site), additional drop rod at 290€ per 1000mm  
\*for customer lengths over 2000mm please contact us directly





## WHISTLER

WALL

This wall light is made using an exclusive artisan process where crushed glass is formed into a curved shape. Detailed with solid brass finials, the light source is soft and calm.



WHISTLER





SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
WHIWAOFGB44-240	WHISTLER WALL - CAVITY - IP44 - 240V fritted glass with satin brass details	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	W 140 D 125 H 300	W 120 H 126	n/a	1,175€	CE IP44
WHIWAOFGBZ44-240	WHISTLER WALL - CAVITY - IP44 - 240V fritted glass with bronze details	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	W 140 D 125 H 300	W 120 H 126	n/a	1,175€	CE IP44

\*electrical connection is in the in the wall/ceiling cavity









DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
WHIWAOFGB44-DALIA-240	WHISTLER WALL- CAVITY - IP44 - DALI A - 240V fritted glass with satin brass details	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	W 140 D 125 H 300	W 120 H 126	n/a	2,100€	CE 
WHIWAOFGBZ44-DALIA-240	WHISTLER WALL- CAVITY - IP44 - DALI A - 240V fritted glass with bronze details	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	W 140 D 125 H 300	W 120 H 126	n/a	2,100€	CE 



\*electrical connection is in the in the wall/ceiling cavity







SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP – from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
WHIWAOFCSB44-240IC	WHISTLER WALL - INTERNAL - IP44 - 240V fritted glass with satin brass details	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	W 140 D 125 H 300	W 120 H 126	n/a	1,275€	CE 
WHIWAOFGBZ44-240IC	WHISTLER WALL - INTERNAL - IP44 - 240V fritted glass with bronze details	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	W 140 D 125 H 300	W 120 H 126	n/a	1,275€	CE 

\*electrical connection is internally within the product



DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the wall cavity

SKU NUMBER	PRODUCT DESCRIPTION	SUSPENSION TYPE (standard mm)	ILLUMINATION SPECIFICATION	WEIGHT (kg)	WIDTH, DEPTH, HEIGHT OF BODY OF LIGHT FIXTURE (mm)	WALL PLATE DIMENSIONS (mm)	MINIMUM OVERALL DROP - from top of the ceiling rose to the bottom of the light.	RRP - EU	CERTIFICATION
WHIWAOFGB44-DALIA-240IC	WHISTLER WALL- INTERNAL - IP44 DALI A - 240V fritted glass with satin brass details	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	W 140 D 125 H 300	W 120 H 126	n/a	2,200€	CE 
WHIWAOFGBZ44-DALIA-240IC	WHISTLER WALL- INTERNAL - IP44 DALI A - 240V fritted glass with bronze details	n/a	1 x G9 25w max halogen (or 2.3w LED 2700K)	3	W 140 D 125 H 300	W 120 H 126	n/a	2,200€	CE 

\* electrical connection is internally within the product



