

The WORKSHOP

Catalogue

Nov. 2025 - Feb. 2026

All prices quoted include GST.

HARLINGEN®

Huge New Range!

Milling Tools

See page 6.

Lathe Tools

See page 8.

Drilling & Threading

See page 10.

New Range!

geiger™

Workshop Stools

See page 29!

Gas Lift Workshop Stool

- Metal sub-frame
- Faux leather seat cushions
- Removal trays

\$259

PN: GS001

geiger™

2" Surface Preparation Tool Kit

Kit supplied in blow mould case and includes:

- 4 x Fine Abrasive Discs
- 4 x Medium Abrasive Discs
- 4 x Coarse Abrasive Discs
- 4 x 120 Grit Sanding Discs
- 4 x 80 Grit Sanding Discs

Free Speed: 18,000 RPM

Spindle Size: 1/4" - 20

Weight: 0.7 Kg

\$249

PN: GP1220K

NEW!

VARIABLE SPEED SWITCH!

geiger™

Automotive & Hardware Assortment Kits

Metric Nylon Locking Nuts

200 piece kit includes nylon lock nuts in 6 sizes ranging from M4 to M12.

200 PIECE KIT!

\$29

PN: GAK08

NEW RANGE!

More on page 24!

THE BONE™

CREEPERS & STOOLS

MADE in the USA

THE BONE LOW PROFILE

1194L x 648W x 160H MM

Wheels: Ø130 MM x 25 MM

Ground Clearance: 45 MM

Weight: 8 Kg

BACK IN STOCK!

\$599

PN: BONE6031

Full range on page 31.

See full product range at: gamer.com.au

Thread Repair Kit

- Includes 1.5D long Stainless Steel threaded inserts
- HSS tap and twist drill

Replacement Thread Inserts on page 10.

M6 x 1.0 Metric Course
Includes 25 inserts
PN: GTRKM6

\$29

M8 x 1.0 Metric Fine
Includes 25 inserts
PN: GTRKM8F

\$34

M8 x 1.25 Metric Course
Includes 25 inserts
PN: GTRKM8

\$34

M10 x 1.0 Metric Extra Fine
Includes 25 inserts
PN: GTRKM10EF

\$36

M10 x 1.25 Metric Fine
Includes 25 inserts
PN: GTRKM10F

\$36

M10 x 1.5 Metric Course
Includes 25 inserts
PN: GTRKM10

\$36

M12 x 1.25 Metric Extra Fine
Includes 10 inserts
PN: GTRKM12EF

\$42

M12 x 1.5 Metric Fine
Includes 10 inserts
PN: GTRKM12F

\$42

M12 x 1.75 Metric Course
Includes 10 inserts
PN: GTRKM12

\$42

M14 x 1.5 Metric Fine
Includes 10 inserts
PN: GTRKM14F

\$45

M14 x 2.0 Metric Course
Includes 10 inserts
PN: GTRKM14

\$45

3 Piece Step Drill Set

- TiN coated HSS
- Helical flute

Includes:
4-12 MM,
4-20 MM
4-32 MM

\$189

PN: G3SD

Screw Extractor Set

5 piece set is suitable for extracting screws or bolts from 4M to M20.

\$20

PN: GSES

Soluble Cutting Oil

Contains emulsifiers and bactericides specifically formulated to provide excellent stability and rust prevention characteristics in hard water up to 400 ppm (expressed as calcium carbonate).

Mix between 5% to 10% with clean tap water.

1 Litre 5 Litres 20 Litres

\$34

PN: SOLOIL1

\$125

PN: SOLOIL5

\$419

PN: SOLOIL20

Letter Stamp Sets

27 piece set includes A-Z plus "&" character
Made from CRV (6150).



10 mm Stamp Set
PN: GYC601-10

\$119

12 mm Stamp Set
PN: GYC601-12

\$149

16 mm Stamp Set
PN: GYC601-16

\$269

19 mm Stamp Set
PN: GYC601-19

\$309

Alphanumeric Stamp Sets

36 piece set includes 27 "A" to "Z", "&", and 9 Piece 0-8 (6 is used as 9)
Hardness: HRC 58-62°



3 mm Stamp Set
PN: GYC607-3

\$60

4 mm Stamp Set
PN: GYC607-4

\$69

5 mm Stamp Set
PN: GYC607-5

\$86

6 mm Stamp Set
PN: GYC607-6

\$99

8 mm Stamp Set
PN: GYC607-8

\$179

Symbol Stamp Sets

27 piece 6 mm set includes:



New!

\$99

PN: GYC612-6

Number Stamp Sets

9 piece set includes 0 to 8 (6 is used as 9)
Made from CRV (6150).



3 mm Stamp Set
PN: GYC602-3

\$30

4 mm Stamp Set
PN: GYC602-4

\$32

5 mm Stamp Set
PN: GYC602-5

\$39

6 mm Stamp Set
PN: GYC602-6

\$42

8 mm Stamp Set
PN: GYC602-8

\$52

10 mm Stamp Set
PN: GYC602-10

\$62

12 mm Stamp Set
PN: GYC602-12

\$89

16 mm Stamp Set
PN: GYC602-16

\$99

19 mm Stamp Set
PN: GYC602-19

\$129

Single Line Alphanumeric Stamp Sets

Made from S55C High carbon steel, HRC 58-60°.
100 Piece set includes:
9 Character Type Holder, hex wrench, A-Z, 0-9, &, /, - and blank space.

3 mm Stamp Set

\$499

PN: GYC610-3

6 mm Stamp Set

\$609

PN: GYC610-6



Diamond Knurling Tool Holders

3-1 Diamond Knurling Tool Holder

Shank: 20 x 20 x 140 mm
Knurling Pitches:
Fine - 0.8 mm
Medium - 1.2 mm
Coarse - 1.8 mm

\$129

PN: H-11-285-001



Diamond Knurling Tool Holder

Shank: 20 x 12.7 x 100 mm
Knurling Pitch: 1 mm

\$59

PN: H-11-161-003

Metric TiN Coated Tungsten Tap & Die Set

Set Includes Tap & Die Wrenches and the following fine & course metric tap & dies:

M6 x 0.75	M6 x 1.0
M8 x 1.0	M8 x 1.25
M10 x 1.25	M10 x 1.5
M12 x 1.5	M12 x 1.75
M14 x 1.5	M14 x 2.0
M16 x 1.5	M16 x 2.0
M18 x 1.5	M18 x 2.5
M20 x 1.5	M20 x 2.5
M22 x 1.5	M22 x 2.5
M24 x 1.5	M24 x 3.0

\$229
PN: GTDS45



Imperial TiN Coated Tungsten Steel Tap & Die Set

Set Includes Tap & Die Wrenches and the following fine & course metric tap & dies:

Imperial UNF Tap & Dies:	Imperial UNC Tap & Dies:
1/4"-28 UNF	1/4"-20 UNC
5/16"-24 UNF	5/16"-18 UNC
3/8"-24 UNF	3/8"-16 UNC
7/16"-20 UNF	7/16"-14 UNC
1/2"-20 UNF	1/2"-13 UNC
9/16"-18 UNF	9/16"-12 UNC
5/8"-18 UNF	5/8"-11 UNC
3/4"-16 UNF	3/4"-10 UNC
7/8"-14 UNF	7/8"-9 UNC
1"-14 UNF	1"-8 UNC

\$249
PN: GTDS45I



Tungsten Steel Tap & Die Sets

39 Piece Metric / Imperial Tungsten Steel Tap & Die Set

Set Includes: Long Handle & T-Handle Tap Wrench, Long Handle Die Wrench, Metric & Imperial Screw Pitch Gauge

Metric Tap & Dies:	Imperial Tap & Dies:
M3 x 0.5	#4-40 UNC
M4 x 0.7	#6-32 UNC
M5 x 0.8	#8-32 UNC
M6 x 1.0	1/4"-20 UNC
M7 x 1.0	5/16"-18 UNC
M8 x 1.25	3/8"-16 UNC
M10 x 1.5	7/16"-14 UNC
M12 x 1.75	1/2"-13 UNC

NPT Tap & Dies: 1/8"-27 NPT



60 Piece Metric / Imperial Tungsten Steel Tap & Die Set

Set Includes: T-Handle Tap Wrench, Long Handle Tap Wrench, Long Handle Die Wrench, Metric Screw Pitch Gauge, Imperial Screw Pitch Gauge

Metric Tap & Dies:	Imperial Tap & Dies:	
M3 x 0.5	M8 x 1.25	#4-40 UNC 1/4"-28 UNF 7/16"-20 UNF
M4 x 0.7	M9 x 1.25	#6-32 UNC 1/4"-20 UNC 7/16"-14 UNC
M5 x 0.8	M10 x 1.0	#8-32 UNC 5/16"-24 UNF 1/2"-20 UNF
M6 x 1.0	M10 x 1.5	#10-32 UNF 5/16"-18 UNC 1/2"-13 UNC
M7 x 1.0	M12 x 1.75	#10-24 UNC 3/8"-24 UNF
		#12-24 UNC 3/8"-16 UNC

NPT Tap & Dies: 1/8"-27 NPT

\$99
PN: GTDS39



\$149
PN: GTDS60

Screw Extractor Kits

Kit includes left handed HSS-M35 (Cobalt 5%) drill bit & Screw Extractor

M4 PN: GSESM4	\$12
M5 PN: GSESM5	\$14
M6 PN: GSESM6	\$15
M8 PN: GSESM8	\$16
M10-M12 PN: GSESM10-12	\$19



Drill, Tap & Countersink Bits

5-Piece Set

Drive: 1/4" Hex
Sizes: M4 x 0.7, M5 x 0.8, M6 x 1.0, M8 x 1.25, M10 x 1.5
Material: HSS M2
Max. Workpiece Thickness: 5 mm



\$59
PN: GTDS5

CAN BE USED WITH IMPACT DRIVERS

NEW Individual Twin Packs!

Individual Twin Packs

M4 x 0.7 mm PN: GDTDM4	\$24
M5 x 0.8 mm PN: GDTDM5	\$24
M6 x 1.0 mm PN: GDTDM6	\$24
M8 x 1.25 mm PN: GDTDM8	\$29
M10 x 1.5 mm PN: GDTDM10	\$32
M12 x 1.75 mm PN: GDTDM12	\$37

Metric Course Drill & Tap Kits

Kits include HSS Drill and HSS intermediate tap.



M4 x 0.7 PN: GDTKM4	\$15
M5 x 0.8 PN: GDTKM5	\$16
M6 x 1.0 PN: GDTKM6	\$18
M8 x 1.25 PN: GDTKM8	\$20
M10 x 1.5 PN: GDTKM10	\$22
M12 x 1.75 PN: GDTKM12	\$24

VERTEX Drill Tooling



Keyed Drill Chuck

Suitable for milling machines, lathes, drilling machines and woodworking machines.

Capacity: 1-13 mm Mount: JT6 PN: CH13JT6	\$79	Capacity: 1-16 mm Mount: JT6 PN: CH16JT6	\$99
--	-------------	--	-------------



Precision Keyless Chucks

Especially suited to CNC machining centre and milling machine use.

Keyless 13 mm / JT6 Drill Chuck
Accuracy: 0.05 / 50 mm
Length: 105.3 mm (closed)
\$199
PN: VKD102

Keyless 3-16 mm Drill Chuck
Accuracy: 0.05 / 50 mm
Length: 110.3 mm (closed)
\$209
PN: VKD104

Drill Chuck Arbors

MT2 x JT6 Arbor PN: DCAMT2J6	\$29
MT3 x JT6 Arbor PN: DCAMT3J6	\$29
MT4 x JT6 Arbor PN: DCAMT4J6	\$49

Other sizes available.

Drift Slide Hammer

• Made from carbon steel

Length: 375 mm
Weight: 1.3 kg
HRC: 44-48°



\$99
PN: VHD1

Deburring Tools

Deburring Hex Body Handle with Pocket Clip

Aluminium 8 mm Hex body handle with pocket clip & non-replaceable C-10 blade.

\$9

PN: GD86110

6 MM Heavy Duty Quick Release Deburrer

**HEAVY DUTY
M35 HSS
BLADE!**

\$37

PN: GDSRSDMKK

- Ideal for stainless & mild steel
- Removable cap for blade storage

6 mm Heavy Duty Quick Release Handle (GDSRSDMK) with 6 mm heavy duty blade (GDSR10S).

Double Deburrer

- Deburrs both sides of workpiece at same time
- Perfect for sheet metal finishing
- Finger guard

Quick Release Handle with 3.2 MM MC-blades

\$39

PN: GD38333

Includes 3.2 mm Quick Release Handle (GDSRSDMK) with the following Multi-cutting Edge blades:

GDSMC10, GDSMC20, (steel, aluminium, copper, zinc)
GDSMC101 (cast iron, brass)

**REPLACEABLE
BLADES**

\$31

PN: GDDB

Ergonomic Deburring Tool & Blade Set

Quick Release Handle with 10 assorted 3.2 mm blades. Storage for blades in handle.

Set Includes:

3.2 mm **Standard Quick Release Handle** (GDSRSDMK)



Standard 3.2 mm Deburring blades:
2 x **GDSC10** (aluminium, copper, zinc),
2 x **GDSC101** (steel & aluminium),
2 x **GDSC15** (stainless steel & hard plastics),
2 x **GDSC20** (cast iron, brass),
1 x **GDSC30** (aluminium, copper, zinc),
1 x **GDSC35** (aluminium, copper, zinc)

\$53

PN: GD88040

24 Piece Deburring Set

Set includes a comprehensive range of Multi-Component and Quick Release Handles, 2.6, 3.2, & 6 mm Blades, Double Sided, Key-Way, Countersink Blades and a ceramic blade.

**ONLY WHILE
STOCKS LAST!**


HOT PRICE!

\$189

PN: GD88030

Cross Vices

- Gibbed slide ways for slack adjustment
- Travel locks for repetitive work



100 MM Cross Vice

Base: 223 x 130 mm
Overall height: 133 mm
Jaw Size: 103 x 34 mm

\$149

PN: TV144-4

150 MM Cross Vice

Base: 280 x 160 mm
Overall height: 160 mm
Jaw Size: 154 x 44 mm

\$249

PN: TV144-6

Drill Press Vices

- General purpose drill press vice
- Cast body with zinc plated screw



100 MM Drill Press Vice

Base: 177 x 161 mm
Jaw Size: 101 x 23 mm
Jaw opening: 100 mm

\$52

PN: TV102-4

150 MM Drill Press Vice


Base: 238 x 210 mm
Jaw Size: 150 X 28 mm
Jaw opening: 150 mm

\$89

PN: TV102-6

Metal Working Bench Vises

- Integrated anvil & pipe jaws
- Lockable 360° Swivel base



150 MM Bench Vice

Jaw face: 155 x 85 mm
Jaw opening: 150 mm
Weight: 14 Kg

\$379

PN: GBV6

200 MM Bench Vice

Jaw face: 205 x 85 mm
Jaw opening: 200 mm
Weight: 18 Kg



\$489

PN: GBV8

**HEAVY DUTY
CAST STEEL!**

Magnetic Soft Jaws

- Horizontal & vertical vee grooves
- Integrated magnets firmly hold soft jaws in position.



Vise not included.

100 MM

\$19

PN: GMSJ4

125 MM

\$20

PN: GMSJ5

150 MM

\$22

PN: GMSJ6

200 MM

\$29

PN: GMSJ8


Established in the early 1980s in Lodi, Italy, HARLINGEN has evolved into a global powerhouse in the engineering sector, specialising in CNC tooling for the aerospace, automotive and manufacturing industries. Today, HARLINGEN has expanded their range and with strategic fulfillment centres in California and Shanghai. They proudly cater to thousands of clients operating in over 40 countries worldwide.



A full range of individual tool holders, spare parts and accessories are available online.

Coated Micro-Grain Carbide Turning Inserts


- Sold in packs of 10



PN	Shape	Point Radius	Cutting Width	Thickness	
WNMG080404	Trigon	0.4 mm	8 mm	4.76 mm	\$139
WNMG080408	Trigon	0.8 mm	8 mm	4.76 mm	\$139
WCMT06T304	Trigon	0.4 mm	6 mm	3.97 mm	\$129
WNMG060404	Trigon	0.4 mm	6 mm	4.76 mm	\$112
WNMG060408	Trigon	0.8 mm	6 mm	4.76 mm	\$112
WCMT050308	Trigon	0.8 mm	5 mm	3.18 mm	\$139
TCMT090204	Triangle	0.4 mm	9 mm	2.38 mm	\$119
TCMT110204	Triangle	0.4 mm	11 mm	2.38 mm	\$129
TCMT110208	Triangle	0.8 mm	11 mm	2.38 mm	\$129
TCMT16T304	Triangle	0.4 mm	16 mm	3.97 mm	\$119
TCMT16T308	Triangle	0.8 mm	16 mm	3.97 mm	\$119
TPMR160304	Triangle	0.4 mm	16 mm	3.18 mm	\$119
TPMR160308	Triangle	0.8 mm	16 mm	3.18 mm	\$119
TNMG160404	Triangle	0.4 mm	16 mm	4.76 mm	\$119
TNMG160408	Triangle	0.8 mm	16 mm	4.76 mm	\$119
TPMR110304	Triangle	0.4 mm	11 mm	3.18 mm	\$119
TPMR110308	Triangle	0.8 mm	11 mm	3.18 mm	\$119
CCMT09T304	80° Rhomboid	0.4 mm	9 mm	3.97 mm	\$129
CCMT060204	80° Rhomboid	0.4 mm	6 mm	2.38 mm	\$99
CCMT120408	80° Rhomboid	0.8 mm	12 mm	4.76 mm	\$149
CNMG120404	80° Rhomboid	0.4 mm	12 mm	4.76 mm	\$139
CNMG120408	80° Rhomboid	0.8 mm	12 mm	4.76 mm	\$140
DCMT070204	55° Rhomboid	0.4 mm	7 mm	2.38 mm	\$129
DCMT11T304	55° Rhomboid	0.4 mm	11 mm	3.97 mm	\$149
DNMG150404	55° Rhomboid	0.4 mm	15 mm	4.76 mm	\$149
DNMG150408	55° Rhomboid	0.8 mm	15 mm	4.76 mm	\$149

Coated Micro-Grain Carbide Milling Inserts

- Sold in packs of 10



PN	Shape	Point Radius	Cutting Width	Thickness	
APKT100304	Parallelogram	0.4 mm	10 mm	3.53 mm	\$119
APKT160408	Parallelogram	0.8 mm	16 mm	5.3 mm	\$139
TPKN160308	Triangle	0.8 mm	16 mm	3.18 mm	\$129
SEMT1204	Square	N/A	12 mm	4.76 mm	\$139

TiN Coated Carbide GTN Parting & Grooving Inserts

- Suited to general purpose steel
- Sold in packs of 10



Cutting Width	PN	
2 mm	GTN-2	\$89
3 mm	GTN-3	\$89
4 mm	GTN-4	\$119
5 mm	GTN-5	\$139


TiAlN Micro-Grain Carbide MGMN Parting & Grooving Inserts

- Suited to general purpose steel and stainless steel
- Sold in packs of 10



Cutting Width	PN	
2 mm	MGMN200	\$149
3 mm	MGMN300	\$159

TiAlN Micro-Grain Carbide Right Handed Threading Inserts



- Made of micro-grain carbide with TiAlN coating
- Suited to cast iron, general purpose steel and stainless steel
- Sold in packs of 10

Thread Profile	Thread Range	Insert Size	PN	
60° External	0.5 - 1.5 mm	IC 6.35 mm	11ERA60	\$159
60° External	0.5 - 3.0 mm	IC 9.525 mm	16ERAG60	\$159
55° Internal	48 - 8 TPI	IC 9.525 mm	16IRAG55	\$159
60° Internal	0.5 - 3.0 mm	IC 9.525 mm	16IRAG60	\$159
55° External	48 - 16 TPI	IC 6.35 mm	11ERA55	\$159
55° External	48 - 8 TPI	IC 9.525 mm	16ERAG55	\$159

45° SEMT Indexable Carbide Face Mills

- High precision and stock removal rates.
- Swiss SFS high strength insert screws.
- High grade alloy steel (HRC45-HRC48).
- Suitable for light to medium machining of steel and stainless steel.
- Less than 0.02 mm radial & axial run-out.



Diameter	Height	Hole dia.	Included Inserts	PN	
50 mm	40 mm	22 mm	10 x SEMT1204	H-231-56-001	\$379
80 mm	50 mm	27 mm	10 x SEMT1204	H-231-56-003	\$469
100 mm	50 mm	32 mm	10 x SEMT1204	H-231-56-004	\$529

90° APKT Indexable Carbide Nickel Plated Face Mill Sets

- Fitted with coated micro-grain APKT inserts allows high depth of cut and feed. Suitable for square shoulder and face milling of steel, steel alloys, heat resistant steel, stainless steel and as well as cast iron.

Cutter height: 40 mm



Diameter	Pockets	Hole dia.	Included Inserts	PN	
40 mm	4	16 mm	10 x APKT1604	H-11-374-S40-1	\$319
50 mm	5	22 mm	10 x APKT1604	H-11-374-S40-2	\$329
50 mm	5	22 mm	20 x APKT1604	H-11-374-S40	\$389
80 mm	6	27 mm	10 x APKT1604	H-11-374-S40-3	\$549
100 mm	7	32 mm	10 x APKT1604	H-11-374-S40-4	\$599

90° TCMT Indexable Nickel Plated Countersink Set

- Set includes two TCMT tool holders and ten TiAlN micro-grain carbide inserts
- Suited to semi-finishing of steel and stainless steel

Cutting Dia: 16 & 21 mm
Shank Dia: 12 & 20 mm
Length: 85 & 90 mm



\$465
PN: H-11-374-S10

90° TCMT Indexable Nickel Plated Countersinks



- Cut 5 times faster than HSS tools
- Includes TiAlN TCMT carbide inserts
- Suited to semi-finishing of steel & stainless steel

Range: 1-16 mm
Shank: 12 mm
\$129
PN: H-11-132-T10

Range: 6-21 mm
Shank: 20 mm
\$159
PN: H-11-132-T20

Range: 12-32.5 mm
Shank: 25 mm
\$169
PN: H-11-132-T30

TiN Coated Two & Four Flute HSS End Mills

- Weldon shank
- DIN844 Standard



Flutes	Size	Shank Dia.	Flute	Length	PN	
2	3 mm	6 mm	5 mm	49 mm	H-11-048-T001	\$11
2	4 mm	6 mm	7 mm	51 mm	H-11-048-T002	\$11
2	5 mm	6 mm	8 mm	52 mm	H-11-048-T003	\$11
2	6 mm	6 mm	8 mm	52 mm	H-11-048-T004	\$11
2	8 mm	10 mm	11 mm	61 mm	H-11-048-T006	\$15
2	10 mm	10 mm	13 mm	63 mm	H-11-048-T008	\$15
2	12 mm	12 mm	16 mm	73 mm	H-11-048-T010	\$15
2	14 mm	12 mm	16 mm	73 mm	H-11-048-T011	\$27
2	16 mm	16 mm	19 mm	79 mm	H-11-048-T012	\$31
2	20 mm	20 mm	22 mm	88 mm	H-11-048-T014	\$46
4	3 mm	6 mm	8 mm	52 mm	H-11-047-T001	\$11
4	4 mm	6 mm	11 mm	55 mm	H-11-047-T002	\$11
4	5 mm	6 mm	13 mm	57 mm	H-11-047-T003	\$11
4	6 mm	6 mm	13 mm	57 mm	H-11-047-T004	\$11
4	8 mm	10 mm	19 mm	69 mm	H-11-047-T006	\$17
4	10 mm	10 mm	22 mm	72 mm	H-11-047-T008	\$17
4	12 mm	12 mm	26 mm	83 mm	H-11-047-T010	\$22
4	14 mm	12 mm	26 mm	83 mm	H-11-047-T011	\$30
4	16 mm	16 mm	32 mm	92 mm	H-11-047-T012	\$36
4	20 mm	20 mm	38 mm	104 mm	H-11-047-T014	\$52

20 Piece Two & Four Flute TiN Coated HSS End Mill Set

- High speed steel with TiN coating suited to cast iron, general purpose steel and stainless steel
- Center cut geometry
- Weldon shank
- Regular length
- DIN844 Standard

20 Piece set includes two & four flute TiN coated end mills in the following sizes:
3, 4, 5, 6, 8, 10, 12, 14, 16 & 20 mm



\$349
PN: H-522-51-2S1

6 Piece Four Flute TiAlN Coated Solid Carbide End Mill Set

- Made of micrograin carbide with TiAlN coating for general-purpose applications in cast iron, steel, and stainless steel
- Four flute with centre cut
- 30° flute pitch
- H6-6535HA DIN standard.


6 Piece set includes four flute TiAlN coated carbide endmills in the following sizes:
3, 4, 6, 8, 10 & 12 mm



\$299
PN: H-11-190-S07

90° APKT Indexable End Mill Set

- Set includes an APKT tool holder and TiAlN micro-grain carbide inserts
- Suited to semi-finishing of steel and stainless steel



PN: H-11-373-S40

Cutting Dia	Shank Dia	Length	Included Inserts	PN	
14 mm	16 mm	80 mm	20 x APKT1604	H-11-373-S40-1	\$219
16 mm	16 mm	85 mm	20 x APKT1604	H-11-373-S40	\$289
20 mm	20 mm	90 mm	10 x APKT1604	H-11-373-S40-2	\$249
25 mm	25 mm	95 mm	10 x APKT1604	H-11-373-S40-3	\$269

Precision Angle Lock Milling Machine Vises with Swivel Base

- Thrust ball bearing spindle for higher clamping forces
- Angle-lock designed to prevent jaw lift
- Vise body made of high grade cast iron
- Hardened and ground guide surfaces
- Replaceable hardened and ground clamping jaws
- Shielded spindle



Jaw Face	Jaw Opening	Weight	PN	
100 x 32 mm	140 mm	19 Kg	H-40-085-002	\$299
125 x 40 mm	145 mm	23 Kg	H-40-085-004	\$369
160 x 45 mm	160 mm	39 Kg	H-40-085-006	\$469
200 x 50 mm	235 mm	60 Kg	H-40-085-010	\$899

Clamping Kits

- Kits manufactured from high quality quenched and tempered steel with black oxide finish

58 piece Kit includes 24 stud bolts (4 each in length), 75, 100, 125, 150, 175, 200 mm, 4 extension nuts, 6 stepped finger clamps (3 pairs), 6 T-slot nuts, 6 flange nuts, 3 pairs of stepped blocks



150 mm / 6" Tilting Machine Vise

- This machine vise features great rigidity & clamping force and has engraved quadrants on the tilt and swivel axes.

Jaw Face: 160 x 50 mm
Jaw opening: 125 mm
Weight: 39 Kg




\$769

PN: H-40-083-003

150 mm High Precision Modular Vise

- High precision accuracy to 0.01 mm
- Angle-lock designed to prevent jaw lift
- Made of high grade steel alloy
- Height matched

Jaw Face: 150 x 50 mm
Jaw Opening: 200 mm
Overall Length: 420 mm
Hardness: HRC 58-62



\$1499

PN: H-41-089-003

Precision Angle Lock Milling Machine Vises

- Thrust ball bearing spindle for higher clamping forces
- Angle-lock designed to prevent jaw lift
- Vise body made of high grade cast iron
- Hardened and ground guide surfaces
- Replaceable hardened and ground clamping jaws
- Shielded spindle

Jaw Face: 152 x 45 mm
Jaw opening: 230 mm
Weight: 33 Kg



\$989

PN: H-40-085-007H

T-Slot	Stud	PN	
12 mm	M10	H-41-061-001	\$169
7/16"	3/8"	H-42-061-001	\$179
14 mm	M12	H-41-061-002	\$189
15.7 mm	M12	H-41-061-002-1	\$189
16 mm	M14	H-41-061-003	\$199
18 mm	M16	H-41-061-004	\$329
20 mm	M18	H-41-061-005	\$579

Nickel Plated 7 Piece Indexable Negative Rake Lathe Tool Set

NEW!

- Corrosion resistant Nickel Plating

Set includes the following 25 mm tool holders, inserts, torx and hex wrenches:
Left & Right Handed CNMG Tool Holders, Right Handed WNMG Tool Holder, Neutral & Right Handed DNMG Tool Holders, 4 mm Groove Tool Holder and Threading Tool Holder

\$695

PN: H-11-126-T35-1



Nickel Plated WNMG Indexable Turning & Boring Tool Set

NEW!

- Set includes tool holders with TiN coated Micro-Grain Carbide Inserts
- Suited to cast iron, steel and stainless steel

Set includes:
Left & right handed WNMG tool holder, right handed boring bar and 10 x WNMG080404 inserts

20 MM Shank

\$499

PN: H-212-13-S02

25 MM Shank

\$569

PN: H-212-06-S02



Nickel Plated CCMT Boring Bar Set

NEW!

- Set includes boring bars with TiN Micro-Grain Carbide Semi-Finishing CCMT Inserts
- Suited to cast iron, general purpose steel and stainless steel

4 Piece set includes:
8 x 100mm Boring Bar
10 x 125mm Boring Bar
12 x 150mm Boring Bar
16 x 200mm Boring Bar

\$279

PN: H-11-383-T19



Nickel Plated 7 Piece Indexable Lathe Tool Sets

- Corrosion resistant Nickel Plating

Each set includes the following tool holders, inserts, torx and hex wrenches:
Left & Right Handed CCMT Tool Holders
Neutral & Right Handed DCMT Tool Holders
Right Handed WCMT Tool Holder
Grooving Tool Holder & Threading Tool Holder



High Precision Live Center

NEW!

- Max concentricity deviation 0.005 mm
- Needle & thrust bearing design
- Hardened & ground body



High Precision Live Centers


Mount	Max Speed	Max load	Accuracy	PN	
MT2	7000 RPM	200 Kg	0.005 mm	H-41-323-002	\$229
MT3	5000 RPM	500 Kg	0.005 mm	H-41-323-003	\$269
MT4	3800 RPM	800 Kg	0.005 mm	H-41-323-004	\$309
MT5	3000 RPM	2000 Kg	0.01 mm	H-41-323-005	\$459
MT6	2600 RPM	3500 Kg	0.01 mm	H-41-323-006	\$859

High Precision Extended Point Live Centers

Mount	Max Speed	Max load	Accuracy	PN	
MT2	7000 RPM	140 Kg	0.005 mm	H-41-023-002	\$249
MT3	5000 RPM	400 Kg	0.005 mm	H-41-023-003	\$299
MT4	3800 RPM	500 Kg	0.005 mm	H-41-023-004	\$359
MT5	3000 RPM	1200 Kg	0.01 mm	H-41-023-005	\$479

Nickel Plated Threading Tool Holder Set

- Set includes tool holders and four ti-nite coated tungsten carbide inserts for right-handed, internal & external thread cutting
- Suited to cast iron, steel and stainless steel



PN: H-11-300-A45

10 MM Shank 12 MM Shank 16 MM Shank 20 MM Shank

\$299

PN: H-11-126-T15

\$299

PN: H-11-126-T20

\$339

PN: H-11-126-T25

\$399


PN: H-11-126-T30

Ext. Shank	Int. Shank	Thread Pitch	PN	
16 mm	16 mm	60°	H-11-300-A30	\$249
20 mm	20 mm	60°	H-11-300-A40	\$289
25 mm	25 mm	60°	H-11-300-A45	\$329
25 mm	16 mm	55° & 60°	H-11-300-A45-1	\$279

Nickel Plated TCMT Indexable Turning & Boring Tool Set

- Set includes tool holders with TiN coated micro-grain carbide inserts
- Suited to cast iron, steel and stainless steel

Set includes:
Left & Right Handed Positive Rake Tool Holders
Positive Rake Boring Bar
10 x TCMT110204 inserts



12 mm Shank

\$289

PN: H-212-06-S01

16 mm Shank

\$319

PN: H-212-13-S01

Cut-Off & Grooving Lathe Tool Sets

- Corrosion resistant Nickel Plating

Kit includes the following range of tool block, blades and 10 inserts



PN: H-11-262-T30

Block	Blades	Parting Inserts	PN	
12 mm	19 x 2 & 3 mm	GTN-2, GTN-3	H-11-262-T15	\$269
16 mm	26 x 2 & 3 mm	GTN-2, GTN-3	H-11-262-T20	\$299
20 mm	26 x 2 & 3 mm	GTN-2, GTN-3	H-11-262-T30	\$319
25 mm	32 x 4 mm x 2	GTN-4	H-11-262-T35-1	\$399
25 mm	32 x 3, 4 & 5 mm	GTN-3, GTN-4, GTN-5	H-11-262-T35	\$489

Nickel Plated Cut-Off Tool Blades & Blocks

- Corrosion resistant Nickel Plating



Parting Blades


Size	PN	
19 x 2 mm	NCIH19-2	\$59
19 x 3 mm	NCIH19-3	\$59
26 x 2 mm	NCIH26-2	\$59
26 x 3 mm	NCIH26-3	\$59
32 x 3 mm	NCIH32-3	\$99
32 x 4 mm	NCIH32-4	\$99
32 x 5 mm	NCIH32-5	\$99

Parting Blocks

Length	Blade Width	Blade Height	Shank	PN	
56 mm	2-3 mm	19 mm	12 mm	SLTBN12-02	\$89
75 mm	2-3 mm	26 mm	16 mm	SLTBN16-05	\$99
75 mm	2-3 mm	26 mm	20 mm	SLTBN20-05	\$99
75 mm	2-5 mm	32 mm	25 mm	SLTBN25-06	\$129

90° HSS Three Flute Countersinks

- Achieve consistent high quality results and chatterless burr-free operation with unequally spaced flutes
- CBN ground deep flutes for significantly smoother & sharper cutting edges
- Suitable for metal, plastics & non-ferrous materials.



Individual 90° HSS Three Flute Countersinks

NEW!



Size	PN	
6.3 mm	H-11-039-005	\$19
8.3 mm	H-11-039-009	\$19
10.4 mm	H-11-039-012	\$19
12.4 mm	H-11-039-014	\$19
16.5 mm	H-11-039-017	\$29
20.5 mm	H-11-039-019	\$29

90° HSS Three Flute Countersink Set

- Achieve consistent high quality results and chatterless burr-free operation with the latest unequally spaced geometry
- CBN ground deep flutes for significantly smoother & sharper cutting edges
- Suitable for metal, plastics & non-ferrous materials.

6 Piece set includes the following sizes: 6.3, 8.3, 10.4, 12.4, 16.5, 20.5 mm




\$119

PN: H-11-040-S01

90° TiAlN Coated Cobalt/HSS Helical Flute Countersinks Set

NEW!

- The latest unequally spaced helical flute geometry delivers consistent high quality results and chatterless, burr-free operation on stainless steel and a wide range of other materials
- CBN ground deep flutes for significantly smoother & sharper cutting edges
- Helical flutes further reduce vibration and improve surface finish



Unequally spaced flutes
 $A \neq B \neq C$

6 Piece set includes the following sizes: 6.3, 8.3, 10.4, 12.4, 16.5, 20.5 mm

\$229

PN: H-552-14-4S1

Master Thread Repair Kits



- The most reliable and effective tool for thread repair.
- Quickly and permanently restore stripped, worn or damaged threads to their original size, condition and strength.
- Increase the strength and durability of threads in soft materials.

M5 to M12 Master Thread Repair Kit

Set includes: HSS STI taps & drill bits 1.5D Stainless steel wire inserts in the following sizes:
25 x M5 x 0.8, 25 x M6 x 1.0
25 x M8 x 1.25, 25 x M10 x 1.5
10 x M12 x 1.75

\$179

PN: H-11-303-A01

1/4" to 1/2" UNC Master Thread Repair Kit

Set includes: HSS STI taps & drill bits 1.5D Stainless steel wire inserts in the following sizes:
25 x 1/4"-20 UNC, 25 x 5/16"-18 UNC
25 x 3/8"-16 UNC, 25 x 7/16"-14 UNC
10 x 1/2"-13 UNC

\$189

PN: H-12-303-A01UNC

1/4" to 1/2" UNF Master Thread Repair Kit

Set includes: HSS STI taps & drill bits 1.5D Stainless steel wire inserts in the following sizes:
25 x 1/4"-28 UNF, 25 x 5/16"-24 UNF
25 x 3/8"-24 UNF, 25 x 7/16"-20 UNF
10 x 1/2"-20 UNF

\$189

PN: H-12-303-A02UNF

1-13mm HSS Drill Set

- M2-HSS
- 135° split point

25 piece set includes drill bits from 1 to 13 mm in 0.5 mm increments
Material: HSS



\$115

PN: H-512-11-1S1

1-13mm Cobalt/HSS Drill Set

- HSS, Cobalt 5% (M35)
- 135° split point

25 piece set includes drill bits from 1 to 13 mm in 0.5 mm increments.
Material: HSS, Cobalt 5% (M35)



\$169

PN: H-512-11-4S1

Stainless Steel Threaded 1.5D Inserts



Thread Profile	Thread Length	Quantity	PN	
M5 x 0.8	7.5 mm	25	H-11-303-310	\$19
M6 x 1.0	9 mm	25	H-11-303-315	\$19
M8 x 1.0	12 mm	25	H-11-303-321	\$19
M8 x 1.25	12 mm	25	H-11-303-320	\$19
M10 x 1.0	15 mm	25	H-11-303-327	\$19
M10 x 1.25	15 mm	25	H-11-303-326	\$19
M10 x 1.5	15 mm	25	H-11-303-325	\$19
M12 x 1.75	18 mm	10	H-11-303-330	\$19
M12 x 1.25	18 mm	10	H-11-303-331	\$19
M12 x 1.5	18 mm	10	H-11-303-332	\$19
M14 x 1.5	21 mm	10	H-11-303-340	\$19
M16 x 2.0	24 mm	10	H-11-303-342	\$19
1/4"-20 UNC	0.375"	25	H-12-303-310	\$19
5/16"-18 UNC	0.46875"	25	H-12-303-315	\$19
3/8"-16 UNC	0.5625"	25	H-12-303-320	\$19
7/16"-14 UNC	0.65625"	25	H-12-303-325	\$29
1/2"-13 UNC	0.75"	10	H-12-303-330	\$19
1/4"-28 UNF	0.375"	25	H-12-303-350	\$19
5/16"-24 UNF	0.46875"	25	H-12-303-355	\$19
3/8"-24 UNF	0.5625"	25	H-12-303-360	\$19
7/16"-20 UNF	0.65625"	25	H-12-303-365	\$29
1/2"-20 UNF	0.75"	10	H-12-303-370	\$19


170 Piece Cobalt/HSS Twist Drill Set

- HSS, Cobalt 5% (M35)
- 135° split point

170 piece set includes ten sets of:
1.0 to 8.0 mm drill bits in 0.5 mm increments
Five sets of 8.5 to 10.0 mm drill bits in 0.5 mm increments.

\$479

PN: H-11-275-003



Inner & Outer Deburrers

- Suitable for stainless steel, copper, PPR & PVC pipes



6-35 mm
PN: H-10-176-A02
12-54 mm
PN: H-10-170-A01

\$89 ea

Individual Cobalt/HSS Drills

- Individual carded
- HSS, Cobalt 5% (M35)
- 135° split point for sizes above 3 mm



NEW!

HSS Stepped Head Drills

- Individual carded
- 135° split point for sizes above 3 mm
- HSS-M2



NEW!

Individual TiN Coated HSS Spiral Flute Step Drills

- HSS-M2
- Faceted shanks




Range	Steps	PN	
4-12 mm	1	H-11-001B-T01	\$21
4-20 mm	2	H-11-001B-T02	\$29
4-32 mm	2	H-11-001B-T06	\$79

Size	PN	PN
1 mm	H-11-008-LC025	\$5
1.5 mm	H-11-008-LC035	\$5
1.6 mm	H-11-008-LC037	\$5
2 mm	H-11-008-LC045	\$5
2.5 mm	H-11-008-LC055	\$5
2.9 mm	H-11-008-LC063	\$5
3 mm	H-11-008-LC065	\$5
3.3 mm	H-11-008-LC068	\$5
3.5 mm	H-11-008-LC070	\$5
4 mm	H-11-008-LC075	\$6
4.2 mm	H-11-008-LC077	\$6
4.5 mm	H-11-008-LC080	\$6
5 mm	H-11-008-LC085	\$6
5.3 mm	H-11-008-LC088	\$7
5.5 mm	H-11-008-LC090	\$7
6 mm	H-11-008-LC095	\$8
6.5 mm	H-11-008-LC100	\$9
6.8 mm	H-11-008-LC103	\$9
7 mm	H-11-008-LC105	\$9
7.5 mm	H-11-008-LC110	\$10
8 mm	H-11-008-LC115	\$11
8.5 mm	H-11-008-LC120	\$12
8.8 mm	H-11-008-LC123	\$14
9 mm	H-11-008-LC125	\$14
9.5 mm	H-11-008-LC130	\$15
10 mm	H-11-008-LC135	\$16
10.2 mm	H-11-008-LC137	\$16
10.5 mm	H-11-008-LC140	\$17
10.8 mm	H-11-008-LC143	\$18
11 mm	H-11-008-LC145	\$18
11.5 mm	H-11-008-LC150	\$19
12 mm	H-11-008-LC155	\$19
12.5 mm	H-11-008-LC160	\$20
12.8 mm	H-11-008-LC163	\$20
13 mm	H-11-008-LC165	\$20

Size	PN	PN
1.0 mm	H-11-008-WF025A	\$5
1.5 mm	H-11-008-WF035A	\$5
2.0 mm	H-11-008-WF045A	\$5
2.5 mm	H-11-008-WF055A	\$5
3.0 mm	H-11-008-WF065A	\$5
3.5 mm	H-11-008-WF070A	\$5
4.0 mm	H-11-008-WF075A	\$6
4.5 mm	H-11-008-WF080A	\$7
5.0 mm	H-11-008-WF085A	\$8
5.5 mm	H-11-008-WF090A	\$10
6.0 mm	H-11-008-WF095A	\$11
6.5 mm	H-11-008-WF100A	\$12
7.0 mm	H-11-008-WF105A	\$14
7.5 mm	H-11-008-WF110A	\$16
8.0 mm	H-11-008-WF115A	\$19
8.5 mm	H-11-008-WF120A	\$19
9.0 mm	H-11-008-WF125A	\$21
9.5 mm	H-11-008-WF130A	\$22
10.0 mm	H-11-008-WF135A	\$27
10.5 mm	H-11-008-WF140A	\$29
11.0 mm	H-11-008-WF145A	\$31
11.5 mm	H-11-008-WF150A	\$32
12.0 mm	H-11-008-WF155A	\$34
12.5 mm	H-11-008-WF160A	\$35
13.0 mm	H-11-008-WF165A	\$36

1-13mm HSS Stepped Head Drill Set

- Stepped head with 135° split point
- 25 piece set includes drill bits from 1 to 13 mm in 0.5 mm increments
- Material: M2-HSS



\$249

PN: H-512-96-852

TiN Coated HSS-Cobalt Spiral Flute Step Drill Set

- HSS, Cobalt 5% (M35)
- Faceted shanks

Set of 3 includes:
4-12, 4-20, 4-30 mm
Steps: 2 mm



\$169

PN: H-11-001B-S03

1-10mm Cobalt/HSS Left Hand Drill Set

NEW!

- For broken bolt removal
 - HSS, Cobalt 5% (M35)
 - 135° split point
- 10 piece set includes drill bits from 1 to 10 mm

Material:
HSS, Cobalt 5% (M35)

\$69

PN: H-11-012-S05



10 Piece Damaged Bolt Removal Kit

- Removes damaged, stripped or rusted screws, nuts or bolts
- Ideal in tight spaces

Sizes: 9, 10, 11, 12, 13, 14, 15, 16, 17 & 19 mm

\$59

PN: H-60-015-001



HSS Reduced Shank Drill Set

8 piece set includes
13, 14, 15, 16, 18, 20,
22 & 25 mm drills
Drill length: 150 mm
Shank: 13 mm
Material: HSS

\$199

PN: H-11-030-S01



NEW!

Metric HSS Cap Screw Counter-bore Set

6 piece set includes the
following sizes:
M3, M4, M5, M6, M8 & M10
Material: HSS

\$189

PN: H-562-12-1S1



NEW!

Drill Press Vises

- Replaceable precision hardened & ground prisma jaws
- Rolled trapezoidal spindle thread
- High quality cast iron body



Jaw Face	Jaw Opening	Weight	PN
100 x 27 mm	75 mm	3.5 Kg	H-41-074-002
150 x 34 mm	125 mm	7.0 Kg	H-41-074-004
200 x 40 mm	175 mm	10.0 Kg	H-41-074-005

\$99

\$169

\$289

Adjustable Tap & Reamer Wrenches

Range	Length	PN
M1-M12	200 mm	H-11-102-003
M5-M20	380 mm	H-11-102-005
M13-M32	720 mm	H-11-102-007

\$19

\$39

\$109

Meets DIN1814 standards



T-Handle Tap Wrenches

Forward, Locked & Reverse Ratchet
Slidable T-handle

Range	Length	PN
M5-M12	110 mm	H-11-104-004
M3-M10	250 mm	H-11-104-005
M5-M12	300 mm	H-11-104-006

\$33

\$39

\$39



HSS Plug Tap & Twist Drill Set

15 piece set includes
Tapping Wrench and
the following
drills and taps:
M3 x 0.50 mm
M4 x 0.70 mm
M5 x 0.80 mm
M6 x 1.00 mm
M8 x 1.25 mm
M10 x 1.50 mm
M12 x 1.75 mm

\$99

PN: H-542-36-S01



45 Piece Metric HSS Tap & Die Set

45 Piece M2-HSS set includes long handle
& T-handle tap wrenches, long handle die
wrench, die adapter, screwdriver and tap &
dies in the following sizes:

Fine

M6 x 0.75 mm
M8 x 1.0 mm
M10 x 1.25 mm
M12 x 1.5 mm
M14 x 1.5 mm
M16 x 1.5 mm
M18 x 1.5 mm
M20 x 1.5 mm
M22 x 1.5 mm
M24 x 1.5 mm

Course

M6 x 1.0 mm
M8 x 1.25 mm
M10 x 1.5 mm
M12 x 1.75 mm
M14 x 2.0 mm
M16 x 2.0 mm
M18 x 2.5 mm
M20 x 2.5 mm
M22 x 2.5 mm
M24 x 3.0 mm



NEW!

\$1309

PN: H-11-115-001-M2

150 mm / 6" Fabricated Offset Steel Bench Vice

- Fabricated steel construction for heavy duty metal working applications.

Jaw Face: 150 x 25 mm
Jaw Range: 190 mm
Width: 280 mm
Height: 190 mm
Weight: 22 Kg

\$499

PN: H-732-33-015



Welders Vises

- Copper plated spindle for spatter protection
- High quality cast iron body
- Quick-Release spindle nut

Jaw Face	Size	PN
105 x 35 mm	85 mm	H-40-076-008
135 x 61.5 mm	120 mm	H-40-076-009

\$129

\$169



Round Die Wrenches

- Meets DIN EN22568 & ISO529 standards.

Size	PN
1" / 25 mm	H-12-103-003
1-1/2" / 38 mm	H-12-103-004
2" / 50 mm	H-12-103-005

\$11

\$21

\$29



Intermediate HSS ISO Hand Taps

NEW!

- Suitable for use with steel, stainless steel, cast iron, non-ferrous materials.
- Can be used for machine and hand tapping
- ISO529 standard. M2-HSS



Metric ISO Taps

Size	PN	PN
M3 x 0.5mm	H-541-76-P002	\$13
M4 x 0.7mm	H-541-76-P007	\$13
M5 x 0.8mm	H-541-76-P013	\$19
M6 x 1.0mm	H-541-76-P018	\$19
M6 x 0.75mm	H-541-76-P019	\$19
M7 x 1.0mm	H-541-76-P020	\$24
M8 x 1.25mm	H-541-76-P022	\$24
M8 x 1.0mm	H-541-76-P023	\$24
M9 x 1.25mm	H-541-76-P025	\$24

Metric ISO Taps (Continued)

Size	PN	PN
M10 x 1.5mm	H-541-76-P028	\$24
M10 x 1.25mm	H-541-76-P029	\$24
M10 x 1.0mm	H-541-76-P030	\$24
M12 x 1.75mm	H-541-76-P035	\$29
M12 x 1.5mm	H-541-76-P036	\$29
M12 x 1.25mm	H-541-76-P037	\$29
M14 x 2.0mm	H-541-76-P040	\$39
M14 x 1.5mm	H-541-76-P041	\$39
M16 x 2.0mm	H-541-76-P044	\$39
M16 x 1.5mm	H-541-76-P045	\$39
M18 x 2.5mm	H-541-76-P046	\$42
M18 x 1.5mm	H-541-76-P048	\$42
M20 x 2.5mm	H-541-76-P049	\$47
M20 x 1.5mm	H-541-76-P051	\$47
M22 x 2.5mm	H-541-76-P052	\$58
M22 x 1.5mm	H-541-76-P054	\$58
M24 x 3.0mm	H-541-76-P055	\$74
M24 x 1.5mm	H-541-76-P057	\$74

Imperial ISO Taps

Size	PN	PN
#4 x 40 UNC	H-541-76-P209	\$13
#6 x 32 UNC	H-541-76-P213	\$13
#8 x 32 UNC	H-541-76-P215	\$13
#10 x 24 UNC	H-541-76-P217	\$15
#10 x 32 UNF	H-541-76-P218	\$15
#12 x 24 UNC	H-541-76-P219	\$15
1/4" x 20 UNC	H-541-76-P221	\$19
1/4" x 28 UNF	H-541-76-P222	\$19
5/16" x 18 UNC	H-541-76-P223	\$19
5/16" x 24 UNF	H-541-76-P224	\$19
3/8" x 16 UNC	H-541-76-P225	\$19
3/8" x 24 UNF	H-541-76-P226	\$19
7/16" x 14 UNC	H-541-76-P227	\$22
7/16" x 20 UNF	H-541-76-P228	\$22
1/2" x 13 UNC	H-541-76-P229	\$25
1/2" x 20 UNF	H-541-76-P230	\$25

National ISO Taps

Size	PN	PN
1/8" - 27 NPT	H-12-097-A003	\$19

HSS ISO Round Dies

NEW!

- Suitable for use with steel, stainless steel, cast iron, nonferrous materials.
- Can be used with machine threading or die holder for hand threading.
- M2-HSS



Metric ISO Dies

Size	PN	PN
M3 x 0.5mm	H-11-098-A012	\$14
M4 x 0.7mm	H-11-098-A016	\$14
M5 x 0.8mm	H-11-098-A020	\$14
M6 x 0.75mm	H-11-098-A076	\$16
M6 x 1.0mm	H-11-098-A022	\$16
M7 x 1.0mm	H-11-098-A024	\$16
M8 x 1.0mm	H-11-098-A082	\$20
M8 x 1.25mm	H-11-098-A026	\$20
M9 x 1.25mm	H-11-098-A028	\$20

Metric ISO Dies (Continued)

Size	PN	PN
M10 x 1.0mm	H-11-098-A084	\$24
M10 x 1.25mm	H-11-098-A088	\$24
M10 x 1.5mm	H-11-098-A030	\$27
M12 x 1.25mm	H-11-098-A092	\$29
M12 x 1.5mm	H-11-098-A094	\$29
M12 x 1.75mm	H-11-098-A034	\$33
M14 x 1.5mm	H-11-098-A100	\$38
M14 x 2.0mm	H-11-098-A036	\$42
M16 x 1.5mm	H-11-098-A104	\$55
M16 x 2.0mm	H-11-098-A038	\$58
M18 x 1.5mm	H-11-098-A108	\$55
M18 x 2.5mm	H-11-098-A040	\$58
M20 x 1.5mm	H-11-098-A112	\$55
M20 x 2.5mm	H-11-098-A042	\$64
M22 x 1.5mm	H-11-098-A116	\$79
M22 x 2.5mm	H-11-098-A044	\$64
M24 x 1.5mm	H-11-098-A120	\$89
M24 x 3.0mm	H-11-098-A046	\$99

Imperial ISO Dies

Size	PN	PN
#4 x 40 UNC	H-581-22-108	\$16
#6 x 32 UNC	H-581-22-112	\$16
#8 x 32 UNC	H-581-22-114	\$16
#10 x 24 UNC	H-581-22-116	\$16
#10 x 32 UNF	H-581-22-117	\$16
#12 x 24 UNC	H-581-22-118	\$16
1/4" x 20 UNC	H-581-22-120	\$16
1/4" x 28 UNF	H-581-22-121	\$16
5/16" x 18 UNC	H-581-22-122	\$19
5/16" x 24 UNF	H-581-22-123	\$19
3/8" x 16 UNC	H-581-22-124	\$22
3/8" x 24 UNF	H-581-22-125	\$22
7/16" x 14 UNC	H-581-22-126	\$26
7/16" x 20 UNF	H-581-22-127	\$26
1/2" x 13 UNC	H-581-22-128	\$32
1/2" x 20 UNF	H-581-22-129	\$32


National ISO Dies

Size	PN	PN
1/8" - 27 NPT	H-12-100-A012	\$16



1/4" Shank Double-Cut Carbide Burrs

Standard & Non-ferrous 1/4" Shank Carbide Burrs are available in three head diameters.



Stainless Carbide Burrs also available.

Oval Burrs

Size	Length	PN	Price
1	2"	CBSE1	\$45
3	2 3/8"	CBSE3	\$66
5	2 5/8"	CBSE5	\$89

Radiused Tree Burrs

Size	Length	PN	Price
1	2"	CBSF1	\$45
3	2 1/2"	CBSF3	\$66
5	2 3/4"	CBSF5	\$88

Pointed Tree Burrs

Size	Length	PN	Price
1	2"	CBSG1	\$45
3	2 1/2"	CBSG3	\$66
5	2 3/4"	CBSG5	\$89

Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSA1	\$45
3	2 1/2"	CBSA3	\$66
5	2 3/4"	CBSA5	\$89

End Cut Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSB1	\$45
3	2 1/2"	CBSB3	\$66
5	2 3/4"	CBSB5	\$89

Radiused Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSC1	\$45
3	2 1/2"	CBSC3	\$66
5	2 3/4"	CBSC5	\$89

Ball Burrs

Size	Length	PN	Price
1	2"	CBSD1	\$45
3	2 1/8"	CBSD3	\$66
5	2 1/4"	CBSD5	\$88

Flame Burrs

Size	Length	PN	Price
1	2 3/4"	CBSH1	\$45
3	2 1/2"	CBSH3	\$66
5	3"	CBSH5	\$89

Radiused Cone Burrs

Size	Length	PN	Price
1	2"	CBSL1	\$45
3	3"	CBSL3	\$66
5	3"	CBSL4	\$88

Cone Burrs

Size	Length	PN	Price
1	1 7/8"	CBSM1	\$45
3	2 1/2"	CBSM4	\$66
5	2 3/4"	CBSM5	\$89

Inverted Cone Burrs

Size	Length	PN	Price
1	2"	CBSN1	\$45
3	2 1/8"	CBSN3	\$66
5	2 1/4"	CBSN5	\$88

60° Countersink Burrs

Size	Length	PN	Price
1	2"	CBSJ1	\$45
3	2 1/4"	CBSJ3	\$66
5	2 3/8"	CBSJ5	\$88

90° Countersink Burrs

Size	Length	PN	Price
1	2"	CBSK1	\$45
3	2 1/8"	CBSK3	\$66
5	2 1/8"	CBSK5	\$88

1/4" Extended Carbide Burrs

6" Extended Size 3 Double-Cut Burrs

Shape	PN	Price
Cylinder	CBSA3L6	\$110
End Cut Cylinder	CBSB3L6	\$110
Radiused Cylinder	CBSC3L6	\$110
Ball	CBSD3L6	\$110
Oval	CBSE3L6	\$110
Radiused Tree	CBSF3L6	\$110
Pointed Tree	CBSG3L6	\$110
Radiused Cone	CBSL3L6	\$110

6" Extended Size 3 Non-ferrous Burrs

Shape	PN	Price
Radiused Cylinder	CBSC3L6NF	\$110
Ball	CBSD3L6NF	\$110
Oval	CBSE3L6NF	\$110
Radiused Tree	CBSF3L6NF	\$110
Flame	CBSH3L6NF	\$110

Carbide Burr Sets

1/8" Head Carbide Burr 10 Piece Set

Shank Dia: 1/8"



\$205

PN: CBSET10

3/8" Head Carbide Burr 3 Piece Set

Shank Dia: 1/4"



\$165

PN: CBSET3

1/4" & 3/8" Head Burr 8 Piece Set

Shank Dia: 1/4"



\$339

PN: CBSET8

1/2" Head Carbide Burr 5 Piece Set

Shank Dia: 1/4"



\$365

PN: CBSET5

3/8" Head Non-ferrous Burr 3 Piece Set

Shank Dia: 1/4"



\$195

PN: CBSET3NF

3/8" Head Stainless Burr 3 Piece Set

Shank Dia: 1/4"





\$209

PN: CBSET3INOX

Bolt Removal Kits

The four step extraction kit that enables safe & clean removal of broken studs or screws in confined spaces.



Size	PN	Price
M6	CBSETBRM6	\$105
M8	CBSETBRM8	\$115
M10	CBSETBRM10	\$129
M12	CBSETBRM12	\$139
M14	CBSETBRM14	\$175

morrisflex

NG6 NEXT GENERATION ACCELERATOR

Patent pending geometry and **ACCELERATOR** Coating has shown up to double the rate of stock removal over conventional burrs.*



Cylinder Burrs

Size	Length	PN	Price
3	2 1/2"	CBSA3NG6C	\$85
5	2 3/4"	CBSA5NG6C	\$115

Radiused Tree Burrs

Size	Length	PN	Price
3	2 1/2"	CBSF3NG6C	\$85
5	2 3/4"	CBSF5NG6C	\$115

Radiused Cylinder Burrs

Size	Length	PN	Price
3	2 1/2"	CBSC3NG6C	\$85
5	2 3/4"	CBSC5NG6C	\$115

Ball Burrs

Size	Length	PN	Price
3	2 1/8"	CBSD3NG6C	\$85

* NG6 Coated Burrs should be operated at a minimum of 25,000 RPM.

1/4" Shank Non-ferrous Carbide Burrs

Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSA1NF	\$67
3	2 1/2"	CBSA3NF	\$83
5	2 3/4"	CBSA5NF	\$105

Radiused Cylinder Burrs

Size	Length	PN	Price
1	2"	CBSC1NF	\$66
3	2 1/2"	CBSC3NF	\$83
5	2 3/4"	CBSC5NF	\$105

Ball Burrs

Size	Length	PN	Price
1	2"	CBSD1NF	\$66
3	2 1/8"	CBSD3NF	\$83
5	2 1/4"	CBSD5NF	\$105

Oval Burrs

Size	Length	PN	Price
1	2"	CBSE1NF	\$66
3	2 3/8"	CBSE3NF	\$83
5	2 5/8"	CBSE5NF	\$105

Radiused Cone Burrs

Size	Length	PN	Price
1	2"	CBSL1NF	\$66
3	3"	CBSL3NF	\$83
5	3"	CBSL4NF	\$105

Cone Burrs

Size	Length	PN	Price
3	2 1/2"	CBSM4NF	\$105

Pointed Tree Burrs


Size	Length	PN	Price
1	2"	CBSG1NF	\$66
3	2 1/2"	CBSG3NF	\$83
5	2 3/4"	CBSG5NF	\$105

Radiused Tree Burrs

Size	Length	PN	Price
1	2"	CBSF1NF	\$66
3	2 1/4"	CBSF3NF	\$83
5	2 3/8"	CBSF5NF	\$105

1/8" Carbide Burrs


1/8" Shank Carbide Burrs are available in the following head diameters:



Shape	Size	PN	Price
Cylinder	0	CBSA43	\$29
Cylinder	00	CBSA42	\$29
Radiused Cylinder	0	CBSC41	\$28
Radiused Cylinder	00	CBSC42	\$28
Ball	0	CBSD42	\$28
Oval	0	CBSE41	\$28
Radiused Tree	0	CBSF42	\$28
Pointed Tree	0	CBSG43	\$28
Radiused Cone	0	CBSL42	\$28
Cone Burr	0	CBSM42	\$28

Carbide Burr Operating Guide

These are recommended speeds for **Standard Length Burrs** with no more than a 1/2" overhang from the die-grinder collet. **NG6 Coated Burrs** should be operated at a minimum of 25K. **Extended Burrs** are generally subject to much lower maximum safe speeds.





Full range:
accud.com.au

150 mm Digital Plastic Caliper

New Model!



- Fractional, Metric & Imperial display


Resolution: 0.01 mm / 005"

Accuracy: ± 0.1 mm

PN: AC-117-006-11

\$49

Dual Scale Vernier Calipers



Graduation: 0.02 mm / 01"

Accuracy: $\pm 0.03/01$ "

150 mm Dual Scale Vernier Caliper

PN: AC-120-006-12

\$89

200 mm Dual Scale Vernier Caliper

PN: AC-120-008-12

\$119

300 mm Dual Scale Vernier Caliper

PN: AC-120-012-12

\$229

Dual Scale Digital Calipers

New Model!



USB DATA OUTPUT

Resolution: 0.01 mm
Accuracy: ± 0.03 mm

150 mm Caliper

PN: AC-111-006-10

\$139

200 mm Caliper

PN: AC-111-008-10


\$159

300 mm Caliper

PN: AC-111-012-10

\$269

Splash Proof IP54 Dual Scale Digital Calipers



Resolution: 0.01 mm

Accuracy: ± 0.03 mm

USB DATA OUTPUT

- Highly accurate glass scale
- USB data output

150 mm Dual Scale Splash Proof IP54 Digital Caliper

PN: AC-111-006-11

\$149

200 mm Dual Scale Splash Proof IP54 Digital Caliper

PN: AC-111-008-11


\$199

300 mm Dual Scale Splash Proof IP54 Digital Caliper

PN: AC-111-012-11

\$289

Fractional Metric & Imperial Digital Calipers



Resolution: 0.01 mm, 05", 1/128"
Accuracy: ± 0.03 mm

- IP54 splash proof
- Auto On/Off

150 mm Fractional Imperial Digital Caliper

PN: AC-113-006-11

\$159

200 mm Fractional Imperial Digital Caliper

PN: AC-113-008-11

\$219

300 mm Fractional Imperial Digital Caliper

PN: AC-113-012-11

\$299

Large Screen Rechargeable IP54 Digital Caliper

Rechargeable!



USB DATA OUTPUT

Resolution: 0.01 mm
Accuracy: ± 0.03 mm

- IP54 Ingress Rating
- USB rechargeable with up to 3 months of continuous use between charges

150 mm Caliper

PN: AC-106-006-11

\$139

200 mm Caliper

PN: AC-106-008-11

\$199

300 mm Caliper

PN: AC-106-012-11

\$279

Metric Dial Calipers



150 mm Metric Dial Caliper

Graduation: 0.01 mm
Accuracy: ± 0.03 mm

PN: AC-101-006-11

\$179

200 mm Metric Dial Caliper

Graduation: 0.01 mm
Accuracy: ± 0.03 mm

PN: AC-101-008-11

\$209

300 mm Metric Dial Caliper

Graduation: 0.01 mm
Accuracy: ± 0.04 mm

PN: AC-101-012-11

\$319

Coolant Proof IP67 Dual Scale Digital Calipers



HOT PRICES!

150 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ± 0.03 mm / 01"

PN: AC-112-006-12

\$259

200 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ± 0.03 mm / 01"

PN: AC-112-008-12

\$279


300 mm Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm / 005"
Accuracy: ± 0.03 mm / 01"

PN: AC-112-012-12

\$429

Dual Scale Long Series Digital Calipers



USB DATA OUTPUT

- Functions: zero point, mm / inch, ABS, data preset
- Measures: Inside, Outside

Analogue Versions Available!

600 mm Dual Scale Digital Caliper

Resolution: 0.01 mm / 05"
Accuracy: ± 0.05 mm / 02"
Range: Outside 0-620 mm / 0-24.5"
Inside 20-600 mm / 0-24"
Jaw Reach: 100 mm

PN: AC-118-024-11

\$799

1000 mm Dual Scale Digital Caliper

Resolution: 0.01 mm / 05"
Accuracy: ± 0.08 mm / 03"
Range: Outside 0-1020 mm / 0-40.2"
Inside 20-1000 mm / 0-40"
Jaw Reach: 150 mm

PN: AC-118-040-11

\$1529

Dial Indicators

10 mm Jeweled Bearing Dial Indicator

Graduations: 0.01 mm
Accuracy: 20 µm

- Jeweled Bearing
- Limit hands
- Lug back

PN: AC-222-010-11

\$99



25mm Dial Indicator

Graduations: 0.01 mm
Accuracy: 20 µm

PN: AC-229-025-11

\$129

1" Dial Indicator

Graduation: 0.001"
Accuracy: 0.004"

PN: AC-225-025-11

\$89

25 MM Dual Scale Digital Indicator

Resolution: 0.01 mm / 0.05"
Accuracy: 20 µm

- Functions: zero point, Invert measuring, inch/mm direction, data preset, ABS
- USB data output
- Supplied with flat & lug back

PN: AC-212-025-13

\$229



Indicator Accessories

Magnetic Indicator Mounting Attachment



- Fits AC-212 & AC-222 series indicators
- Kit includes 52.5 mm replacement back plate and magnetic indicator attachment.



Kit includes:
52.5 mm replacement back plate and magnetic indicator attachment.

Size: 60 x 14 mm
Thread: M8 x 1.0 mm

PN: AC-272-020-11

\$49

Metric Indicator Point Extensions

Thread: M2.5x0.45 mm

25 mm - PN: AC-270-000-04

\$19

50 mm - PN: AC-270-000-09

\$19

75 mm - PN: AC-270-000-14

\$19

100 mm - PN: AC-270-000-17

\$25

IMPERIAL SIZES AVAILABLE



Dial Indicators

30 mm Dial Indicator

Graduations: 0.01 mm
Accuracy: ±35 µm

PN: AC-229-030-11

\$159

- 1 mm range per revolution
- Lug and flat back

50 mm Dial Indicator

Graduations: 0.01 mm
Accuracy: ±35 µm

PN: AC-229-050-21

\$339

2" Imperial Dial Indicator

Graduations: 0.001"
Accuracy: 0.008"

PN: AC-225-050-11

\$149



Dial Test Indicators

- Anti-magnetic metal body
- Jeweled bearing
- Carbide stylus
- Includes 4 & 8 mm clamps

0.14 mm Dial Test Indicator

Graduation: 0.001 mm
Accuracy: ±4 µm

PN: AC-261-014-01

\$399

0.80 mm Dial Test Indicator

Graduation: 0.01 mm
Accuracy: ±13 µm

PN: AC-261-008-11

\$139



Dial Bore Gauges



18-35 mm Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.015 mm

PN: AC-251-035-11

\$269

35-60 mm Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.018 mm

PN: AC-251-060-11

\$269

50-160 mm Dial Bore Gauge

Graduations: 0.01 mm
Accuracy: ±0.018 mm

PN: AC-251-160-11

\$269

2-6" Dial Bore Gauge

Graduations: 0.0005"
Accuracy: 0.0009"

PN: AC-252-060-11

\$299



18-160 mm Dial Bore Gauge Set

Range: 18-160mm
Indicating range: 10 mm
Graduations: 0.01 mm
Accuracy:
18-35mm / ±0.015 mm
35-60mm / ±0.018 mm
50-160mm / ±0.018 mm

PN: AC-251-346-13

\$789

Cylinder Liner Height Gauge

Range: -5 to +5 mm
Graduations: 0.01
Accuracy: ±20 µm

- Jeweled Bearing
- Limit hands
- Sturdy metal base



PN: AC-438-010-11

\$279

Dial Indicator & Magnetic Stand Kits

10 mm Dial Indicator with Fine Adjustment Magnetic Stand

Stem hole: Ø4 mm, Ø8 mm, 3/8"
Magnetic Force: 60 kgf
Graduation: 0.01 mm
Accuracy: ±20 µm

PN: AC-280-000-02

\$189



1" Dial Indicator with Fine Adjustment Magnetic Stand

Stem hole: Ø4 mm, Ø8 mm, 3/8"
Magnetic Force: 60 kgf
Graduation: 0.001"
Accuracy: ±20 µm

PN: AC-280-001-02

\$189

Universal Magnetic Stands

Fine Adjustment Magnetic Stand

Stem holes: 8 mm
Magnetic Force: 60 kgf

PN: AC-281-060-01

\$89

Magnetic Stand

Stem holes: 8 mm
Magnetic Force: 60 kgf

PN: AC-281-060-02

\$79

Mini Universal Magnetic Stand

Magnetic Force: 40 kgf
Stem holes: 8 mm
Height: 231 mm
Arm length: 192 mm



PN: AC-286-040-01

\$209

Universal Magnetic Stand

Stem hole: 8 mm
Height: 395 mm
Arm Lengths: 340 mm
Magnetic Force: 80 kgf



PN: AC-282-080-02


\$239

Indicator Centering Mount

Mounts Indicator to chuck to indicate alignment between chuck and cylinders or holes.

PN: AC-269-060-01

\$49





Full range:
accud.com.au

Dual Scale Stainless Rulers



150 mm Dual Scale Stainless Ruler

Graduation: PN: AC-990-006-11
0.5 mm, 1 mm, 1/64",
1/32", 1/16" **\$13**

300 mm Dual Scale Stainless Ruler

Graduation: PN: AC-990-012-11
0.5 mm, 1 mm, 1/64",
1/32", 1/16" **\$20**

600 mm Dual Scale Stainless Ruler

Graduation: PN: AC-990-024-11
0.5 mm, 1 mm, 1/64",
1/32", 1/16" **\$36**

1000 mm Dual Scale Stainless Ruler

Graduation: PN: AC-990-040-11
0.5 mm, 1 mm, 1/64",
1/32", 1/16" **\$56**

Straight Edge Rulers



300 mm Straight Edge Ruler

Graduations: 1 mm PN: AC-991-012-01
Beam Width: 40 mm
Length: 300 mm **\$149**

500 mm Straight Edge Ruler

Graduations: 1 mm PN: AC-991-020-01
Beam Width: 40 mm
Length: 500 mm **\$239**

1000 mm Straight Edge Ruler

Graduations: 1 mm PN: AC-991-040-01
Beam Width: 50 mm
Length: 1000 mm **\$499**

Double Ended Scriber

- Nickel plated with Hardened tips
 - Knurled handle
- Length: 250 mm



PN: AC-995-009-01
\$19

Radius Gauge Sets



- Includes concave & convex gauge for each size

1-7 mm Radius Gauge Set

Range: 1, 1.25, 1.5, 1.75, 2, 2.25, 2.5, 2.75, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7 mm

PN: AC-941-007-34

\$39

7.5-15 mm Radius Gauge Set

Range: 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14, 14.5, 15 mm

PN: AC-941-015-32

\$39


15.5-25 mm Radius Gauge Set

Range: 15.5, 16, 16.5, 17, 17.5, 18, 18.5, 19, 19.5, 20, 21, 22, 23, 24, 25 mm

PN: AC-941-025-30

\$39

Dividers & Calipers



200 mm Inside Spring Caliper


Range: 18-190 mm PN: AC-982-008-01
Length: 200 mm **\$39**

300 mm Inside Spring Caliper

Range: 18-290 mm PN: AC-982-012-01
Length: 300 mm **\$49**

500 mm Inside Spring Caliper

Range: 25-490 mm PN: AC-982-020-01
Length: 500 mm **\$79**



200 mm Spring Divider

Range: 0-190 mm PN: AC-985-008-01
Length: 200 mm **\$39**

300 mm Spring Divider

Range: 0-290 mm PN: AC-985-012-01
Length: 300 mm **\$49**

500 mm Spring Divider

Range: 0-490 mm PN: AC-985-020-01
Length: 500 mm **\$79**



200 mm Outside Spring Caliper


Range: 0-190 mm PN: AC-984-008-01
Length: 200 mm **\$39**

300 mm Outside Spring Caliper

Range: 0-290 mm PN: AC-984-012-01
Length: 300 mm **\$49**

500 mm Outside Spring Caliper

Range: 0-490 mm PN: AC-984-020-01
Length: 500 mm **\$79**



200 mm Dividing Caliper

Range: 0-190 mm PN: AC-986-008-01
Length: 200 mm **\$39**

300 mm Dividing Caliper

Range: 0-290 mm PN: AC-986-012-01
Length: 300 mm **\$49**

500 mm Dividing Caliper

Range: 0-490 mm PN: AC-986-020-01
Length: 500 mm **\$69**

Wide Base Machinist Squares (Grade 2)

100 mm Wide Base Machinist Square

Squareness: (α) 28 μm (β): 30 μm
Base size: 19H x 12W x 70L mm
Blade Thickness: 3 mm

PN: AC-845-004-02

\$39

150 mm Wide Base Machinist Square

Squareness: (α) 33 (β): 35 μm
Base size: 25H x 16W x 100L mm
Blade Thickness: 3 mm

PN: AC-845-006-02

\$59

200 mm Wide Base Machinist Square

Squareness: (α) 37 μm (β): 40 μm
Base size: 32H x 16W x 130L mm
Blade Thickness: 4 mm

PN: AC-845-008-02

\$69

300 mm Wide Base Machinist Square

Squareness: (α) 47 μm (β): 50 μm
Base size: 32H x 19W x 200L mm
Blade Thickness: 4 mm

PN: AC-845-012-02

\$99

600 mm Wide Base Machinist Square


Squareness: (α) 75 μm (β): 80 μm
Base size: 50H x 30W x 350L mm
Blade Thickness: 6 mm

PN: AC-845-024-02

\$389



Thread Gauge Sets



Metric & Whitworth Thread Gauge

Metric 60° Range: 0.25-6.0 mm
Whitworth 55° Range: 4-62 TPI

PN: AC-925-062-52

\$39

Metric Thread Gauge

Metric 60° Range: 0.25 - 6.0 mm

PN: AC-922-006-24

\$29

Whitworth Thread Gauge

Whitworth 55° Range: 4-42 TPI

PN: AC-924-042-30

\$29

Circumference Tape



60-950 mm Circumference Tape

Range: Dia. 20-300 mm / Cir. 60-950 mm
Graduation: 0.1 mm

PN: AC-956-012-11

\$42

940-2200 mm Circumference Tape

Range: Dia. 300-700 mm / Cir. 940-2200 mm
Graduation: 0.1 mm

PN: AC-956-028-11

\$59

2190-3460 mm Circumference Tape

Range: Dia. 700-1100 mm / Cir. 2190-3460 mm
Graduation: 0.1 mm

PN: AC-956-044-11

\$79

Metric Outside Micrometers



**SIZES AVAILABLE
UP TO 1000 mm**

- Carbide measuring faces
- Setting standard included
- Ratchet stop

25 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-001-01
Accuracy: 4 µm
Jaw Reach: 29 mm **\$79**

50-75 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-003-01
Accuracy: 5 µm
Jaw Reach: 53 mm **\$95**

100-125 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-005-01
Accuracy: 6 µm
Jaw Reach: 65 mm **\$129**

25-50 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-002-01
Accuracy: 4 µm
Jaw Reach: 39 mm **\$89**

75-100 mm Outside Micrometer

Graduation: 0.01 mm PN: AC-321-004-01
Accuracy: 5 µm
Jaw Reach: 65 mm **\$99**

Imperial Outside Micrometers



**SIZES AVAILABLE
UP TO 40"**

- Carbide measuring faces
- Setting standard included
- Ratchet stop

1" Outside Micrometer

Graduation: 0.0001" PN: AC-324-001-01
Accuracy: ±0.00015"
Jaw Reach: 29 mm **\$79**

2-3" Outside Micrometer

Graduation: 0.0001" PN: AC-324-003-01
Accuracy: ±0.0002"
Jaw Reach: 53 mm **\$110**

4-5" Outside Micrometer

Graduation: 0.0001" PN: AC-324-005-01
Accuracy: ±0.00025"
Jaw Reach: 65 mm **\$149**

1-2" Outside Micrometer

Graduation: 0.0001" PN: AC-324-002-01
Accuracy: ±0.00015"
Jaw Reach: 39 mm **\$89**

3-4" Outside Micrometer

Graduation: 0.0001" PN: AC-324-004-01
Accuracy: ±0.0002"
Jaw Reach: 53 mm **\$119**

Micrometer Sets

- Supplied with Calibration certificate



**IMPERIAL SETS
AVAILABLE**

150-300 mm Micrometer 6 Piece Set

Set of 6 Micrometers
Range: 150-300 mm PN: AC-321-012-06
Graduation: 0.01 mm
Accuracy: ± 4-6 µm **\$1239**

75 mm Micrometer 3 Piece Set

Set of 3 Micrometers
Range: 0-75 mm PN: AC-321-003-03
Graduation: 0.01 mm
Accuracy: 5 µm **\$229**

100 mm Micrometer 4 Piece Set

Set of 4 Micrometers
Range: 0-100 mm PN: AC-321-004-04
Graduation: 0.01 mm
Accuracy: ± 4-5 µm **\$369**

150 mm Micrometer 6 Piece Set

Set of 6 Micrometers
Range: 0-150 mm PN: AC-321-006-06
Graduation: 0.01 mm
Accuracy: ± 4-6 µm **\$599**

300 mm Micrometer 12 Piece Set

Set of 12 Micrometers
Range: 0-300 mm PN: AC-321-012-12
Graduation: 0.01 mm
Accuracy: ± 4-6 µm **\$1719**

Coolant Proof Digital Micrometers



- Functions: mm/inch, Origin, zero point, ABS, Hold
- IP65 protection level
 - Carbide measuring faces
 - Ratchet stop.

25 mm Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 0.01 mm PN: AC-313-001-01
Accuracy: 3 µm
Jaw Reach: 25 mm **\$259**

25-50 mm Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 0.01 mm PN: AC-313-002-01
Accuracy: 3 µm
Jaw Reach: 32 mm **\$279**

3 Piece Measuring Tool Set

150 mm Digital Caliper

Resolution: 0.01 mm
Accuracy: ±0.03 mm

25 mm Outside Micrometer

Graduation: 0.01 mm
Accuracy: 4 µm

Beveled Square

Size: 100 x 70 mm
DIN875 grade 0
Squareness: 7 µm



PN: AC-280-000-13

\$299

Micrometer Stand



Micrometer not included.

PN: AC-381-000-00

\$59

Tubular Inside Micrometer Sets



- Carbide measuring faces

50-300 mm Metric Tubular Inside Micrometer Set

Head Range: 13 mm PN: AC-352-012-01
Graduation: 0.01 mm **\$399**

50-600 mm Metric Tubular Inside Micrometer Set

Head Range: 13 mm PN: AC-352-024-01
Graduation: 0.01 mm **\$499**

Telescopic Gauge Set

Handle lengths: 115-137 mm
Gauge sizes: 8-12.7 mm, 12.7-19 mm, 19-32 mm, 32-54 mm, 54-90 mm & 90-150 mm



PN: AC-951-006-01

\$89

1/4" Centering Indicator

- For quick and accurate centering in boring and milling set-up
- Jeweled bearing
- Includes with 7 probes



Range: 0-3mm
Graduation: 0.01 mm
Size: 150 x 60 x 33 mm

PN: AC-297-003-11

\$299

300 MM Dual Scale Digital Output Height Gauge

Range: 0-300 mm/0-12"
Resolution: 0.01 mm/0.0005"
Accuracy: ±0.04 mm
Beam Width: 23 mm
External Jaw Reach: 80 mm
Length: 470 mm

PN: AC-181-012-11

\$579

Depth Caliper & Micrometers

25 mm Digital Depth Caliper

- USB data output

Resolution: 0.01 mm
Accuracy: ±0.03 mm

PN: AC-176-001-11

\$159

0-150 mm Micrometer with Captive Anvils

Accuracy: ±3 µm
Base size: 101.5 x 17 mm

PN: AC-392-006-01

\$389

200 mm Digital Depth Caliper

PN: AC-171-008-11

\$199

300 mm Digital Depth Caliper

PN: AC-171-012-11

\$399

500 mm Digital Depth Caliper

PN: AC-171-020-11

\$779

Resolution: 0.01 mm
Accuracy: ±0.03 mm



Full range:
accud.com.au

Contact Tachometer

Rotary Range: 0.5-19,999 rpm
Linear Range: 0.05-1999.9 m/min
Power Supply: 2 x AAA
Weight: 106g

- Includes various coupling attachments

PN: AC-CT900

\$139



Laser Tachometer

Range: 2.5 - 99,999 RPM
Sampling Range: 50 - 500 mm
Power Supply: 2 x AAA
Weight: 106 g

Supplied with
45 cm of 3M™
Reflective Tape.

PN: AC-LT900

\$129



Digital Sound Level Meter

- Fast & Slow display functions, Continuous & Min/Max functions
- Back-lit LCD
- Programmable Exceedence Alarm

Range: 30-130 db
Accuracy: 1.5 db
Resolution: 0.1 db
Weight: 64g

PN: AC-SLM130

\$129



Digital Anemometer

- Temperature & Wind Speed display
- Real-time/Max/Ave functions
- Back-lit LCD
- Unit: m/s, km/h, ft/min, Knots, mph

Range: 0.3-30m/s
Accuracy: $\pm 5\%$
Resolution: 0.1m/s
Weight: 154g

PN: AC-AM30

\$129



Portable Hardness Tester

Resolution: 1 HLD, 1 HV, 1 HB, 0.1 HRC, 0.1 HRB, 1 HS, 1 MPa
Units: HV, HB, HRC, HRB, HS & tensile strength MPa
Accuracy: ± 8 HLD / 0.8 HRC (HLD=800)
Min. sample weight: 5 kg (directly) / 2 kg (supported) / 0.1kg (coupled to plate)
Min. sample thickness: 5 mm
Min. sample diameter: 22 mm
Max. sample roughness: 1.61-Jm(Ra)
Power: 3 x AAA battery
Dimensions: 121 x 68 x 30 mm

PN: AC-HL350

\$899



Concrete Moisture Meter

Range: 0-40%
Resolution: 0.5 %
Accuracy: $\pm 2\%$

PN: AC-WMM900

\$489



Wood Moisture Meter

Temp. Range: -10-60 °C
Humidity Range: 0.1 °C RH
Moisture Range: 2-40/50/60/70%

PN: AC-WMM700

\$99



FN Coating Thickness Gauge

- Measures thickness of non-magnetic coatings on both magnetic and electrically conductive substrates
- V-type probe for cylindrical work pieces

Range: 0 - 1500µm
Resolution: 0.1µm (0-99.9µm) / 1µm (100-1500µm)
Accuracy: 2µm (0-100µm) / 3% (100-1500µm)
Min. measuring area: 25 x 25 mm
Memory: 30 sets

PN: AC-CFN1500B

\$799



Laser Distance & Level Meters

- Functions: Distance, Area, Volume, Indirect distance,
- Maximum & Minimum Memory
 - Laser Sight
 - Built-in Spirit Level
 - IP54 Protection Level
 - Back-light LCD Display
 - Battery Power Indicator
 - 1/4"-20 UNC Tripod Mount

Accuracy: 1.5 mm
Units: Metre/Inch/Foot
Light spot: $\Phi 8$ mm @ 40 m
Memory: 20 data points
Power: 2 x AAA
Weight: 110 g

HOT PRICE!

40 Meter Range

PN: AC-TM40

\$129



100 Meter Range

PN: AC-TM100

\$279



Dual Scale Digital Temperature & Humidity Monitor



- Measuring Unit °C/°F
- Records Max. & min. temperature & humidity
- Time, Date & Month display
- 12 or 24 hr display modes
- Water proof IP67 Probe

Temperature Range: Indoor: -5 to 70°C
Humidity Range: 10% RH - 99% RH
Power supply: 1 x AAA (1.5V)
Probe length: 95 cm
Size 120H x 98W x 21T mm

PN: AC-HTC-70

\$59

Infrared Thermometers & Imaging



- Functions: Min/Max. & Average Differential indication, High & Low Temp. Alarm & 100 Sample Point Memory
- Adjustable Emission Compensation
 - Battery Power Indicator
 - Mutable sample capture alarm
 - Back-light LCD Display
 - 1/4"-20 UNC Tripod Mount
 - Laser Sight

950° Infrared Thermometer

Range: -50 to 950 °C
Accuracy: 1.5% or 1.5 °
Distance spot ratio: 12:1

PN: AC-IT700

\$189

1650°C Infrared Thermometer

Range: -50 to 1650 °C
Accuracy: 1.5% or 1.5 °
Distance spot ratio: 12:1

PN: AC-IT1650S

\$539

Refractometers

Automotive Refractometer



- Measures concentration levels of Glycol, Propylene Glycol, Battery Fluid, Windscreen Fluid, Blinker Fluid & Adblue

Range: 0-10%
Graduations: 0.2%
Weight: 0.8 Kg

PN: AC-RM50S

\$149

Engineering Refractometer



- Measures metal working coolant concentration levels

Range: 0-10%
Graduations: 0.2%
Weight: 0.8 Kg

PN: AC-RM10

\$159

Combination Squares

Combination Square

90° or 45° square
90° square accuracy: $\pm 8'$,
45° square accuracy: $\pm 10'$

**Wear Resistant
Cast Iron Head**

PN: AC-817-090-12

\$139

Combination Square Set

Circle Centre Finder 90° or 45° square
Accuracy: ± 0.15 mm
Ruler range: 300 mm / 12"

Protractor
Range: 0-180°
Accuracy: $\pm 7'$

PN: AC-817-180-02

\$269

Angle Finders



150 mm / 180° Angle Finder

Length: 150 mm
Graduation: 1°
Accuracy: $\pm 0.3^\circ$

PN: AC-812-005-01

\$69

200 mm / 180° Angle Finder

Length: 200 mm
Graduation: 1°
Accuracy: $\pm 0.3^\circ$

PN: AC-812-006-01

\$99

300 mm / 180° Angle Finder

Length: 300 mm
Graduation: 1°
Accuracy: $\pm 0.3^\circ$

PN: AC-812-008-01

\$129

Combination Rulers



200 mm Digital Combination Ruler

Length: 200 mm
Range: 360°
Resolution: 0.1°

PN: AC-821-008-01

\$110


300 mm Digital Combination Ruler

Length: 300 mm
Range: 360°
Resolution: 0.1°

PN: AC-821-012-01

\$129

Feeler Gauges



150 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm
Length: 150 mm

PN: AC-913-100-20

\$39

Dual Scale Angled Feeler Gauge

Metric Range: 0.005 - 0.030 mm
Imperial Range: 0.127" - 0.762"
Blade Length: 100 mm



200 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm
Length: 200 mm

PN: AC-914-100-20

\$49

300 mm Feeler Gauge 20 Leave Set

Range: 0.05-1 mm
Length: 300 mm

PN: AC-915-100-20

\$49

Tapered Feeler Gauge

Metric Range: 0.03-1.00mm
Blade Length: 100 mm

- Meets DIN2275
- Accuracy: $\pm (3+T/80) \mu\text{m}$,

PN: AC-912-100-32

\$29

Welding Gauges

Fillet Weld Gauge

Sizes: 3, 4, 5, 6, 8,
9, 10, 11, 12,
14, 16, 19,
22 & 25 mm
Accuracy:
0.5 mm

PN: AC-977-025-01

\$69

Welding Gauge

Range: 0-6 mm
Porosity Comparison
Range: 1.5 & 3 mm
Graduation: 0.5 mm
Accuracy: 0.5 mm

PN: AC-978-006-01

\$69



Metric Torque Wrenches

**Highly
Accurate!**
 ± 3 Percent



- Supplied with calibration certificate
- Accuracy: $\pm 3\%$
- Meets ISO6789 & ASMEB107.14

5-25 Nm Torque Wrench

Anvil Size: 3/8"
Length: 275 mm

PN: AC-TWM25Q

\$229

10-50 Nm Torque Wrench

Anvil Size: 3/8"
Length: 275 mm

PN: AC-TWM50Q

\$269

40-200 Nm Torque Wrench

Anvil Size: 1/2"
Length: 505 mm

PN: AC-TWM200Q

\$299

70-340 Nm Torque Wrench

Anvil Size: 1/2"
Length: 695 mm

PN: AC-TWM340Q

\$385

5-25 Nm Torque Wrench Set

Set includes 5-25 Nm Torque Wrench (AC-TWM25Q), 100 mm 3/8" extension bar and the following sockets: 2, 2.5, 3, 4, 5, 6, 8 mm hex, T10, T15, T20, T25, T27 & T30 Torx®

PN: AC-STWM25Q

\$369



Protractor & Levels

Bluetooth Digital Block Level

- Back-light LCD colour display
- Automatic display orientation
- Built-in Bluetooth
- Data hold function
- Automatic power off
- Colour level bars indicate tilt trends in X & Y axis
- Includes telemetry software for Apple & Android systems

NEW!

Units: Degrees, Slope (mm/m)
Accuracy: $\pm (1 + A \times 2\%) \times \text{Resolution}$
(A = Measured value)
Repeatability: 0.01 mm/m
Bluetooth Range: up to 10m
Size: 200L x 58H x 46W mm

PN: AC-718-008-01

\$1199



Digital Level

- Magnetic base

Range: 0-360°
Resolution: 0.1°
Dimensions:
59 x 28 mm
Accuracy: $\pm 0.1^\circ$
 $\pm 0.2^\circ$ (other directions)

PN: AC-721-180-01

\$129



Digital Level & Protractor

- Magnetic V-groove Base

Resolution: 0.05°
Accuracy: $\pm 0.1^\circ$ (at 0°/90°/180°/270°)
 $\pm 0.2^\circ$ (other direction)

Size: 150 x 60 x 33 mm

PN: AC-722-360-01

\$229



600 mm Digital level

- Functions as level or protractor
- Absolute horizon memory
- Back-light Display
- Magnetic base

Units: Degrees, Slope %, mm/m & In/Ft Pitch.
Resolution: 0.1°



PN: AC-725-360-01

\$209

Feeler Tapes

Size: 13 mm x 5 m
Accuracy: $\pm 4 \mu\text{m}$



0.02 mm Feeler Tape

PN: AC-916-002-01

\$49

0.04 mm Feeler Tape

PN: AC-916-004-01

\$49

NICRON®

LED TORCHES & HEADLAMPS

nicronlight.com.au

TWIST Light

The head of a Twist Light can be swiveled anywhere from 0 to 90 degrees, offering extreme versatility.

Applicable to PN: B73R, B71pro, B75 & B70PLUS




Mini Twin-Beam Headlamp



Brightness: 700 Lm
Intensity: 4000 Cd

\$89
PN: H11

- High-quality anodised aluminium body
- Primary Beam: **LOW** (50Lm)
MED (250Lm)
HIGH (500Lm)
Weight: 59g
- Flood Light: **LOW** (35Lm)
HIGH (100Lm)
Weight: 59g




Mini Rechargeable Headlamp



Brightness: 500 Lm
Intensity: 160 Cd

\$69
PN: H17

- Anodised aluminium body
- Angle head vertically up to 180°
- USB-C Charge Port
- Weight: 42g



USB Rechargeable Utility Work Lamp




\$89
PN: WL86

Brightness: 1000 Lm
Intensity: 4000 Cd

USB-A power bank functionality
USB-C Charge Port
Battery State Indicator
Magnetic 360° swivel base with interlocking lamp hangers
1/4 UNC tripod mount

Primary Beam:
LOW (20Lm)
MED (500Lm)
HIGH (750Lm)
MAX (1000Lm)

Weight: 333g



2 in 1 Utility Work Lamp



Integrated Flashlight




HOT PRICE!

\$110
PN: WL85

Foldout stand with integrated hook
Primary Beam:
LOW (12 Lm)
MED (160 Lm)
HIGH (450 Lm)

Spot Light:
LOW (60 Lm)
HIGH (280 Lm)

Size: 123 x 55 x 32 mm
Weight: 180 g



Twin-Beam Headlamp

- Anti-slip belt for mounting directly to helmets.
- Both lamps combined output 1600 Lm
- Headlamp vertical range of motion 120°
- Includes li-ion battery
- Weight: 69g




\$129
PN: H35

Brightness: 1600 Lm
Intensity: 4000 Cd

Primary Beam:
LOW (50Lm)
MED (250Lm)
HIGH (500Lm)
MAX (1000Lm)

Flood Light:
LOW (50Lm)
MED (200Lm)
HIGH (400Lm)
MAX (800Lm)



TWIST Pen Light



\$99
PN: B73R

HOT PRICE!

- Includes USB rechargeable battery
- Illuminated Multi-function Switch with Battery State Indicator

Brightness: 150 Lm
Intensity: 650 Cd

Primary Beam:
LOW (60Lm)
HIGH (150Lm)

Size: 152 x 18 x 15 mm
Weight: 75g



UV PRO TWIST Light




\$119
PN: B75

- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip

Brightness: 1000 Lm
Intensity: 3000 Cd

Primary Beam:
LOW (100Lm)
MED (500Lm)
HIGH (1000Lm)
UV Light:
HIGH (395nm)

Size: 160 x 28 mm
Weight: 220g



Camo TWIST Light




\$119
PN: B70PLUS

- Illuminated Multi-function Switch with Battery State Indicator
- Pen Clip

Brightness: 950 Lm
Intensity: 10000 Cd

Primary Beam:
LOW (10Lm)
MED (70Lm)
HIGH (300Lm)
MAX (950Lm)
STROBE (950Lm)

Size: 160 x 28 mm
Weight: 220g





Magnetic Base

Mount to any ferrous surface. Ideal for wheel wells and engine bays or other tight spaces.

Applicable to PN: B70PLUS, B71pro, B73R, B75, WL15, WL81, WL83, WL85, WL86 & N1pro



Integrated Battery Indicator

A dedicated built-in LED battery indicator.

Applicable to PN: B400 & WL83



Multifunction Indicator Button

Illuminated multi-function switch with Battery State Indicator. Displays battery state with back-lit multi-colour LED button.

Applicable to PN: B200, B73R, B71pro, B75 & B70PLUS & WL81



Dual Fuel Capability

Able to accept high capacity rechargeable and standard A series batteries.

Applicable to PN: B73R, B74BLUE, B74RED & F51



Integrated Charging Port

Recharge without the need to remove the battery with an integrated charge port.

Applicable to PN: B10, B200, B400, B71PRO, B75, B70PLUS, F81, H11, H17, H35, WL15, WL81-83-85


Rechargeable Bicycle Lamp

Brightness: 500 Lm
Intensity: 160 Cd

Primary Beam:
LOW (100 Lm)
MED (300 Lm)
HIGH (500 Lm)

Size: 72 x 47 x 45 mm
Weight: 168 g

\$125
PN: BK10



Handlebar mountable thumb controller
Detachable Lamp Head
Swivel Mount

High Performance Pocket Flashlight

\$99
PN: C1



• Two-way clip mounts to caps or pockets

Brightness: 1200 Lm
Intensity: 5500 Cd

Primary Beam:
LOW (25Lm)
MED (70Lm)
HIGH (200Lm)
MAX (1200Lm)
STROBE: (1200Lm)
Size: 65 x 20 mm
Weight: 45g


Mini Key Chain Flashlight

\$49
PN: N1pro



Brightness: 1000 Lm
Intensity: 1440 Cd

Primary Beam:
LOW (120Lm)
MED (400Lm)
HIGH (1000Lm)
STROBE: (1000Lm)
Size: 85 x 16 mm
Weight: 34 g



Mini Focusable Flashlight

\$89
PN: F51



- Focusable Beam
- Includes USB rechargeable battery
- AA batteries NOT included
- Pen Clip

Brightness: 600 Lm
Intensity: 3800 Cd

Primary Beam:
LOW (100 Lm)
MED (250 Lm)
HIGH (600 Lm)
Size: 103 x 26 mm
Weight: 80g

Rechargeable Mini Focusable Flashlight

\$59
PN: F72R



- USB-C Concealed Charge Port
- Focusable Beam
- Pen Clip

Brightness: 450 Lm
Intensity: 4000 Cd

Spot Light:
LOW (20Lm)
MED (130Lm)
HIGH (450Lm)
STROBE: (450Lm)
Size: 153 x 18.4 mm
Weight: 64g


Utility Flashlight

Brightness: 500 Lm
Intensity: 800 Cd



Primary Beam:
LOW (80Lm)
HIGH (200Lm)
Flood Light:
LOW (100Lm)
MED (300Lm)
HIGH (500Lm)

Size: 164 x 22 mm
Weight: 140g



Long Range Tactical Flashlight


\$179
PN: B200



Brightness: 1,600 Lm
Intensity: 250,000 Cd

Primary Beam:
LOW (100Lm)
MED (750Lm)
HIGH (1600Lm)
STROBE: (1000Lm)
Size: 235 x 59 mm
Weight: 550g

1000m RANGE!



Extreme Tactical Flashlight


\$489
PN: B400



- Flood & Spot functions
- Fast Charging Li-ion
- Beam proximity sensor
- USB-A power bank functionality

Brightness: 16,000 Lm
Intensity: 19,360 Cd

Primary Beam:
LOW (7Lm)
MED (170Lm)
HIGH (3,450Lm)
MAX (12,300Lm)
EXTREME (16,000Lm)
STROBE: (6,000Lm)
Size: 175 x 82 mm
Weight: 880g



Focusable Flashlight

\$119
PN: F81



- USB-C Charge Port
- Pen Clip
- Strong magnetic base

Brightness: 1000 Lm
Intensity: 6500 Cd

Primary Beam:
LOW (50Lm)
MED (150Lm)
HIGH (500Lm)
MAX (1000Lm)
STROBE (1000Lm)
Size: 170 x 35mm
Weight: 200g



Automotive & Hardware Assortment Kits



NEW RANGE!

Automotive Retainers

Cotter Pins

325 piece kit includes cotter pins in 6 sizes ranging from 25 mm x 1.6 mm OD to 64 mm x 4.0 mm OD.



325 Piece Kit

\$29

PN: GAK04

Zinc Plated Steel Hitch Pins

150 piece kit includes hitch pins in 6 sizes ranging from 31mm x 2.0mm OD to 75 mm x 3.7 mm OD.



150 Piece Kit

\$29

PN: GAK05

External Circlips

300 piece kit includes external retaining rings in 18 sizes ranging from 3mm to 32mm.



300 Piece Kit

\$29

PN: GAK10

Internal Circlips

300 piece kit includes internal circlips in 18 sizes ranging from 3mm to 32mm.



300 Piece Kit

\$29

PN: GAK11

E Clips

300 piece kit includes E-clips in 18 sizes ranging from 1.5mm to 22mm.



300 Piece Kit

\$32

PN: GAK12

50 MM Clevis & Hitch Pins

74 piece kit includes 50 mm clevis pins in 6 sizes ranging from 6.35 mm (1/4") OD to 12.7 mm (1/2") OD and 37 hitch pin clips.



74 Piece Kit

\$59

PN: GAK36

Zinc Plated Springs

200 piece kit includes compression and tension springs in 12 sizes ranging from 20.5 mm x 5mm OD to 36.5 mm x 8.5mm OD.



200 Piece Kit

\$29

PN: GAK30

Automotive Electrical Kits

Fork, Ring, Butt & Spade Terminals

520 piece kit includes 18 types of pre-insulated butt, fork, ring and male & female spade terminals, in 22-16 AWG (Red), 16-14 AWG (Blue) and 12-10 AWG (Yellow) sizes.



520 Piece Kit

\$55

PN: GAK29

Heat-shrink Tubing

171 piece kit includes tubing in standard colours & lengths of 30, 60, 90 mm & 1m, diameters between 2.0 & 10.0 mm, a thermal rating of -55 to 125°C, voltage rating up to 600V, a shrink ratio of 2:1.



171 Piece Kit

\$39

PN: GAK39

Automotive Screws

Socket Head Cap Screws (Grade 12.9)

135 piece kit includes (grade 12.9) Allen head cap screws in 9 sizes ranging from M4 x 12 mm to M10 x 40mm.



135 Piece Kit

\$39

PN: GAK07

Socket Head Grub Screws

200 piece kit includes (grade 10.9) Allen head grub screws in 12 sizes ranging from M3 x 3mm to M10 x 12mm in fine and coarse pitches.



200 Piece Kit

\$29

PN: GAK21

Automotive Grease Nipples

Metric Grease Fittings

110 piece kit includes straight, 45° and 90° grease fittings in 6 sizes ranging from M6 to M10.



110 Piece Kit

\$46

PN: GAK20

Imperial Grease Fittings

100 piece kit includes straight, 45° and 90° grease fittings in 6 sizes ranging from 1/8"-27 and 1/4"-28 threads.



100 Piece Kit

\$46

PN: GAK34

Automotive Seals & Grommets

Stainless Steel Hose Clamps

26 piece kit includes hose clamps in 6 sizes ranging from 16 mm to 38 mm.



26 Piece Kit

\$29

PN: GAK16

Annealed Copper Washers

110 piece kit includes copper washers in 6 sizes ranging from 1/4" (6.4 mm) to 5/8" (15.9 mm).



110 Piece Kit

\$39

PN: GAK25

Metric NBR-70 O-Rings

386 piece kit includes O-rings in 30 sizes ranging from 3 mm to 44 mm ID.



386 Piece Kit

\$40

PN: GAK32

Imperial NBR-70 O-Rings

225 piece kit includes O-rings in 18 sizes ranging from 3/32" (2.38 mm) ID to 13/16" (20.64 mm) ID.



225 Piece Kit

\$29

PN: GAK31

Blind & Through Hole Grommets

125 piece kit includes through hole grommets in 11 sizes ranging from 1/8" x 1/4" to 3/4" x 15/16" and blind grommets in 7 sizes ranging from 9/32" to 1".



125 Piece Kit

\$32

PN: GAK37

Through Hole Grommets

180 piece kit includes through hole grommets in 8 sizes ranging from 1/8" x 1/4" to 3/4" x 15/16".



180 Piece Kit

\$29

PN: GAK38

Nut & Bolt Kits

Metric Nylon Locking Nuts

200 piece kit includes nylon lock nuts in 6 sizes ranging from M4 to M12.



200
Piece Kit
\$29
PN: GAK08

Zinc Plated Hex Nuts

350 piece kit includes hex nuts in 6 sizes ranging from M3 to M10.



350
Piece Kit
\$29
PN: GAK14

Hex & Nylon Lock Nuts

180 piece kit includes hex nuts and nylon lock nuts in 6 sizes each from M4 to M12.



180
Piece Kit
\$29
PN: GAK19

Nuts, Bolts & Washers

450 piece kit includes screws in 5 sizes from M4 x 16 mm to M6 x 20 mm, lock washers, flat washers and hex nuts in 3 sizes each from M4 to M6.



450
Piece Kit
\$29
PN: GAK18

Zinc Plated Nuts, Bolts & Washers (Grade 8.8)

240 piece kit includes hex bolts in 10 sizes from M4 x 12 mm to M10 x 40 mm, hex nuts in 5 sizes from M4 to M10 and flat washers in 5 sizes from M4 to M10.



240
Piece Kit
\$39
PN: GAK33

Wall Fasteners

Toggle Bolts

18 piece kit includes toggle bolts in 3.2 mm (1/8") x 75 mm, 4.75 mm (3/16") x 75 mm and 6.35 mm (1/4") x 75 mm.



18
Piece Kit
\$29
PN: GAK22

Round Cable Clips

390 piece kit includes black and white cable clips in 6 sizes each from 4 mm to 12 mm.



390
Piece Kit
\$29
PN: GAK23

Hook & Eye Bolts


151 piece kit includes eye bolts in 3 sizes from 25 mm x 2.0mm OD to 50 mm x 4.0mm OD and hooks in 3 sizes from 40 mm x 2.5mm OD to 75 mm x 5.0mm OD.



151
Piece Kit
\$29
PN: GAK26

Bradded, Standard & Concrete Nails

550 piece kit includes wire nails in 4 sizes from 20 x 1.3 mm to 38 x 2.0 mm, brad nails in 3 sizes from 30 x 1.6 mm to 31 x 2.3 mm and 38 x 2.0 mm brass plated wire nails.



550
Piece Kit
\$29
PN: GAK28

Washer Kits

Internal & External Lock Washers

550 piece kit includes internal and external lock washers in 6 sizes each ranging from M3 to M10.



550
Piece Kit
\$25
PN: GAK03

Zinc Plated Lock Washers

600 piece kit includes lock washers in 6 sizes from M4 to M12.



600
Piece Kit
\$29
PN: GAK09

Heavy Duty Zinc Plated Flat Washers

725 piece kit includes flat washers in 6 sizes from M3 to M10.



725
Piece Kit
\$29
PN: GAK13

Zinc Plated Fender (Penny) Washers

240 piece kit includes fender washers in 6 sizes from 4 x 12 mm to 12 x 30 mm



240
Piece Kit
\$29
PN: GAK35

Screw Kits

Self Tapping Metal Screws

525 piece kit includes screws in 13 sizes from 3 x 12 mm to 5 x 30 mm.



525
Piece Kit
\$29
PN: GAK01

Countersunk Tapping Metal Screws

525 piece kit includes countersunk screws in 6 sizes from 3 x 12 mm to 5 x 30 mm.



525
Piece Kit
\$29
PN: GAK02

Hex Drive Self Tapping Screws

200 piece kit includes hex head self tapping screws in 8 sizes from 4.2 x 13 mm to 4.8 x 25 mm.



200
Piece Kit
\$29
PN: GAK06

Countersunk Self Tapping Wood Screws

390 piece kit includes countersunk self tapping wood screws in 12 sizes from 3.5 x 12 mm to 5 x 40 mm.



390
Piece Kit
\$29
PN: GAK17

Countersunk Pozidriv Chipboard Screws

270 piece kit includes chipboard screws in 6 sizes from 3.5 x 25 mm to 5.0 x 50 mm.



270
Piece Kit
\$29
PN: GAK24

Rivet & Nutserts

Blind Aluminium Rivets

320 piece kit includes blind rivets in 6 sizes from 2.4 x 5.5 mm to 4.8 x 8 mm.



320
Piece Kit
\$29
PN: GAK15

Cadmium Plated Steel Nutserts

150 piece kit includes nutserts in 6 sizes from M3 to M10.



150
Piece Kit
\$29
PN: GAK27

Rivet & Nutsert Tool

A 2-in-1 fastening tool that sets nutserts as well as blind rivets.



INCLUDES NUTSERTS!

- Sets steel & aluminium rivets up to 4.8 mm & Nutserts up to M6
- Sets stainless rivets up to 4.0 mm & Nutserts up to M5
- Includes a range of M3 to M6 nutserts



\$139

PN: GHTJ703A

Sets 2.4, 3.2, 4.0 & 4.8 mm Rivets AND M3, M4, M5 & M6 Nutserts

Heavy Duty Rivet & Nutsert Tool

- Sets steel & aluminium rivets up to 6.4 mm (1/4") AND nutserts up to M10
- Sets stainless steel rivets up to 4.8 mm (3/16") AND nutserts up to M8
- Space-Saving Foldable Handles
- Forged Main Arms



\$259

PN: GHTH3

Sets 3.2 (1/8"), 4.0 (5/32"), 4.8 (3/16") & 6.4 mm (1/4") Rivets and M4, M5, M6, M8 & M10 Nutserts

Riveting Tools

Medium Duty Riveting Tool

- Sets steel & aluminium rivets up to 4.8 mm (3/16")
- Sets Stainless Steel Rivets up to 4.0 mm (5/32")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



\$59

PN: GHTJ701

Heavy Duty Riveting Tool

- Sets steel, aluminium & stainless rivets up to 4.8 mm (3/16")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



\$119

PN: GHTTC20

Hex Key Sets

Metric 9 Piece Ball End Hex Key Set

Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm

Imperial (SAE) 13 Piece Ball End Hex Key Set

Sizes: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8"

13 Piece Torx® Wrench Set

Sizes: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45 & T50

13 Piece Tamperproof Torx® Wrench Set

Sizes: T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H & T50H



\$41

PN: GXHK9M

\$50

PN: GXHK13

\$52

PN: GXTX13

\$52

PN: GXTP13

Pistol Grip Nutsert Tools

- Average cycle time of 3 seconds
- Quick & simple to operate
- Fwd. / Rev. Toggle Switch
- Not suitable for mass production

POWERED FORWARD + REVERSE

M6 Nutsert Tool

M3, M4, M5, M8 & M10 mandrels available (sold separately)

Weight: 1.3 Kg

\$789

PN: GP400B

M8 Nutsert Tool

M10 & M12 mandrels available (sold separately)

Weight: 1.3 Kg

\$799

PN: GP200B



Steel & Aluminium Nutserts

4 MM Max. sheet thickness



PACKS OF 50

M4 Aluminium PN: NM4RNA	\$35	M4 Steel PN: NM4PNS	\$19
M5 Aluminium PN: NM5RNA	\$39	M5 Steel PN: NM5PNS	\$25
M6 Aluminium PN: NM6RNA	\$46	M6 Steel PN: NM6PNS	\$29
M8 Aluminium PN: NM8RNA	\$49	M8 Steel PN: NM8PNS	\$32
M10 Aluminium PN: NM10RNA	\$59	M10 Steel PN: NM10PNS	\$39
		M12 Steel PN: NM12PNS	\$65

Automotive Nutsert Gun

- Sets M4, M5, M6, M8, M10 nutserts in steel & aluminium
- Sets Stainless Steel nutserts up to M8
- Optional M3 anvil set
- Not suitable mass production applications

Traction Power: 3,640 Ft/lbs
Stroke: 6 mm
Weight: 1.55 Kg



\$1189

PN: KP4258

Gasket Punch Set

14 Piece set includes:

- 3/16" (4.76 mm)
- 1/4" (6.35 mm)
- 5/16" (7.94 mm)
- 3/8" (9.53 mm)
- 7/16" (11.11 mm)
- 1/2" (12.7 mm)
- 5/8" (15.88 mm)
- 3/4" (19.05 mm)
- 7/8" (22.23 mm)
- 1" (25.4 mm)
- 1-1/8" (28.58 mm)
- 1-1/4" (31.75 mm)
- 1-3/8" (34.93 mm)



- Hand guard integrated into handle
- Spring loaded driver point for accurate alignment

**NEW
MODEL!**

\$110
PN: GGPS

Hook & Pick Set

Includes Straight, Right-Angle, Curved & Hooked Picks.



\$36
PN: GXHP4

Helping Hand Magnifier

- Sturdy cast iron base



Main Beam: 115 mm
Arm Reach: 75 mm
Lens Dia.: 60 mm

\$33
PN: GHMM

Magnetic Clean-Up Tools

Magnetic Clean-Up Wand

Capacity: 6.30 Kg
Length 400 mm
Weight 0.470 Kg



\$89
PN: MW001

Magnetic Reach Extender



Magnetic Broom

- Side mounted wheels for easy use over wide areas
- Telescopic main shaft
- Easy release trigger on main shaft
- Wide section magnetic pickup

Handle Length: 720-1035 mm
Head width: 377mm

\$155
PN: MB001



Head size: 96 MM
Length: 960 MM
Capacity: 4.5 Kg

\$115
PN: MRE001

Gear & Bearing Splitting Combination Set

Small Bearing Separator

Jaw Range: 30-50 MM
Working Range: 0-135 MM

Large Bearing Separator

Jaw Range: 50-75 MM
Working Range: 0-180 MM

Includes Centre Adapter.

S45C Drop Forged hardened Main Beam and Bearing Separators.



\$249
PN: GBTK

Multi-Hydraulic Gear Puller Kit

Bearing Separator

S45C Drop Forged hardened Bearing Separator.

Working Range: 0-370 MM
Jaw Range: 75-105 MM

Gear Puller

Working Range: 25-185 MM

Set includes: Twin & Triple Leg Heads
Hydraulic Ram (12 Ton capacity)
Carbon Steel Beam
200 MM, 150 MM, & 100 MM arms
85 MM, 35 MM, Spacers,
25 MM Centre Adapter



\$589
PN: GHPK

Socket Sets

1/4" Socket Set

- Chrome Vanadium Steel

Set includes Ratchet Wrench, Driver Handle, 50 mm Extension, Tee Bar & Universal Joint.

Standard Socket sizes:

4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, & 14 mm

Hex Bits: 3, 4, 5 & 6 mm

Phillips Bits: #1, #2, & #3

Pozidriv Bits: #1, #2 & #3

Slotted Bits: 3, 4 & 6 mm

Torx® Bits: T8, T9, T10 T15, T20, T25, T27, T30, & T40



**HOT
PRICE!** **\$89**
PN: GXSS1440

3/8" Socket Set

- Chrome Vanadium Steel

Set includes Ratchet Wrench, 75 & 150 mm Extension Bars and Universal Joint.

Standard Socket sizes:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 & 22 mm

Deep Socket sizes:

10, 11, 12, 13, 14, 15, 17 & 19 mm

Spark Plug Socket: 16 & 21 mm



**HOT
PRICE!** **\$99**
PN: GXSS3829

Heavy Duty Lockable A7 Parts Cabinets

Each cabinet comes with 2 movable dividers.
The front face of each drawer features a window.

Lockable 48 Drawer Parts Cabinet

Size: 586W x 270D x 970H mm

\$799

PN: A7448D

Lockable 24 Drawer Parts Cabinet

Size: 444W x 270D x 677H mm

\$669

PN: A7324D



**LOCKABLE
DOORS**

Steel HD Series Parts Cabinets

HD cabinets take up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The front face of each drawer features a window which makes it easy to identify the contents.

15 Drawer Steel Parts Cabinet

Size: 880W x 400D x 440H mm

Drawer size: 160W x 110H x 410D mm

\$575

PN: HD515



18 Drawer Steel Parts Cabinet

Size: 550W x 400D x 880H mm

External Size: 160W x 110H x 410D mm

30 Drawer Steel Parts Cabinet

880W x 400D mm x 880H mm

External size: 160W x 110H x 410D mm



\$699

PN: HD318

Additional freight charges may apply.

\$945

PN: HD530

HD-Series Storage Bins

The 60 drawer NHD560 takes up to 600 kg total weight and up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The window front makes it easy to identify the contents.
Size: 880W x 400D x 1725H mm



The HD drawers are designed to be fully opened and not fall out, even at the 10 kg maximum weight limit and feature transparent windows for easy parts identification.

Each drawer comes with 2 movable dividers and Can take up to 7 Dividers.
All is acid and oil resistant.

HD Drawer

External Size: 160W x 410D x 110H mm

Internal size: 140W x 370D x 100H mm



\$20

PN: HD1641

HD Drawer Dividers

Packet of 10



\$20

PN: HD1641DIV

30 Drawer Parts Cabinet

980W x 400D x 1010H mm

(inc handle and caster wheels)



\$1159

PN: NHD530

60 Drawer HD Series Steel Parts Cabinet

The 60 drawer NHD560 takes up to 600 kg total weight and up to 100 kg per shelf. Each drawer comes with 2 movable dividers and is acid and oil resistant. The window front makes it easy to identify the contents.

880W x 400D x 1725H mm



Additional freight charges may apply.

\$1799

PN: NHD560

Multi-Function Bins & Crates

Jumbo Storage Bin

Includes removable two stage folding lid.
Made from impact resistant polypropylene.
Size: 395W x 635D x 335H mm

**TAKES UP TO
30KG!**



**50 LITRE
CAPACITY!**

\$75

PN: HB4068B

Foldable Crates

Stackable in both collapsed and extended configuration

Size: 535W x 360D x 280H mm

Collapsed Height: 50 mm

**SPACE SAVING
COLLAPSIBLE
DESIGN**



\$49

PN: FB5336B

Workshop Stools

Gas Lift Workshop Stool

- Heavy duty metal sub-frame with plastic cover
- Oil and stain resistant faux leather seat cushions with comfortable PU foam-padding
- Height adjustable gas lift seat
- Repositionable and removable tool trays
- Ball bearing casters (2 with brakes)



Seat Height: 400-540 mm
Wheel Base: 500 mm
Wheel size: 25 x 75 mm
Load capacity: 136 Kg

\$259
PN: GS001

Heavy Duty Gas Lift Workshop Stool

NEW!



- Durable and lightweight power-coated aluminium construction
- Oil and stain resistant faux leather seat cushions with comfortable PU foam-padding
- Height adjustable gas lift seat
- Ball bearing casters (2 with brakes)
- Wide and stable wheel base, ideal for uneven ground

Seat Height: 530-660 mm
Wheel Base: 600 mm
Wheel Size: 25 x 100 mm
Load capacity: 180 Kg

\$499
PN: GS002

Heavy Duty Workshop Stool

- Durable and lightweight power-coated aluminium construction
- Oil and stain resistant faux leather seat cushions with comfortable PU foam-padding
- Ball bearing swivel mounted seat cushion
- 180 kg load capacity

Size: 600 mm x 600 mm x 710 mm
Load capacity: 180 kg



\$379
PN: GS004

Heavy Duty Gas Lift Workshop Stool with Backrest

NEW!



- Durable and lightweight power-coated aluminium construction
- Oil and stain resistant faux leather seat cushions with comfortable PU foam-padding
- Wide and stable wheel base, ideal for uneven ground
- Height adjustable gas lift seat
- Ball bearing casters (2 with brakes)

Seat Height: 660 - 760 mm
Overall Height: 930-1030 mm
Wheel Base: 600 mm
Wheel Size 25 x 100 mm
Load capacity: 180 Kg

\$549
PN: GS003

Workshop Trolleys

Plastic Parts Trolley

- Rounded corners protect walls & furniture
- Soft 4" PVC wheels (2 lockable)
- Deep Pocket shelves
- Handles both ends

Size: 82 x 47 x 105cm
Capacity: 130 Kg



\$199
PN: GT3SP

Compact Heavy Duty Parts Trolley

- 3 Shelves
- 1.6 mm steel uprights.

Size: 410W x 760D x 885H mm (including handle)



\$299
PN: GT3S

Heavy Duty Parts Trolley

- 3 Shelves, side container and drawer
- 1.6 mm steel uprights.

Size: 470W x 785D x 825H mm (including handle)



\$359
PN: GT3SD

Heavy Duty Parts Trolley

- 3 Shelves, side container and drawer
- Enclosed front & rear for extra rigidity.
- Takes up to 100 kg per shelf, max total weight 200 kg per unit.

Size: 500W x 873D x 880H mm (including handle)



\$599
PN: CTH5086

Workshop Stools & Creepers

Workshop Stool

- 100 mm casters, with 2 lockable
- Centre mounted pull out drawer
- Metal Frame

Size: 670L x 330D x 380H mm
Max. Load: 130 Kg



\$139
PN: GWS

Rolling Workshop Parts Tray

- 15 socket holders from 19 to 32 mm Dia.
- Four tray compartments (2 magnetised)
- Nine screwdriver pockets
- Ball Bearing Casters
- Carry handle

NEW!



Size: 735 mm x 460 mm x 130 mm
Load capacity: 60 Kg
Wheel Size: 25 x 50 mm

\$119
PN: GS005

Mechanics Creeper

Size: 1005 x 470 x 135 mm
Wheel Size: 75 x 25 mm

- Integrated side trays
- Made in Taiwan

STEEL REINFORCED CASTER MOUNTS



\$189
PN: GCR40

HB-Series Storage Bins

Geiger Small Short Bin

Size: 105W x 137D x 76H mm



\$6 ea

• PN: HB210B
• PN: HB210R

Geiger Small Bin

Size: 105W x 187D x 76H mm



\$7 ea

• PN: HB220B
• PN: HB220R

Geiger Medium Bin

Size: 140W x 276D x 127H mm



\$13 ea

• PN: HB230B
• PN: HB230R

Geiger Large Short Bin

Size: 210W x 273D x 178H mm



\$22 ea

• PN: HB239B
• PN: HB239R

Geiger Medium Duplex Bin

- Includes duplex divider

Size: 279W x 276D x 127H mm



\$19 ea

• PN: HB235B
• PN: HB235R

Geiger Large Duplex Bin

- Includes duplex divider

Size: 420W x 375D x 178H mm



\$32 ea

• PN: HB250B
• PN: HB250R

Wall Storage Kit

Includes 2 Panels,
40 x HB210 Bins,
screws & wall plugs.

• PN: HP1KITB
• PN: HP1KITR

\$245 ea



**HANG PANELS
HORIZONTALLY OR
VERTICALLY**

Mobile HB Storage Cart

Make your HB bins mobile with this
hanging display unit with caster wheels
(2 with brakes). This is an excellent
time and space saver for any workshop.

HB Bins are easily detached from
the storage cart, making it easy to
take only what you need to the work
area, while keeping items organized.

Includes Heavy Duty Galvanized Steel Cart
with 72 x HB220 and 32 x HB230 bins, in
combination of • Blue or • Red.
Overall Size: 740W x 560D x 1460H mm

**CUSTOM LOAD-OUTS
ALSO AVAILABLE!**

Additional freight
charges may apply.

\$1199

PN: MS20020K




Wall Mountable

All HB series bins can be wall
mounted when combined with
HP Hanging Panels (see HP1 &
HP1KITB/R). HP Panels can be
tiled together and mounted
horizontally or vertically.

Free Standing Bench Storage

Included with all HB bins are four
interlocking legs which create
free-standing versatile bench storage.



Set of 2 HB-Series Hanging Panels

Includes 2 Panels, screws & wall plugs.
Panel size: 605W x 455H x 8D mm



\$83

PN: HP1

Heavy Duty A-Series Parts Cabinets

ST2



Drawer Size: 120W x 210D x 55H mm

60 Drawer Parts Cabinet

\$669

PN: ST2460

Size: 586W x 222D x 937H mm

A5



Drawer Size: 163W x 289D x 69H mm

36 Drawer Parts Cabinet

\$629

PN: A5336

Size: 586W x 290D x 937H mm

24 Drawer Parts Cabinet

\$489

PN: A5324

586W x 290D x 640H mm

A7



Drawer Size: 120W x 218D x 69H mm

48 Drawer Parts Cabinet

\$499

PN: A7448

Size: 586W x 222D x 937H mm

24 Drawer Parts Cabinet

\$339

PN: A7324

Size: 444W x 222D x 642H mm

16 Drawer Parts Cabinet

\$249

PN: A7416

Size: 586W x 222D x 350H mm

A8



Drawer Size: 90W x 218D x 70H mm

60 Drawer Parts Cabinet

\$599

PN: A8560

Size: 586W x 222D x 937H mm

32 Drawer Parts Cabinet

\$359

PN: A8432

Size: 466W x 222D x 642H mm

15 Drawer Parts Cabinet

\$239

PN: A8315

Size: 355W x 222D x 415H mm

Wall mountable Pivot Drawers

Pivot drawers slot together vertically or horizontally, to be safely mounted to walls or benches. Windowed drawers keep all your spare parts in plain sight with reduced exposure to dust, moisture or other contaminants.

8 Compartment Pivot Drawer Set

Size: 300W x 200H x 67D mm



\$39
PN: FO308

6 Compartment Pivot Drawer Set

Size: 300W x 250H x 106D mm



\$39
PN: FO306

5 Compartment Pivot Drawer Set

Size: 600W x 150H x 123D mm



\$52
PN: FO605

4 Compartment Pivot Drawer Set

Size: 600W x 200H x 167D mm



\$69
PN: FO604

Single Sided 46 Bin Pivot Drawer Cart

Includes

2 x FO308, 2 x FO306,
2 x FO605 & 2 x FO604,
46 bins in all

\$899
PN: MSFO4568

Double Sided 92 Bin Pivot Drawer Cart

Includes 4 x FO308,
4 x FO306, 4 x FO605 &
4 x FO604, 92 bins in all

\$1399
PN: MSFO4568X2

Cart Size: 690W x 560D x 1460H mm

**UP TO
92 BINS OF
STORAGE!**



Additional freight
charges may apply.

THE BONETM CREEPERS & STOOLS



THE BONE ROUGH RIDER

1194L x 648W x 191H mm
Wheels: Ø130 mm x 25 mm
Ground Clearance: 73 mm
Weight: 9.1 Kg

**180 KG
CAPACITY**



\$649
PN: BONE7031

THE BONE LOW PROFILE



**180 KG
CAPACITY**

1194L x 648W x 160H mm
Wheels: Ø130 mm x 25 mm
Ground Clearance: 45 mm
Weight: 8 Kg

\$599
PN: BONE6031

THE BONESTER SUPER LOW PROFILE



**180 KG
CAPACITY**

1092L x 594W x 114H mm
Wheels: Ø75 mm x 22 mm
Ground Clearance: 38 mm
Weight: 6 Kg

\$479
PN: BONE4031



Commercial Sweepers

1 Year Commercial Warranty

2 Year Domestic Warranty

Haaga 375 Commercial Sweeper

Performance: 2,900 m²/h
Cleaning Width: 750 mm
Capacity: 50 Liters
Weight: 11.1 Kg

\$1175
PN: HG375



Haaga 477 Commercial Sweeper

- Stores vertically in most closets (1550H x 780W x 300 mm)

Performance: 3,000 m²/h
Cleaning Width: 770 mm
Capacity: 50 Liters
Weight: 15 Kg

**FITS IN
MOST
CLOSETS**

\$1559
PN: HG477



Haaga 497 Commercial Sweeper

Performance: 3,600 m²/h
Cleaning Width: 970 mm
Capacity 50 litres.
Weight: 15.7 Kg

\$1919
PN: HG497



Air-Hydraulic Riveters

3/16" Industrial Rivet Gun



Rivet Capacity:
1/8, 5/32 & 3/16"
Traction Power:
1980 lbs
Weight: 1.45 Kg

\$299
PN: GP6302

9/32" Industrial Rivet Gun



**SUITABLE
FOR STAINLESS
RIVETS!**

- Interchangeable nose-pieces
- Safety cap collects spent rivets
- Swivel inlet for easier positioning

Rivet Capacity:
3/16", 1/4", 5/32" & 9/32"
Traction Power: 3,120 lbs
Weight: 3.4 Kg

\$799
PN: GP6304

Engine Cleaner Gun

- Siphon type, designed to connect to an external degreaser supply
- Flow rate control with adjustable nozzle
- 1.2m hose with built in filter

Length: 405 mm



\$59
PN: GPA1565

Impact Wrenches

1/2" Impact Wrench

Max Torque: 500 Ft/lbs
Weight: 2.0 Kg



\$299
PN: GP260T

3/4" Impact Wrench

Max Torque: 1100 Ft/lbs
Weight: 3.48 Kg



\$699
PN: GP3125

Engine Cleaner with Bowl

- Ideal for cleaning cars, trucks, bikes and marine

Bowl capacity: 700 cc
Length: 410 mm



\$110
PN: GPA034

Reversible Drills

Reversible 3/8" Drill

Free Speed: 1,800 RPM
Chuck Size: 10 mm
Weight: 1.36 Kg



\$189
PN: GP41013

1/2" Reversible Drill

Free Speed: 800 RPM
Drilling Capacity: 13 mm
Weight: 1.76kg



\$269
PN: GP4204

3/8" Reversible Angle Drill

- Forward / Reverse Toggle Switch
- Rear exhaust

Free Speed: 1500 RPM
Capacity: 10 mm
Weight: 1.02kg



\$299
PN: GP4209

Die Grinders

1/4" Medium Die Grinder

Free Speed: 22,000 RPM
Weight: 0.675 Kg



\$99
PN: GP2202

1/4" Medium Die Grinder

- Polymer sleeved for comfort

Free Speed:
21,000 RPM
Weight: 0.833 Kg



\$129
PN: GP2202R

1/4" Angle Die Grinder

Free Speed: 18,000 RPM
Weight: 0.833 Kg



\$199
PN: GP2203R

Tyre Inflators

0-60psi Tyre Pressure Gauge

Range: 0-60 psi.
Metering: Analogue
Units: PSI & Bar
Output: Schrader valve



\$42
PN: GPATPG60

Deluxe Tyre Inflator

Range: 0-160 PSI
Units: PSI, KPA



\$149
PN: GPA6200

Digital Tyre Inflator

Range: 5-60 PSI
Hose Length: 30 cm
Units: PSI, Bar, kPa

\$159
PN: GP1558-4



3" In-Line Cut Off Grinder

- Includes 3" cut off disc.
- Adjustable guard
- Spindle lock
- Rubber grip
- Rear exhaust



Disc Size: 3" (75 mm)
Free Speed: 18,000 RPM
Weight: 0.8 Kg

\$239
PN: GP3203

75 MM Cut Off Discs

Disc Size: 75 x 0.8 mm
Bore: 9.53 mm
Max Speed:
25,000 RPM



Packs of 5
\$25
PN: CO007K

Air Body Saw

Free Speed: 10,000 opm
Capacity: 3 mm mild steel
Stroke length 9.5 mm



\$269
PN: GP9301

Quality Bi-metal Blades



18 TPI PN: PT301A18
24 TPI PN: PT301A24
32 TPI PN: PT301A32

Packs of 5
\$30 ea

Economical Gravity Feed Spray Guns

- Stainless steel nozzle & needle
- Brass cap
- Great atomisation
- High transfer rate

Working Pressure: 15-43 PSI
Pattern Width: 270 mm
Fluid Output:
200-220 mL/min
Capacity: 600 cc
Weight: 600 g



\$89 ea

1.4 mm PN: SG898-14
1.8 mm PN: SG898-18
2.2 mm PN: SG898-22



- Individual nozzle kits also available

Heavy Duty Angle Grinders



4" Heavy Duty Angle Grinder

Spindle: M10 x 1.5
Free Speed:
11,000 RPM
Weight: 1.95 Kg

\$359
PN: GP8102

5" Heavy Duty Angle Grinder

Spindle: M14 x 2.0
Free Speed:
11,000 RPM
Weight: 1.95 Kg

\$399
PN: GP31003

Surface Preparation

10 MM Belt Sander

Belt Size: 10 x 330 MM

\$289
PN: GP1264A



20 MM Belt Sander

Belt Size: 20 x 520 MM

\$459
PN: GP1265A

Air Rust & Paint Removal Tool Kit (Non-vacuum)

Versatile support handle can be set to any position within it's 180° range.

Kit includes:
five 105 mm (4 inch) stripping wheels,
Spare disc hub & carry case.



\$735
PN: GP2001A

Stripping Wheels

- 1 0.5 mm Straight Wire PN: GPA2001A-1
- 2 0.55 mm Hooked Wire PN: GPA2001A-2
- 3 Abrasive Striping PN: GPA2001A-5
- 4 Caramel Stripping PN: GPA2001A-4
- 5 0.7mm Hooked Wire PN: GPA2001A-3

\$49 ea

Needle Scaler

- Two part construction for fast dismantling and replacement of worn needles
- Nineteen 3 x 180 MM needles

Stroke Length : 33 mm
Impact Rate: 4,600 BPM
Length: 420 mm
Weight: 2.8 Kg



\$399
PN: GP201

7" Sander



\$369
PN: GP1206A

Free Speed: 4,500 RPM
Spindle: Male 5/8-11UNC
Avg Air Cons.: 12 CFM
Weight: 2.6 Kg

7" Polisher



\$369
PN: GP1206P

Free Speed: 2,500 RPM
Spindle: Male 5/8-11UNC
Avg Air Cons.: 12 CFM
Weight: 2.6 Kg

Sandblasters

Sand Blasting Kit

Includes 3 extra nozzles,
hose and tube.
Siphon feed
Weight: 0.9 Kg



\$69
PN: GP909

All-In-One Sandblaster

- Light weight all in one design
- Ideal for spot and rust removal on small areas

Nozzle Size: 5.2 MM
Capacity: 266cc

\$79
PN: GPASB100



Economical Random Orbit Sanders

6" / 150 MM Random Orbit Sander

Free Speed:
12,000 RPM
Orbit Dia.: 5 mm
Weight: 830 g

\$110

PN: GP6151-6

6" / 150 MM Random Orbit Dust Free Sander

Free Speed:
12,000 RPM
Orbit Dia.: 5 mm
Weight: 930 g

\$129

PN: GP6151-6-S



Economical 6" Backing Pads

Spindle Size: 5/16" x 24 UNF Ext.
Max Speed: 12,000 RPM
Pad Thickness: 10 mm

\$20 ea

Standard PN: E6505

Dust Free PN: E6565



Percussive Engraving Stylus

- Medium point stylus included
- Fine & wide point stylus also available

Inlet: 1/4" Male thread
Hose Length: 1.43 m
Weight: 0.40 kg

\$329

PN: GP110




1/8" Micro Die Grinder Kit

Free Speed : 55,000 RPM
Hose length: 1.5m

\$249

PN: GP2204K



**INCLUDES
10 GRINDING
STONES**

Blowguns

4" Rubber Tipped Blowgun

\$20

PN: GP1562



- Integrated metal inlet thread
- Rubber Tip


Length: 110 mm
Material: POM/Steel

Extendable Blow Gun

Length: 270 to 390 mm
Material: POM/Steel



- Metal inlet for increased durability
- Adjustable length & angle
- Locking ring



Integrated Blow Gun

- Light weight Polymer body with 1/4" steel inlet & 2 metre fitted hose



\$69

PN: GPB90K

3/8" High Flow Blow Gun Kit

Kit includes:
High Flow Duster,
Easily Adjustable High
Flow Nozzle, Heavy
Duty High Flow Nozzle &
Standard Nozzle.

\$69

PN: GHF60AS



**ALL
METAL
BODY!**

Long Nose Air Duster

- Cast aluminium body, metal trigger & nozzle.

Inlet: 1/4" Nitto fitting
Nozzle size: 4.5 x 70 mm

\$29

PN: GPA9025



**ALL
METAL
BODY!**

1 Metre Blow Gun

Overall Length: 1050 mm
Inlet: 1/4" metal
Material: POM / Aluminum

- Durable all metal construction
- Foam grip



**ALL
METAL
BODY!**

\$79

PN: GP1561

Filter Cleaning Nozzle

Suitable for cleaning
cylindrical filters or pipes.
SOLD SEPARATELY
Size: 15.5 dia. x 40 mm
Nozzles: 12 x 2mm

\$29

PN: GP1561FN



Wonder Gun Kit

- Quickly change between vacuum & blow with an integrated switch
- Heavy duty metal body

Kit includes: Blow Gun,
Vacuum Hose, brush,
extended small &
flat nozzles, Extendable
Hose (30 to 80cm) &
Dust Bag



\$129

PN: GPA0310KB

Hammering Tools

Air Hammer Kit

Kit includes 5 Chisels, Spring Retainer, Oiler & Case.
Free Speed: 3,000 BPM
Stroke Length: 19.05 mm
Shank Size: 10.2 mm
Weight: 1.70 Kg



\$139
PN: GP102KD

Set of 2 Spring Retainers

- Suits 10.2 mm round chisels



\$19
PN: GPA70X2

Heavy Duty Quick Change Spring Retainer

- Fits most standard air hammers & chisels



\$39
PN: GPA2311

38 MM Flattening Hammer



\$59
PN: HAC-100

Needle Scaler Attachment

- Mounts to most standard air hammers
- Replacement needles available



Needle Array: 19 Needles
Needle size: 3 x 180 mm

\$110
PN: GP60012

7" Chisel Set

- 5 piece set includes 20 mm Cold Chisel, Single Blade Cutter, Tapered Punch, Panel Cutter & Rivet Cutter

Shank Dia.: 10.2 mm



\$59
PN: GPA57

KUANI PNEUMATIC TOOLS

Gear up your world™

Compact Needle Scaler

\$299
PN: KP4714



Impact Rate: 3,700 BPM
Overall Length: 290 mm
12 Needles Ø3 x 125 mm

Pistol Grip Needle Scaler



Impact Rate: 3,700 BPM
Overall Length: 350 mm
19 Needles Ø3 x 180 mm

\$449
PN: KP4722P

Heavy Duty Air Scaling Hammer

Impact Rate: 2400 BPM
Stroke: 26 mm
Length: 550 mm
Weight: 4.45 Kg



- Replaceable carbide tips

\$969
PN: KP4733

Heavy Duty Chipping Hammer

- Moil Point & Flat Chisels available
- Side Exhaust



Stroke: 102 mm
Impact Rate: 1500 BPM
Length: 350 mm
Weight: 9 Kg

\$969
PN: KP4735S3H

Includes
2
Chisels

4" Heavy Duty Extended Cut Off Tool

- 90° adjustable swivel guard with detented quick release & spindle lock
- Extended reach & ultra compact 39 mm head



Free Speed: 14,000 RPM
Length: 345 mm
Output: 745 Watt
Weight: 1.40 Kg

HOT PRICE!

\$399
PN: KP4413

Through Ratchet Wrench

- Included socket sizes: 8, 10, 12, 13, & 14 mm
5/16, 3/8, 7/16, 1/2 and 9/16"
1/4" & 3/8" anvils



Includes
10
Sockets

Free Speed: 450 RPM
Max. Torque: 30 Ft/lbs
Weight: 0.60 Kg

HOT PRICE!

\$289
PN: KP2219

Pittsburgh Air Hammer



- 360° Adjustable Anvil Guide

Impact Rate: 4,200 RPM
Stroke: 50 mm
Weight: 2.20 Kg

\$299
PN: KP4711PH

1" Super Duty Impact Wrench



Free Speed: 5,000 RPM
Max. Torque: 1,800 Ft/lbs
Weight: 7.10 Kg

\$1439
PN: KP1838A-P

1" Super Duty Impact Wrenches

Free Speed: 5,500 RPM
Max. Torque: 1,600 Ft/lbs
Air Inlet: 1/2"

Length: 325 mm
Weight: 5.8 Kg



\$1339
PN: KP1835

1" HD Impact Wrench

- 4 power settings with forward & reverse selector
- Rubber body protection
- Side handle

Free Speed: 3,500 RPM
Max. Torque: 2,500 Ft/lbs
Length: 436 mm
Air Inlet: 1/2"
Weight: 15.55 Kg



1.5" Variant
PN: KP1050 \$2999

\$2679
PN: KP1045

2,500 Ft/lbs

1/2" Twin Hammer Impact Wrench

- Light weight composite housing
- 4 speed air regulator
- Exhausts through handle, away from the work area

Free Speed: 8,000 RPM
Max Torque: 685 Ft/lbs (928 Nm)
Weight: 1.98kg



\$369

PN: BIT260M1

1/4" Die Grinder

Free Speed: 20,000 RPM
Length: 165 mm
Weight : 0.55Kg



\$189

PN: BG210R

1/4" 115° Angle Die Grinder

Free Speed: 18,000 RPM
Output: 0.45 hp
Weight : 0.75 Kg



\$229

PN: BG230RA1

1/4" Right Angle Die Grinder

- Light weight composite housing

Free Speed: 18,000 RPM
Length: 183 mm
Weight: 0.8 Kg



\$199

PN: BG220RA1

Extended 1/4" Die Grinder

Free Speed: 21,000 RPM
Length: 280 mm
Weight: 0.80 Kg



\$199

PN: BG215RA1

2" Angle Grinder

Free Speed: 15,000 RPM
Output : 0.45 hp
Weight: 0.8 Kg



\$199

PN: BG222RA1

2" Grinder Disc
Thickness: 4 mm
Max Speed: 23,500 RPM



\$13

PN: 3510232

6" Random Orbital Sander

Orbit Diameter: 5 mm
Spindle: 5/16"x24 UNF
Free Speed: 12,000 RPM
Weight: 0.99 Kg



\$289

PN: BOS156A2

6" Random Orbital Dust-Free Sander

Orbit Diameter: 5 mm
Free Speed: 12,000 RPM
Spindle: 5/16 x 24 UNF
Weight: 0.99 Kg



\$299

PN: BOS156SA2

8" Geared Sanders

Orbit Diameter: 5 mm
Pad mount: 5 hole
Free Speed: 900 RPM
Weight: 1.88 Kg



Standard

\$579

PN: BOS258GR-D1

Dust Free

\$589

PN: BOS258GRC-D1

1/2" Reversible Keyless Drill

Free speed: 800 RPM
Weight: 1.95 Kg



HOT PRICE!

\$279

PN: BDR208KLA1

Heavy Duty Air Hammer Kit

- Integrated piston cushion for lower vibration and less operator fatigue
- T handle design for better tool balance
- Includes Air Hammer, 5 chisels & Quick Change Spring Retainer in blow-mount case

Impact Rate: 2,900 bpm
Chisel shank: 10.2 mm
Weight: 1.73 Kg

\$289

PN: BHA67A1



3" Cut Off Tool



Free Speed: 21,000 RPM
Length: 188 mm
Weight: 0.8 Kg

Cutting Disc not included.

\$149

PN: BCTA1

3" Cutting Discs

Ø75 x 0.8 x Ø9.53 mm
Speed Rated to 25,000 RPM



Pack of 5

\$25

PN: CO007K

SG420 Gravity Feed Air Brush



\$149
PN: SG420A

Nozzle: 0.2 MM
Working Pressure: 14-50 PSI
Fluid Capacity: 7 cc
Weight: 280 g

KH818 Gravity Feed Spray Guns



\$285 ea

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI
Fluid Capacity: 600 cc
Weight: 280 g

1.3 MM Nozzle PN: K818M13
1.4 MM Nozzle PN: K818M14
1.8 MM Nozzle PN: K818M18
2.5 MM Nozzle PN: K818M25

KH818 HVLP Gravity Feed Spray Guns



\$299 ea

- Forged aluminum body and Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI
Fluid Capacity: 600 cc
Weight: 514 g

1.3 MM Nozzle PN: KH818M13
1.4 MM Nozzle PN: KH818M14
1.8 MM Nozzle PN: KH818M18

K818 Suction Feed Spray Guns



\$289 ea

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI
Fluid Capacity: 1000 cc
Weight: 514 g

1.3 MM Nozzle PN: K818S13
1.8 MM Nozzle PN: K818S18
2.0 MM Nozzle PN: K818S20
2.5 MM Nozzle PN: K818S25

KH818 HVLP Suction Feed Spray Guns



\$325
PN: KH818S18

- Forged aluminum body & Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI
Fluid Capacity: 1000 cc
Weight: 514 g
Nozzle: 1.8 MM S-Steel

K357 Mini Gravity Feed Spray Guns



Working Pressure: 30-45 PSI
Fluid Capacity: 125 cc
Weight: 280 g

0.8 MM Nozzle

\$215
PN: K357M08

1.2 MM Nozzle

\$245
PN: K357M12

K818 Pressure Feed Spray Gun Systems



2 Litre Pressure Feed Spray Gun Systems

Features:

- 3 meter hose
- Tank Pressure Regulator
- Air release valve
- Safety release valve
- Tank handle/hanger

2 Litre Pressure Feed Tank

Tank dimensions:
130L MM x 130W MM x 445H MM
Capacity: 2 Litre
Max. pressure: 60 PSI
Weight total: 2.15 Kg

1.2 MM Nozzle PN: PW2LTRK12
1.5 MM Nozzle PN: PW2LTRK15
1.8 MM Nozzle PN: PW2LTRK18
2.0 MM Nozzle PN: PW2LTRK20
2.5 MM Nozzle PN: PW2LTRK25

\$529 ea

10 Litre Pressure Feed Spray Gun Systems

Features:

- 3 meter hose
- Tank Pressure Regulator
- Air release valve
- Safety release valve
- Tank handle/hanger

10 Litre Pressure Feed Tank

Tank dimensions:
315L MM x 315W MM x 485H MM
Capacity: 10 Litre
Max. pressure: 60 PSI
Weight total: 10.1 Kg

1.2 MM Nozzle PN: PW10LTRK12
1.5 MM Nozzle PN: PW10LTRK15
1.8 MM Nozzle PN: PW10LTRK18
2.0 MM Nozzle PN: PW10LTRK20
2.5 MM Nozzle PN: PW10LTRK25

\$685 ea

20 Litre Pressure Feed Spray Tank Systems

Features:

- 10 meter hose
- Stainless Steel Liner
- Tank Pressure Regulator
- Air release valve
- Safety release valve
- Manual Agitation

K818 Pressure Feed 20 Litre Pressure Feed Tank

Tank dimensions:
400L MM x 400W MM x 780H MM
Capacity: 20 Litre
Max. pressure: 60 PSI
Weight total: 26 Kg

1.2 MM Nozzle PN: PW20LTRK12
1.5 MM Nozzle PN: PW20LTRK15
1.8 MM Nozzle PN: PW20LTRK18
2.0 MM Nozzle PN: PW20LTRK20
2.5 MM Nozzle PN: PW20LTRK25

\$1199 ea

Quick-Lock Backing Pads

Attach abrasive pads to tool. Includes 1/4" shank adapter.

50 MM Quick-Lock Backing Pad

\$19

PN: GPA1523K

75 MM Quick-Lock Backing Pad

\$24

PN: GPA1524K



Quick-Lock Preparation Kits

2" Quick-Lock Preparation Kit

7 Piece kit includes: 1/4" shank, 2" backing pad, 24 grit 2" disc, 36 grit 2" disc, 50 grit 2" disc, Brown (Coarse) surface prep 2" disc & Maroon (Medium) surface prep 2" disc.

\$39

PN: GPK2



3" Quick-Lock Preparation Kit

7 Piece kit includes: 1/4" shank, 3" backing pad, 24 grit 3" disc, 36 grit 3" disc, 50 grit 3" disc, Brown (Coarse) surface prep 3" disc & Maroon (Medium) surface prep 3" disc.

\$49

PN: GPK3



Abrasive & Sanding Pads made in USA.

HOT PRICES!

Quick-lock Abrasive Pads

Packs of 10



50 MM Abrasive Fine

Fine Blue PN: GPA1527X10

Maroon Medium PN: GPA1528X10

Brown Coarse PN: GPA1526X10

75 MM Abrasive Pads

Fine Blue PN: GPA1530X10

Maroon Medium PN: GPA1531X10

Brown Coarse PN: GPA1529X10

\$32 ea

\$49 ea

Quick-Lock Ceramic Sanding Discs

Packs of 10



50 MM Quick-Lock Ceramic Sanding Discs

36 Grit PN: AB22012S36CP

60 Grit PN: AB22012S60CP

80 Grit PN: AB22012S80CP

120 Grit PN: AB22012S120CP

75 MM Quick-Lock Ceramic Sanding Discs

36 Grit PN: AB22013S36CP

60 Grit PN: AB22013S60CP

80 Grit PN: AB22013S80CP

120 Grit PN: AB22013S120CP

\$27 ea

\$32 ea

Quick-Lock Ceramic Flap Discs

Packs of 5



50 MM Quick-Lock Ceramic Mini Flap Discs

40 Grit PN: AB22012F40CP

60 Grit PN: AB22012F60CP

80 Grit PN: AB22012F80CP

120 Grit PN: AB22012F120CP

75 MM Quick-Lock Ceramic Mini Flap Discs

40 Grit PN: AB22013F40CP

60 Grit PN: AB22013F60CP

80 Grit PN: AB22013F80CP

120 Grit PN: AB22013F120CP

\$19 ea

\$29 ea

Ceramic Sanding Belts

Pack of 10 Belts.



10 MM Sanding Belts

Size: 10 mm x 330 mm


40 Grit PN: AB2700-40CP

60 Grit PN: AB2700-60CP

80 Grit PN: AB2700-80CP

120 Grit PN: AB2700-120CP

\$27 ea



20 MM Sanding Belts

Size: 20 mm x 520 mm


40 Grit PN: AB2800-40CP

60 Grit PN: AB2800-60CP

80 Grit PN: AB2800-80CP

120 Grit PN: AB2800-120CP

\$35 ea



30 MM Sanding Belts

Size: 30 mm x 540 mm

40 Grit PN: AB2830-40CP

60 Grit PN: AB2830-60CP

80 Grit PN: AB2830-80CP

\$56 ea

Quick-Lock Polishing Pads



50 MM Quick-Lock Felt Polishing Pad

\$19

PN: GPA1525



75 MM Quick-Lock Felt Polishing Pad

\$19

PN: GPA1575

Polishing Mops

1/4" Shank Tapered Spindle

Fits 50 MM Calico Polishing Mops (PN: PMC50).

50 MM Calico Polish Mop

For use with Taper Spindle (PN: TS12). Width: 20 MM



\$53

PN: TS12



\$39

PN: PMC50

Velcro Backing Pads

50 MM Velcro Backing Pad

Shank Size: 1/4"



\$39

PN: GPA50

75 MM Velcro Backing Pad

Shank Size: 1/4"



\$49

PN: GPA75

Velcro Polishing Pads

60 MM Polishing Pad

Suits 50 mm Velcro Backing Pad

80 MM Polishing Pad

Suits 75 mm Velcro Backing Pad



\$13

PN: OWB-60



\$25

PN: 119-102

Clean & Strip Discs

- Removals of paint & light rust
- Will not damage the original surface



HOT PRICE!

10 x 50 MM

\$15

PN: ABCH902P

10 x 75 MM

\$25

PN: ABCH903P

Packs of 2

Cut off Discs



50 MM Discs

Disc Size: 50 x 1 mm
Bore: 1/4"
Max Speed: 30,000 RPM

Packs of 10

\$39

PN: ABPCWHEELS



75 MM Discs

Disc Size: 75 x 0.8 mm
Bore: 9.53 mm
Max Speed: 25,000 RPM

Packs of 5

\$25

PN: CO007K

5" Turbo Backing Pad

- Lock Nut included

Pad Thickness: 18 MM
Max Speed: 10,000 RPM
Thread Size: M14 x 2 Int.

\$39

PN: GTP162214



8 Piece Flap Wheel Kit

Kit includes:

25 x 12 mm, 120 Grit, x 1
25 x 25 mm, 40 Grit, x 1
25 x 25 mm, 80 Grit, x 1
40 x 25 mm, 60 Grit, x 1
40 x 25 mm, 80 Grit, x 1
50 x 25 mm, 80 Grit, x 1
50 x 25 mm, 60 Grit, x 2



HOT PRICE!

\$49

PN: GFWK

6" Velcro Backing Pads

Spindle Size: 5/16" x 24 UNF Ext.
Max Speed: 12,000 RPM
Pad Thickness: 10 mm
Made in Taiwan.

Velcro Backing Pad



Dust Free Velcro Backing Pad

\$49

PN: F6505



\$49

PN: F6565

3" Velcro Backing Pads



Pad Density: Medium
Max Speed: 15,000 RPM

\$31 ea

1/4" Internal PN: ABCH-203-1/4N

1/4" External PN: ABCH-203-1/4S

5-16" Internal PN: ABCH-203-5/16N

5/16" External PN: ABCH-203-5/16S

M6 Internal PN: ABCH-203-6N

M6 External PN: ABCH-203-6S

2" Pads also available

Economical 6" Backing Pads

Spindle Size: 5/16" x 24 UNF Ext.
Max Speed: 12,000 RPM
Pad Thickness: 10 mm



\$20 ea

Standard PN: E6505

Dust Free PN: E6565

flexipads

WHAT QUALITY FEELS LIKE™

180 MM Nylon Backing Pads

- Medium Pad Density
- Thread Size: M14 x 2 Int.
Pad Thickness: 20 MM
Max Speed: 8,500 RPM



\$39

PN: FP20305

Heavy Duty 5" TURBO Grinding Pads



Ultra Tough & Rigid Pads ideal for grinding!

Thread Size: M14 x 2 Int.
Pad Thickness: 18 MM
Max Speed: 12,250 RPM

\$32

PN: FP11723

Nylon Backing Pads

100 MM Nylon Backing Pad

- Medium Pad Density
- Thread Size: M14 x 2 Int.
Pad Thickness: 15 MM
Max Speed: 12,250 RPM

\$29

PN: FP20020

125 MM Nylon Backing Pad

- Medium Pad Density
- Thread Size: M14 x 2 Int.
Pad Thickness: 16 MM
Max Speed: 12,250 RPM

\$29

PN: FP20210

6" Dust Free Multi-Fit Velcro Pad

Thread Size: M8 & 5/16" UNF
Pad Thickness: 14 MM
Max Speed: 12,000 RPM

\$89

PN: FP17099



Suits Festool & Makita Sanders!

Sheep Skin Polishing Bonnets



100% Merino Sheep Skin Wool!

Disc Size: 5" (125 MM)
Max. speed: 2,500 RPM
Thickness: 32 MM

\$39

PN: FP40005

In-line Components

1/4" In-line Water Separator

1/4" NPT Female to Male



\$39

PN: GPA1512

1/4" In-line Lubricator

1/4" NPT Female to Male
Capacity: 15 mL



\$30

PN: GPA1025

20m Manual Hose Reel

- High quality Polyurethane braided hose
- Space Saving Foldable Handle
- 360 degree swivel base
- Hose ID: 8 mm
- Hose OD: 12 mm

\$299

PN: GPHR1220



20m Wall Mount Hose Reel

- 180° swivel bracket
- 1.5 metre inlet hose
- High quality braided polyurethane hose
- Sheet metal housing
- Hose OD: 10 mm
- Adjustable recoil stopper
- Shrouded air line socket
- Hose ID: 6.5 mm

\$299

PN: GPHR1020



Swivel Connectors

Male thread to Japanese Style Plug
Range: 22°

1/4" Thread PN: B05

3/8" Thread PN: B07

\$20 ea



In-line Regulators

1/4" Air Flow Regulator

\$22

PN: GPA1010



1/4" Air Flow Regulator with Male plug

\$22

PN: GPA1011



Air Line Quick Coupler Manifolds

2 Way Cluster Quick Coupler



\$39

PN: GPA1513

3 Way Cluster Quick Coupler



\$49

PN: GPA1514

2 Way In-line Quick Coupler



\$39

PN: GPA1515

3 Way In-line Quick Coupler



\$49

PN: GPA1516

4 Way In-line Quick Coupler



\$49

PN: GPA1517

Bare In-line Manifolds

2 Way In-line Bare Manifold

\$20

PN: GPATA2

3 Way In-line Bare Manifold

\$21

PN: GPATA3

4 Way In-line Bare Manifold

\$23

PN: GPATA4



One-Touch Connector Kits

- Kit includes Hose Clamps, One-Touch Socket & Plug fittings

10mm Kit
PN: AHPACK

\$32

12mm Kit
PN: AHPACK12

\$41



Bare Air Line Hose



10 MM Bare Air Hoses

20m Roll

\$59

PN: AH1020

30m Roll

\$99

PN: AH1030

100m Roll

\$279

PN: AH10100

12 MM Bare Air Hoses

20m Roll

\$99

PN: AH1220

30m Roll

\$139

PN: AH1230

100m Roll

\$419

PN: AH12100

Premium Air Tool

Add only a couple of drops daily to prolong the performance of any air operated tool
Formulated to greatly reduce internal wear and maintain the integrity of gaskets and seals



250 ML

\$13

PN: SI250

1 Litre

\$27

PN: SI1000

5 Litre

\$98

PN: SI5000

One-Touch Recoil Air Hoses



10 MM Air Hoses

6.5 mm ID x 10 mm OD

2 Metre
PN: GPH1003LBHL **\$57**

5 Metre
PN: GPH1006LBHL **\$72**

6 Metre
PN: GPH1008LBHL **\$78**

8 Metre
PN: GPH1010LBHL **\$95**

12 MM Air Hoses

8 mm ID x 12 mm OD

5 Metre
PN: GPH1206LBHL **\$78**

6 Metre
PN: GPH1208LBHL **\$94**

8 Metre
PN: GPH1210LBHL **\$97**

10 Metre
PN: GPH1212LBHL **\$110**

- One-Touch couplings
- Made from kink resistant polyurethane

One-Touch Fitted Air Hoses



Fitted with Japanese compatible One-Touch couplings.

10 MM Fitted Air Hoses

10 mm ID

10 Metre
PN: AH1010F **\$52**

20 Metre
PN: AH1020F **\$83**

30 Metre
PN: AH1030F **\$109**

12 MM Fitted Air Hoses

12 mm ID

20 Metre
PN: AH1220F **\$119**

30 Metre
PN: AH1230F **\$159**



Made in Australia

Impact Socket Sets

HOT PRICES!

Made from Chrome Molybdenum Steel CR-MO.

Meet or exceed DIN & ANSI standards.

3/8" Drive Impact Socket Sets

8 Piece Metric
PN: GX838SSM

Sizes: 8, 10, 11, 12, 13,
15, 17 & 19 mm

8 Piece Imperial
PN: GX838SSI

Sizes: 5/16", 3/8",
7/16", 1/2", 9/16", 5/8",
11/16" & 3/4"



was \$62
Now! \$49 ea

1/2" Drive Impact Socket Sets

13 Piece Metric
PN: GX1312SSM

Sizes: 10, 12, 13, 14, 15,
17, 18, 19, 21, 22, 24,
27 & 30 mm

13 Piece Imperial
PN: GX1312SSI

Sizes 7/16, 1/2, 9/16, 5/8,
11/16, 3/4, 13/16, 7/8, 15/16,
1, 1-1/16, 1-1/8 & 1-1/4"



was \$169
Now! \$99 ea

3/4" Drive Impact Socket Sets

8 Piece Metric
PN: GX834SSM

Sizes: 26, 27, 29, 30, 32,
35, 36 & 38 mm

8 Piece Imperial
PN: GX834SSI

Sizes 1, 1-1/16, 1-1/8,
1-1/4, 1-5/16, 1-3/8,
1-7/16 & 1-1/2"



was \$229
Now! \$189 ea

Impact Hex & Torx® Bit Sets

Made from SNCR 8660 Steel which allows 20% more torque than CR-MO.

1/2" 8 Piece Imperial Hex Bit Set

Sizes: 1/4", 5/16",
3/8", 7/16", 1/2",
9/16", 5/8" & 3/4"



was \$99
Now! \$79
PN: GX12HBSI

1/2" Torx® Impact Socket Set

Sizes: T25, T27, T30, T40,
T45, T50, T55 & T60 bits



\$99
PN: GX12TX8

Impact Universal Joints

Molybdenum
Steel CR-MO.



3/8" Drive
Universal Joint

\$28
PN: GX38U

1/2" Drive
Universal Joint

\$29
PN: GX12U

3/4" Drive
Universal Joint

\$57
PN: GX34U

5 Piece Square Drive Adapter Sets



\$29
PN: GXEAS

Chrome Vanadium

1/4" Female to 3/8" Male
1/2" Female to 3/8" Male
3/8" Female to 1/4" Male
1/2" Female to 3/4" Male
3/8" Female to 1/2" Male

Wobble Impacting Bar Sets



Chrome Molybdenum Steel CR-MO.

1/4" Set of 4 Wobble
Extension Bars

Kit includes:
3", 6", 10" & 12" bars

\$59
PN: GXWEBS14

3/8" Set of 4 Wobble
Extension Bars

Kit includes:
3", 6", 10" & 18" bars

\$82
PN: GXWEBS38

1/2" Set of 4 Wobble
Extension Bars

Kit includes:
3", 5", 10" & 18" bars

\$99
PN: GXWEBS12

MICHAELPRO® Made in Taiwan.



Impact Adapter & Reducer Set

- Chrome Molybdenum Steel
- Meet or exceed DIN standards.



4-piece set includes:
1/4"(F) to 3/8"(M)
3/8" (F) to 1/4"(M)
3/8"(F) to 1/2"(M)
1/2"(F) to 3/8"(M)

4-Piece Set
\$26
PN: MP005023

Hex Drive Impact Socket Adapter Sets

- Meet or exceed DIN & ANSI standards.
- Made from Chrome Molybdenum Steel

Input: 1/4" Hex
Output: 1/4",
3/8" & 1/2" Sqr



75 mm Adapter Set
\$25
PN: MP005020

150 mm Adapter Set
\$29
PN: MP005021

Two-Way T-Handle Ball End Hex Key Sets

8-Piece Metric Set
Sizes: 2, 2.5, 3, 4,
5, 6, 8, 10 mm.



Hardened
CR-V
\$89
PN: MP001044

8-Piece Imperial Set
Sizes: 5/64", 3/32", 1/8", 5/32",
3/16", 1/4", 5/16" & 3/8".



Hardened
CR-V
\$89
PN: MP001045

Premium Compressor Oil

- Specially formulated additives give superior protection against wear and corrosion
- Excellent water & air separation, to ensure reliable operation with minimal foaming and emulsification



\$33

PN: COMPOIL1

1/4" Mini Filter Regulator

Max Press.: 280 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM
Drain Capacity: 15 mL
Filter Element: 5 µm



\$89

PN: THBFR212

1/4" Mini Filter Regulator & Lubricator

Max Press.: 150 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM
Drain Capacity: 15 mL
Oil Capacity: 30 mL
Filter Element: 5 µm



SUPER COMPACT!
140W x 135H mm

\$89

PN: THBC202

Filter Regulators

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Drain Capacity: 80 mL
Filter Element: 5 µm

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFR802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFR803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFR804



\$75 ea

3/4" Hi-Flow Filter Regulator

Max Press.: 250 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 162.45 CFM
Drain Capacity: 300 mL

PN: THBFR926A

1" Hi-Flow Filter Regulator

Max Press.: 250 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 183.64 CFM
Drain Capacity: 300 mL

PN: THBFR928A



AUTO-DRAIN FUNCTION

\$319 ea

Filter Regulator + Lubricators

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Oil Capacity: 125 mL
Filter Element: 5 µm

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFLR802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFLR803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFLR804



\$139 ea

Regulators



1/4" Regulator

Max Press.: 150 PSI
Output Press.: 7-142 PSI
Units: PSI, kg/cm²
Max Flow: 38.85 CFM

\$52

PN: THBR202

1/2" Regulator

Max Press.: 215 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Max Flow: 105.94 CFM

\$62

PN: THBR804

3/4" Regulator

Max Press.: 250 PSI
Output Press.: 7-225 PSI
Units: PSI, kg/cm²
Max Flow: 162.45 CFM

\$179

PN: THBR906

1" Regulator

Max Press.: 250 PSI
Output Press.: 7-225 PSI
Units: PSI, kg/cm²
Max Flow: 183.64 CFM

\$179

PN: THBR908

Filters

1/2" Filter

Port Size: 1/2" NPT
Max Press.: 215 PSI
Max Flow: 105.94 CFM



\$69

PN: THBF804

1/2" Auto Drain Filter

Port Size: 1/2" NPT
Max Press.: 225 PSI



\$99

PN: THBD704A

Lubricators

Max Press.: 215 PSI
Oil Capacity: 125 mL

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBL802

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBL803

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBL804



\$79 ea

Filter / Regulator / Dryers

- Includes desiccant

Max Press.: 250 PSI
Output Press.: 7-150 PSI
Units: PSI, kg/cm²
Filter Element: 5µ-0.01µ

Port Size: 1/4" NPT
Max Flow: 61.8 CFM

PN: THBFR-FLM862

Port Size: 3/8" NPT
Max Flow: 88.29 CFM

PN: THBFR-FLM863

Port Size: 1/2" NPT
Max Flow: 105.94 CFM

PN: THBFR-FLM864



IDEAL FOR SPRAY PAINTING!

\$269 ea

Replacement dryer desiccant pack of 2 PN: THBDES \$20

The Ezi~shear range delivers outstanding service life and economical operation through the utilization of replaceable blades and standard bolts and bearings.

Max. Speed: 2400 RPM
Cutting Capacity:
Stainless Steel: 1.2 mm
Mild Steel: 1.6 mm
Aluminium: 2.2 mm



Cam-Drive Ezi-Shear

Cam-Drive Ezi-Shear to suit **Milwaukee™**

Milwaukee M18™ 14 Gauge Double Cut Shears (2636-20)
Milwaukee M18™ 18 Gauge Single Cut Shears (2637-20)
Milwaukee M18™ Double Cut Shears (2635-20)

\$259
PN: EZISMIL



Cam-Drive Ezi-Shear

Cam-Drive Ezi-Shear to suit **Makita™**

Makita™ 18V Offset Shear (DJS131Z)
Makita™ 18V D-Handle Offset Shear (DJS132Z)

NEW!

\$259
PN: EZISMAK



Shaft-Drive Ezi-Shear

Shaft-Drive Ezi-Shear Drill Head:

Fits drills with Metal gearbox with a 43 mm diameter (European standard) neck and at least 15 mm shank

3/8" Drive PN: EZIS038

1/2" Drive PN: EZIS012

\$259 ea



Cam-Drive Ezi-Shear

Cam-Drive Ezi-Shear to suit **Dewalt™**

Dewalt XR™ Metal Shears (DCS491N)

\$259
PN: EZISDEW



Hex-Drive Ezi-Shear

Hex-Drive Ezi-Shear to suit **FESTOOL™**

FESTOOL DR 18™ QuaDrill Electric Drill 705W (768936)
FESTOOL DRC 18™ Drill (500782)
FESTOOL DRC 18™ Drill 18V (500752)
FESTOOL PDC 18™ Hammer Drill (500781)
FESTOOL DRC 18™ Drill 5.2Ah (201557)
Metabo Hammer Drill (SB18LTX BL)

\$319
PN: EZIS014H



3/16" Medium Duty Riveter

- Suitable for Aluminium & Mild Steel rivets

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")
Traction power: 1045 Kg
Stroke: 16 mm
Weight: 1.56 Kg



Includes an Assortment of Aluminium Rivets & Spares

\$269
PN: FP4821AK

3/16" Compact Riveter with Vacuum Extraction

- Suitable for Aluminium & Mild Steel rivets
- Vacuum Mandrel collection

• Low Recoil Technology
Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")
Traction power: 908 Kg
Stroke: 15 mm
Weight: 1.39 Kg



Ideal for the Aluminium Window Industry

\$859
PN: FP4032CVK

3/16" Heavy Duty Composite Riveter

- Suitable rivets of all materials
- Low Recoil Technology

Capacity: 2.4 mm (3/32") to 4.8 mm (3/16")
Traction power: 908 Kg
Stroke: 23.5 mm
Weight: 1.55 Kg

\$699
PN: FP4831C

1/4" Riveter with Vacuum Extraction

- Automatic mandrel collection
- Sets steel and stainless ONLY
- Swivel air inlet

Capacity: 4.8mm (3/16"), 5.6mm (7/32") & 6.4mm (1/4")
Traction power: 1645 Kg
Stroke: 15 mm
Weight: 1.8 Kg

\$739
PN: FP6431CVK

5/16" Heavy Duty Composite Riveter

- Vacuum mandrel collection
- Suitable rivets of all materials
- Swivel air inlet

Capacity: 3/16", 7/32", 1/4" & 5/16"
Traction power: 1723 Kg
Stroke: 22.5 mm
Weight: 1.8 Kg



Also Sets 1/4" Monobolt® Structural Rivets FP51631CVK ONLY

\$1279
PN: FP51631CVK

Nov. 2025 - Feb. 2026
All prices quoted include GST.

Distributed by:

BASSO

1/2" Palm Grip Impact Wrench

- Exhausts through handle, away from the work area
- Single Hammer

Free Speed: 8,700 RPM
Max Torque:
350 Ft/lbs (475 Nm)
Head Length: 138 mm
Weight: 1.1 Kg



NEW!


138 MM HEAD!

\$269

PN: BIJ220PA1

ACCUD

150 MM Fractional Digital Plastic Caliper



- Decimal imperial, fractional imperial and Metric display

Resolution: 0.01 mm / 0.005"
Accuracy: ±0.1 mm

New Model!

\$49

PN: AC-117-006-11

Full range on page 16.

Dual Scale Digital Calipers



New Model!

USB DATA OUTPUT

Resolution: 0.01 mm
Accuracy: ±0.03 mm

150 mm Caliper

200 mm Caliper

300 mm Caliper

\$139

\$159

\$269

PN: AC-111-006-10

PN: AC-111-008-10

PN: AC-111-012-10

geiger

Twin LED Rechargeable Inspection Lamp


Ideal for automotive panel & paint inspection or any confined automotive or industrial work environments.

- Precision adjustable dimmer switch
- Multistage battery indicator light
- Magnetic ball jointed adjustable base
- Dual retractable lamp hangers
- USB rechargeable Li-ion battery
- Magnetic retrieval wand at tip
- IP54 dust & water resistant

HOT PRICE!

\$99

PN: GLED2CIL



ONLY WHILE STOCKS LAST!

SUPER BRIGHT 880 LUMENS!

geiger

Gasket Punch Set

- Spring loaded driver point for accurate alignment
- Hand guard integrated into handle



NEW MODEL!

14 Piece set includes:

3/16" (4.76 mm)	1/2" (12.7 mm)	1-1/8" (28.58 mm)
1/4" (6.35 mm)	5/8" (15.88 mm)	1-1/4" (31.75 mm)
5/16" (7.94 mm)	3/4" (19.05 mm)	1-3/8" (34.93 mm)
3/8" (9.53 mm)	7/8" (22.23 mm)	
7/16" (11.11 mm)	1" (25.4 mm)	

MORE SIZES!

\$110

PN: GGPS

geiger

Precision Screwdriver Set

65 piece set includes:
4 mm & 1/4" Driver Handles & Extension Bars
Hex: 0.9, 1.3, 1.5, 2.0, 3, 4, 5 & 6 mm
Slotted: 1.0 & 1.5, 2.0, 2.5, 3, 4, 5, 6 & 7 mm
Pozidriv: #0 to #3
Phillips: 000 to 3
Square: 0 to 3 mm
Sockets: 5 to 13 mm
Torx®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30 & T40

HOT PRICE!

\$29

PN: GXBS1465



Full range on page 27.

65 PIECE SET

morrisflex

NG6 Burr Sets

3/8" Head
NG6 Coated
Burr Set

1/2" Head
NG6 Coated
Burr Set

1/4" & 3/8" Head
NG6 Coated
Burr Set



\$249

PN: CBSET3NG6C



\$379

PN: CBSET35NG6C



\$419

PN: CBSET8NG6C

NG6 NEXT GENERATION ACCELERATOR

Full range on page 14.