

CLIPACORE®

Product Catalogue



FIT » CLIP » CORE

CLIPACORE®

No frustration. No downtime. No compromises - just:

FIT » CLIP » CORE

Content

The Clipacore System **4-5**

Clipacore makes the arduous task of core drilling quicker, easier and safer!

XPRESSCUT PRO Kits **6-9**

All-in-one toolkits built for precision, durability, and everyday use.

Adaptors and Accessories **10-15**

Expand your toolkit with adaptors and accessories designed for seamless compatibility.

Exclusively Clipacore **16-23**

Specialist systems engineered for precision, speed, and problem-solving on site.

The Boss Drills **24-25**

Power through every job with drills built for strength, speed, and reliability.

XPRESSCUT PRO Dry Diamond Core Drill Bits **26-27**

High-performance core bits for cleaner cuts and longer life.

» FIT

Fit Clipacore QCCA core adaptor to core bit; Clipacore QCDA drill adaptor to traditional extension bar or core drill.

» CLIP

Clip QCCA core adaptor and QCDA drill adaptor together.

» CORE



Core quickly with Xpress-cut Pro cores, then release easily and instantly without the use of any tools or risk of injury.



No spanners
needed



Less risk
of injury



Time
saver

THE CLIPACORE[®] SYSTEM

Clipacore makes the arduous task of core drilling quicker, easier and safer!

With its innovative, patented design, Clipacore has changed the game, allowing you to effortlessly fit cores to drills using the specially designed clips, extensions and adapters.

Once fitted Clipacore gives stability, precision and speed to any coring task, just Fit>Clip>Core, it couldn't be easier!


Fit

1.



Step 1

Select appropriate Adaptor dependant on drill type.



Step 2

Line up clip apertures on the Adaptor and Extension Bar/Core Adaptor.



Step 3

Secure the connection with the Quick Release Clip.



» CLIP

2.



» CORE

3.



Step 4

Screw Diamond Core Bit
onto Core Adaptor.



Step 5

Insert an A
Taper Drill Bit
into the Core
Adaptor.

*For best
results use
a Clipacore
Genuine A
Taper bit.

CLIPACORE XPRESSCUT PRO

The Complete Clipacore kit, making the most of the patented Quick Release and Xpresscut technology.

Perfect for a wide variety of common core drilling jobs, from Soil/Waste pipes of most sizes; Conduits and Air-conditioning lines to Utilities and Bathroom vents.



Multi-Material



Spiral Core



Waste Removal



Universal Fit




Turbo Cut



Laser Welded


FIT » CLIP » CORE

The Clipacore system allows for quick and easy core changes while also making debris removal simple—without any risk of damage to you or your tools.



Due to their high-quality diamond laser welded teeth, and their spiralled and slotted barrels, XPRESSCUT bits core through most building materials, such as semi-engineering bricks, clay products, and limestone aggregate concrete.

THE COMPLETE CLIPACORE KIT



XPRESSCUT Complete Kit

XPRESSCUT Complete Kit made up of high-performance dry diamond core drill bits and the patented Clipacore Quick Release designed for professional drilling applications.

Item No.	Content
QCXPP	x5 XPRESSCUT quick release premier Diamond core bits - 42mm / 52mm / 65mm / 117mm / 127mm. x5 Clipacore Core Adaptors. x5 Quick release clips. x1 HEX extension bar with Clipacore drill adaptor. x1 SDS extension bar with Clipacore drill adaptor. x1 Clipacore knock out waste removal tool. x1 A taper 12mm guide pin. x1 A taper 12mm drill bit. x1 Drift key.

XPRESSCUT^{PRO} ELECTRICIANS KIT

Perfect for a variety of common electrical installations, from Multiple-cable runs or Oversized conduits to Utilities and Bathroom vents, and HVAC ducts.



1/2" BSP
Thread



150
mm



Operating
Length



Cutting
Diameter:
152mm
112mm
42mm

»BANISH
THE PROBLEM



XPRESSCUT Electricians Kit

XPRESSCUT Electricians Kit features high-performing dry diamond core drill bits and the patented Clipacore Quick Release designed for professional electricians drilling applications.

Item No.	Content
QCELK	x3 XPRESSCUT quick release premier Diamond core bits - 42mm / 112mm / 152mm. x3 Clipacore Core Adaptors. x3 Quick release clips. x1 HEX extension bar with Clipacore drill adaptor. x1 SDS extension bar with Clipacore drill adaptor. x1 Clipacore knock out waste removal tool. x1 A taper 12mm guide pin. x1 A taper 12mm drill bit. x1 Drift key.

XPRESSCUT^{PRO} PLUMBERS KIT

Perfect for a variety of common plumbing installations, from Waste and Overflow pipes to Soil pipes and Dryer vents.

**EASY WASTE
REMOVAL.
EASY BIT CHANGE.**



1/2" BSP
Thread

150
mm



Operating
Length



**Cutting
Diameter:**
127mm
52mm
42mm

XPRESSCUT Plumbers Kit

XPRESSCUT Plumbing Kit features high-performing dry diamond core drill bits and the patented Clipacore Quick Release designed for professional plumbers drilling applications.

Item No.	Content
QCPBK	- x3 XPRESSCUT quick release premier Diamond core bits - 42mm / 52mm / 127mm. - x3 Clipacore Core Adaptors. - x3 Quick release clips. - x1 HEX extension bar with Clipacore drill adaptor. - x1 SDS extension bar with Clipacore drill adaptor. - x1 Clipacore knock out waste removal tool. - x1 A taper 12mm guide pin. - x1 A taper 12mm drill bit. - x1 Drift key.



No tools required!

Accepts A
taper drill bits/
guide pins.

The clip is
designed to
be removed
by hand.



Compatible for use with
all 1/2" BSP threaded core
bits and extension bars.



High-quality
chrome steel
construction.

Clipacore Core Adaptor

Core adaptor designed for secure and efficient core drilling applications.

Item No.	Content
QCCA	1x Clipacore Core Adaptor 1x Quick Release Clip



Clipacore Drill Adaptor

Universal drill adaptor for connecting core bits to different power tools.

Item No.	Content
QCDA	1x Clipacore Drill / Arbor Adaptor



Clipacore Extension Bar

Extension bar for enhancing drilling reach and adaptability in core drilling applications.

Item No.	Content
QCCAEB	1x Clipacore Extension Bar 1x Quick Release Clip



Clipacore Spare Clips 5 Pack

Pack of 5 spare clips designed for secure attachment of Clipacore drilling accessories.

Item No.	Content
QCQRC	5x Clipacore Spare Clips



A Taper 12.7mm Guide Pin

Oversized bit for optimum guide pin fit. 12.7mm A taper guide pin ensuring precise alignment and drilling accuracy.

Item No.	Content
QCPIN12	1x A Taper 12mm Guide Pin



A Taper 12.7mm Pilot Drill

Oversized bit for optimum guide pin fit. 12.7mm A taper pilot drill for guiding core drill bits accurately during operation.

Item No.	Content
QCDRILL12	



CHUCKAWAY ADAPTOR M18

Replace your drill chuck with a Clipacore Chuckaway M18 Adaptor to convert any M18 thread drill into the Clipacore system.

Compatible with all M18 threaded core drills, Clipacore Core Adaptors and Clipacore Extension Bar.



M18 thread
on drill
measures
approx
18mm

Conventional Chuck
used since 1902



Clipacore Chuckaway Adaptor M18

M18 thread chuckaway adaptor designed for rapid and reliable drill bit changes.

Item No.	Content
QCCADAM18	1x Clipacore Chuckaway M18 Adaptor



Clipacore Chuckaway M18 Extension Kit


Extension kit for M18 chuckaway adaptors, offering increased drilling flexibility.

Item No.	Content
QCCADAM18KIT	1x Clipacore Chuckaway M18 Adaptor 1x Extension Bar 1x Quick Release Clip

CHUCKAWAY ADAPTOR 1/2" 20 UNF

Replace your drill chuck with a Clipacore Chuckaway 1/2" 20 UNF Adaptor to convert any UNF thread drill into the Clipacore system.

Compatible with all 1/2" 20 UNF threaded core drills, Clipacore Core Adaptors and Clipacore Extension Bar.



Clipacore Drill Adaptors
used since 2022



1/2" 20
UNF thread
measures
approx
12mm



Clipacore Chuckaway Adaptor 1/2" 20 UNF

Chuckaway adaptor with a 1/2" 20 UNF thread, allowing quick and secure drill attachment.

Item No.	Content
QCCADA	1x Clipacore Chuckaway 1/2" x 20 UNF Adaptor



Clipacore Chuckaway 1/2" 20 UNF Extension Kit


Extension kit for 1/2" 20 UNF chuckaway adaptors, providing additional reach for drilling.

Item No.	Content
QCCADAKIT	1x Clipacore Chuckaway 1/2" x 20 UNF Adaptor 1x Extension Bar 1x Quick Release Clip

HEX DRIVER ADAPTOR

Slots into standard drill chuck.

Compatible for use with Clipacore Core Adaptors and Chuckaway ExtensionBar (sold separately).



Clipacore Hex Driver Adaptor

Hex driver adaptor allowing quick connection of core drills to hex-compatible tools.

Item No.	Content
QCHEX	1x Clipacore Hex Driver Adaptor



Clipacore Hex Driver Extension Kit

Extension kit for hex driver adaptors, increasing drilling reach and flexibility.

Item No.	Content
QCHEXKIT	1x Clipacore Hex Driver Adaptor 1x Extension Bar 1x Quick Release Clip

CR40

High-quality
chrome steel
construction.



Clipacore SDS Driver Adaptor

SDS driver adaptor for securely connecting core drills to SDS-compatible power tools.

Item No.	Content
QCSDS	1x Clipacore SDS Driver Adaptor



Clipacore SDS Driver Extension Kit

Extension kit for SDS driver adaptors, providing additional reach for drilling applications.

Item No.	Content
QCSDSKIT	1x Clipacore SDS Driver Adaptor 1x Extension Bar 1x Quick Release Clip

SDS DRIVER ADAPTOR

Slots into SDS drill chuck.

Compatible for use with Clipacore Core Adaptors and Chuckaway Extension Bar (sold separately).



FIT » CLIP » CORE



High-quality
chrome steel
construction.

FOR PRECISION CORE HOLE ENLARGEMENT USE DUOCUT PRO

The Clipacore DuoCut Pro Adaptor enables accurate enlargement of existing core holes for a wide variety of applications, including:

- Upgrading boiler flues
- Gas pipes
- Waste pipes
- Soil pipes
- Extractor fans
- Condense pipes.



High-quality
chrome steel
construction.



A-Taper side >>> Core Adaptor >>> Outer Core



Inner Core Side >>> Core Adaptor >>> Inner Core

Clipacore Duocut Adaptor Pro

Duocut adaptor Pro designed for enlarging existing holes thus enhancing time saving and work-flow efficiency.

Item No.	Content
QCDC2	1x DuoCut Adaptor Pro



DUOCUT PRO MAKING FLUEMATE & CONDENSEMATE POSSIBLE

Simply clip the DuoCut Pro into a Core Adaptor attached to a core bit of the same size as the existing hole.

Then, insert the A-Taper side of the adaptor, just as you would a Guide Pin or Pilot Drill, into the desired core bit (larger) ensuring precise alignment.





Clipacore Condensemater Pro
Condensemater Pro designed for precise and controlled upgrading of condensation pipes.

Item No.	Content
QCDCCON2	1x DuoCut Adaptor Pro 1x Clipacore Core Adaptor 1x XPRESSCUT 22 x 300mm Dry Diamond Core Drill Bit 1x Quick Release Clip

OVERFLOW SOLVED: EASY UPGRADES WITH THE CONDENSEMATE

The Clipacore Condensemater Pro puts you in control when upgrading from overflow pipe to 32mm waste pipe (or larger).

BEFORE



AFTER



(Not supplied with outer core bit)



XPRESSCUT PRO

DRILL CLEAN, PREVENT DAMAGE, USE THE 22MM CORE BIT.



DID YOU KNOW?

The 22mm core bit can also be used on its own to prevent blowing the brick face or render wall, compared to using a 22mm SDS masonry drill bit on hammer action.


IMPROVES WORK
FLOW EFFICIENCY



Simply clip the DuoCut Pro onto the 300mm long, 22mm core bit using a Core Adaptors.



Then, insert the A-Taper side of the adaptor, just as you would a Guide Pin or Pilot Drill, into a larger core bit ensuring precise alignment.



ELIMINATING THE RISK OF
CORE BITS SKIDDING OFF
COURSE AND DAMAGING
THE WALL

UPGRADE EXISTING FLUE PIPES WITH FLUEMATE PRO

Its low-profile design lets you work safely at height while the DuoCut Pro adaptor system guarantees rock-solid alignment and clean, skid-free cuts that mirror your existing pipe every time.



High-quality
chrome steel
construction.



Simply fit the DuoCut Pro onto the 94mm barrel guide using a Core Adaptor.




Then, insert the A-Taper side of the adaptor, just as you would a Guide Pin or Pilot Drill, into a larger core bit ensuring precise alignment.

Clipacore Fluemate Pro

Fluemate Pro designed for precise and controlled drilling and upgrading in flue installations.

Item No.	Content
QCFM2	1x DuoCut Adaptor Pro 1x Clipacore Core Adaptor 1x 94mm Barrell Guide 1x Quick Release Clip



94mm Barrell Guide



Quick
Release Clip



DuoCut
Adaptor Pro



Clipacore Core
Adaptor

Impact Bar

Taps waste out of the core bit quickly and safely.

Impact Adaptor
Fits into the Core Adaptors to protect and prepare for use.




Clipacore Knock Out Tool

Knock out tool for removing core samples quickly and efficiently from drill bits.

Item No.	Content
QCKOT	1x Impact Adaptor 1x Impact Bar

**KNOCK
OUT TOOL
FOR EASY
WASTE
REMOVAL**

Made from high-quality chrome steel, it offers exceptional shear strength and is specially heat-treated for enhanced durability and toughness.





**EASY CORE
WASTE REMOVAL**

**IMPROVES WORK
FLOW EFFICIENCY**

**NO DAMAGE,
NO INJURY,
NO HASSLE.**

DID YOU KNOW?

Hammering and denting core bits with a hammer promotes the drill to “kick back” reducing drilling efficiency.



Insert the Impact Adaptor into your Core Adaptors for protection before inserting the Impact Bar.



Tap Impact Bar to quickly and safely eject the waste from your core bit.



THE BOSS DRILL

Manufactured to the highest quality using German engineering standards and components.



Clipacore Boss Drill 110V

110V heavy-duty boss drill designed for high-performance core drilling.

Item No.	Content
QCTBD110V	- x1 Eibenstock The Boss core drill. - x1 Variable handle adjustment on collar. - x1 Extension Bar. - x1 Quick Release Clipacore Drill Adaptor designed for interchangeable core bits. - x1 Quick Release Clipacore Core Adaptor.



Clipacore Boss Drill 230V

230V high-powered boss drill offering precision and durability in core drilling applications.

Item No.	Content
QCTBD230V	x1 Eibenstock The Boss core drill. x1 Variable handle adjustment on collar. x1 Extension Bar. x1 Quick Release Clipacore Drill Adaptor designed for interchangeable core bits. x1 Quick Release Clipacore Core Adaptor.

XPRESSCUT PRO

CLIPACORE

Material	Regular use	Occasional use
Brick-class A engineering		/ *
Brick-class B engineering	/	
Brick-standard facing	/	
Clay products		/ *
Concrete blocks (3 to 7 newton)	/	
Concrete blocks (7 to 12 newton)	/	
Concrete blocks (12+ newton)	/	
Concrete-beams with rebar		/
Concrete-kerbs (without rebar)	/	
Concrete-pipes and slabs (with rebar)		/
Cement screed		/ *
Concrete-block paving	/	
Limestone aggregate concrete	/	
Not suitable for stones		
Not suitable for Accrington red brick		

* Soft material clogs up the diamonds (Glazing) and needs to be used on hard material to 'clean' it off (De-glaze).

Due to their high-quality diamond laser welded teeth, and their spiralled and slotted barrels, XPRESSCUT bits core through most building materials, such as semi-engineering bricks, clay products, and limestone aggregate concrete.



Multi-Material



Spiral Core



Waste Removal



Universal Fit



Turbo Cut



Laser Welded

XPRESSCUT PRO Dry Diamond Core Drill Bit

The XPRESSCUT Dry Diamond Core Drill Bit is a universal dry core that boasts high quality diamond teeth and S20C Steel body, ensuring tough build and long life.

Item No.	Size
QCXP22	22 x 300mm
QCXP28	28 x 300mm
QCXP42	42 x 150mm
QCXP52	52 x 150mm
QCXP65	65 x 150mm
QCXP78	78 x 150mm
QCXP112	112 x 150mm
QCXP117	117 x 150mm
QCXP127	127 x 150mm
QCXP152	152 x 150mm



**SPIRALLED,
SLOTTED BARRELS**



10MM HIGH
DIAMOND
TEETH

BUILT FOR VERSATILITY CORE BITS IN ALL THE SIZES YOU NEED

Whether you're drilling through brick, block, or reinforced concrete, having the right size core bit makes all the difference. That's why we offer a carefully selected range of core bits to suit every trade and application.



1/2" BSP FEMALE
THREAD

(Core Bits not to scale)



Product Catalogue

Delivery charges may apply for certain orders. Always refer to our website disclaimer for each product before use, to ensure you experience optimum performance when used correctly.

A brand:

Carl Kammerling International Ltd
01758 701 070
www.carlkammerling.com

Distributed into plumbing and heating sector by:

Nerrad Tools Ltd
01758 704 724
www.nerradtools.com



enquiries@clipacore.com

www.clipacore.com

Clipacore reserves the right to alter products and / or specifications without prior notice. All trademarks are acknowledged. All photographs are for guidance only and do not necessarily represent the products illustrated.
©2025. Published by Clipacore. No part of this publication may be produced without prior permission from Clipacore.

M3306 - 5000 - 09/25