

Trader 2024/25

Storage Design Limited

Handling Access Storage



STORAGE DESIGN LIMITED



Mobile Steps

Ladders & Steps

Trucks & Trolleys

Tray Trolleys

Table Trucks

Shelf Trucks

Platform Trucks

Rolling Corners

Drum Handling

Trucks

Stands

Levers

Lifting

Storage & Racking

Cylinder Handling

Racks & Stands

Trolleys

Cradles

Trailers

Hand Pull Trailers

Towing Trailers

Sack Trucks

Traditional Trucks

Rough Terrain Trucks

2025

Bespoke products; bringing your vision to reality.

Whilst we produce 1000's of different products, there is always a need for something bespoke, and we are equipped to help.

We have produced 100's of bespoke products over the years. Simply share your vision with us and we will create a full product spec, drawings, costings and physical prototype.

Bespoke products can be made as a 'one off' or batch production, just tell us how many you need and we will make it happen.

Example images below of some of the bespoke Trolleys we have designed and manufactured.



Mobile Steps	6 - 29
Trucks & Trolleys	32 - 52
Chair Storage & Handling	53 - 55
Racking Protection & Warehouse Barriers	56 - 59
Plate & Sheet Handling & Storage	60 - 63
Drum Storage & Handling	64 - 71
Cylinder Storage & Handling	72 - 81
Trailers	82 - 87
Sack Trucks & Stairclimbers	88 - 100
Plastic Container Systems	101 - 113
Basket Trolleys, Snow Ploughs & Salt Spreaders	114 - 117
Pallet Trucks, Stackers & Scissor Lifts	118 - 125
Access Platform, Roller Platforms, Skates & Jacks	126 - 131
Workbenches & Accessories	132 - 163
Cabinets / Drawer Systems & Shelving Units	164 - 183
Hand Sanitiser Stations	184 - 185
Recycling Bins	186 - 187



Steptek

Steptek offers an extensive choice of mobile steps. Having been at the forefront of mobile step manufacturing for over 40 years, we are still leading the way by being the only range of BSI Kitemarked Steps currently available. Steptek steps are strong, sturdy and are designed with stability and mobility in mind, an unbeatable combination.

Having been awarded the BSI Kitemark Standard for the British Standard Range after rigorous testing, Steptek steps are setting a new benchmark for durability, quality, reliability and safety.

With a diverse step selection, you will find mobile steps for every requirement including; a narrow aisle option for limited access, easy rise to assist forward facing descent and heavy duty options for reliability in the toughest of environments.

Step Ranges

Small Portable	6 - 8
Classic Colour	12 - 13
Classic Colour Plus	14 - 15
Narrow Aisle	16 - 17
Large Commercial	18 - 20
Economy	21
Heavy Duty	22 - 23
Easy Rise	24 - 26
Accessories	27
Step Tray Trolleys	28 - 29




Tread Surface Options



Ribbed Rubber Tread

Great for general usage
Cost effective solution
Clamp option adds high visibility



Punched Steel Tread

Reduced risk of slips, trips and falls
Hard wearing and durable
Maintenance free




Anti-slip Tread

Reduced risk of slips, trips and falls
Added safety
Cost effective solution




Aluminium Tread

Hard wearing and durable
Reduced risk of slips, trips and falls
Added safety



GRP Tread

Glass reinforced plastic
Extreme grip to surface
Added safety




Expamet Tread

Mesh tread construction
Easy to keep debris free
Great for use outside

Classic Castor System

Fitted with dome covered spring loaded swivel castors which retract when weight is applied to the steps, giving firm contact with the floor. Dome covers have a double rolled bottom edge together with a protective cover strip and grey non marking tyres.



Standard and Optional Safety Features



Hinged Stabilisers

For extra stability when working at height.



Safety Warning Bar

Deters climbing when steps are in mobile mode.



Security Gate

With padlock facility to prevent unauthorised use.



Handlock Anchorage

When locked the feet rest firmly on the floor.



Max Load
150kg

Step Ladders



- Foldable for easier storage
- Working load 150kg
- Distance between treads 230mm
- Fitted with a rubber comfort handle
- Non-slip treads
- Powder coated finish in silver / grey

Description	Open size H x W x D mm	Folding size H x W x D mm	Tread W x D mm	Platform height mm	Order Ref
Two Tread	775 x 485 x 510	890 x 135 x 485	380 x 260	490	BSL-2
Three Tread	1065 x 490 x 665	1220 x 140 x 490		710	BSL-3
Four Tread	1290 x 490 x 830	1475 x 145 x 490		930	BSL-4



Max Load
150kg



Made in
Britain

Round Step



Simple round step for convenient access and hands-free movement. Moulded from high density polypropylene for good durability with an 'Arched' design for extra strength. The heavy duty rubber bumper around base provides ultimate grip when weight is applied and the anti-slip moulded plastic to both treads. Easily manoeuvred, mounted on 3 spring-loaded castors which retract when weight is applied.

Height mm	410
Diameter mm	440
Order Ref	RSK-1
Colour Options	R B BK GY



Max Load
150kg

Steel Kicksteps



Premium GS approved quality mobile step finished in a choice of colours. Provides easy step up access preventing excess stretching, supplied in two sections that permanently lock together via a built in bolt-free mechanism. Mounted on retractable spring mounted castors, can be easily moved into position without bending or lifting and when stepped on locks into position allowing safe access. Sturdy steel construction with anti slip rubber treads provide a solid platform from which to work.

Over height mm	400
Diameter (top) mm	260
Diameter (base) mm	430
Order Ref	RSK-2
Colour Options	R B BK

Robust Coloured Portable Steps

Framework manufactured from ERW mild steel tube with formed sheet steel treads, fitted with ribbed rubber to surface.

GNM rubber feet for extra grip and floor protection, epoxy coated finish in a choice of 4 colours.

Description	Overall H x W x D mm	Tread Size mm	Tread Height mm	Weight kg	Order Ref
Single step no handrail	250 x 415 x 280	355 x 215	250	4	S750
Single step with post rail	1160 x 415 x 280		250	5	S751
Two step no handrail	500 x 415 x 590		500	5	S752
Two step with post rail	1160 x 415 x 590		500	6	S753
Two step with handrail	1160 x 415 x 590			7	S754

Colour Options **R** **B** **Y** **GY**



Portable Steps

Wheelalong Two Step with Grab Handle

Stable to use and easy to move. Ideal moveable access steps for industry, offices, libraries and hospitals etc. Finished in a choice of four powder coated colours.

Description	Tread	Overall H x W x D mm	Top Tread mm	Weight kg	Order Ref
Two Step	R/Rubber	1030 x 500 x 355	385	8	S230
	Anti-slip	1030 x 500 x 355	385	8	S240

Colour Options **R** **B** **Y** **GY**



Steptek

Portable Steps



Max Load
120kg



Made in
Britain

Wheelalong Two, Three and Four Steps

Static steps which are fitted with 2 x 75mm diameter wheels to the rear frame. When steps are tilted, wheels allow easy movement to next location. Powder coated finish

Fitted with 75mm wheels with grey non marking rubber tyres.



Description	Tread	Overall H x W x D mm	Top Tread mm	Weight kg	Order Ref
Two Step	R/Rubber	1025 x 455 x 605	510	7	S028
	Anti-slip	1025 x 455 x 605	510	7	S241
Three Step	R/Rubber	1310 x 455 x 785	762	10	S029
	Anti-slip	1310 x 455 x 785	762	10	S242
Four Step	R/Rubber	1700 x 590 x 1030	1020	14	S243
	Anti-slip	1700 x 590 x 1030	1020	14	S244

Colour Options R B Y GY



Max Load
125kg



Made in
Britain

Single Sided Mobile 2 Step




Single sided units without handrail, single grab handle, or twin side handrails and cross bar. Crossbar accepts optional accessories - hook-on basket or tray.


Accessories

(Only suitable for S248/S251)

Hook-on wire basket - **Ref: S015**
(load capacity 3 kg)
L x W x D: 350 x 220 x 220mm
White powder coated finish



Hook-on tray unit - **Ref: S250**
(load capacity 3 kg)
L x W x D: 415 x 260 x 40mm
White powder coated finish



The steps should not be moved with loaded basket in place.

Model	1 Sided without grabrail		1 Sided with grabrail		1 Sided 2 handles	
Average working height	2m		2m		2m	
Platform height mm	508		508		508	
Platform width mm	380		380		380	
Platform depth mm	180		180		180	
Overall H (inc rails) mm	610		1185		1185	
Overall width mm	530		530		530	
Overall depth mm	540		540		540	
Weight kg	8		10		12	
Treads	R/Rubber	Anti-slip	R/Rubber	Anti-slip	R/Rubber	Anti-slip
Order Ref	S001	S002	S003	S004	S248	S251

Colour Options GN R B Y GY S O W

Stainless Three, Four and Five Step



Max Load
125kg



Made in
Britain

Stainless steel mobile step units with close fitting handrail round three sides of platform.

High quality range of mobile step units, manufactured from formed tube and sheet stainless steel of quality particularly suitable for food drink and chemical industries. Fully welded throughout for maximum rigidity.

All step units fitted with 4 x 80mm diameter spring loaded castors with grey non marking rubber tyres fitted in heavy zinc plated housing which retract when weight is applied to the steps, giving firm contact with the floor.



Treads (inc platform)	3	4	5
Average working height	2.26m	2.52m	2.77m
Platform height mm	765	1016	1270
Platform width mm	380	380	380
Platform depth mm	280	280	280
Overall H (inc rails) mm	1425	1683	1940
Overall width mm	790	790	790
Overall depth mm	710	885	1140
Weight kg	14	17	20
Order Ref	S215	S216	S217

Anti-slip tread surfaces.

Each unit is fitted with four grey non marking rubber feet. Stainless steel treads covered with anti-slip surface which is both hard wearing and resistant to water, oil and most chemicals.

Please note:

Steps are not a polished finished.
Steps are not designed for clean rooms as they have an anti-slip tread surface - punched tread option available upon request.



British Standard Safety Step Range.



BS EN 131-7:2013 Mobile Ladders with Platform - The standard explained

The following is the key criteria (plus more) to certifying a set of mobile steps to BS EN 131-7:2013. They detail what to look out for when comparing British Standard Safety Steps to others claiming to be 'certified'.

Scope

This European Standard defines the general design characteristics of mobile ladders with platform. It applies to mobile ladders with a working platform, maximum of 1m², and a maximum platform height of 5000mm, to be used only by one person at a time. The maximum load is 150kg which includes a maximum combined load of the user and any tools, equipment and materials.

EN 131-7:2013 is the only standard that applies to mobile ladders with platform. Parts 1-6 of the EN131 standard, specifically state that they do not apply to mobile ladders.

Ascending Treads

The minimum tread depth is 80mm.
 The maximum gap between the treads is 50mm.
 The minimum 1st tread height is 150mm from the ground, the maximum is the tread spacing plus 40mm.
 The minimum tread spacing is 200mm (after the 1st tread, from surface to surface) and must be constant, the maximum is 250mm.

Ascending treads must also pass torsion and bending tests according to the standard.

Stability

The mobile step must pass a stability test. This test is a side pull where 750N test load is applied to the most unfavourable position on the platform. For indoor use a horizontal pulling force of 300N is applied gradually to the side of the platform in the most unfavourable position and direction. The test is passed if the mobile ladder does not overturn.

Spring Loaded Steps

For steps with spring loaded castors a test load of 200N is applied in turn to each ascending tread and platform. The test requirement is that both feet of the side of the step where the load is applied shall be in contact with the floor during the test.

Marking, User and Safety Instructions

Marking shall be displayed as specified in the standard. These must also pass a durability test and be specific to the individual mobile ladder showing important visual safety pictograms and also manufacturing information.

User instructions shall be provided as specified in the standard. These are supplied with the steps.

Prevention of Falls (Guardrails and Middle Rails)

The minimum handrail height is 950mm.
 The maximum handrail height is 1100mm.
 The guardrails and middle rails shall avoid a sphere of 470mm diameter to pass.



Handrails/Guardrails/Middle Rails

The ascending handrail should be positioned so the lowest grab point is a maximum of 1000mm from the ground. Handrails/Guardrails must also pass multiple strength and deflection tests according to the standard.

Working Area Dimensions (enclosed handrail area)

The minimum working area dimensions are 400mm wide x 400mm deep x 950mm high.
 The maximum working area dimensions are 1000mm wide x 1000mm deep x 1100mm high.

Platform and Toe Board Dimensions

The minimum platform dimensions are 400mm wide x 400mm deep with a 50mm toe board to 3 sides.
 The maximum platform dimensions are 1000mm wide x 1000mm deep. The platform must also pass multiple strength and deflection tests according to the standard.

Kitemark

These are the only steps of their type (at time of print) to be awarded with the British Standard Kitemark from the BSI. The award of the BSI Kitemark for this range of mobile safety steps demonstrates a new benchmark for quality and reliability in this sector.



Classic Colour BS Range

The Classic Colour BS Step Range is ideal for warehouse or office use. They are available with 2, 3, 4 or 5 steps including platform, providing a maximum working height of up to 2.77m. The steps are available in a range of eight colours.



Max Load
150kg



Made in
Britain






bsi
Mobile
Ladders
with Platform
KITEMARK™
KM 608967
BS EN 131-7

Treads (inc platform)	2	3	4	5				
Average working height	2m	2.26m	2.52m	2.77m				
Platform height mm	508	762	1016	1270				
Platform width mm	406	406	406	406				
Platform depth mm	406	406	406	406				
Overall H (inc rails) mm	1460	1715	1965	2220				
Overall width mm	615	800	1000	1200				
Overall depth mm	730	915	1075	1240				
Weight kg	14	16	19	22				
Ribbed Rubber Treads								
Order Ref	S360	S362	S364	S366				
Anti Slip Treads								
Order Ref	S361	S363	S365	S367				
Colour Options								
	GN	R	B	Y	GY	S	O	W

Classic Castors system

Fitted with dome covered spring loaded swivel castors which retract when weight is applied to the steps, giving firm contact with the floor. Dome covers have a double rolled bottom edge together with a protective cover strip and grey non marking tyres.



Tread Clamps

Ribbed rubber treads models are supplied complete with tread clamps ensuring high visibility and preventing edges from peeling.



Classic Colour Range



Max Load
125kg



Made in
Britain


Close fitting continuous single rail guard around top platform, extending down each side of stairway as a short handrail. All Classic models are fully welded throughout and available with ribbed rubber or anti-slip treads. All colour finishes are hard-wearing powder coated.



Classic Colour Range

Classic Castors system

Fitted with dome covered spring loaded swivel castors which retract when weight is applied to the steps, giving firm contact with the floor. Dome covers have a double rolled bottom edge together with a protective cover strip and grey non marking tyres.



Treads (inc platform)	2	3	4	5
Average working height	2m	2.26m	2.52m	2.77m
Platform height mm	508	762	1016	1270
Platform width mm	380	380	380	380
Platform depth mm	280	280	280	280
Overall H (inc rails) mm	1185	1425	1683	1940
Overall width mm	580	580	580	580
Overall depth mm	615	795	955	1120
Weight kg	12	14	17	20
Ribbed Rubber Treads				
Order Ref	S005	S009	S011	S013
Anti Slip Treads				
Order Ref	S006	S010	S012	S014

Accessories

Hook-on wire basket - Ref: **S015**
(load capacity 3kg)
L x W x D: 350 x 220 x 220mm
White powder coated finish



The steps should not be moved with loaded basket in place.

Hook-on tray unit - Ref: **S250**
(load capacity 3kg)
L x W x D: 415 x 260 x 40mm
White powder coated finish



Colour Options GN R B Y GY S O W



Steptek

Classic Colour Range

GRP Classic Plus Step Range


Max Load
125kg



Made in
Britain

Steel framework construction with GRP moulded grating treads for extreme grip and added safety in all conditions. Large platform size, 406mm wide x 387mm deep. Double rail platform guarding 4 and 5 step have long handrails on both sides of stairway.



Classic Castors system

Fitted with dome covered spring loaded swivel castors which retract when weight is applied to the steps, giving firm contact with the floor. Dome covers have a double rolled bottom edge together with a protective cover strip and grey non marking tyres.



Extreme grip to tread surface



Treads (inc platform)	2	2	3	4	5
Handrails	Single	Full	Full	Full	Full
Platform height mm	508	508	762	1016	1270
Overall H (inc rails) mm	1175	1175	1430	1680	1935
Platform width mm	406	406	406	406	406
Platform depth mm	387	387	387	387	387
Overall width mm	565	565	565	565	565
Overall depth mm	650	650	760	1005	1225
Weight kg	12	14	17	22	26
Order Ref	S341	S342	S343	S344	S345


Colour Options	GN	R	B	Y	GY	S	O	W
----------------	----	---	---	---	----	---	---	---

Accessories

Hook-on wire basket - **Ref: S015**
(load capacity 3 kg)
L x W x D: 350 x 220 x 220mm
White powder coated finish



Hook-on tray unit - **Ref: S250**
(load capacity 3 kg)
L x W x D: 415 x 260 x 40mm
White powder coated finish



The steps should not be moved with loaded basket in place.

Classic Plus Colour Range



Max Load
125kg




Made in
Britain

All models have larger top platform W x D: 400 x 380mm. The double rail platform guarding 4 and 5 steps have long handrails on both sides of stairway.



Classic Castors system

Fitted with dome covered spring loaded swivel castors which retract when weight is applied to the steps, giving firm contact with the floor. Dome covers have a double rolled bottom edge together with a protective cover strip and grey non marking tyres.




Treads (inc platform)	2	2	2	3	4	5		
Handrails	none	single	full	full	full	full		
Platform height mm	508	508	508	762	1016	1270		
Overall H (inc rails) mm	570	1175	1175	1430	1680	1935		
Platform width mm	406	406	406	406	406	406		
Platform depth mm	380	380	380	380	380	380		
Overall width mm	565	565	565	565	565	565		
Overall depth mm	650	650	650	790	1005	1225		
Weight kg	7	9	11	14	17	20		
Ribbed Rubber Treads								
Order Ref	S218	S220	S221	S222	S223	S224		
Ribbed Rubber With Tread Clamps								
Order Ref	S349	S350	S351	S352	S353	S354		
Anti Slip Treads								
Order Ref	S219	S225	S226	S227	S228	S229		
Colour Options								
	GN	R	B	Y	GY	S	O	W

Accessories

Hook-on wire basket - Ref: **S015**
(load capacity 3 kg)
L x W x D: 350 x 220 x 220mm
White powder coated finish



Hook-on tray unit - Ref: **S250**
(load capacity 3 kg)
L x W x D: 415 x 260 x 40mm
White powder coated finish



The steps should not be moved with loaded basket in place.

Tread Clamps

Ribbed rubber treads models are supplied complete with tread clamps ensuring high visibility and preventing edges from peeling.



Narrow Aisle BS Spring Loaded Steps

Robust, hardworking narrow aisle units with spring loaded castors. All welded construction. Spring loaded castors allows the feet to lower to the ground under operator's weight. Treads are formed sheet steel with choice of ribbed rubber or anti-slip surface. All colour finishes are hard wearing powder coated.



Max Load
150kg



Made in
Britain

Complete with
hinged stabilisers



KM 608967
BS EN 131-7



Treads (inc platform)	2	3	4	5
Platform height mm	500	750	1000	1250
Overall height mm	1455	1705	1950	2200
Platform width mm	406	406	406	406
Platform depth mm	406	406	406	406
Overall width mm	500	500*	500*	500*
Overall depth mm	640	820	1090	1240
Weight kg	15	20	24	28
Ribbed Rubber treads				
Order Ref	S400	S402	S404	S406
Anti-slip treads				
Order Ref	S401	S403	S405	S407
Stabilisers	No	Yes	Yes	Yes
Width with stabilisers	N/A	1085	1085	1085

Colour Options	GN	R	B	Y	GY	S	O	W
----------------	----	---	---	---	----	---	---	---



Tread Clamps

Ribbed rubber treads models are supplied complete with tread clamps ensuring high visibility and preventing edges from peeling.

*With stabilisers retracted.



Narrow Aisle Spring Loaded Steps



Max Load
125kg



Made in
Britain

Robust, hardworking narrow aisle units with spring loaded castors. All welded construction. Spring loaded castors allows the feet to lower to the ground under operator's weight. Treads are formed sheet steel with choice of ribbed rubber or anti-slip surface. All colour finishes are hard wearing powder coated.



Narrow Aisle Spring Loaded Steps

Treads (inc platform)	2	3	4	5
Platform height mm	500	750	1000	1250
Overall height mm	1300	1550	1800	2050
Platform width mm	395	395	395	395
Platform depth mm	395	395	395	395
Overall width mm	500	500	500	500
Overall depth mm	600	780	1050	1200
Weight kg	13	18	22	26
Ribbed Rubber treads				
Order Ref	S301	S303	S305	S307
Anti-slip treads				
Order Ref	S302	S304	S306	S308

Colour Options	GN	R	B	Y	GY	S	O	W
----------------	----	---	---	---	----	---	---	---



Steptek

Narrow Aisle Spring Loaded Steps

Premier Commercial BS Steps




Max Load
150kg



Made in
Britain

As its name suggests, the Premier Commercial BS Steps are built with the most demanding environments in mind. Their robust all welded steel construction and choice of factory fitted tread surfaces offer a highly durable solution. This range also comes complete with hinged stabilisers for extra stability when working at height.



Complete with hinged stabilisers





bsi

Mobile
Ladders
with Platform

KITEMARK™

KM 608967
BS EN 131-7


Treads (inc platform)		3	4	5	6
Average working height		2.21m	2.44m	2.65m	2.90m
Platform height mm		685	915	1145	1400
Platform width mm		560	560	560	560
Platform depth mm		400	400	400	400
Overall H (inc rails) mm		1640	1870	2100	2355
Overall width mm		640	640*	640*	640*
Overall depth mm		760	1055	1155	1315
Weight kg		27	31	35	39
R/Rubber treads	Order Ref	S410	S414	S418	S422
Anti-slip treads	Order Ref	S411	S415	S419	S423
Punched treads	Order Ref	S412	S416	S420	S424
Aluminium treads	Order Ref	S413	S417	S421	S425
Stabilisers		No	Yes	Yes	Yes
Width with stabilisers		N/A	1250	1250	1250

*with stabilisers retracted.




Tread Clamps
Ribbed rubber treads models are supplied complete with tread clamps ensuring high visibility and preventing edges from peeling.


Tread Options




Ribbed Rubber



Anti-Slip



Punched Steel



Aluminium

Premier Commercial Steps



Capacity
125kg



Made in
Britain

Robust, hardworking narrow aisle units with spring loaded castors. All welded construction. Spring loaded castors allows the feet to lower to the ground under operator's weight. Treads are formed sheet steel with choice of ribbed rubber or anti-slip surface. All colour finishes are hard wearing powder coated.




Premier Commercial Steps

Treads (inc platform)		3	4	5	6
Average working height		2.21m	2.44m	2.65m	2.90m
Platform height mm		685	915	1145	1400
Platform width mm		560	560	560	560
Platform depth mm		340	340	340	340
Overall H (inc rails) mm		1530	1760	1985	2230
Overall width mm		640	640	640	640
Overall depth mm		695	850	1000	1170
Weight kg		24	28	32	36
R/Rubber treads	Order Ref	S040	S044	S048	S260
Anti-slip treads	Order Ref	S041	S045	S049	S261
Punched treads	Order Ref	S042	S046	S050	S262
Aluminium treads	Order Ref	S043	S047	S051	S263

Tread Options



Ribbed Rubber



Anti-Slip



Punched Steel



Aluminium

Steptek Quality Red Range

Handbuilt with attention to detail, both in design and manufacture, to ensure total reliability and many years of arduous operation.

Welded steel tube and bar construction with a 560mm tread width. Fitted with handlock anchorage; when locked the front feet rest firmly on the floor, feet fitted with protective plastic floor pads. The outboard axle mounted rear wheels gives extra stability.

Finish: All steelwork red epoxy finish
Wheels: Front 2 swivel castors with 100mm diameter rubber-tyred wheels with roller bearings. Rear 2 axle mounted 200mm diameter wheels with rubber tyres and roller bearings.

Caution Notice: A caution notice is fitted to each set to remind user of operation procedure. A health and safety at work information sheet is supplied.



Handlock Anchorage
When locked the feet rest firmly on the floor.



S162


See page 27
for optional extras.



Tread width: 560mm | Platform W x D: 560 x 400mm

Number of Treads inc Platform	Average Working Height	Platform Height	Overall Dimension (H x W x D) mm	R/Rubber Treads Order Ref	Kg	Punched Treads Order Ref	Kg	Anti Slip Treads Order Ref	Kg	Aluminium Treads Order Ref	Kg
3	2250mm	750mm	1710 x 860 x 860	S310	48	S314	46	S318	48	S322	49
4	2500mm	1000mm	1960 x 905 x 1040	S311	50	S315	48	S319	50	S323	51
5	2750mm	1250mm	2210 x 950 x 1220	S130	53	S140	51	S150	53	S160	54
6	3000mm	1500mm	2460 x 995 x 1400	S131	58	S141	56	S151	58	S161	60
7	3250mm	1750mm	2710 x 1040 x 1580	S132	63	S142	61	S152	63	S162	65
8	3500mm	2000mm	2960 x 1085 x 1760	S133	70	S143	68	S153	70	S163	73
9	3750mm	2250mm	3210 x 1130 x 1940	S134	76	S144	73	S154	76	S164	78
10*	4000mm	2500mm	3460 x 1175 x 2200	S135	89	S145	85	S155	89	S165	92
11*	4250mm	2750mm	3710 x 1220 x 2380	S136	98	S146	94	S156	98	S166	101
12*	4500mm	3000mm	3960 x 1265 x 2560	S137	110	S147	106	S157	110	S167	113
13*	4750mm	3250mm	4210 x 1310 x 2740	S138	117	S148	112	S158	117	S168	121
14*	5000mm	3500mm	4460 x 1355 x 2920	S139	124	S149	120	S159	124	S169	127
15*	5250mm	3750mm	4710 x 1400 x 3100	S312	160	S316	158	S320	160	S324	161
16*	5500mm	4000mm	4960 x 1450 x 3280	S313	169	S317	167	S321	169	S325	170

*10 tread and above supplied in 2 halves for transport purposes.
Refer to page 27 for optional extras



Steptek Economy Step Range

Welded tubular construction, fitted with anti-ascent pull through bar which locks in mobile position onto tread via hook mechanism. Moves fully through tread when in static position allowing castors to retract. Grey non-marking feet to front legs. Mounted on 2 x 200mm fixed solid rubber tyred wheels and 2 x 75mm grey non-marking swivel castors (castors retract with lever) choice of anti-slip or punched treads.

Finish: light grey epoxy/yellow anti-ascent bar.



Max Load
150kg




Made in
Britain

Anti-ascent pull through bar



Tread options:



Anti-slip



Punched



S807

See page 27
for optional extras.

Steptek Economy Step Range

Platform size: 560 x 400mm Tread width: 560mm

Number of Treads inc Platform	Average Working Height	Platform Height	Overall Dimension (H x W x D) mm	Anti Slip Treads Order Ref	Punched Treads Order Ref	Weight Kg
4	2500mm	1000mm	2000 x 905 x 965	S804	S814	41
5	2750mm	1250mm	2250 x 950 x 1120	S805	S815	46
6	3000mm	1500mm	2500 x 995 x 1275	S806	S816	51
7	3250mm	1750mm	2750 x 1040 x 1430	S807	S817	56
8	3500mm	2000mm	3000 x 1085 x 1585	S808	S818	61
9	3750mm	2250mm	3250 x 1130 x 1740	S809	S819	66
10	4000mm	2500mm	3500 x 1175 x 1895	S810	S820	71
11	4250mm	2750mm	3750 x 1220 x 2050	S811	S821	76
12	4500mm	3000mm	4000 x 1265 x 2205	S812	S822	81
13	4750mm	3250mm	4250 x 1310 x 2360	S813	S823	86



Steptek

Steptek Economy Step Range

Steptek Quality Extra Heavy Duty
Narrow Base Model

Hand built with attention to detail, both in design and manufacture, to ensure total reliability and many years of arduous operation. Over load tested to 200kg.

Construction: Welded heavy gauge steel box section and bar. Fitted with hand lock lever anchorage; when locked, the front feet rest firmly on the floor, feet fitted with protective grey non-marking rubber feet. Safety warning bar fitted to protrude in front of steps, linked to hand lock lever mechanism, to deter users from climbing steps when still in 'mobile' mode.

Narrow base model: Outboard wheels mounted on straight base frame for optimum space saving requirements. Finish: Main structure blue epoxy finish; safety bar and hand lever mechanism in safety yellow.

Wheels: Front 2 swivel castors with 100mm diameter rubber tyred wheels, with roller bearings. 2 rear axle mounted 200mm diameter wheels with rubber tyres and roller bearings.

A caution notice is fitted to remind user of operation procedure. A health and Safety at Work information sheet is supplied.



S984



Max Load
150kg




Made in
Britain

See page 27
for optional extras.



Tread options:



Ribbed Rubber



Expamet



KM 608967
BS EN 131-7

Tread width: 490mm | Platform W x D: 540 x 500mm

Number of Treads Including Platform	Average Working Height	Platform Height	Overall Dimension (H x W x D) mm	R/Rubber Treads Order Ref	Kg	Expamet Treads Order Ref	Kg
3	2190mm	690mm	1690 x 700 x 930	S960	51	S980	43
4	2420mm	920mm	1920 x 700 x 1140	S961	59	S981	51
5	2650mm	1150mm	2150 x 700 x 1240	S962	69	S982	57
6	2880mm	1380mm	2380 x 700 x 1410	S963	88	S983	76
7	3110mm	1610mm	2610 x 700 x 1570	S964	97	S984	84
8	3340mm	1840mm	2840 x 700 x 1740	S965	107	S985	94
9	3570mm	2070mm	3070 x 700 x 1900	S966	117	S986	104
10*	3800mm	2300mm	3300 x 900 x 2060	S967	131	S987	119
11*	4030mm	2530mm	3530 x 900 x 2230	S968	140	S988	127
12*	4260mm	2760mm	3760 x 900 x 2400	S969	151	S989	138
13*	4490mm	2990mm	3990 x 1230 x 2560	S970	163	S990	148
14*	4720mm	3220mm	4220 x 1230 x 2730	S971	175	S991	160
15*	4950mm	3450mm	4450 x 1230 x 2890	S972	187	S992	172

*10 tread and above supplied in 2 halves for transport purposes. Refer to page 27 for optional extras



Steptek Quality Extra Heavy Duty Stability Base Model

Hand built with attention to detail, both in design and manufacture, to ensure total reliability and many years of arduous operation. Over load tested to 200kg.

Construction: Welded heavy gauge steel box section and bar. Fitted with hand lock lever anchorage; when locked, the front feet rest firmly on the floor, feet fitted with protective grey non-marking rubber feet. Safety warning bar fitted to protrude in front of steps, linked to hand lock lever mechanism, to deter users from climbing steps when still in 'mobile' mode.

Stability base model: Outboard wheels mounted on splayed base frame gives superior stability.

Finish: Main structure red epoxy finish; safety bar and hand lever mechanism in safety yellow.

Wheels: Front 2 swivel castors with 100mm diameter rubber tyred wheels, with roller bearings. 2 rear axle mounted 200mm diameter wheels with rubber tyres and roller bearings.

A caution notice is fitted to remind user of operation procedure. A health and Safety at Work information sheet is supplied.



Max Load
150kg




Made in
Britain


See page 27
for optional extras.



Tread options:



Ribbed Rubber



Expamet



KM 608967
BS EN 131-7

Tread width: 490mm | Platform W x D: 540 x 500mm

Number of Treads Including Platform	Average Working Height	Platform Height	Overall Dimension (H x W x D) mm	R/Rubber Treads Order Ref	Kg	Expamet Treads Order Ref	Kg
3	2190mm	690mm	1690 x 780 x 955	S920	56	S940	48
4	2420mm	920mm	1920 x 850 x 1120	S921	64	S941	56
5	2650mm	1150mm	2150 x 910 x 1290	S922	74	S942	62
6	2880mm	1380mm	2380 x 960 x 1425	S923	93	S943	81
7	3110mm	1610mm	2610 x 1010 x 1610	S924	102	S944	89
8	3340mm	1840mm	2840 x 1060 x 1790	S925	112	S945	99
9	3570mm	2070mm	3070 x 1140 x 1955	S926	122	S946	109
10*	3800mm	2300mm	3300 x 1220 x 2130	S927	136	S947	124
11*	4030mm	2530mm	3530 x 1270 x 2290	S928	145	S948	132
12*	4260mm	2760mm	3760 x 1270 x 2400	S929	157	S949	143
13*	4490mm	2990mm	3990 x 1370 x 2560	S930	168	S950	153
14*	4720mm	3220mm	4220 x 1540 x 2730	S931	180	S951	165
15*	4950mm	3450mm	4450 x 1565 x 2890	S932	192	S952	177

*10 tread and above supplied in 2 halves for transport purposes. Refer to page 27 for optional extras



Steptek

Steptek Quality Extra Heavy Duty Range

23

Steptek Easy Rise Range
with Handlock Anchorage

Hand built with attention to detail, both in design and manufacture, to ensure total reliability and many years of arduous operation. Welded steel tube and bar construction, fitted with hand lock anchorage. When locked the front feet rest firmly on the floor, feet fitted with protective plastic floor pads.

48 degree slope for extra safety and comfort. Designed to allow user to descend the steps facing forward.

760mm tread width.

Finish: All steelwork red epoxy finish.

Wheels: Front 2 swivel castors with 100mm diameter rubber tyred wheels with roller bearings. Rear 2 axle mounted 200mm diameter wheels with rubber tyres and roller bearings.





Max Load
150kg



Made in
Britain


See page 27
for optional extras.





bsi
Mobile
Ladders
with Platform
KITEMARK™
KM 608967
BS EN 131-7

Tread width 760mm
Platform W x D: 760 x 400mm



Number of Treads inc Platform	Average Working Height mm	Platform Height mm	Overall Dimension (H x W x D) mm	R/Rubber Treads Order Ref	Kg	Anti-Slip Treads Order Ref	Kg	Expamet Treads Order Ref	Kg	Punched Treads Order Ref	Kg	Aluminium Treads Order Ref	Kg
5	2650	1150	2110 x 980 x 1400	S601	80	S611	80	S621	80	S631	78	S641	82
6	2880	1380	2340 x 980 x 1600	S602	88	S612	88	S622	88	S632	86	S642	91
7	3110	1610	2570 x 980 x 1800	S603	96	S613	96	S623	96	S633	94	S643	99
8	3340	1840	2800 x 980 x 2000	S604	104	S614	104	S624	104	S634	102	S644	108
9	3570	2070	3030 x 980 x 2200	S605	112	S615	112	S625	112	S635	110	S645	117
10*	3800	2300	3260 x 1150 x 2400	S606	132	S616	132	S626	132	S636	130	S646	138
11*	4030	2530	3490 x 1150 x 2600	S607	142	S617	142	S627	142	S637	140	S647	149
12*	4260	2760	3720 x 1150 x 2800	S608	152	S618	152	S628	152	S638	150	S648	160


*10 tread and above supplied in 2 halves for transport purposes. Refer to page 27 for optional extras

Mobile Steps with Handlock Anchorage

Choice of 610mm or 760mm tread width. Hand built with attention to detail, both in design and manufacture, to ensure total reliability and many years of arduous operation.

All steelwork blue epoxy finish. Wheels: Front swivel and rear fixed castors with 100mm diameter white nylon wheels and roller bearings. All models fitted with hand lock anchorage. When locked the front feet rest firmly on the floor; fitted with protective plastic floor pads.


Tread options:



Ribbed Rubber



Expamet



Anti-slip



Punched Steel

S075



Max Load
150kg



Made in
Britain

Designed to conform
to BS EN 131-7

See page 27
for optional extras.



Retracting Castors fitted
as standard.

Tread width 610mm / Platform W x D 610 x 457mm

Number of Treads inc Platform	Average Working Height	Platform Height	Overall Dimension (H x W x D) mm	Ribbed Rubber Treads Order Ref	Kg	Expamet Treads Order Ref	Kg	Anti Slip Treads Order Ref	Kg	Punched Treads Order Ref	Kg
4	2400mm	915mm	1875 x 760 x 1085	S052	45	S061	45	S070	45	S079	43
5	2700mm	1145mm	2105 x 760 x 1260	S053	50	S062	50	S071	50	S080	48
6	2900mm	1370mm	2330 x 760 x 1435	S054	56	S063	56	S072	56	S081	53
7	3100mm	1600mm	2560 x 760 x 1690	S055	65	S064	65	S073	65	S082	62
8	3400mm	1830mm	2790 x 760 x 1865	S056	70	S065	70	S074	70	S083	67
9	3600mm	2060mm	3020 x 760 x 2045	S057	76	S066	76	S075	76	S084	73
10*	3800mm	2285mm	3245 x 760 x 2225	S058	88	S067	88	S076	88	S085	84
11*	4000mm	2515mm	3475 x 760 x 2400	S059	96	S068	96	S077	96	S086	91
12*	4300mm	2745mm	3705 x 760 x 2580	S060	104	S069	104	S078	104	S087	99

Tread width 760mm / Platform W x D 760 x 457mm

Number of Treads inc Platform	Average Working Height	Platform Height	Overall Dimension (H x W x D) mm	Ribbed Rubber Treads Order Ref	Kg	Expamet Treads Order Ref	Kg	Anti Slip Treads Order Ref	Kg	Punched Treads Order Ref	Kg
5	2700mm	1145mm	2105 x 915 x 1260	S090	60	S100	56	S110	60	S120	58
6	2900mm	1370mm	2330 x 915 x 1435	S091	66	S101	62	S111	66	S121	64
7	3100mm	1600mm	2560 x 915 x 1690	S092	76	S102	72	S112	76	S122	74
8	3400mm	1830mm	2790 x 915 x 1865	S093	84	S103	79	S113	84	S123	82
9	3600mm	2060mm	3020 x 915 x 2045	S094	91	S104	86	S114	91	S124	88
10*	3800mm	2285mm	3245 x 915 x 2225	S095	105	S105	99	S115	105	S125	102
11*	4000mm	2515mm	3475 x 915 x 2400	S096	114	S106	107	S116	114	S126	110
12*	4300mm	2745mm	3705 x 915 x 2580	S097	123	S107	115	S117	123	S127	118
13*	4500mm	2975mm	3935 x 915 x 2755	S098	130	S108	122	S118	130	S128	127
14*	4700mm	3200mm	4160 x 915 x 2935	S099	138	S109	130	S119	138	S129	134

*10 tread and above supplied in 2 halves for transport purposes. Refer to page 27 for optional extras



Steptek

Handlock Anchorage

25

Easy Rise Steps with Truck/Dock Platform



Max Load
150kg



Made in
Britain

48 degree slope for extra safety and comfort, designed to allow user to descend the steps facing forward. Large platform with removable chain on end and both sides for 3-sided access. Welded steel tube and bar construction. Fitted with handlock anchorage.

Front feet fitted with protective plastic floor pads. Expamet treads and large working top platform makes them ideal for loading and unloading items outside.

Wheels: 2 front swivel castors with 100mm diameter rubber tyred wheels with roller bearings, 2 rear axle-mounted 200mm wheels with rubber tyres and roller bearings.

Finish: All steelwork red epoxy or galvanised finish.

Tread width 750mm / Platform W x D: 750 x 1200mm

No. of Treads (inc platform)	Average working height mm	Platform height mm	Overall (H x W x D) mm	Red Expamet		Galvanised Expamet	
				Order Ref	Wt. Kg	Order Ref	Wt. Kg
3	2190	690	1680 x 960 x 1680	S680	80	S690	80
4	2420	920	1910 x 960 x 1870	S681	89	S691	89
5	2650	1150	2140 x 960 x 2060	S682	98	S692	98
6	2880	1380	2370 x 960 x 2250	S683	107	S693	107
7*	3110	1610	2600 x 960 x 2440	S684	116	N/A	N/A
8*	3340	1840	2830 x 960 x 2630	S685	125	N/A	N/A



Expamet

BS EN 131-7 version available, please ask for details.

*7 & 8 tread versions have bolt on handles for transport purposes.

*Galvanised steps are made to order non-returnable

Tilt and Go Steps



Max Load
150kg



Made in
Britain

Welded steel tube and bar construction. Expamet treads and large working top platform makes them ideal for loading and unloading items outside.

The steps have 2 handles at the front fitted with knuckle guard hand grips for safe lifting and moving.

Wheels: 2 rear 200mm steel centred wheels with rubber tyres and roller bearings.



Option
Inward opening gate on platform end.
Ref: S700 (Extra).

*Galvanised steps are made to order non-returnable

Tread width 500mm / Platform W x D: 500 x 600mm



Expamet



KM 608967
BS EN 131-7

No. of Treads (inc platform)	Average working height mm	Platform height mm	Overall (H x W x D) mm	Blue Expamet		Galvanised Expamet	
				Order Ref	Wt. Kg	Order Ref	Wt. Kg
3	2250	750	1760 x 650 x 1345	S701	36	S711	36
4	2500	1000	2010 x 850 x 1535	S702	41	S712	41
5	2750	1250	2260 x 1050 x 1725	S703	46	S713	46
6	3000	1500	2510 x 1250 x 1915	S704	51	S714	51



Optional Extras for Warehouse Steps

Platform Gate to End



Inward opening spring loaded gate secured with spring loaded plunge bolt. Fitted to the end of the platform. Platform depth increases to 760mm.

Ref: **S175E**

Platform Chain to Front



Double chain fitted to front of platform, secured by locking spring clip. Secures user onto platform. Platform depth increases to 760mm.

Ref: **S179**

Platform Gate to Side



Inward opening spring loaded gate secured with spring loaded plunge bolt. Fitted to the side of the platform. Platform depth increases to 760mm.

Gate to left hand side of platform.

Ref: **S175L**

Gate to right hand side of platform.

Ref: **S175R**

Platform Chain to Side



Double chain fitted to the side of the platform, secured by locking spring clip. Increases platform depth to 760mm.

Chain to left hand side of platform.

Ref: **S178L**

Chain to right hand side of platform.

Ref: **S178R**

Double Hinged Bar to End



Double hinged bar fitted to end of platform.

Ref: **S176E**

Platform Chain to End



Double chain fitted to end of platform, secured by locking spring clip.

Ref: **S178E**

Doubled Hinged Bar to Side



Double hinged bar fitted to the side of the platform. Platform depth increases to 760mm.

Gate to left hand side of platform.

Ref: **S176L**

Gate to right hand side of platform.

Ref: **S176R**

Security Gate



Hinged security gate fitted to bottom of steps with padlock facility. Stops unauthorised users using the steps. Folds through 270 degrees.

Ref: **S170**

Double Hinged Bar to Front



Double hinged bar fitted to front of platform. Secures user within platform area. Platform depth increases to 760mm.

Ref: **S177**

Hook on Tool Tray



Dimensions: (L x W x D)
600mm x 250mm x 220mm
Load capacity: 5kg

Ref: **S089**

Hook on Wire Basket



Dimensions: (L x W x D)
600mm x 220mm x 220mm
Load capacity: 5kg

Ref: **S088**

Note: Optional extras are factory fitted and are non-returnable.



Steptek

Step Tray Trolleys - 3 Step

Ideal for stock picking and putting away in stores, warehouse, office, library etc.

Spring loaded step unit, with ribbed rubber treads, locates firmly on floor when foot placed on first step, immobilising trolley. Top tread height 686mm. Fully welded construction, from RSA angle and ERW tube. Rubber feet fitted to step unit. Blue epoxy finish.



Made in Britain

S183



S189



Tray options (For medium or heavy duty trolleys):

Fixed sheet steel trays - with 20mm lip all round, blue epoxy finish.

Fixed plywood shelves - recessed with 10mm lip all round.

Removable steel trays - reversible to give either a flush finish, or 25mm lip all round, white powder coated finish.

Removable wire baskets - 160mm high sides, white powder coated finish.

Medium Duty - 125kg total load capacity 2 and 3 tray

Heavy Duty - 175kg total load capacity 2 and 3 tray

Heavy Duty Castors:

2 swivel and 2 fixed castors with 125mm diameter rubber tyred wheels with roller bearings.

S194



Medium Duty Castors:

4 stem fitting swivel castors with 125mm diameter wheels with grey non marking tyres and thread guards.

S186



Tray Type	Duty	Cap. Kg	No. of Tiers	Tray Heights mm			Usable W x L mm	Overall H x W x L mm	Wt. Kg	Ref
				Top	Middle	Bottom				
Fixed blue trays	Medium	125	2	920	-	310	465 x 780	1150 x 495 x 1325	33	S180
		125	3	920	615	310	465 x 780	1150 x 495 x 1325	40	S181
	Heavy	175	2	955	-	180	465 x 780	1070 x 475 x 1325	36	S188
		175	3	955	570	180	465 x 780	1070 x 475 x 1325	43	S189
Fixed ply-wood shelf	Medium	125	2	920	-	310	465 x 780	1150 x 495 x 1325	30	S182
		125	3	920	615	310	465 x 780	1150 x 495 x 1325	35	S183
	Heavy	175	2	955	-	180	465 x 780	1070 x 475 x 1325	33	S191
		175	3	955	570	180	465 x 780	1070 x 475 x 1325	38	S192
Reversible white trays	Medium	125	2	920	-	310	455 x 770	1150 x 495 x 1325	34	S184
		125	3	920	615	310	455 x 770	1150 x 495 x 1325	42	S185
	Heavy	175	2	955	-	180	455 x 770	1070 x 475 x 1325	38	S194
		175	3	955	570	180	455 x 770	1070 x 475 x 1325	46	S195
Removable baskets	Medium	125	2	1060	-	450	450 x 755	1150 x 495 x 1325	31	S186
		125	3	1060	755	450	450 x 755	1150 x 495 x 1325	37	S187
	Heavy	175	2	1095*	-	320*	450 x 755	1095 x 475 x 1325	33	S197
		175	3	1095*	710*	320*	450 x 755	1095 x 475 x 1325	39	S198

Reversible steel trays



Removable wire baskets



* Dimension to top of basket. Recommended working height with Steptek models is 1.5m from top tread



Heavy Duty Step Tray Trolleys - 5 Steps

3 tray tiers - 5 steps. Top tread height 1145mm. Fitted with 2 retractable castors in front and 2 fixed castors to rear, each with 125mm rubber tyred wheels and roller bearings. Operation: Front castors retract with hand operated lever to immobilise trolley.

Steps

Fixed steps, handrail fitted to each side and across top.
Construction: Fully welded from RSA angle and ERW tube.
Finish: Blue epoxy

Tray options:

- Fixed sheet steel trays** - with 20mm lip all round, blue epoxy finish.
- Fixed plywood shelves** - recessed with 10 mm lip all round.
- Removable steel trays** - reversible to give either a flush finish, or 25mm lip all round, white powder coated finish.
- Removable wire baskets** - 160mm high sides, white powder coated finish.



Max Load
125kg



Made in
Britain



S193



S196



S199

Reversible steel trays Removable wire baskets



Tray type	Tray heights mm			Usable W x L mm	Overall H x W x L mm	Wt. Kg	Ref
	Top	Middle	Bottom				
Fixed blue trays	1115	650	185	525 x 935	2075 x 620 x 1730	67	S190
Fixed ply shelves	1115	650	185	525 x 935	2075 x 620 x 1730	61	S193
Reversible white trays	1115	650	185	510 x 920	2075 x 620 x 1730	71	S196
Removable baskets	1245*	785*	320*	500 x 905	2075 x 620 x 1730	61	S199

*Dimension to top of basket. Maximum recommended step load is 125kg (operator and goods carried) Trolley capacities as stated.



Loadtek

Loadtek products are built to vigorous standards for many years of relentless use.

The product ranges come with a choice of materials, styles, sizes and colours. Additional specification is available to modify your choice of product including handle, wheel, bumper and brake options for the majority of the ranges.

Covering an extensive range of lifting and moving tasks, Loadtek products are built to solve all your handling problems.



Choosing the right product



Weight to be transported

It is important to understand the weight being transported when choosing the correct product.

Usage guide

0-150kg - Light Duty
150-300kg - Medium Duty
300kg+ - Heavy Duty



Size to be transported

The Loadtek product range has been built through years of innovation and metal manufacturing expertise.

Developed with the needs of industry at the forefront of our thinking, we have developed a comprehensive range of products to handle all shapes and size of items.



Wheel type

Understanding the environment your product is going to be commonly used will help you choose the right wheel.

Wheel Options

Pneumatic - Ideal for rough or uneven terrain
Solid - Long lasting and smooth running
Foam Filled - Puncture proof and long lasting

Trucks & Trolleys

Tray Trolleys	32 - 35
Table Trucks	36
Shelf Trucks	38 - 43
Parcel Trucks	40 - 41
Stanchion Trucks	40
Platform Trucks	46 - 52
Beam & Carpet Trolleys	60
Plate Trucks	61
Bar & Sheet Racks	62 - 63
Chair Handling	53 - 55
Warehouse Barriers	56 - 59

Drum Handling

Drum Lifters	64
Drum Trucks	65
Drum Storage & Handling	66 - 71

Cylinder Handling

Cylinder Stands & Racks	72 - 74
Cylinder Trucks & Trolleys	74 - 79
Cylinder Storage	80 - 81

Trailers

Hand Pull Trailers	82 - 86
Towing Trailers	87

Sack Trucks

Telescopic Sack Trucks	88 - 89
Sack Trucks	90 - 96
Stairclimbing Sack Trucks	96 - 98
Chairshifters	99



Utility Tray Trolleys

A unique range of robust tray trolleys designed for most environments, including warehouses, garages, catering, serving and general everyday use. The specially formed aluminium uprights and ribbed plastic shelves provide strength, durability and stability. Fitted with 100mm diameter thermoplastic swivel rubber castors (2 braked).

2 Shelf Trolleys

Description	Standard - 2 Shelves	Large - 2 Shelves
Overall H x W x D mm	940 x 460 x 750	970 x 513 x 990
Shelves L x W mm	630 x 424	866 x 500
Capacity kg	100	120
Order Ref	TT40	TT41



3 Shelf Trolleys

Description	Standard - 3 Shelves	Large - 3 Shelves
Overall H x W x D mm	980 x 460 x 750	1010 x 513 x 990
Shelves L x W mm	630 x 424	866 x 500
Capacity kg	150	200
Order Ref	TT42	TT43

Folding Flatbed Trolleys

A sturdy range of highly manoeuvrable steel trolleys suitable for transporting various goods. Ideal for indoor and outdoor use.

- Folds flat for compact storage
- Non-slip rubber platforms and scuff resistant corners
- Non-marking wheels (2 fixed and 2 swivel)
- Powder coated steel handles



Description	Standard Folding Flatbed	Large Folding Flatbed
Overall H x W x D mm	810 x 470 x 730	870 x 608 x 907
Folded Height mm	230	285
Wheels Ømm	100	125
Capacity kg	150	300
Order Ref	TT44	TT45

Low Cost Tray Trolleys



Max Load
150kg



Made in
Britain

2 or 3 fixed steel trays. Fully welded construction. Fixed steel trays with smooth folded lips. Trays are welded in position at specified heights.

Wheels: 4 swivel castors with 125mm diameter. grey non-marking tyres with thread guards. Powder coated finish.



Options

Total stop brakes

Ref: **B047 (pair)**



Overall L x W mm	890 x 465	
Overall H mm	840	
Tray Size mm	762 x 457	
Trays	2 Tier	3 Tier
Weight kg	19	23
Tray Heights mm	190: 840	190: 515: 840
Order Ref	TT70	TT71

Colour Options	W	B
----------------	---	---



Tray Trolleys

Choice of elegant and smart removable and reversible white or blue trays in blue frame, or fixed ply shelves. Tough durable epoxy finish throughout.

Choice of 2 or 3 removable steel trays or fixed ply shelves. Removable and reversible steel trays for flush or recessed fitting. Welded tube and angle construction.

Wheels: 125mm diameter stem fitting castors. Grey non marking tyres with thread guards.



Max Load
150kg



Made in
Britain

Overall Height mm	1065			
No. of trays	2 - Tray		3 - Tray	
Tray size L x W mm	760 x 457	1065 x 610	760 x 457	1065 x 610
Tray heights mm	245 : 945		245 : 595 : 945	
Weight Kgs	25	38	34	52
TTW Series Ref	TT62	TT66	TT63	TT67
White epoxy trays				
TTB Series Ref	TT72	TT76	TT73	TT77
Blue epoxy trays				
TT60 Series Ref	TT60	TT64	TT61	TT65
Fixed ply trays Weight Kgs	20	31	27	41

Optional extras

Revolving Protector Buffers
to protect walls and trolley.
Factory fitted
Ref: **B171 (set)**



Total Stop Brakes
always recommended
Ref: **B047 (pair)**



Pneumatic Tyres
complete set of 4
Ref: **B009**



TT350 Series

Special heavyweight tray trolleys custom built to your specification if required. Strong construction from square and round section steel tubes and steel shelves with lip.

Height mm	1200
Overall L x W x H mm	1090 x 500 x 1200
External Tray Size L x W mm	900 x 500
Bottom Shelf H mm	280
Middle Shelf H mm	740
Top Shelf H mm	1200
Weight kg	58
Ref:	TT35

Height mm	900
Overall L x W x H mm	1090 x 500 x 900
External Tray Size L x W mm	900 x 500
Bottom Shelf H mm	280
Middle Shelf H mm	590
Top Shelf H mm	900
Weight kg	56
Ref:	TT34



Max Load
350kg



Made in
Britain



Wheels: 2 fixed and 2 swivel castors with 200mm diameter red centred wheels fitted with solid rubber tyres and roller bearings. Finish: Blue epoxy

Optional extra

Total stop brakes - Ref: **B013 (pair)**



Industrial Tray Trolleys

2 or 3 tray in varnished ply timber panel or sheet steel trays.

Tough, high capacity industrial design with heavy duty, fully welded angle and tube construction. Highly suited to industrial use in stores, workshops and factories.

Wheels: Plate fixing castors with 160mm diameter rubber tyred wheels. Roller bearings, 2 swivel and 2 fixed.

Finish: Blue or red epoxy.

Overall L x W x H mm	1070 x 615 x 1045			
Top Shelf H mm	950			
Middle Shelf H mm	605			
Bottom Shelf H mm	260			
Capacity kg	300			
Tray L x W mm	1000 x 600			
Tray Type	Timber panel trays 10mm raised edge		Steel panel trays 20mm raised edge	
Number Of Trays	2	3	2	3
Overall Weight kg	40	45	50	57
Order Ref	TT36	TT37	TT38	TT39

Colour Options	B	R
----------------	---	---

Optional extra
Total stop brakes
Ref: **B024 (pair)**



Max Load
300kg



Made in
Britain



Loadtek

Heavy Duty Table Trucks

Ideal truck series for tough work in stores, warehouses, factories and workshops.

Welded steel construction throughout with a choice of timber or steel decks.

Overall length = Deck length + 135mm

Overall width = Deck width + 20mm

Finish: Blue epoxy.

Wheels: 2 fixed and 2 swivel castors

200mm diameter rubber tyred wheels.

Recessed Deck Option

Recessed top and bottom decks optional at no extra cost. Add suffix **RD** to chosen Ref.

Optional extras

Total stop brakes -

Ref: **B013 (pair)**



Max Load
500kg



Made in
Britain

Protective bumper strips (factory fitted):

Deck size 1000 x 700mm - Ref: **BS2**

Deck size 1200 x 800mm - Ref: **BS3**



Heavy duty top deck

Height - 895mm

Ref: **TT230T / TT240T / TT205T**

Extremely stable, especially when fitted with optional brakes.



Heavy duty steel top deck
Shelf Height mm: 895

Ref: **TT230S / TT240S / TT205S**



2 heavy duty steel decks
Shelf Heights mm: 275 : 895

Ref: **TT210S / TT220S / TT200S**



2 heavy duty timber decks
Shelf Heights mm: 275 : 895

Ref: **TT210T / TT220T / TT200T**



Overall Size L x W x H mm: 1135 x 620 x 895
Weight: 50 kg

Deck Size mm: 1000 x 600

Ref: **SP606S**

Total stop brakes -

Ref: **B229 (pair)**

for SP606S only



Deck size	1000 x 600 mm		1000 x 700 mm		1200 x 800 mm	
Type	Top deck only	Top and bottom deck	Top deck only	Top and bottom deck	Top deck only	Top and bottom deck
Weight Kgs	42	52	46	56	53	66
Timber Deck Ref	TT205T	TT200T	TT230T	TT210T	TT240T	TT220T
Weight Kgs	40	48	44	52	50	64
Steel Deck Ref	TT205S	TT200S	TT230S	TT210S	TT240S	TT220S



6 Model TT160 Series

Welded tubular and flat steel chassis frame. All plywood shelves are fixed, polyurethane coated with hardwood edge and have 20mm upstand. Steel shelves have 25mm upstand. All steelwork is finished in blue epoxy.

Cupboards and drawers supplied with lock and 2 keys.

Wheels: Standard design 2 swivel and 2 fixed 125mm diameter rubber tyres.

Overall H x W x L mm: 1045 x 620 x 1160

2 tier shelf heights mm: 285 and 805

3 tier shelf heights mm: 285, 545 and 805



Max Load
150kg



Made in
Britain



TT160



TT161



TT162



TT165



TT166



TT168



Optional extras (factory fitted)

Pneumatic tyres
complete set of 4
200 x 50mm:

Ref: **B008**



All swivel castors
125 dia. RT castors:

Ref: **B031**



Total stop brakes (pair):

Ref: **B032**



Trolley Specification	Weight	Order Ref
2 plywood shelves	30kgs	TT160
3 plywood shelves	37kgs	TT161
Plywood top shelf and 2 plywood half shelves 1 steel cupboard H x W x D 485 x 500 x 600mm	52kgs	TT162
Top and bottom steel shelves 2 drawers each H x W x D 95 x 500 x 460mm	51kgs	TT165
Top and bottom steel shelves, drawer and cupboard drawer H x W x D 95 x 500 x 460mm	51kgs	TT166
2 steel shelves	37kgs	TT168



Loadtek

Workshop Trolleys

37



Max Load
200kg



Made in
Britain



Double sided tool panel trolley - 3 panel high Ref: **LPT-03**

Tool Panel Trolleys

'A' frame double sided tool panel trolleys with integral sheet steel deck storage area. Fully welded steel frame construction with bolt-on tool panels. Tubular push/pull handle.

Wheels: 2 swivel braked and 2 fixed castors fitted with 125mm blue resilex wheels and roller bearings.
Finish: Grey epoxy trolley (BS00A05) with Blue panels (RAL5017).

Panels	2	3
Overall H mm	1220	1600
Base L x W mm	1025 x 600	
Deck H mm	280	
Order Ref	LPT-02	LPT-03



Double sided tool panel trolley - 2 panel high Ref: **LPT-02**

For tool hooks - see page 165



Max Load
350kg



Made in
Britain



TS62



TS63



TS64

Narrow Aisle Shelf Trucks

Designed for use in narrow gangways and confined spaces, easily passes through standard doorways. Combination of options meet most requirements in workshops, warehouses and hospitals.

Manufactured from tubular steel framework with steel rod infill panels, and punched steel, flush surface shelves.


Wheels: 2 fixed and 2 swivel castors with 160mm diameter rubber tyred wheels with roller bearings.

Finish: Main frame red epoxy; deck and shelves light grey epoxy.

Overall L x W x H mm	1030 x 625 x 1785		
Deck L x W mm	960 x 600		
Shelf L x W mm	960 x 560		
Deck Height mm	235		
First Shelf Height mm	720		
Second Shelf Height mm	1200		
Weight Capacity	Deck - 150kg	Shelf - 100kg	

Description	Total capacity	Weight Kg	Order Ref
Deck + 2 ends + 2 shelves	350 kg	50	TS62
Deck + 2 ends + 2 shelves + 1 side	350 kg	55	TS63
Deck + 2 ends + 2 shelves + 2 sides	350 kg	60	TS64

Air-flow punched steel shelves with flush surface. Ends and shelves fixed, both sides hook-on.



Optional extra
Total stop brakes:
Ref: **B024 (pair)**



Book Trolleys



Max Load
150kg



Made in
Britain

Popular design for libraries, offices, classrooms, laboratories etc.

Single sided with flat shelves and double sided with angled shelves Strong all steel construction finished in cream epoxy.

Overall L x W: 840 x 470mm. Fitted with 4 swivel castors 100mm, grey non-marking tyres and thread guards.

2 Tier	Single Sided	Double Sided
Overall height	940mm	955mm
Shelf heights	185/580mm	185/655mm
Overall L x W	840 x 390mm	840 x 470mm
Weight	27kg	35kg
Red Ref	TT24	TT21
3 Tier	Single Sided	Double Sided
Overall height	1265mm	1325mm
Shelf heights	185/540/895mm	185/600/1020mm
Overall L x W	840 x 390mm	840 x 470mm
Weight	38kg	46kg
Order Ref	TT25	TT22

Colour Options



TT21/B

4 handle frame colours, ideal for job or location coding



TT25/B



TT24/R



TT22/G

Book Trolley



Max Load
250kg



Made in
Britain

Popular design for libraries, offices, classrooms and laboratories.

Double sided with angled shelves. Tubular steel frame with sheet steel shelves. Fitted with 4 swivel castors 125mm, grey non-marking tyres and thread guards.

Overall L x W x H mm	880 x 550 x 1115
Weight kg	37
Shelf Clearance mm	345
Order Ref	TT26

Colour Options



Optional extras

Total stop brakes:

Ref: **B052 (pair)**



Revolving buffer corners:

Ref: **B172 (set)**



Loadtek



Max Load
500kg



Made in
Britain

Parcel Trucks



WT20

With 3 fixed tubular sides. Push handle one end. Polyurethane coated plywood platform flush fitted into angle frame chassis.
Wheels: 2 fixed and 2 swivel castors with 200mm diameter rubber tyred wheels and roller bearings.
Finish: Blue epoxy.

Deck size L x W mm	Overall L x W x H mm	Effective height mm	Deck height mm	Weight Kgs	Order Ref
1000 x 700	1190 x 730 x 1575	1300	275	60	WT20
1200 x 800	1390 x 830 x 1575	1300	275	70	WT21

Optional extras

Total stop brakes:

Ref: **B013 (pair)**



Protective bumper strips
(factory fitted):

Deck size 1000 x 700mm. Ref: **BS2**

Deck size 1200 x 800mm. Ref: **BS3**



Made in
Britain

Stanchion Trucks

Ideal for long bulky loads.

625mm removable corner stanchions for easier loading and unloading.
2 deck sizes and 2 models: 500kg and 1000kg heavy duty fully welded construction. Steel angle with tubular post pockets.

Wheels: 2 swivel 2 fixed castors with 200 or 250mm diameter rubber tyred wheels. Bright zinc plated steel centres and roller bearings.

Finish: Blue epoxy.



WT23

Deck size L x W mm	Capacity Kgs	Wheel dia. mm	Deck height mm	Weight Kgs	Order Ref
1300 x 700	500	200	275	40	WT23
Overall: 1310 x 770	1000	250	355	50	WT24
1600 x 800	500	200	275	50	WT25
Overall: 1610 x 870	1000	250	355	57	WT26



Max Load
300kg



Made in
Britain

Platform and Frame Dollies

A range of dollies to suit most industrial needs. Steel frame construction with a choice of deck types in a compact 600 x 600mm deck size.

Finish: Blue epoxy.

Wheels: 4 swivel castors with 125mm diameter rubber tyred roller bearing wheels with bright zinc plated centres.



TD602

TD600

TD601

Deck Type	Timber	Steel	Open Frame
Capacity kg	300	300	300
Deck L x W mm	600 x 600	600 x 600	600 x 600
Platform Height mm	198	198	198
Wheel Diameter. mm	125	125	125
Weight kg	19	21	15
Order Ref	TD600	TD601	TD602



TT100 Range

Ideal for warehouses, stores, supermarkets, factories and offices.

2, 3 and 4 deck models. Made from a high quality tubular chassis frame with a red epoxy finish. Fixed timber shelves with bright steel protector strips on both long sides.

Wheels: 2 fixed and 2 swivel castors with 160mm diameter rubber tyred wheels with bright steel centres. Brakes optional.

Overall L x W mm	1070 x 610
Deck L x W mm	1000 x 600
Overall Height (1, 2 & 3 Decks) mm	1160
Overall Height (4 Decks) mm	1500

No. of Decks	Deck Heights mm	Weight kg	Order Ref
2	290 : 1010	38	TT100
3	290 : 650 : 1010	46	TT113
4	290 : 650 : 1010 : 1370	57	TT116

Optional extra
Total stop brakes:
Ref: B083 (pair)



Always recommended as
an important safety feature.
Suitable for all models.



Max Load
250kg



Made in
Britain

TT116



TT100



TT113





Shelf Truck



TS31T

with drawbar handle



Spring loaded catch holds drawbar in vertical position.

TS30



Welded angle chassis with tubular end frames. Fixed ply platform plus 3 drop-in ply shelves. 2 standard models. Both available as drawbar version. Wheels: 2 fixed and 2 swivel castors with 200mm diameter rubber tyred wheels and roller bearings.
Finish: Blue epoxy.

Model	Standard		With drawbar handle	
Overall Height mm	1780		1780	
Overall Length mm	1200	1400	1200	1400
Deck size L x W mm	1000 x 700	1200 x 800	1000 x 700	1200 x 800
Shelf Levels mm	635 : 1005 : 1375		635 : 1005 : 1375	
Deck Height mm	275		275	
Weight kg	65	80	69	84
Order Ref	TS30	TS31	TS30T	TS31T

Capacity UDL Kg: Truck max 500; per shelf max 50; base 350 when shelves fully loaded

Optional extra

Total stop brakes:
Ref: **B013 (pair)**



Shelf Truck with Rod Superstructure




TS32

Optional drawbar



Optional hook on front



Optional extra

Total stop brakes:
Ref: **B013 (pair)**



Welded angle chassis and tubular superstructure with vertical retaining rods. Fixed ply platform and 4 removable ply shelves. Wheels: 2 fixed and 2 swivel castors with 200mm diameter rubber tyred wheels and roller bearings.
Finish: Blue epoxy.

Model	Standard		With drawbar handle	
Overall Height mm	1780		1780	
Overall Length mm	1200	1400	1200	1400
Deck size L x W mm	1000 x 700	1200 x 800	1000 x 700	1200 x 800
Shelf Heights at 300mm Centres	570 : 870 : 1170 : 1470		570 : 870 : 1170 : 1470	
Clearance mm	280		280	
Deck Height mm	275		275	
Open Fronted				
Weight kg	88	106	90	108
Order Ref	TS32	TS34	TS32T	TS34T
With Hook on Front				
Weight kg	98	117	100	119
Order Ref	TS33	TS35	TS33T	TS35T

Capacity UDL Kg: Truck max 500; per shelf max 50; base 300 when shelves fully loaded



Shelf Truck with Mesh Superstructure

With mesh superstructure - 3 sides and top. Welded mesh infill 50 x 50mm panels 5 drop-in shelves. Welded angle chassis and superstructure. Fixed ply platform and 5 removable ply shelves. Wheels: 2 fixed and 2 swivel castors with 200mm diameter rubber tyred wheels and roller bearings.

Finish: Blue epoxy.

Model	Standard		With drawbar handle	
Overall Height mm	1780		1780	
Overall Length mm	1200	1400	1200	1400
Deck size L x W mm	1000 x 700	1200 x 800	1000 x 700	1200 x 800
Shelf Heights at 250mm Centres	275 : 525 : 775 : 1025 : 1275 : 1525		275 : 525 : 775 : 1025 : 1275 : 1525	
Clearance mm	230		230	
Deck Height mm	275		275	
Open Fronted				
Weight kg	110	120	112	122
Order Ref	TS36	TS38	TS36T	TS38T
With Hinged Doors				
Weight kg	127	138	129	140
Order Ref	TS37	TS39	TS37T	TS39T

Capacity UDL Kg: Truck max 500; per shelf max 50; base 250 when shelves fully loaded



Max Load
500kg



Made in
Britain



TS36

Optional hinged doors



Optional extra

Total stop brakes:

Ref: **B013 (pair)**



DIY Trolley

Sectioned trolley designed for the transportation of mixed products such as flat boards, boxes and tubes etc. Welded tube framework with flush fitting ply wood deck.

Wheels: 2 swivel and 2 fixed 160mm steel centred wheels with rubber tyres and roller bearings.

Finish: Red epoxy.

Overall H x L x W mm	1200 x 600 x 1000
Deck Height mm	220
Rail Heights from Deck mm	650 : 980
Weight kg	36
Ref:	TP37

Optional extra

Total stop brakes:

Ref: **B083 (pair)**



Max Load
450kg



Made in
Britain



Loadtek

Shelf Trucks / DIY Trolley

43

Boxtek Trolleys

The Boxtek Trolley is designed and manufactured in the UK to the highest standards of quality and safety, facilitating the easy transportation and storage of equipment and goods in the warehouse, workshop or on the factory floor.


Max Load
500kg


Made in
Britain

- Choice of models, with or without doors
- Two adjustable shelves in choice of plywood or steel
- Maximum load capacity per shelf: 100kg UDL
- Maximum load capacity per trolley: 500kg UDL
- Finished in a range of 5 standard colours
- Fitted with 2 swivel braked & 2 fixed heavy duty blue resilex castors with low rolling resistance and non marking tread
- Robust frame with steel base and open mesh lid



BW1P



BW3SG

Without Doors		
Size H x W x D mm	Shelf Option	Ref
1355 x 900 x 600	Plywood	BW1P
	Steel	BW1S
1355 x 1200 x 600	Plywood	BW2P
	Steel	BW2S
1655 x 900 x 600	Plywood	BW3P
	Steel	BW3S
1655 x 1200 x 600	Plywood	BW4P
	Steel	BW4S
1955 x 900 x 600	Plywood	BW5P
	Steel	BW5S
1955 x 1200 x 600	Plywood	BW6P
	Steel	BW6S

With Doors		
Size H x W x D mm	Shelf Option	Ref
1355 x 900 x 600	Plywood	BW1PG
	Steel	BW1SG
1355 x 1200 x 600	Plywood	BW2PG
	Steel	BW2SG
1655 x 900 x 600	Plywood	BW3PG
	Steel	BW3SG
1655 x 1200 x 600	Plywood	BW4PG
	Steel	BW4SG
1955 x 900 x 600	Plywood	BW5PG
	Steel	BW5SG
1955 x 1200 x 600	Plywood	BW6PG
	Steel	BW6SG

Colour Options

GN

R

B

Y

GY



Hazardous Boxtek Trolleys

Tough, sturdy Hazardous Boxtek Trolley designed and manufactured in the UK to the highest quality standards for the safe and secure storage and transportation between work areas of dangerous or hazardous materials.



Max Load
500kg



Made in
Britain

- Choice of models: with or without fitted doors
- Two adjustable shelves with choice of steel or plywood
- Maximum load capacity per shelf: 100kg UDL
- Maximum load capacity per trolley: 500kg UDL
- Finished in yellow, with hazardous warning stickers
- Fitted with 2 swivel braked & 2 fixed heavy duty blue resilex castors with low rolling resistance and non marking tread
- Robust frame with solid steel base and lid



HBW4P



HBW2SG

Without Doors		
Size H x W x D mm	Shelf Option	Ref
1355 x 900 x 600	Plywood	HBW1P
	Steel	HBW1S
1355 x 1200 x 600	Plywood	HBW2P
	Steel	HBW2S
1655 x 900 x 600	Plywood	HBW3P
	Steel	HBW3S
1655 x 1200 x 600	Plywood	HBW4P
	Steel	HBW4S
1955 x 900 x 600	Plywood	HBW5P
	Steel	HBW5S
1955 x 1200 x 600	Plywood	HBW6P
	Steel	HBW6S

With Doors		
Size H x W x D mm	Shelf Option	Ref
1355 x 900 x 600	Plywood	HBW1PG
	Steel	HBW1SG
1355 x 1200 x 600	Plywood	HBW2PG
	Steel	HBW2SG
1655 x 900 x 600	Plywood	HBW3PG
	Steel	HBW3SG
1655 x 1200 x 600	Plywood	HBW4PG
	Steel	HBW4SG
1955 x 900 x 600	Plywood	HBW5PG
	Steel	HBW5SG
1955 x 1200 x 600	Plywood	HBW6PG
	Steel	HBW6SG





Max Load
500kg



Made in
Britain

500 Series



Large Standard Euro Platform.
Substantial timber deck, all steel welded frame.
Wheels: 2 swivel and 2 fixed castors with 160mm red centre wheels with rubber tyres and roller bearing wheels.

Type	Overall Length	Overall Width	
Platform only	Deck length + 25mm	605mm	
Single end	Deck length + 85mm	705mm	
Double end	Deck length + 145mm	805mm	

Deck size L x W mm	1000 x 600mm	1000 x 700mm	1200 x 800mm
Platform only Ref	TC600	TC700	TC800
Weight kg	25	26	33
Single end Ref	TC601TB	TC701TB	TC801TB
Weight kg	29	30	38
Double end Ref	TC602TB	TC702TB	TC802TB
Weight kg	33	34	42

Optional extras
Total stop brakes.
Ref: **B024 (pair)**

Bumper strip (Factory fitted)
1000 x 600mm. Ref: **BS1**
1000 x 700mm. Ref: **BS2**
1200 x 800mm. Ref: **BS3**






Max Load
500kg



Made in
Britain

Long Goods Platform Trucks



Substantial timber deck. All steel welded frame.
Wheels: 2 swivel and 2 fixed castors 160mm diameter rubber tyred wheels and roller bearings.
Finish: Blue epoxy.

Overall Height mm	1035		
Deck Height mm	235		
Overall L x W mm	1025 x 605	1025 x 705	1225 x 805
Platform L x W mm	1000 x 600	1000 x 700	1200 x 800
2 straight sides - Tubular			
Retaining Sides mm	800		
Weight	40	41	47
Order Ref	TC605TB	TC705TB	TC805TB
2 straight sides - Timber			
Retaining Sides mm	520		
Weight	41	43	49
Order Ref	TC605P	TC705P	TC805P

Optional extra
Total stop brakes:
Ref: **B024 (pair)**



TC900 Series

Small deck size of 850 x 500mm. Choice of mesh or plywood panels. Substantial timber deck. Blue epoxy finished frame with removable zinc plated mesh side panels or clear varnished plywood end and side panels. Handle ends are fully welded to all steel welded base.

Wheels: 2 swivel and 2 fixed castors with 160mm diameter rubber tyred roller bearing wheels.



Max Load
500kg



Made in
Britain

Deck L x W mm	850 x 500	
Overall Length	Single end: Deck length + 85mm	Double end: Deck length + 145mm
Overall Width mm	505	
Overall Height mm	985	
Deck Height mm	235	
Load Restraint H mm	520	

Panel type	Mesh	Plywood
Single end Ref:	TC901M	TC901P
Weight kg	28	29
Double end Ref:	TC902M	TC902P
Weight kg	34	35
3 Sided Ref:	TC903M	TC903P
Weight kg	37	38
4 Sided Ref:	TC904M	TC904P
Weight kg	40	41

Optional extras

Total stop brakes.
Ref: **B024 (pair)**



Non Marking Tyre
160mm. Ref: **B040**



Pneumatic Tyres
200mm. Ref: **B008**
260mm. Ref: **B010**



N.B: B008 reduces the capacity to 250kgs,
B010 increases the deck height by 100mm.

Bumper strip (Factory fitted)
850 x 500mm. Ref: **BS1**



TC901M



TC902M



TC903M



TC904M



TC901P



TC902P



TC903P



TC904P



500 Series with Mesh Panels

Mesh panelled platform trucks. Choice of 3 deck sizes, Substantial timber deck. Blue epoxy finished frame with removable zinc plated mesh side panels or clear varnished plywood end and side panels. Handle ends are fully welded to all steel welded base.

Wheels: 2 swivel 2 fixed castors, with 160mm diameter rubber tyred roller bearing wheels.



Max Load
500kg



Made in
Britain



TC701M



TC702M



TC703M



TC704M

Optional extras

Total stop brakes.
Ref: **B024 (pair)**



Non Marking Tyre
160mm. Ref: **B040**



Pneumatic Tyres
200mm. Ref: **B008**
260mm. Ref: **B010**



Bumper strip (Factory fitted)
1000 x 600mm. Ref: **BS1**
1000 x 700mm. Ref: **BS2**
1200 x 800mm. Ref: **BS3**



N.B: B008 reduces the capacity to 250kgs,
B010 increases the deck height by 100mm

Deck Height mm	235		
Load Restraint Height mm	520		
Overall Height mm	985		
Overall Length	Single end: Deck length + 85mm	Double end: Deck length + 145mm	
Overall Width mm	605	705	805
Deck size L x W mm	1000 x 600	1000 x 700	1200 x 800
Single End Ref:	TC601M	TC701M	TC801M
Weight kg	30	32	37
Double End Ref:	TC602M	TC702M	TC802M
Weight kg	36	38	44
3 Sided Ref:	TC603M	TC703M	TC803M
Weight kg	39	41	48
4 Sided Ref:	TC604M	TC704M	TC804M
Weight Kgs:	42	44	52



500 Series with Timber Panels

Timber panelled platform trucks. Choice of 3 deck sizes. Substantial timber deck. Blue epoxy finished frame with removable zinc plated mesh side panels or clear varnished plywood end and side panels. Handle ends are fully welded to all steel welded base.

Wheels: 2 swivel 2 fixed castors, with 160mm diameter rubber tyred roller bearing wheels.



Max Load
500kg



Made in
Britain



Optional extras

Total stop brakes.
Ref: **B024 (pair)**



Non Marking Tyre
160mm. Ref: **B040**



Pneumatic Tyres
200mm. Ref: **B008**
260mm. Ref: **B010**



N.B: B008 reduces the capacity to 250kgs,
B010 increases the deck height by 100mm

Bumper strip (Factory fitted)
1000 x 600mm. Ref: **BS1**
1000 x 700mm. Ref: **BS2**
1200 x 800mm. Ref: **BS3**



Deck Height mm	235		
Load Restraint Height mm	520		
Overall Height mm	985		
Overall Length	Single end: Deck length + 85mm	Double end: Deck length + 145mm	
Overall Width mm	605	705	805
Deck size L x W mm	1000 x 600	1000 x 700	1200 x 800
Single End Ref:	TC601P	TC701P	TC801P
Weight kg	31	33	38
Double End Ref:	TC602P	TC702P	TC802P
Weight kg	37	38	45
3 Sided Ref:	TC603P	TC703P	TC803P
Weight kg	42	44	51
4 Sided Ref:	TC604P	TC704P	TC804P
Weight kg	47	49	57



Stainless Steel Range

304 Grade Stainless Steel platform trucks. High specification range of platform trucks suitable for the food and drink industry. Completely formed from 304 grade stainless steel sheet, tube and wire mesh. Fixed mesh ends and removable mesh sides.

Wheels: 2 swivel and 2 fixed stainless steel castors fitted with 200mm diameter rubber tyred wheels with red centres and stainless steel roller bearings.



Max Load
500kg



Made in
Britain



SP701M

Optional extra

Total stop brakes:

Ref. **B229 (pair)**



Bumper strip (Factory fitted)

1000 x 600mm: Ref. **BS1**

1000 x 700mm: Ref. **BS2**

1200 x 800mm: Ref. **BS3**



Overall Height mm	985		
Deck Height mm	295		
Mesh Panel Height mm	480		
Deck size L x W mm	1000 x 600	1000 x 700	1200 x 800

Mobile Base Only			
Order Ref	SP600	SP700	SP800
Weight kg	33	35	40
Single end			
Order Ref	SP601M	SP701M	SP801M
Weight kg	37	39	45
Clear load area	930 x 600mm	930 x 700mm	1130 x 800mm
Double End			
Order Ref	SP602M	SP702M	SP802M
Weight kg	41	44	50
Clear load area	860 x 600mm	860 x 700mm	1060 x 800mm
3 Sided			
Order Ref	SP603M	SP703M	SP803M
Weight kg	44	47	54
Clear load area	860 x 555mm	860 x 655mm	1060 x 755mm
4 Sided			
Order Ref	SP604M	SP704M	SP804M
Weight kg	47	50	58
Clear load area	860 x 510mm	860 x 610mm	1060 x 710mm



SP702M



SP703M



SP704M



Colour Range

Coloured platform trucks. High quality powder coated decks in a range of attractive colours, with bright zinc plated fixed mesh ends and removable sides. End panels fixed, side panels removable.

Wheels: 2 swivel and 2 fixed castors with 200mm diameter, rubber tyred wheels with bright zinc plated centres and roller bearings.



Max Load
700kg



Made in
Britain

Optional extras

Total stop brakes:

Ref. **B073 (pair)**



Non Marking Tyre

200mm: Ref. **B041**



Pneumatic Tyres

260mm: Ref. **B010**

N.B: B010 increase the deck height by 100mm



Bumper strip (Factory fitted)

1000 x 600mm: Ref. **BS1**

1000 x 700mm: Ref. **BS2**

1200 x 800mm: Ref. **BS3**



EP701M/B

Overall Height mm	985		
Deck Height mm	295		
Mesh Panel Height mm	480		
Deck size L x W mm	1000 x 600	1000 x 700	1200 x 800

Single End			
Weight kg	37	39	45
Clear load area	930 x 600mm	930 x 700mm	1130 x 800mm
Order Ref	EP601M	EP701M	EP801M
Double End			
Weight kg	41	44	50
Clear load area	860 x 600mm	860 x 700mm	1060 x 800mm
Order Ref	EP602M	EP702M	EP802M
3 Sided			
Weight kg	44	47	54
Clear load area	860 x 555mm	860 x 655mm	1060 x 755mm
Order Ref	EP603M	EP703M	EP803M
4 sided			
Weight kg	47	50	58
Clear load area	860 x 510mm	860 x 610mm	1060 x 710mm
Order Ref	EP604M	EP704M	EP804M

Colour Options	B	R	Y	G
----------------	---	---	---	---



EP702M/Y



EP703M/G



EP704M/R



Loadtek

Platform Trucks

Series 700 Bright Zinc Plated

Comprehensive range of bright zinc plated platform trucks from basic platform to 4 mesh sides. Choice of 3 deck sizes. Steel chassis with steel deck. Fixed ends and removable long sides, bright zinc plated mesh infill. Smart durable bright zinc plated finish.

Wheels: 2 swivel and 2 fixed castors with 200mm diameter rubber tyred roller bearing wheels with bright steel centres.

Optional extras

Total stop brakes:

Ref. **B073 (pair)**



Non Marking Tyre

200mm: Ref. **B041**



Pneumatic Tyres

260mm: Ref. **B010**



N.B: B010 increases the deck height by 100mm.

Bumper strip (Factory fitted)

1000 x 600mm: Ref. **BS1**

1000 x 700mm: Ref. **BS2**

1200 x 800mm: Ref. **BS3**



ZP701T



ZP701M



ZP702M



ZP703M



ZP704M



ZP700



Max Load
700kg



Made in
Britain

Overall Height mm	985		
Deck Height mm	295		
Mesh Panel Height mm	480		
Deck size L x W mm	1000 x 600	1000 x 700	1200 x 800
Platform Only			
Ref:	ZP600	ZP700	ZP800
Weight:	35kg	38kg	45kg
Single Fixed Tube End			
Ref:	ZP601T	ZP701T	ZP801T
Weight:	38kg	41kg	49kg
Clear load area mm:	930 x 600	930 x 700	1130 x 800
Single fixed mesh End			
Ref:	ZP601M	ZP701M	ZP801M
Weight:	39kg	42kg	49kg
Clear load area mm:	930 x 600	930 x 700	1130 x 800
Double fixed mesh End			
Ref:	ZP602M	ZP702M	ZP802M
Weight:	43kg	46kg	54kg
Clear load area mm:	860 x 600	860 x 700	1060 x 800
3 Sided (1 removable)			
Ref:	ZP603M	ZP703M	ZP803M
Weight:	46kg	49kg	58kg
Clear load area mm:	860 x 555	860 x 655	1060 x 755
4 Sided (2 removable)			
Ref:	ZP604M	ZP704M	ZP804M
Weight:	49kg	52kg	62kg
Clear load area mm:	860 x 510	860 x 610	1060 x 710

Stacking Chair Dolly



Made in
Britain

Designed to stack chairs with a skid base design of overall size (W x D x H) 500 x 500 x 790mm with a seat height of 460mm. Sturdy folded sheet steel design.

Wheels: Mounted on 2 swivel braked and 2 fixed castors fitted with 100mm polyurethane tyred wheels and roller bearings.

Finish: Black epoxy.

Chair Skid Base W x D x H mm	500 x 500 x 790
Overall W x D x H mm	550 x 650 x 420
Chair Seat Height mm	460
Weight kg	16
Maximum Chair Stack	24
Order Ref	PRIN-20



Transport Trolley



Made in
Britain

Designed to stack folded chairs of overall size (W x D x H) 450 x 550 x 820mm in the horizontal position. Manufactured from mild steel angle and tube. Supplied with handle removed and with easy to assemble instructions.

Wheels: Mounted on all swivel castors fitted with 75mm grey non-marking wheels and roller bearings.

Finish: Black epoxy.

Chair Overall Size W x D x H mm	450 x 550 x 820
Overall W x D x H mm	485 x 1130 x 1255
Height When Fully Loaded mm	1500
Weight kg	11
Maximum Chair Stack	40
Order Ref	PRIN-4





Made in
Britain



Upright Chair Truck

Designed to carry folded chairs of overall size (W x D x H) 470 x 540 x 870mm in the vertical position. Sturdy folded sheet steel and tubular design. Supplied with handles removed and with easy to assemble instructions, complete with retaining strap.

Wheels: Mounted on 2 swivel (1 braked) and 2 fixed castors fitted with 100mm polyurethane tyred wheels and roller bearings.

Finish: Black epoxy.

Chair Overall Size W x D x H mm	470 x 540 x 870 (Vertical)
Overall W x D x H mm	520 x 1530 x 1100
Height When Fully Loaded mm	1250
Weight kg	29
Order Ref	PRIN-14



Made in
Britain



Universal Table Trolley

Designed to carry either folding round tables using centre open tubular support, or folded rectangular tables using the MDF board platform at both ends of trolley.

Heavy duty design manufactured from steel box section, tube and bar. Tubular support rails are covered with protective plastic sheaths. Supplied with handles removed and with easy to assemble instructions, complete with retaining bars.

Wheels: Mounted on 2 swivel braked and 2 swivel castors fitted with 100 mm polyurethane tyred wheels and roller bearings.

Finish: Black epoxy.

Overall W x D x H mm	850 x 1830 x 1260 (unloaded)
Weight kg	42
Order Ref	PRIN-19



Hanging Chair Storage Trolleys



Made in
Britain

Designed for the storage and manoeuvrability of folded chairs in large quantities. Heavy duty design manufactured from box section and tube. Tubular hanging rails are covered with protective plastic sheaths and end caps.

Wheels: Mounted on 4 swivel (2 x braked) castors fitted with 100mm polyurethane tyred wheels and roller bearings.

Finish: Black epoxy.

High hanging storage trolley - 2 rows



PRIN-H2

High hanging storage trolley - 3 rows



PRIN-H3

Low hanging storage trolley - 2 rows



PRIN-L2

Low hanging storage trolley - 3 rows



PRIN-L3

Tubular Hanging Rails Length mm	550					
Tubular Hanging Rails Centres mm	330					
Type	No Of Rows	Overall Dimensions W x L x H mm (unloaded)	No. of chairs stored		Weight	Order Ref
			Padded	Plastic		
Low Hanging Storage Trolley	2	1135 x 1250 x 1145	36	68	40kgs	PRIN-L2
Low Hanging Storage Trolley	3	1135 x 1750 x 1145	54	102	44kgs	PRIN-L3
High Hanging Storage Trolley	2	1135 x 1250 x 2025	72	136	62kgs	PRIN-H2
High Hanging Storage Trolley	3	1135 x 1750 x 2025	108	204	66kgs	PRIN-H3



Loadtek



Made in
Britain



REP-1

REP-2

Racking Upright Protectors

Racking end protection barriers manufactured from formed 4mm mild steel. 400mm high and brightly epoxy coated yellow finish.

Rack protection must be bolted to the floor (fixings not supplied).
'L' shaped protector gives protection to the end and front of the upright,
'U' shaped protector gives protection to the front and both sides of the upright. Internal clearance on the 'U' shaped protector 155mm.

Description	Dimensions H x W x D mm	Order Ref
U-Shape upright protector only	406 x 250 x 290	REP-1
L-Shape upright protector only	406 x 195 x 195	REP-2



Made in
Britain



REP-1/930



REP-2/930

Racking End Protector Kits

Specification as Racking Upright Protectors above, but supplied with formed sheet steel connection beam.

Type	Kit length (internal) mm	Overall Dimensions H x W x D mm	Order Ref
U-Shape	930	427 x 1020 x 290	REP-1/930
	1130	427 x 1220 x 290	REP-1/1130
	2030	427 x 2120 x 290	REP-1/2030
	2430	427 x 2520 x 290	REP-1/2430
L-Shape	930	427 x 1025 x 195	REP-2/930
	1130	427 x 1225 x 195	REP-2/1130
	2030	427 x 2125 x 195	REP-2/2030
	2430	427 x 2525 x 195	REP-2/2430



Made in
Britain



BAR-3

Handrail Barrier

The barrier is manufactured from 51mm diameter heavy duty form ERW steel tube. 4mm thick sheet steel feet complete with holes for floor fixings (fixings not supplied). Brightly epoxy coated yellow finish.

Barrier Length mm	Overall Height mm	Order Ref
1000	975	BAR-1
1530		BAR-2
2060		BAR-3
2600		BAR-4



Protective Posts and Bollards

Ideal for traffic areas such as loading areas, protects racking and warehouse assets from damage. Powder coated Yellow, Black or Black & Yellow stripe. Heavy duty fully welded design, supplied with floor fixings.

Dimensions H x D mm	Colour	Order Ref
760 x 90	Yellow/Black	PP-1/YB
915 x 115		PP-2/YB
1100 x 150		PP-3/YB
760 x 90	Black	PP-1/B
915 x 115		PP-2/B
1100 x 150		PP-3/B
760 x 90	Yellow	PP-1/Y
915 x 115		PP-2/Y
1100 x 150		PP-3/Y



Made in
Britain



Low Level Warehouse Barriers

Ideal for protecting machinery & racking columns. Heavy duty fully welded steel box section, powder coated yellow or black with floor fixings supplied.

Description	L x H mm	Yellow Ref	Black Ref
Corner	300 x 300	LLB-4/Y	LLB-4/B
Straight	400 x 300	LLB-1/Y	LLB-1/B
Straight	800 x 300	LLB-2/Y	LLB-2/B
Straight	1200 x 300	LLB-3/Y	LLB-3/B



Made in
Britain







Made in
Britain

Walkway Barriers KD

Suitable for indoor use, modular design with lift out rails to allow access when required. Supplied in knock down format for easy on-site assembly. (Floor fixings not supplied)

Manufactured from tough mild steel box section, powder coated yellow.

Lift Out Rails



BAR-22

BAR-21


BAR-20

Lift Out Barrier Rails - supplied as a pair

Size (mm)	Ref
1000	BAR-1000
1200	BAR-1200
1500	BAR-1500
2000	BAR-2000
2400	BAR-2400
Gate	BAR-23

Lift Out Twin Rail Barrier Posts

Size (H x W mm)	Option	Ref
1100 x 80	End Post	BAR-20
1100 x 80	Corner Post	BAR-21
1100 x 80	Centre Post	BAR-22



BAR-23



Walkway Barriers Fully Welded



Made in
Britain

Ideal near work areas, machinery and factory equipment. Protect staff by identifying walkways. Add mesh to increase layer of protection

Powder coated yellow, supplied with floor fixings.




Straight Barriers

Dimensions H x L mm	Order Ref
900 x 1200	BAR-30/90/Y
900 x 2400	BAR-31/90/Y
1100 x 1200	BAR-30/11/Y
1100 x 2400	BAR-31/11/Y




Straight Barriers with Mesh

Dimensions H x L mm	Order Ref
900 x 1200	BAR-40/90/Y
900 x 2400	BAR-41/90/Y
1100 x 1200	BAR-40/11/Y
1100 x 2400	BAR-41/11/Y



Corner Barriers

Dimensions H x L mm	Order Ref
900 x 1200	BAR-32/90/Y
1100 x 1200	BAR-32/11/Y



Corner Barriers with Mesh

Dimensions H x L mm	Order Ref
900 x 1200	BAR-42/90/Y
1100 x 1200	BAR-42/11/Y

Gates without Mesh

Dimensions H x L mm	Order Ref
900 x 900	BAR-33/90/Y
900 x 1200	BAR-34/90/Y
1100 x 900	BAR-33/11/Y
1100 x 1200	BAR-34/11/Y

Gates with Mesh

Dimensions H x L mm	Order Ref
900 x 900	BAR-43/90/Y
900 x 1200	BAR-44/90/Y
1100 x 900	BAR-43/11/Y
1100 x 1200	BAR-44/11/Y






Max Load
350kg



Made in
Britain

Softride Pneumatic Tyres



TP46P



Max Load
500kg



Made in
Britain




TP42P



Max Load
300kg



Made in
Britain



TP41

TP40

Beam Trolley

Easy transportation of long loads in factories, showrooms and warehouses, for carpets, floor coverings, poles and timber products.

Tubular construction throughout with centre axle mounted with large 400mm diameter pneumatic tyred wheels for maximum mobility and soft ride, or 400mm diameter solid rubber tyred wheels.

Finish: Blue epoxy.

We can manufacture to your special sizes on request.

Overall H x W x L mm	420 x 660 x 1010	
Capacity kg	350	
Tyres	400mm Solid	400mm Pneumatic
Weight kg	26	13
Order Ref	TP46	TP46P

Carpet Trolley

Strong tubular steel frame designed for moving heavy, cylindrical goods, especially carpets, with full welded construction.

Mounted with large 400mm diameter pneumatic tyred wheels for maximum mobility and soft ride, or 400mm diameter solid rubber tyred wheels.

Finish: Red epoxy.

Overall H x W x L mm	505 x 550 x 1540	
Central Frame Height mm	420	
Capacity kg	500	
Tyres	400mm Solid	400mm Pneumatic
Weight kg	27	14
Order Ref	TP42	TP42P

Sheet Buggies

For in-plant or on-site use; timber and metal sheets, frames and doors, chipboard and hardboard. Tubular steel construction, with plastic hand grips and finished in blue epoxy.

Wheels: 2 axle mounted 200mm diameter solid tyred wheels, or 260mm diameter pneumatic tyred wheels (all wheels roller bearings).

Platform Type	Plywood		Ribbed Rubber	
Capacity kg	300		300	
Overall H x W mm	1220 x 550		1220 x 590	
Platform L x W mm	800 x 250		500 x 200	
Handle Length mm	2000		1180	
Weight kg	19		21	
Wheels	200mm Solid	260mm Pneumatic	200mm Solid	260mm Pneumatic
Order Ref	TP41	TP41P	TP40	TP40P



Hi-Frame Plate Trucks

The Big Plate Trucks. Capacity 500 and 750kg. Heavy duty angle chassis with high tubular support frame for sheet material transport and storage. Fully welded throughout. Open frame or ply deck.

Finish: Blue epoxy.

Wheels: 2 swivel 2 fixed castors with rubber tyred wheels, bright steel centres and roller bearings.

UDL Capacity kg	500	750
Overall Height mm	1500	1570
Frame Height mm	1175	
Max Load Depth mm	450	
Overall L x W mm	2250 x 700	
Wheel Diameter mm	200	250
Open frame		
Platform Height mm	285	355
Weight kg	84	92
Order Ref	TP31	TP32
Ply deck		
Platform height mm	300	370
Weight kg	94	104
Order Ref	TP31P	TP32P



Made in Britain



Open frame



Ply Deck

Standard Plate Trucks

Welded angle chassis with removable bars, 2 supplied (extras available). Support bar height 725mm from deck with a deck height of 315mm.

Wheels: 2 swivel and 2 fixed castors with 200mm diameter rubber tyred wheels and roller bearings.

Finish: Blue epoxy.

Platform L x W mm	Bars (2 supplied)		Ply Platform	
	Positions	Centres mm	Weight kg	Order Ref
1000 x 700	5	168	46	TP35
1200 x 800	6	155	54	TP36

Optional Extras	Order Ref
1000mm length additional Support Bars	TP7
1200mm length additional Support Bars	TP8

Optional extras:

Total stop brakes extra (pair)

Ref: **B013**



Max Load 500kg



Made in Britain



Loadtek



Made in
Britain



Vertical Bar Rack

Fully welded steel construction with steel base 600 x 250mm storage bays. Pre-drilled for bolting to floor (fixings not supplied), finished in blue epoxy.

No. of bays	Overall H x D x L mm	Weight kg	Order Ref
4	1500 x 600 x 1200	84	VBR4
6	1500 x 600 x 1800	108	VBR6
8	1500 x 600 x 2400	135	VBR8



Made in
Britain



Multi-height Sheet Rack

Ideal for off-cuts and other variable sizes of sheet and plate. Fitted with sheet steel base and pre-drilled for floor fixing. Finished in blue epoxy.

Overall H x W x D mm	1000 x 1400 x 800
Support Bar Heights mm	400 : 550 : 700 : 850 : 1000
Distance Between Bars mm	160
Weight kg	75
Order Ref	MPR



Max Load
250kg



Made in
Britain



Full-height Sheet Rack

Multipurpose rack with formed sheet steel base. Pre-drilled for floor fixing (bolts not supplied), finished in blue epoxy.

Overall H x W x D mm	1220 x 1080 x 1015
Distance Between Uprights mm	305
Central Support Beam Height mm	575
Weight kg	53
Order Ref	FHSR



Horizontal Bar Rack



Made in
Britain

Single or double sided freestanding units with a maximum load of 500kg per level single sided, 1000kg per level double sided. Six storage levels on single sided units, seven levels on double sided units. Finish: Blue epoxy.


Starter bay - 2 uprights + cross bracing

]Extension bay - 1 upright + cross bracing

Centre line of uprights: 1575mm.



HBR1



HBR2

Description	Overall H x D x L mm	Weight kg	Order Ref
Single sided starter bay	1880 x 860 x 2445	100	HBR1
Single sided extension bay	1880 x 860 x 2010	53	HBR1E
Double sided starter bay	1985 x 920 x 2445	128	HBR2
Double sided extension bay	1985 x 920 x 2010	68	HBR2E

Stacking Bar Cradles



Max Load
1000kg



Made in
Britain

Flexible stacking cradles for storage of varying lengths of bar, tube, flats, and angles. Stacked at a maximum of 5 high with a load capacity of 1000kg per cradle. Fitted with 127mm square pallet feet and finished in blue epoxy.

Overall H x D x L mm	Effective W x H mm	Weight Kg	Order Ref
470 x 790 x 465	610 x 305	21	SBC1
625 x 790 x 465	610 x 460	24	SBC2
470 x 1095 x 465	915 x 305	25	SBC3
625 x 1095 x 465	915 x 460	28	SBC4



Units MUST be sited on solid level ground.



Loadtek

Drum Lifters

Suitable for 210 litre steel drums.

Standard 2-wheel design with rear bar support. 4-wheel design with rear swivel castors, which helps operator move and manoeuvre loaded truck.

Tubular and hollow section construction with centre beam adjustable drum retaining hook.

Choice of solid or pneumatic tyres. Finished in blue epoxy with red plastic standard hand grips.



Max Load
300kg



Made in
Britain

Optional extra

Protective Hand Grips

Ref: E010 (pair)



4-wheel
DT24



Rear bar
DT20



4-wheel
DT25



Rear bar
DT23



Rear bar
DT21

Wheel Configuration	Tyre Type	Wheel Diameter mm	Rear Castors No. x Diameter mm	Weight kg	Order Ref
Standard 2-wheel (rear bar support)	Solid	250	-	20	DT20
		400	-	34	DT21
	Pneumatic	400	-	21	DT23
4-wheel (rear castor support)	Solid	250	2 x 125	21	DT24
		400	2 x 125	36	DT25



Pallet Loading Drum Truck



Max Load
450kg



Made in
Britain

Designed to assist loading and unloading 210 litre drums onto pallets or platforms etc. with sliding drum retention clamp. 190mm maximum pallet height for safe use.

Wheels: 2 x 250mm diameter. and 2 x 200mm diameter with roller bearings and solid rubber tyres.

Overall H x L x W mm	1100 x 1660 x 610	
Weight kg	29	
Model Description	Finish	Order Ref
Twin Loop Handles	Blue epoxy	DT60
Twin Loop Handles	Zinc plated	DT60/ZP

Optional Clamps

Clamp for Plastic Drums (can be retro fitted). Weight: 6kg.

Order Ref: **DT61**



Zinc Plated Clamp

for Plastic Drums (can be retro fitted). Weight: 6kg.

Order Ref: **DT61/ZP**



DT60



DT60/ZP

Universal Drum Truck



Max Load
250kg



Made in
Britain

Suitable for steel, plastic or fibre drums. Welded construction flat and tube steel. Wheels with roller bearings. Fitted with adjustable quick release strap.

Finish: Blue epoxy.

Overall H x W mm	1330 x 660	
Weight kg	15	
200mm Rubber Tyred Wheels	Order Ref	DT250



Loadtek



Max Load
250kg



Made in
Britain

Drum Stands

Proven stand design. Steel welded chassis finished in red epoxy.

Order Ref	Weight kg	L x W x H mm
DS17	9	880 x 585 x 490



Optional extras

Tilt Lever (factory fitted). Length 1070mm with hand grip

Ref: **DS29**



Hook on Drip Tray
L x W x H 387 x 280 x 50mm
Available for all drum stands.

Ref: **DS30**



Max Load
250kg



Made in
Britain

Complete Mobile Drum Stand

Suitable for 210 litre steel drums. Welded steel construction.

Wheels: 2 fixed outrigger wheels 150 x 40mm, 2 swivel castor nylon wheels 80 x 35mm. Tilt lever and drum rotation rollers.

Finish: Red epoxy.

Overall H x W x L mm	580 x 725 x 880
Weight kg	17
Order Ref	DS19



Optional extra

Hook-on sheet steel drip tray

Ref: **DS30**



Drum Trolley and Pouring Stand

Suitable for 210 litre steel drums. Choose from pneumatic or solid tyred wheels: 2 x 400mm diameter. 4 Nylon drum rollers and strap supplied.

Finish: Blue epoxy.

As manufacturers we are pleased to quote for drum movers for any specific diameter of kegs, drums, containers or rolls.

L x W x H mm	1220 x 800 x 510
Height of Bung* mm	360

* When horizontal.

Tyres	Weight	Order Ref
Pneumatic	22kg	DT30P
Solid	35kg	DT30



Max Load
250kg



Made in
Britain



3 Wheeled Dolly

Suitable for 130 or 210 litre drums.
Overall Height x Diameter: 120 x 800mm.
Load height 55mm, 3 x 80mm diameter
nylon swivel castors. Finish: Red epoxy.
Weight 8kg.

Ref: **DT12**




Max Load
300kg

Circular Drum Dolly

Flat steel braces with 4 nylon wheels.
80mm diameter in swivel castor
 housings. Flat steel circular retention
ring 610mm internal diameter. Finish:
Red epoxy. Weight 9kg

Ref: **DT10**



Max Load
300kg

4 Wheeled Drum Dolly

Max drum diameter 610mm. Immensely
strong fabricated construction 4 nylon
wheels in swivel castors. 80mm wheel
diameter. Finish: Red epoxy. Weight 11kg.

Ref: **DT11**



Max Load
500kg

Stainless Steel Drum Dolly

Fully welded flat stainless steel bracers.
Flat stainless steel circular retention ring,
610mm internal diameter. Retention ring
height: 40mm. Overall height: 153mm.
Wheels: 4 x swivel stainless steel castors
fitted with 80mm nylon wheels and roller
bearings. Finish: Stainless steel grade 304.
Weight: 10kg.

Ref: **DT10SS**



Max Load
300kg



Ref: **DT15**



Max Load
300kg

Economy Drum Dolly

Manufactured from 4mm mild steel.
600mm internal diameter, minimum
drum diameter: 450mm. Overall height:
135mm. Retention lip height: 20mm.
Wheels: 4 x swivel castors fitted with
80mm nylon wheels and roller bearings.
Finish: Light grey epoxy.
Weight: 6kg.

Ref: **DT16**



Max Load
500kg



Loadtek



Max Load
500kg



Made in
Britain

210 Litre Drum Clamp



Designed for lifting 210 litre steel drums with rolling hoops “L”, “XL” and Mauser style plastic drums - providing that the drum has a minimum of a solid 5mm lip. Clamp fits over forks and is secured with ‘T’ bar clamping screws.

The two drum fingers have adjusting bolts complete with lock nuts to the underside to enable the fingers to be adjusted parallel.

Finish: Orange or Yellow epoxy.

Test certificate supplied.

Specifications	
For drum size Litres	210 “L”, “XL” and Mauser plastic drums with minimum of 5mm lip
Overall W x L x H mm	580 x 840 x 110
Fork Pocket W x H mm	170 x 50
Fork Centres mm	380
Weight kg	27
Maximum Load kg	500

Orange Order Ref	MDC1
Yellow Order Ref	MDC1Y

Plastic operation: Locate the clamp on to plastic drum with jaws under the top lip. Steel operation: Locate the clamp on to the steel drum with jaws under the top rolling hoop. The jaws will automatically close and open as the drum is raised and lowered to the floor.

Plastic Drum Clamp



Max Load
500kg



Made in
Britain



Designed for lifting “L”, “XL” and Mauser style plastic drums with diameter 523mm - providing that the drum has a minimum of a solid 5mm lip. Clamp fits over forks and is secured with ‘T’ bar clamping screws.

The two drum fingers have adjusting bolts complete with lock nuts to the underside to enable the fingers to be adjusted parallel.

Finish: Orange or Yellow epoxy.

Test certificate supplied.

Specifications	
For drum size Litres	“L”, “XL” and Mauser plastic drums with minimum of 5mm lip
Overall W x L x H mm	580 x 840 x 110
Fork Pocket W x H mm	170 x 50
Fork Centres mm	380
Weight kg	27
Maximum Load kg	500

For 523mm drum diameter Orange Ref	MDC15
Yellow Ref	MDC15Y

Operation: Locate the clamp on to plastic drum with jaws under the top lip. The jaws will automatically close and open as the drum is raised and lowered to the floor.



Stacking Drum Pallet Racking System



Made in
Britain

Flexible, expandable storage system for 200/220 litre steel drums.
Pallet Unit: Holds 2 drums. Strong welded steel construction stackable pallet. Pallet feet 127mm square. Maximum stacking 3 units high. Also with Drum Rotation option. Finish: Red epoxy.

Overall H x W x D mm	890 x 1460 x 615
Fork Pocket W x H mm	240 x 70
Max Width Over Forks mm	920
Distance Between Pockets	430

Component	Weight	Ref
Pallet Unit	50kg	DS100
Sump Unit	70kg	DS2
Optional extras		
Drum rotation set (per drum)	4kg	DS101
Drum retaining bars (each)	6kg	DS102
Dispenser stand	6kg	DS103



Drum Racking Units



Optional extras - Retro Fitted

Drum rotating sets: fitted with 4 x 65mm diameter nylon rollers. Drops onto pallet unit 1 set per drum position.
Finish: Zinc plated.



Dispenser stand hooks onto pallet.
Overall H x W x D: 330 x 340 x 290mm.
Finish: Grey epoxy.

Drum retaining bars, for added stability when moving pallets. Overall H x W x D: 1420 x 170 x 40mm. Finish: Red epoxy.

250 litre Secondary Containment



Sump Unit: Capacity 250 litres. Formed from 3mm sheet steel, fully welded seams.
Overall H x W x D: 300 x 1250 x 1000mm.
Ground clearance 100mm. Finish: Grey epoxy.



Loadtek

Drum Sump Storage System



Made in
Britain

Designed to store drums either vertically or horizontally for ease of use and access. In case of leakage, sumps are designed to hold more than the contents of the drum. Products designed to assist conformance with Environmental Duties of Care and Oil Storage Regulations (England) 2001. Sump capacity

>125% of drum contents.

Fully welded sump covered with removable galvanised steel grid and retaining chain (vertical stores only). Stores without roofs fitted with 125mm pallet feet for ease of stacking. Maximum stack 3 high. All sumps fully welded liquid tight, fitted with drain plug and fork locators.

Vertical drums



Ref: **DS401**

Drum sump for 2 vertical drums - capacity 250 litres removable galvanised steel support grid.
Overall L x W x H: 1365 x 735 x 345mm

Horizontal drums



Ref: **DS402**

Drum sump for 4 vertical drums - capacity 470 litres removable galvanised steel support grid.
Overall L x W x H: 1365 x 1365 x 345mm



Ref: **DS402**



Ref: **DS411**

Drum stand to take 2 horizontal drums fits over DS402.
Overall L x W x H: 1375 x 540 x 940mm



Ref: **DS412**

Drum rotation frame for 1 horizontal drum, fits over DS411. Nylon wheels allow full rotation of drum.
Overall L x W x H: 480 x 745 x 495mm.



Ref: **DS402 + DS411**



Optional extra

Drain tap

Ref: **MS117**



Ref: **DS412** in use

Mobile Drum Sump Trolley / Dispenser



Max Load
250kg



Made in
Britain

Drum trolley with integral sump. Sump trolley for 2 vertical or 1 horizontal drum when used with drum rotation frame. Sump capacity 250 ltrs. Removable galvanised steel support grid and drain plug. 2 fixed, 2 swivel castors with 125mm nylon wheels and roller bearings. Braked castors available as an option. Fitted with tubular push handle and fork locators.


Overall L x W x H mm: 1405 x 735 x 970.

DS403



Wheels on **Ref: DS403** - 125mm diameter nylon wheels on 2 fixed and 2 swivel castors with roller bearings.

Braked option **Ref: B175**



Ref: DS410

Drum rotation frame to fit drum sump trolley. Ideal for transport and dispensing purposes. 4 nylon wheels allow full rotation of drum in horizontal position. Overall L x W x D mm: 480 x 505 x 155.

DS403
& DS410



Loadtek



Made in
Britain

Economy Cylinder Wall Racks

Wall storage for 1, 2 or 3 cylinders. To suit cylinders size ranges of either 100 - 180mm diameter or 140 - 270mm diameter. Manufactured from 3mm sheet steel and supplied complete with zinc plated steel link retention chains.

Pre-drilled wall fixings holes (fixings not supplied). Wall racks must be fixed to the wall at height of at least two-thirds of cylinder height.

Finish: Light Grey epoxy to BS00A05 or Stainless Steel 304 grade.



SC204



SC205



SC206

Cylinder diameter mm	100 - 180			140 - 270		
No. Cylinders	1	2	3	1	2	3
Width mm	245	460	675	340	660	980
Depth mm	140	140	140	210	210	210
Weight kg	1	2	3	2	3	4
Light Grey Epoxy Order Ref	SC204	SC205	SC206	SC207	SC208	SC209
Stainless Steel Order Ref	SC204SS	SC205SS	SC206SS	SC207SS	SC208SS	SC209SS



Made in
Britain

Economy Static Cylinder Floor Stands

Static floor storage stands for 1,2 or 3 cylinders. To suit cylinders size ranges of either 100-180mm diameter or 140-270mm diameter. Manufactured from 3mm sheet steel and supplied complete with zinc plated steel link retention chains.

Pre-drilled fixings holes for wall or floor (fixings not supplied). Units must either be bolted to the floor or a wall. Units can be bolted back to back to create double sided storage areas.

Finish: Light Grey epoxy to BS00A05 or Stainless Steel 304 grade.



SC212



SC212SS

Cylinder diameter mm	100 - 180		140 - 270	
No. cylinders	1	2	1	2
Width mm	255	500	340	660
Depth mm	255	255	345	345
Height	1005	1005	1005	1005
Weight kg	7	10	9	14
Light Grey Epoxy Order Ref	SC210	SC211	SC212	SC213
Stainless Steel Order Ref	SC210SS	SC211SS	SC212SS	SC213SS



SC210



SC211



SC211SS



SC213



SC213SS

SC210SS




Heavy Duty Cylinder Wall Racks



Made in
Britain

Wall storage units 2 or 3 cylinders. These racks must be fixed to the wall at a height of at least two-thirds of cylinder height. Supplied with pre-drilled fixing holes (fixings not supplied). All racks fitted with steel link retention chains.

Finish: Blue epoxy or Galvanised.



Cylinder diameter, mm	100 - 180		140 - 270	
No. cylinders	2	3	2	3
Width mm	538	765	765	1045
Depth mm	155	155	195	195
Weight kg	2	3	3	4
Blue epoxy Ref	SC200	SC201	SC202	SC203
Galvanised Ref	SC200G	SC201G	SC202G	SC203G



Cylinder Storage

Heavy Duty Floor Fixing Cylinder Racks



Made in
Britain

Single and double sided cylinder racks. Single sided units have rear frames pre-drilled. We strongly recommend that single sided units are fixed to the wall. Fully welded construction throughout. Steel link retention chains fitted. Finish: Blue epoxy. Overall height: 1000mm.

Bases supplied pre-drilled for floor fixing (fixings not supplied)

Type	Single Sided			
Cylinder Diameter mm	100 - 180		140 - 270	
No. Cylinders	2	3	2	3
Width mm	540	770	725	1040
Depth mm	370	370	400	400
Weight kg	12	13	13	14
Order Ref	SC300	SC301	SC302	SC303

SC300



SC301



Type	Double Sided			
Cylinder Diameter mm	100 - 180		140 - 270	
No. Cylinders	4	6	4	6
Width mm	540	770	725	1040
Depth mm	685	685	685	685
Weight kg	14	15	15	16
Order Ref	SC304	SC305	SC306	SC307

SC304



SC305



Loadtek

Cylinder Storage

73



Hinged Latch Stands / Cylindrical Stands

Hinged Latch Cylinder Stand: 3 sizes. 2 hinged access latches secured by wing nuts. RSA and mild steel flat section, fully welded throughout. Heavy duty base plate and support. Base plate pre-drilled for floor fixing (fixings not supplied).
Finish: Blue epoxy.

Cylindrical Stand: 3 sizes. Rolled and formed mild steel flat section, fully welded throughout.
Finish: Blue epoxy.

Type	Cylindrical Stands			Hinged latch Stands		
Cylinder diameter mm	100	140	180	180	230	285
Overall height mm	330	380	610	605	605	605
Overall diameter / base mm	310	345	420	420 x 420	420 x 420	420 x 420
Weight kg	9	10	11	14	15	16
Order Ref	SC11	SC12	SC13	SC17	SC18	SC19



Cylinder Trolleys

Tandem Cylinder Trolley. Steel link retaining chain fitted.
Wheels: 2 x 250mm diameter solid rubber tyres, 2 x 100mm diameter rubber swivel castors.
Finish: Blue epoxy.

Model	Cylinder Sizes mm	Overall H x W x D mm	Weight kg	Order Ref
Tandem	230 & 265	1070 x 475 x 1005	34	SC115



'T' Bar Calor Truck

Designed for cylinders diameter x H: 325 x 535mm T-bar handle. Steel cross member cylinder support and vertical sides with cylinder retention chain.
Wheels: 200 mm diameter solid rubber tyres.
Finish: Blue epoxy.
Weight: 10kg.

Ref: **SC15**

Single Cylinder Trolley

Cylinder sizes: 230 & 275mm diameter.
Wheels: 200mm diameter solid rubber tyred roller bearing wheels.
Finish: Blue epoxy.

Type	Cylinder Diameter mm	Overall H x W x D mm	Weight Kg	Order Ref
Bar Handle	230	1170 x 430 x 450	9	SC140
	275	1170 x 475 x 450	10	SC141



Max Load
200kg



Made in
Britain



Tall Cylinder Support Trucks

Designed to carry cylinder loads on 3-wheel base, thus minimising operator fatigue and risk. Easy to load with flat foot plate (AR).
Wheels: All models with 200mm diameter wheels with roller bearings.
Plate fixing rear swivel castor 125mm diameter rubber tyres.
Finish: Blue epoxy.

Series	Cylinder Diameter mm	Overall W x H mm	Weight kg	Order Ref
AR	230	430 x 1140	25	SC146
	275	475 x 1140	25	SC147



Max Load
200kg



Made in
Britain



Series AR

Adjustable rake back
Max overall front-rear 1350mm



Loadtek



Max Load
250kg



Made in
Britain

Welders Trolley

Trolleys to transport 1 Oxygen cylinder and 1 Acetylene cylinder with rods and cable holders. Steel link retaining chains fitted.

Wheels: 400mm diameter pneumatic or solid rubber tyred wheels with roller bearings - rear support models have 125mm swivel castors with solid rubber tyres and roller bearings.

Finish: Blue epoxy.

- Choice of 3 models:
- Standard
 - With 1 rear support castor
 - With 2 rear support castors



SC114



SC118



SC119

Model	Cylinder Sizes mm	Overall H x W x D mm (Upright)	Overall H x W x D mm (Support Position)	Tyres	Weight kg	Order Ref
2 Wheels	230 & 265	1085 x 915 x 540	N/A	solid	32	SC114
				pneumatic	25	SC114P
3 Wheels	230 & 265	1085 x 915 x 820	940 x 915 x 1050	solid	35	SC118
				pneumatic	21	SC118P
4 Wheels	230 & 265	1085 x 915 x 820	940 x 915 x 1050	solid	37	SC119
				pneu	23	SC119P



Max Load
250kg



Made in
Britain

Propane and Calor Cylinder Trucks

- Choice of 3 models:
- Standard
 - With 1 rear support castor
 - With 2 rear support castors



SC16



SC216



SC217

Designed for cylinders diameter x height: 380 x 1250mm. Twin rear handles fitted with protective hand grips. Solid foot plate and vertical side tubes with cylinder retention chain.

Wheels: 260mm diameter pneumatic or 200mm diameter solid rubber tyred wheels with roller bearings - rear support models have 125mm swivel castors with solid rubber tyres and roller bearings.

Finish: Blue epoxy

Model	Overall H x W x D mm (Upright)	Overall H x W x D mm (Support Position)	Tyres	Weight Kg	Ref
2 Wheels	1400 x 700 x 540	N/A	solid	16	SC16
			pneumatic	16	SC16P
3 Wheels	1400 x 700 x 800	1010 x 700 x 1320	solid	18	SC216
			pneumatic	18	SC216P
4 Wheels	1400 x 700 x 800	1010 x 700 x 1320	solid	20	SC217
			pneumatic	20	SC217P



Keg Trolley

Designed to easily move 11 gallon casks or kegs. Manufactured with centre spine with formed hook from flat to locate into hand hold of keg. Formed tubular handle welded central.

Mounted on 160mm diameter rubber tyred wheels.

Overall dimensions: Width 400mm Height 1190mm. Weight: 7kgs.

Finish: Black epoxy.

Ref: SC04



Made in
Britain



Cylinder Lifting Trolleys

Combined cylinder trolley / lifting cradle. One product allowing cylinders to be moved with either overhead lifting gear, or wheeled into position.

Single cylinder lifting trolley

2 x 200mm diameter solid rubber wheels and 50mm diameter lifting eye. Top and bottom cylinder retention chains.

Finish: Red epoxy.

Two cylinder lifting trolley

2 x 400mm diameter rubber tyred wheels and a single 160mm diameter swivel castor on rear support frame for added safety and manoeuvrability. Top and bottom cylinder retention chains.

Finish: Red epoxy.

All cradles tested to 100% overload - test certificate supplied.

Cylinder Capacity	Cylinder Diameter mm	Load Capacity	Overall W x L x H mm	Weight kg	Order Ref
1	180-230	150	410 x 740 x 1870	23	SC25
	230-305	150	490 x 780 x 1870	24	SC26
2	180-230	250	790 x 685 x 1870	56	SC27
	230-305	250	940 x 760 x 1870	60	SC28



Made in
Britain



2 cylinder model with rear castor for added safety and manoeuvrability



Loadtek



Max Load
1000kg



Made in
Britain

Cylinder Storage / Transport Pallet

Heavy duty design to carry combinations of cylinder sizes.
Manufactured from strong box section supports, thick sheet steel fork pockets and checker plate base. Cylinders secured with ratchet straps mounted to internal framework.
Finish: Blue epoxy.
Fork pocket dimensions H x W: 70 x 195mm.
Deck sizes internal (W x D): Front 940 x 670mm. Rear 940 x 270mm.
Test certificate supplied.



Min Cylinder Height mm	Overall H x W x D mm	Weight kg	Order Ref
1000	1000 x 1020 x 1000	98	SC6100



Max Load
120kg



Made in
Britain

Small Cylinder Trolley

Cylinder trolley designed to carry either 12 x Size D or E oxygen cylinders.
Located in 108mm hole supports complete with rubber cushioning to deck
Wheels: 4 x 100mm swivel castors (2 braked) fitted with grey non-marking tyres and roller bearings.
Finish: Light grey epoxy coated.



Overall H x W x L mm	Capacity kg	Weight kg	Order Ref
930 x 490 x 720	120	15	SC117



Oxygen Cylinder Trolleys



Max Load
120kg



Made in
Britain

Ideal for all medical services

Ideal for all hospitals, medial centres, pharmaceutical companies and laboratories. Also industrial and factory medical services.

Easy to use: Quiet, Tough and Smart in Grey epoxy.

Anti static wheels 160/200mm dia.

Protective rotating buffers fitted to front corners.

One piece safety loop handle.

Secure butterfly screw crossbar fitting for both cradles.

Top and bottom cradles both rubber lined for grip and noise reduction.

Finish: Grey

Dia. mm	Litre	Overall W x D x H mm	Wheel Dia. mm	Weight kg	Grey Ref
140	1360	430 x 585 x 1100	160	11	SC08G
230	6800	520 x 610 x 1100	200	13	SC010G



SC08G

Oxygen Cylinder Trolleys



Max Load
120kg



Made in
Britain

Splayed tubular framework with formed sheet steel toe plate

Suitable for cylinders with max diameter of 230mm

Drop over chains secure the cylinder

Mounted on 2 x 160mm anti static wheels and 2 x 100mm GNM rear swivel castors

Easy to use yet robust by designer retention chains.

Dia. mm	Litre	Overall W x D x H mm	Wheel Dia. mm	Weight kg	Grey Ref
230	6800	480 x 1030 x 910	160	15	SC20G



Loadtek



Made in
Britain

Wall Mounted Cylinder Storage Racks

Suitable for storage of cylinders up to a maximum diameter of 100mm
Robust rubber ring to protect cylinders from damage
Ribbed rubber lining in the base for extra protection
Pretcut for securing to a wall and supplied without fixings
Light Grey

Description	H x W x D mm	Order Ref
1 x 1 cylinder	250 x 165 x 165	SC220
1 x 2 cylinder	250 x 300 x 165	SC221
1 x 3 cylinder	250 x 435 x 165	SC222



Made in
Britain

Cylinder Storage Racks

Suitable for storage of cylinders 100mm and 140mm in diameter
Robust rubber ring to protect cylinders from damage
Ribbed rubber lining in the base for extra protection
Recommended to be fixed to a solid level surface
Light Grey

100mm Diameter

Description	H x W x D mm	Order Ref
1 x 2 cylinder	325 x 365 x 190	SC223
1 x 3 cylinder	325 x 500 x 190	SC224
1 x 6 cylinder	325 x 905 x 190	SC225
2 x 2 cylinder	325 x 365 x 330	SC226
2 x 3 cylinder	325 x 500 x 330	SC227
2 x 4 cylinder	325 x 635 x 330	SC228
3 x 3 cylinder	325 x 500 x 460	SC229

140mm Diameter

Description	H x W x D mm	Order Ref
1 x 2 cylinder	325 x 445 x 230	SC230
1 x 3 cylinder	325 x 620 x 230	SC231
1 x 6 cylinder	325 x 1145 x 230	SC232
2 x 2 cylinder	325 x 445 x 405	SC233
2 x 3 cylinder	325 x 620 x 405	SC234
2 x 4 cylinder	325 x 795 x 405	SC235
3 x 3 cylinder	325 x 620 x 580	SC236



Cylinder Storage Cages



Max Load
500kg



Made in
Britain

Strong and sturdy design cylinder storage security cage with hinged doors fitted with padlock facility (padlock not supplied). Doors open through 180 degrees. Manufactured from heavy duty box and angle section. Supplied complete with gas storage warning identification label.

Mobile model mounted on 2 swivel and 2 fixed castors fitted with 200mm blue resilex wheels and roller bearings complete with push handle at one end.

Static model mounted on 4 pallet feet. Available with or without centrally fixed shelf: Fixed shelf model to carry a maximum of 16 x calor gas type cylinders (max 380mm diameter x 650mm tall). Open shelf model to carry a maximum of 8 x propane type cylinders (max 380mm diameter x mm x 1690mm tall).
Finish: Blue epoxy.

Internal clearance:

Open shelf model (H x W x D): 1690 x 1695 x 980mm.

Fixed shelf model (H x W x D):

Base shelf: 850 x 1695 x 980mm, Shelf: 785 x 1695 x 980mm.

Model	Cylinder and type	Shelves No.	Shelf Height mm	Overall H x W x D mm	Weight kg	Order Ref
Mobile	8 x Propane	0	280	2030 x 1960 x 1040	204	SC500
	16 x Calor	1	1185		230	SC501
Static	8 x Propane	0	280	2030 x 1830 x 1040	194	SC502
	16 x Calor	1	1185		220	SC503



SC502



SC500



SC503



SC501



SC503

Optional extra

Total stop braked castors (pair)

Ref: **B200**



SC501



Loadtek

Trader Truck Hand Turntable Trailers

Fully welded construction from rectangular and round section steel tube. Metalwork finished in red epoxy. Optional sides finished in light grey epoxy.

- 3 deck sizes
- MDF or steel deck
- Solid rubber or pneumatic tyres
- Removable steel ends and sides option
- Loop handle

Handle dimensions:
Overall height above deck: 560mm
Overall length: Deck length + 240mm

Optional extras:

Tee bar handle
Factory fitted at time of manufacture as alternative to loop handle, at no extra cost.
Add suffix "T" to reference.



Parking brake
Factory fitted at time of manufacture. Brake is applied when handle is raised to vertical position.
Order Ref: PB1 (extra)



End / side panel kit. 200mm high panels. Corner posts fit into steel tubes and lock with simple bolt tightening. Formed steel side and end panels slot onto steel channels, reduces usable length and width by 50mm.

Post socket - remove cap and insert post, then lock by tightening bolt. Sides then simply slot in



TR126



TR230



TR230P



Ref: **TR230P** with **TR210SS**

Deck Size mm	Deck Height mm	Capacity kg	Wheel Diameter mm	Tyre Type	MDF Deck		Steel Deck		End / Side Panel Kit	
					Wt Kg	Ref	Wt Kg	Ref	Wt Kg	Ref
1200 x 600	425	350	200	Solid	37	TR120	42	TR220	14	TR126SS
	450	500	260	Pneumatic	39	TR121P	44	TR221P	14	TR126SS
	450	500	250	Solid	41	TR121S	46	TR221S	14	TR126SS
1500 x 750	500	750	400	Solid	78	TR126	94	TR226	17	TR157SS
	500	750	400	Pneumatic	55	TR126P	71	TR226P	17	TR157SS
	500	1000	400	Solid	88	TR127	104	TR227	17	TR157SS
	500	1000	400	Pneumatic	65	TR127P	81	TR227P	17	TR157SS
2000 x 1000	500	1000	400	Solid	120	TR130	149	TR230	22	TR201SS
	500	1000	400	Pneumatic	98	TR130P	127	TR230P	22	TR201SS



Made in Britain



Single Ackerman Trailer with Folding Sides



Max Load
400kg

- Heavy duty design
- Single Ackerman steering
- Sides and tailgate all fold down
- Sides are easily removable
- Ideal for both garden and industrial use
- Fitted with large 330mm wheels
- Optional removable canvas lining
- Supplied flat pack for easy on site assembly
- Available in Red or Black

Capacity kg	Dimensions L x W mm	Height of walls mm	Number of slides	Wheels Dia. mm	Weight kg	Order Ref
400	1380 x 615	280	4 Mesh	330	30	TR535



Phenolic Turntable Trailers



Made in
Britain

General purpose hand pulling turntable trailers with black, textured, anti-slip phenolic deck surface. Choice of load capacities: 500, 750 and 1000kg.

3 Types

- Flatbed platform;
- Removable phenolic end and side panels
- Wire mesh fixed ends and removable sides

Solid rubber or pneumatic tyred wheels, all roller bearing.
Constructed from rectangular and round section steel tube.

Finish: Red epoxy.

Trailer with flatbed platform

Capacity kg	Deck L x W mm	Deck Height mm	Wheel Diameter mm	Wheel Type	Weight kg	Order Ref
500	1200 x 600	450	250	Solid	44	TR321
				Pneu	41	TR321P
750	1500 x 750	500	400	Solid	89	TR326
				Pneu	63	TR326P
1000	1800 x 900	500	400	Solid	120	TR329
				Pneu	94	TR329P

Trailer with 200mm high removable Phenolic ends and sides

Capacity kg	Deck L x W mm	Deck Height mm	Wheel Diameter mm	Wheel Type	Weight kg	Order Ref
500	1200 x 600	450	250	Solid	53	TR341
				Pneu	50	TR341P
750	1500 x 750	500	400	Solid	137	TR342
				Pneu	111	TR342P
1000	1800 x 900	500	400	Solid	133	TR343
				Pneu	107	TR343P

Trailer with 400mm high wire mesh fixed ends and removable sides

Capacity kg	Deck L x W mm	Deck Height mm	Wheel Diameter mm	Wheel Type	Weight kg	Order Ref
500	1200 x 600	450	250	Solid	66	TR351
				Pneu	63	TR351P
750	1500 x 750	500	400	Solid	113	TR352
				Pneu	87	TR352P
1000	1800 x 900	500	400	Solid	152	TR353
				Pneu	126	TR353P





Made in
Britain



TR126DDS

Optional extras (available for all models)

Tee bar handle

Factory fitted at time of manufacture as alternative to loop handle, at no extra cost. Add suffix "T" to reference.



Parking brake

Factory fitted at time of manufacture.

Brake is applied when handle is raised to vertical position.

Ref: **PB1** (extra)



Made in
Britain



TR126TU

Turntable Trailer with Drop Down Side Panels

General purpose hand pulling trailers with steel load retaining panels. Ends are removable and slide out - sides are either fully removable or simply fold down. Ends & Sides height: 200mm.

Finish: Blue epoxy chassis, yellow epoxy sides.

- 3 deck sizes
- MDF or steel deck
- Solid rubber or pneumatic tyres
- Loop handle
- Parking brake option

Handle dimensions:

Overall height above deck: 560mm

Overall length: Deck length + 240mm



Deck Size mm	Deck Height mm	Capacity kg	Wheel Diameter mm	Tyre Type	MDF Deck		Steel Deck	
					Wt Kg	Order Ref	Wt Kg	Order Ref
1200 x 600	425	350	200	Solid	51	TR120DDS	56	TR220DDS
	450	500	260	Pneumatic	53	TR121PDDS	58	TR221PDDS
	450	500	250	Solid	55	TR121SDDS	60	TR221SDDS
1500 x 750	500	750	400	Solid	95	TR126DDS	111	TR226DDS
	500	750	400	Pneumatic	72	TR126PDDS	88	TR226PDDS
	500	1000	400	Solid	105	TR127DDS	121	TR227DDS
	500	1000	400	Pneumatic	82	TR127PDDS	98	TR227PDDS
2000 x 1000	500	1000	400	Solid	142	TR130DDS	171	TR230DDS
	500	1000	400	Pneumatic	120	TR130PDDS	149	TR230PDDS

Turntable Trailer with Tubular Supports

General purpose hand pulling trailers with tubular load retaining panels.

Ends are fixed - sides lift off and are fully removable.

Ends & Sides height: 610mm.

Finish: Blue epoxy chassis and ends, Yellow epoxy sides.

- 3 deck sizes
- MDF or steel deck
- Solid rubber or pneumatic tyres
- Loop handle
- Parking brake option

Handle dimensions:

Overall height above deck: 560mm

Overall length: Deck length + 240mm



Deck Size mm	Deck Height mm	Capacity kg	Wheel Diameter mm	Tyre Type	MDF Deck		Steel Deck	
					Wt Kg	Order Ref	Wt Kg	Order Ref
1200 x 600	425	350	200	Solid	56	TR120TU	61	TR220TU
	450	500	260	Pneumatic	58	TR121PTU	63	TR221PTU
	450	500	250	Solid	60	TR121STU	65	TR221STU
1500 x 750	500	750	400	Solid	100	TR126TU	116	TR226TU
	500	750	400	Pneumatic	77	TR126PTU	93	TR226PTU
	500	1000	400	Solid	110	TR127TU	126	TR227TU
	500	1000	400	Pneumatic	87	TR127PTU	103	TR227PTU
2000 x 1000	500	1000	400	Solid	147	TR130TU	176	TR230TU
	500	1000	400	Pneumatic	125	TR130PTU	154	TR230PTU



Turntable Trailers with Mesh Cage Supports



Made in
Britain

Detachable mesh sides. General purpose hand pulling trailers with steel 50 x 50mm mesh load retaining panels. Ends are fixed - sides are lift off and fully removable.

Finish: Blue epoxy chassis and ends, yellow epoxy sides.

- Fixed mesh ends - detachable mesh sides
- Sides 760mm high
- 3 deck sizes
- MDF or steel decks
- Front turntable steering with loop handle
- Solid or pneumatic tyres
- Flush MDF deck polyurethane coated
- Parking brake option

Handle dimensions:

Overall height above deck: 560mm

Overall length: Deck length + 240mm



TR126MS

Mesh size 50 x 50mm

Panel heights above deck 760mm



Deck Size mm	Deck Height mm	Capacity kg	Wheel Diameter mm	Tyre Type	MDF Deck		Steel Deck	
					Weight Kg	Order Ref	Weight Kg	Order Ref
1200 x 600	425	350	200	Solid	59	TR120MS	64	TR220MS
	450	500	260	Pneumatic	61	TR121PMS	46	TR221PMS
	450	500	250	Solid	63	TR121SMS	48	TR221SMS
1500 x 750	500	750	400	Solid	104	TR126MS	120	TR226MS
	500	750	400	Pneumatic	81	TR126PMS	97	TR226PMS
	500	1000	400	Solid	114	TR127MS	130	TR227MS
	500	1000	400	Pneumatic	91	TR127PMS	107	TR227PMS
2000 x 1000	500	1000	400	Solid	152	TR130MS	181	TR230MS
	500	1000	400	Pneumatic	130	TR130PMS	159	TR230PMS

Optional extras

Tee bar handle

Factory fitted at time of manufacture as alternative to loop handle, at no extra cost. Add suffix "T" to reference.



Parking brake

Factory fitted at time of manufacture. Brake is applied when handle is raised to vertical position.

Ref: **PB1** (extra)



Loadtek

Turntable Trailers

85

Trailers

Standard deck height 510mm. Braced and reinforced all steel welded chassis with high quality polyurethane coated ply decks inset and finished flush. Protected all round by steel side frame. Fixed optional headboard complete with drop down sides and tailgate. All with polyurethane coated ply panels.

Wheels: Large 400mm diameter roller bearing wheels with either solid or pneumatic tyres. Finish: Blue epoxy.

Handles

Loop handles are supplied as standard. T bar handles can be supplied at no extra cost. Please specify T bar handle when ordering.

2 Options

- Flat Bed
- Headboard Sides and Tailgate

Turntable Steering

Front axle mounted ball race turntable. Highly manoeuvrable with tight turning circle.




Max Load
1000kg


Made in
Britain



TR110P



TR112P

UDL Capacity		1000kg			
Deck Size mm		1500 x 800		2000 x 1000	
Wheel Diameter x Tread		400 x 100	400 x 110	400 x 100	400 x 110
Tyre Type		solid	pneumatic	solid	pneumatic
TURNTABLE - flat bed	Weight	112kg	85kg	137kg	110kg
	Order Ref	TR100	TR100P	TR110	TR110P
TURNTABLE - with headboard sides & tailgate	Weight	142kg	115kg	175kg	148kg
	Order Ref	TR102	TR102P	TR112	TR112P



Heavy Duty Towing Trailers




Turntable Steering

Good solo manoeuvring in confined spaces.
For in-plant operation - maximum towing speed
8 kph (5 mph).

Fully welded steel chassis.
Anti-drop tow bar.
35mm tow eye - rear hitch and pin.
Finish: Blue epoxy.
Flush ply decks - sanded and coated.

Turntable Steering
good solo manoeuvring in confined spaces.



Rear hitch and pin



Capacities from
1 tonne to 3 tonne



Maximum UDL kg	1000		2000		3000	
Deck height mm	500	500	515	550	575	720
Wheels	Solid	Pneumatic	Solid	Pneumatic	Solid	Pneumatic
Diameter x tread mm	400 x 100	400 x 110	400 x 100	500 x 120	455 x 120	610 x 150
Deck 2 x 1m	Weight 200kg	Weight 185kg	Weight 220kg	Weight 205kg	Weight 250kg	Weight 235kg
Order Ref	TR601	TR601P	TR602	TR602P	TR603	TR603P
Deck 2.4 x 1.2m	Weight 230kg	Weight 215kg	Weight 250kg	Weight 235kg	Weight 285kg	Weight 270kg
Order Ref	TR611	TR611P	TR612	TR612P	TR613	TR613P





Max Load
35kg



Folding Box Trolley

A practical trolley perfect for manoeuvring small parts whilst goods are kept partially secure and side enclosed.

- Extra lightweight
- Folds flat and fully extends in seconds
- Fitted with a telescopic aluminium handle
- Smooth plastic wheel fitted for easy transportation

Description	Folding Box Trolley - Red / Black
Folded H x W x D mm	420 x 405 x 80
Folded H x W x D mm	981 x 405 x 380
Capacity kg	35
Order Ref	ST90



Max Load
90kg



Telescopic Folding Sack Truck

A truck designed to transport small goods / parcels in almost any environment.

- Lightweight aluminium
- Collapses in overall size for compact storage
- Telescopic handle
- Folding footplate
- Fitted with rubber cushion wheels

Open H x W x D mm	1105 x 400 x 410
Folded H x W x D mm	740 x 400 x 180
Wheels Diameter mm	150
Toeplate mm	355 x 240
Capacity kg	90
Order Ref	ST91



Max Load
60kg



60kg - Telescopic Folding Sack Truck

A lightweight aluminium sack truck with a large toe plate, ideal for travel, office and shop use.

- Unique design, quick and easy to extend and fold
- Lightweight and simple to operate
- Telescopic handle and folding footplate
- 965mm long elasticated retaining strap supplied
- Durable aluminium frame
- Occupies very little space when folded / collapsed
- Fitted with rubber cushion wheels

Open H x W x D mm	1010 x 400 x 390
Folded H x W x D mm	645 x 385 x 65
Wheels Diameter mm	125
Toeplate mm	387 x 279
Capacity kg	60
Order Ref	ST92

100kg - Telescopic Folding Sack Truck

A lightweight aluminium sack truck with a large toe plate (485 x 385mm) and carrying capacity of 100kg.

- Telescopic handle and folding footplate
- 1500mm long elasticated retaining strap supplied
- Durable aluminium frame
- Occupies very little space when folded / collapsed
- Fitted with rubber cushion wheels

Open H x W x D mm	1080 x 500 x 520
Folded H x W x D mm	800 x 500 x 60
Wheels Diameter mm	175
Toeplate mm	485 x 385
Capacity kg	100
Order Ref	ST93



Max Load
100kg



125kg - Telescopic Folding Sack Truck

A lightweight aluminium sack truck with a large toe plate (485 x 350mm) and carrying capacity of 125kg.

- Telescopic handle and folding footplate
- 1500mm long elasticated retaining strap supplied
- Durable aluminium frame
- Occupies very little space when folded / collapsed
- Fitted with rubber cushion wheels

Open H x W x D mm	1110 x 520 x 510
Folded H x W x D mm	770 x 500 x 65
Wheels Diameter mm	175
Toeplate mm	485 x 350
Capacity kg	125
Order Ref	ST94



Max Load
125kg



200kg - Telescopic Folding Sack Truck

Ideal for heavier applications such as shops, stores, smaller warehouses and delivery vehicles with a large toe plate and carrying capacity of 200kg.

- Additional fold out handles for increased operating functionality
- 1500mm long elasticated retaining strap supplied
- Durable aluminium frame
- Occupies very little space when folded / collapsed
- Fitted with rubber cushion wheels

Open H x W x D mm	1125 x 600 x 600
Folded H x W x D mm	900 x 595 x 97
Wheels Diameter mm	200
Toeplate mm	590 x 390
Capacity kg	200
Order Ref	ST95



Max Load
200kg





Max Load
200kg



Made in
Britain

Trader Truck

This modern sack truck is available in blue epoxy finish with a choice of solid rubber or pneumatic tyres. All welded steel construction, fitted with protective hand grips as standard.



Capacity kg	200	200
Back	curved	curved
Height mm	1100	1100
Width overall mm	580	580
Frame width mm	400	400
Front/rear mm	440	500
Toe width mm	410	410
Toe depth mm	230	230
Toe type	solid	solid
Tyre diameter mm	200	260
Tyre type	Solid	Pneumatic
Finish	Blue Epoxy	Blue Epoxy
Weight kg	12	13
Order Ref	ST12	ST12P



Max Load
200kg



Made in
Britain

Stainless Steel Sack Trucks

The Trader Range of Stainless Steel Sack Trucks.

High quality range of sack trucks manufactured from sheet and tube stainless steel. Suitable for use in the food and drink industry.

Red centred wheels and solid rubber tyres.
Safety hand protectors fitted as standard.



Model	ST20SS	ST21SS
Capacity kg	150	200
Overall H x W mm	1075 x 485	1175 x 535
Toe L x W mm	150 x 375	200 x 420
Back Frame H x W mm	805 x 370	965 x 420
Wheel Diameter mm	160	200
Tyre	Solid	Solid
Weight kg	9	12
Ref	ST20SS	ST21SS



Painless Self-supporting Sack Truck



Max Load
300kg



Made in
Britain

Allowing you to work safer and smarter, the high kick bar on the sub-frame enables the sack truck complete with its load to tilt to 45° angle. The sack truck supports the entire load weight reducing strain on the user and allowing hands to be free to open doors and move around with ease. The sack truck loads in the upright position like standard sack trucks.

Overall dimensions H x W mm: 355 x 1380


Foot-iron W x D mm: 355 x 175

Wheels: 2 x 300mm diameter pneumatic rubber tyred.

2 x 100mm polyurethane tyred swivel castors

Weight: 18kg

Ref: **HHS120**



Loadtek

Self-supporting Sack Truck

Sack Trucks

Meticulous build quality in red epoxy finish with Softride Pneumatic Tyres. Exceptional value.



Max Load
250kg



Made in
Britain

3 Plate toe models



Capacity kg	150	200	250	250
Overall H x W mm	1070 x 495	1185 x 540	1300 x 610	1300 x 680
Toe L x W mm	150 x 375	200 x 430	250 x 500	250 x 500
Frame H x W mm	850 x 370	960 x 415	1070 x 500	1070 x 500
Wheel Diameter mm	160	200	200	260 (pneu)
Weight kg	10	14	17	17
Order Ref	ST20	ST21	ST22	ST22P

Large plate toe model available with choice of 200mm diameter solid tyres: **Order Ref: ST22** or 260mm diameter pneumatic tyred wheels: **Order Ref: ST22P**

Optional extra

Load Strap: **Order Ref: STP1**





Max Load
250kg



Made in
Britain

3 Folding toe models



Capacity kg	250	200	150	250
Overall H x W mm	1300 x 610	1185 x 540	1070 x 495	1300 x 680
Toe L x W mm	420 x 420	330 x 300	320 x 300	420 x 420
Frame H x W mm	1070 x 500	960 x 415	850 x 370	1070 x 500
Wheel Diameter mm	200	200	160	260 (pneu)
Weight kg	16	12	9	16
Order Ref	ST22F	ST21F	ST20F	ST22FP

Large folding toe model available with choice of 200mm diameter solid tyres: **Order Ref: ST22F** or 260mm diameter pneumatic tyred wheels: **Order Ref: ST22FP**



Model ST55 3-Position Truck



Max Load
250kg



Made in
Britain

Strong and very versatile, these trucks have a multitude of uses.
Tubular welded construction.

Solid toe plate L x W mm: 200 x 420. Wheels: 200mm diameter rubber tyred wheels. Rear Castors: 100mm diameter swivel castors with rubber tyres.

Finish: Blue epoxy.

Weight: 17kg.

Ref: **ST55**



4 Wheel Transporter

Overall L x H x W mm:
1110 x 880 x 550



Platform Truck

Overall L x H x W mm: 950 x 750 x 550
Effective platform L x H x W mm: 905 x 260 x 420



Sack Truck

Overall L x H x W mm:
460 x 1185 x 550

Positive retention in
each truck position.



Model ST56 3-Position Truck



Max Load
400kg



Made in
Britain

Super heavy duty. Rectangular section and round tube welded construction.

Wheels: 200mm diameter solid, or 260mm diameter pneumatic, rubber tyred wheels.
Rear Castors: 125mm diameter swivel castors with rubber tyres and roller bearings.

Finish: Blue epoxy

Positive retention in
each truck position.



Capacity kg	400
Toe Plate L x W mm	200 x 475
Weight kg	23
Solid Tyre Order Ref	ST56
Pneumatic Tyre Order Ref	ST56P



Sack Truck

Overall L x H x W mm:
ST56 / ST56P: 585 x 1250 x 480

Trader models ST55 and ST56 are easy to change from mode to mode. Select mode before loading.



Platform Truck

Overall L x H x W mm
ST56 / ST56P: 1250 x 830 x 480
Effective platform L x H x W mm:
ST56: 1085 x 250 x 475
ST56P: 1085 x 320 x 475



4 Wheel Transporter

Overall L x H x W mm:
ST56 / ST56P:
1170 x 930 x 480



Loadtek



Max Load
200kg



Made in
Britain

Traditional Splay-back Trucks

An original design still meeting today's demands. Originally designed for use in markets, but suitable for many other applications. All models are manufactured from tough welded angle and tube with a one piece toe iron and centre strap for increased load support. 200mm diameter solid rubber or 260mm pneumatic tyred wheels with roller bearing centres. Protective hand grips as standard.

Finish: Blue epoxy.

ST26



ST27



ST26P



Capacity kg	200	Front/rear mm	520	588	672	740
Back	Curved	Toe depth mm	305	305	450	450
Height mm	1170	Tyre diameter mm	200	260	200	260
Width overall mm	635	Tyre type	Solid	Pneumatic	Solid	Pneumatic
Frame width mm	510	Weight kg	18	18	20	20
Toe width mm	355	Order Ref	ST26	ST26P	ST27	ST27P

Rough Terrain Truck 6 Model Range

Made for rough ground and tough work. Choose from Solid or pneumatic tyres and 3 toe iron sizes. The large diameter wheels cope with rough and uneven ground with ease. Solid tyred wheels should be chosen if the truck is likely to frequently come in contact with sharp objects. The trucks are heavily built and very strong, coping easily with the maximum load rating of 350kg. Protective handgrips are fitted as standard and this also helps handling over rough terrain.

Finish: Blue epoxy.



Max Load
350kg



Made in
Britain

Capacity kg	350					
Back	Flat					
Height mm	1140					
Width Overall mm	605					
Frame Width mm	430					
Toe Width mm	395					
Tyre Diameter mm	355					
Front/rear mm	610	610	685	685	830	830
Toe depth mm	230	230	305	305	450	450
Tyre type	Solid	Pneumatic	Solid	Pneumatic	Solid	Pneumatic
Weight kg	29	23	30	24	32	26
Order Ref	ST10S	ST10P	ST101S	ST101P	ST102S	ST102P

ST10S

Toe depth
230mm



ST102S

Toe depth
450mm



ST101S

Toe depth
305mm



ST101P

Toe depth
305mm



ST102P

Toe depth
450mm





Max Load
200kg



Made in
Britain

Euro Loop Handle Trucks

Continuous loop handles give convenient handling at all angles. Wide backs and choice of large fold-up toe or fixed toe plate, make these trucks very versatile.

Mounted on 200mm diameter solid rubber tyred wheels.

Finish: Blue epoxy.

ST15



ST15P



Capacity kg	200	200
Back	Flat	Flat
Height mm	1150	1150
Width Overall mm	595	620
Frame Width mm	400	400
Front / Rear mm	480	510
Toe width mm	410	410
Toe depth mm	255	255
Toe type	Solid	Solid
Weight kg	16	15
Tyre Type	Solid	Pneumatic
Order Ref	ST15	ST15P



Max Load
110kg



Made in
Britain

Stairclimbing Trucks

Fitted with star wheel system to provide the greatest ease in transporting loads up and down steps and stairways. Large toe folds and locks to frame for compact storage. The star wheel system also helps transportation over rougher terrain making these trucks ideal for locations with variable terrain.

Wheels: 160mm diameter steel centred wheels with roller bearings and rubber tyres.

Finish: Blue epoxy.

SM22



SM12



Model SM22 folds for handy storage and transportation.



Capacity kg	110	80
Back	flat	flat / folding
Height mm	1090	1090 / 600
Width overall mm	470	470
Frame width mm	305	305
Front/rear mm	370 / 720	370 / 720
Toe width mm	245	245
Toe depth mm	350	350
Toe type	open	open
Weight kg	14	14
Order Ref	SM12	SM22

Optional extra

Load Strap

Ref: **STP1**



Stairclimber Sack Trucks



Fitted with star wheel system to provide the greatest ease in transporting loads up and down steps and stairways. The star wheel system also helps transportation over rougher terrain making these trucks ideal for locations with variable terrain.

Finish: Blue epoxy.



SM23

SM23
Capacity: 250kg
Euro loop handles
and solid steel toe



SM23P

SM23P
Capacity: 125kg
Euro loop handles
and solid steel toe



SM16

SM16
Capacity: 200kg
Euro loop handles
and folding open toe



Capacity kg	250	125	200
Back	Flat	Flat	Flat
Height mm	1150	1150	1150
Overall Width mm	595	595	595
Frame Width mm	400	400	400
Front / Rear mm	665	705	405 / 810
Toe Width mm	420	420	330
Toe Depth mm	300	300	405
Toe Type	Solid	Solid	Open
Tyre Diameter mm	160	200	160
Tyre Type	Solid	Pneumatic	Solid
Weight kg	21	21	19
Order Ref	SM23	SM23P	SM16





Max Load
200kg



Made in
Britain



Stairclimber Sack Truck

This sack truck is fitted with the star-wheel stairclimbing configuration, but it has a simple locking device which enables the star-wheel system to be locked, thus turning the stairclimber into a standard sack truck. Loop handles provide convenience in use in both modes - either pushing or pulling. Tubular steel construction with sheet steel toe. Finish: Red epoxy.

The star wheel system also helps transportation over rougher ground. This feature, together with the star wheel lock, provides the ideal solution to encountering varying terrain.

Star-wheel locking device.

By simply turning the locking handle, the star-wheel configuration is locked, turning the stairclimber into a standard sack truck. Turning the handle back, reverts the truck to full stairclimbing use.



Locking star-wheel model	
Capacity kg	200
Overall H x W mm	1190 x 590
Toe L x W mm	420 x 215
Back Frame H x W mm	1025 x 410
Wheel Diameter mm	160
Weight kg	23
Ref	SM28

Optional extra

Load Strap

Ref: **STP1**



Max Load
150kg



Made in
Britain



SM31

Stairclimbing Chair Shifter

Steel pan base takes the rear legs of the chairs. The star wheel system also helps transportation over rougher ground. Base pan W x D: 585 x 155mm. Overall frame height 1295mm. Finish: Blue epoxy.

Wheels	Weight kg	Overall H x W x D	Ref
Solid Tyres	18	1300 x 590 x 500	SM31



Chair Shifters

Steel pan base takes the rear legs of the chairs.
Wheels: 200mm diameter solid rubber or
260mm diameter pneumatic.



Max Load
150kg



Made in
Britain




ST81

Office model
Solid tyres
Ref: **ST81**



ST82

Office model
Pneumatic tyres
Ref: **ST82**



ST83

Industrial model
Solid tyres
Ref: **ST83**
Pneumatic tyres
Ref: **ST84**



ST84



Base Pan W x D mm		585 x 155	
Overall Frame Height mm		1295	
Wheels	Weight kg	Overall H x W x D	Order Ref
Office models - Sandstone epoxy finish			
Solid tyres	12	1300 x 590 x 380	ST81
Pneumatic	13	1300 x 590 x 420	ST82

Wheels	Weight kg	Overall H x W x D	Order Ref
Industrial models - Blue epoxy finish			
Solid tyres	12	1300 x 590 x 380	ST83
Pneumatic	13	1300 x 590 x 440	ST84





Made in
Britain



Loose fitting perforated
base and drain tap.



Tilting Skip Bin

Choice of two capacities – 200kg (200 litres) or 400kg (260 litres). Fabricated sheet steel body mounted on square frame chassis. Reinforced body rim. No sharp edges. Handle for pushing and load dumping. Load will not tip until retaining latch is released by the operator. Welded fork guides are available as an option.

Wheels: 200mm diameter axle mounted front wheels with single 200mm diameter rear swivel castor, fitted with solid rubber tyres and roller bearings.

Finish: Blue epoxy.

Capacity	200kg (200 litres)	400kg (260 litres)
Body size L x W x H mm	1050 x 580 x 525	1200 x 630 x 700
Overall size L x W x H mm	1175 x 850 x 790	1320 x 900 x 970
Weight	68kg	75kg
Ref:	SB08	SB10
Including perf. base & drain tap		
Weight	71kg	78kg
Ref:	SB08DT	SB10DT
Fork lift pockets (factory fitted extra) 125 x 40mm		
Ref:	SB/FP	SB/FP

Optional extra

Total stop brake on
single swivel castor.

Ref: **B013/1**



Max Load
250kg



Made in
Britain



Max Load
250 Kg



British
Made

Wheelbarrow Skip

Fully welded construction in sheet steel with formed top edge and front nose strengthening. Tubular push handle continues down length of body for extra strength. Front and rear tubular supports allow for static and tipping use.

Fully supported tubular axle fitted with choice of 400mm diameter solid rubber or pneumatic tyred wheels with roller bearings.

Finish: Blue epoxy.

Body dimensions L x W x H mm	Overall dimensions L x W x H mm	Weight kgs	Wheel type	Ref
1155 x 625 x 460	1650 x 900 x 680	58	Solid	SB12
1155 x 625 x 460	1650 x 900 x 680	47	Pneumatic	SB12P



Mobile Tray Racks

Complete with specified Euro Container Box Trays external dimensions
L x W 600 x 400mm.

Rack construction: Welded square section steel tube construction
with formed tray supports and steel top cover. Metal strap prevents
trays being pushed through when loading.

Wheels: 4 swivel castors with 100mm diameter nylon wheels.

Finish: Blue epoxy coated.

No of trays	Internal Tray Height mm	Weight kg	Overall Rack Height mm	Overall L x W mm	Order Ref
6 x PC005	105mm	38	1100	700 x 525	CT206
8 x PC005	105mm	46	1405		CT208
10 x PC005	105mm	53	1710		CT210

Full tray specifications and prices for extra trays:
See Euro Containers page 105

Optional extra

Total stop brakes

Ref: **B103**



Max Load
200kg



Made in
Britain



Mobile Tray Racks

Complete with specified Euro container box trays external
L x W 600 x 400mm.

Rack construction: Welded square section steel tube construction with
formed tray supports and steel top cover. Metal strap prevents trays being
pushed through when loading.

Wheels: 4 swivel castors with 100mm diameter nylon wheels.

Finish: Blue epoxy coated.

No of trays	External Tray Height mm	Overall Rack Height mm	Weight kg	Overall L x W mm	Order Ref
6 x PC020	170	1420	42	700 x 525	CT506
8 x PC020	170	1830	51		CT508
4 x PC053	200	1250	37		CT604
6 x PC053	200	1780	49		CT606

Full tray specifications and prices for extra trays:
See Euro Containers page 105.

Optional extra

Total stop brakes

Ref: **B103**



Max Load
200kg



Made in
Britain



Loadtek

Plastic Container Systems



Max Load
200kg



Made in
Britain



Mobile Tray Racks

A versatile range of mobile steel racks. Welded square section steel tube construction with formed tray supports. Supplied complete with grey European 600 x 400mm plastic containers.

Wheels: All swivel castors with 100mm diameter nylon wheels.

Trays: 21 litre solid grey containers.

Finish: Red epoxy.

No. of Trays	Overall Size L x W x H mm	Weight kg	Uniform Load Total Capacity kg	Order Ref
2 x 5	955 x 650 x 945	50	200	CT405
6	525 x 650 x 1100	33	200	CT406
8	525 x 650 x 1405	41	200	CT408
10	525 x 650 x 1710	48	200	CT410

Optional extra

Total stop brakes

Ref: **B103**



Made in
Britain



Euro Dolly / Trolley

Euro Dolly with optional tug handle.

Designed to carry European 600 x 400mm containers in any combination of heights.

Wheels: 4 swivel castors with 125mm diameter wheels, solid rubber tyres and roller bearings.

Finish: Blue epoxy.

Containers are NOT included. For containers, please see Page 105.

Type	Overall Dimensions L x W x H mm	Max Load kg	Weight kg	Order Ref
Euro Dolly	640 x 415 x 195	250	12	CT64
Handle (optional)	920 x 305 x 30		1.5	TD804

Optional extra

Total stop brakes (extra) Ref: **B032**



Euro Trolley

Wheels: 2 fixed and 2 swivel castors with 160mm diameter wheels, solid rubber tyres and roller bearings.

Finish: Blue epoxy.

Containers are NOT included. For containers, please see Page 105.

Type	Overall Dimensions L x W x H mm	Max Load kg	Weight kg	Order Ref
Euro Trolley	950 x 615 x 985	350	24	CT81

Optional extra

Total stop brakes (extra) Ref: **B024**



Small Parts Storage Tray Racks



Max Load
200kg



Made in
Britain

Complete with specified Euro Container Box Trays (L x W x H) 400 x 300 x 120mm external. Rack construction: Welded square section steel tube construction with formed tray supports. Metal strap prevents trays from being pushed through when loading.

Wheels: 4 swivel castors with 100mm diameter nylon wheels and roller bearings.

Finish: Blue epoxy.

No of Trays	Overall Size (H x W x D)	Weight kg	Order Ref
12	1115 x 730 x 440mm	29	CT216
24	1115 x 1420 x 440mm	49	CT226

Optional extras:



Additional Trays

Ref: **PC023 (single tray)**



Total Stop Brakes

Ref: **B103**

CT216



CT226



Adjustable Tray Rack



Max Load
200kg



Made in
Britain

Complete with specified Euro Container Box Trays (L x W) 600 x 400mm external. Rack constructions: Welded square section steel tube base, formed sheet steel uprights and zinc plated tray supports.

Fully adjustable tray levels with 60 possible runner positions - making this tray rack extremely versatile. Just choose the container required and where to position it - multiple combinations - supplied complete with 10 x pairs of tray runners. Metal strap prevents trays from being pushed through when loading.


Wheels: 4 swivel castors with 100mm diameter nylon wheels and roller bearings.

Finish: Light grey epoxy.

Weight: 25kgs empty.

No of trays	Tray Heights Supplied	Overall H x W x D mm	Order Ref
Empty	None	1725 x 500 x 650	CT270
10	10 x 120mm		CT271
8	3 x 120mm, 4 x 175mm, 1 x 235mm		CT272

For additional trays, please see Page 105



Optional extras:

Total Stop Brakes

Ref: **B103**

CT271



CT272



CT270



Loadtek



Max Load
200kg



Made in
Britain



Optional extras:

Additional Trays
Ref: **PC004 (single tray)**



Total Stop Brakes
Ref: **B103**



Top Cover sheet steel (factory fitted) weight: 5kg Ref: **CT3**

Mobile Tray Racks

Supplied with white non-toxic polyethylene food grade trays. All welded angle construction. Plastic trays slide onto fixed metal tray supports. Metal strap prevents trays being pushed through when loading. Optional steel top cover.

Wheels: 4 swivel castors, white nylon 100mm diameter wheels

Finish: Red epoxy.

Tray specification:

All round grip. Solid base and sides

External H x W x L: 80 x 450 x 754mm

Internal H x W x L: 68 x 412 x 717mm

Thermal resistance: -30°C to +60°C, washable up to 110°C

No. of Trays	Overall Floor Area mm	Overall Height mm	Weight kg	Order Ref
6	780 x 530	895	36	CT306
8	780 x 530	1120	45	CT308
10	780 x 530	1330	53	CT310
12	780 x 530	1555	62	CT312
16	780 x 530	2005	74	CT316

Alternative sizes or models to suit customers own containers available on request.



Max Load
150kg



Made in
Britain



CT06
1 fixed,
2 swivel tiers

CT05
3 fixed tiers

Mobile Tray Racks

Welded tubular and angle frame construction with overall dimensions of H x L x W : 1200 x 915 x 470mm

Wheels: 2 fixed and 2 swivel castors with 125mm diameter rubber tyred wheels, roller bearings.

Finish: Blue epoxy

Frame levels: 200; 700; 1200mm

Equipment supplied	Construction	Weight kg	Order Ref
3 x drop-in ply shelves	3 fixed tiers	24	CT04
3 x drop-in grey trays (PC005)	3 fixed tiers	28	CT05
3 x drop-in grey trays (PC005)	1 fixed, 2 swivel tiers	30	CT06

Optional extras:

Brakes: Total stop

Ref: **B032**



Additional Grey Trays

Ref: **PC005**



Swivel tiers can be tilted 15° or 30° in either direction



Mobile Tray Racks



Max Load
200kg



Made in
Britain

Supplied with or without Euro Containers
L x W 600 x 400mm in single or double bays
Rack construction: Welded square section steel tube construction with welded cross braces adding durability
Trays angled to help access products stored
Wheels: 2 swivel and 2 swivel braked 100mm diameter wheels
Finish: Blue epoxy coated

No of trays	External Tray Height mm	Overall L x W mm	Order Ref
8 x PC005	120	660 x 820	CT90-1
8 x PC020	170		CT90-2
16 x PC005	120	1320 x 820	CT91-1
16 x PC020	170		CT91-2



CT90-1



CT91-1



CT91-2



CT90-2

Euro Containers

Robust grey plastic containers that can interstack modularly with various sizes. Ideal for protective storage during transportation of goods.

Lids and dollies can be supplied separately. All containers and accessories are manufactured from high-density food grade polypropylene which has a temperature resistance from -5°C to +70°C.



Size ltr	External Dimensions mm			Internal Dimensions mm			Individual Order Ref	Pallet Quantity	
	Length	Width	Height	Length	Width	Height		No. on Pallet	Pallet Order Ref
5	300	200	120	260	160	110	PC050	288	PC050/288
10	400	300	120	356	256	110	PC023	144	PC023/144
20	400	300	220	356	256	211	PC051	104	PC051/104
22	600	400	120	555	358	105	PC005	72	PC005/72
27	600	400	150	560	255	138	PC052	56	PC052/56
30	600	400	170	560	360	157	PC020	52	PC020/52
40	600	400	200	552	353	185	PC053	44	PC053/44
52	600	400	270	560	358	257	PC021	32	PC021/32
60	600	400	320	552	353	304	PC022	36	PC022/36





Attached Lid Containers

These high quality Attached Lidded Euro Containers can be stacked when the lid is closed or nested to save space when not in use and lid is open. They allow for 'locking' by way of cable ties or similar when high value goods are stored and include a label \ card holder for ease of identification. They are manufactured from high-density food grade polypropylene which has a temperature resistance from -5°C to +70°C.

Size ltr	External Dimensions mm			Internal Dimensions mm			Individual Order Ref	Pallet Quantity	
	Length	Width	Height	Length	Width	Height		No. on Pallet	Pallet Order Ref
56	600	400	310	547	365	280	PC019	85	PC019/85
65	600	400	365	547	365	345	PC016	85	PC016/85
77	600	400	400	547	365	380	PC017	85	PC017/85

Lid Colour Options	B	R	Y	GN
--------------------	---	---	---	----



Semi-open Fronted Containers



A simple and effective small parts storage system for a wide range of materials. Manufactured from polypropylene, can be stacked or used with louvre panels, cabinets and shelving systems. Containers can be manufactured in specific brand colours for high volume users.

- Strong, heavy duty with reinforced base, sides and stacking rim
- Durable and resistant to most industrial solvents
- Capable of withstanding a temperature range of -15°C to +50°C
- Smooth inside faces guard against build of grease
- Index card slot for identification labels (not supplied)
- Available in 6 sizes and 4 colours as standard

Decription	No.2	No.3	No.4	No.5	No.6	No.7
Length mm	165	240	350	350	375	520
Width mm	100	150	205	205	420	310
Height mm	75	132	132	182	182	200
Pack Quantities						
No. Per Pack	20	10	10	10	5	5
Order Ref	PC101	PC102	PC103	PC104	PC105	PC106
Pallet Quantities						
No. Per Pallet	90	54	25	20	20	16
Order Ref	PC101/90	PC102/54	PC103/25	PC104/20	PC105/20	PC106/16

Colour Options	GN	R	B	Y
----------------	----	---	---	---

Wall Mounted Louvre Panels

Featuring the unique double indented louvre for extra strength, this system offers the ideal solution for wall mounting and many other applications for TC containers and accessories. 2 imperial sizes available. Precision formed and finished in a grey epoxy powder coating.

Height mm	Width mm	Order Ref
438	457	WP50
946	457	WP52



Unique double indented louvre for extra strength.


Louvre Panel Spigots

Designed to fit onto Louvre Panels, our range of Spigots are ideal for stroing items such as coils that will not store easily on a shelf.

Available in 19mm square and 13mm round tube with durable ABS plastic back plate for heavier applications.

Wire spigots are available in single and double options, manufactured from 3.6mm wire, the single spigots come complete with a rubber end cap for safety.

Type	Description	Order Ref
Plastic Spigot (pack 10)	19mm square tube x 152mm long	CP20-152
	19mm square tube x 304mm long	CP20-304
	19mm square tube x 304mm long x 108mm upstand	CP21-304
	13mm diameter round tube x 152mm long	CP22-152
	13mm diameter round tube x 304mm long	CP22-304
Wire Spigot (pack 25)	Single wire x 152mm long	CP23-152
	Single wire x 203mm long	CP23-203
	Double wire x 152mm long	CP24-152
	Double wire x 203mm long	CP24-203



Floor Standing Louvre Panels

Single or double sided freestanding storage units available in 3 heights for increased storage capacity when using TC containers and accessories. Units are finished in blue epoxy powder coating (other colours are available) with silver / grey feet.

For large application order one starter bay and the appropriate number of add on bays to make this a complete solution to suit individual requirements. Heavy duty adjusters permit levelling on uneven surfaces.

Type	Overall H x W x D mm	Starter Bay Ref	Add on Bay Ref
Single sided	1100 x 1000 x 500	LPT20	LPT30
	1600 x 1000 x 500	LPT21	LPT31
	2100 x 1000 x 500	LPT22	LPT32
Double sided	1100 x 1000 x 750	LPT23	LPT33
	1600 x 1000 x 750	LPT24	LPT34
	2100 x 1000 x 750	LPT25	LPT35





Max Load
250kg



Made in
Britain



Double sided louvre panel trolley,
2 panel high complete with
72 x XL2 & 36 x XL3 bins
Ref: LPT-12C
(bin colours as shown)



For additional containers see page 106

Double sided louvre panel trolley,
3 panel high complete with
108 x XL3 bins
Ref: LPT-13C
(bin colours as shown)

Double sided louvre panel
trolley - 3 panel high
Ref: LPT-13

Louvre Panel Trolleys

'A' frame double sided louvre panel trolleys with integral sheet steel deck storage area. Fully welded steel frame construction with bolt-on louvre panels. Tubular push/pull handle. Available in 2 heights (2 or 3 panels). Overall heights mm: 1220 and 1600.
Base L x W mm: 1025 x 600. Deck height mm: 205
Wheels: 2 swivel braked and 2 fixed castors fitted with 125mm blue resilex wheels and roller bearings.
Finish: Grey epoxy frame (BS00A05) with blue panels (RAL5017).



Double sided louvre
panel trolley - 2 panel high
Ref: LPT-12



Clearbox Units



The ideal dust-free storage and display system for the warehouse, workshop, retail and trade. Each unit contains a number of removable transparent inner compartments suitable for a wide range of items with beige outer body.

- Suitable for a variety of uses and applications
- Non-toxic, suitable for use with food stuffs
- Strong outer body manufactured from high impact polystyrene plastic and inner components from ABS plastic
- Order picking, tilting transparent compartments allow easy retrieval of items with maximum display potential

No. of Compartments	Overall H x W x D mm	No. in Pack	Pack Order Ref
2	353 x 600 x 310	1	PC080/1
3	240 x 600 x 197	3	PC081/3
4	207 x 600 x 171	4	PC082/4
5	164 x 600 x 135	5	PC083/5
6	113 x 600 x 93	10	PC084/10
9	77 x 600 x 64	10	PC085/10



Multi-Trip Container Trolley



Max Load
50kg



Made in
Britain

To carry 2 x 54ltr multi-trip containers (containers extra). Welded tubular steel construction, overall dimensions H x L x W: 1010 x 952 x 420mm.

Finish: Blue Epoxy.

Wheels: 4 x 125mm diameter swivel castors fitted with grey non-marking tyres. Weight: 12kg.

Order Ref (without containers): CT03

Attached Lid Containers

Capacity ltr	54
Internal L x W x H mm	547 x 365 x 345
External L x W x H mm	600 x 400 x 365
Order Ref	PC-019
Lid Colour Options	B R Y GN



CT03



Container Carrier Trolley



Max Load
50kg



Made in
Britain

To carry 2 x 50ltr containers without lids (containers extra). Welded tubular steel construction. Overall dimensions H x L x W: 940 x 1180 x 440mm.

Wheels: 4 x 125mm diameter swivel castors fitted with grey non-marking tyres.

Weight: 14kg.

Finish: Blue epoxy.

Order Ref (without containers) : CT07

Containers

Capacity ltr	50
Lids	Without
Internal H x L x W mm	270 x 460 x 340
External H x L x W mm	300 x 600 x 400
Weight kg	2.3kg
Colour	Grey/Light Grey
Order Ref	PC070



CT07



Optional extra

Steel clipboard (factory fitted)

Blue epoxy finish

Ref: T07



Loadtek



Made in Britain

Standard Model



CT82

Balance Wheel Configuration Model



CT89

Plastic Container Trucks

Capacity 360 litres. Welded steel angle construction with steel tube side bars to hold containers.

Overall dimensions L x W x H: 1040 x 730 x 810mm.

Finish: Blue or red epoxy (to match container colour).

Wheels:

Standard wheels: 2 fixed and 2 swivel castors with 160mm diameter rubber tyred wheels with roller bearings.

Balance Configuration: (highly manoeuvrable): 2 fixed and 2 swivel castors with 160mm diameter rubber tyred wheels with roller bearings.

Container Bins:

Red or blue, polyethylene, non-food quality with smooth snag-free interiors; suitable for general products including clothing and textiles. Containers are removable and stackable when empty (containers are also available separately).

Temperature range -10° to +60°c.

Internal dimensions L x W x H: 930 x 640 x 610mm.

External dimensions L x W x H: 1040 x 730 x 615mm.

Standard Model



Loose Fitting Lid

48 hour despatch on marked products only.

Wheel Type	Colour	Weight kg	Order Ref
Standard wheels	Blue	32	CT82
	Red	32	CT88
Optional Total Stop Brakes (pair)			B024
Balance wheels	Blue	32	CT87
	Red	32	CT89
Brakes not available on balance wheel models			
Bin Options	Colour	Weight kg	Order Ref
Spare bin	Blue	10	PC003
	Red	10	PC032
Loose lid	Blue	4	PC028
	Red	4	PC029



Container Shelf Trolleys



Made in
Britain

A versatile range designed for 600 x 400mm Euro containers and / or open fronted yellow stock boxes.

Containers

Use your own containers or choose from the selection below.

General trolley specification:

Welded steel tube and angle construction

Model	Overall size L x W x H mm	Capacity kg	Weight kg	Order Ref
CT47	1730 x 615 x 1315	400	75	CT47
CT48	1245 x 650 x 1410	350	63	CT48
CT49	1245 x 450 x 1410	400	51	CT49

CT47 - Capacity: 400kg UDL.

4 standard 600 x 400mm Euro containers per shelf (containers not included).
Overall L x W x H: 1730 x 615 x 1315mm. Shelf heights: 235; 595; 955; 1315mm.
Wheels: 2 fixed and 2 swivel, 160mm diameter rubber tyred wheels with roller bearings.
Finish: Blue epoxy.

CT48 - Capacity: 350kg UDL.

3 standard 600 x 400mm Euro containers per shelf (containers not included).
Overall L x W x H: 1245 x 650 x 1410mm. Shelf heights: 245; 520; 805; 1090mm.
Shelf L x W: 1215 x 600mm.
Wheels: 2 fixed and 2 swivel, 160mm diameter rubber tyred grey non marking wheels with roller bearings.
Finish: Red epoxy with varnished plywood shelves.

CT49 - Capacity: 400kg UDL.

Accepts 2 standard 600 x 400mm Euro containers, or 6 yellow stock boxes per shelf (containers not included).
Overall L x W x H: 1245 x 450 x 1410mm. Shelf heights: 245; 520; 805; 1090mm.
Shelf L x W: 1215 x 405mm.
Wheels: 2 fixed and 2 swivel, 160mm diameter rubber tyred grey non marking wheels with roller bearings.
Finish: Red epoxy with varnished plywood shelves.



CT47

Please note:

Shelf is cradle style not flush, and is designed to hold Euro Containers only.



CT48

Containers

Plastic containers, available in packs, suitable for trolleys on these pages.

For models: CT47; CT48 & CT49

Capacity ltr	Internal Height mm	External Height mm	Weight kg	Order Ref
Dark Grey Euro Containers - solid - L x W: 600 x 400mm				
21	105mm	118mm	1.5	PC005
33	164mm	175mm	1.87	PC020
45	185mm	200mm	2.25	PC053
60	300mm	319mm	2.73	PC022
Euro Red Boxes - solid - L x W: 600 x 400mm				
60	300mm	320 mm	2.73	PC006



Euro Containers

Euro Red Box



Loadtek

Plastic Container Systems



Max Load
150kg



Made in
Britain

Store and Distribution Trolleys

Supplied complete with containers Finish: Grey epoxy.

All the trolleys on this and opposite page are fitted with 100mm diameter swivel castors with grey rubber non-marking tyres and thread guards



Optional extra:

Total stop brakes

Ref: B051 (pair)



No. and type of containers	Containers (exterior) H x W x L mm	Overall H x W x L mm	Load capacity kg	Weight kg	Order Ref
2 x tote	295 x 415 x 455	890 x 520 x 610	150	19	CT28
4 x tote	295 x 415 x 455	890 x 540 x 1130	150	22	CT29
2 x box	320 x 400 x 600	890 x 510 x 800	150	25	CT19

Additional Containers

Note: Tote bins PC007/PC008 will stack.



Container Type	Container H x W x L mm	Order Ref
Box	320 x 400 x 600	PC006
Tote	180 x 415 x 375	PC007
Tote	295 x 415 x 455	PC008



Store and Distribution Trolleys

Supplied complete with containers this versatile mobile range offers good capacity and flexibility. Removable tote style, open fronted, red plastic containers for storage and distribution of a wide range of goods. Finish: grey epoxy.

Wheels: 4 x 100mm diameter swivel castors fitted with grey non-marking rubber tyres and thread guards.

Choice of tops: Flush sheet steel or recessed tray lined with ribbed rubber.

Optional extra

Total stop brakes

Ref: **B051 (pair)**



Max Load
150kg



Made in
Britain



CT20



CT25



CT23



CT26

		No. of tote containers		Ext. H x W x L (mm)			
Model	Top Surface	180 x 415 x 375	290 x 415 x 455	Overall H x W x L mm		Load Capacity kg	Weight kg
CT20	sheet steel	4	-	1010 x 510 x 590		150	27
CT21	lined tray	4	-	1010 x 510 x 590		150	27
CT22	sheet steel	2	1	1010 x 510 x 590		150	26
CT23	lined tray	2	1	1010 x 510 x 590		150	26
CT24	sheet steel	8	-	1010 x 510 x 1050		150	47
CT25	lined tray	8	-	1010 x 510 x 1050		150	47
CT26	sheet steel	2	4	1010 x 510 x 1050		150	45
CT27	lined tray	2	4	1010 x 510 x 1050		150	45





Max Load
150kg



Made in
Britain



Super Service Trolley

Many uses including Stores, Offices, Warehouses, Schools and Mail Centres. Formed and welded rectangular steel tube frame.

Wheels: 4 swivel castors fitted with 125mm diameter wheels, and grey non marking rubber tyres. Trolley fitted with 4 protective revolving corner buffers.

Finish: Red epoxy framework, white epoxy baskets.

Overall H x W x L mm	1035 x 525 x 1035
Writing Tray W x D mm	390 x 200
Large Basket (x2) H x W x L mm	290 x 385 x 585
Small Basket (x1) H x W x L mm	100 x 250 x 385
Weight kg	28
Order Ref	BT100



Max Load
200kg



Made in
Britain



Distribution Trolley

Construction: Formed and welded steel tube frame. Diamond balanced wheel configuration for total manoeuvrability.

Wheels: 2 fixed, 2 swivel castors fitted with 160mm diameter bright zinc plated wheels with rubber tyres and roller bearings.

Finish: Red epoxy framework, white epoxy baskets.

Overall H x W x L mm	1070 x 535 x 1170
Top Basket H x W x L mm	190 x 520 x 1055
Bottom Basket H x W x L mm	320 x 520 x 1055
Weight kg	43
Order Ref	BT106

Optional extra:

Hook-on end basket.

H x W x L: 320 x 115 x 320mm

Ref: **B71**



Basket and Tray Trolleys - 3 tier

Ideal trolley for small item handling 3 tier trolley, with bottom parcel grid supplied with choice of: 2 removable baskets or 2 steel trays. Formed and welded steel tube

Wheels: 4 swivel castors fitted with 100mm diameter wheels, thread guards and grey non-marking rubber tyres.

Finish: Red epoxy framework, white epoxy baskets and trays.

Overall L x W x H mm	855 x 430 x 1055
Shelf Heights (without containers) mm	170 : 455 : 810
Model BT109	
2 x Removable Baskets H x W x L mm	240 x 305 x 450 (10mm Top Rim)
Weight kg	18
Order Ref	BT109
Model BT110	
2 x Removable Steel Trays H x W x L mm	70 x 310 x 465
Weight kg	22
Order Ref	BT110

Accessories:

Extra baskets

H x W x L:

240 x 305 x 450mm

Ref: B107 (each)



Extra trays

H x W x L:

70 x 310 x 465mm

Ref: T108 (each)



Total stop brakes

Ref: B086



Max Load
100kg



Made in
Britain



BT109

BT110



Basket and Tray Trolleys - 2 tier

2 tier version without bottom parcel grid.

Overall L x W x H mm	700 x 435 x 920
Shelf Heights (without containers) mm	180 : 605
Model BT107	
2 x Removable Baskets H x W x L mm	240 x 305 x 450 (10mm Top Rim)
Weight kg	15
Order Ref	BT107
Model BT108	
2 x Removable Steel Trays H x W x L mm	70 x 310 x 465
Weight kg	19
Order Ref	BT108

Accessories:

Extra baskets

H x W x L:

240 x 305 x 450mm

Ref: B107 (each)



Extra trays

H x W x L:

70 x 310 x 465mm

Ref: T108 (each)



Total stop brakes

Ref: B086



Max Load
100kg



Made in
Britain



BT107



BT108



Loadtek



Pedestrian Snow Ploughs

This bi-directional snow plough makes it simple and easy to clear your driveway and sidewalks in half the time with half the effort needed for conventional shovelling.

Angled plough to allow snow to easily slide off the side of the blade. Simply flip the handle over to choose which side the snow is ploughed to.

Manufactured from mild steel with high quality epoxy coated finish, making this a superior and hard wearing product. Product is supplied fully assembled.

Wheels: 160mm solid rubber tyred wheels and roller bearings.

Blade Depth mm	195
Handle Height mm	1110
Handle Width mm	410

Model	Blade Width mm	Weight kg	Order Ref
Wide	955	8	HSP-1
Narrow	500	7	HSP-2



'V' Blade Push Along Snow Plough

Minimises work by pushing instead of lifting and throwing with the angled plough allowing snow to easily slide off either side of the blade.

Manufactured from mild steel with high quality epoxy coated finish, making this a superior and hard wearing product. Product is supplied fully assembled.

Wheels: 160mm solid rubber tyred wheels and roller bearings.

Blade Height mm	165
Handle Height mm	1110
Handle Width mm	410
Overall Blade Width mm	900
Weight kg	8
Order Ref	HSP-3

Heavy Duty Push Along Snow Plough



Made in
Britain

Adjustable blade: from 0 degrees to 30 degrees of left hand sweep, allowing snow to easily slide off the blade. Easily adjustable on a 50mm pitch with 6 adjustments using fly nut and bolt. Simple trolley style design allows you to remove snow while keeping your body in an upright, walking position. Angled plough allows snow to easily slide off either side of the blade.

Manufactured from mild steel with high quality epoxy coated finish, making this a superior and hard wearing product. Product is supplied fully assembled.

Wheels: 4 x 260mm pneumatic tyred wheels and roller bearings.

Overall Width mm	1000
Overall Depth mm	1140
Overall Height mm	1000
Blade Height mm	330
Blade Width mm	1000
Weight kg	28
Order Ref	HSP-4



Heavy Duty Snow Plough



Made in
Britain

Heavy duty snow plough and yard scraper attachment to fit most fork lift trucks. Fixed left hand sweep angle of 15 degrees. Heavy duty concave blade with bolt on 12mm thick reversible rubber wear strip. When not used for snow clearing can be utilised as general purpose yard scraper.

Choice of 1200, 1500 or 2000mm blade widths.

Plough fits over forks and is secured with zinc plated 'T' bar screws.

Finish: Yellow epoxy coated.

Wear Strip Thickness mm	12
Blade Height mm	510
Overall Depth mm	1350
Fork Pockets H x W mm	160 x 50
Fork Centres mm	800

Snow Plough

Blade Width mm	Weight	Order Ref
1200	79	FSP-1
1500	98	FSP-2
2000	123	FSP-3

Replacement Rubber Wearstrip

Blade Width mm	Order Ref
1200	FSP-1RB
1500	FSP-2RB
2000	FSP-3RB





Max Load
2500kg

Standard Size Pallet Truck

- Capacity: 2500kg
- Fork size ideal for Euro-pallets
- 3 position control lever
- Tapered forks
- Nylon steer wheels and single nylon load rollers
- Lift height: 85 – 200mm

Fork length mm	Width over forks mm	Capacity kg	Order Ref
1150	550	2500	MA25/11/55



Max Load
2500kg

Standard Heavy Duty Pallet Trucks

Designed for heavy duty industrial use

- Choice of fork sizes
- 3 position control lever
- Comfortable grip, rubberised plastic handle
- Tapered forks
- Nylon steer wheels and single nylon load rollers as standard
- Choice of different wheel materials and special sizes
- Optional parking and travel brakes
- Lift height: 85 – 200mm
- 3000, 4000, 5000kg capacity also available
- Galvanised and stainless steel versions also available



Fork length mm	Width over forks mm	Capacity kg	Order Ref
1000	540	2500	MA25/10/54
1150	540	2500	MA25/11/54
1220	540	2500	MA25/12/54
1000	680	2500	MA25/10/68
1150	680	2500	MA25/11/68
1220	680	2500	MA25/12/68

Note: See separate section for wheel & brake options



Max Load
2500kg

Quick Lift Heavy Duty Pallet Trucks

- Raise forks 25mm in one stroke, only 5 strokes to full height
- Comfortable grip, rubberised plastic handle
- Capacity: 2500kg
- 3 position control lever
- Nylon steer wheels and single nylon load rollers
- Choice of different wheel materials
- Optional parking and travel brakes
- Lift height: 85 – 200mm



Fork length mm	Width over forks mm	Capacity kg	Order Ref
1000	540	2500	QL25/10/54
1150	540	2500	QL25/11/54
1220	540	2500	QL25/12/54
1000	680	2500	QL25/10/68
1150	680	2500	QL25/11/68
1220	680	2500	QL25/12/68

Note: See separate section for wheel & brake options

Printer's Heavy Duty Pallet Trucks

Ideal for narrower and/or shorter pallets used in the printing industry.

- Capacity: 2500kg
- 3 position control lever
- Comfortable rubberised plastic handle
- Nylon steering wheels and single nylon load rollers as standard
- Choice of different wheel materials
- Optional parking and travel brakes
- Lift height: 75 – 190mm

Fork length mm	Width over forks mm	Capacity kg	Order Ref
900	450	2500	MA25/09/45
1000	450	2500	MA25/10/45

Note: See separate section for wheel & brake options



Max Load
2500kg



Extra Long Heavy Duty Pallet Trucks

Top quality, full specification, extra long hand pallet trucks.
Made from high grade steel to the latest design.

Fork length mm	Width over forks mm	Capacity kg	Order Ref
1500	540	2000	MA20/15/54
1800	540	2000	MA20/18/54
2000	540	2000	MA20/20/54
2300	520	2300	LLT23/23/52
2500	520	2300	LLT23/25/52
3000	520	2300	LLT23/30/52
1500	680	2000	MA20/15/68
1800	680	2000	MA20/18/68
2000	680	2000	MA20/20/68
2300	680	2300	LLT23/23/68
2500	680	2300	LLT23/25/68
3000	680	2300	LLT23/30/68

Note: See separate section for wheel & brake options



- Capacity: 2000kg or 2300kg
- Nylon Steering wheels and single or tandem nylon load rollers as standard
- Choice of different wheel materials
- Optional parking and travel brakes
- Special fork lengths from 500 to 4000mm and widths from 300 to 2900mm can be made to order
- 3000, 4000 and 5000kg capacity also available
- Lift height: 85 - 200mm

Pallet Truck Wheel & Brake Options

Top quality, full specification, extra long hand pallet trucks. Made from high grade steel to the latest design. Available for all heavy duty pallet trucks.

Optional Extra	Order Ref
Foot (parking) brake (includes rubber steer wheels)	FB
Hand (travel) brake (includes rubber steer wheels)	HB
Nylon steer wheels and Tandem nylon load rollers	NTN
Rubber steer wheels & Single polyurethane load rollers	RSPU
Polyurethane steer wheels & Tandem polyurethane load rollers	PUTPU





Max Load
500kg

Mini Pallet Trucks

For use in vans and/or with small pallets.

- Capacity: 500kg
- 3 position control lever
- Low profile forks
- Polyurethane steering wheels and single nylon load rollers
- Lift height: 60 – 170mm
- Lightweight - weighs only 35kg
- Ideal for use in vehicles or for handling small pallets
- NB: This pallet truck is not suitable for standard Euro or GKN pallets

Fork length mm	Width over forks mm	Capacity kg	Order Ref
800	380mm	500	LLT500



Max Load
2200kg

Hand Pallet Trucks with Adjustable Width Over Forks

A hand pallet truck with adjustable width over forks to allow the handling of different sized pallets with one machine. Available in three fork lengths and two width ranges. Width over forks is adjustable either from 400 to 520mm (ideal for the printing industry) or from 530 to 680mm (for general warehouse and transportation use).

- Revolutionary design
- Adjustable width over forks
- Economical and practical solution
- High quality robust build
- Lift height: 76 - 196mm

Tandem load wheels

Ref: **TAN**

Fork length mm	Width over forks mm	Capacity	Order Ref
910	400 - 520	2200	PTA22 MS
1060	400 - 520	2200	PTA22 M
1160	400 - 520	2200	PTA22 ML
910	530 - 680	2200	PTA22 LS
1060	530 - 680	2200	PTA22 LM
1160	530 - 680	2200	PTA22 L



Max Load
2500kg

Weighing Pallet Trucks

- Hand pallet truck with built in scales
- 2200kg capacity
- 0.5kg increments
- 0.1% accuracy
- Available with 560 x 1150mm or 690 x 1150mm forks (special sizes also available)
- Rubber steer wheels and tandem polyurethane load rollers
- Works from rechargeable battery pack.
- Lift height: 85 - 205mm

Fork length mm	Width over forks m	Capacity kg	Order Ref
1150	560	2500	LMWS-EUR
1150	690	2500	LMWS-GKN

Heavy Duty Rough Terrain Pallet Trucks



Max Load
1200kg

- Transports loads on uneven ground
- Strong & light tubular steel framing
- Little maintenance required
- Great maneuverability
- Hydraulic fork lift with inbuilt hand pump
- Adjustable width over forks
- Driving axle on self-lubricating bearings
- Wheels fitted onto sealed bearings
- Pneumatic tyres
- Easy handling
- Electric version and special sizes available



Specifications	
Load Capacity kg	1200
Lowered fork height mm	50
Fork width mm	120
Raised fork height, heel/tip mm	320/390
Fork length mm	820
Width over forks mm	320-660
Maximum recommended pallet dimensions	
Width mm	1200
Length mm	1000
External Dimensions	
Length mm	1400
Width mm	1700
Weight kg	220
Order Ref	TNV1200



High Lift Pallet Trucks

- Hand pallet trucks used to raise pallets to an ergonomic working height
- Help prevent back strain and injury
- Automatically braked when forks raised over approx 300mm
- 1000 or 1500kg capacity
- Two standard sizes
- Manual and electric versions
- Stainless steel and galvanised versions available
- Lift height: 85 - 800mm

Fork length mm	Width over forks mm	Lift Type	Capacity kg	Order Ref
1160	540	Manual	1000	MHL540M
1160	680	Manual	1000	MHL680M
1160	540	Electric	1000	MHL540E
1160	680	Electric	1000	MHL680E
1100	560	Manual	1500	HBL1556M
1100	680	Manual	1500	HBL1568M
1100	560	Electric	1500	HBL1556E
1100	680	Electric	1500	HBL1568E



SL100S



- Combination of high lift pallet truck and lift table
- Forks for lifting pallets and removable platform for lifting boxes
- Foot pump to raise forks and easy release lowering lever on handle
- Polyurethane tyred wheels
- 500kg or 1000kg capacity
- Two standard widths
- Lift height: 85 - 830mm

Fork length mm	Width over forks mm	Lift Type	Capacity kg	Order Ref
1115	540	Manual	500	SL50S
1115	700	Manual	500	SL50L
1115	540	Manual	1000	SL100S
1115	700	Manual	1000	SL100L

SL100S with platform



Max Load
2000kg



Medium Duty Compact Powered Pallet Truck

Lightweight, small yet robust, electric pallet truck designed for the horizontal movement of pallets. Ideal for retail, small stores and warehouses, onboard delivery vehicles, factories and more.

- Electric lift and drive
- Light enough to be used on mezzanine floors and vehicle tail lifts
- Battery for 2-3 hours operation
- Smooth stepless speed control
- High mobility in confined areas due to its compact size
- Operating hours & battery charge indicator
- Outstanding stability
- Lift height: 85 – 200mm

Fork length mm	Width over forks mm	Capacity kg	Order Ref
1000	540	1500	LEPT15N/10/54
1150	540	1500	LEPT15N/11/54
1000	680	1500	LEPT15N/10/68
1150	680	1500	LEPT15N/11/68
1150	540	2000	LEPT20N/11/54

Heavy Duty Manual and Electric Pallet Stackers

Robust, yet lightweight stackers designed for use with Euro pallets.

Ergonomic design with tiller at waist height and pushing handles at shoulder height to provide extreme manoeuvrability. Machines easy to use in the tightest of spaces. All stackers are fitted with a safety valve to prevent overloading.

- Special capacities up to 2000kg
- Lift heights up to 3700mm
- Fully pivoting 360 degree castors or chain linked steering
- Steer wheel fitted with brake
- Safety valve prevents overloading
- Burst pipe safety valve
- Straddle versions, galvanised or stainless steel finish available on request
- Electric models complete with built-in charge

Manual Stackers

Lift Height mm	Width over forks mm	Legs	Capacity kg	Order Ref
1600	300 - 740 (adjustable)	Standard	500	KI 500/1600
1200	550	Standard	1000	KI 1000/1200
1600	550	Standard	1000	KI 1000/1600
1600	240 - 940 (adjustable)	Standard	1000	KI 1000/1600 A
1600	240 - 940 (adjustable)	Straddle	1000	KI 1000/1600 SA
2500	550	Standard	1000	KI 1000/2500
2500	240 - 940 (adjustable)	Standard	1000	KI 1000/2500 A
2500	240 - 700 (adjustable)	Straddle	1000	KI 1000/2500 SA
3000	550	Standard	1000	KI 1000/3000
1600	550	Standard	1500	KI 1500/1600

Optional wide straddle legs for use with GKN type pallets available for models KI 1000/1600 A and KI 1000/2500 A.

Electric Lift Stackers

Lift Height mm	Width over forks mm	Capacity kg	Order Ref
1600	545	1000	KIE 1000/1600
2500	545	1000	KIE 1000/2500
3000	545	1000	KIE 1000/3000
3500	545	1000	VVE 1000/3500
3700	545	1000	VVE 1000/3700

Optional wide straddle legs for use with GKN type pallets available for all electric models. Optional adjustable forks are available for all electric models. Other optional extras include: galvanized and stainless steel versions, special fork sizes, crane jib, boom, hook, drum clamp and other attachments.



Universal Fully Powered Stackers

Designed specifically for small warehouses and factories.

All stackers in this range are fitted with 2 powerful 120Ah batteries and on board charger which can be connected to standard mains 230V/13A 3-pin socket. These provide approximately 3 hours of operational charge.

LES models have fixed width wrapover forks and are designed for handling Euro pallets and other open bottom pallets and cages.

- Battery powered lift and drive
- Light and versatile; compact and reliable
- Suitable for small factories and warehouses
- Wrapover forks
- On board charger
- Chargeable from standard 230V/13A 3-pin socket
- CE certified
- Full 12 months warranty



Lift Height mm	Capacity kg	Forks L x W mm	Overall Lowered Height mm	Mast	Battery	Order Ref
1600	1000	1150 x 560	1985	Single	12V / 120Ah	LES 10.16
3000	1000					LES 10.30

Mobile Scissor Lift Tables

Tables are CE marked and conform to EN1570 (Safety requirements for lifting tables). Manual hydraulic lift operated by foot pump with a pressure relief valve preventing overload. Two fixed and two swivel polyurethane tyred castors with brakes. Special sizes and modifications available on request.



TXL150



TXL1500



TXL200

Platform Size mm	Lift Height mm	Approx Weight kg	Capacity kg	Order Ref
450 x 700	225 – 740	43	150	TXL150
500 x 1000	340 – 1000	70	200	TXL200
500 x 815	280 – 900	75	300	TXL300
500 x 815	280 – 900	79	500	TXL500
800 x 1600	310 – 910	134	500	TXL500L
510 x 1000	420 – 1000	115	800	TXL800
515 x 1015	380 – 1000	118	1000	TXL1000
610 x 1220	420 – 1010	142	1500	TXL1500
450 x 700	300 – 1100	64	150	TXL150 D
520 x 1010	435 – 1620	134	300	BSL30 D
500 x 910	350 – 1300	103	350	TXL350 D
520 x 1010	450 – 1500	144	500	BSL50 D
610 x 1220	475 – 1500	170	680	TXL680 D
520 x 1010	470 – 1420	150	800	BSL80 D
610 x 1220	485 – 1500	181	800	TXL800 D



TXL800D



Max Load
350kg



Made in
Britain



Access Platform

For use with forklift trucks. Manufactured according to Health and Safety executive guidance note PM28 (3rd edition) December 2005. Approved to be used by 2 persons of average weight - max total load capacity 350kg

The Access Platform has been designed to provide easier access for your maintenance, repair and installation requirements.

Fully welded with a raised expanded metal floor, located and welded into a formed kickboard surround. Tubular handrail and rear RSA frame with wire mesh panels. Hinged entry gate with spring return to closed position a spring loaded retention bolt holds the gate in the closed position.

Platform locks onto the lift truck forks with threaded screw jacks.

Finish: Yellow epoxy.



Fork heel lock and screw jack.



Raised gate lock and slam bolt.

Important ordering requirements

In the interests of safety, we do not specify standard fork location details. Platform must be manufactured to your forklift truck specification.

On all orders please specify:

1. Length of fork
2. Width and depth (cross section) of fork
3. Maximum standard distance between forks

Capacity:	350 kg
Platform Width x Length:	1000 x 1000mm
Handrail height:	1010mm
Total height :	1925mm
Overall width: (not including screw jacks)	1020mm
Overall depth:	1020mm
Gate width :	510mm
Weight (approx.) :	78kg
Order Ref:	ASP1

Optional accessories

Castors - 2 swivel, 2 fixed castors, 100mm diameter. nylon wheels. Provides for ease of movement and storage independent of forklift truck. Increases height by 125mm

Ref: ASP4



Tool Tray - Welded tool tray hooks onto front guard rail. Complete with locking screws. L x W x D : 1000 x 200 x 200mm. Weight: 10kg

Ref: ASP2



Rolling Corners

Sold in sets of 4, rolling corners allow large items to be moved with little effort. Manufactured from formed and welded sheet steel, platforms fitted with 3mm thick black ribbed rubber matting. Metalwork finished in high quality powder coating.

Wheels: 3 castors, all swivel with 50mm wheels with grey non marking rubber tyres.

IMPORTANT: Weight must be evenly distributed on the four corners.




Platform Height mm	20	
Overall H x L x W mm	75 x 300 x 300	
Capacity kg (over 4 corners)	400	600
Weight kg (set of 4)	8	10
Finish	Grey Epoxy	Orange Epoxy
Order Ref:	RMD1	RMD2



Max Load
600kg



Made in
Britain



Rolling Corners and Platforms

Roller Platforms

Unique, tough and versatile. A heavy load shifter fitted with 3 heavy duty swivel castors housing white nylon wheels 50mm diameter. Steel deck with ribbed rubber pad.


Deck Height mm	90
Side Lengths mm	300 x 300 x 300
Capacity kg (over 4 corners)	500
Weight kg (set of 4)	10
Finish	Yellow Epoxy
Order Ref:	RMD3



Max Load
500kg




Made in
Britain





Individual Skates


Industrial shifting skates can be used wherever heavy objects have to be moved. The load can be lifted using either a roller crowbar or a hydraulic jack. Skates are low maintenance and come fitted with handles for ease of carrying and positioning. The platforms of the skates are covered with a rubber surface which helps stability, prevents slipping and protects the load.



Capacity	Rollers	Skate height mm	Order Ref
1000kg	ø100 x 35mm Nylon	120mm	SF10
2000kg	ø100 x 35mm Nylon	120mm	SF20
2500kg	ø85 x 90mm Nylon	105mm	SF25
3000kg	ø85 x 85mm Nylon	120mm	SF30
6000kg	ø85 x 90mm Nylon	105mm	SF60

Individual Skates with swivel castors

Individual skates with swivel castors.



Capacity	Swivel castors	Fixed castors	Overall L x W x H mm	Order Ref
1000kg	2 x ø75 x 46mm	2 x ø100 x 35mm	430 x 340 x 120	SC102
1000kg	4 x ø75 x 46mm	-		SC104

Roller Crowbar

Roller Crowbar

Capacity	Rollers	Length mm	Max Skate height mm	Order Ref
1500kg	2 x ø75 x 46mm	2000	145	RC15

Adjustable Skate Pairs

The adjustable skates each consist of a pair of skates which can be connected using two steel rods. The rods are loose inside tubes welded onto the edges of the skates. The distance between the skates can be freely adjusted from 500 to 1400mm (model CM60) or 720 to 1500mm (models CM120 and CM240). The rods prevent the skates from skidding and travelling at different speeds. This is especially important when turning.

CM240



Capacity	Rollers	Height mm	Skate Weight kg	Order Ref
6000kg	ø85mm nylon	115	30	CM60
12000kg	ø85mm nylon	115	38	CM120
24000kg	ø83mm steel	115	65	CM240

CM60



CM120



Adjustable and Steerable Skates

Steerable Skates

The steerable skates are usually used together with an adjustable skate pair. You can use one or two steerable skate to form a skate set. Each skate has a high quality turntable and packing plate covered with a rubber mat. The steering handles are 1m long and on the heavier duty (ST60 and ST120) steerable skates come with hitching loops to connect to tugs or forklifts.

Capacity	Rollers	Height mm	Skate Weight kg	Order Ref
3000kg	ø85mm nylon	105	15	ST30
6000kg	ø85mm nylon	115	50	ST60
12000kg	ø83mm steel	115	66	ST120

ST120



ST30



ST60





Complete Skate Sets

Industrial shifting skates can be used wherever heavy objects have to be moved. The load can be lifted using either a roller crowbar or a hydraulic jack. The platforms of the skates are covered with a rubber surface which helps stability, prevents slipping and protects the load. The most popular skate sets are shown below. We can offer skate sets with capacities up to 128t as well as individual skates from stock.

- Industrial shifting skates can be used wherever heavy objects have to be moved
- Skates are low maintenance and come with handles for easy handling and positioning
- 1 x Steerable skate and drawbar with 2 x adjustable skates and connecting rods
- Skate sets with capacities up to 128t are also available

Capacity	Rollers	Total Weight kg	Order Ref
6000kg	ø85 x 90 Nylon	31	ST30+2xSF25
9000kg	ø85 x 90 Nylon	45	ST30+CM60
12000kg	ø85 x 90 Nylon	80	ST60+CM60
18000kg	ø85 x 90 Nylon	88	ST60+CM120
24000kg	ø85 x 90 Nylon & ø83 x 85 Steel	104	ST120+CM120
36000kg	ø83 x 85 Steel	131	ST120+CM24

Caterpillar Skate Kits

Heavy duty caterpillar style skate sets provide heavier capacities and are ideal for transportation of very heavy items over good firm floors. Each set consists of 4 caterpillar style (connected) roller skates, 2 turntables, 2 packing plates, 2 steering handles, 2 link-up bars and one draw bar. Each set is supplied in a steel box for easy storage and transportation.

- Suitable for installation and movement of heavy loads
- Steering handles provide precise control
- Travel speed up to 5m/min
- Minimum turning circle: 3m

Capacity	Roller Diameter	Height mm	Total Set Weight kg	Order Ref
20000kg	ø18mm	108mm	50kg	SK20
30000kg	ø24mm	117mm	58kg	SK30
60000kg	ø30mm	140mm	92kg	SK60



Industrial Hydraulic Jacks

Hydraulic jacks can be used to raise loads and place skates underneath them as well as for general repair or maintenance and for installation of heavy items (eg factory machinery, containers etc). All our jacks have dual lifting capabilities: you can lift using the toe or the head of the jack. Our standard range includes capacities up to 25t, but we can also offer special jacks with capacities up to 50t. Compact and stable construction with adjustable lowering speed. Removable pump handle and overload protection.

Standard Machinery Jacks

- Standard jack design
- 12t version with 2 toe positions and wheels for easy manoeuvring



Capacity	Lift height on toe	Lift height on head	Weight	Order Ref
6t	35 – 195mm (single stage)	320 – 560mm	25.5kg	TBL60
12t	40 – 180mm (two stage)	325 – 545mm	68kg	TBL120

Rotational Hydraulic Toe Jacks

- Can be used in any position (even upside down)
- Housing revolves 360 degrees
- 25t version with wheels for easy manoeuvring



Capacity	Lift height on toe	Lift height on head	Weight	Order Ref
5t	25 – 220mm (single stage)	368 – 573mm	25kg	HML50
10t	30 – 260mm (single stage)	420 – 650mm	35kg	HML100
25t	58 – 273mm (single stage)	505 – 720mm	102kg	HML250

Furniture and Large Load Movers

Load is raised 250mm and can be easily moved around in any direction even in the tightest of areas.


- Supplied in pairs for each end of the load
- 600kg or 1800kg capacity per pair
- 5m securing strap supplied as standard
- ø150mm polyurethane tyred castors



Capacity	Order Ref
600kg	FML60
1800kg	FML180

Hydraulic Toe Jacks

- 3 toe positions
- Swivel support legs to help straddle loads



Capacity	Lift height on toe	Lift height on head	Weight	Order Ref
5t	15 – 240mm (3 stage)	250 – 475mm	22kg	TGL30
10t	25 – 295mm (3 stage)	270 – 540mm	28kg	TGL80



Redditek

Redditek has stood the test of time. This range of highly customisable products have been developed over forty years into one of the most respected workbench and storage brands

The range of workbench products available is extensive. Built in a variety of designs and with a choice of worktop finishes, these workbench products come with a huge array of custom options to create the perfect work environment to aid productivity and organisation.

The storage collection includes the Euro Cabinet System, a versatile range of steel work cabinets that can be combined to form complete working layouts; and the Hazardous Storage Cabinet range in a vast choice of sizes and colours to assist in identifying the cabinets use in the work place.



Workbench Range

KD Square Tube	134 - 135
Square Tube	136 - 137
HD Square Tube	138 - 139
Cantilever	140 - 141
Antistatic	142 - 143
Cupboard	144 - 145
Adjustable Height	146 - 149
Infinite Modular	150 - 151
Heavy Duty	152 - 153
Extra Heavy Duty	154 - 155
Stainless Steel	156 - 157

Cabinet Range

Euro Cabinets	164 - 169
Bin Cabinets	170
Mobile Drawer	171
First Aid & PPE	172
Polycarbonate & Mesh	173
Stainless Steel	175
Hazardous Storage	176 - 178
Steel Bin Cabinets	180 - 181
Drawer Cabinets	182 - 183

Workbench Styles



Square Tube

Available in knock down and fully welded design



Cantilever

Fully welded cantilever design to maximise leg room



Adjustable Height

Crank handle or bolt height adjustable to alter worktop height



Infinite Modular

Excellent for continuous runs and double sided working



Heavy Duty

Designed for engineering / factory environments



Cupboard


Ideal solution for locking large parts securely underneath the worksurface



Stainless Steel


Fully welded or knock down versions designed for cleanrooms

Worktop Choices




Laminate

- 20mm worktop
- Impact resistant surface
- Plain Grey laminate
- Mid Grey plastic edging
- Great in all environments




Lino

- 20mm worktop
- Impact resistant surface
- Grey fleck Lino
- Mid Grey plastic edging
- Surface reduces risk of product damage



MDF

- 18mm worktop
- Mid Grey plastic edging



Steel

- 2mm & 3mm steel surface
- 20mm Galvanised Steel worktop (A and DA Workbenches only)
- Hard wearing and long-lasting
- Heavy duty worksurface
- Suitable for use with hot components



Stainless Steel

- 1.2mm stainless steel
- 20mm worktop
- Hard wearing and long-lasting
- Heavy duty worksurface
- Great for wet and clean environments



Anti-static Laminate

- 20mm worktop
- Plain Grey static dissipative laminate
- $1 \times 10^{-4} - 9 \times 10^{-6}$ Ohms
- Light Grey plastic edging
- Perfect for electric parts

KD Square Tube Workbench

Style ref 'K'


Construction: Fully welded end frames with 32 x 32mm legs, 50 x 25mm and 25 x 25mm cross members. Standard workbench height 840mm frame finished in light grey epoxy. Supplied in knock down form for easy onsite assembly.



Max Load
300kg



Made in
Britain



20mm laminate worktop



Size		Laminate
L mm	W mm	19mm
1500	750	K5-LA
1800	750	K8-LA



Drawers and Cupboards

Lockable drawer and cupboard units bolt to the underside of the workbench frame, using captive nuts fitted to every frame, so they can be fitted or changed at any time. Cupboards have one fixed steel shelf. Supplied loose for simple on-site assembly.



Below bench accessory	H x W x D mm	Left fitted Ref	Right fitted Ref
Single drawer	140 x 410 x 430	LA	RA
2 drawer unit	280 x 410 x 430	LE	RE
3 drawer unit	420 x 410 x 430	LH	RH
4 drawer unit	560 x 410 x 430	LK	RK
Small cupboard	420 x 410 x 430	LC	RC
Single drawer + small cpbd	560 x 410 x 430	LG	RG
Large cupboard	560 x 410 x 430	LD	RD
Retaining skirt -	For style A, DA, only 100mm high steel, 2 ends and back,	-	RS

Colours

All above bench accessories and cupboard and drawer carcass:

Light Grey epoxy

Drawer fronts and doors available in choice of:

Blue

Red

Dark Grey

Blue supplied if none specified.

Above Bench Accessories

Supplied loose for simple on-site assembly. All above bench accessories simply hook onto the rear support posts and adjustable on 40mm pitch.



	Accessory	Bench Length mm			
		1200	1500	1800	
A	Top light frame c/w single LED batten	TLF4	TLF5	TLF6	Long posts required
	Tube length mm:	610	1220	1220	
B	Top steel shelf 290mm deep, capacity 50kg	TSS4	TSS5	TSS6	Short or long posts required
C	Worktop/Shelf backstop	BST4	BST5	BST6	
	Rear panel 450mm high				
D	Louvre panel	RLP4	RLP5	RLP6	Short or long posts required
	Tool panel	RTP4	RTP5	RTP6	
	Multi panel tool / louvre	RMP4	RMP5	RMP6	
E	Post mounted service duct c/w 2 x 13amp twin sockets (not wired)	PSD4	PSD5	PSD6	No posts required
F	Worktop mounted service duct c/w 2 x 13 amp twin sockets (not wired)	RSD4	RSD5	RSD6	
	Rear support posts - accessories adjust on 40mm pitch				
G	Short posts	SES	SES	SES	No posts required
H	Tall posts	TES	TES	TES	

Rear panel (3 types)



Louvre panel



Tool panel



Multi panel (louvre / tool)


LED Lighting



For the full range of available accessories, please see pages 158 to 161.



for container packs
see page 106



for tool clips
see page 159



for monitor arm
see page 159



Redditek

KD Square Tube Workbench

135

Square Tube Workbench

Style ref 'A'

Construction: Fully welded steel with 32 x 32mm legs, 50 x 25mm and 25 x 25mm cross members. Standard workbench height 840mm (750 & 900mm available at no extra cost), frame finished in light grey epoxy. Supplied with adjustable feet.



Max Load
300kg



Made in
Britain



Optional extra

2 x swivel and 2 x swivel braked castors fitted with 100mm blue resilex tyred wheels and roller bearings.

Ref: **AA-MOB**



Easy Order Workbench

One reference for complete popular workbench and accessory combinations, as illustrated. You can specify blue, red or dark grey drawer and cupboard front colours (supplied blue if not specified).



L x D mm	Laminate Worktop	Lino Worktop	Steel Worktop
Frame: Square 4-leg - "A" (Illustrated - 300kg capacity)			
1200 x 750	E3-ALA4	E3-AV4	E3-AST4
1500 x 750	E3-ALA5	E3-AV5	E3-AST5
1800 x 750	E3-ALA6	E3-AV6	E3-AST6

Worktop Options



		Standard Worktop Materials & Thickness				
Size		Laminate	Lino	MDF	Steel	Stainless
L mm	W mm	20mm	20mm	18mm	20mm	20mm
1200	600	A1-LA	A1-V	A1-M	A1-S	A1-SS
	750	A2-LA	A2-V	A2-M	A2-S	A2-SS
	900	A3-LA	A3-V	A3-M	A3-S	A3-SS
1500	600	A4-LA	A4-V	A4-M	A4-S	A4-SS
	750	A5-LA	A5-V	A5-M	A5-S	A5-SS
	900	A6-LA	A6-V	A6-M	A6-S	A6-SS
1800	600	A7-LA	A7-V	A7-M	A7-S	A7-SS
	750	A8-LA	A8-V	A8-M	A8-S	A8-SS
	900	A9-LA	A9-V	A9-M	A9-S	A9-SS

		Lower Shelf (Extra)		
1200	600	A1-LSLA	A1-LSV	A1-LSM
	750	A2-LSLA	A2-LSV	A2-LSM
	900	A3-LSLA	A3-LSV	A3-LSM
1500	600	A4-LSLA	A4-LSV	A4-LSM
	750	A5-LSLA	A5-LSV	A5-LSM
	900	A6-LSLA	A6-LSV	A6-LSM
1800	600	A7-LSLA	A7-LSV	A7-LSM
	750	A8-LSLA	A8-LSV	A8-LSM
	900	A9-LSLA	A9-LSV	A9-LSM



Drawers and Cupboards

Lockable drawer and cupboard units bolt to the underside of the workbench frame, using captive nuts fitted to every frame, so they can be fitted or changed at any time. Cupboards have one fixed steel shelf. Supplied loose for simple on-site assembly.



Below bench accessory	H x W x D mm	Left fitted Ref	Right fitted Ref
Single drawer	140 x 410 x 430	LA	RA
2 drawer unit	280 x 410 x 430	LE	RE
3 drawer unit	420 x 410 x 430	LH	RH
4 drawer unit	560 x 410 x 430	LK	RK
Small cupboard	420 x 410 x 430	LC	RC
Single drawer + small cpbd	560 x 410 x 430	LG	RG
Large cupboard	560 x 410 x 430	LD	RD
Retaining skirt -	For style A, DA, only 100mm high steel, 2 ends and back,	-	RS

Colours

All above bench accessories and cupboard and drawer carcass:

Light Grey epoxy

Drawer fronts and doors available in choice of:

Blue


Red

Dark Grey

Blue supplied if none specified.

Above Bench Accessories

Supplied loose for simple on-site assembly. All above bench accessories simply hook onto the rear support posts and adjustable on 40mm pitch.




	Accessory	Bench Length mm			
		1200	1500	1800	
A	Top light frame c/w single LED batten	TLF4	TLF5	TLF6	Long posts required
	Tube length mm:	610	1220	1220	
B	Top steel shelf 290mm deep, capacity 50kg	TSS4	TSS5	TSS6	Short or long posts required
C	Worktop/Shelf backstop	BST4	BST5	BST6	
Rear panel 450mm high					
D	Louvre panel	RLP4	RLP5	RLP6	Short or long posts required
	Tool panel	RTP4	RTP5	RTP6	
	Multi panel tool / louvre	RMP4	RMP5	RMP6	
E	Post mounted service duct c/w 2 x 13amp twin sockets (not wired)	PSD4	PSD5	PSD6	No posts required
F	Worktop mounted service duct c/w 2 x 13 amp twin sockets (not wired)	RSD4	RSD5	RSD6	
Rear support posts - accessories adjust on 40mm pitch					
G	Short posts	SES	SES	SES	No posts required
H	Tall posts	TES	TES	TES	

For the full range of available accessories, please see pages 158 to 161.



for container packs
see page 106



for tool clips
see page 159



for monitor arm
see page 159

Rear panel (3 types)



Louvre panel



Tool panel



Multi panel
(louvre / tool)

LED Lighting



Redditek

Square Tube Workbench

137

HD Square Tube Workbench

Style ref 'DA'

Construction: Heavy duty square fully welded steel with 50 x 50mm legs and 50 x 25mm cross members. Standard workbench height 840mm (750 & 900mm available at no extra cost), frame finished in light grey epoxy.



Max Load
450kg



Made in
Britain




Easy Order Workbench

One reference for complete popular workbench and accessory combinations, as illustrated. You can specify blue, red or dark grey drawer and cupboard front colours (supplied blue if not specified).



Worktop Options



		Standard Worktop Materials & Thickness					Lower Shelf Steel (Extra)
Size		Laminate	Lino	MDF	Steel	Stainless	
L mm	W mm	20mm	20mm	18mm	20mm	20mm	1.5mm
1200	600	DA1-LA	DA1-V	DA1-M	DA1-S	DA1-SS	D1-LSS
	750	DA2-LA	DA2-V	DA2-M	DA2-S	DA2-SS	D2-LSS
	900	DA3-LA	DA3-V	DA3-M	DA3-S	DA3-SS	D3-LSS
1500	600	DA4-LA	DA4-V	DA4-M	DA4-S	DA4-SS	D4-LSS
	750	DA5-LA	DA5-V	DA5-M	DA5-S	DA5-SS	D5-LSS
	900	DA6-LA	DA6-V	DA6-M	DA6-S	DA6-SS	D6-LSS
1800	600	DA7-LA	DA7-V	DA7-M	DA7-S	DA7-SS	D7-LSS
	750	DA8-LA	DA8-V	DA8-M	DA8-S	DA8-SS	D8-LSS
	900	DA9-LA	DA9-V	DA9-M	DA9-S	DA9-SS	D9-LSS

L x D mm	Laminate Worktop	Lino Worktop	Steel Worktop
Frame: Heavy Duty - "DA" (450kg capacity)			
1200 x 750	E3-HDLA4	E3-HDV4	E3-HDST4
1500 x 750	E3-HDLA5	E3-HDV5	E3-HDST5
1800 x 750	E3-HDLA6	E3-HDV6	E3-HDST6



Drawers and Cupboards

Lockable drawer and cupboard units bolt to the underside of the workbench frame, using captive nuts fitted to every frame, so they can be fitted or changed at any time. Cupboards have one fixed steel shelf. Supplied loose for simple on-site assembly.



Below bench accessory	H x W x D mm	Left fitted Ref	Right fitted Ref
Single drawer	140 x 410 x 430	LA	RA
2 drawer unit	280 x 410 x 430	LE	RE
3 drawer unit	420 x 410 x 430	LH	RH
4 drawer unit	560 x 410 x 430	LK	RK
Small cupboard	420 x 410 x 430	LC	RC
Single drawer + small cpbd	560 x 410 x 430	LG	RG
Large cupboard	560 x 410 x 430	LD	RD
Retaining skirt -	For style A, DA, only 100mm high steel, 2 ends and back,	-	RS

Colours

All above bench accessories and cupboard and drawer carcass:

Light Grey epoxy

Drawer fronts and doors available in choice of:

Blue


Red

Dark Grey

Blue supplied if none specified.

Above Bench Accessories

Supplied loose for simple on-site assembly. All above bench accessories simply hook onto the rear support posts and adjustable on 40mm pitch.




Accessory		Bench Length mm			
		1200	1500	1800	
A	Top light frame c/w single LED batten	TLF4	TLF5	TLF6	Long posts required
	Tube length mm:	610	1220	1220	
B	Top steel shelf 290mm deep, capacity 50kg	TSS4	TSS5	TSS6	Short or long posts required
C	Worktop/Shelf backstop	BST4	BST5	BST6	
Rear panel 450mm high					
D	Louvre panel	RLP4	RLP5	RLP6	
	Tool panel	RTP4	RTP5	RTP6	
	Multi panel tool / louvre	RMP4	RMP5	RMP6	
E	Post mounted service duct c/w 2 x 13amp twin sockets (not wired)	PSD4	PSD5	PSD6	No posts required
F	Worktop mounted service duct c/w 2x 13 amp twin sockets (not wired)	RSD4	RSD5	RSD6	
Rear support posts - accessories adjust on 40mm pitch					
G	Short posts	SES	SES	SES	
H	Tall posts	TES	TES	TES	

For the full range of available accessories, please see pages 158 to 161.



for container packs
see page 106



for tool clips
see page 159



for monitor arm
see page 159

Rear panel (3 types)



Louvre panel



Tool panel



Multi panel
(louvre / tool)

LED Lighting



Cantilever Workbench

Style ref 'C'


Construction: Fully welded steel with 50 x 25mm cross members and formed 1.5mm steel back, side and footrest panels. Standard workbench height 840mm (750 & 900mm available at no extra cost, frame finished in light grey epoxy. Supplied with adjustable feet.



Max Load
300kg



Made in
Britain



C8-LA


Easy Order Workbench

One reference for complete popular workbench and accessory combinations, as illustrated. You can specify blue, red or dark grey drawer and cupboard front colours (supplied blue if not specified).



E3-CLA6

Worktop Options



Standard Worktop Materials & Thickness

Size		Laminate	Lino	MDF
L mm	W mm	20mm	20mm	18mm
1200	600	C1-LA	C1-V	C1-M
	750	C2-LA	C2-V	C2-M
	900	C3-LA	C3-V	C3-M
1500	600	C4-LA	C4-V	C4-M
	750	C5-LA	C5-V	C5-M
	900	C6-LA	C6-V	C6-M
1800	600	C7-LA	C7-V	C7-M
	750	C8-LA	C8-V	C8-M
	900	C9-LA	C9-V	C9-M

L x D mm	Laminate Worktop	Lino Worktop
Frame: "CL" (300kg capacity)		
1200 x 750	E3-CLA4	E3-CV4
1500 x 750	E3-CLA5	E3-CV5
1800 x 750	E3-CLA6	E3-CV6



Drawers and Cupboards

Lockable drawer and cupboard units bolt to the underside of the workbench frame, using captive nuts fitted to every frame, so they can be fitted or changed at any time. Cupboards have one fixed steel shelf. Supplied loose for simple on-site assembly.



Below bench accessory	H x W x D mm	Left fitted Ref	Right fitted Ref
Single drawer	140 x 410 x 430	LA	RA
2 drawer unit	280 x 410 x 430	LE	RE
3 drawer unit	420 x 410 x 430	LH	RH
4 drawer unit	560 x 410 x 430	LK	RK
Small cupboard	420 x 410 x 430	LC	RC
Single drawer + small cpbd	560 x 410 x 430	LG	RG
Large cupboard	560 x 410 x 430	LD	RD
Retaining skirt -	For style A, DA, only 100mm high steel, 2 ends and back,	-	RS

Colours

All above bench accessories and cupboard and drawer carcass:

Light Grey epoxy

Drawer fronts and doors available in choice of:

Blue


Red

Dark Grey

Blue supplied if none specified.

Above Bench Accessories

Supplied loose for simple on-site assembly. All above bench accessories simply hook onto the rear support posts and adjustable on 40mm pitch.




Accessory		Bench Length mm			Long posts required
		1200	1500	1800	
A	Top light frame c/w single LED batten	TLF4	TLF5	TLF6	
	Tube length mm:	610	1220	1220	
B	Top steel shelf 290mm deep, capacity 50kg	TSS4	TSS5	TSS6	Short or long posts required
C	Worktop/Shelf backstop	BST4	BST5	BST6	
Rear panel 450mm high					
D	Louvre panel	RLP4	RLP5	RLP6	
	Tool panel	RTP4	RTP5	RTP6	
	Multi panel tool / louvre	RMP4	RMP5	RMP6	
E	Post mounted service duct c/w 2 x 13amp twin sockets (not wired)	PSD4	PSD5	PSD6	No posts required
F	Worktop mounted service duct c/w 2x 13 amp twin sockets (not wired)	RSD4	RSD5	RSD6	
Rear support posts - accessories adjust on 40mm pitch					
G	Short posts	SES	SES	SES	
H	Tall posts	TES	TES	TES	

For the full range of available accessories, please see pages 158 to 161.



for container packs
see page 106



for tool clips
see page 159



for monitor arm
see page 159

Rear panel (3 types)



Louvre panel



Tool panel



Multi panel
(louvre / tool)

LED Lighting



Antistatic Workbench

Static control cantilever and 4 leg workstations with conductive or static dissipative worksurfaces.
Workbenches c/w earth grounding cord + press stud.
Supplied with adjustable feet.



Max Load
300kg



Made in
Britain

Worktop

ALA - Grey Laminate Worksurface

Static dissipative resistance to ground:
1x 10⁻⁴ - 9x 10⁻⁶ ohms



Construction		Cantilever	4 Leg
Size		Worktop Materials & Thickness	
L mm	D mm	ALA	ALA
		20mm	20mm
1200	600	AS1-ALA	A1-ALA
	750	AS2-ALA	A2-ALA
	900	AS3-ALA	A3-ALA
1500	600	AS4-ALA	A4-ALA
	750	AS5-ALA	A5-ALA
	900	AS6-ALA	A6-ALA
1800	600	AS7-ALA	A7-ALA
	750	AS8-ALA	A8-ALA
	900	AS9-ALA	A9-ALA



Cantilever Construction

Medium duty (300kg) construction
14 & 16swg to BS6323
Cantilever leg design
Fitted with 4 adjustable feet
Frame finished in light grey epoxy.

AS8-ALA



4 Leg Construction

Fully welded steel 32 x 32mm legs,
50 x 25mm and 25 x 25mm
cross members.
Frame finished in light grey epoxy.

A8-ALA



Above Bench Accessories

Supplied loose for simple on-site assembly. All above bench accessories simply hook onto the rear support posts and adjustable on 40mm pitch.

Accessory	Ref	Posts Required
Extension posts (pair) required for the following accessories		
Short	SES-A	-
Tall	TES-A	-
Top light frame with flourescent fitting and diffuser		
1200	TLF4-A	TES
1500	TLF5-A	TES
1800	TLF6-A	TES
Top shelf - steel 290mm depth		
1200	TSS4-A	TES
1500	TSS5-A	TES
1800	TSS6-A	TES
Top shelf - Dissipative laminate 290mm depth		
1200	TDL4-A	TES
1500	TDL5-A	TES
1800	TDL6-A	TES
Rear louvre panel 450mm high		
1200	RLP4-A	SES
1500	RLP5-A	SES
1800	RLP6-A	SES
Rear service duct 2 x 13amp sockets and insulators		
1200	RSD4-A	-
1500	RSD5-A	-
1800	RSD6-A	-

Below Bench Accessories

Accessory H x W x D	Left fitted	Right fitted
Single drawer 140 x 410 x 430mm	LA	RA
2 drawer unit 280 x 410 x 430mm	LE	RE
3 drawer unit 420 x 410 x 430mm	LH	RH
4 drawer unit 560 x 410 x 430mm	LK	RK
Small cupboard 420 x 410 x 430mm	LC	RC
Single drawer + small cupboard 560 x 410 x 430mm	LG	RG
Large cupboard 560 x 410 x 430mm	LD	RD

Additional Antistatic Equipment

Accessory	Ref
General Earth bonding plug	ADT001
Wristband and cord	ADT002
Wriststrap connection point	ADT003
Straight cord	ADT004
Earth lead and plug	ADT005
Heel grounder	ADT006
Testers	
Wristband tester	ADT009
Resistivity tester	ADT010
Matting	
Bench mat with stud 1200 x 600mm	ADT011
Floor mat with stud 1200 x 1500mm	ADT012
Seating (medistat vinyl)	
Standard conductive chair	ADT024
Ergonomic conductive chair	ADT022
Arms (pair)	ADT023
Sign	
Warning sign (rigid plastic)	ADT020



Colours

All above bench accessories and cupboard and drawer carcass:

Light Grey epoxy

Drawer fronts and doors available in choice of:

Blue
Red
Dark Grey

Blue supplied if none specified.



ADT002



ADT004



ADT020



ADT001



ADT003



ADT024



ADT009



ADT010



ADT022



ADT005



ADT006



Redditek

Antistatic Workbenches

143

Cupboard Workbench


Medium duty workbenches fitted with full length sliding door cupboard.
Supplied with adjustable feet.



Max Load
300kg



Made in
Britain



RE8-LA

Colours:

All above bench accessories and
cupboard and drawer carcass:

Light Grey epoxy

Drawer fronts and doors available
in choice of:

- Blue
- Red
- Dark Grey

Blue supplied if none specified.

Finish:

All frames finished in light grey epoxy
(colour choice for doors)



SSCB5

All stainless steel model - see page 157.


Fully boxed bench with sliding doors
and half depth central shelf

Storage / cupboard benches
are based on the square 4-leg
medium duty 456 range of
workbenches. Full range of
sizes and worktops available.
Cupboards have single fixed
steel shelf.

Construction:

Welded steel square and
rectangular section frame.
(14 and 16swg to BS6323)

Worktop
Options



Standard Worktop Materials & Thickness

Size		Laminate	Lino	MDF	Stainless
L mm	W mm	20mm	20mm	18mm	20mm
1200	600	RE1-LA	RE1-V	RE1-M	RE1-SS
	750	RE2-LA	RE2-V	RE2-M	RE2-SS
	900	RE3-LA	RE3-V	RE3-M	RE3-SS
1500	600	RE4-LA	RE4-V	RE4-M	RE4-SS
	750	RE5-LA	RE5-V	RE5-M	RE5-SS
	900	RE6-LA	RE6-V	RE6-M	RE6-SS
1800	600	RE7-LA	RE7-V	RE7-M	RE7-SS
	750	RE8-LA	RE8-V	RE8-M	RE8-SS
	900	RE9-LA	RE9-V	RE9-M	RE9-SS



Easy Order Workbench

One reference for complete popular workbench and accessory combinations, as illustrated.
You can specify blue, red or dark grey drawer and cupboard front colours (supplied blue if not specified).

L x D mm	Laminate Worktop	Lino Worktop
Frame: Medium Duty - "RE" (450kg capacity)		
1200 x 750	E3-RELA4	E3-REV4
1500 x 750	E3-RELA5	E3-REV5
1800 x 750	E3-RELA6	E3-REV6



Above Bench Accessories

Supplied loose for simple on-site assembly. All above bench accessories simply hook onto the rear support posts and adjustable on 40mm pitch.




Accessory		Bench Length mm			
		1200	1500	1800	
A	Top light frame c/w single LED batten	TLF4	TLF5	TLF6	Long posts required
	Tube length mm:	610	1220	1220	
B	Top steel shelf 290mm deep, capacity 50kg	TSS4	TSS5	TSS6	Short or long posts required
C	Worktop/Shelf backstop	BST4	BST5	BST6	
Rear panel 450mm high					
D	Louvre panel	RLP4	RLP5	RLP6	
	Tool panel	RTP4	RTP5	RTP6	
	Multi panel tool / louvre	RMP4	RMP5	RMP6	
E	Post mounted service duct c/w 2 x 13amp twin sockets (not wired)	PSD4	PSD5	PSD6	No posts required
F	Worktop mounted service duct c/w 2x 13 amp twin sockets (not wired)	RSD4	RSD5	RSD6	
Rear support posts - accessories adjust on 40mm pitch					
G	Short posts	SES	SES	SES	
H	Tall posts	TES	TES	TES	

For the full range of available accessories, please see pages 158 to 161.



for container packs
see page 106



for tool clips
see page 159



for monitor arm
see page 159

Rear panel (3 types)



Louvre panel



Tool panel



Multi panel
(louvre / tool)

LED Lighting



Redditek

Bolt Adjustable Height Workbenches



Max Load
300kg



Made in
Britain

Style ref 'BHB'
Height adjustable 4 leg bench using a simple bolt system. 9 standard sizes with choice of 5 standard worktop materials. Stepless height adjustable pillars formed from 2mm sheet steel allowing height adjustment from 650 to 950mm. Finished in light grey epoxy with a choice of worktops.



Quick and simple bolt fixing for adjustable leg frames

Easy Order Workbench

One reference for complete popular workbench and accessory combinations, as illustrated.



E8-BHLA6

Worktop Options



		Standard Worktop Materials & Thickness				
Size		Laminate	Lino	MDF	Steel	Stainless
L mm	W mm	20mm	20mm	18mm	20mm	20mm
1200	600	BHB1-LA	BHB1-V	BHB1-M	BHB1-S	BHB1-SS
	750	BHB2-LA	BHB2-V	BHB2-M	BHB2-S	BHB2-SS
	900	BHB3-LA	BHB3-V	BHB3-M	BHB3-S	BHB3-SS
1500	600	BHB4-LA	BHB4-V	BHB4-M	BHB4-S	BHB4-SS
	750	BHB5-LA	BHB5-V	BHB5-M	BHB5-S	BHB5-SS
	900	BHB6-LA	BHB6-V	BHB6-M	BHB6-S	BHB6-SS
1800	600	BHB7-LA	BHB7-V	BHB7-M	BHB7-S	BHB7-SS
	750	BHB8-LA	BHB8-V	BHB8-M	BHB8-S	BHB8-SS
	900	BHB9-LA	BHB9-V	BHB9-M	BHB9-S	BHB9-SS

L x D mm	Laminate Worktop	Lino Worktop	Steel Worktop
1200 x 750	E8-BHLA4	E8-BHV4	E8-BHST4
1500 x 750	E8-BHLA5	E8-BHV5	E8-BHST5
1800 x 750	E8-BHLA6	E8-BHV6	E8-BHST6

Drawers and Cupboards

Lockable drawer and cupboard units bolt to the underside of the workbench frame, using captive nuts fitted to every frame, so they can be fitted or changed at any time. Cupboards have one fixed steel shelf. Supplied loose for simple on-site assembly.



Below bench accessory	H x W x D mm	Left fitted Ref	Right fitted Ref
Single drawer	140 x 410 x 430	LA	RA
2 drawer unit	280 x 410 x 430	LE	RE
3 drawer unit	420 x 410 x 430	LH	RH
4 drawer unit	560 x 410 x 430	LK	RK
Small cupboard	420 x 410 x 430	LC	RC
Single drawer + small cpbd	560 x 410 x 430	LG	RG
Large cupboard	560 x 410 x 430	LD	RD
Retaining skirt -	For style A, DA, only 100mm high steel, 2 ends and back,	-	RS

Colours

All above bench accessories and cupboard and drawer carcass:

Light Grey epoxy

Drawer fronts and doors available in choice of:

Blue


Red

Dark Grey

Blue supplied if none specified.

Above Bench Accessories

Supplied loose for simple on-site assembly. All above bench accessories simply hook onto the rear support posts and adjustable on 40mm pitch.




	Accessory	Bench Length mm			
		1200	1500	1800	
A	Top light frame c/w single LED batten	TLF4	TLF5	TLF6	Long posts required
	Tube length mm:	610	1220	1220	
B	Top steel shelf 290mm deep, capacity 50kg	TSS4	TSS5	TSS6	Short or long posts required
C	Worktop/Shelf backstop	BST4	BST5	BST6	
Rear panel 450mm high					
D	Louvre panel	RLP4	RLP5	RLP6	Short or long posts required
	Tool panel	RTP4	RTP5	RTP6	
	Multi panel tool / louvre	RMP4	RMP5	RMP6	
E	Post mounted service duct c/w 2 x 13amp twin sockets (not wired)	PSD4	PSD5	PSD6	No posts required
F	Worktop mounted service duct c/w 2 x 13 amp twin sockets (not wired)	RSD4	RSD5	RSD6	
Rear support posts - accessories adjust on 40mm pitch					
G	Short posts	SES	SES	SES	No posts required
H	Tall posts	TES	TES	TES	

For the full range of available accessories, please see pages 158 to 161.



for container packs
see page 106



for tool clips
see page 159



for monitor arm
see page 159

Rear panel (3 types)



Louvre panel



Tool panel



Multi panel
(louvre / tool)

LED Lighting



Redditek

Adjustable Height Cantilever Workbenches


Max Load
300kg


Made in
Britain

Style ref 'AHB'

Stepless height adjustable columns with retractable crank handle operating spindles and gears for smooth and precise adjustment from 770mm to 1260mm working height. Manufactured from formed 2mm sheet steel with 50 x 25mm cross members and finished in light grey and black epoxy with a choice of worktops. Supplied with adjustable feet.



AHB8-LA

Crank handle extends for operation and retracts under bench when not required



Adjustable columns



Worktop Options



		Standard Worktop Materials & Thickness				
Size		Laminate	Lino	MDF	Steel	Stainless
L mm	W mm	20mm	20mm	18mm	20mm	20mm
1200	600	AHB1-LA	AHB1-V	AHB1-M	AHB1-S	AHB1-SS
	750	AHB2-LA	AHB2-V	AHB2-M	AHB2-S	AHB2-SS
	900	AHB3-LA	AHB3-V	AHB3-M	AHB3-S	AHB3-SS
1500	600	AHB4-LA	AHB4-V	AHB4-M	AHB4-S	AHB4-SS
	750	AHB5-LA	AHB5-V	AHB5-M	AHB5-S	AHB5-SS
	900	AHB6-LA	AHB6-V	AHB6-M	AHB6-S	AHB6-SS
1800	600	AHB7-LA	AHB7-V	AHB7-M	AHB7-S	AHB7-SS
	750	AHB8-LA	AHB8-V	AHB8-M	AHB8-S	AHB8-SS
	900	AHB9-LA	AHB9-V	AHB9-M	AHB9-S	AHB9-SS

Easy Order Workbench

One reference for complete popular workbench and accessory combinations, as illustrated.



Worktops	L x D mm	Ref
Laminate	1200 x 750	E3-AHBLA4
	1500 x 750	E3-AHBLA5
	1800 x 750	E3-ABHLA6
Lino	1200 x 750	E3-AHBV4
	1500 x 750	E3-AHBV5
	1800 x 750	E3-AHBV6
Steel	1200 x 750	E3-AHBS4
	1500 x 750	E3-AHBS5
	1800 x 750	E3-AHBS6

Drawers and Cupboards

Lockable drawer and cupboard units bolt to the underside of the workbench frame, using captive nuts fitted to every frame, so they can be fitted or changed at any time. Cupboards have one fixed steel shelf. Supplied loose for simple on-site assembly.



Below bench accessory	H x W x D mm	Left fitted Ref	Right fitted Ref
Single drawer	140 x 410 x 430	LA	RA
2 drawer unit	280 x 410 x 430	LE	RE
3 drawer unit	420 x 410 x 430	LH	RH
4 drawer unit	560 x 410 x 430	LK	RK
Small cupboard	420 x 410 x 430	LC	RC
Single drawer + small cpbd	560 x 410 x 430	LG	RG
Large cupboard	560 x 410 x 430	LD	RD
Retaining skirt -	For style A, DA, only 100mm high steel, 2 ends and back,	-	RS

Colours

All above bench accessories and cupboard and drawer carcass:

Light Grey epoxy

Drawer fronts and doors available in choice of:

Blue


Red

Dark Grey

Blue supplied if none specified.

Above Bench Accessories

Supplied loose for simple on-site assembly. All above bench accessories simply hook onto the rear support posts and adjustable on 40mm pitch.




Accessory		Bench Length mm			
		1200	1500	1800	
A	Top light frame c/w single LED batten	TLF4	TLF5	TLF6	Long posts required
	Tube length mm:	610	1220	1220	
B	Top steel shelf 290mm deep, capacity 50kg	TSS4	TSS5	TSS6	
C	Worktop/Shelf backstop	BST4	BST5	BST6	
Rear panel 450mm high					
D	Louvre panel	RLP4	RLP5	RLP6	Short or long posts required
	Tool panel	RTP4	RTP5	RTP6	
	Multi panel tool / louvre	RMP4	RMP5	RMP6	
E	Post mounted service duct c/w 2 x 13amp twin sockets (not wired)	PSD4	PSD5	PSD6	
F	Worktop mounted service duct c/w 2x 13 amp twin sockets (not wired)	RSD4	RSD5	RSD6	
Rear support posts - accessories adjust on 40mm pitch					
G	Short posts	SES	SES	SES	No posts required
H	Tall posts	TES	TES	TES	

For the full range of available accessories, please see pages 158 to 161.



for container packs
see page 106



for tool clips
see page 159



for monitor arm
see page 159

Rear panel (3 types)



Louvre panel



Tool panel



Multi panel
(louvre / tool)

LED Lighting



Redditek

Adjustable Height Workbenches

149

Infinite Modular Workbench System

Framework is constructed from fabricated steel section with welded leg supports and bolt in multi-position cross rails which can be assembled in a variety of combinations to suit individual applications.



Max Load
1000kg



Made in
Britain

1) Starter Benches

Start with a 2m or 3m starter workbench



Use starter and extension method to mix and match depths

Bench Description	Dimensions L x D (mm)	MDF Worktop 25mm Thick	Laminate Worktop 25mm Thick	Lino Worktop 25mm Thick
		Ref	Ref	Ref
Starter	2000 x 700	IM1-M	IM1-LA	IM1-V
Starter and base	2000 x 700	IM1-MBS	IM1-LABS	IM1-VBS
Starter	2000 x 1200	IM2-M	IM2-LA	IM2-V
Starter and base	2000 x 1200	IM2-MBS	IM2-LABS	IM2-VBS
Starter	2000 x 1400	IM3-M	IM3-LA	IM3-V
Starter and base	2000 x 1400	IM3-MBS	IM3-LABS	IM3-VBS
Starter	3000 x 700	IM4-M	IM4-LA	IM4-V
Starter and base	3000 x 700	IM4-MBS	IM4-LABS	IM4-VBS
Starter	3000 x 1200	IM5-M	IM5-LA	IM5-V
Starter and base	3000 x 1200	IM5-MBS	IM5-LABS	IM5-VBS
Starter	3000 x 1400	IM6-M	IM6-LA	IM6-V
Starter and base	3000 x 1400	IM6-MBS	IM6-LABS	IM6-VBS
Add-on	2000 x 700	IM7-M	IM7-LA	IM7-V
Add-on and base	2000 x 700	IM7-MBS	IM7-LABS	IM7-VBS
Add-on	2000 x 1200	IM8-M	IM8-LA	IM8-V
Add-on and base	2000 x 1200	IM8-MBS	IM8-LABS	IM8-VBS
Add-on	2000 x 1400	IM9-M	IM9-LA	IM9-V
Add-on and base	2000 x 1400	IM9-MBS	IM9-LABS	IM9-VBS



2) Extension Benches

Then use add on workbenches as required to create a run with infinite combinations.

2000 x 700mm Starter Workbench with MDF worktop, MDF base shelf, cabinet, triple drawer & leg socket. **Ref: IM-EOB1**



3000 x 1200mm Workbench with MDF worktop and base shelf. **Ref: IM5-MBS**



3000 x 1200mm Workbench with MDF worktop. **Ref: IM5-M**



3000 x 1200mm Workbench with MDF worktop, MDF base shelf, combined cabinet and drawer unit. **Ref: IM-EOB2**



3) Accessories

Combine with easy to add bench accessories

Bench Description	Ref
Cupboard Unit	RC / LC
Single Drawer	RA / LA
Two Drawer	RE / LE
Three Draw	RH / LH
Cupboard / Drawer	RG / LG
2000mm Upper Shelf	US2000
3000mm Upper Shelf	US3000
2000mm Service Duct	RSD20
3000mm Service Duct	RSD30

13 Amp Socket
Ref: SRDSO



Add on units can be bolted to different size benches to form combinations



We can modify a standard model or custom build to your own specifications - please call for details.



Heavy Duty - 450kg

Strong, fully welded, steel construction makes these versatile workbenches suitable for the toughest of applications. Choice of worktops and range of accessories provides the best combination for your requirements.



Max Load
450kg



Made in
Britain



Accessories - Factory fitted

Customise your workbench with cupboards, drawers etc, see next page for details.



Lower shelf - (extra) Steel, full depth (welded to bracing)




Standard height 840mm (750 & 900mm available at no extra cost).

Construction: Fully welded. Heavy Duty: 40 x 40mm steel angle.

Worktops: Choice of 5: Steel, MDF, Laminate, Lino, Stainless Steel.

Finish: Dove grey electro-static paint.

Worktop Options



Size		Standard Worktop Materials & Thickness					Lower shelf steel (extra)
		Laminate	Lino	MDF	Stainless	Steel	
L mm	W mm	20mm	20mm	18mm	20mm	2mm	1.5mm
1200	600	M1-LA	M1-V	M1-M	M1-SS	M1-S	HLS1
	750	M2-LA	M2-V	M2-M	M2-SS	M2-S	HLS2
	900	M3-LA	M3-V	M3-M	M3-SS	M3-S	HLS3
1500	600	M4-LA	M4-V	M4-M	M4-SS	M4-S	HLS4
	750	M5-LA	M5-V	M5-M	M5-SS	M5-S	HLS5
	900	M6-LA	M6-V	M6-M	M6-SS	M6-S	HLS6
1800	600	M7-LA	M7-V	M7-M	M7-SS	M7-S	HLS7
	750	M8-LA	M8-V	M8-M	M8-SS	M8-S	HLS8
	900	M9-LA	M9-V	M9-M	M9-SS	M9-S	HLS9



Engineering Bench Accessories

For both heavy duty and extra heavy duty workbenches.



2 drawer unit



3 drawer unit



Single drawer + Cupboard



Cupboard



Engineering vice
and vice plate

Choose your selection of accessories for engineering benches from this page, add the reference numbers to that of your selected bench.

All accessories for engineering benches are factory fitted, so must be ordered with workbench (no retro fit).

Accessory	H x W x L mm	Left fitting Ref	Right fitting Ref
Single drawer	140 x 410 x 430	LH-11	RH-11
2 drawer unit	280 x 410 x 430	LH-13	RH-13
3 drawer unit	420 x 410 x 430	LH-14	RH-14
cupboard	600 x 410 x 430	LH-12	RH-12
Single drawer + cupb'd	560 x 410 x 430	LH-15	RH-15
Rear service duct with 2 x 13amp sockets	1200mm	RSD-4	-
	1500mm	RSD-5	-
	1800mm	RSD-6	-
Retaining skirt	rear only	RS1	-
Retaining skirt	3 sides	RS3	-
Vice plate	3 x 230 x 230	VP	-
100mm engineering vice c/w vice plate and bolts		EV	-

Rear service duct



Retaining skirt



Easy Order Workbench

E7 workbench complete as illustrated:
H: 840mm with MDF worktop, 1 drawer
and 1 cupboard. Easy Order Refs:

L x D mm	Heavy Duty
1200 x 750	E7M4
1500 x 750	E7M5
1800 x 750	E7M6



E11 workbench complete as illustrated:
H: 840mm with steel worktop, 3 side retaining skirt, lower shelf, 2 drawer unit and 1 cupboard
Easy Order Refs:

L x D mm	Heavy Duty
1200 x 750	E11M4
1500 x 750	E11M5
1800 x 750	E11M6



Extra Heavy Duty - 750kg

Strong, fully welded, steel construction makes these versatile workbenches suitable for the toughest of applications. Choice of worktops and range of accessories provides the best combination for your requirements.



Max Load
750kg



Made in
Britain



Accessories - Factory fitted.

Customise your workbench with cupboards, drawers etc, see next page for details.



Lower shelf - (extra) Steel, full depth (welded to bracing)




Standard height 840mm (750 & 900mm available at no extra cost).

Construction: Fully welded. Heavy Duty: 50 x 50mm steel angle.

Worktops: Choice of 5: Steel, MDF, Laminate, Lino, Stainless Steel.

Finish: Dove grey electro-static paint.

Worktop Options



		Standard Worktop Materials & Thickness					Lower shelf steel (extra)
Size		Laminate	Lino	MDF	Stainless	Steel	
L mm	W mm	20mm	20mm	18mm	20mm	3mm	1.5mm
1200	600	H1-LA	H1-V	H1-M	H1-SS	H1-S	HLS1
	750	H2-LA	H2-V	H2-M	H2-SS	H2-S	HLS2
	900	H3-LA	H3-V	H3-M	H3-SS	H3-S	HLS3
1500	600	H4-LA	H4-V	H4-M	H4-SS	H4-S	HLS4
	750	H5-LA	H5-V	H5-M	H5-SS	H5-S	HLS5
	900	H6-LA	H6-V	H6-M	H6-SS	H6-S	HLS6
1800	600	H7-LA	H7-V	H7-M	H7-SS	H7-S	HLS7
	750	H8-LA	H8-V	H8-M	H8-SS	H8-S	HLS8
	900	H9-LA	H9-V	H9-M	H9-SS	H9-S	HLS9



Engineering Bench Accessories

For both heavy duty and extra heavy duty workbenches.

Choose your selection of accessories for engineering benches from this page, add the reference numbers to that of your selected bench.

All accessories for engineering benches are factory fitted, so must be ordered with workbench (no retro fit)



2 drawer unit



3 drawer unit



Single drawer + Cupboard



Cupboard



Engineering vice and vice plate

Accessory	H x W x L mm	Left fitting Ref	Right fitting Ref
Single drawer	140 x 410 x 430	LH-11	RH-11
2 drawer unit	280 x 410 x 430	LH-13	RH-13
3 drawer unit	420 x 410 x 430	LH-14	RH-14
cupboard	600 x 410 x 430	LH-12	RH-12
Single drawer + cupb'd	560 x 410 x 430	LH-15	RH-15
Rear service duct with 2 x 13amp sockets	1200mm	RSD-4	-
	1500mm	RSD-5	-
	1800mm	RSD-6	-
Retaining skirt	rear only	RS1	-
Retaining skirt	3 sides	RS3	-
Vice plate	3 x 230 x 230	VP	-
100mm engineering vice c/w vice plate and bolts		EV	-

Rear service duct



Retaining skirt



Easy Order Workbench

E7 workbench complete as illustrated:
H: 840mm with MDF worktop, 1 drawer and 1 cupboard. Easy Order Refs:

L x D mm	Heavy Duty
1200 x 750	E7H4
1500 x 750	E7H5
1800 x 750	E7H6



E11 workbench complete as illustrated:
H: 840mm with steel worktop, 3 side retaining skirt, lower shelf, 2 drawer unit and 1 cupboard
Easy Order Refs:

L x D mm	Heavy Duty
1200 x 750	E11H4
1500 x 750	E11H5
1800 x 750	E11H6



Stainless Steel Workbenches

Stainless steel workbenches and tables for clean and hygienic work environments.



Max Load
450kg



Made in
Britain

Stainless Steel - Style ref 'SS'

1.2mm thick stainless steel (Grade 304) worktop with all edges turned down and corners welded. 75 x 50mm framework, 450kg capacity. Standard working height 840mm (900mm available on request).

Shelf Length	Depth 600mm	Depth 750mm	Depth 900mm
1200mm	SS420	SS426	SS430
1500mm	SS520	SS526	SS530
1800mm	SS620	SS626	SS630



SS526

Stainless Steel Medium Duty - Style ref 'ASS'

Fully welded 304 grade stainless steel frame. 32 x 32mm legs with adjustable feet. 50 x 25mm and 25 x 25mm cross members. Removable stainless steel worktop. Capacity 300kg



Max Load
300kg



Made in
Britain



Shelf Length	Depth 600mm	Depth 750mm	Depth 900mm
1200mm	ASS-1	ASS-2	ASS-3
1500mm	ASS-4	ASS-5	ASS-6
1800mm	ASS-7	ASS-8	ASS-9

ASS-8



Accessories

Suitable for both SS and ASS style workbenches.



Accessory	H x W x D mm	fitted left	fitted right
Drawer	140 x 410 x 430	SSDL	SSDR
Cupboard	420 x 410 x 430	SSCL	SSCR

Lower Shelf - Full depth stainless steel lower shelf

Shelf Length	Depth 600mm	Depth 750mm	Depth 900mm
1200mm	SSL420	SSL426	SSL430
1500mm	SSL520	SSL526	SSL530
1800mm	SSL620	SSL626	SSL630

Easy Order Stainless Workbenches

(one ref for complete bench)
As illustrated to the left. Height: 840mm. Stainless steel top and frame, with single drawer, cupboard and lower shelf.



SSEO526

Based on bench model style 'SS'

Shelf Length	Depth 600mm	Depth 750mm	Depth 900mm
1200mm	SSEO420	SSEO426	SSEO430
1500mm	SSEO520	SSEO526	SSEO530
1800mm	SSEO620	SSEO626	SSEO630

Stainless Steel Cupboard Bench

All stainless steel construction, 1.2mm stainless steel top with edges turned up to form lip (standard), or down for flush top (option - please specify) with welded corners. Fully boxed with sliding doors with lock and fixed half depth shelf Height 840mm.

Size L x D mm	(Imperial)
1200 x 750	SSCB4
1500 x 750	SSCB5
1800 x 750	SSCB6



Max Load
300kg



Made in
Britain



SSCB5



Redditek

Below Bench Accessories

Drawers and Cupboards

Lockable drawer and cupboard units bolt to the underside of the workbench frame, using captive nuts fitted to every frame, so they can be fitted or changed at any time. Cupboards have one fixed steel shelf. Supplied loose for simple on-site assembly.

Below bench accessory	H x W x D mm	Left fitted Ref	Right fitted Ref
Single drawer	140 x 410 x 430	LA	RA
2 drawer unit	280 x 410 x 430	LE	RE
3 drawer unit	420 x 410 x 430	LH	RH
4 drawer unit	560 x 410 x 430	LK	RK
Small cupboard	420 x 410 x 430	LC	RC
Single drawer + small cpbd	560 x 410 x 430	LG	RG
Large cupboard	560 x 410 x 430	LD	RD
Retaining skirt -	For style A, DA, only 100mm high steel, 2 ends and back	-	RS

Colours

All above bench accessories and cupboard and drawer carcass:

Light Grey epoxy

Drawer fronts and doors available in choice of:

- Blue
- Red
- Dark Grey

Blue supplied if none specified.



Drawer Inserts

Polypropylene box inserts used to bring order and organisation to drawer systems. All inserts are 69mm high and are individually removable. Colour: opaque

Ref: **DIP-01**
18 x 55mm x 79mm; 6 x 79mm x 109mm

Ref: **DIP-02**
30 x 55mm x 79mm

Ref: **DIP-03**
8 x 55mm x 79mm; 2 x 79mm x 109mm;
3 x 109mm x 157mm; 2 x 55mm x 235mm


Ref: **DIP-04**
8 x 55mm x 79mm; 4 x 55mm x 235mm;
2 x 79mm x 159mm; 1 x 79mm x 109mm



Tool Hooks

Range of tool hooks and holders for use with tool panels (tools not included).

Hook description	Size	Ref
Single hook	30mm long	CP1-30
	60mm long	CP1-60
	90mm long	CP1-90
Double hook	30mm long	CP2-30
	60mm long	CP2-60
Single angled hook	30mm long	CP3-30
	60mm long	CP3-60
Pliers holder	17mm long	CP4-17
	20mm long	CP4-20
Spring Clip	12mm diameter	CP5-12
	18mm diameter	CP5-18
	24mm diameter	CP5-24
Pipe holder	30mm diameter	CP6-30
	50mm diameter	CP6-50
Drill bit holder	22 bit capacity	CP7-22
Drill holder	2 hook pack	CP8-02
Spanner holder	8 slot	CP9-08
Can holder	-	CP10-01
Angle grinder holder	-	CP11-01
Hammer holder	-	CP12-01



CP1 Single hook



CP4 Pliers hook



CP2 Double hook

CP7 Drill bit holder



CP5 Spring clip



CP10 Can holder



CP11 Angle grinder holder



CP9 Spanner holder



CP8 Drill holder



CP6 Pipe holder



CP12 Hammer holder



CP3 Angled hook

Monitor Arm

Fully height adjustable with quick height fixing clasp to rear of post. Extended reach of 500mm from post mounting and can fold completely flush back to the post. Capacity: Up to 19 inch monitors with a weight capacity of 10kgs. Clamp fixing to rear or through work surface. Compatible with both 75mm and 100mm VESA standard monitor mounts. Integrated cable management.



CA-M001

Monitor arm

Finish: Silver Epoxy
Please state position required.

Ref: CA-M001

Deluxe monitor arm

Bolts through work surface. Finish: Black
Please state position required.

Ref: CA-M002



CA-M002



Redditek

Workbench Accessories

CPU Mount



Fixed CPU mount for underbench fastening the CPU vertically. Adjustable frame for width: 50 to 275mm. Adjustable frame for height 380 to 580mm.

Ref: **CA-C001**

Through Desk Cable Tidy



Grey plastic through desk cable tidy. Please state position required.

Ref: **CA-DTID**

Data Sockets & Cable Outlets

Data Sockets

Double or quadruple CAT 5e data sockets fitted to relevant rear service duct. Please state position required.



Ref: **RSD-CAT2**
(double socket)



Ref: **RSD-CAT4**
(quadruple socket)

Brush Cable Outlets

Single or double width brush cable outlets to allow continuous cables to be wired through the rear service duct. Brush design stops debris getting into the ducting. Fitted to the relevant service duct. Please state position required.



Ref: **RSD-BR4**
(double width)



Ref: **RSD-BR2**
(single width)

Rear Service Duct Optional Extra's

Single Phase Blue Socket

Single phase 16 amp blue socket fitted to the relevant rear service duct. Please state position required.

Ref: **RSD-SPB**



Circuit Breaker

25 amp type AC residual current circuit breaker fitted to the relevant rear service duct. Please state position required.

Ref: **RSD-RCD**



Double Safety Socket

Double 13 amp safety socket. 30mA trip current. Replaces one of the current double sockets supplied with the rear service duct.

Ref: **RSD-SS**



Additional Double Socket

Additional double socket, factory fitted to rear service duct. Position required with order.

Ref: **RSD-DS**



USB Socket

USB socket, factory fitted to rear service duct. Position required with order.


Ref: **RSD-USB**

Above Bench Accessories



Made in
Britain

Supplied loose for simple on-site assembly. All above bench accessories simply hook onto the rear support posts and adjustable on 40mm pitch.



	Accessory	Bench Length mm			
		1200	1500	1800	
A	Top light frame c/w single LED batten	TLF4	TLF5	TLF6	Long posts required
	Tube length mm:	610	1220	1220	
B	Top steel shelf 290mm deep, capacity 50kg	TSS4	TSS5	TSS6	Short or long posts required
C	Worktop/Shelf backstop	BST4	BST5	BST6	
	Rear panel 450mm high				
D	Louvre panel	RLP4	RLP5	RLP6	
	Tool panel	RTP4	RTP5	RTP6	
	Multi panel tool / louvre	RMP4	RMP5	RMP6	
E	Post mounted service duct c/w 2 x 13amp twin sockets (not wired)	PSD4	PSD5	PSD6	No posts required
F	Worktop mounted service duct c/w 2x 13 amp twin sockets (not wired)	RSD4	RSD5	RSD6	
	Rear support posts - accessories adjust on 40mm pitch				
G	Short posts	SES	SES	SES	
H	Tall posts	TES	TES	TES	

Rear panel (3 types)



Louvre panel



Tool panel




Multi panel (louvre / tool)

For the full range of available accessories, please see pages 158 to 161.



for container packs
see page 106



for tool clips
see page 159



for monitor arm
see page 159





EWD-05B



Made in Britain

Euro Workdesks

- Lockable workdesk
- Sloping hinged working surface
- Wood front edge strip
- All steel construction
- Safety orange or blue epoxy finish

Workdesk on freestanding frame. Static white epoxy tubular steel frame.

Overall H x W x D mm	890 x 660 x 465	
Colour	Orange	Blue
Order Ref	EWD-050	EWD-05B



EWD-06B

Workdesk on mobile frame base, 4 x 100mm swivel castors with grey non-marking tyres, 2 with brakes. White epoxy tubular steel frame with 2 white epoxy sheet steel shelves.

Overall H x W x D mm	890 x 660 x 465	
Colour	Orange	Blue
Order Ref	EWD-060	EWD-06B



EWD-070

Workdesk on cupboard base. Lockable cupboard with 2 shelves. Grey cupboard with orange door.

Overall H x W x D mm	890 x 570 x 470	
Colour	Orange	Blue
Order Ref	EWD-070	EWD-07B



WD-08



Made in Britain

Workdesk

- Sloping working surface
- All steel construction
- Lockable hinged lid
- Wood front edge strip
- Grey epoxy finish

Workdesk Wall unit (complete with wall brackets)

Overall H x W x D mm	205 x 940 x 571
Order Ref	WD-08



Workdesk on static frame base.

Overall H x W x D mm	1115 x 940 x 475
Order Ref	WD-09



WD-09



WD-10

Workdesk on cupboard base. 305mm depth lockable cupboard

Overall H x W x D mm	985 x 935 x 465
Order Ref	WD-10



Workshop Desks



Made in
Britain

- Level working surface
- Lockable drawer 405 x 410 x 100mm
- Cubbyhole
- Small rear top shelf
- Grey epoxy finish

Workdesk wall unit (complete with wall brackets)

Overall H x W x D mm	380 x 915 x 485
Order Ref	WD-02



WD-02

Workdesk on static frame base.

Overall H x W x D mm	1270 x 915 x 485
Order Ref	WD-03



WD-03

Workdesk on cupboard base.

Full depth lockable cupboard with adjustable shelf.

Overall H x W x D mm	1270 x 915 x 485
Order Ref	WD-04



WD-04

Workshop Desks

Foreman's Desk



Made in
Britain

Full width lockable drawer.
Lockable cupboard with 2 adjustable shelves.
Cupboard and drawer have separate keys.
All grey, or grey with blue doors and drawer.

Overall H x W x D mm	1270 x 915 x 485	
Colour	Grey	Grey / Blue
Order Ref	FD-01G	FD-01GB



FD-01G



FD-01GB



Redditek

Workshop Desks

163

Euro Cabinet System



Made in
Britain

Strong steel storage cabinet system for tough environments. The Euro cabinet system is a versatile range of steel work cabinets which combine to form complete working layouts. Individual cabinets are detailed on the pages 166 - 170.



ECO

This page shows 'easy order' popular combinations as examples. Constructed from 18 and 20swg steel sheet. Lever lock handles with 2 rods locking top and bottom, 2 keys. Drawers on ball bearing runners, 25kg capacity. Individual drawers in combination units lockable.

7 & 8 drawer cabinets lockable as unit. Powder coated finish, grey cabinets, blue doors and drawer fronts, other colours on request.




ECP



Popular Combinations

Ref	Cabinet combination
ECA	EC0903; EC0900; WC10; WP05; WTL10
ECB	EC0900; EC0904; WC02; WC10 WTL15
ECC	EC0901; EC0900; EC0904; 2xWC10; WTB20
ECE	EC2005; EC0903; EC0900; WC10; WP05; WTL10
ECH	EC0900; EC0901; EC0920B; EC0917E; EC0905; EC0904; WTB10; WTB20
ECJ	EC0904; EC0900; EC0901; EC0905; WTL20; WTL10
ECK	EC0905; EC0901; EC0900; WTB20
ECL	EC0900F; 2xEC0901; EC0920B; EC0917E; EC0905 EC0900; EC0904; 2xWTB10; WTB20
ECM	EC0904; EC0920B; EC0905; 2xWTB10
ECN	EC0920L; EC0901; EC0900; WTL10
ECO	EC0903; EC0900; EC0910; EC2005; WC01 2xWC05; WP09; WP04; TSO; WTL20
ECP	EC0920B; EC0904; 2xEC0917E; EC0905; EC0901; EC0906; EC0910; WTB10; WTB15; WTB20



Note: These selected combinations shown here can be varied with alternative worktops or individual units to suit your particular needs. See individual cabinet details on the pages 166 - 170.





Max Load
50kg



Made in
Britain



Wall Cabinets

Heavy duty wall cupboards manufactured from 1mm steel sheet, with high quality grey epoxy cabinet finish and a choice of cabinet door colours.

Standard H x D: 600 x 300mm with 1 fixed shelf in all cabinets.

400 and 500mm width units have single lockable door.

800 and 1000mm width units have 2 lockable doors.

Available with or without internal drawers (not 1000mm),
(400 and 500mm single drawer, 800mm 2 drawers).

Fixing holes provided (no fixings supplied).

Drawers	Door colour	400mm	500mm	800mm	1000mm
Without drawers	Blue	WC01B	WC02B	WC05B	WC10B
	Red	WC01R	WC02R	WC05R	WC10R
	Green	WC01G	WC02G	WC05G	WC10G
	Grey	WC01GY	WC02GY	WC05GY	WC10GY
With drawers	Blue	WC03B	WC04B	WC06B	-
	Red	WC03R	WC04R	WC06R	-
	Green	WC03G	WC04G	WC06G	-
	Grey	WC03GY	WC04GY	WC06GY	-



Made in
Britain

Euro 900 Floor Cabinet System

900mm high - 'working height' storage cabinet system.

Range of cabinets constructed from 18 and 20swg steel sheet. Lever lock handles with 2 rods locking top and bottom, supplied with 2 keys.

Drawers on telescopic slides, 25kg capacity. Individual drawers in combination units lockable. 7 & 8 drawer cabinets lockable as unit.

Powder coated finish, grey cabinets, blue doors and drawer fronts, other colours on request. Drawer capacity: 45kgs UDL.

Euro cabinets can be combined to form comprehensive work / storage layouts. See previous page for 'easy order' example layouts.

For individual product details, see next page.



Euro 900 - single H x D x W mm: 900 x 500 x 500



Euro 900 - double H x D x W mm: 900 x 500 x 1000



Euro 900 Floor Cabinets

Made in
Britain

EC0900



W x D: 500 x 500mm
Cupboard with 2 adjustable shelves
Ref: EC0900

EC0900F



W x D: 500 x 500mm
Fire resistant cupboard with 1
punched adjustable shelf, 1 removable
sump, warning sticker, yellow finish
Ref: EC0900F

EC0901



W x D: 500 x 500mm
1 drawer, cupboard with
1 adjustable shelf
Ref: EC0901

EC0902



W x D: 500 x 500mm
2 drawers, cupboard
with 1 adjustable shelf
Ref: EC0902

EC0903



W x D: 500 x 500mm
8 drawers
(height: 85mm)
Ref: EC0903

EC0910



W x D: 1000 x 500mm
Cupboard,
2 adjustable shelves
Ref: EC0910

EC0915



W x D: 1000 x 500mm
Sliding door cupboard,
2 adjustable shelves
Ref: EC0915

EC0904




W x D: 1000 x 500mm
2 drawers, cupboard,
1 adjustable shelf
Ref: EC0904

EC0905



W x D: 1000 x 500mm
7 drawers
(height: 2x 140, 5x 85mm)
Ref: EC0905



Worktop - Depth 500mm
Laminate (without rear upstand)
W: 500mm **Ref: WTL05**
W: 1000mm **Ref: WTL10**
W: 1500mm **Ref: WTL15**
W: 2000mm **Ref: WTL20**

Laminate with rear upstand
W: 500mm **Ref: WTB05**
W: 1000mm **Ref: WTB10**
W: 1500mm **Ref: WTB15**
W: 2000mm **Ref: WTB20**




Tall Cabinet System - 1500, 1800, 2000mm



Made in Britain

A flexible range of tough steel cabinets 3 heights - 2 widths - hinged or sliding doors - with a range of accessories to create just the storage solution you need.



Easy Order

Complete cabinet (as above) comes with:

- 1 drawer (at 1010mm)
- 2 adjustable shelves
- Quarter louvre panel back
- Quarter tool panel back
- Tool panel doors with 10 tool hooks

1800mm high **Ref: EC1837**

2000mm high **Ref: EC2037**

Optional extras



Drawer unit - Internal W x D: 888 x 375mm. Front height: 95mm. Available at 50mm pitch (min 100mm between drawers) - please state height when ordering. Max 12 drawers to cabinet. Only one drawer to be opened at a time.

Ref: ECA020



Quarter rear tool panel
Please state position height when ordering. Max 4 per cabinet.

Ref: ECA022



Sliding door Euro cabinet
W x D: 1000 x 500mm



Double door Euro cabinet
W x D: 1000 x 500mm



Single door Euro cabinet
W x D: 500 x 500mm

Height	Shelves	Ref
1500mm	3	EC1515
1800mm	4	EC1815
2000mm	4	EC2015
Extra shelf		ECA025

Height	Shelves	Ref
1500mm	3	EC1510
1800mm	4	EC1810
2000mm	4	EC2010
1500mm	0	EC1500
1800mm	0	EC1800
2000mm	0	EC2000

Height	Shelves	Ref
1500mm	2	EC1505
1800mm	2	EC1805
2000mm	2	EC2005
Extra shelf		ECA024



Adjustable shelf - Capacity 45kg
1000mm wide shelf **Ref: ECA025**
500mm wide shelf **Ref: ECA024**



Quarter rear louvre panel. Please state position height when ordering. Max 4 per cabinet.
Ref: ECA023



Louvre panel doors. Replaces standard tool panel doors (factory fitted). Accepts size 2 & 3 bins (see page 107 for container bin packs)
Ref: ECA021



Tool clips (set of 10)
3 single hooks,
3 double hooks,
2 snap-in hooks,
1 hammer hook,
1 pliers hook
(For additional hooks see page 159)
Ref: ECA009



Euro Tall - Easy Order

Made in
Britain

A selection of cabinet and extras combinations that provide single reference ordering.

Note: Only items listed are included, not photographic props.



Cabinet with 8 drawers, half tool panel back, 1 shelf, tool panel doors and 1 pack of assorted tool clips
1800mm high **Ref: EC1831** / 2000mm high **Ref: EC2031**



Cabinet with 2 drawers (base & 560mm), 1 shelf, half louvre panel back, 24 x No.2 bins, 12 x No.3 bins, tool panel doors and 1 pack of assorted tool clips
1800mm high **Ref: EC1832** / 2000mm high **Ref: EC2032**



Cabinet with 4 drawers (base, 460, 760 & 860mm), 2 shelves, half tool panel back, tool panel doors and 1 pack of assorted tool clips
1800mm high **Ref: EC1833** / 2000mm high **Ref: EC2033**



Cabinet with 4 drawers (from base), 2 shelves, half louvre panel back, 16 x No.2 bins, 18 x No.3 bins, tool panel doors and 1 pack of assorted tool clips
1800mm high **Ref: EC1834** / 2000mm high **Ref: EC2034**



Cabinet with full louvre panel back, tool panel doors and 1 pack of assorted tool clips
1800mm high **Ref: EC1835** / 2000mm high **Ref: EC2035**



Cabinet with full tool panel back, tool panel doors and 1 pack of assorted tool clips
1800mm high **Ref: EC1836** / 2000mm high **Ref: EC2036**



Redditek

Euro Tall - Easy Order

169




Made in
Britain

Bin Cabinets - Louvre Support

Robust, heavy duty steel cupboards with plastic bin combinations with louvre or shelf bin support systems.

Overall H x W x D: 2000 x 1000 x 500mm Lockable doors supplied with 2 keys, finished in epoxy grey cabinet and blue doors.

Empty cupboard to accept your own bins, or choice of units complete with bins.




78 bin unit. Cupboard with 42 x No. 2 bins; 20 No. 3 bins; 16 No 4 bins. **Ref: BCL78**



Empty unit.
Cupboard with
louvre back (no
bins) **Ref: BCL01**



54 bin unit.
Cupboard with
30 x No. 3 bins;
24 No. 4 bins.
Ref: BCL54



60 bin unit.
Cupboard with
60 x No. 3 bins
Ref: BCL60



126 bin unit.
Cupboard with
126 x No. 2 bins
Ref: BCL126



Made in
Britain

Bin Cabinets - Shelf Support

Cupboard with steel adjustable shelves (25mm pitch) to accept your own bins, or choice of units complete with bins.

Empty unit cupboard with shelves
(no bins)

4 Shelves **Ref: BCS04**

8 Shelves **Ref: BCS08**

10 Shelves **Ref: BCS10**

12 Shelves **Ref: BCS12**

Extra shelf **Ref: BCSES**



44 bin unit. Cupboard with 11 shelves
and 44 No 4 bins. **Ref: BCS48**



66 bin unit. Cupboard
with 11 shelves and 66
No.3 bins. **Ref: BCS72**



68 bin unit. Cupboard with
12 shelves, 24 x No.2 bins,
24 x No.3 bins and
20 x No 4 bins.
Ref: BCS72C



54 bin unit Cupboard with
9 shelves, 24 x No.2 bins,
18 x No.3 bins, 12 x No. 4
bins and 4 drawer unit.
Ref: BCS60



Mobile Drawer Cabinets

Fully welded mobile drawer cabinets, mounted on 4 swivel 125mm castors (2 braked) with blue resilex wheels and roller bearings.

Drawers on telescopic slides with 25kg capacity. Internal drawer size W x D: 425 x 450mm. Drawer heights: 90mm and 185mm. All drawers ready equipped to accept adjustable small parts divider storage system (dividers optional extra - see below). Drawers lockable as a unit, 2 keys provided.

Fitted with 3 sided lipped tool tray top with cushioned matting (laminate top available as optional extra - see below)

Finish: Grey epoxy body (BS00A05), Blue epoxy drawers (RAL5017). Other colours available on request.

Overall H x W x D mm	Cabinet W x D mm	Drawers		Order Ref
		90mm	185mm	
780 x 500 x 615	500 x 500	3	1	MDC601
780 x 500 x 615	500 x 500	1	2	MDC602
980 x 500 x 615	500 x 500	5	1	MDC801
980 x 500 x 615	500 x 500	3	2	MDC802

Mobile Maintenance Cabinets

Fully welded mobile drawer cabinets, mounted on 4 swivel 125mm castors (2 braked) with blue resilex wheels and roller bearings.

Drawers on telescopic slides with 25kg capacity. Internal drawer size W x D: 425 x 450mm. Drawer heights: 90mm and 185mm. All drawers ready equipped to accept adjustable small parts divider storage system (dividers optional extra - see below). Drawers lockable as a unit, 2 keys provided.

Cupboard door fitted with recessed handle with integral lock with 2 rods locking top and bottom, tool panel and 1 adjustable shelf.

Fitted with 3 sided lipped tool tray top with cushioned matting (laminate top available as optional extra - see below).

Finish: Grey epoxy body (BS00A05), Blue epoxy drawers (RAL5017). Other colours available on request.

Overall H x W x D mm	Cabinet W x D mm	Drawers		Order Ref
		90mm	185mm	
980 x 1120 x 500	1000 x 500	5	1	MDC811
980 x 1120 x 500	1000 x 500	3	2	MDC812

Optional extras



18mm Laminate top with plastic edging (replaces lipped tray)

Drawer trolley top **Ref: LWT01**

Maintenance trolley top **Ref: LWT02**



Drawer divider pack complete with 2 vertical and 9 horizontal dividers

Finish: Plain cut zintec

for 90mm deep **Ref: DDP01**

for 185mm deep **Ref: DDP02**



Made in
Britain

600 Series

MDC601



MDC602



800 Series

MDC801



MDC802



Made in
Britain

Mobile Maintenance Trolleys



MDC812



MDC811



Redditek



Made in
Britain



First Aid Cabinets - White BS00E55

First Aid Cabinets

Storage cabinets for First Aid supplies and equipment

- Instantly recognisable
- Clear identification labelling
- Clean, durable white powder coated finish

Wall-fixing Cabinets

- Strong welded 20swg steel construction.
- Fixed shelf and internal drawer tray(s) and lock with 2 keys.
- Cabinets pre-drilled for fixing (fixings not included)
- Powder coated finish, identification labelling

Floor-standing Cabinets

- Strong welded 20swg steel construction
- Shelves adjustable to 25mm pitch
- Lever lock handles with 2 rods locking top and bottom, 2 keys
- Powder coated finish
- Identification labelling

H x W x D mm	H x W x D mm	Shelves	Drawer Trays	Ref
Floor Cabinet	915 x 457 x 457	1	-	FAC10
	915 x 915 x 457	2	-	FAC60
	1220 x 915 x 457	2	-	FAC65
	1830 x 915 x 457	3	-	FAC70
Wall Cabinet	600 x 400 x 300	1	1	FAWC3
	600 x 500 x 300	1	1	FAWC4
	600 x 800 x 300	1	2	FAWC6
Extra shelf	457 x 457			ES1
	915 x 457			ES2



Made in
Britain



PPE Cabinets

Storage cabinets for Personal Protective equipment. Designed and manufactured to meet the requirements of The Personal Protective Equipment at Work Regulations 1994.

- Strong welded 20swg steel construction
- Shelves adjustable to 25mm pitch
- Lever lock handles with 2 rods locking top and bottom, 2 keys
- Powder coated finish
- Identification labelling

PPE Cabinets
Cabinet Grey BS00A05
Doors RAL5017

Cabinets			Extra Shelves	
H x W x D mm	Shelves	Ref	H x W x D mm	Ref
915 x 457 x 457	1	PPE10	457 x 457	ES1
915 x 915 x 457	2	PPE60	915 x 457	ES2
1220 x 915 x 457	2	PPE65		
1830 x 915 x 457	3	PPE70		
1830 x 915 x 457	*	PPE71		

*PPE71 complete with centre divider, 3 adjustable shelves and hanging rail.



Polycarbonate Door Cabinets



Made in
Britain

Strong welded construction with polycarbonate door panels for enclosed visibility whilst maintaining security.

Wall-fixing Cabinets

- Strong welded 20swg steel construction.
- Fixed shelf.
- Lock with 2 keys.
- Cabinets pre-drilled for wall fixing (fixings not included).
- Powder coated finish
- Body: Grey (BS00A05).
- Doors: Blue, grey, green, yellow or red (Blue supplied if not specified).

Floor-standing Cabinets

- Strong welded 20swg steel construction.
- Shelves adjustable to 25mm pitch.
- Lever lock handles with 2 rods locking top and bottom, 2 keys.
- Powder coated finish.
- Body: Grey (BS00A05).
- Doors / shelves: Blue, grey, green, yellow or red (Blue supplied if not specified).



Type	H x W x D mm	Shelves	Ref
Floor Cabinet	915 x 457 x 457	1	CBP11
	915 x 915 x 457	1	CBP60
	1220 x 915 x 457	2	CBP65
	1830 x 915 x 457	3	CBP70
Wall Cabinet	600 x 1000 x 300	1	WCP10
Extra shelf	457 x 457		ES1
	915 x 457		ES2

Mesh Door Cabinets



Made in
Britain

Strong welded construction with mesh door panels for visibility and ventilation whilst maintaining security.

- Strong welded 20swg steel construction.
- Shelves adjustable to 25mm pitch.
- Leverlock handles with 2 rod locking top and bottom, 2 keys.
- Powder coated finish.
- Body: Grey (BS00A05).
- Doors / shelves: Blue, grey, green, yellow or red (Blue supplied if not specified).

Type	H x W x D mm	Shelves	Ref
Cabinet	915 x 457 x 457	1	CBM11
	915 x 915 x 457	1	CBM60
	1220 x 915 x 457	2	CBM65
	1830 x 457 x 457	3	CBM29
	1830 x 915 x 457	3	CBM70
	1830 x 915 x 457	*	CBM71
Extra shelf	457 x 457		ES1
	915 x 457		ES2

*CBM71 complete with centre divider, 3 adjustable shelves and hanging rail.



Redditek



Made in
Britain

CB Cupboards

Range of steel cabinets constructed to imperial sizes, designed to combine with existing imperial size cabinets. Lever lock handles with 2 rods locking top and bottom, 2 keys. Powder coated finish in grey as standard, blue doors on request. Shelf capacity 50kgs, maximum 250kgs per cabinet.



Optional extra

Upgrade to 100kgs per shelf,
maximum 400kgs for cabinet.

Ref: **CBHD**

Extra Shelves

Size	(Imperial)	Ref
457 x 457mm	(18" x 18")	ES1
915 x 457mm	(36" x 18")	ES2
915 x 305mm	(36" x 12")	ES4

Size H x W x D	(Imperial)	Shelves	Ref
915 x 457 x 457mm	(36" x 18" x 18")	1 adjustable shelf	CB11
915 x 915 x 457mm	(36" x 36" x 18")	2 adjustable shelves	CB60
1220 x 915 x 457mm	(48" x 36" x 18")	2 adjustable shelves	CB65
1830 x 915 x 457mm	(72" x 36" x 18")	3 adjustable shelves	CB70
1830 x 915 x 305mm	(72" x 36" x 12")	3 adjustable shelves	CB80



Max Load
300kg



Made in
Britain

Sliding Door Mesh Cabinets

Suitable for various working environments, giving better visibility of contents whilst maintaining security. Fully welded construction with reinforced mesh panel sliding doors.

Provides visibility and ventilation, adjustable shelves. Doors and shelves available in blue, grey, green, yellow or red (Blue supplied if not specified). Light grey carcass.



Type	H x W x D mm	Shelves	Ref
Cabinet	1020 x 1830 x 460	2	CBM25
Extra Shelf	1830 x 460	-	ES6



Stainless Steel Cabinets



Made in
Britain

A range of stainless steel cabinets manufactured from 304 grade stainless. Ideal for clean and hygienic work environments. Stainless Steel CB Cupboards are supplied complete with adjustable shelves, leverlock handle with 2 rods locking top and bottom and 2 keys.

	Size (H x W x D) mm	Shelves	Ref
Cabinet	915 x 457 x 457	1	CB11SS
	915 x 915 x 457	1	CB60SS
	1220 x 915 x 457	2	CB65SS
	1830 x 915 x 457	3	CB70SS
Extra Shelf	457 x 457		ES1SS
	915 x 457		ES2SS



Stainless Steel Hazardous Cabinets



Made in
Britain

Stainless Steel Hazardous FB Cabinets are supplied complete with punched adjustable shelf trays, removable sump, leverlock handle with 2 rods locking top and bottom and 2 keys.

	Size (H x W x D) mm	Shelves	Sump Cap. Ltrs	Ref
Cabinet	915 x 457 x 457	1	14.5	FB10SS
	915 x 915 x 457	1	27	FB20SS
	1220 x 915 x 457	2	27	FB25SS
	1830 x 915 x 457	3	27	FB30SS
Extra Shelf	457 x 457			ES1SS
	915 x 457			ES2SS

Punched Shelf Trays

Removable sump contains spillages and permits convenient removal.



Redditek

Hazardous Cabinets



Made in
Britain

Storage cabinets for hazardous materials. Strong welded 20swg steel construction. Lever lock handles with 2 rods locking top and bottom, 2 keys. Pesticide/chemical cabinets have door vents to prevent fume build-up. Adjustable punched trays to contain spills and allow them to drain into removable sump. Removable sump for convenient removal of spills. Powder coated finish. Warning stickers. Shelf capacity 35kgs, maximum 250kgs per cabinet.

Optional extra

Upgrade to 80kgs per shelf, maximum 400kgs for cabinet.

Ref: **FBHD**



Reinforced doors

Door vents in pesticide/chemical cabinets prevent build-up of fumes.

Lever handles and two rod locking and 2 keys.

Shelf trays have punched drain holes to allow any spillages to drain into base sump.

Shelf trays are adjustable to a 25mm pitch.

Removable sump collects any spillages and permits convenient removal.



Flammable Cabinet
D. Grey BS632
Yellow RAL1003



Acid Cabinet
White RAL9003



Pesticide / Chemical Cabinet
Red RAL3020
Green RAL6029



Coshh Cabinet
L. Grey BS00A05

Item	H x W x D mm	Shelves	Sump Cap. Ltrs	Flammable Yellow	Flammable D. Grey	Coshh L. Grey	Acid White	Pesticide/chemical	
								Red	Green
Cabinet	457 x 457 x 457	1	14.5	FB2	FB2G	CFB2	AFB2	PFB2	PFB2G
	610 x 457 x 457	1	14.5	FB4	FB4G	CFB4	AFB4	PFB4	PFB4G
	712 x 355 x 305	2	4.0	FB5	FB5G	CFB5	AFB5	PFB5	PFB5G
	915 x 457 x 457	1	14.5	FB10	FB10G	CFB10	AFB10	PFB10	PFB10G
	712 x 915 x 457	1	27.0	FB15	FB15G	CFB15	AFB15	PFB15	PFB15G
	915 x 915 x 457	1	27.0	FB20	FB20G	CFB20	AFB20	PFB20	PFB20G
	900 x 1200 x 500	1	42.5	FB22	FB22G	CFB22	AFB22	PFB22	PFB22G
	1220 x 915 x 457	2	27.0	FB25	FB25G	CFB25	AFB25	PFB25	PFB25G
	1525 x 915 x 457	3	27.0	FB26	FB26G	CFB26	AFB26	PFB26	PFB26G
	1830 x 457 x 457	3	14.5	FB29	FB29G	CFB29	AFB29	PFB29	PFB29G
	1830 x 915 x 457	3	27.0	FB30	FB30G	CFB30	AFB30	PFB30	PFB30G
	1800 x 1200 x 500	3	42.5	FB40	FB40G	CFB40	AFB40	PFB40	PFB40G
Extra shelf	457 x 457			ES1	ES1	ES1	ES1	ES1	ES1
	915 x 457			ES2	ES2	ES2	ES2	ES2	ES2
	1200 x 500			ES5	ES5	ES5	ES5	ES5	ES5
Stand	460 x 355 x 305			SS10	SS10G	CSS10	ASS10	PSS10	PSS10G
	460 x 915 x 457			SS11	SS11G	CSS11	ASS11	PSS11	PSS11G
	460 x 457 x 457			SS12	SS12G	CSS12	ASS12	PSS12	PSS12G

Stands

460mm high stand
355 x 305mm suitable for FB5
915 x 457mm suitable for FB15 and FB20
457 x 457mm suitable for FB2, FB4 and FB10



Flammable Liquids Storage

All cabinets meet the requirements of The Highly Flammable and Liquefied Petroleum Gases Regulations 1972 (Section 5 Part D), The Health and Safety Executive Guide HS(G)51 1990 and the Factory Inspectorate Certificate of Approval No 1 Parts 3 and 4.



The maximum volume of any flammable liquid with a flashpoint below 32°C that may be stored in a flame resistant cabinet within a workroom is 50 litres (regardless of the total capacity of the storage cabinet).

Flammable Cabinets: Yellow BS08E51





Made in
Britain



Hazardous Bins

Flat top or sloping top bins

- Strong 14swg steel construction
- Hinged lid with restraining arm, hasp and staple
- Welded seams
- Drain plug
- Powder coated finish
- Colour choice: red, yellow, grey, white
- Warning stickers



Oily Rag Bins

- Strong 16swg steel construction
- Hinged lid with tubular lift handle
- Available with or without removable steel liner
- Powder coated finish red



Type	H x W x D mm	Liner	Order Ref
Flat top bin	500 x 600 x 350		FTB01
	600 x 600 x 600		FTB02
	600 x 1200 x 600		FTB03
Sloping top bin	900/500 x 900 x 750		STB04
	900/500 x 1200 x 750		STB05
Oily rag bin	680 x 410 x 410	No	ORB01
	830 x 600 x 450	No	ORB02
	680 x 410 x 410	Yes	ORB03
	830 x 600 x 450	Yes	ORB04



Made in
Britain



Wall Mounted Cigarette Disposal Bins

Stainless steel or powder coated steel. Range of stylish options - will look good and provide for convenient and efficient cigarette disposal. Stainless steel liner - fitted as standard. Internal removable, long-lasting, zintec steel liner, collects the cigarettes and provides for easy removal for emptying.

Wall Mounted Cigarette Bin

Small 370 x 200 x 70mm
Powder coated steel
Stainless steel

Order Ref: **CD001**
Order Ref: **CD002**

Large 445 x 245 x 70mm
Powder coated steel
Stainless steel

Order Ref: **CD003**
Order Ref: **CD004**



Floor Standing Cigarette Disposal Bins

Finish - options - all bins. All bins are available in a choice of stainless steel for long-lasting weather protection, or powder coated steel with option of two tone grey or black finish, please specify when ordering.



Made in
Britain

Stand Mounted Cigarette Bins

Stand base drilled for floor fixing (fixings not supplied).

Cigarette bin

H x L x W: 445 x 245 x 70mm

Overall height: 1400mm

Powder coated steel

Order Ref: **CD005**

Stainless steel

Order Ref: **CD006**

Stand mounted cigarette bin & litter bin

Cigarette bin - H x L x W: 445 x 245 x 70mm

Litter bin - H x L x W: 500 x 300 x 200mm

Overall height: 1400mm

Powder coated steel

Order Ref: **CD007**

Stainless steel

Order Ref: **CD008**

Litter bin separate

H x L x W: 500 x 300 x 200mm

Powder coated steel

Order Ref: **CD009**

Stainless steel

Order Ref: **CD010**



Floor Standing Cigarette Bins

D x W: 200 x 200mm

Pyramid top - H: 800mm

Powder coated steel

Order Ref: **CD011**

Stainless steel

Order Ref: **CD012**

Flat top - H: 690mm

Powder coated steel

Order Ref: **CD013**

Stainless steel

Order Ref: **CD014**

Hooded top - H: 850mm

Powder coated steel

Order Ref: **CD015**

Stainless steel

Order Ref: **CD016**



Butt Catcher Box

Makes emptying cigarette bins convenient and quick. H x L x W: 270 x 230 x 110mm
Hinged lid and carry handle.

Powder coated steel.

Order Ref: **CD019**



Floor Standing Combined Cigarette Bin / Litter Bin

H x D x W: 1130 x 340 x 340mm

Pyramid top

Powder coated steel

Order Ref: **CD017**

Stainless steel


Order Ref: **CD018**



Redditek

Steel Bin Cabinets

All units supplied complete and fully assembled ready for immediate use.



Bin Sizes

		Bin capacity	Shelf capacity
Widths:	148mm (6 bins across)	10kg	60kg
	222mm (4 bins across)	12.5kg	50kg
	296mm (3 bins across)	15kg	45kg
	445mm (2 bins across)	20kg	40kg
	900mm (1 bin across)	30kg	30kg
Heights:	148mm (12 bins down)	Bin sizes stated are internal dimensions after the aperture. Aperture = bin height - shelf profile.	
	220mm (8 bins down)		
	293mm (6 bins down)		
	440mm (4 bins down)		

Finish

Powder coated finish in a choice of colours:

	Grey (as standard)
	Red
	Blue
	Green


For full range of 72 models see next page.

Cabinet heights	Doors are available as an option for all units. Twin steel doors, lock and 2 keys
Full height: 1820mm	

Cabinet width	Height: 1820mm Ref: SBC6D
All cabinets: 942mm	

Depths



Cabinet:	377, 427, 532mm
Internal:	305, 355, 460mm
Shelf:	253, 304, 409mm



Shelf Profiles

Dished D		Shelf Profile Sizes: Dished 50mm Flush 25mm Lipped 50mm
Flush F		
Lipped L		

"F" Flush shelves supplied unless other specified





72 bins
Bin size W x H: 148 x 148mm

Depth mm	Order Ref
305	SBC601
355	SBC602
460	SBC603



48 bins
Bin size W x H: 222 x 148mm

Depth mm	Order Ref
305	SBC604
355	SBC605
460	SBC606



36 bins
Bin size W x H: 296 x 148mm

Depth mm	Order Ref
305	SBC607
355	SBC608
460	SBC609



24 bins
Bin size W x H: 445 x 148mm

Depth mm	Order Ref
305	SBC610
355	SBC611
460	SBC612



48 bins
Bin size w x h: 148 x 220mm

Depth mm	Order Ref
305	SBC613
355	SBC614
460	SBC615



32 bins
Bin size w x h: 222 x 220mm

Depth mm	Order Ref
305	SBC616
355	SBC617
460	SBC618



24 bins
Bin size w x h: 296 x 220mm

Depth mm	Order Ref
305	SBC619
355	SBC620
460	SBC621



16 bins
Bin size w x h: 445 x 220mm

Depth mm	Order Ref
305	SBC622
355	SBC623
460	SBC624



36 bins
Bin size w x h: 148 x 293mm

Depth mm	Order Ref
305	SBC625
355	SBC626
460	SBC627



8 bins
Bin size w x h: 445 x 440mm

Depth mm	Order Ref
305	SBC646
355	SBC647
460	SBC648



18 bins
Bin size w x h: 296 x 293mm

Depth mm	Order Ref
305	SBC631
355	SBC632
460	SBC633




12 bins
Bin size w x h: 445 x 293mm

Depth mm	Order Ref
305	SBC634
355	SBC635
460	SBC636



System 'D' Drawer Cabinets

High density small parts storage system.



Steel construction throughout
All cabinets 902mm wide.
Cabinet depths: 334 and 488mm

Available with or without lockable doors.

Drawer dividers available for further stock separation (not available for 205 x 180mm size drawers).

Steel drawers have rear retaining lip to hold drawer in unit while contents are viewed / accessed.



32 drawers (combination)
1090mm high W x H
18 drawers: 135 x 75mm
6 drawers: 280 x 75mm
8 drawers: 205 x 180mm

Depth mm	Ref: Without doors
305	DCD33
460	DCD34
Depth mm	Ref: With doors
305	DCD33D
460	DCD34D

Finish: powder coated - Drawers: grey
Cabinets in choice of: grey, red, blue, green or yellow (grey supplied if not specified).





Drawer W x H: 135 x 75mm
Drawer D: 285 or 440mm
Divider slots at 20mm centres



Drawer W x H: 280 x 75mm
Drawer D: 285 or 440mm
Divider slots at 20mm centres




Drawer W x H: 205 x 180mm
Drawer D: 285 or 440mm



30 drawers - 670mm high

Depth mm	Without doors
305	DCD00
460	DCD01




15 drawers - 670mm high

Depth mm	Without doors
305	DCD19
460	DCD20




8 drawers - 570mm high

Depth mm	Without doors
305	DCD25
460	DCD26



60 drawers - 1090mm high

Depth mm	Without doors
305	DCD06
460	DCD07
Depth mm	With doors
305	DCD06D
460	DCD07D




30 drawers - 1090mm high

Depth mm	Without doors
305	DCD21
460	DCD22
Depth mm	With doors
305	DCD21D
460	DCD22D




20 drawers - 1090mm high

Depth mm	Without doors
305	DCD27
460	DCD28
Depth mm	With doors
305	DCD27D
460	DCD28D




90 drawers - 1600mm high

Depth mm	Without doors
305	DCD09
460	DCD10
Depth mm	With doors
305	DCD09D
460	DCD10D



45 drawers - 1600mm high

Depth mm	Without doors
305	DCD23
460	DCD24
Depth mm	With doors
305	DCD23D
460	DCD24D



28 drawers - 1500mm high

Depth mm	Without doors
305	DCD29
460	DCD30
Depth mm	With doors
305	DCD29D
460	DCD30D

Packs of drawers
135mm wide x 75mm high

Steel Drawers	Depth mm	Order Ref
6 Pack	285	DCD12
6 Pack	440	DCD13
Dividers	Size mm	Order Ref
50	132 x 60	DCD15

Packs of drawers
280mm wide x 75mm high

Steel Drawers	Depth mm	Order Ref
3 Pack	285	DCD16
3 Pack	440	DCD117
Dividers	Size mm	Order Ref
50	277 x 60	DCD18

Packs of drawers
205mm wide x 180mm high

Steel Drawers	Depth mm	Order Ref
4 Pack	285	DCD31
4 Pack	440	DCD32





Made in
Britain

Deluxe Hand Sanitiser & Cleaning Station

All in one hand sanitiser station with 1 x 500ml bottle and 1 x box of gloves.

- Size: 450mm wide x 485mm deep x 1500mm high
- Standard White epoxy frame
- 500ml Bottle of hand sanitiser and box of gloves available at extra cost
- Bespoke branding available – price on application
- Complete with health and safety label

Buying more than ten?
Contact the sales team to recieve a bulk buy discount.

Description	H x W x D mm	Order Ref
Stand only	500 x 450 x 485	HYG-3

Accessories	Pack Size	Order Ref
Bottle of sanitiser	1	BOT-1
Pack of Gloves	200	GLOV-1

*please state size of glove on order , Small (S), Medium (M), Large(L)



Made in
Britain

Hand Sanitiser Dispenser Stands



Stand for 2 x 500ml Bottles of Hand Sanitiser

- Size: 400mm wide x 400mm deep x 1640mm high
- Foot pads to the underside
- Standard White epoxy with choice of colour/message as images
- 500ml Bottles of hand sanitiser available at extra cost
- Bespoke branding available – price on application

Stand for Automatic Hand Sanitiser Dispensers

- Size: 400mm wide x 400mm deep x 1640mm high
- Foot pads to the underside
- Standard White epoxy with choice of colour/message as images
- Laser cut holes to mount dispenser – cut to suit your dispenser if required
- Bespoke branding available – price on application
- Complete with automatic dispenser
- Automatic dispenser available at extra cost

Buying more than ten?
Contact the sales team to recieve a bulk buy discount.

Description	Order Ref
Bottle Sanitiser Stand	HYG-2
Auto Dispenser Stand	HYG-1

Label Colour Options	RD	GN	WH	OR
----------------------	----	----	----	----

Accessories	Pack Size	Order Ref
Bottle of sanitiser	2	BOT-2
Auto Dispenser	1	DISP-1

*auto dispenser sold without sanitiser liquid



Hand Sanitiser Dispensers



- Generic branded anti-bac hand sanitiser station
- Complete with automatic hand sanitiser dispenser unit
- Manufactured from formed sheet steel
- Powder coated white epoxy finish

Buying more than ten?
Contact the sales team to receive a bulk buy discount.

- Easy clean vinyl stickers fitted for signage/instruction purposes
- Floor stands strong sturdy base gives stability
- Helps maintain hygiene in the workplace
- Automatic dispenser sold separately

Bespoke branding version available to your corporate colours and company logo. (Pricing available upon request).

Description	H x W x D mm	Order Ref
Floor Standing Unit	1600 x 450 x 500	SAN-1
Wall Mounted Unit	700 x 360 x 200	SAN-3
Desk Mounted Unit	700 x 360 x 200	SAN-4

Label Colour Options RD GN WH OR

Auto Dispenser
Order Ref: **DISP-1**

*auto dispenser sold without sanitiser liquid





Made in
Britain

Recycling Bin - 2 Bay



- Manufactured from durable epoxy-coated galvanised steel
- Bay Dimensions - H:1050mm x W:625mm x D:535mm
- Total Weight: 35kg
- Two inner compartments, each with a generous 80 litre capacity
- Ideal for separating recyclables and general waste in working environments, exhibition centres, hospitals and schools
- Customisable with a complementary range of stickers to suit your requirements
- Available in a range of 10 body colours

Step one - choose the colour of your bay

Colour Options	BK	W	Y	O	RD	BL	GN	DGN	LGY	DGY
----------------	----	---	---	---	----	----	----	-----	-----	-----

Description	Order Ref
Recycling Bin - 2 Bay	REC-2

Step two - choose two apertures

Slot Type Description	Order Ref
Flap	REC-FLAP
Open Circle	REC-OPEN
Lid	REC-LID

Step three - choose two labels

Label Description	Order Ref
Mixed Self Adhesive Stickers	REC-MIXED
Paper Self Adhesive Stickers	REC-PAPER
Plastic Self Adhesive Stickers	REC-PLASTIC
General Self Adhesive Stickers	REC-GENERAL
Food Self Adhesive Stickers	REC-FOOD
Cans Self Adhesive Stickers	REC-ALU

Step four - add a bespoke logo (optional)

Description	Order Ref
Bespoke Logo	REC-LOGO/2



Please state your required stickers when ordering



Recycling Bin - 3 Bay



- Manufactured from durable epoxy-coated galvanised steel
- Bay Dimensions - H:1050mm x W:1040mm x D:535mm
- Total Weight: 45kg
- Three inner compartments, each with a generous 80 litre capacity
- Ideal for separating recyclables and general waste in working environments, exhibition centres, hospitals and schools
- Customisable with a complementary range of stickers to suit your requirements
- Available in a range of 10 body colours

Step one - choose the colour of your bay

Colour Options	BK	W	Y	O	RD	BL	GN	DGN	LGY	DGY
----------------	----	---	---	---	----	----	----	-----	-----	-----

Description	Order Ref
Recycling Bin - 3 Bay	REC-3

Step two - choose three apertures

Slot Type Description	Order Ref
Flap	REC-FLAP
Open Circle	REC-OPEN
Lid	REC-LID

Step three - choose three labels

Label Description	Order Ref
Mixed Self Adhesive Stickers	REC-MIXED
Paper Self Adhesive Stickers	REC-PAPER
Plastic Self Adhesive Stickers	REC-PLASTIC
General Self Adhesive Stickers	REC-GENERAL
Food Self Adhesive Stickers	REC-FOOD
Cans Self Adhesive Stickers	REC-ALU

Step four - add a bespoke logo (optional)

Description	Order Ref
Bespoke Logo	REC-LOGO/3



Please state your required stickers when ordering

Product Index

Product Page No.

Access Equipment

Platform	26
Mobile steps	6-27
Static steps	6-7

Acid Storage Cabinets 176-177

Antistatic Equipment

Workbenches	132
Accessories	143

Balance Wheel Trucks

Various	110
---------	-----

Bar and Pipe

Racking & trolleys	61-63
--------------------	-------

Barrow 100

Barriers 55-57

Basket Trolleys 114-115

Beam Trolley 62

Bin Cabinets

Steel	180-181
-------	---------

Bins

Hazardous	178
Oily rag	178
Skip bins	100
Plastic	110

Book Trolleys – Library & Office 39

Cage Construction

Trucks and trailers	43, 83, 85
---------------------	------------

Chairshifter Trucks & Trolleys 53-55, 97

Chemical Storage Cabinets 176-177

Cigarette Bins 178-179

Container Trucks 110-110

Cupboards

Bin - louvre and shelf	170
Engineering	162-163
Euro system	164-169
First aid	172
Combinations	164-165
Imperial	174
Louvre	168-170
Mesh door	173-174
Polycarbonate door	173
PPE	172
Stainless steel	175
Tool	164-171
Wall	166
Workshop	164-170

Cylinder Handling

(Cradles, racks, stands and trolleys)	72-78
---------------------------------------	-------

Product Page No.

Dollies

Container	104
Drum	67
Universal	65

Drawer Cabinets

Static	182-183
Mobile	1771

Drum Handling

(Clamps, dollies, levers, lifters, pallets, trucks, racking, stands, tines, sump systems)	62-69
---	-------

First Aid Cabinets 172

Flammable Storage Cabinets 175-177

Fork Truck Attachments 68-69

Hand Sanitiser Stations 184-185

Hazardous Storage

Acid	176-177
Bins	178
Chemical	176-177
Flammable	176-177
Pesticide	176-177

Library Equipment

Book trolleys	36
Steps	6-29

Lift Tables

Single and double scissor	131
---------------------------	-----

Lift Trucks and Stackers

Pallet trucks & stackers	118-126
--------------------------	---------

Long Load Equipment

(Bogies, platform trucks, beam trolley and trailers)	46, 60-61
--	-----------

Louvre Panels - mobile and wall 106-108

Mail Room Equipment

Mail room trolleys	114-115
--------------------	---------

Maintenance Trolleys 179

Mesh Door Cabinets 173-174

Mobile Steps 6-27

Multi-Trip Containers and Trolleys 108

Order Picking

Warehouse steps and step tray trolleys	22-31
--	-------

Pallets

Drum	69
------	----

Pallet Trucks 118-121

Pallet Stackers 123-124

Parcel Trucks 40

Pesticide Storage Cabinets 176-177

Product	Page No.
Platform Trucks	
Various	46-52
Platform trailers	86-87
Plastic Container Systems	101-111
Polycarbonate Door Cabinets	173
Racks	
Bar, pipe and plate	62-63
Drum	69-71
Tray mobile racks	101-105
Recycling Bins	186-187
Sack Trucks	88-99
Convertible	93
Sanitiser Stations	184-185
Shelf Trucks	38-43
Sheet Handling	
Trucks and racks	40, 60-61
Shifters	
Corners, dollies and skates	127-131
Skip	100
Small Parts	
Bins, racks and containers	106-113
Bin cabinets	170, 180-181
Drawer cabinets	182-183
Snow Ploughs	116-117
Stainless Steel	
Cupboards	175
Platform trucks	52
Sack trucks	90
Workbenches	156-157
Stairclimber Trucks	94-96
Stanchion Truck	40
Steps – Static and Mobile	6-27
Handlock anchorage	20-25
Straps – Load Retaining	92, 96, 98
Tables – Mobile	
Heavy duty and workshop	35-37
Scissor lift	126
Heavy duty table tray trolleys	36
Tipping Skips and Barrows	100
Tool Panels - Mobile and Wall	106-108
Tool Hooks	165
Trailers	
Hand pull turntable	80-86
Hand pull single Ackerman	86-87
In-plant towing turntable	87
In-plant towing Ackerman	87
Tray Trolleys and Trucks	32-37
Trolleys	
Cupboard	37
Stainless steel	36, 48
Workshop	37
Wall Panels - Tool and Louvre	107-108
Wall Cupboards	172
Warehouse	
Parcel trucks	40-41
Wheel	
Wheelbarrow	100
Wire Basket Trolleys	114-115
Workbenches	
Adjustable height	146-149

Product	Page No.
Accessories	158-161
Antistatic	142-143
Cantilever	140-141
Cupboard	144-145
Square tube	134-139
Easy order	136, 138, 140, 143, 145, 146, 148, 153, 155
Engineering	152-153
Extra heavy duty	150-155
Heavy duty	138-139, 152, 155
Medium duty	134-137, 140-149
Stainless steel	156-157
Workdesks	162-163
Workshop Cupboards	164-170
Workshop Equipment	
Cylinder racks and stands	72-73
Scissor lift tables	125
Skates and bogies	128-130
Store and distributor trolleys	111-115
Table trucks – heavy duty	36
Tray trolleys – heavy duty	35
Welder's trolley	76
Workstations	
Mobile and Static	162-163
Zinc Plated	
Trucks, flat base construction	52

Mobile Steps	6 - 29
Trucks & Trolleys	32 - 52
Chair Storage & Handling	53 - 55
Racking Protection & Warehouse Barriers	56 - 59
Plate & Sheet Handling & Storage	60 - 63
Drum Storage & Handling	64 - 71
Cylinder Storage & Handling	72 - 81
Trailers	82 - 87
Sack Trucks & Stairclimbers	88 - 100
Plastic Container Systems	101 - 113
Basket Trolleys, Snow Ploughs & Salt Spreaders	114 - 117
Pallet Trucks, Stackers & Scissor Lifts	118 - 125
Access Platform, Roller Platforms, Skates & Jacks	126 - 131
Workbenches & Accessories	132 - 163
Cabinets / Drawer Systems & Shelving Units	164 - 183
Hand Sanitiser Stations	184 - 185
Recycling Bins	186 - 187

Trader 2024/25

Storage Design Limited



STORAGE DESIGN LIMITED

Storage Design Limited

Primrose Hill

Cowbridge

South Wales

CF71 7DU

Tel: 01446 772614

info@storage-design.ltd.uk

www.storage-design.ltd.uk

