

TOILET & SHOWER
CUBICLES

PRODUCT CATALOGUE

LOCKER
SYSTEMS

BENCH
SEATING

MODESTY
PANELS

INTEGRATED
PANELLING SYSTEMS

WASHROOM
ACCESSORIES

COMPACT
LAMINATE



LEADERS IN WASHROOM SOLUTIONS

www.aqualoo.com.au



WCCI - WEST COAST
COMMERCIAL INDUSTRIES

WHO WE ARE

AQUALOO

MAICA
COMPACT LAMINATE

FUNDERMAX
COMPACT LAMINATE

CUT TO SIZE

AUSTRALIA WIDE
SUPPLY & INSTALL

LEADERS IN
WASHROOM SOLUTIONS

WHO WE ARE

Aqualoo was introduced by WCCI - West Coast Commercial Industries to provide the market with a comprehensive washroom solution.

A family-owned company since 2000, WCCI commenced operation in Rockingham WA and now has distributors in SA, NSW, Vic and Qld.

Distributor of high quality Maica and Fundermax compact laminates since 2019.

All products are tailored to meet your specifications and manufactured using state of the art technology to deliver prompt turnaround times that will assist with your build program.

Vision

Striving to service our customer with the utmost respect, integrity, and to their complete satisfaction. Providing quality products delivered in full on-time.

Mission

Continuous improvement and growth in our operations and culture; while maintaining profitability to the benefit of our customers, the community, our employees and their families.

Purpose

Consistently manufacture high-quality products.

Values

Ethical, Truthful, Humble, Reliable, Loyal.

“Commercial designs with enduring appeal and options for bespoke customisation.”



WHAT WE DO

Toilet / Shower Cubicles

Designs with enduring appeal that really work, with options in a wide range of compact laminate or MR Board colours.

Lockers / Bench Seating

Lockers with superior quality and workmanship, in single, double, triple or Z shaped doors. Variety of locking options and serviceable seating arrangements.

Modesty Panels

For privacy in public and commercial bathrooms, our modesty panels come in a range of shapes, sizes and colours.

Integrated Panel Systems

Flexible wall paneling systems that solve your access and aesthetic problems. Suitable for retail, hospitality, office, medical, multi-residential, education and community projects.





Pedestal Mounted / Overhead Braced
Perfect for high traffic environments.

TOILET & SHOWER
CUBICLES

**PEDESTAL MOUNTED
OVERHEAD BRACED**

13MM
COMPACT LAMINATE

18MM / 32MM
MR BOARD


AQUA SERIES
DOOR HARDWARE

REBATED DOOR
OPTION AVAILABLE

BOLT THROUGH
DOOR HARDWARE
OPTION AVAILABLE

POWDER COATING
OPTION AVAILABLE

AQUALOO CONTEMPORARY



>> STANDARD SPECIFICATIONS

- Overall Height
- Overall Depth
- Frontal Panels - with 205mm floor clearance, width: min. 150mm
- Overall Divisional Panels Height - with 205mm floor clearance
- Overall Door Height - with 205mm floor clearance
- Standard Door Width
- Ambulant Doors Opening - require min. clearance as per AS1428.1

Overall Height	2027mm
Overall Depth	1500mm - 1800mm
Frontal Panels - with 205mm floor clearance, width: min. 150mm	2027mm
Overall Divisional Panels Height - with 205mm floor clearance	1905mm
Overall Door Height - with 205mm floor clearance	1905mm
Standard Door Width	600mm
Ambulant Doors Opening - require min. clearance as per AS1428.1	700mm




Female Ambient Toilet

“

Floor Mounted / Overhead Braced
Perfect for high traffic environments.

TOILET & SHOWER
CUBICLES

**FLOOR MOUNTED
OVERHEAD BRACED**

13MM
COMPACT LAMINATE

PINNED DIRECTLY
TO FLOOR



AQUA SERIES
DOOR HARDWARE

REBATED DOOR
OPTION AVAILABLE

BOLT THROUGH
DOOR HARDWARE
OPTION AVAILABLE

POWDER COATING
OPTION AVAILABLE

AQUALOO REGENT



>> STANDARD SPECIFICATIONS

- Overall Height
- Overall Depth
- Frontal Panels - with 205mm floor clearance, width: min. 150mm
- Overall Divisional Panels Height - with 205mm floor clearance
- Overall Door Height - with 205mm floor clearance
- Standard Door Width
- Ambulant Doors Opening - require min. clearance as per AS1428.1

Overall Height	2027mm
Overall Depth	1500mm - 1800mm
Frontal Panels - with 205mm floor clearance, width: min. 150mm	2027mm
Overall Divisional Panels Height - with 205mm floor clearance	1905mm
Overall Door Height - with 205mm floor clearance	1905mm
Standard Door Width	600mm
Ambulant Doors Opening - require min. clearance as per AS1428.1	700mm



Skirt Mounted / Overhead Braced
Perfect for high traffic environments.

TOILET & SHOWER
CUBICLES

**SKIRT MOUNTED
OVERHEAD BRACED**

13MM
COMPACT LAMINATE

18MM / 32MM
MR BOARD



AQUA SERIES
DOOR HARDWARE

REBATED DOOR
OPTION AVAILABLE

BOLT THROUGH
DOOR HARDWARE
OPTION AVAILABLE

POWDER COATING
OPTION AVAILABLE

AQUALOO PINNACLE



>> STANDARD SPECIFICATIONS

- Overall Height
- Overall Depth
- Frontal Panels - with 205mm floor clearance, width: min. 150mm
- Overall Divisional Panels Height - with 205mm floor clearance
- Overall Door Height - with 205mm floor clearance
- Standard Door Width
- Ambulant Doors Opening - require min. clearance as per AS1428.1

Overall Height	2027mm
Overall Depth	1500mm - 1800mm
Frontal Panels - with 205mm floor clearance, width: min. 150mm	2027mm
Overall Divisional Panels Height - with 205mm floor clearance	1905mm
Overall Door Height - with 205mm floor clearance	1905mm
Standard Door Width	600mm
Ambulant Doors Opening - require min. clearance as per AS1428.1	700mm



Ambulant
Female Shower

“

Floor to Ceiling
Slimline design.

TOILET & SHOWER
CUBICLES

FLOOR TO CEILING

13MM
COMPACT LAMINATE

PINNED DIRECTLY
TO FLOOR



AQUA SERIES
DOOR HARDWARE

REBATED DOOR
OPTION AVAILABLE

BOLT THROUGH
DOOR HARDWARE
OPTION AVAILABLE

POWDER COATING
OPTION AVAILABLE

AQUALOO WINDSOR



>> STANDARD SPECIFICATIONS

- Overall Height - max. 2700mm
- Overall Depth
- Frontal Panels - width: min. 150mm
- Overall Divisional Panels Height - with 205mm floor clearance
- Overall Door Height - with 205mm floor clearance
- Standard Door Width
- Ambulant Doors Opening - require min. clearance as per AS1428.1

To Match Ceiling Height

1500mm - 1800mm

To Match Ceiling Height

1905mm

1905mm

600mm

700mm



Unisex
Ambulant Toilet



**PRIVACY
REBATE DETAIL**



Rebated Doors / Full Height / Floor to Ceiling
For maximum privacy, minimal clearances,
ideal for unisex toilets and changing rooms.

TOILET & SHOWER
CUBICLES

FULL HEIGHT
FLOOR TO CEILING

REBATED DOORS
INCLUDED

13MM
COMPACT LAMINATE



PINNED DIRECTLY
TO FLOOR

AQUA SERIES
DOOR HARDWARE

BOLT THROUGH
DOOR HARDWARE
OPTION AVAILABLE

POWDER COATING
OPTION AVAILABLE

AQUALOO BERSA



>> STANDARD SPECIFICATIONS

- Overall Height - max. 2700mm
- Overall Depth
- Frontal Panels - width: min. 150mm / height: max. 2700mm
- Overall Divisional Panels Height - max. 2700mm, panel join required
- Overall Door Height - min. 10mm floor clearance / 80mm clearance from ceiling
- Standard Door Width
- Ambulant Doors Opening - require min. clearance as per AS1428.1

To Match Ceiling Height

1500mm - 1800mm

To Match Ceiling Height

To Match Ceiling Height

2610mm

600mm

700mm



“

Pedestal Mounted / Set Back Overhead Braced
Simple design with a touch of elegance,
recommended for medium to low environments.

TOILET & SHOWER
CUBICLES

**PEDESTAL MOUNTED
SET BACK
OVERHEAD BRACED**

13MM
COMPACT LAMINATE

18MM / 32MM
MR BOARD



AQUA SERIES
DOOR HARDWARE

REBATED DOOR
OPTION AVAILABLE

BOLT THROUGH
DOOR HARDWARE
OPTION AVAILABLE

POWDER COATING
OPTION AVAILABLE

AQUALOO ELEGANTE



>> STANDARD SPECIFICATIONS

- Overall Height
- Overall Depth
- Frontal Panels - with 90mm floor clearance width: min. 200mm / max. 450mm
- Overall Divisional Panels Height - with 90mm floor clearance
- Overall Door Height - with 90mm floor clearance
- Standard Door Width
- Ambulant Doors Opening - require min. clearance as per AS1428.1

Overall Height	2100mm
Overall Depth	1500mm - 1800mm
Frontal Panels - with 90mm floor clearance width: min. 200mm / max. 450mm	2100mm
Overall Divisional Panels Height - with 90mm floor clearance	2100mm
Overall Door Height - with 90mm floor clearance	2100mm
Standard Door Width	600mm
Ambulant Doors Opening - require min. clearance as per AS1428.1	700mm



“

**Set Back Overhead Braced & Pedestal Mounted
Clean lines with the appearances of a streamline,
floating cubicle system.**

TOILET & SHOWER
CUBICLES

**SET BACK
OVERHEAD BRACED
PEDESTAL MOUNTED**

13MM
COMPACT LAMINATE

18MM
MR BOARD



AQUA SERIES
DOOR HARDWARE

REBATED DOOR
OPTION AVAILABLE

BOLT THROUGH
DOOR HARDWARE
OPTION AVAILABLE

POWDER COATING
OPTION AVAILABLE

AQUALOO LATITUDE



>> STANDARD SPECIFICATIONS

- Overall Height
- Overall Depth
- Frontal Panels - with 90mm floor clearance width: min. 200mm / max. 450mm
- Overall Divisional Panels Height - with 90mm floor clearance
- Overall Door Height - with 90mm floor clearance
- Standard Door Width
- Ambulant Doors Opening - require min. clearance as per AS1428.1

Overall Height	2100mm
Overall Depth	1500mm - 1800mm
Frontal Panels - with 90mm floor clearance width: min. 200mm / max. 450mm	2100mm
Overall Divisional Panels Height - with 90mm floor clearance	2100mm
Overall Door Height - with 90mm floor clearance	2100mm
Standard Door Width	600mm
Ambulant Doors Opening - require min. clearance as per AS1428.1	700mm



“ Set Back Pedestal Mounted / Overhead Braced
Easy to clean and maintain, another option of a floating system.

TOILET & SHOWER
CUBICLES

**SET BACK
PEDESTAL MOUNTED
OVERHEAD BRACED**

13MM
COMPACT LAMINATE

18MM / 32MM
MR BOARD



AQUA SERIES
DOOR HARDWARE

REBATED DOOR
OPTION AVAILABLE

BOLT THROUGH
DOOR HARDWARE
OPTION AVAILABLE

POWDER COATING
OPTION AVAILABLE

AQUALOO CAPITAL



>> STANDARD SPECIFICATIONS

- Overall Height - max. 2700mm
- Overall Depth
- Frontal Panels - with 90mm floor clearance width: min. 200mm / max. 450mm

Note: If pinned directly to the ceiling, backing will be required

- Overall Divisional Panels Height - with 90mm floor clearance
- Overall Door Height - with 90mm floor clearance
- Standard Door Width
- Ambulant Doors Opening - require min. clearance as per AS1428.1

To Match Ceiling Height

1500mm - 1800mm

To Match Ceiling Height

1890mm

1890mm

600mm

700mm



“

**Floor Mounted
Low traffic environments.**

TOILET & SHOWER
CUBICLES

FLOOR MOUNTED

13MM
COMPACT LAMINATE

PINNED DIRECTLY
TO FLOOR


AQUA SERIES
DOOR HARDWARE

REBATED DOOR
OPTION AVAILABLE

BOLT THROUGH
DOOR HARDWARE
OPTION AVAILABLE

POWDER COATING
OPTION AVAILABLE

AQUALOO PROVANCE



>> STANDARD SPECIFICATIONS

• Overall Height - maximum	1905mm
• Overall Depth	1500mm - 1800mm
• Frontal Panels - width: min. 250mm / max. 450mm	1905mm
Note: Floor must be a min. of 100mm thick solid structural concrete	100mm
• Overall Divisional Panels Height - with 205mm floor clearance	1905mm
• Overall Door Height - with 205mm floor clearance	1905mm
• Standard Door Width	600mm
• Ambulant Doors Opening - require min. clearance as per AS1428.1	700mm



“

Skirt Mounted
Low traffic environments.

TOILET & SHOWER
CUBICLES

SKIRT MOUNTED

13MM
COMPACT LAMINATE

18MM / 32MM
MR BOARD


AQUA SERIES
DOOR HARDWARE

REBATED DOOR
OPTION AVAILABLE

BOLT THROUGH
DOOR HARDWARE
OPTION AVAILABLE

POWDER COATING
OPTION AVAILABLE

AQUALOO LIBERTY



>> STANDARD SPECIFICATIONS

• Overall Height - maximum	1905mm
• Overall Depth	1500mm - 1800mm
• Frontal Panels - width: min. 200mm / max. 450mm	1905mm
Note: Floor must be a min. of 100mm thick solid structural concrete	100mm
• Overall Divisional Panels Height - with 205mm floor clearance	1905mm
• Overall Door Height - with 205mm floor clearance	1905mm
• Standard Door Width	600mm
• Ambulant Doors Opening - require min. clearance as per AS1428.1	700mm



“

Skirt Mounted
Low traffic environments.

TOILET & SHOWER
CUBICLES

SKIRT MOUNTED

13MM
COMPACT LAMINATE

18MM / 32MM
MR BOARD


AQUA SERIES
DOOR HARDWARE

REBATED DOOR
OPTION AVAILABLE

BOLT THROUGH
DOOR HARDWARE
OPTION AVAILABLE

POWDER COATING
OPTION AVAILABLE

AQUALOO KINDY



>> STANDARD SPECIFICATIONS

• Overall Height	1000mm - 1500mm
• Overall Depth	1500mm - 1800mm
• Frontal Panels - width: min. 150mm / max. 450mm	1000mm - 1500mm
• Overall Divisional Panels Height - with 205mm floor clearance	750mm - 1295mm
• Overall Door Height - with 205mm floor clearance	750mm - 1295mm
• Standard Door Width	600mm
• Ambulant Doors Opening - require min. clearance as per AS1428.1	700mm

“

Using simple shapes and routing, customised kindy cubicles and modesty panels create fun environments for schools, early learning centres and childcares.



SKIRT MOUNTED



SHAPED DOORS



DIVISION PANELS



PINNED TO THE FLOOR



ROUTED PANELS



CUSTOM PANELS





**Compact laminate seating suitable for changerooms.
Available in wall mounted or island bench.**

CHANGE AREAS

**WALL & ISLAND
BENCH SEATING**

13MM
COMPACT LAMINATE

3MM V-GROOVE
ROUTED SEATING

ANODISED
ALUMINIUM FRAME


ANGLED BRACKET
OPTIONS AVAILABLE

HOOK
OPTIONS AVAILABLE

POWDER COATING
OPTION AVAILABLE

AQUALOO

ISLAND BENCH SEATING



>> STANDARD SPECIFICATIONS

• Overall Height	1800mm
• Overall Depth	770mm
• Overall Width	700mm / 1400mm / 2100mm
• Seat Height - can be adjusted for uneven floors	min. 465mm
• Back Rest Height - 200mm above seat height	300mm
• Coat Hook - spaced at 500mm centers	100mm
• Bench Seat Frame - anodised aluminium frame with stainless steel fixings	



“

**Compact laminate seating suitable for changerooms.
Available in wall mounted or island bench.**

CHANGE AREAS

**WALL & ISLAND
BENCH SEATING**

13MM
COMPACT LAMINATE

3MM V-GROOVE
ROUTED SEATING

ANODISED
ALUMINIUM FRAME


ANGLED BRACKET
OPTIONS AVAILABLE

HOOK
OPTIONS AVAILABLE

POWDER COATING
OPTION AVAILABLE

AQUALOO

WALL BENCH SEATING



>> STANDARD SPECIFICATIONS

• Overall Height	1800mm
• Overall Depth	420mm
• Overall Width	700mm / 1400mm / 2100mm
• Seat Height - can be adjusted for uneven floors	min. 465mm
• Coat Hook - spaced at 500mm centers	100mm
• Bench Seat Frame - anodised aluminium frame with stainless steel fixings	



“

Various standard / combination designs
and locking options to meet maximum flexibility
integrating seamlessly with Aqualoo Cubicle Systems.

FOR WET OR DRY
APPLICATIONS

STANDARD LOCKERS

13MM
COMPACT LAMINATE

18MM
MR BOARD

16MM CARCASS
MELAMINE / PVC


STANDARD WHITE OR
BLACK CARCASS

VARIOUS LOCKING
OPTIONS AVAILABLE

VENTILATED DOORS
OPTION AVAILABLE

AQUALOO

STANDARD LOCKERS



>> STANDARD SPECIFICATIONS

- Overall Height - with 110mm plinth
- Locker Height
- Overall Depth
- Overall Width
- Locker Doors - Compact Laminate or MR Board
- Locker Carcass - MR Melamine or PVC Rigid Board
- Internal of Locker - comes with shelf and hanging rail, pending on design

1910mm

1800mm

500mm

300mm or 400mm

13mm or 18mm

16mm



“

Various standard / combination designs
and locking options to meet maximum flexibility
integrating seamlessly with Aqualoo Cubicle Systems.

FOR WET OR DRY
APPLICATIONS

COMBINATION LOCKERS

13MM
COMPACT LAMINATE

18MM
MR BOARD


16MM CARCASS
MELAMINE / PVC

STANDARD WHITE OR
BLACK CARCASS

VARIOUS LOCKING
OPTIONS AVAILABLE

VENTILATED DOORS
OPTION AVAILABLE

AQUALOO COMBO LOCKERS



>> STANDARD SPECIFICATIONS

• Overall Height	1910mm
• Overall Depth	500mm
• Overall Width	300mm or 400mm
• Seat Height - can be adjusted for uneven floors	465mm



“
Aesthetically appealing wall panel systems with flexible and easy access.

COMPATIBLE WITH
AQUALOO CUBICLES

CONCEALED WALL PANELLING SYSTEMS

13MM
COMPACT LAMINATE

MR BOARD OR OTHER
APPROVED MATERIALS

SINGLE WALL IPS

CONTINUOUS WALL IPS


HALF HEIGHT IPS

IPS BEADHEADS

AQUALOO

IPS

(Integrated Panelling Systems)



Fixed and removal panels, for easy access to concealed services. Better use of floor space, no service ducts needed, easy to clean and maintain. Suitable for wet and dry environments in hospitality, medical, education, multi-residential, office, retail and community.

AQUALOO MODESTY



ROYAL 900 / 1200

Board Options:

13mm Compact Laminate
or 18mm MR Board

Overall Height:

1600mm with either 400mm
or 700mm floor clearance

Overall Width: Up to 400mm

Panel Height: 900mm or 1200mm

Fittings:

Clear anodised aluminum channel
Powder coating option available

Fixings:

All in 304 stainless steel.



CONTEMPORARY

Board Options:

13mm Compact Laminate,
18mm or 32mm MR Board

Overall Height:

2005mm
with 205mm floor clearance

Overall Width: Up to 500mm

Panel Height: 1800mm

Fittings:

Clear anodised aluminum channel
Powder coating option available

Fixings:

All in 304 stainless steel.



HORIZON

Board Options:

13mm Compact Laminate,
18mm or 32mm MR Board

Overall Height:

2005mm
with 205mm floor clearance

Overall Width: Up to 1600mm

Panel Height: 1800mm

Fittings:

Clear anodised aluminum channel
Powder coating option available

Fixings:

All in 304 stainless steel

Ceiling Support:

Structural rail fixed to floor
and ceiling at front of panel.

AQUA SERIES

DOOR HARDWARE



INDICATOR



LOCKSET



AMBULANT
LOCKSET



LIFT OFF SPRING
HINGE



DOOR
BUMPER



COAT HOOK



INDICATOR



LOCKSET



AMBULANT
LOCKSET



LIFT OFF SPRING
HINGE



DOOR
BUMPER



COAT HOOK

 **WCCI**
WEST COAST COMMERCIAL INDUSTRIES

**COLOUR
RANGE**

 **Aqualoo**[®]

LEADERS IN WASHROOM SOLUTIONS

www.aqualoo.com.au

WEST COAST COMMERCIAL INDUSTRIES - WCCI PTY LTD

33 Morgan St Rockingham WA 6168 | 1300 735 977 | sales@wcci.com.au

We design, manufacture, supply and distribute across Australia with our main warehouse in WA.
Visit our website for distributors' contact details: www.aqualoo.com.au/our-distributors