



STORMBUILDINGPRODUCTS.COM

Four horizontal bars in green, red, yellow, and blue are stacked vertically on the left side of the page.

PRODUCT SELECTOR

ISSUE 14



**POLYCARBONATE
ROOFING**

PAGE 04



**CORRUGATED
SHEETING**

PAGE 38



**WALL & CEILING
CLADDING**

PAGE 50



**OUTDOOR
LIVING**

PAGE 66



Welcome to the STORM product selector

Downloadable product resources

You'll find specification and installation guides for practically every product on our website, stormbuildingproducts.com and if there's anything you can't find, contact STORM or speak to your local stockist.

All the technical support you could ever need

We know how important it is to get the answers you need; whether it's installation questions, technical product information or product cleaning and durability. Contact STORM today or speak to your local stockist to find out the right answers to your questions.

To place your order or for more information, speak to your local stockist today. Explore the full product range online at stormbuildingproducts.com




Contents

PAGE 4



**POLYCARBONATE
ROOFING**



PAGE 38




**CORRUGATED
SHEETING**



PAGE 50



**WALL AND CEILING
CLADDING**



PAGE 66



**OUTDOOR
LIVING**





SECTION 01



POLYCARBONATE ROOFING SOLUTIONS

Twinwall Polycarbonate Sheeting	6
Multiwall Polycarbonate Sheeting	8
PolyLoc Roofing System	12
Solid Polycarbonate	13
Self-Supporting Glazing System	14
Rafter Supported System	20
Capex 50	27
Capex 70	29
Capex Components	32
STORMPORT	36
Canopies	37

TWINWALL POLYCARBONATE SHEETING



STORM POLYCARBONATE

STORM polycarbonate is high-quality, durable and available in multiple thicknesses and colours. There are over 600 stock sheet sizes to choose from. Sheeting can also be cut to your specific requirements.

- All co-extruded with UV protection layer
- Outstanding strength-to-weight ratio
- Energy saving
- Lightweight and easy to handle

4 mm Clear Twinwall for Greenhouse Glazing

Code	Width	Available Lengths	
PC4-C	610	1220	2440
	1220	1220	2440


4 mm Clear Twinwall

Code	Width	Available Lengths					
PC4-C	700	2000	2500	3000	3500	4000	6000
	1050	2000	2500	3000	3500	4000	6000
	1400	2000	2500	3000	3500	4000	6000
	2100	2000	2500	3000	3500	4000	6000

6 mm Clear Twinwall


Code	Width	Available Lengths						
PC6-C	700	2000	2500	3000	3500	4000	5000	7000
	1050	2000	2500	3000	3500	4000	5000	7000
	1400	2000	2500	3000	3500	4000	5000	7000
	2100	2000	2500	3000	3500	4000	5000	7000

TWINWALL POLYCARBONATE SHEETING



10 mm Clear Twinwall

Code	Width	Available Lengths								
PC10-C	700	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1050	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1250	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1400	2000	2500	3000	3500	4000	4500	5000	6000	7000
	2100	2000	2500	3000	3500	4000	4500	5000	6000	7000



10 mm Bronze or Opal Twinwall

Code	Width	Available Lengths								
PC10-B / PC10-O	700	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1050	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1400	2000	2500	3000	3500	4000	4500	5000	6000	7000
	2100	2000	2500	3000	3500	4000	4500	5000	6000	7000

For more information or to place your order, **contact your local stockist** today

MULTIWALL POLYCARBONATE SHEETING



16 mm Clear Multiwall

Code	Width	Available Lengths								
PC16-C	700	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1050	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1250	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1400	2000	2500	3000	3500	4000	4500	5000	6000	7000
	2100	2000	2500	3000	3500	4000	4500	5000	6000	7000



16 mm Bronze or Opal Multiwall

Code	Width	Available Lengths								
PC16-B / PC16-O	700	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1050	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1400	2000	2500	3000	3500	4000	4500	5000	6000	7000
	2100	2000	2500	3000	3500	4000	4500	5000	6000	7000

MULTIWALL POLYCARBONATE SHEETING



25 mm Clear Multiwall

Code	Width	Available Lengths								
PC25-C	700	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1050	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1400	2000	2500	3000	3500	4000	4500	5000	6000	7000
	2100	2000	2500	3000	3500	4000	4500	5000	6000	7000



25 mm Bronze or Opal Multiwall

Code	Width	Available Lengths								
PC25-B/ PC25-O	700	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1050	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1400	2000	2500	3000	3500	4000	4500	5000	6000	7000
	2100	2000	2500	3000	3500	4000	4500	5000	6000	7000

For more information or to place your order, **contact your local stockist** today

MULTIWALL POLYCARBONATE SHEETING



25 mm Solarguard or Bronze/Opal Multiwall

Code	Width	Available Lengths								
PC25-SG / PC25-BO	700	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1050	2000	2500	3000	3500	4000	4500	5000	6000	7000
	1400	2000	2500	3000	3500	4000	4500	5000	6000	7000
	2100	2000	2500	3000	3500	4000	4500	5000	6000	7000



35 mm Clear Multiwall


Code	Width	Available Lengths								
PC35-C	700	2000	2500	3000	3500	4000	4500	5000	7000	
	1050	2000	2500	3000	3500	4000	4500	5000	7000	
	1400	2000	2500	3000	3500	4000	4500	5000	7000	
	2100	2000	2500	3000	3500	4000	4500	5000	7000	

MULTIWALL POLYCARBONATE SHEETING



35 mm Bronze or Opal Multiwall

Code	Width	Available Lengths							
		2000	2500	3000	3500	4000	4500	5000	7000
PC35-B/ PC35-O	700	2000	2500	3000	3500	4000	4500	5000	7000
	1050	2000	2500	3000	3500	4000	4500	5000	7000
	1400	2000	2500	3000	3500	4000	4500	5000	7000
	2100	2000	2500	3000	3500	4000	4500	5000	7000



35 mm Solarguard or Bronze/Opal Multiwall

Code	Width	Available Lengths							
		2000	2500	3000	3500	4000	4500	5000	7000
PC35-SG/ PC35-BO	700	2000	2500	3000	3500	4000	4500	5000	7000
	1050	2000	2500	3000	3500	4000	4500	5000	7000
	1400	2000	2500	3000	3500	4000	4500	5000	7000
	2100	2000	2500	3000	3500	4000	4500	5000	7000


For more information or to place your order, **contact your local stockist** today

POLYLOC ROOFING SYSTEM

**POLYLOC**

PolyLoc is an easy-to-fit roofing panel that clicks together to create an instant roof. PolyLoc panels are the perfect DIY roofing solution, and installation only requires standard tools. Panels can just be cut to the required length, screwed into place, clicked together and finished with sheet closure.

- **Perfect for DIY**
- **Manufactured from impact-resistant and long-lasting polycarbonate**
- **Added UV protection**
- **Available in 2 colours: Opal and Clear**
- **Panels are 500 mm wide and available in 2 m, 3 m, or 4 m lengths**



SOLID POLYCARBONATE



SOLID POLYCARBONATE


STORM solid polycarbonate is a reliable range of flat, extruded polycarbonate sheets with the transparency of glass and the strength of steel.

- Can be cold bent, fabricated and formed
- UV protection on both sides
- Cut-to-size service also available
- Virtually unbreakable



Thickness (mm)	Size		Size		
2	1220 x 1220	1220 x 2440	1525 x 2050	2050 x 3050	-
3	1220 x 1220	1220 x 2440	1525 x 2050	2050 x 3050	-
4	1220 x 1220	1220 x 2440	1525 x 2050	2050 x 3050	2050 x 6100
5	1220 x 1220	1220 x 2440	1525 x 2050	2050 x 3050	-
6	1220 x 1220	1220 x 2440	1525 x 2050	2050 x 3050	2050 x 6100
8	-	-	1525 x 2050	2050 x 3050	-
10	-	-	1525 x 2050	2050 x 3050	-
12	-	-	1525 x 2050	2050 x 3050	-

SELF-SUPPORTING GLAZING SYSTEM



Wallplates

Code	Size (m)	Colour
WP3-W	3	White
WP4-W	4	White
WP6-W	6	White
WP3-B	3	Brown
WP4-B	4	Brown
WP6-B	6	Brown



Eavesbeam

Code	Size (m)	Colour
EA3-W	3	White
EA4-W	4	White
EA6-W	6	White
EA3-B	3	Brown
EA4-B	4	Brown
EA6-B	6	Brown



Wallplate Joiner

Code	Colour
WPJ	Mill



Eavesbeam Joiner

Code	Colour
EAJ	Mill

SELF-SUPPORTING GLAZING SYSTEM



Economy Glazing Bar

(Complete with One End Cap)

Code	Size (m)	Colour
ECO20-W	2	White
ECO25-W	2.5	White
ECO30-W	3	White



Economy End Cap

Code	Colour
ECEC-W	White



Heavy-Duty Glazing Bar

(Complete with One End Cap)

Code	Size (m)	Colour
HD30-W	3	White
HD35-W	3.5	White
HD40-W	4	White
HD60-W	6	White
HD30-B	3	Brown
HD35-B	3.5	Brown
HD40-B	4	Brown
HD60-B	6	Brown



For technical support, please contact the team at **STORM**

SELF-SUPPORTING GLAZING SYSTEM




For downloadable product resources, including product datasheets, visit stormbuildingproducts.com



Heavy-Duty End Cap

Code	Colour
HDEC-W	White
HDEC-B	Brown



Glass Lock

Code	Colour
GLASSLOCK	Mill



Edge Bar

(Complete with One End Cap)

Code	Size (m)	Colour
ED20-W	2	White
ED25-W	2.5	White
ED30-W	3	White
ED35-W	3.5	White
ED40-W	4	White
ED60-W	6	White
ED20-B	2	Brown
ED25-B	2.5	Brown
ED30-B	3	Brown
ED35-B	3.5	Brown
ED40-B	4	Brown
ED60-B	6	Brown

SELF-SUPPORTING GLAZING SYSTEM



End Bar Adaptor

Code	Size (m)	Colour
EBA20-W	2	White
EBA25-W	2.5	White
EBA30-W	3	White
EBA35-W	3.5	White
EBA40-W	4	White
EBA60-W	6	White
EBA20-B	2	Brown
EBA25-B	2.5	Brown
EBA30-B	3	Brown
EBA35-B	3.5	Brown
EBA40-B	4	Brown
EBA60-B	6	Brown



Gutter Packs

Code	Size (m)	Colour
GUT4-W	4	White
GUT8-W	8	White
GUT4-B	4	Brown
GUT8-B	8	Brown



Gutter Brackets

Code	Colour
GB-W	White
GB-B	Brown

SELF-SUPPORTING GLAZING SYSTEM



Fixing Pack - Screws

Code	Description
FIX	Contains 30 Self-Drilling Screws




Fixing Pack - Screws & Adaptor

Code	Description
FIXA	Contains 30 Self-Drilling Screws & Adaptor



Carport Legs (Includes Brackets)

Code	Size (m)	Colour
CPLSET-2.4WH	2.4	White
CPLSET-3.4WH	3.4	White
CPLSET-2.4GR	2.4	Anthracite Grey
CPLSET-3.4GR	3.4	Anthracite Grey



Lead Flashing Tray


Code	Size (m)
LFT2	2
LFT4	4



Leading the industry with superior quality products

STORM is on a mission to provide unparalleled access to building product solutions across the UK. From polycarbonate roofing to outdoor living products, there is a STORM solution to best suit your project requirements.

All STORM products are vetted by our team of experts before being added to our product ranges to ensure they provide the superior quality you need for your projects.



We're ready to meet your requirements. **Speak to your local stockist or contact STORM**

RAFTER SUPPORTED SYSTEM



RAFTER SUPPORTED SYSTEM

Ideal for timber-supported roofs, including conservatories and gazebos.

- Made to suit 10, 16 and 25 mm glazing
- Available in three colours



Rafter-Supported Snap
Down Glazing Bar (10-25 mm)

Code	Size (m)	Colour
RB20-W	2	White (RAL 9010)
RB25-W	2.5	White (RAL 9010)
RB30-W	3	White (RAL 9010)
RB40-W	4	White (RAL 9010)
RB50-W	5	White (RAL 9010)
RB60-W	6	White (RAL 9010)
RB20-G	2	Grey (RAL 7016)
RB30-G	3	Grey (RAL 7016)
RB40-G	4	Grey (RAL 7016)
RB50-G	5	Grey (RAL 7016)
RB60-G	6	Grey (RAL 7016)
RB20-B	2	Brown (RAL 8040)
RB25-B	2.5	Brown (RAL 8040)
RB30-B	3	Brown (RAL 8040)
RB40-B	4	Brown (RAL 8040)
RB50-B	5	Brown (RAL 8040)
RB60-B	6	Brown (RAL 8040)



Rafter Bar Edge Trim

Code	Size (m)	Colour
ET20-W	2	White (RAL 9010)
ET25-W	2.5	White (RAL 9010)
ET30-W	3	White (RAL 9010)
ET40-W	4	White (RAL 9010)
ET50-W	5	White (RAL 9010)
ET60-W	6	White (RAL 9010)
ET20-G	2	Grey (RAL 7016)
ET30-G	3	Grey (RAL 7016)
ET40-G	4	Grey (RAL 7016)
ET50-G	5	Grey (RAL 7016)
ET60-G	6	Grey (RAL 7016)
ET20-B	2	Brown (RAL 8040)
ET25-B	2.5	Brown (RAL 8040)
ET30-B	3	Brown (RAL 8040)
ET40-B	4	Brown (RAL 8040)
ET50-B	5	Brown (RAL 8040)
ET60-B	6	Brown (RAL 8040)

RAFTER SUPPORTED SYSTEM




Rafter Bar End Cap

Code	Colour
RBEC-W	White (RAL 9010)
RBEC-G	Grey (RAL 7016)
RBEC-B	Brown (RAL 8040)



Rafter Bar Bridging

Code	Colour
RB-BDG-W	White (RAL 9010)
RB-BDG-G	Grey (RAL 7016)
RB-BDG-B	Brown (RAL 8040)



10 mm PVC F Section


Code	Size (m)	Colour
PVCF102-W	2	White (RAL 9010)
PVCF103-W	3	White (RAL 9010)
PVCF104-W	4	White (RAL 9010)
PVCF105-W	5	White (RAL 9010)
PVCF106-W	6	White (RAL 9010)
PVCF102-G	2	Grey (RAL 7016)
PVCF103-G	3	Grey (RAL 7016)
PVCF104-G	4	Grey (RAL 7016)
PVCF105-G	5	Grey (RAL 7016)
PVCF106-G	6	Grey (RAL 7016)
PVCF102-B	2	Brown (RAL 8040)
PVCF103-B	3	Brown (RAL 8040)
PVCF104-B	4	Brown (RAL 8040)
PVCF105-B	5	Brown (RAL 8040)
PVCF106-B	6	Brown (RAL 8040)

RAFTER SUPPORTED SYSTEM



16 mm PVC F Section

Code	Size (m)	Colour
PVCF162-W	2	White (RAL 9010)
PVCF163-W	3	White (RAL 9010)
PVCF164-W	4	White (RAL 9010)
PVCF165-W	5	White (RAL 9010)
PVCF166-W	6	White (RAL 9010)
PVCF162-G	2	Grey (RAL 7016)
PVCF163-G	3	Grey (RAL 7016)
PVCF164-G	4	Grey (RAL 7016)
PVCF165-G	5	Grey (RAL 7016)
PVCF166-G	6	Grey (RAL 7016)
PVCF162-B	2	Brown (RAL 8040)
PVCF163-B	3	Brown (RAL 8040)
PVCF164-B	4	Brown (RAL 8040)
PVCF165-B	5	Brown (RAL 8040)
PVCF166-B	6	Brown (RAL 8040)



25 mm PVC F Section

Code	Size (m)	Colour
PVCF252-W	2	White (RAL 9010)
PVCF253-W	3	White (RAL 9010)
PVCF254-W	4	White (RAL 9010)
PVCF255-W	5	White (RAL 9010)
PVCF256-W	6	White (RAL 9010)
PVCF252-G	2	Grey (RAL 7016)
PVCF253-G	3	Grey (RAL 7016)
PVCF254-G	4	Grey (RAL 7016)
PVCF255-G	5	Grey (RAL 7016)
PVCF256-G	6	Grey (RAL 7016)
PVCF252-B	2	Brown (RAL 8040)
PVCF253-B	3	Brown (RAL 8040)
PVCF254-B	4	Brown (RAL 8040)
PVCF255-B	5	Brown (RAL 8040)
PVCF256-B	6	Brown (RAL 8040)



From product information to technical guidance, our experts are on-hand


Contact your local stockist or visit stormbuildingproducts.com

RAFTER SUPPORTED SYSTEM



10 mm Aluminium F Section

Code	Size (m)	Colour
AF103-W	3	White (RAL 9010)
AF104-W	4	White (RAL 9010)
AF105-W	5	White (RAL 9010)
AF106-W	6	White (RAL 9010)
AF103-G	3	Grey (RAL 7016)
AF104-G	4	Grey (RAL 7016)
AF105-G	5	Grey (RAL 7016)
AF106-G	6	Grey (RAL 7016)
AF103-B	3	Brown (RAL 8040)
AF104-B	4	Brown (RAL 8040)
AF105-B	5	Brown (RAL 8040)
AF106-B	6	Brown (RAL 8040)



16 mm Aluminium F Section

Code	Size (m)	Colour
AF163-W	3	White (RAL 9010)
AF164-W	4	White (RAL 9010)
AF165-W	5	White (RAL 9010)
AF166-W	6	White (RAL 9010)
AF163-G	3	Grey (RAL 7016)
AF164-G	4	Grey (RAL 7016)
AF165-G	5	Grey (RAL 7016)
AF166-G	6	Grey (RAL 7016)
AF163-B	3	Brown (RAL 8040)
AF164-B	4	Brown (RAL 8040)
AF165-B	5	Brown (RAL 8040)
AF166-B	6	Brown (RAL 8040)

**From 10 mm Clear Twinwall
to 35 mm Solarguard
Polycarbonate sheeting,
We have the solution for you**

Explore the range online at stormbuildingproducts.com



RAFTER SUPPORTED SYSTEM



25 mm Aluminium F Section

Code	Size (m)	Colour
AF253-W	3	White (RAL 9010)
AF254-W	4	White (RAL 9010)
AF255-W	5	White (RAL 9010)
AF256-W	6	White (RAL 9010)
AF253-G	3	Grey (RAL 7016)
AF254-G	4	Grey (RAL 7016)
AF255-G	5	Grey (RAL 7016)
AF256-G	6	Grey (RAL 7016)
AF253-B	3	Brown (RAL 8040)
AF254-B	4	Brown (RAL 8040)
AF255-B	5	Brown (RAL 8040)
AF256-B	6	Brown (RAL 8040)



35 mm Aluminium F Section


Code	Size (m)	Colour
AF353-W	3	White (RAL 9010)
AF354-W	4	White (RAL 9010)
AF355-W	5	White (RAL 9010)
AF356-W	6	White (RAL 9010)
AF353-B	3	Brown (RAL 8040)
AF354-B	4	Brown (RAL 8040)
AF355-B	5	Brown (RAL 8040)
AF356-B	6	Brown (RAL 8040)



Lean-to-Flashing Trim

Code	Size (m)	Colour
LTF3W	3	White (RAL 9010)
LTF6W	6	White (RAL 9010)
LTF3GY	3	Grey (RAL 9023)
LTF6GY	6	Grey (RAL 9023)
LTF3B	3	Brown (RAL 8040)
LTF6B	6	Brown (RAL 8040)

RAFTER SUPPORTED SYSTEM



PVC Sheet Closure

Code	Thickness (mm)	Colour
SC10-W	10	White (RAL 9010)
SC16-W	16	White (RAL 9010)
SC25-W	25	White (RAL 9010)
SC35-W	35	White (RAL 9010)
SC10-G	10	Grey (RAL 7016)
SC16-G	16	Grey (RAL 7016)
SC25-G	25	Grey (RAL 7016)
SC10-B	10	Brown (RAL 8040)
SC16-B	16	Brown (RAL 8040)
SC25-B	25	Brown (RAL 8040)
SC35-B	35	Brown (RAL 8040)



Aluminium Sheet Closure


Code	Thickenss (mm)	Colour
ASC10-W	10	White (RAL 9010)
ASC16-W	16	White (RAL 9010)
ASC25-W	25	White (RAL 9010)
ASC35-W	35	White (RAL 9010)
ASC10-B	10	Brown (RAL 8040)
ASC16-B	16	Brown (RAL 8040)
ASC25-B	25	Brown (RAL 8040)
ASC35-B	35	Brown (RAL 8040)



Fixing Buttons (Pack of 10)

Code	Size (mm)	Colour
FB10-W	10	White
FB16-W	16	White
FB25-W	25	White
FB10-C	10	Clear
FB16-C	16	Clear
FB25-C	25	Clear
FB10-B	10	Brown
FB16-B	16	Brown
FB25-B	25	Brown

RAFTER SUPPORTED SYSTEM



Clear Polycarbonate H-Section

Code	Thickness (mm)	Length (m)
H62	6	2
H63	6	3
H66	6	6
H102	10	2
H103	10	3
H106	10	6
H162	16	2
H163	16	3
H166	16	6




Clear 2.1 m Polycarbonate U-Profile

Code	Thickness (mm)	Colour
UP6	6	Clear
UP10	10	Clear
UP16	16	Clear



10 m STORM Tape Pack (Breather & Aluminium Tape)

Code	Size (mm)
STP10	10
STP16	16
STP25	25
STP35	35



10 m Flashing Tape

Code	Size (mm)
FL15-L	150

CAPEX 50 (INCLUDING RAG 45 ON ALL BARS)



CAPEX 50 & 70 SYSTEMS

A screw down aluminium system offering a complete rafter supported roofing solution

- Ideal for glass and polycarbonate
- Suitable for all glazing thicknesses
- Available in three colours



Capex 50 Concealed Fix Screw Down Glazing Bar

Code	Size (m)	Colour
CAP-50-24W	2.4	White (RAL 9010)
CAP-50-30W	3	White (RAL 9010)
CAP-50-36W	3.6	White (RAL 9010)
CAP-50-48W	4.8	White (RAL 9010)
CAP-50-60W	6	White (RAL 9010)
CAP-50-24GY	2.4	Grey (RAL 9023)
CAP-50-30GY	3	Grey (RAL 9023)
CAP-50-36GY	3.6	Grey (RAL 9023)
CAP-50-48GY	4.8	Grey (RAL 9023)
CAP-50-60GY	6	Grey (RAL 9023)
CAP-50-24B	2.4	Brown (RAL 8040)
CAP-50-30B	3	Brown (RAL 8040)
CAP-50-36B	3.6	Brown (RAL 8040)
CAP-50-48B	4.8	Brown (RAL 8040)
CAP-50-60B	6	Brown (RAL 8040)

CAPEX 50 (INCLUDING RAG 45 ON ALL BARS)

CGF 50 Gable End
Finishing Profile

Code	Size (m)	Colour
CGF-50-30W	3	White (RAL 9010)
CGF-50-60W	6	White (RAL 9010)
CGF-50-30GY	3	Grey (RAL 9023)
CGF-50-60GY	6	Grey (RAL 9023)
CGF-50-30B	3	Brown (RAL 8040)
CGF-50-60B	6	Brown (RAL 8040)



CWF 50 Wall Flashing Profile

Code	Size (m)	Colour
CWF-50-30W	3	White (RAL 9010)
CWF-50-60W	6	White (RAL 9010)
CWF-50-30GY	3	Grey (RAL 9023)
CWF-50-60GY	6	Grey (RAL 9023)
CWF-50-30B	3	Brown (RAL 8040)
CWF-50-60B	6	Brown (RAL 8040)



Capex 50 PVC End Cap

Code	Colour
CAP-50-EECW	White (RAL 9010)
CAP-50-EECGY	Grey (RAL 9023)
CAP-50-EECB	Brown (RAL 8040)



Capex 50 Aluminium End Cap

Code	Colour
CAP-50-AEECW	White (RAL 9010)
CAP-50-AEECGY	Grey (RAL 9023)
CAP-50-AEECB	Brown (RAL 8040)



Capex 50 Bridging

Code	Colour
BDG50-BK	Black



Capex 50 Hip Bridging

Code	Colour
HIP-BDG-50-BL	Black

CAPEX 70 (INCLUDING RAG 55 ON ALL BARS)




Capex 70 Concealed Fix Screw Down Glazing Bar

Code	Size (m)	Colour
CAP-70-24W	2.4	White (RAL 9010)
CAP-70-30W	3	White (RAL 9010)
CAP-70-48W	4.8	White (RAL 9010)
CAP-70-60W	6	White (RAL 9010)
CAP-70-24GY	2.4	Grey (RAL 9023)
CAP-70-30GY	3	Grey (RAL 9023)
CAP-70-48GY	4.8	Grey (RAL 9023)
CAP-70-60GY	6	Grey (RAL 9023)
CAP-70-24B	2.4	Brown (RAL 8040)
CAP-70-30B	3	Brown (RAL 8040)
CAP-70-48B	4.8	Brown (RAL 8040)
CAP-70-60B	6	Brown (RAL 8040)



CGF 70 Gable End Finishing Profile

Code	Size (m)	Colour
CGF-70-30W	3	White (RAL 9010)
CGF-70-60W	6	White (RAL 9010)
CGF-70-30GY	3	Grey (RAL 9023)
CGF-70-60GY	6	Grey (RAL 9023)
CGF-70-30B	3	Brown (RAL 8040)
CGF-70-60B	6	Brown (RAL 8040)



CWF 70 Wall Flashing Profile

Code	Size (m)	Colour
CWF-70-30W	3	White (RAL 9010)
CWF-70-60W	6	White (RAL 9010)
CWF-70-30GY	3	Grey (RAL 9023)
CWF-70-60GY	6	Grey (RAL 9023)
CWF-70-30B	3	Brown (RAL 8040)
CWF-70-60B	6	Brown (RAL 8040)

CAPEX 70 (INCLUDING RAG 55 ON ALL BARS)



Capex 70 Hip Bar Concealed Fix

Code	Size (m)	Colour
HIP-70-30W	3	White (RAL 9010)
HIP-70-60W	6	White (RAL 9010)
HIP-70-30GY	3	Grey (RAL 9023)
HIP-70-60GY	6	Grey (RAL 9023)
HIP-70-30B	3	Brown (RAL 8040)
HIP-70-60B	6	Brown (RAL 8040)



Capex 70 PVC End Cap

Code	Colour
CAP-70-EECW	White (RAL 9010)
CAP-70-EECGY	Grey (RAL 9023)
CAP-70-EECB	Brown (RAL 8040)



Capex 70 Aluminium End Cap

Code	Colour
CAP-70-A-EECW	White (RAL 9010)
CAP-70-A-EECGY	Grey (RAL 9023)
CAP-70-A-EECB	Brown (RAL 8040)



Capex 70 Bridging

Code	Colour
BDG-70-BK	Black

CAPEX 70 & CAPEX COMPONENTS



Capex 70 Hip Bridging

Code	Colour
HIP-BDG-70-BL	Black



Capex 70 Hip Jack Cap

Code	Colour
H-JC-70-BL	Black



Capex MK4 Ridges

Code	Size (m)	Colour
CFX-MK4-30W	3	White (RAL 9010)
CFX-MK4-60W	6	White (RAL 9010)
CFX-MK4-30GY	3	Grey (RAL 9023)
CFX-MK4-60GY	6	Grey (RAL 9023)
CFX-MK4-30B	3	Brown (RAL 8040)
CFX-MK4-60B	6	Brown (RAL 8040)



Capex Ridge Snap Cover

Code	Size (m)	Colour
CFX-SCW	3	White (RAL 9010)
CFX-SCGY	3	Grey (RAL 9023)
CFX-SCB	3	Brown (RAL 8040)

CAPEX COMPONENTS



Capex Ridge Cap End Cap

Code	Colour
CEC-W	White (RAL 9010)
CEC-GY	Grey (RAL 9023)
CEC-B	Brown (RAL 8040)



Capex Ridge Gable End Cap

Code	Colour
GECMK4-W	White (RAL 9010)
GECMK4-GY	Grey (RAL 9023)
GECMK4-B	Brown (RAL 8040)



Capex Ridge Radius End Cap

Code	Colour
CFX-MK4-RECW	White (RAL 9010)
CFX-MK4-RECGY	Grey (RAL 9023)
CFX-MK4-RECB	Brown (RAL 8040)



Wall End Cap

Code	Colour
WEC-M	Mill Finish

CAPEX COMPONENTS



Fleur De Lys PVC Finial

Code	Colour
FDLF-W	White (RAL 9010)
FDLF-GY	Grey (RAL 9023)
FDLF-B	Brown (RAL 8040)



Fleur De Lys Aluminium Finial

Code	Colour
FDLF-A-W	White (RAL 9010)
FDLF-A-GY	Grey (RAL 9023)
FDLF-A-B	Brown (RAL 8040)



Fleur De Lys PVC Crest

Code	Colour
FDLC-W	White (RAL 9010)
FDLC-GY	Grey (RAL 9023)
FDLC-B	Brown (RAL 8040)



Fleur De Lys Aluminium Crest

Code	Colour
CREST-FDL-W	White (RAL 9010)
CREST-FDL-GY	Grey (RAL 9023)
CREST-FDL-B	Brown (RAL 8040)

CAPEX COMPONENTS



Rafter Gasket

Code	Size (m)	Description
RAG45-1	1	RAG 45
RAG45	100	RAG 45
RAG55-1M	1	RAG 55
RAG-55	100	RAG 55



Hip & Valley Gasket

Code	Size (m)	Colour
HVGASKET-1M	1	Black
HVGASKET	30	Black



Push Fit Gasket

Code	Size (m)	Colour
DGBS/AS-1M	1	Black
DGBS/AS	150	Black



Elast-O-Sealant

Code	Size (ml)	Colour
EOS-CL	300	Clear

CAPEX COMPONENTS



Ankorglaze Condensation Control

Code	Thickness (mm)	Length (m)	Colour
AKG-25-CC-W	25	2.1	White (RAL 9010)
AKG-25-CC-GY	25	2.1	Grey (RAL 9023)
AKG-25-CC-B	25	2.1	Brown (RAL 8040)



Horizontal Glazing Bar

Code	Thickness (mm)	Length (m)	Colour
HGBSS-16/24W	16-24	3	White (RAL 9010)
HGBSS-25/32-W	25-32	3	White (RAL 9010)
HGBSS-16/24GY	16-24	3	Grey (RAL 9023)
HGBSS-25/32-GY	25-32	3	Grey (RAL 9023)
HGBSS-16/24B	16-24	3	Brown (RAL 8040)
HGBSS-25/32-B	25-32	3	Brown (RAL 8040)

For more information or to place your order, **contact your local stockist** today

STORMPORT



STORMPORT

STORMPORT 16 mm self-supporting white canopies are available in a selection of sizes and are suitable for schools, hospitals, smoking shelters, commercial buildings, boathouses and carports.

- Easy installation
- Supplied as a complete kit

Code	Size (mm) (Width x Projection)
STORM6	2000 x 2000
STORM7	3000 x 2000
STORM8	4000 x 2000
STORM9	5000 x 2000
STORM10	6000 x 2000
STORM11	2000 x 3000
STORM12	3000 x 3000
STORM13	4000 x 3000
STORM14	5000 x 3000
STORM15	6000 x 3000
STORM16	2000 x 4000
STORM17	3000 x 4000
STORM18	4000 x 4000
STORM19	5000 x 4000
STORM20	6000 x 4000

CANOPIES



CANOPIES

STORM canopies stand up to the elements and offer commercial, residential and industrial applications. A high-quality structure suitable for protection and decoration.

- Bespoke combinations
- Colour-matched fixings
- PVC drainage parts
- Cutting of profiles to bespoke sizes



Vista Lean-To



Vista Apex



Vista Mono



SECTION 02



CORRUGATED SHEETING

ASB Corrugated Sheeting	40
Economy Bitumen Sheeting	43
Classic Onduline® Sheeting	46


ASB CORRUGATED SHEETING



ASB CORRUGATED SHEETING

The STORM range of corrugated sheeting is the ideal solution for commercial, agricultural and DIY projects. For market-leading strength and protection, STORM corrugated sheeting has it covered.

It is advisable when fitting corrugated roof sheets to ensure that they are overlapping by at least one corrugation and to start from the left of a building when installing.




3" Heavy-Duty ASB 1.1 mm Profile

Code	Length (mm)	Colour
CS5C	1525	Clear
CS6C	1830	Clear
CS7C	2135	Clear
CS8C	2440	Clear
CS9C	2750	Clear
CS10C	3050	Clear
CS12C	3660	Clear

When installed with one overlap, each sheet has a cover of 651 mm.

ASB CORRUGATED SHEETING & ACCESSORIES



3" Super-Weight ASB 1.3 mm Profile

Code	Length (mm)	Colour
CS5SW	1525	Clear
CS6SW	1830	Clear
CS7SW	2135	Clear
CS8SW	2440	Clear
CS9SW	2750	Clear
CS10SW	3050	Clear
CS12SW	3660	Clear

When installed with one overlap, each sheet has a cover of 651 mm.



Corrugated Fixing Screws

Code	Pack	Colour
CSFIX	10	Clear



Corrugated Fixing Screws with Spacers

Code	Pack	Colour
CSFIX-S	10	Clear

Allow 5 fixings per purlin per sheet

For more information or to place your order, **contact your local stockist** today

ASB CORRUGATED ACCESSORIES



3" Eavesfiller (Pack of 6)

Code

Colour

SEF6

White



3" PVC Wall Flashing

Code

Colour

AC12

Clear




3" PVC Ridge Flashing

Code

Colour

AC14

Clear



10 m Flashing Tape

Code

Size (mm)

Colour

FL15-L

10000 x 150

Lead Look

ECONOMY BITUMEN SHEETING



ECONOMY BITUMEN SHEETING

Our cost effective and tough corrugated bitumen sheeting is made from saturated organic fibres, keeping the material lightweight and durable at just 2.6 mm thick.

- Long-lasting
- Waterproof
- Economical
- Easy to fit



Economy Bitumen Sheeting

Code	Size (mm)	Colour
BITBK	950 x 2000	Black
BITGN	950 x 2000	Green



Bitumen Profile PVC Corrugated Sheeting

Code	Size (mm)	Colour
BITCLR	950 x 2000	Clear

ECONOMY BITUMEN ACCESSORIES

CORRUGATED SHEETING



Economy Bitumen Ridge

Code	Size (mm)	Colour
BITRCBK	490 x 1000	Black
BITRCGN	490 x 1000	Green



Economy Bitumen Slim Verge

Code	Size (mm)	Colour
BITSLVRG-BK	200 x 1000	Black
BITSLVRG-GN	200 x 1000	Green



Wall Flashing

Code	Size (mm)	Colour
BFLASH	1000	Black



Universal Screws

Code	Pack	Colour
BUS-BK	100	Black
BUS-GN	100	Green

ECONOMY BITUMEN ACCESSORIES



Fixing Nails 100 Pack

Code	Pack	Colour
BNBK100	100	Black
BNGN100	100	Green



Fixing Nails 400 Pack

Code	Pack	Colour
BNBK400	400	Black
BNGN400	400	Green



Eavesfiller (Pack of 6)

Code	Colour
BITEAL	White/Black



Speak to your local stockist to discuss different configurations and find the best solution for your project.


CLASSIC ONDULINE® SHEETING



CLASSIC ONDULINE® SHEETING

Onduline® sheeting has a lightweight construction, impressive mechanical flexibility and the versatility to be easily installed on a wide range of auxiliary roofs.

- Easy to install using a standard hand or mechanical saw
- Watertight and wind resistant
- Lightweight (approx. 3.4 kg/m²)
- Made with recycled content



Classic Onduline® Sheeting


Code	Size (mm)	Colour
ONDLNEBK	950 x 2000	Black
ONDLNEGN	950 x 2000	Green
ONDLNEGY	950 x 2000	Grey



Bituman Profile PVC Corrugated Sheeting


Code	Size (mm)	Colour
BITCLR	950 x 2000	Clear

CLASSIC ONDULINE® ACCESSORIES



Onduline® Ridge

Code	Size (mm)	Colour
ONDRDGBK	490 x 1000	Black
ONDRDGGN	490 x 1000	Green
ONDRDGGY	490 x 1000	Grey
ONDRDG2BK	490 x 2000	Black



Onduline® Verge

Code	Size (mm)	Colour
ONDVRGBK	410 x 1000	Black
ONDVRGBN	410 x 1000	Green
ONDVRGBY	410 x 1000	Grey

For more information or to place your order, **contact your local stockist** today



Onduline® Slim Verge

Code	Size (mm)	Colour
ONDSLVRG-BK	200 x 1000	Black
ONDSLVRG-GN	200 x 1000	Green
ONDSLVRG-GY	200 x 1000	Grey



Wall Flashing

Code	Size (mm)	Colour
BFLASH	1000	Black



Universal Screws

Code	Pack	Colour
BUS-BK	100	Black
BUS-GN	100	Green
BUS-GY	100	Grey



Fixing Nails 100 Pack

Code	Pack	Colour
BNBK100	100	Black
BNGN100	100	Green
BNGY100	100	Grey




Fixing Nails 400 Pack

Code	Pack	Colour
BNBK400	400	Black
BNGN400	400	Green
BNGY400	400	Grey



Eavesfiller (Pack of 6)

Code	Colour
BITEAL	White/Black



Speak to your local stockist to discuss different configurations and find the best solution for your project.



SECTION 03





WALL AND CEILING CLADDING

Aqua 1000 Wall Cladding	52
Retrofit Trims	55
Aqua 250 Wall Cladding	56
Ceiling Cladding	60
STORMCLAD	61
STORMBRITE	62
STORMLITE	63
Hygiene Cladding Trims & Adhesives	64

AQUA 1000 WALL CLADDING



AQUA 1000 WALL CLADDING

Aqua 1000 wall cladding panels elevate interiors with standout, contemporary designs. This wall cladding is waterproof, hygienic and a low maintenance alternative to tiling.

- **Lightweight and durable**
- **Tongue and groove design for quick and easy installation**
- **Cost-effective**

White Gloss

White Sparkle

Light Grey Marble

Grey Marble

Pergamon Marble

Tuscany Grey Marble

Carrara White Marble

Concrete Beige Matt

Concrete Dark Grey Matt

Code	Length (m)	Colour
AQ1000-WG	2.4	White Gloss
AQ1000-WSP	2.4	White Sparkle
AQ1000-LGM	2.4	Light Grey Marble
AQ1000-GM	2.4	Grey Marble
AQ1000-PM	2.4	Pergamon Marble
AQ1000-TGM	2.4	Tuscany Grey Marble
AQ1000-CWM	2.4	Carrara White Marble
AQ1000-CON	2.4	Concrete Dark Grey Matt
AQ1000-CONB	2.4	Concrete Beige Matt

AQUA 1000 WALL CLADDING TRIMS



PVC Starter Trim

Code	Thickness (mm)	Colour
AQ10-STR-W	10	White
AQ10-STR-CH	10	Chrome



PVC Internal Corner

Code	Thickness (mm)	Colour
AQ10-INT-W	10	White
AQ10-INT-CH	10	Chrome



PVC External Corner

Code	Thickness (mm)	Colour
AQ10-EXT-W	10	White
AQ10-EXT-CH	10	Chrome



PVC Division Bar

Code	Thickness (mm)	Colour
AQ10-DIV-W	10	White
AQ10-DIV-CH	10	Chrome



PVC Base Seal

Code	Length (m)	Colour
AQ10-BS-W	2.4	White
AQ10-BS-CH	2.4	Chrome



Aluminium Starter Trim

Code	Length (m)	Colour
AQ10AL-STR-W	2.4	White
AQ10AL-STR-CH	2.4	Chrome

AQUA 1000 WALL CLADDING TRIMS & ADHESIVES



Aluminium Internal Corner

Code	Length (m)	Colour
AQ10AL-INT-W	2.4	White
AQ10AL-INT-CH	2.4	Chrome



Aluminium External Corner

Code	Length (m)	Colour
AQ10AL-EXT-W	2.4	White
AQ10AL-EXT-CH	2.4	Chrome



Aluminium Division Bar

Code	Length (m)	Colour
AQ10AL-DIV-W	2.4	White
AQ10AL-DIV-CH	2.4	Chrome



Aluminium Base Seal

Code	Length (m)	Colour
AQ10AL-BS-W	2.4	White
AQ10AL-BS-CH	2.4	Chrome



STORMgrip - 2-Part Polyurethane Adhesive

Code	Size (kg)
A1596	6.5



STORMfix - Hybrid Sealant/Adhesive

Code	Size (ml)
STORMFIX	310

RETROFIT TRIMS



Quadrant Trim

Code	Length (m)	Colour
AQ-QUAD-CH	2.4	Chrome



Scotia Trim

Code	Length (m)	Colour
AQ-SCO-CH	2.7	Chrome




L Shaped Angle Trim

Code	Length (m)	Colour
AQ-EXTA-CH	2.7	Chrome



Speak to your local stockist for free samples and to discuss your project requirements.

AQUA 250 WALL CLADDING



AQUA 250 WALL CLADDING

Aqua 250 wall cladding is perfect for smaller projects and applications. The pleasing design and easy-to-use fittings create a consistent finish and long-lasting results.

- Tongue and groove fitting
- Waterproof and hygienic
- Perfect for bathrooms
- Supplied as packs of 4

White Gloss

White Sparkle

Light Grey Marble

White Wood Gloss

Silver Linear

Graphite Linear Matt

White Gloss Silver Embedded

Code	Size (mm)	Colour
AQ250-7-WG	250 x 2700	White Gloss
AQ250-7-WSP	250 x 2700	White Sparkle
AQ250-7-LGM	250 x 2700	Light Grey Marble
AQ250-7-WWG	250 x 2700	White Wood Gloss
AQ250-7-SLM	250 x 2700	Silver Linear Matt
AQ250-7-GLM	250 x 2700	Graphite Linear Matt
AQ250-7-WG-SL	250 x 2700	White Gloss Silver Embedded

AQUA 250 WALL CLADDING TRIMS



PVC Starter Trim

Code	Length (m)	Colour
AQ7PVC-STR-W	2.7	White
AQ7PVC-STR-CH	2.7	Chrome



PVC Internal Corner

Code	Length (m)	Colour
AQ7PVC-INT-W	2.7	White
AQ7PVC-INT-CH	2.7	Chrome



PVC External Corner

Code	Length (m)	Colour
AQ7PVC-EXT-W	2.7	White
AQ7PVC-EXT-CH	2.7	Chrome



PVC Division Bar

Code	Length (m)	Colour
AQ7PVC-DIV-W	2.7	White
AQ7PVC-DIV-CH	2.7	Chrome

AQUA 250 WALL CLADDING ADHESIVES



STORMgrip - 2-Part Polyurethane Adhesive


Code	Size (kg)
A1596	6.5



STORMfix - Hybrid Sealant/Adhesive

Code	Size (ml)
STORMFIX	310

WALL & CEILING CLADDING



AQUA cladding range, the cost effective alternative to tiling



Waterproof and fire rated



Low maintenance solution



Lightweight and durable

Find out more online at stormbuildingproducts.com or speak to your local stockist

RETROFIT TRIMS



Quadrant Trim

Code	Length (m)	Colour
AQ-QUAD-CH	2.4	Chrome




Scotia Trim

Code	Length (m)	Colour
AQ-SCO-CH	2.7	Chrome



L Shaped Angle Trim

Code	Length (m)	Colour
AQ-EXTA-CH	2.7	Chrome



Speak to your local stockist for free samples and to discuss your project requirements.

WALL & CEILING
CLADDING

CEILING CLADDING



CEILING CLADDING

Transform bathrooms or kitchens into brighter, cleaner environments with STORM ceiling cladding. Available in multiple sizes with all finishing trims and accessories.

- **Easy to install**
- **Available in 2 lengths**
- **Secret fixings**



Ceiling Cladding Edge Trim

Code	Size (m)
CC-ET-W	5



Ceiling Cladding Joint Trim

Code	Size (m)
CC-JT-W	5



Gloss Ceiling Cladding

Code	Size (m)	Colour
CC-250-3-W	3	White
CC-250-W	5	White

STORMCLAD



STORMCLAD

STORMCLAD is a flat, solid PVC sheet with high impact and chemical resistance. STORMCLAD is specially designed and manufactured for use in hygienic environments where only the highest standards will do, including food preparation.

- Food and hygiene certified
- EN 13501-1 : B-s3, d0 and BS 476 : Part 7 : Class 1 fire rating
- Complies to international standards
- Easy to install
- Ideal for use in wipe-clean areas
- Suitable for printing



Code	Thickness (mm)	Size (mm)	Finish
STORMCLAD84	2.5	1220 x 2440	Satin Finish
STORMCLAD104	2.5	1220 x 3050	Satin Finish
PVC84-2-W	2	1220 x 2440	Satin Finish
PVC104-2-W	2	1220 x 3050	Satin Finish
PVC84-1.5-WH	1.5	1220 x 2440	Satin Finish
PVC104-1.5-WH	1.5	1220 x 3050	Satin Finish

STORMBRITE



STORMBRITE

STORMBRITE is a high-density foam PVC sheet, which is lightweight, versatile and durable. This cladding holds a Class 1 fire rating.

- High gloss, wipe clean surface
- Complies to international standards
- Virtually maintenance-free
- Easy to install
- Suitable for printing

Code	Thickness (mm)	Size (mm)	Finish
STORMBRITE84	3	1220 x 2440	High Gloss
STORMBRITE104	3	1220 x 3050	High Gloss
STORMBRITE84-G5	5	1220 x 2440	High Gloss
STORMBRITE104-G5	5	1220 x 3050	High Gloss

STORMLITE



STORMLITE

STORMLITE is a lightweight foam PVC sheet. It is a cost effective, easy to fit, fire rated wall cladding.

- Complies to international standards
- Easy to install
- Suitable for printing

Code	Thickness (mm)	Size (mm)	Finish
STORMLITE84-M3	3	1220 x 2440	Matt Finish
STORMLITE104-M3	3	1220 x 3050	Matt Finish
PA84-M5	5	1220 x 2440	Matt Finish
PA104-M5	5	1220 x 3050	Matt Finish
PA84-M10	10	1220 x 2440	Matt Finish
PA104-M10	10	1220 x 3050	Matt Finish

HYGIENE CLADDING TRIMS



Starter Trim

Code	Size (mm)
ST-25-W	2440
ST-30-W	3050



2-Part Starter Trim

Code	Size (mm)
ST-25-2-W	2.5
ST-30-2-W	3050



Division Bar

Code	Size (mm)
DIV-25-W	2440
DIV-30-W	3050



2-Part Division Bar

Code	Size (mm)
DIV-25-2-W	2440
DIV-30-2-W	3050

HYGIENE CLADDING TRIMS



Internal Corner

Code	Size (mm)
INT-25-W	2440
INT-30-W	3050



External Corner

Code	Size (mm)
EXT-25-W	2440
EXT-30-W	3050



Large Internal Angle

Code	Size (mm)
INT-50-25-W	2440
INT-50-30-W	3050



Large External Angle

Code	Size (mm)
EXT-50-25-W	2440
EXT-50-30-W	3050



SECTION 04






OUTDOOR LIVING

TRITON WPC Decking	68
TRITON WPC Decking Accessories	70
Deckorators® Composite Decking	71
Deckorators® Accessories	75
Decking Accessories	76
Deck Lighting	78
External Cladding	80
Artificial Grass	82

TRITON WPC DECKING



TRITON WPC DECKING

TRITON WPC decking is a reversible, double-faced wood grain decking with a realistic wood grain on one side and a traditional groove pattern on the other. Specialist production techniques have been used to mimic the natural appearance of wood and improve the strength of every board.



Brown



Teak



Grey



Natural



Black


Code	Size (mm)	Colour
WPCDF30-BK	148 x 25 x 3000	Black
WPCDF30-BN	148 x 25 x 3000	Brown
WPCDF30-NL	148 x 25 x 3000	Natural
WPCDF30-GY	148 x 25 x 3000	Grey
WPCDF30-TK	148 x 25 x 3000	Teak
WPCDF50-BK	148 x 25 x 5000	Black
WPCDF50-BN	148 x 25 x 5000	Brown
WPCDF50-NL	148 x 25 x 5000	Natural
WPCDF50-GY	148 x 25 x 5000	Grey
WPCDF50-TK	148 x 25 x 5000	Teak

TRITON WPC DECKING ACCESSORIES



TRITON WPC Angle Trim

Code	Size (mm)	Colour
WPCDF30-AT-BK	45 x 45 x 3000	Black
WPCDF30-AT-BN	45 x 45 x 3000	Brown
WPCDF30-AT-NL	45 x 45 x 3000	Natural
WPCDF30-AT-GY	45 x 45 x 3000	Grey
WPCDF30-AT-TK	45 x 45 x 3000	Teak
WPCDF50-AT-BK	45 x 45 x 5000	Black
WPCDF50-AT-BN	45 x 45 x 5000	Brown
WPCDF50-AT-NL	45 x 45 x 5000	Natural
WPCDF50-AT-GY	45 x 45 x 5000	Grey
WPCDF50-AT-TK	45 x 45 x 5000	Teak



TRITON WPC Step Board (All boards have a drop of 50 mm)

Code	Size (mm)	Colour
WPCSST-30-SP-BK	140 x 25 x 3000	Black
WPCSST-30-SP-BN	140 x 25 x 3000	Brown
WPCSST-30-SP-GY	140 x 25 x 3000	Grey
WPCSST-30-SP-NL	140 x 25 x 3000	Natural
WPCSST-30-SP-TK	140 x 25 x 3000	Teak

TRITON WPC DECKING ACCESSORIES



WPC Subframe

Code	Size (mm)	Colour
WPCDF50-SUB	40 x 30 x 5000	Black



PVC Decking Fixing Clips

Code	Pack
WPCSST-CLIPPK	100



Stainless Steel Intermediate Clips


Code	Pack
WPCSST-SS-CLIPPK	100



Stainless Steel Starter Clip

Code	Pack
WPCSST-ST-CLIPPK	20


DECKORATORS® TRAILHEAD™ DECKING



DECKORATORS® TRAILHEAD™ DECKING

The beginning of the trail starts here! Trailhead decking offers unmatched rugged performance with a subtle variegation for a vibrant, authentic wood appearance.

- Co-extruded wood-plastic composite deck boards
- Exceptional scratch-resistant cap material



Ridgeline



Pathway

Code	Description	Size (mm)	Colour
TRAIL-GE-140RL	Grooved-Edge Decking Board	140 x 21 x 3660	Ridgeline
TRAIL-GE-140PW	Grooved-Edge Decking Board	140 x 21 x 3660	Pathway
TRAIL-SE-140RL	Solid-Edge Decking Board	140 x 21 x 3660	Ridgeline
TRAIL-SE-140PW	Solid-Edge Decking Board	140 x 21 x 3660	Pathway




DECKORATORS® VISTA™ DECKING



DECKORATORS® VISTA™ DECKING

Vista WPC decking gives exterior areas the feel of a tropical getaway with rich, bold colours and the appearance of hardwood without the long-term costs.

- Co-extruded wood-plastic composite deck boards
- Exceptional scratch-resistant cap material



Code	Description	Size (mm)	Colour
VISTA-GE-140DW	Grooved-Edge Decking Board	140 x 21 x 3660	Driftwood
VISTA-GE-140SW	Grooved-Edge Decking Board	140 x 21 x 3660	Silverwood
VISTA-GE-140IW	Grooved-Edge Decking Board	140 x 21 x 3660	Ironwood
VISTA-SE-140DW	Solid-Edge Decking Board	140 x 21 x 3660	Driftwood
VISTA-SE-140SW	Solid-Edge Decking Board	140 x 21 x 3660	Silverwood
VISTA-SE-140IW	Solid-Edge Decking Board	140 x 21 x 3660	Ironwood

DECKORATORS® VOYAGE™ DECKING



DECKORATORS® VOYAGE™ DECKING

Voyage is a mineral-based decking that's 35% lighter than other leading decking brands. This attractive decking has a 34% greater surface traction than market alternatives and many other incredible benefits that can transform exterior spaces.

- **Revolutionary Eovations™ mineral-based technology**
- **Exceptional stain and fade-resistant cap material**
- **Available in two widths**




Khaya



Sierra

Code	Description	Size (mm)	Colour
VOYAGE-GE-140KH	Grooved-Edge Decking Board	140 x 21 x 3660	Khaya
VOYAGE-GE-140SI	Grooved-Edge Decking Board	140 x 21 x 3660	Sierra
VOYAGE-SE-140KH	Solid-Edge Decking Board	140 x 21 x 3660	Khaya
VOYAGE-SE-140SI	Solid-Edge Decking Board	140 x 21 x 3660	Sierra
VOYAGE-GE-235KH	Grooved-Edge Decking Board	235 x 21 x 3660	Khaya
VOYAGE-GE-235SI	Grooved-Edge Decking Board	235 x 21 x 3660	Sierra
VOYAGE-SE-235KH	Solid-Edge Decking Board	235 x 21 x 3660	Khaya
VOYAGE-SE-235SI	Solid-Edge Decking Board	235 x 21 x 3660	Sierra

DECKORATORS® FASCIA™ DECKING



DECKORATORS® FASCIA™ DECKING

Deckorators® Fascia is used to conceal the deck understructure (not intended for structural use). Made of the same material as voyage decking, it is low-maintenance and eliminates the need to paint or stain the wood understructure.

- Co-extruded mineral composite boards
- Durable polyethylene top-layer
- Available in two colours



Khaya

Sierra

Code	Size (mm)	Colour
VOYAGE-FAS-285KH	285 x 10 x 3660	Khaya
VOYAGE-FAS-285SI	285 x 10 x 3660	Sierra

DECKORATORS® ACCESSORIES



Voyage Fascia Tool

Code
DECK-FAS-TOOL



Voyage Fascia Screws

Code	Pack	Colour
VOYAGE-FAS-SCREWKH	100	Khaya
VOYAGE-FAS-SCREWSI	100	Sierra



Plastic Decking Fixing Clips

Code	Pack
DECK-FASTENER	150




Pro Plug Tool

Code
DECK-PRO-TOOL

OUTDOOR LIVING

DECKORATORS® AND DECKING ACCESSORIES



Pro Plug Kit For Deckorators® Decking Systems

Code	Pack	Colour
TRAIL-PLUG-RL	150	Ridgeline
TRAIL-PLUG-PW	150	Pathway
VISTA-PLUG-DW	150	Driftwood
VISTA-PLUG-SW	150	Silverwood
VISTA-PLUG-IW	150	Ironwood
VOYAGE-PLUG-KH	150	Khaya
VOYAGE-PLUG-SI	150	Sierra



Decking Pedestals

Code	Size (mm)
DS1-25-50MM	25 - 50
DS2-40-70MM	40 - 70
DS3-60-100MM	60 - 100
DS4-90-160MM	90 - 160
DS5-150-270MM	150 - 270



Deck Tape

Code	Size (mm)
DECKTAPE-65MM	65
DECKTAPE-100MM	100



Discover the stunning DecKorators® composite decking range for yourself

From FREE sample packs to product brochures and installation guides, you will find everything you need to start your DecKorators® composite decking journey.

Visit storm-deckorators.co.uk
today or talk to your local stockist
for more information



DECK LIGHTING



DECK LIGHTING

Invigorate outdoor living areas and decks with high-output LED decking lighting. The STORM deck lighting range is the perfect finishing touch to any deck.

- IP44 weatherproof rating
- Warm white colour temperature
- 2-pin connector



Deck Light Starter Kit

Code
LIGHT-KIT



Deck Light

Code	Pack
LIGHT-DECK	4



Bollard Light

Code	Colour
LIGHT-BOLLARD	Black

DECK LIGHTING ACCESSORIES



T-Piece Adaptor

Code

LIGHT-ADAPTOR



Cable

Code	Size (m)
LIGHT-CABLE-10M	10
LIGHT-CABLE-2M	2



Automatic Sensor

Code

LIGHT-SENSOR




72 W Outdoor Transformer

Code

LIGHT-TRANSFORMER


EXTERNAL CLADDING



EXTERNAL CLADDING

Improve the durability and appearance of any exterior with robust U-PVC embossed shiplap cladding. Similar in appearance to classic cladding but without the disadvantages of traditional timber.

- **Low maintenance**
- **Weather resistant**
- **Shiplap design**




Code	Size (mm)	Colour
EMB-CL-AG	335 x 5000	Anthracite Grey
EMB-CL-PL	335 x 5000	Platinum Grey
EMB-CL-SB	335 x 5000	Sky Blue
EMB-CL-CG	335 x 5000	Chartwell Green
EMB-CL-SA	335 x 5000	Sand
EMB-CL-WH	335 x 5000	White

EXTERNAL CLADDING TRIM




External Cladding Edge Trim

Code	Size (m)	Colour
EMB-ET-AG	3	Anthracite Grey
EMB-ET-PL	3	Platinum Grey
EMB-ET-SB	3	Sky Blue
EMB-ET-CG	3	Chartwell Green
EMB-ET-SA	3	Sand
EMB-ET-WH	3	White




External Cladding H Trim

Code	Size (m)	Colour
EMB-HT-AG	3	Anthracite Grey
EMB-HT-PL	3	Platinum Grey
EMB-HT-SB	3	Sky Blue
EMB-HT-CG	3	Chartwell Green
EMB-HT-SA	3	Sand
EMB-HT-WH	3	White



External Cladding External/Internal Angle

Code	Size (m)	Colour
EMB-EXT/INT-AG	3	Anthracite Grey
EMB-EXT/INT-PL	3	Platinum Grey
EMB-EXT/INT-SB	3	Sky Blue
EMB-EXT/INT-CG	3	Chartwell Green
EMB-EXT/INT-SA	3	Sand
EMB-EXT/INT-WH	3	White



External Cladding Joint Trim

Code	Colour
EMB-JT-AG	Anthracite Grey
EMB-JT-PL	Platinum Grey
EMB-JT-SB	Sky Blue
EMB-JT-CG	Chartwell Green
EMB-JT-SA	Sand
EMB-JT-WH	White

ARTIFICIAL GRASS



Hampton

Code	Size (m)	Thickness (mm)
GRASS-25-1M	4 x 1	25
GRASS-25-25M	4 x 25 (Roll)	25

ARTIFICIAL GRASS

For those that like the look of a neat and tidy lawn, STORM's artificial grass range has a realistic appearance and low maintenance finish. With a two-tone mix and a brown curled root system, this grass is always greener than the rest.

- **Easy to install**
- **Maintenance-free**
- **Concealed joint lines**
- **No weeds**



Windsor

Code	Size (m)	Thickness (mm)
GRASS-30-1M	4 x 1	30
GRASS-30-25M	4 x 25 (Roll)	30



Buckingham

Code	Size (m)	Thickness (mm)
GRASS-35-1M	4 x 1	35
GRASS-35-25M	4 x 25 (Roll)	35

ARTIFICIAL GRASS ACCESSORIES



Self-Adhesive Joint Tape

Code	Size (mm)
GRASS-SAJT-15010	150 x 1000



Joining Staples

Code	Pack
GRASS-STP-BOX	100



Weed Control Fabric

Code	Size (m)
GRASS-WEEDCONTROL	2 x 25



Speak to your local stockist to discuss different configurations and find the best solution for your project.

Stunning composite decking from Deckorators®

**25-YEAR
STRUCTURAL
WARRANTY**

VOYAGE mineral-based composite decking



Available in two widths; 140mm and our exclusive 235mm



34% greater surface traction than other leading brands

VISTA wood-based composite decking



Stunning vertical grain with tropical notes, available in three colours



Available with grooved or solid-edge profiles in 140 x 21 x 3660 mm

TRAILHEAD wood-based composite decking



Maintenance-free with exceptional scratch resistant cap material



Available in two colours with grooved edge profiles



Introducing the ultimate choice in luxury decking



INDEX

NO.		
2-Part Division Bar	64	
2-Part Starter Trim	64	
A		
Artificial Grass	82	
Aluminium Base Seal	54	
Aluminium Division Bar	54	
Aluminium External Corner	54	
Aluminium F Section	23/24	
Aluminium Internal Corner	54	
Aluminium Starter Trim	53	
Ankorglaze Condensation Control	35	
Aqua 250 Wall Cladding	56	
Aqua 250 Wall Cladding Trims & Adhesives	57-59	
Aqua 1000 Wall Cladding	52	
Aqua 1000 Wall Cladding Trims & Adhesives	53-55	
ASB Corrugated Sheeting & Accessories	40-42	
Automatic Sensor	81	
B		
Bituman Profile PVC Corrugated Sheeting	43	
Bitumen Fixing Nails	45/49	
Bitumen Universal Screws	44/48	
Bitumen Wall Flashing	44/48	
Bollard Light	80	
Buckingham	82	
C		
Cable	81	
Canopies	37	
Capex 50 Aluminium End Cap	28	
Capex 50 Bridging	28	
Capex 50 Concealed Fix Screw Down Glazing Bar	27	
Capex 50 Hip Bridging	28	
Capex 50 (including RAG 45 on all bars)	27/28	
Capex 50 PVC End Cap	28	
Capex 70 Aluminium End Cap	30	
Capex 70 Bridging	30	
Capex 70 & Capex Components	31	
Capex 70 Concealed Fix Screw Down Glazing Bar	29	
Capex 70 Hip Bar Concealed Fix	30	
Capex 70 Hip Bridging	30	
Capex 70 Hip Jack Cap	31	
Capex 70 (including RAG 55 on all bars)	29/30	
Capex 70 PVC End Cap	30	
Capex Components	32-35	
Capex MK4 Ridges	31	
Capex Ridge Cap End Cap	32	
Capex Ridge Gable End Cap	32	
Capex Ridge Radius End Cap	32	
Capex Ridge Snap Cover	31	
Ceiling Cladding	60	
Ceiling Cladding Edge Trim	60	
Ceiling Cladding Joint Trim	60	
CGF 50 Gable End Finishing Profile	28	
CGF 70 Gable End Finishing Profile	29	
Corrugated Fixing Screws	41	
CWF 50 Gable Wall Flashing Profile	28	
CWF 70 Gable Wall Flashing Finishing Profile	29	
D		
Deck Lighting	78	
Deck Lighting Accessories	79	
Deck Light Starter Kit	78	
Decking Pedestals	76	
Deckorators® Accessories	75-76	
Deckorators® Fascia™ Decking	74	
Deckorators® Trailhead™ Decking	71	
Deckorators® Vista™ Decking	72	
Deckorators® Voyage™ Decking	73	
Division Bar	53/54/57/64	
E		
Eavesbeam	14	
Eavesbeam Joiner	14	
Eavesfiller (Pack of 6)	45/49	
Economy Bitumen Ridge	44	
Economy Bitumen Sheeting	43	
Economy Bitumen Slim Verge	44	
Economy End Cap	15	
Elast-O-Sealant	34	
End Bar Adaptor	17	
External Cladding	80	
External Cladding Edge Trim	81	
External External/Internal Angle	81	
External Cladding H Trim	81	
External Cladding Joint Trim	81	
External Corner	53/54/57/65	
F		
Fixing Buttons (Pack of 10)	25	
Fixing Pack - Screws & Adaptor	18	
Flashing Tape	26/42	
Fleur De Lys Aluminium Crest	33	
Fleur De Lys Aluminium Finial	33	
Fleur De Lys PVC Crest	33	
Fleur De Lys PVC Finial	33	
G		
Glass Lock	16	
Gloss Ceiling Cladding	60	
Gutter Brackets	17	
Gutter Packs	17	
H		
Hampton	82	
Heavy-Duty ASB 11 mm Profile	40	
Heavy-Duty End Cap	16	

INDEX

Hip & Valley Gasket	34
Horizontal Glazing Bar	35
Hygiene Cladding Trims	64-65

I

Internal Corner	53/54/57/65
-----------------	-------------

J

Joining Staples	85
-----------------	----

L

Large External Angle	65
Large Internal Angle	65
Lead Flashing Tray	18
Lean-to-Flashing Trim	24
L Shaped Angle Trim	55/59

M

Multiwall Polycarbonate Sheeting	8-11
----------------------------------	------

O

Onduline® Ridge	47
Onduline® Sheeting	46
Onduline® Slim Verge	48
Onduline® Verge	47
Outdoor Transformer	81

P

Plastic Decking Fixing Clips	77
Polycarbonate H-Section	26
Polycarbonate U-Profile	26
Polyloc Roofing System	12
Pro Plug Kit	78
Pro Plug Tool	77
PVC Base Seal	53
PVC Decking Fixing Clips	72
PVC Division Bar	53/57
PVC External Corner	53/54/57
PVC F Section	21-23
PVC Internal Corner	53/54/57
PVC Ridge Flashing	42
PVC Sheet Closure	25
PVC Starter Trim	53/57
PVC Wall Flashing	42

Q

Quadrant Trim	55/59
---------------	-------

R

Rafter Bar Bridging	21
Rafter Bar Edge Trim	20
Rafter Bar End Cap	21
Rafter Gasket	34
Rafter-Supported Snap Down Glazing Bar	20
Rafter-Supported System	20-26
Retrofit Trims	55/59

S

Scotia Trim	55/59
Sealant/Adhesive	54/58
Self-Adhesive Joint Tape	83
Self-Support glazing System	14-18
Solid Polycarbonate	13
Stainless Steel Intermediate Clips	72
Stainless Steel Starter Clip	72
Starter Trim	64
STORMBRITE	62
STORMCLAD	61
STORMfix - Hybrid	54/58
STORMgrip - 2-Part Polyurethane Adhesive	54/58
STORMLITE	63
STORMport	36
STORM Tape Pack	26
Super-Weight ASB 1.3 mm Profile	41

T

T-Piece Adaptor	79
TRITON WPC Angle Trim	71
TRITON WPC DECKING	70
TRITON WPC Step Board	71
Twinwall Polycarbonate Sheeting	6/7

V

Vista Apex	37
Vista Lean-To	37
Vista Mono	37
Voyage Fascia Screws	77
Voyage Fascia Tool	77

W

Wall End Cap	32
Wallplate Joiner	14
Wallplates	14
Weed Control Fabric	83
Windsor	82
WPC Subframe	72



VIEW ALL PRODUCTS ONLINE AT
STORMBUILDINGPRODUCTS.COM