

[TouchStoneLights.com](http://TouchStoneLights.com)



ACCENT LIGHTING  
**TOUCHSTONE**<sup>®</sup>

**Personalize Your Property at Night.**



Personalize your property at nighttime with TouchStone Accent Lighting.

Since 1986 we have been specialized in providing high quality LED landscape lighting solutions for residential and commercial properties.

TouchStone Lights will accent your home or business with energy efficient, in-direct lighting effects that will enhance the beauty and functionality of your outdoor spaces.

Our complete line of USA designed and manufactured light fixtures will uniquely illuminate your home or business like you never imagined!

Choose from a wide selection of natural metals and powder coat colors to best match your landscape theme. All powder coated fixtures feature solid brass, stainless steel or aluminum housings and fittings.




 **TouchStone fixtures are designed, finished and Made in Minnesota, USA.**



# Enjoy Your Outdoors More.

- **Garden & Walkway** series **3**  
Coppertino, Commino, Centino, Centini, Del Otero, Loo, Maxwell, Zumbra
  
- **Flood** series **21**  
BrassFloods, MiniFlood, UNIFlood16, SMALLFlood, WideFlood,  
PARFlood, MAXFlood, WellFlood
  
- **Hardscape & Outdoor Living** series **30**  
LEDGE, *Bullet*, Hardscape | WellFlood, Post | Pipe, Dakota, Fence | Sconce,  
Hanging Copper, Donovan, BistroLight, Light My Grill, Moon
  
- **Water** series **49**  
BrassSubmersible, SNAIL, WATERRACK
  
- **CommercialBollard** series **53**  
CB636 Bollard, Kennel and Chain Link Perimeter Lighting
  
- **Replacement Parts** **54**
  
- **LEDs** MR8, MR11, MR16, PAR36, Miniature **55**
  
- **Transformers** **57**
  
- **Timers, Cables, Connectors & Accessories** **58**







Walkways and Sidewalks



Stairways



Flower Gardens



Steps

# COPPERTINO series


ENJOY YOUR OUTDOORS MORE

Extend your living space outdoors with TouchStone's Coppertino series fixtures. The Coppertino is designed to "crop" or hide the source of the light to softly downlight walkways, landscapes and gardens with no light pollution. The Coppertino is available in your choice of raw copper, stainless-steel with a variety of earth tone powder coat finishes or RustSteel to best match your home and landscape.

Garden Lighting | Walkway Lighting | Accenting Boulders & Landscapes

## Features

- 12 volt AC/DC
- Changeable 2w, 2700K, G4, 9v-17v, Ceramic **LED**
- Housing options: copper, stainless-steel/powder coat or RustSteel
- Stainless-steel fasteners
- 8" SuperStake
- 24" 18/2 fixture leads
- Solid aluminum riser boot with dual set screws
- Casts up to 15 ft. dia. of light
- Horizontal mounted LED, no light pollution
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty
- Made in U.S.A. 



Includes 2 watt Ceramic **LED**  
2700K warm white, 180 lumen

- Dimensions 4" dia. hood, x 3/8" x 24" tall riser stem



Sleek and simple styling casts up to 15 ft. dia. of light. One-piece construction requires no assembly. Features our "Off-set/Open face" design for greater downward illumination and no light pollution. Removable riser boot allows for optional riser heights. Available in raw copper, stainless-steel, stainless with powder coat with aluminum riser boot (limited-lifetime warranty), steel with Rust/Steel finish (10 year limited warranty) or the extra heavy-duty G584**HD** Copper featuring a 5/8" dia. x 28" tall riser stem that casts up to 22 ft. dia. of light. For larger flower gardens, the G384/ADJ series adjusts from 24 to 48" tall.

# Coppertino **G384** series

Garden Lighting | Walkway Lighting | Accenting Boulders & Landscapes



**G384C**  
**Copper/C**  
3/8" X 24" riser



**BlackTex/BKTX**



**BlueStone/BS**



**BronzeTex/BZT**



**GravelGray/GG**



**SandStone/SS**



**G384C/ADJ**  
**Adjusts**  
**24" -48"**  
**tall**



**Copper**



**RedRock/RR**



**ArchBronze/ARBZ**



**RustSteel/RS**



**Stainless-Steel/SS**



**G584CHD**  
5/8" X 28" riser



Includes 2 watt Ceramic **LED**  
2700K warm white, 180 lumen



Made in USA



888.475.2112

**TouchStone**Lights.com




**Walkways**



**Boulder Outcroppings**



**Stairways**



**Steps**


# COMMINO series

**GET THE MOST OUT OF YOUR LANDSCAPE**


TouchStone's Commino series garden and walkway fixtures are taller and cast light on top of plants and objects to create more downward and larger diameters of light. Our solid aluminum riser boots provide a lower center of gravity for superior fixture stability and can be custom cut if desired.

Large Flower Gardens | Walkway Lighting | Accenting Boulders

**Features**

- 12 volt AC/DC
- Changeable ip65, 3w, 2700K, G4 Ceramic **LED**
- Housing options: copper, stainless-steel/ powder coat or RS/RustSteel
- Stainless-steel fasteners
- 8" SuperStake
- 24", 18/2 SPT-1W fixture leads
- Solid aluminum riser boot
- Casts up to 22ft. dia of light
- Horizontal mounted LED, no light pollution
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty, 10 year RS series
- Made in U.S.A. 

- Dimensions 6" dia. hood, 5/8" x 28" tall



standard 3 watt, 280lm Ceramic **LED**, 4 watt, 320lm optional



**Casts up to 22ft. dia of light. Recommended spacing: 20'-30'**



Durable and inconspicuous, the Commino is an excellent choice for illuminating larger landscape areas, boulders and taller plants. Features our exclusive "Off-set/Open face" design for greater downward illumination and no light pollution. Features interchangeable LEDs for maximum nighttime effects and design flexibility.



## Natural Metal and Powder Coat Color Options



**G586C**  
**Copper/C**



**BlueStone/BS**



**GravelGray/GG**



**SandStone/SS**



**BronzeTex/BZT**



**BlackTex/BKTX**



**RedRock/RR**



**RustSteel/RS**



**ArchBronze/ARBZ**




Includes 3 watt Ceramic **LED**  
2700K warm white, 280 lm

4 watt, 320lm Ceramic **LED**  
upgrade

 Made in USA



ACCENT LIGHTING  
**TOUCHSTONE**



BZT



"Knotty Pine" Woody Centino

# Centino series

## D O N ' T F O R G E T T H E L I G H T S

TouchStone Centino series fixtures are constructed of machine spun aluminum yokes and risers with a heavy-duty stainless steel hood. Available in your choice of a variety earth tone powder coat finishes. All of our Centino series fixtures feature interchangeable premium quality LED bulbs.

# Centino **GC585F** and **GC586** series

**Walkways | Landscapes & Gardens | Driveways**

## Features

- 12 volt AC/DC
- Interchangeable G4 bi-pin 2w Ceramic **LED** included
- Stainless steel hood, aluminum riser, finial & yoke
- Variety of powder coat finishes or raw copper
- Stainless-steel set screws
- 8" SuperStake
- 36", 18/2 SPT fixture leads
- Adjustable riser boot
- Casts up to 12ft. dia of light
- Sealed lens housing
- Tool-less hood removal
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- Lifetime housing warranty
- 3 year warranty LED
- Made in USA 

## Dimensions

GC586-6" dia. hood, 5/8" x 20" tall riser stem  
GC585F-5" dia. hood, 5/8" x 20" tall riser stem



2 watt Ceramic **LED**  
2700K warm white,  
ip68, 180 lumen



**Tool-less  
Top Removal**

## GC586

**BKTX/BlackTex**

## GC585F

**BKTX/BlackTex**



**BKTX/BlackTex**



**BS/BlueStone**



**BZT/BronzeTex**



**GG/GravelGray**



**SS/SandStone**



**RR/RedRock**



**ARBZ/ArchBronze**



**C/Raw Copper**

The Centino series blends great with any landscape setting. Perfect for illuminating walkways, steps and landscapes. Interchangeable 2 or 3 watt Ceramic **LED** for maximum nighttime effects and design flexibility.



# Centino *HD*

heavy duty

**GC106**  
series

The Centino **HD** series is the perfect fixture for pool areas, any high traffic landscape areas and commercial applications. Features interchangeable 2w or 3w Ceramic **LED** for maximum nighttime effects.

## Features

- 12 volt AC/DC
  - Changeable G4 bi-pin 2 watt Ceramic **LED**
  - Stainless steel hood & riser with aluminum finial & yoke
  - Variety of EarthTone powder coat finishes
  - Stainless-steel set screws
  - 8" SuperStake
  - 36", 18/2 SPT fixture leads
  - Adjustable riser boot
  - Casts up to 12ft. dia of light
  - Sealed lens housing
  - Tool-less hood removal
  - GX5.3 bi-pin porcelain lamp socket
  - Accepts 1/2" NPT hardware
  - 3 year warranty LED
  - Lifetime housing warrantyB
  - Made in USA 
- Dimensions 6" dia. hood, 1" x 20" tall riser stem



Intertek  
5011251



2 watt Ceramic **LED**  
180 lumen  
2700K warm white,

Optional 3 watt Ceramic **LED**  
280 lumen  
2700K warm white,

### Tool-less Top Removal



### EarthTone Powder Coat Colors

**BKTX/**  
BlackTex



**BS/**  
BlueStone



**BZT/**  
BronzeTex



**GG/**  
GravelGray



**SS/**  
SandStone



**RR/**  
RedRock




**ARBZ/**  
ArchBronze



# Centini **GC484** series

Walkway Lighting | Perimeter Lighting | Small Patio Areas



### GC484/BKTX

BlackTex with  
Stainless Steel &  
Aluminum

### Optional Powder Coat Finishes



**BZT**



**BS**




**GG**



**SS**

The Centini 484 series is a great choice for lighting low or no vegetation areas, smaller patios, walkways and driveways. The compact size is great for smaller areas that need accent lighting. Features 2 watt interchangeable ceramic LED for maximum nighttime effects and design flexibility.

### Features

- 12 volt AC/DC
  - Interchangeable G4, 2w ceramic LED
  - 304 stainless steel hood with powder coat finish
  - Stainless-steel finial & fasteners
  - 6063 Aluminum Riser Boot and Yoke
  - 8" SuperStake
  - 24", 18/2 SPT fixture leads
  - Casts up to 12ft. dia of light
  - Tool-less hood removal
  - GX5.3 bi-pin porcelain lamp socket
  - Accepts 1/2" NPT hardware
  - Lifetime housing warranty
  - Made in USA 
- Dimensions 4" dia. hood, 1/2" dia. x 13" tall riser stem



### G4LED

2 watt LED ceramic LED-std  
2700K warm white, 180 lumen



# Del Otero G390 series

Classic Garden Lighting | Walkway Lighting



## Copper/C


### Features

- 12 volt AC/DC
- Changeable G4 bi-pin 2w Ceramic **LED**
- Raw copper
- 8" SuperStake
- 24", 18/2 SPT fixture leads
- Casts up to 12 ft. dia of light
- Recessed mounted LED, no light pollution
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- 10 year housing warranty
- Dimensions 6" dia.hood, x 1/2" x 22" tall riser stem



### G4**LED**

premium 2 watt Ceramic **LED**  
ip65, 2700K warm white, 180 lumen



**Naturally Patinas**



Classic styling casts up to a 12-ft. diameter of light. One-piece construction requires no assembly. Features our "Off-set/Open face" design for greater downward illumination, easier lamp replacement and no light pollution.



The **LOO** series

**Modern Outdoors**

The Loo series is the perfect choice for contemporary, modern landscapes and homes. The USA made aluminum housing features machined aluminum end caps and coupler blocks to provide superior durability and styling. Available in a variety of powder coat finishes to best match your surroundings.

**Contemporary Walkways, Steps and Landscapes**

The Loo series features a sealed lens compartment with interchangeable LED. Constructed from 6063 aluminum and stainless steel fasteners make the Loo fixtures extremely durable. For high traffic areas you might want to consider using our 12" SuperStakes for superior fixture mounting.



**Illuminates 12ft. diameter**

**GL246**

**Features**

- 12 volt AC/DC
- G4, 3w Ceramic **LED**, 2700K
- Clear poly lens
- Stainless-steel fasteners
- 6063 Aluminum housing
- Aluminum end cap, coupler block & riser
- 36", 18/2 SPT fixture leads
- 8" SuperStake
- 5 year warranty LED
- Lifetime housing warranty
- Dimensions 2"x 1" x 24" tall x 6" long

 **Made in U.S.A.**



**ARBZ**



**BKTX**



**RR**



**SS**



**GG**



**BZT**



**BS**







GC1125C/RR



GC11125C/BZ



GC910/C



GC910/C

# MAXWELL


The TouchStone **MAXWELL** series is the perfect choice to bring vivid color into residential and commercial landscape and perennial gardens.

# Maxwell 9 GC900 series

Gardens | Walkways | Accenting Landscapes

The heavy-duty Maxwell GC910 series is a great choice for lighting in tall vegetated garden areas and large landscaped areas. Features changeable 3 watt or 4 watt ceramic LED for maximum nighttime effects and design flexibility.

## Features

- 12 volt AC/DC
- Interchangeable G4 bi-pin 3w ceramic LED
- Raw copper top, or RustSteel
- Stainless-steel set screws
- 12" SuperStake
- 1" O.D. x 28" aluminum riser
- 24", 18/2 SPT fixture leads
- Aluminum riser boot for custom fixture height options
- Casts up to 20ft. dia of light
- Tool-less hood removal
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty-copper, 10 year on RS series
- Dimensions 9" dia. hood, 1" x 28" tall riser stem
- Made in USA  and global sourced.

## Choice of

**3 watt ceramic LED-std**  
2700K warm white, 280 lumen

**4 watt LED ceramic LED-optional**  
2700K warm white, 320 lumen



**CeramicLED**

**GC913/C**  
Copper with  
28" copper riser

**GC912/AL**  
Copper & Aluminum  
20" riser

**GC913/CP**

shown in  
powder coat  
BlueStone



**GC910/RS**



**GC910/C patina**



**GC910C**



**GC978/RS**  
RustSteel



# Maxwell HD 11 GC1125 series

heavy duty

**Commercial**  
Garden Lighting | Walkway Lighting

Designed for larger residential and commercial landscape and garden areas. The heavy-duty Maxwell 11 features a beefy 1-1/4" riser stem with an 11" diameter hood. The "clean" design of the Maxwell 11 fixture looks elegant in any landscape. Features tool-less hood removal for access to changeable hi-performance 4 watt ceramic LEDs.

## Features

- 12 volt AC/DC
- Interchangeable G4 bi-pin 4 watt Ceramic LED
- Raw copper, or copper with powder coat finish
- Stainless-steel fasteners
- Includes 12" metal SuperStake
- 24", 18/2 SPT fixture leads
- Removable riser boot for custom fixture height options
- Casts up to 18ft. dia of light
- Tool-less hood removal
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- Lifetime housing warranty
- 3 year warranty LED
- Dimensions 11" dia. hood, 1-1/4" x 28" tall riser stem

**G4 LED**  
4 watt LED ceramic LED  
2700K warm white, 320 lumen



GC1125C

TouchStoneLights.com 888.475.2112



Powder Coated  
Color Options



BKTX, GG, RR  
BS, SS  
BZT



15ft.- 20ft. recommended spacing



model 9578 series

# ZUMBRA series

THE POSSIBILITIES ARE ENDLESS

The Zumbra series is available in 2 different hood sizes, 7" dia. for walkways, gardens and landscapes and, the larger 9.5" dia. for larger landscape areas and taller garden plants and flowers.


# Zumbra

**GC710**  
**GC9510** series

**Walkways | Landscapes & Gardens | Driveways**

The Zumbra series durable machined aluminum, copper and brass components ensure years of nighttime enjoyment! Interchangeable 3 or 4 watt ceramic LEDs for maximum nighttime effects durability and design flexibility.

## Features

- 12 volt AC/DC
- Interchangeable G4 bi-pin 3 or 4 watt LED ceramic **LED**
- Raw copper with raw brass finial & yoke
- powder coat finishes-BKTX, ARBZ, RR, BS, SS & BZT
- Stainless-steel fasteners
- 8" SuperStake
- 24", 18/2 SPT fixture leads
- Adjustable riser boot
- Casts up to 18ft. dia of light
- Sealed lens housing
- Tool-less hood removal
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty
- Made in USA 



Intertek  
5011251

## Dimensions:

model **GC710**-7" dia. hood, 1" x 20" riser stem

model **GC9510**-9-1/2" di. hood, 1" x 32" riser stem



**GC710/C-BKTX**

Copper Top  
BlackTex  
powder coat

**GC710/C**  
Copper



**GC9510/C**  
Copper




G4 ceramic **LED**

**3 watt LED**-std  
2700K warm white,  
280 lumen

**4 watt LED**-optional  
2700K warm white,  
320 lumen






**Downlight driveways, A224- 5w 100°**



**Wall Wash, A233- 5w 100° , Uplighting A224- 7w 60°**



**Uplighting HS240/F- 3w 100°**



**Color Change PAR36 LED In A236 and A216**

# FLOOD series

**INCONSPICUOUS | INDIRECT | INCREDIBLE**

TouchStone Flood series fixtures are constructed of solid cast brass with patina or aluminum with a variety of earth tone powder coat finishes. All of our Flood series fixtures feature interchangeable premium quality LED bulbs for maximum design flexibility and serviceability.

# MiniBrassFlood/MR8 series

Up Small Large Trees and Cactus | Wall Washing | Architectural | Sculptures and Signage

The MiniBrassFlood/8 series is available in 2 compact sizes. Both models produce bright, warm effects with our premium grade LEDs. These fixtures are designed for highlighting smaller trees, shrubs and architectural features, pergolas and address markings.

## A185 MiniMiniFlood/8

Solid brass dark patina  
2.5watt MR8 LED, 160lm

### Features

- 12 volt AC/DC
- MR8 2.5w, 2700K LED
- 38°, 60° Or 120° beam options
- Solid Brass with dark patina
- Tool-less adjustment knobs
- 8" SuperStake
- 36", 18/2 SPT fixture leads
- Operating voltage 9v-17v
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty



●Dimensions 2" dia. x 6" tall



MR8LED



### Part #PGMK

Gutter fixture mount bracket  
great for dormer and peak lighting



Versatile mounting accessories allow for  
gutter, ground or surface mounting.



# MiniBrassFlood/MR11

## A195BR MiniBrassFlood/11

Solid brass dark patina  
MR11 2.5watt LED, 180lm

### Features

- 12 volt AC/DC
- MR11 2.5w, 2700K LED
- 38°, 60° Or 120° beam angle options
- Solid Brass with dark patina
- Tool-less adjustment knobs
- 8" SuperStake
- 36", 18/2 SPT fixture leads
- Operating voltage 9v-17v
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty



MR11LED

●Dimensions 2-1/4" dia. x 6" tall

# BRASS Flood **A214** SERIES

Accent Lighting | Uplighting | Architectural

The **BrassFlood** series is great for uplighting trees, home architecture, and sculptures. Versatile mounting accessories allow for surface mounting, fixture risers, "L" coupler for walkways and stairways or the "T" coupler for dual fixture mounting on signage and washing larger tree lines. Our **BrassFlood** series features interchangeable MR16 LEDs.



## Features

- 12 volt AC/DC
  - Interchangeable MR16-3w, 5w or 7w LEDs
  - Solid Brass with dark patina
  - Stainless-steel fasteners
  - Threaded front end assembly
  - 8" SuperStake
  - 36", 18/2 SPT fixture leads
  - Domed Glass lens
  - Adjustable visor
  - Silicone gaskets, seals & bug plug
  - GX5.3 bi-pin porcelain lamp socket
  - Accepts 1/2" NPT hardware
  - 3 year warranty LED
  - Lifetime housing warranty
- Dimensions 2-1/2" dia. 7-1/8" tall



**MR16LED**  
premium grade

**A214/BR**  
Solid Brass Dark Patina  
3watt/220lm  
5watt/550lm  
7watt/750lm  
2700K  
38°, 60° or 100°  
beam angle options

## FIXTURE ACCESSORIES for A185, A195, A212, A214, A216, A224, A233 series



A233 with 15" Riser & Coupler



part **P214C**  
Brass Coupler



part **PGMK-BR**  
Gutter Mount Bracket



part **FMB2BR**  
2" Brass surface



part **P214LC**  
Brass "L" coupler



part **P214TC**  
Brass "T" coupler



part **R15BR**  
1" x 15" brass or  
powder coated riser

part **R18BR**  
1" x 18" brass or  
powder coated riser



# MiniFlood/MR11 **A195AL** series

Accent Lighting | Uplighting | Outdoor Living Areas

The **MiniFlood** fixture offers powerful lighting in a compact size. Ideal for address marking, signs, pergolas, cactus, columns, flags and small trees. Versatile mounting accessories allow for surface mounting and fixture elevation. Our **MiniFlood** series features interchangeable MR11 LED 2.5w maximum nighttime effects and design flexibility.

## Features

- 12 volt AC/DC
- Interchangeable MR11 LED 2.5w 30°, 60° or 120° options
- Aluminum housing with 8 powder coat finishes
- Stainless-steel & brass fasteners
- 8" SuperStake
- 36", 18/2 SPT fixture leads
- Glass lens
- Adjustable visor
- Silicone gaskets
- GX5.3 bi-pin lamp socket
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- 10 year housing warranty
- Dimensions 1-5/8" dia. x 5" tall

**MR11LED**  
2.5w 2700K  
30°, 60° or 120° options



**A195**  
**BronzeTex/BZT**  
Any powder coat color

Assembled in USA 




Accent Roof Peaks



# UNI Flood/MR16 **A224** series

The USA made commercial series **UNI**Flood MR16 is great for uplighting trees, home architecture, wall washing and sculptures. Versatile mounting accessories allow for surface mounting, fixture risers, "L" coupler for walkways and stairways or the "T" coupler for dual fixture mounting on signage and washing larger tree lines. The **UNI**Flood series features interchangeable MR16 LEDs bulbs for maximum nighttime effects and design flexibility.

## Features

- 12 volt AC/DC
- Locking knuckle with 15° increments
- Interchangeable MR16-3w, 5w or 7w LEDs
- Machined 6063 aluminum with powder coat finish
- Stainless-steel fasteners
- Threaded front end assembly
- 8" SuperStake
- 36", 18/2 SPT fixture leads
- Domed or flat front glass lens
- Adjustable & extendable visor
- O-Ring gasket
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty
- Made in USA 

## **A224/AL**

Solid aluminum with powder coat finish



## MR16 LED

premium grade

3w, 5w or 7w, 2700K with 30°, 60° or 100° beam angle options



## BlackTex


● Dimensions 2-1/2" dia. 7-1/2" tall



**ArchBZ BronzeTex BlackTex SandStone RedRock**

# SMALL Flood/MR16 **A212** series

## DOWNLight series



model **A212TK/25**

model **A212TK/50**

Tree mount fully assembled with 25' or 50' leads, UV tie straps, S/S screws. Includes 4w, 100° WW/2700K LED

**25**

## Features

- 12 volt AC/DC
- Locking knuckle with 15° increments
- Interchangeable MR16-3w, 5w or 7w LEDs
- Cast aluminum, powder coat finish
- Stainless-steel fasteners
- Threaded front end assembly
- 7" SuperStake
- 36", 18/2 SPT fixture leads
- Domed front glass lens
- Adjustable & extendable visor
- O-Ring gasket
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- 5 year housing warranty
- Assembled in USA

## UPLight series



model **A212**

**ArchBZ or BlackTex**

# WideFlood **A233** series

Wall Wash Lighting | Uplighting | Architectural Lighting

The natural design shape of the **WideFlood** allows the fixture to virtually disappear in your landscape. The **WideFlood's** solid, cast brass housing ensures for a lifetime of durability. Versatile mounting accessories allow for surface mounting and fixture elevation. Features interchangeable super wide beam angle LEDs for maximum wall washing beam spread, nighttime effects and design flexibility.

## Features

- 12 volt AC/DC
- Includes interchangeable MR16-3w, 5w or 7w LED
- Super wide 100° beam angle
- Solid brass with patina or 6 EarthTone powder coat finishes
- Stainless-steel fasteners
- 8" SuperStake
- 36", 18/2 SPT fixture leads
- Glass lens
- Built in visor
- Silicone gaskets
- GX5.3 bi-pin porcelain lamp socket
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty



**A233/BR**  
Solid Brass w/Patina



## Powder Coat Options

**MR16LED**  
Premium Grade



3w, 5w or 7w, 2700K/ww

● Dimensions: oval shaped 3-1/2" dia. 5" tall



shown with 5w 100° warm white



MockRock



patina Brass

Interchangeable 100° wide beam MR16LED



shown 3w 100°

# MAXFlood A236 series

commercial grade series

Up Lighting Large Trees | Wall Washing | Architectural | Sculptures and Signage

The super heavy duty **MAXFlood** series is great for uplighting large trees, large architecture, signage and sculptures. Allows for use of our PAR36 ColorChange WRGB LED option.

## A236/BR

Solid Brass w/Patina  
10w/800lm/2700k  
13w/1130lm/2700k  
17w/1300lm/2700k  
17w/1430lm/5000k  
or 10w WRGB Bluetooth



## Features

- 12 volt AC/DC
- Locking knuckle
- Interchangeable PAR36-10w, 13w or 17w LEDs
- Brass/patina or powder coat finish
- Stainless-steel fasteners
- Threaded front end assembly
- 12" SS2A Metal SuperStake
- 36", 18/2 SPT fixture leads
- Flat front glass lens with visor
- Silicone gasket
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty
- Assembled in USA
- Dimensions 2-3/4" dia. x 6-3/4" tall




## Powder Coat Color Options



**PAR36**  
15°, 38°, 60° or 120°  
beam angle options

**Includes SuperStake SS2A12**



# PARFlood **A216** series

Up Lighting Large Trees | Wall Washing | Architectural | Flags, Sculptures and Signs | Sport Lighting

The **PARFlood** series is great for uplighting large trees, large architecture, flags, signage and sculptures. Allows for use with our PAR36 ColorChange WRGB LED option.

## Features

- 12 volt AC/DC
- Dimming-10%-100% settings
- Solid Brass with dark patina or powder coated
- Stainless steel fasteners
- 8" SuperStake
- 36", 18/2 SPT AWG fixture leads
- Glass front
- 10w/500lm 2700k, 13w /700lm, 17w/950lm 2700k or 17w 1150lm 4000k for flag poles
- Operating voltage 12v-17v
- Optional Bluetooth WRGB LED controlled as a group or individually
- Accepts 1/2" NPT hardware
- 3 year warranty LED
- Lifetime housing warranty



### PAR36 LED Options

- 10w/800lm/2700k
- 13w/1130lm/2700k
- 17w/1300lm/2700k or 5000k
- 10watt WRGB Bluetooth

PAR36 LED beam angle options  
15°, 38°, 60° or 120°

## A216/BR

Solid brass dark patina



● Dimensions 4-3/4" dia. x 7-3/4" tall



Versatile mounting accessories allow for riser extensions and surface mounting.

# LW510 LW340 series Landscape | WellFlood

Up Lighting | Wall Washing Lighting | Architectural Lighting

The Landscape Well series is great for uplighting trees, flags, home architecture, wall washing and sculptures. Features interchangeable LEDs and 3 different front face options for maximum nighttime effects and design flexibility.

model **LW510** series

## PAR36LED

10w 38°, 60° or 120°, 2700K

13w 38° or 60°, 2700K

17w 38°, 60° or 120°, 2700K

17w 15° 5000k



**25° Angle Adjustability**



**Includes Glass Lens**



## LW510 Features

- 12 volt AC/DC
- PAR36 10w, 13w or 17w LED
- Includes glass lens for the flat end and plastic lens for angled end of the fixture
- Stainless-steel fasteners & brackets
- PVC housing
- Adjustable LED lamp bracket
- 36", 18/2 SPT fixture leads with spade terminals
- 3 year warranty LED
- Lifetime housing warranty
- Dimensions 5-1/2" dia. x 10" tall

models **LW340 FF/L/HM**

## MR16LED

3w, 5W or 7w, 2700K

38°, 60° or 100° beam angle options

● Dimensions 4-3/4" dia. x 7" tall






**Louvered Front**

**Flat Front**

**Half Moon**

## LW340 Features

- 12 volt AC/DC
- MR16 3w, 5w or 7w LED
- Glass lens (LW340) choice of flat "FF", louvered "L" top or "HM" half moon
- GX5.3 bi-pin porcelain lamp socket
- Adjustable LED lamp bracket
- Rubber gaskets/seals, (LW340)
- 36", 18/2 SPT fixture leads
- PVC housing
- Stainless-steel fasteners
- GX5.3 bi-pin porcelain lamp socket
- Lifetime housing warranty




# Hardscape & Outdoor Living series

Outdoor living has never been more popular. Extended your enjoyment with family and friends at nighttime with TouchStone Lighting. Our Outdoor Living series fixtures are the perfect addition for pool areas, outdoor kitchens, fire places, grilling stations, decks, docks and patios that will add safety, security and beauty to your home!




**Stairways and Wall Washing**



**Wall Washing with Half Moon fronts**



**Highlight Stairways and Steps**



**Border Marking on Walkways and Driveways**

**micro BULLET** series

**A C C E N T   B O R D E R S   A N D   S T E P S**

Our **micro Bullet** series paver and step fixtures easily mount into pavers, concrete, composite and wood surfaces. Constructed from solid machined aluminum with 4 different front face options (round or square in flat face or half moon).



micro **BulletSquare** series



**Paver Lighting | Walkway and Driveway Marking | Highlighting Steps**

The micro **BulletSquare** series is excellent for accent lighting in pavers. Simply notch cut a 1-5/8" square out of the desired paver corner and install the mounting sleeve during paver installation. Features a small 1" dia. machined 6063 aluminum housing with a screw off front lens for LED access. The water-proof design and durable components provide for maximum fixture life.

**PAVERMount FlatFront**  
model **BL1.5SQFF** series for paver mount uplighting



**PaverMount FlatFront**

**PAVERMount HalfMoon front**  
model **BL1.5SQHM** series for paver mount wall washing



**PaverMount HalfMoon Front**

Includes 1-1/2" O.D. PVC mounting sleeve for in mounting pavers

Half Moon option front cover for more in-direct lighting effects

**BL1.5SQFF Square FlatFront**

**Features**

- 12 volt AC/DC
- G4 1w, Ceramic **LED**
- Frosted glass lens with flat front
- 1-1/4" PVC mounting sleeve
- Machined aluminum housing & front
- O-Ring front gasket
- 36", 18/2 SPT fixture leads
- 3 year warranty LED
- Lifetime housing warranty
- Patent Pending
- Made in USA



1w Ceramic **LED**

- Dimensions: Housing 1" dia x 3" long,  
Face Cover 1-1/2" dia square. x .25" deep



TouchStoneLights.com

**BL1.5SQHM Square HalfMoon**

**Features**

- 12 volt AC/DC
- G4 1w, Ceramic **LED**
- Frosted glass lens with Halfmoon front
- 1-1/4" PVC mounting sleeve
- Machined aluminum housing & front
- O-Ring front gasket
- 36", 18/2 SPT fixture leads
- 3 year warranty LED
- Lifetime housing warranty
- Patent Pending
- Made in USA



**COLOR OPTIONS**



888.475.2112

micro **BulletRound** series

Up Lighting | Walkway and Driveway Marking | Highlighting Steps

The micro **BulletRound** series is excellent for uplighting and side lighting in concrete and wood surfaces. Features a small 1" dia. machined aluminum housing with a screw off front lens for LED access. The water-proof design and durable components provide for maximum fixture life.

**HoleMount**

For mounting applications in concrete and wood.

model **BL1.5RFF** Flat Front-Round

model **BL1.5RHM** Half Moon-Round Front

**BackerMount**

For mounting in wood and composite materials

model **BL1.5RHM-BM** -Round Half Moon Front

model **BL1.5RFF-BM** -Flat Front-Round

**COLOR OPTIONS**



HoleMount

**FlatFront**

1" hole in concrete

**BL1.5RFF**

**Features**

- 12 volt AC/DC
- G4 1w, Ceramic LED
- Frosted glass lens with flat front or half moon option
- Machined 6063 aluminum housing & front
- O-Ring front gasket
- 36", 18/2 SPT fixture leads
- 3 year warranty LED
- Lifetime housing warranty
- Patent Pending
- Made in USA



1w Ceramic LED

- Dimensions: Housing 1" dia x 3" long,  
Face Cover 1-1/2" dia. x .25" deep

Includes metal backer plate



BackerPlate

**HalfMoon**

**BL1.5RHM**

**Features**

- 12 volt AC/DC
- G4 1w, Ceramic LED
- Glass lens with flat front or half moon options
- Includes 1-1/8" metal set collar/back plate
- Machined 6063 aluminum housing & front
- O-Ring front gasket
- 36", 18/2 SPT fixture leads
- 3 year warranty LED
- Lifetime housing warranty
- Patent Pending
- Made in USA



Side profile with backer plate

# Hardscape | WELL Flood **HS240** series

In-ground Lighting | Up Lighting | Architectural Lighting

## Features

- 12 volt AC/DC
- Interchangeable water-proof MR16 3w LED
- Raw brass housing
- Stainless-steel fasteners
- HardScape mounting kit
- 25', 16/2 SJ-W fixture leads
- Glass lens
- Flat, Domed or Louvered front options
- Silicone gaskets
- GX5.3 bi-pin porcelain lamp socket
- Rubber expansion ring collar
- 3 year warranty **LED**
- Lifetime housing warranty
- Dimensions 4-1/2" O.D. dia. x 9" tall

## Powder Coat Color Options



RedRock, GravelGray, BlueStone, ArchBronze, SandStone, BronzeTex, BlackTex fronts.



## MR16**LED**

3w, 2700K  
38°, 60° or 100°  
beam angle options



**HS240/F** with flat front



Flat Front

MockRock powdercoat

**HS240/D** with domed front



Domed Front

RedRock powdercoat

**HS240/L** with louvered front



Louvered Front

BlueStone powdercoat



**In Concrete**



**In Pavers**

The HardScape Well series fixtures allow for a variety of lighting techniques; wall washing, architecture, uplighting trees, flags, driveways and sculptures. Available in either flat, domed or louvered front options. Features a removable fixture with hardScape mounting kit. Features interchangeable LEDs for maximum nighttime effects and design flexibility.





Highlight Paver Steps



Outdoor Fireplaces



Outdoor Bar Areas



Columns and Walkways

# LEDGE

series

## EXPAND YOUR PERSONAL SPACE

Our lighting systems become the most used and enjoyed lighting in your home. Maximize your outdoor living area with our **LEDGE** series hardscape lighting. The **LEDGE** fixture can be mounted in the mortar/joint or surface mounts to paver blocks, concrete, wood or any other surface. Our systems are designed to create effective, soft indirect lighting to your oasis. So get the most out of your home and landscape with an LED lighting system from TouchStone Accent Lighting.

# LEDGE DL511 series

The **LEDGE** series is great for accenting columns, walls and addresses. The versatile mounting chassis allows for use with the mortar plate or without the mortar plate to surface mount on deck railing, steps, fences and under existing top caps. Features interchangeable 2w Ceramic LEDs for maximum nighttime effects and design flexibility. Choose from copper, black patina or 8 different powder coat color options to blend best with your landscape or project.

## Features

- 12 volt AC/DC
- 3 size width options 5", 10" or 15"
- Choice of 1w or 2 watt Ceramic **LED**
- Stainless-steel housing and mortar plate
- Surface mount or mortar plate mount
- Raw copper or stainless-steel with 8 powder coat color options
- 60" 18/2 SPT fixture lead
- Frosted glass lens
- Casts 5-8ft. dia. of light
- G4 bi-pin porcelain socket
- Lifetime housing warranty
- Made in USA 



## G4LED

1 or 2 watt Ceramic **LED**  
2700K warm white, 110 or 180 lumen



**DL1511-MP** series  
15" W x 1" T x 1" D  
6w (3x 1w or 2w, G4 **LED**),  
Ceramic **LED**, 2700K



**DL1011-MP** series  
10" W x 1" T x 1" D  
4w (2x 1w or 2w, G4 **LED**),  
Ceramic **LED**, 2700K

**DL511-MP** series  
5" W x 1" T x 1" D  
1w or 2w, G4,  
Ceramic **LED**, 2700K



**DL511** series  
With Copper  
valance



Surface mounts without mortar plate  
model **DL 511-C**  
5" W x 1" T x 1" D  
2w, G4, Ceramic **LED**, 2700K

## 8 Powder Coat Colors

BlueStone/BS

BronzeTex/BZT

WhiteTex/WHTX

Oil Rub Bronze/ORBZ

SandStone/SS

BlackTex/BKT

RedRock/RR

GravelGray/GG




## Raw Metal Options

Raw Copper

Black/BSST

Black patina




## Hardscape Wall Lighting | Step Lighting | Address Lighting | Deck & Fence Lighting






Surface mount on square metal railing



Mounts on pipe hand railings




Great for stairways and steps



Create soft in-direct light on your deck



Safely light spiral stairways



# POST | PIPE series

## INCONSPICUOUS DOWNLIGHTING

Available in a variety of colors and 2 mounting options, the **Post | Pipe** series surface mounts to wood, vinyl, concrete or metal surfaces. Our **Post | Pipe** series also features a radius bracket for mounting on pipe handrails, deck and dock posts and spiral stairway posts.

# POST | PIPE **PP173** series

Deck & Stairway Lighting | Fence & Gate Lighting | Spiral Stairways

The **POST | PIPE** series is great for creating in-direct lighting effects on deck railings, stairways, addresses and spiral stairways. The small housing allows for surface mounting on 2" or wider posts. The optional radius bracket allows for mounting on tubular railings and posts. Features interchangeable 1w ceramic LED for maximum nighttime effects and durability. Choose from brass patina, nickel plate or 4 powder coat color options to blend best with your deck or project.

## Features

- 12 volt AC/DC
- Raw brass with patina, nickel plated or powder coat finish
- Interchangeable 1 watt silicone Ceramic LED
- Solid brass housing
- Surface mounts
- Optional 2" pipe bracket
- 60", 18/2 SPT fixture lead
- Casts up to an 8ft. dia. of light
- G4 bi-pin porcelain lamp socket
- Lifetime housing warranty
- Finished and assembled in USA

- Dimensions 2" W x 1-3/4" T x 1-1/4" D

## Powder Coat Color Options



1 watt ceramic LED  
2700K, 110 lumen



Black-BKTX



Oil Rub Bronze-ORBZ



Raw brass-BR with optional 2" radius bracket shown



Nickel-N



ArchBronze-ARBZ



White-WH




Great for  
Spiral Stairways



Surface mounts on wood  
aluminum or vinyl railings



**Privacy Fences**



**Deck Stairways**



**Above Garage Doors**



**Split Rail Fences**



**Mid Wall**

# DAKOTA series

**E F F E C T I V E | I N C O N S P I C U O U S**

The TouchStone Dakota series surface mount fixtures can add great in-direct perimeter lighting or accent your outdoor living area in a soft inviting setting. Our fixtures allow for easy installation on new and existing fences, walls, deck railings, stairways and posts.



# DAKOTA **D228** series

Deck & Stairway Lighting | Fence Lighting | Hardscape Walls

The **Dakota** series is great for deck railing posts, stairways, walls, addresses. The fixture design allows for surface mounting with only a hole for the wire needed. Includes interchangeable 1w COB LEDs for maximum nighttime effects and design flexibility. Choose from copper, nickel plated, black, bronze, or white powder coat finish.

## Features

- 12 volt AC/DC
- Interchangeable 1 watt ceramic **LED**
- Solid copper or aluminum with powder coat finish
- Surface mounts to any type of surface
- Recommended spacing on decks and stairways (5-7ft.)
- Recommended spacing on fences (8-12ft.)
- Casts up to an 8ft. dia. of light
- 60", 18/2 SPT fixture lead
- G4 bi-pin porcelain lamp socket
- Lifetime housing warranty

● Dimensions 3-3/4" W x 2-1/2" T x 2-1/4" D



## G4LED

1 watt ceramic **LED**  
2700K warm white, 110 lumen

## Metal & Powder Coat Color Options



C/Copper



N/Nickel



BKTX/BlackTex



WH/White



ARBZ/ArchBronze




surface mounts





**Downlight steps and stairways  
from tree branches**




**Arbors**



**Hangs from small  
tree branches**



**Outdoor Kitchens**



**Pergolas**

# HANGING COPPER

**POWERFUL | COMPACT**

The Hanging Copper series fixture provides excellent light coverage for its micro size. The compact size allows for hanging from tree branches, beams, and ceilings to create a soft warm wash of downward illumination. Beam spread options of 38° 60° or 120° to for the desired coverage options.

**HC125**  
series

# HANGING COPPER

Down Lighting from Trees | Pergola & Arbor Lighting | Outdoor Living Areas

## Features

- 12 volt AC/DC
  - Interchangeable MR8 LED, 2.5 watt
  - Solid copper with brass top housing
  - Stainless-steel set screw
  - Adjustable copper visor
  - 25 ft., 18/2 SPT fixture lead
  - Brass mounting hook and 8" UV strap (standard)
  - G4 bi-pin porcelain lamp socket
  - Lifetime housing warranty
- Dimensions 1-1/4" Dia. X 5" T



## MR8LED

MR8, 2.5 watt, 120° beam,  
warm white/2700K  
110 lumen,

## Mounting Options

- 24" chain with 2 hooks
- 12" stainless-steel cable with 2 hooks

## Optional

"S" Hook Mount  
Chain or S/S Cable Mount option



Down light from small tree branches




shown with hook mount



shown with chain mount



Under Deck Areas and Outdoor Living Areas



# FENCE | SCONCE series

The **Fence | Sconce** series is the perfect fixture for creating up and down illumination on columns, beams, fences, pergolas and arbors. Can be operated with up or down only LEDs or illumination in both directions.

# FENCE | SCONCE **FS235** series

The **FENCE | SCONCE** series is great for accenting under deck columns, fences, walls and pergolas. The narrow mounting plate allows for surface mounting on 2" or wider posts. Features dual lamp sockets for your choice of up/down or both. Uses interchangeable 3w G4, 2700K ceramic LEDs. Includes 2 clear lens and 1 color match cover. Choose from 3 different powder coat color options to blend best with your deck or project.

## FS235 **FENCE | SCONCE**

### Features

- 12 volt AC/DC
- Interchangeable 3w, G4 LEDs
- Aluminum with powder coat finish
- Stainless-steel fasteners
- Surface mounts
- 60" fixture leads
- Top and bottom lens
- Includes color matched top cover
- Choose from either 1 or 2 LEDs for up/down illumination
- Dual GX5.3 porcelain lamp sockets
- Cast 4-6ft. diameter of light
- 10 year housing warranty

- Dimensions 3"W x 2"D x 5"T



**G4LED**



G4, 3 watt, ceramic LED, warm white/2700K 280 lumen,



**FS235/BKTX**  
BlackTex



**FS235/WHTX**  
WhiteTex




Surface Mounts



**FS235/ARBZ**  
ArchBronze

### Great For

Columns, Fences, Pergolas, Gazebos and Outdoor Living Areas



Surface mounts to wood, metal and masonry

shown with down only LEDs

# Donovan series WallMount

Outdoor rated, modern styling, casts up to a 12-ft. diameter of light. Set screw fittings, heavy duty construction requires no assembly. Features an off-set design for greater downward illumination, screw off lens for easy LED lamp access. Available in Wall & Hanging models.

## Features

- 12 volt AC/DC
  - Machined aluminum fittings
  - Stainless steel hood
  - 2w ceramic LED, 2700K
  - 18", 18/2 W-SPT fixture lead
  - Clear screw on lens
  - Mounts on 3" round junction boxes
  - BlackTex, WhiteTex, BronzeTex powder coat finishes
  - Lifetime warranty
  - Made in USA 
- Dimensions: hood 6" dia x riser 1/2" dia. x 5" tall x 7" long



**Donovan WallLight**  
**DW126-BKTX/BlackTex**



- Pergolas
- Pool Houses
- Cabana's
- Fences
- Doorways
- Exterior Walls



**Donovan WallLight**  
**DW126-WHTX/ WhiteTex**

**Donovan WallLight**  
**DW126-BZTX/BronzeTex**

# Donovan series HangingMount

Cabana Lighting | Overhead Lighting | Counter Top Lighting

## Features

- 12 volt AC/DC
- Machined aluminum fittings
- 2w ceramic LED, 2700K
- 8", 18/2 W-SPT fixture lead
- Clear lens
- Mounts on 3" round j-box
- BlackTex, WhiteTex or BronzeTex finishes
- Lifetime warranty
- Made in USA 



**Donovan HangingLight** with 36"riser

- Dimensions hood 6" dia. x riser 1/2" dia tube x 16" long standard
- Optional Riser Lengths 6", 12", 24" or 36"
- Optional RubberMount for fixture flex. part UMRM



**Donovan HangingLight**  
**DH126/16-WHTX/WhiteTex**

**Donovan HangingLight**  
**DH126/16-BZTX/BronzeTex**

**Donovan HangingLight**  
**DH126/16-BKTX/BlackTex**

**GR100F**  
series

# Light My Grill

Grill Lighting | Outdoor Kitchens

The "Light My Grill" is for great outdoor grilling areas and countertops. Available in kit form with transformer or without. Features a ON/OFF switch and flex neck..

## Features

- 12 volt AC/DC
- Interchangeable 4w MR16 LED
- Nickel plated finish
- Push button ON/OFF switch
- Adjustable "goose neck" with UV shrink wrap
- 60", 18/2 SPT fixture lead
- Standard MR16 5w, 38° beam angle
- Adjustable visor
- Surface mounts with 3 hole, 3" surface mount
- G4 bi-pin porcelain lamp socket
- Does NOT include mounting screws/hardware
- 5 year housing warranty

- Dimensions 5/8" x 28" T x 3" dia.



### MR16LED

MR16, 3 watt, 38°,  
warm white/2700K,  
220 lumen



Surface mounts to stone, wood and concrete surfaces

# 12v LED BistroLight series



Optional mounting post and cable hardware

The 12v **BISTRO**Light series operates from a 12v transformer, so it's safer to install and more cost effective to operate than 120v lighting. Great for accenting outdoor living areas and restaurants. Optional dimmer, stainless-steel cable supports and mounting post accessories available.

## 2w E26 LED bulbs

- 12 volt AC/DC
- S14 Globe
- E26 base
- 2 watt
- .62 power factor
- COB type LED
- CRI>80
- 110lm/2700K
- 360° light radius
- 2 year warranty

## 12 volt e26 LED Bulbs



Shown with wood support blocks



**e26-base**  
medium base

## BistroLight string light

- 12 volt AC/DC
- Heavy-duty, commercial grade, non suspended
- Soft UV resistant PVC, water-tight
- E26 medium base
- 2w per LED bulb
- 24" bulb spacing
- Custom cut to order
- 3 year warranty




Provides a warm white tone

## BISTROLight ACCESSORY PARTS

### BL2/10-SQMP

**SQUARE POLE**  
Standard powder coat colors

- Square aluminum pole
- Mounting sleeve
- 2" dia x 10ft.
- Stainless-steel eyebolt



**BL SS-CHK POLE**  
100ft. Stainless-Steel Cable and tension clamp kit

### part TRMD Dimmer

- 12v AC
- 120w max.
- Works with all LEDs

### part MDBX Dimmer Outdoor Mounting Box

- Rain-tight cover
- Easy access door





# TapeLight

Under Edge Lighting | Step Lighting | Wall Lighting | Architectural Lighting

**TapeLight** is for highlighting continuous lengths. Great for accenting steps, walls and architectural features. Operates from a standard 12v transformer.



## Features

- 12 volt AC/DC
- 2700K LED
- Connect up to 3 reels
- Adhesive tape backing
- 1.45W per ft./25w reel
- 6" fixture lead
- Casts up to a 5 ft. dia. of light
- Silicone encapsulated/waterproof
- Cuttable every 4".
- 1 year housing warranty
- Dimensions 1/2" wide x 16.5ft. reel



# MOON **D225 | D226** series

Dock Lighting | Step Lighting | Fence Lighting



## Features

- 12 volt AC/DC
- Interchangeable 2 watt Ceramic LED
- Cast aluminum housing
- Powder coat BK, BZT, WH or Plated Copper
- Surface mounts
- Sealed housing with glass lens
- 60" 18/2 SPT fixture lead
- Casts up to a 5 ft. dia. of light
- Silicone housing gaskets
- G4 bi-pin porcelain lamp socket
- Stainless-steel screws
- 10 year housing warranty
- Dimensions 4" Dia x 2" Deep

## G4LED

2 watt Ceramic LED  
2700K warm white, 180 lumen



shown with surface mount using 4" hole saw




## D225 Half Moon

Available in BlackTex/BKTX, BZT/BronzeTex, WhiteTex/WHTX



## D226 Louvered



# Water series

## DANCING WATERS

Make water features come alive at night! Our underwater lighting fixtures are designed to operate year around and create effective, soft indirect lighting to your oasis. So get the most out of your water feature with TouchStone lighting

**W240**  
series

# BrassSubmersible

The **Brass**Submersible fixture allows for a variety of uplighting and submersible lighting effects. Available in either visor or flat front models. Features a solid brass housing, front rings and removable fixture stand. Great for water features, fountains, waterfalls, and small ponds. Our **Brass**Submersible series features interchangeable MR16 LEDs for maximum nighttime effects and design flexibility.

## Features

- 12 volt AC/DC
  - Interchangeable MR16 3w LED std., 5w or 7w optional
  - Raw brass
  - Stainless-steel fasteners
  - 25' fixture leads
  - Glass lens
  - Visor or flat front
  - Silicone gaskets
  - GX5.3 bi-pin porcelain lamp socket
  - Removable brass stand
- Dimensions 3-3/4" dia. x 3-3/4" tall

**W240/V**  
with Visor front



**W240/F**  
with Flat front



Water-proof **MR16**



Great for fountains, waterfalls and ponds



Can operate in or out of water

# SNAIL | SUL6/15/30

## Great For Lighting

Streams | Under Rocks | Shallow Areas | Bubbling Rocks | Night Putting

### Features

- 12 volt AC/DC
- 2w Ceramic LED, 2700K, or Red, Green, Blue LED
- 18/2 W-SPT fixture lead
- Tempered Glass Lens
- Suitable in or out of water
- IP68, mastic/heat shrink
- 2 year warranty
- Made in USA 

● Dimensions 3/4" dia. x 2" L x 12ft. long




**SNAIL**-warm white, or colored LED  
Available in 6ft., 15ft., 30ft.




# WATERRACK | W244

Uplight pond fountains with our quality **WATERRACK** floating light system. Features non-corrosive brass, stainless-steel, and copper components, replaceable MR16 LED in your choice of 2700K, 5000k or ColorChange.

### Features

- 12 volt AC/DC
- 4x 7 watt MR16 LED, 2700K, 5000K or Color Change
- 4 X Brass fixtures and copper frame
- Stainless-steel fasteners
- Fixtures fronts remain out of the water
- 2x 25' - stainless steel cable guide tie downs
- 25' - 18/2 W-SPT fixture lead
- 2 year warranty
- Made in USA 
- Dimensions 48" x 48" frame

**Telescoping Riser  
for depth control**



**WATERRACK**  
2700k, 5000K or  
ColorChange LED



7 watt MR16**LED**  
warm white 2700K/750lm, 5000K 825lm  
or ColorChange with app

# ShadowBollard series

**Walkways | Driveways | Yard Art | Residential and Commercial**

The **ShadowBollard** series fixtures are designed to accent your landscape with stunning shadow designs while adding a focal point of interest in your landscape during the day and night! Constructed from steel, the **ShadowBollards** feature our mission lantern design. Each fixture is laser cut with precision to create these extremely durable fixtures.



## Features

- 12v 2w CeramicG4 in models 2x2, 4x4
- 5w, 100° MR16 LED in model 6x6
- 2700K, warm white
- Mounting tube stake on 2" and 4" models
- RustSteel/RS or Black/BK or Bronze/BZ powder coat finish
- Includes mounting hardware
- Lifetime warranty housing
- 3 years LED

## Dimensions

- 2x2- 2"w x 2"d x 24"t
- 4x4- 4"w x 4"d x 25"t
- 6x6- 6"w x 6"d x 42"t

## ShadowBollards



**model 2x2**



**model 4x4**



**model 6x6**

Available in RustSteel, BlackTex or ArchBronze




2x2 for walkways and patios

2x2 **MissionLantern** series



4x4 for walkways & driveways

4x4 **MissionLantern** series



6x6 for walkways & driveways

6x6 **MissionLantern** series

# Commercial Bollard series

## CB636 Bollard

### Features

- 12 volt AC/DC
- 5 or 7 watt, MR16 LED, 2700K, 4000K
- Cast aluminum housing
- Powder coat 6 Earth Tone color options
- Surface mounts
- Sealed housing with glass lens
- 60" 18/2 SPT fixture lead
- Casts up to a 12 ft. dia. of light
- Stainless-steel screws
- Housing tube can be cut to any height
- 3 year housing warranty
- Assembled, finished in USA 

- Dimensions 6" Dia. x 36" Tall



12 ft. dia. of light

Can be cut to any height  
Shown in MockRock/MR finish, 24" tall


### POWDER COAT COLOR OPTIONS



**CB636 Bollard**  
7w/2700k/750lm  
7w/4000k/7825lm




## Kennel and Chain Link Perimeter Lighting




2" pipe bracket allows for easy, durable fixture mounting

### Features

- 12 volt AC/DC
- 1 watt ceramic LED, 2700K
- Raw aluminum housing
- 2" nickel plated pipe bracket
- 60", 18/2 SPT fixture lead
- Casts up to an 10ft. dia. of light
- Accepts 1/2 NPT hardware
- G4 bi-pin porcelain lamp socket
- Stainless-steel screws
- Lifetime housing warranty
- Made in USA 

- Dimensions:  
2" wide x 2" deep x 3" tall

1 watt ceramic  
LED, 2700K 

**PP173AL-PB**  
w/pipe bracket



genuine REPLACEMENT  
**PARTS**

**Fixture Ground Stakes**

**PART PS8-F SuperStake**

- Plastic stake-standard with most fixtures
- 1/2" NPT thread
- 2" dia x 8"
- Made in USA 

For maximum fixture support, the SuperDuty SS2A SuperStakes accept any fixture with 1/2" NPT mounting.

**Metal SuperStakes**

**PART SS2A12**

**PART SS2A16**

- Machined Aluminum Top Cap
- Earthtone powder coated
- 1/2" NPT thread
- 2" dia. aluminum pipe
- PVC bottom spear
- Stainless-steel set screws
- 2 size length options 12" or 16"
- Made in USA 

**Fixture Sockets**

**PART P384-LS**

- For G384, G486 series fixtures
- 36" lead with S/S bracket

**PART P224-LS**

- For A224, A195 series fixtures
- 36" lead with S/S bracket

**PART P212-LS**

- For A212 series fixtures
- 36" lead with screws

**PART PDL-LS**

- For DL series fixtures
- 60" lead with S/S bracket

**PART PPP-LS**

- For PP173 series fixtures
- 60" lead with S/S bracket

**PART PGC-LS**

- For GC578, GC778, GC978, GC11125  
GR100, D225/D226, A232 series fixtures
- 36" lead with S/S bracket

**RGBW color change MR16 & PAR36 LEDs**

**SuperLumen**

- Bluetooth Repeater**  
increases range, works up to 260ft radius.
- 12 volt AC/DC

**PART PAR36/RGBW**  
10w/38° or 60°



**PART MR16/RGBW**  
10w/38° or 60°



**PREMIUM GRADE LONG LIFE LEDs**

**PAR36LED for**  
A216, A236 & LW510

**PART PAR36LED**  
10W  
13W  
17W

- 9-17 volt AC/DC
- Dimmable
- 10 watt, 13 watt, 17 watt
- 2700K, warm white
- CRI>85
- IP67 rated
- 38°, 60° or 120° beam angle
- 5 year warranty



**Lumens**

- 10w800lm/, 13w/1130lm, 17w/1300lm



# MR8, MR11 & MR16 LEDs

## 2.5w watt MR8LED ip65 water-proof LEDs

### MR8LED

**Lumens**

- 2.5w/160lm



Die Cast Housing

MR8LED for  
A185, HC125 & FS235 series

- 12 volt AC/DC
- 38°, 60° or 120° lens
- 25mm x 37mm
- CRI>85
- G4 bi-pin base
- 9-17 voltage
- .53 power factor
- 160lm/2700K
- 5 year warranty

## 2.5w MR11LED ip65 water-proof LEDs

### MR11LED

**Lumens**

- 2.5w/180lm



Die Cast Housing

MR11LED for  
A195, A195BR, FS235 series

- 2.5 watt, 12 volt AC/DC
- 30°, 60°, 120° lens
- 34mm x 46mm
- CRI>85
- G4 bi-pin base
- 9-17 voltage
- .53 power factor
- 180lm/2700K
- 5 year warranty

## MR16LED ip65water-proof LEDs

### MR16LED

**3w/5w/7w**

**Lumens**

- 3w220lm/,
- 5w/550lm, 7w/750lm



Die Cast Housing

MR16LED for  
A212, A214, A224, A233, LW240,  
HS240, LW340, GR100 series

- 3, 5 or 7 watt, 12 volt AC/DC
- 30°, 60°, 100° lens
- Dimmable
- CRI>85
- Rated for outdoor enclosed fixtures
- 50mm x 51mm
- 9-17 voltage
- 2700K
- 5 year warranty

## 5 and 7 watt MR16LED red, green and blue LEDs



MR11-2.5W colored

MR16-5W colored

MR16-7W colored

**Color Temperature/Kelvin**  
RED, GREEN, BLUE

**Beam Angles**  
38°, 60° or 100°

**Power Consumption**  
>0.7

**Lifespan**  
25,000 hours

**Voltage**  
9-17 volt AC/DC

**Warranty**  
3 years Limited



# miniatureLEDs

RETRO FIT Miniature 12 volt LED BULBS

## Water-proof, 12volt AC/DC Outdoor Rated LEDs

Our LEDs are encapsulated providing maximum heat dissipation, long life and suitable for outdoor use.



### 1 watt Ceramic LED

- 12 volt AC/DC
- G4 bi-pin base
- 1watt
- .62 power factor
- SMD type LED
- CRI>85
- 110lm/2700K
- 360° light radius
- 10mm x 20mm
- 3 year warranty

#### For models

D228 Dakota series  
PP173 Post Pipe series  
BL1.5 Bullet series



### 2 watt Ceramic LED

- 12 volt AC/DC
- G4 bi-pin base
- 2 watt
- .62 power factor
- SMD type LED
- CRI>85
- 180lm/2700K
- 360° light radius
- 10mm x 36mm
- 3 year warranty

#### For models

G384, G586 series  
GC578, GC710, GC910, GC9510 series  
GL246, D225, D226, DL511 series



### 3 watt Ceramic LED

- 12 volt AC/DC
- G4 bi-pin base
- 3 watt
- .62 power factor
- SMD type LED
- CRI>85
- 280lm/2700K
- 360° light radius
- 10mm x 43mm
- 3 year warranty

#### For models

G486/G586, GL246  
GC578, GC710, GC910, GC9510  
and 11125 series



### 4 watt Ceramic LED

- 12 volt AC/DC
- G4 bi-pin base
- 4 watt
- .62 power factor
- SMD type LED
- CRI>85
- 320lm/2700K
- 360° light radius
- 10mm x 44mm
- 3 year warranty

#### For models

G486/G586, G1259,  
GC578, 778, 978, 9578  
and 11125 series

## ColoredLEDs MINIATURE



### 2 watt Ceramic COLORED LED

available in RED, GREEN or BLUE

- 12 volt AC/DC
- G4 bi-pin base
- 2 watt
- .62 power factor
- SMD type LED
- CRI>80
- 180lm/2700K
- 360° light radius
- 10mm x 36mm
- 3 year warranty


**Fits all Touchstone fixtures**



# 12 volt AC outdoor rated Transformers

Our Universal series transformers allow for customization of timer control devices. Choose from 75w to 900w models. Each unit includes mounting hardware and 3/4" conduit.

## Universal series Features

- Outdoor/Indoor rated, suitable for wet location
- 12-15 VAC tap setting options (standard)
- 15-22v VAC long distance 600w model
- Steel housing with black powder coat
- Stainless-steel fasteners
- Stainless-steel locking buckle
- Side hinged access door
- Epoxy encapsulated toroidal core
- Allows for optional timer and photo-cell
- 12v magnetic circuit breakers
- 6ft. grounded plug cord
- Bottom plate with terminal knock-outs
- 18" of 3/4" conduit and terminal adapter
- Assembled in USA 



## PowerPack series models

TR150PT-P TR60PT-P  
with built in photo-cell and timer



Plugs into any 120v GFI protected outlet.

## Universal Transformer Mounting Stand

- Adjusts to any size Universal transformer
- No more holes in houses
- No more rotten posts
- Includes all hardware



model TR75Usc



models TR75usc-300u series stainless steel or black powder coat housing option



## Modular Timer Options

- Astronomical timer
- SMART app based timer
- Analog timer
- Photo-cell

MODEL	WATTAGE	AMPS	CIRCUITS /BREAKERS/COMMONS	DIMENSIONS
TR60-PT-P	60	.50	1	4"W x 6"T x 5-1/2"D
TR150PT-P	150	1.25	1	5"W x 6"T x 5-1/2"D
TR75Usc	75	.625	1	6"W x 11-1/2"T x 5-1/2"D
TR75Usc-SS	75	.625	1	6"W x 11-1/2"T x 5-1/2"D
TR150U	150	1.25	1	6"W x 17-1/2"T x 5-1-2"D
TR150-SS	150	1.25	1	6"W x 17-1/2"T x 5-1/2"D
TR300	300	2.50	1	6-1/2"W x 16-1/2"T x 6"D
TR300-SS	300	2.50	1	6-1/2"W x 16-1/2"T x 6"D
TR600	600	5.00	2	8"W x 18"T x 7-1/4"D
TR600/15-22v	600	5.00	2	8"W x 18"T x 7-1/4"D
TR900	900	7.50	3	8"W x 18"T x 7-1/4"D

# Transformer ACCESSORIES



part **TRAT** Astronomical timer  
 ●Allows for auto dusk/timer settings  
 ●Battery backup



Bluetooth  
 part **TRST**  
 BlueTooth  
 SMART Timer



part **TRMT**  
 Mechanical timer  
 ●easy to operate



part **TRSPC**  
 Short Photo-cell



part **TRLPC 10FT.**  
 Extended Photo-cell



part **TRMD** Dimmer  
 ●12v AC/DC  
 ●100w max.  
 ●Dims all 12v LEDs

## CABLE & ACCESSORIES

### Landscape Lighting Cable

- Sequentially numbered by the foot
- UV black outer jacket
- Standed copper
- UL listed
- 500ft. spools or by the foot
- Made in USA



### Cable Connectors



part **SSTC10**  
 small size  
 Silicone filled  
 twist connector  
 200 per tube



part **SSTC20**  
 medium size  
 Silicone filled  
 twist connector  
 tube  
 100 per tube



part **LV95**  
 medium size  
 Silicone filled  
 connector  
 12 per bag



### rubbermount™

**Knock it. Lean on it. Run into it.**

Enables fixture flexibility and reduced maintenance. Made from tough durable rubber, RubberMounts are suitable with any fixture with a 1/2 NPT fitting.



part **UMRM**



Features molded 1/2" NPT female brass inserts on each end with stainless-steel set screws.

ACCENT LIGHTING  
**TOUCHSTONE®**



2425 W. Industrial Blvd.  
Long Lake, MN, USA 55356



## **FREE DESIGN SERVICES**

Create a beautiful nighttime outdoors with our complimentary design services. Our “illuminologists” can help with fixture spacing, cable layouts, and installation tips. Visit [TouchStoneLights.com](https://TouchStoneLights.com) or call 1.888.475.2112 to make an appointment.

