

Chair & Furniture Casters

Metal & Rubber Ball Casters

Crafted with top-notch quality and timeless style, these decorative ball casters are ideal for chairs, tables, medical carts, and more. Built to last with premium materials, they offer dependable functionality and effortless mobility.

Applications

- Store Fixtures
- Furniture
- Office Equipment
- Medical Equipment

Features

- Self-lubricating acetyl resin bearing
- No exposed axle



CLICK TO PICK

PART NUMBER KEY: HOW TO ORDER THE CORRECT CASTER:

SCC-GN01S20-DCS-WA-B-516


Brand	Mounting Type	Series	Rig Type	Wheel Diameter	Wheel Material	Finish Type	Brake Option	Stem Size
Service Caster	Grip Neck (GN)	01	Swivel	2" (20)	Die Cast Steel (DCS)	Windsor Antique (WA)	Brake (B)	5/16" x 1-1/2" (516)
	Grip Ring (GR)			2-1/4" (214)	Die Cast Rubber (DCR)	Bright Chrome (BC)		Grip Ring - 7/16" x 7/8" (71678)
	Threaded Stem (TS)					Bright Brass (BB)		Grip Ring - 7/16" x 1-7/8" (716178)
	Top Plate (TP)							Threaded - 5/16" -18 x 1 (516181)
								Threaded - 3/8" -16 x 1 (38161)

Mounting Options

More Options


Top Plate

- 2" x 1-3/16" Plate with 1-9/16" x 13/16" Bolt pattern




Grip Neck Stem

- 5/16" x 1-1/2"




Options

- Shield-Guard cover shields your tread from scratches and damage during the production process and while in transit.




Threaded Stem

- 5/16"-18 x 3/4"
- 5/16"-18 x 1"
- 3/8"-16 x 1"
- 3/8"-16 x 1-1/2"




Brake Option

- Brake option available for 2-1/2" model only




Grip Ring Stem

- 3/8" x 1"
- 7/16" x 7/8"
- 7/16" x 1-7/16"




Finish Options

- Metalized Brass
- Windsor Antique
- Bright Chrome



Corner Brackets

- Angle & Straight



Socket Options

- Service Caster has many solutions to help you mount your casters to your equipment quickly and easily.



GRIP NECK STEM CASTERS

Wheel Diameter	Tread Material	Finish	Dynamic Load	Mounting Height	Swivel Radius	Part Number CLICK TO ORDER NOW
2"	Steel	Bright Chrome	75 lbs.	2-3/16"	1-1/2"	SCC-GN01S20-DCS-BC-516
2"	Steel	Windsor Antique	75 lbs.	2-3/16"	1-1/2"	SCC-GN01S20-DCS-WA-516
2-1/4"	Rubber	Bright Chrome	75 lbs.	2-5/16"	1-9/16"	SCC-GN01S214-DCR-BC-516
2-1/4"	Rubber	Windsor Antique	75 lbs.	2-5/16"	1-9/16"	SCC-GN01S214-DCR-WA-516
2-1/2"	Steel	Bright Chrome	100 lbs.	2-13/16"	1-7/8"	SCC-GN01S25-DCS-BC-516
2-1/2"	Steel	Windsor Antique	100 lbs.	2-13/16"	1-7/8"	SCC-GN01S25-DCS-WA-516
3"	Rubber	Bright Chrome	100 lbs.	2-7/8"	2-1/16"	SCC-GN01S30-DCR-BC-516
3"	Rubber	Windsor Antique	100 lbs.	2-7/8"	2-1/16"	SCC-GN01S30-DCR-WA-516

GRIP RING STEM CASTERS

Wheel Diameter	Tread Material	Finish	Dynamic Load	Mounting Height	Swivel Radius	Part Number CLICK TO ORDER NOW
2"	Steel	Bright Chrome	75 lbs.	2-3/16"	1-1/2"	SCC-GR01S20-DCS-BC-*
2"	Steel	Windsor Antique	75 lbs.	2-3/16"	1-1/2"	SCC-GR01S20-DCS-WA-*
2-1/4"	Rubber	Bright Chrome	75 lbs.	2-5/16"	1-9/16"	SCC-GR01S214-DCR-BC-*
2-1/4"	Rubber	Windsor Antique	75 lbs.	2-5/16"	1-9/16"	SCC-GR01S214-DCR-WA-*
2-1/2"	Steel	Bright Chrome	100 lbs.	2-13/16"	1-7/8"	SCC-GR01S25-DCS-BC-*
2-1/2"	Steel	Windsor Antique	100 lbs.	2-13/16"	1-7/8"	SCC-GR01S25-DCS-WA-*
3"	Rubber	Bright Chrome	100 lbs.	2-7/8"	2-1/16"	SCC-GR01S30-DCR-BC-*
3"	Rubber	Windsor Antique	100 lbs.	2-7/8"	2-1/16"	SCC-GR01S30-DCR-WA-*

NOTE: FOR YOUR STEM CHOICE, REPLACE * IN PART NUMBER WITH THE STEM CODE SHOWN IN STEM CHOICES.

Grip Ring Stem

- 3/8" x 1" (381)
- 7/16" x 7/8" (71678)
- 7/16" x 1-7/16" (7161716)



Grip Neck Stem

- 5/16" x 1-1/2" (516112)



Wood Sockets

- For use in wood applications
- Fits 5/16" x 1-1/2" Grip Neck Stem Only
- For Installation: Drill 3/8" x 1-5/8" Hole



NOTE: METAL SOCKETS FOR INSTALLATION INTO WOOD INCLUDED WITH GRIP NECK STEM MODELS





TOP PLATE CASTERS

[CLICK TO ORDER NOW](#)

Wheel Diameter	Tread Material	Finish	Dynamic Load	Mounting Height	Swivel Radius	Part Number
2"	Steel	Bright Chrome	75 lbs.	2-3/16"	1-1/2"	SCC-TP01S20-DCS-BC
2"	Steel	Windsor Antique	75 lbs.	2-3/16"	1-1/2"	SCC-TP01S20-DCS-WA
2-1/4"	Rubber	Bright Chrome	75 lbs.	2-5/16"	1-9/16"	SCC-TP01S214-DCR-BC
2-1/4"	Rubber	Windsor Antique	75 lbs.	2-5/16"	1-9/16"	SCC-TP01S214-DCR-WA
2-1/2"	Steel	Bright Chrome	100 lbs.	2-13/16"	1-7/8"	SCC-TP01S25-DCS-BC
2-1/2"	Steel	Windsor Antique	100 lbs.	2-13/16"	1-7/8"	SCC-TP01S25-DCS-WA
3"	Rubber	Bright Chrome	100 lbs.	2-7/8"	2-1/16"	SCC-TP01S30-DCR-BC
3"	Rubber	Windsor Antique	100 lbs.	2-7/8"	2-1/16"	SCC-TP01S30-DCR-WA



THREADED STEM CASTERS

Wheel Diameter	Tread Material	Finish	Dynamic Load	Mounting Height	Swivel Radius	Part Number CLICK TO ORDER NOW
2"	Steel	Bright Chrome	75 lbs.	2-3/16"	1-1/2"	SCC-TS01S20-DCS-BC-*
2"	Steel	Windsor Antique	75 lbs.	2-3/16"	1-1/2"	SCC-TS01S20-DCS-WA-*
2-1/4"	Rubber	Bright Chrome	75 lbs.	2-5/16"	1-9/16"	SCC-TS01S214-DCR-BC-*
2-1/4"	Rubber	Windsor Antique	75 lbs.	2-5/16"	1-9/16"	SCC-TS01S214-DCR-WA-*
2-1/2"	Steel	Bright Chrome	100 lbs.	2-13/16"	1-7/8"	SCC-TS01S25-DCS-BC-*
2-1/2"	Steel	Windsor Antique	100 lbs.	2-13/16"	1-7/8"	SCC-TS01S25-DCS-WA-*
3"	Rubber	Bright Chrome	100 lbs.	2-7/8"	2-1/16"	SCC-TS01S30-DCR-BC-*
3"	Rubber	Windsor Antique	100 lbs.	2-7/8"	2-1/16"	SCC-TS01S30-DCR-WA-*

NOTE: FOR YOUR STEM CHOICE, REPLACE * IN PART NUMBER WITH THE STEM CODE SHOWN IN STEM CHOICES.

Threaded Stem

- 5/16"-18 x 3/4" (5161834)
- 5/16"-18 x 1" (516181)
- 3/8"-16 x 1" (38161)
- 3/8"-16 x 1-1/2" (3816112)



Top Plate

- 1-1/2" x 1-1/2" Plate with 1" x 1" Bolt pattern
- 2" x 1-3/16" Plate with 1-9/16" x 13/16" Bolt pattern (TP2)



eE C © E C C C OC C



REVIEW US ON
Trustpilot

SHARE YOUR THOUGHTS! WE VALUE YOUR FEEDBACK. >>>

CC

Chair & Furniture Casters

Decorative Hooded Ball Casters

Decorative hooded ball casters offer a stylish and functional solution for furniture and equipment mobility. These versatile casters are characterized by their unique hooded design, which not only adds an aesthetic touch but also serves a practical purpose.

Applications

- Store Fixtures
- Furniture
- Office Equipment
- Medical Equipment

Features

- Self-lubricating acetyl resin bearing
- No exposed axle



CLICK TO PICK

PART NUMBER KEY: HOW TO ORDER THE CORRECT CASTER:

SCC-GR01S20-POS-FB-SLB-716

Brand	Mounting Type	Series	Rig Type	Wheel Diameter	Wheel Material	Finish Type	Brake Option	Stem Size
Service Caster	Grip Neck (GN)	01	Swivel	2" (20)	Polyolefin (POS)	Windsor Antique (WA)	Brake (SLB)	5/16" x 1-1/2" (516)
	Grip Ring (GR)					Bright Chrome (BC)		Grip Ring - 7/16" x 7/8" (71678)
	Threaded Stem (TS)					Metalized Brass (MB)		Grip Ring - 7/16" x 1-7/8" (716178)
	Top Plate (TP)					Glossy Black (GB)		Threaded - 5/16" -18 x 1 (516181)
						Flat Black (FB)		Threaded - 3/8" -16 x 1 (38161)

Mounting Options

More Options

Top Plate

- 2" x 1-3/16" Plate with 1-9/16" x 13/16" Bolt pattern



Grip Neck Stem

- 5/16" x 1-1/2"



Brake Option

- Brake option available for 2-1/2" model only



Socket Options

- Service Caster has many solutions to help you mount your casters to your equipment quickly and easily.



Threaded Stem

- 5/16"-18 x 3/4"
- 5/16"-18 x 1"
- 3/8"-16 x 1"
- 3/8"-16 x 1-1/2"



Finish Options

- Metalized Brass
- Windsor Antique
- Bright Chrome
- Glossy Black
- Flat Black

Grip Ring Stem

- 3/8" x 1"
- 7/16" x 7/8"
- 7/16" x 1-7/16"



Corner Brackets

- Angle & Straight





GRIP NECK STEM CASTERS

Wheel Diameter	Tread Material	Finish	Dynamic Load	Mounting Height	Swivel Radius	Part Number <small>CLICK TO ORDER NOW</small>
2"	Polyolefin	Bright Brass	80 lbs.	2-5/8"	1-7/8"	SCC-GN01S20-POS-BB-516
2"	Polyolefin	Bright Chrome	80 lbs.	2-5/8"	1-7/8"	SCC-GN01S20-POS-BC-516
2"	Polyolefin	Flat Black	80 lbs.	2-5/8"	1-7/8"	SCC-GN01S20-POS-FB-516
2"	Polyolefin	Glossy Black	80 lbs.	2-5/8"	1-7/8"	SCC-GN01S20-POS-GB-516
2"	Polyolefin	Windsor Antique	80 lbs.	2-5/8"	1-7/8"	SCC-GN01S20-POS-WA-516
2"	Polyolefin	Windsor Antique	80 lbs.	2-5/8"	1-7/8"	SCC-GN01S20-POS-WA-SLB-516



GRIP RING STEM CASTERS

Wheel Diameter	Tread Material	Finish	Dynamic Load	Mounting Height	Swivel Radius	Part Number <small>CLICK TO ORDER NOW</small>
2"	Polyolefin	Bright Brass	80 lbs.	2-5/8"	1-7/8"	SCC-GR01S20-POS-BB-*
2"	Polyolefin	Bright Chrome	80 lbs.	2-5/8"	1-7/8"	SCC-GR01S20-POS-BC-*
2"	Polyolefin	Flat Black	80 lbs.	2-5/8"	1-7/8"	SCC-GR01S20-POS-FB-*
2"	Polyolefin	Glossy Black	80 lbs.	2-5/8"	1-7/8"	SCC-GR01S20-POS-GB-*
2"	Polyolefin	Windsor Antique	80 lbs.	2-5/8"	1-7/8"	SCC-GR01S20-POS-WA-*
2"	Polyolefin	Windsor Antique	80 lbs.	2-5/8"	1-7/8"	SCC-GR01S20-POS-WA-SLB-*

NOTE: FOR YOUR STEM CHOICE, REPLACE * IN PART NUMBER WITH THE STEM CODE SHOWN IN STEM CHOICES.

Grip Ring Stem

- 3/8" x 1" (381)
- 7/16" x 7/8" (71678)
- 7/16" x 1-7/16" (7161716)



Grip Neck Stem

- 5/16" x 1-1/2" (516112)



Wood Sockets

- For use in wood applications
- Fits 5/16" x 1-1/2" Grip Neck Stem Only
- For Installation: Drill 3/8" x 1-5/8" Hole



NOTE: METAL SOCKETS FOR INSTALLATION INTO WOOD INCLUDED WITH GRIP NECK STEM MODELS





The Casters & Service You Need

- EASY ORDERING
- EXPERT SERVICE
- FAST SHIPPING
- CUSTOM ORDERS

LIKE, SHARE & SUBSCRIBE

SERVICE CASTER CORPORATION

GRIP NECK STEM CASTERS

Wheel Diameter	Tread Material	Finish	Dynamic Load	Mounting Height	Swivel Radius	Part Number <small>CLICK TO ORDER NOW</small>
2"	Polyolefin	Bright Brass	80 lbs.	2-5/8"	1-7/8"	SCC-TP01S20-POS-BB
2"	Polyolefin	Bright Chrome	80 lbs.	2-5/8"	1-7/8"	SCC-TP01S20-POS-BC
2"	Polyolefin	Flat Black	80 lbs.	2-5/8"	1-7/8"	SCC-TP01S20-POS-FB
2"	Polyolefin	Glossy Black	80 lbs.	2-5/8"	1-7/8"	SCC-TP01S20-POS-GB
2"	Polyolefin	Windsor Antique	80 lbs.	2-5/8"	1-7/8"	SCC-TP01S20-POS-WA
2"	Polyolefin	Windsor Antique	80 lbs.	2-5/8"	1-7/8"	SCC-TP01S20-POS-WA-SLB

GRIP RING STEM CASTERS


Wheel Diameter	Tread Material	Finish	Dynamic Load	Mounting Height	Swivel Radius	Part Number <small>CLICK TO ORDER NOW</small>
2"	Polyolefin	Bright Brass	80 lbs.	2-5/8"	1-7/8"	SCC-TS01S20-POS-BB-*
2"	Polyolefin	Bright Chrome	80 lbs.	2-5/8"	1-7/8"	SCC-TS01S20-POS-BC-*
2"	Polyolefin	Flat Black	80 lbs.	2-5/8"	1-7/8"	SCC-TS01S20-POS-FB-*
2"	Polyolefin	Glossy Black	80 lbs.	2-5/8"	1-7/8"	SCC-TS01S20-POS-GB-*
2"	Polyolefin	Windsor Antique	80 lbs.	2-5/8"	1-7/8"	SCC-TS01S20-POS-WA-*
2"	Polyolefin	Windsor Antique	80 lbs.	2-5/8"	1-7/8"	SCC-TS01S20-POS-WA-SLB-*

NOTE: FOR YOUR STEM CHOICE, REPLACE * IN PART NUMBER WITH THE STEM CODE SHOWN IN STEM CHOICES.




Threaded Stem

- 5/16"-18 x 3/4" (5161834)
- 5/16"-18 x 1" (516181)
- 3/8"-16 x 1" (38161)
- 3/8"-16 x 1-1/2" (3816112)



Top Plate

- 2" x 1-3/16" Plate with 1-9/16" x 13/16" Bolt pattern



REVIEW US ON

SHARE YOUR THOUGHTS! WE VALUE YOUR FEEDBACK. >>>