



Committed to Quality
Committed to You.

CLINICAL PRODUCT CATALOGUE



ENDODONTIC EQUIPMENT

Endodontics has never been so EASY...!!

ENDO-MATE DT WITH 20:1 HEAD

DESK TYPE ENDO MOTOR WITH TORQUE CONTROL AND AUTO REVERSE

- ✦ 6 head angles for ease of treatment
- ✦ Push type ultra-miniature head
- ✦ Speed range: 100-13,000 rpm (With 20:1, 4:1, 1:1, 16:1 geared heads)
- ✦ Torque level up to 7 Ncm (when using 20:1 handpiece)
- ✦ No. of program: 9
- ✦ Battery / AC operated
- ✦ Optional foot control



CE / EC EN ISO 13485:2016 / ISO 9001:2015

ENDO-MATE TC2

CORDLESS ENDODONTIC HANDPIECE WITH TORQUE CONTROL & AUTO REVERSE

- ✦ Cordless Endomotor with non-contact type charger
- ✦ Auto-reverse function
- ✦ Mini head and slim neck for better accessibility
- ✦ Alarm function alerts as per the pre-set torque value
- ✦ Max. Torque: 4 Ncm (when using 20:1 head)
- ✦ Speed range: 100-2,250 rpm (With 20:1, 16:1, 10:1, 4:1 gear heads)
- ✦ Charge/continuous use: 90 min/1.2h
- ✦ No. of program: 5



ENDO RADAR PRO

Brushless Endomotor with integrated Apex Locator

- ✦ Improved Brushless Endomotor with integrated Apex Locator
- ✦ The two-in-one function allows root canal preparation with simultaneous length determination
- ✦ Ultra-compact cordless handpiece with super-mini contra-angle
- ✦ 360° rotatable contra angle with apex action
- ✦ Wireless charging of the handpiece with large capacity battery
- ✦ Speed range: 100 - 2500 rpm
- ✦ Torque Range: 0.4 - 5.0 Ncm
- ✦ 6:1 gear ratio handpiece with 11 user-defined modes



Circumference reduced by 7mm

Wireless charging for longer endurance



ATR mode: After the preset torque is reached, the file will reciprocate according to the set angle

MELAseal® 100+

The tried-and-tested concept of MELAseal® 100+ provides a reliable solution for your packaging process. The sealing device combines performance with functionality: Seal transparent sterilization packaging without pause after a pre-heating time of only four minutes. The integrated electronics of the device monitors the sealing temperature and time. The acoustic and visual signal facilitate the evaluation of the seal seam quality. The individually adjustable thermostat permits the flexible use of versatile sterilization packaging. MELAseal® 100+ with a 10 mm seal seam width significantly exceeds the prescribed width of 6 mm required by EN 868-5, thus guaranteeing additional safety

- ✦ Short pre-heating and sealing times guarantee quick sealing processes
- ✦ Compact dimensions take up a minimum amount of space on your worktop
- ✦ Acoustic and visual signals ensure the proper monitoring of the sealing time and temperature
- ✦ Customizable: The lever can be set on the right or left-hand side
- ✦ Maintenance-free operation eliminates service costs



MELAG
competence in hygiene



DENTAL SEALER- SEAL-120


- ✦ Power: 100 W
- ✦ Power Supply: 230 V | 50–60 Hz
- ✦ Sealing Temperature: 200°C ±10°C
- ✦ Indentation Width: 12 mm
- ✦ Maximum Seal Width: 280 mm
- ✦ Package Dimensions: 500 × 400 × 210 mm
- ✦ Net Weight: 4.8 kg



Runyes®
FOCUS ON DENTAL

UV CHAMBER

- ✦ S.S. Chamber with 12 S.S Trays
- ✦ Imported Phillips 8W UV-C tube
- ✦ Equipped with 1 LED light to improve visibility when the door is open
- ✦ For storage of Sterilized instruments for longer period
- ✦ The door switch interlock prevents the emission of UVC light when the chamber is opened



Ultrasonic Cleaner (3.2L)

High-Precision Cleaning for Clinics, Labs & Industries

The UC-S M2021 Ultrasonic Cleaner (3.2L) delivers fast, deep, and reliable cleaning for clinics and labs. With 40 kHz ultrasonic power, smart heating, and a durable stainless-steel build, it ensures thorough cleaning of instruments with minimal effort—making it an essential tool for modern, high-efficiency workflows.

Why Choose UC-S M2021?

- ✓ **Powerful Deep Cleaning:** High-frequency ultrasonic waves lift and remove contaminants where manual cleaning fails.
- ✓ **3.2L Capacity:** Perfect for bulk instruments, trays, dental tools, jewellery, and industrial components.
- ✓ **Fast Heating for Better Results:** Adjustable heating accelerates chemical reactions for superior cleaning outcomes.
- ✓ **Smart Control Panel:** Easy-to-use interface for time and temperature settings.
- ✓ **Ideal for High-Volume Workflows:** Built for dental clinics, surgical centres, labs, research facilities, and manufacturing units.



Special Functions

Degas Mode: Removes air bubbles for maximum cavitation efficiency

Gentle Mode: Safe cleaning for delicate or precision instruments

Perfect For

- ✓ Dental Clinics & Labs
- ✓ Surgical Instrument
- ✓ Sterilization Workflows
- ✓ Jewellery & Watch Repair Studios
- ✓ Optical & Electronic
- ✓ Component Cleaning
- ✓ Industrial Workshops & R&D Labs

Technical Specifications

Category	Details
Tank Size	240* 135* 100 mm
Tank Capacity	3.2 Litres
Ultrasonic Power	60 / 120 W
Ultrasonic Frequency	40,000 Hz
Heating Power	100 W
Time Setting	0–30 minutes
Heating Temperature	0–80°C
Voltage	220–240V, 50–60Hz

Ultrasonic Cleaner (10L)

High-Precision Cleaning for Clinics, Labs & Industries

The UC-S M2024 Ultrasonic Cleaner (10L) delivers fast, deep, and reliable cleaning for clinics and labs. With 40 kHz ultrasonic power, smart heating, and a durable stainless-steel build, it ensures thorough cleaning of instruments with minimal effort—making it an essential tool for modern, high-efficiency workflows.

Why Choose UC-S M2024?

- ✓ **Powerful Deep Cleaning:** High-frequency ultrasonic waves lift and remove contaminants where manual cleaning fails.
- ✓ **Large 10L Capacity:** Perfect for bulk instruments, trays, dental tools, jewellery, and industrial components.
- ✓ **Fast Heating for Better Results:** Adjustable heating accelerates chemical reactions for superior cleaning outcomes.
- ✓ **Smart Control Panel:** Easy-to-use interface for time and temperature settings.
- ✓ **Ideal for High-Volume Workflows:** Built for dental clinics, surgical centres, labs, research facilities, and manufacturing units.



Special Functions

Degas Mode: Removes air bubbles for maximum cavitation efficiency

Gentle Mode: Safe cleaning for delicate or precision instruments

Even Cavitation Technology: Ensures uniform cleaning across the tank

Perfect For

- ✓ Dental Clinics & Labs
- ✓ Surgical Instrument
- ✓ Sterilization Workflows
- ✓ Jewellery & Watch Repair Studios
- ✓ Optical & Electronic
- ✓ Component Cleaning
- ✓ Industrial Workshops & R&D Labs

Technical Specifications

Category	Details
Tank Size	300 × 240 × 150 mm
Tank Capacity	10 Litres
Ultrasonic Power	120 / 240 W
Ultrasonic Frequency	40,000 Hz
Heating Power	250 W
Time Setting	0-30 minutes
Heating Temperature	0-80°C
Voltage	220-240V, 50-60Hz

A5

Endo Activator

Efficient | Safe | Easy to operate

The A5 Endo Activator is a compact, advanced sonic activation device designed to enhance endodontic treatment efficiency and safety. Engineered with a powerful yet stable sonic motor, it ensures effective irrigant activation and sealer delivery for superior canal cleaning. Its miniature head offers improved visibility under a microscope, while the ergonomic, user-friendly design makes operation simple and precise. With two polymeric fiber working tips for controlled and safe activation, the A5 delivers reliable performance and long service life—making it a complete solution for modern root canal procedures.



Sonic Activation. Sealer Delivery.

One Complete Solution



Miniature Head for a Wider,
Clearer Microscope View.



Advanced Sonic Motor for Longer
Service Life and Stable Treatment
Power.



Two types of activator tips

Polymeric fiber working tip, soft and continuous, for increased safety

iD1

Dental Implant Locator

Insight into the invisible precise positioning




Accurately locate the position of the implant cover screw obscured by the gum.

Rapid Positioning


In 3 steps, you can determine the position of the embedded implant.



Approaching



Passing



Locating



Move iD1 towards the estimated position of the implant. When approaching, the green ring will remain lit. After passing the implant position, the indicator will turn yellow. When the implant position is confirmed, the center green light will stay on.

Convenient

Free rotating



The iD1 probe can rotate freely 360° allowing for multi-angled detection

One-click operating



With just one button, it is easy to operate and user-friendly.

Ultra-long standby



Equipped with a rechargeable lithium battery for ultra-long standby and greater durability.



Assisted minimally invasive treatment



Accurate positioning of the implant site allows for minimally invasive surgery, resulting in smaller wounds and minimal bleeding, with little to no need for sutures and faster healing. This approach avoids the extensive flap technique used in traditional methods, reducing the risk of complications.

iT3

Dental Implant Torque Wrench

From Orthodontic to Prosthetic All by iT3

Suitable for the installation and removal of healing abutments and cover screws. All-in-one machine operation, convenient and fast, with no risk of instrument dropping. Constant output for stability.


- ✦ **Strong compatibility**
- ✦ **High torque**
- ✦ **Precise control**
- ✦ **One-handed Operation**
- ✦ **Rapid Treatment**
- ✦ **Stable and accurate**

Installation & removal of orthodontic screw

- ✦ Torque of 15~35Ncm will be workable even for insertion and removal in hard bone
- ✦ Precise torque control ensure a stable operation, so the orthodontic screw is less likely to break or loose

Prosthetic application

- ✦ Precise torque greatly reduces the chance of screw loosening
- ✦ Small and contra-angle design makes posterior access easier




Suitable for all kinds of screws:

- ✦ Cover screw
- ✦ Healing Abutment
- ✦ Bite Impression
- ✦ Transfer Impression
- ✦ Scan Body
- ✦ Pick-Up Impression
- ✦ Transfer Impression
- ✦ Punch

Torque retention: Minimize the impact of bone elasticity on implant insertion torque

With Torque Retention: Achieve setting value more precisely

Without Torque Retention: Often lower than the preset value




iCHECK

Implant Stability Meter

Insightful and precise control

Abandoning the traditional detection method using torque wrenches. Simplified measurement, more convenient operation. Utilizing tapping technology and an automatic safety system, it is used to examine the early integration of implants.



Smart monitoring

Data is obtained after 6 taps
When stability is less than 59
The tapping rod will stop after just 2 taps and enter the protection program



Three color smart indicator

Red data **01-59** substandard
Yellow data **60-64** to be observed
Green data **65-99** complaint



Say good-bye to complexity by One-click Quick Check

Comparison of measuring steps

iCHECK
Measurement Method





Measuring by one click
as soon as turn on

VS

- 1 Uninstall abutment

- 2 Install measuring rod

- 3 Measuring

- 4 Uninstall measuring rod

- 5 Install abutment

Tradition steps





PanaAir FX (Push Button)

The **NSK Pana Air PAF-SU B2** is a precision-engineered, high-speed air turbine handpiece designed for dentists who demand performance, reliability, and patient comfort. With a powerful 20-watt motor and ergonomic design, this handpiece ensures smooth, fast, and precise dental procedures across a range of clinical environments. Whether you're handling routine cleanings or complex restorative work, the PAF-SU B2 delivers unmatched efficiency and control in your practice.




Model: PAF-SU B2

High-Speed Air Turbine Handpiece



Push Button
Chuck



Exceptional
Longevity



20
Watts



30% Power Boost

- ▲ Stainless Steel Body
- ▲ Ceramic Bearing
- ▲ Clean Head System
- ▲ Rotation Speed: 350,000–450,000 min⁻¹
- ▲ Push Button type, Non-Optic, 2 hole
- ▲ Standard Head: Power 20 watts
- ▲ Air Pressure Regulating Valve
- ▲ Compatible Bur Size: ISO 1797-1 Ø1.59 – 1.60 mm
- ▲ Max Bur Length: 21 mm
- ▲ Drive Air Pressure; 0.20 – 0.25 MPa (2.0 – 2.5 kgf/cm²)
- ▲ Water Pressure: 0.05 – 0.20 MPa (0.5 – 2.0 kgf/cm²)
- ▲ Autoclave upto 135°C
- ▲ Thermo disinfectable: Yes

PanaAir FX (Wrench Type)

The **NSK Pana Air PAF-S B2** sets a new benchmark in dental turbine performance with its 30% power boost, slim stainless-steel body, and enhanced durability. Engineered with advanced air turbine simulation technology and a robust stainless-steel construction, it delivers consistent torque, smoother control, and precise results—making it a trusted tool in high-demand dental clinics across the globe. With features like an air pressure regulating valve and easy-to-change cartridges, the PAF-S B2 is not just powerful—it's purpose-built for modern clinical workflows.




Model PAF-S B2

High-Speed Air Turbine Handpiece



Wrench Type



Exceptional
Longevity



17
Watts



30% Power Boost

- ▲ Stainless Steel Body
- ▲ Ceramic Bearings
- ▲ Clean Head System
- ▲ Air Pressure Regulating Valve
- ▲ Rotation Speed: 350,000 – 450,000 min⁻¹
- ▲ Standard Head Power: 17 watts, 2 Hole
- ▲ Wrench Type Chuck
- ▲ Chucking Length: 10.2 mm
- ▲ Compatible Bur Size: ISO 1797-1 Ø1.59 – 1.60 mm
- ▲ Max Bur Length: 21 mm
- ▲ Drive Air Pressure; 0.20 – 0.25 MPa (2.0 – 2.5 kgf/cm²)
- ▲ Water Pressure: 0.05 – 0.20 MPa (0.5 – 2.0 kgf/cm²)
- ▲ Autoclave Sterilization: Up to 135°C
- ▲ Thermo disinfectable: Yes

FX series

A new legend begins

External Water Spray Non-Optic
General Applications Handpiece



Model: FX22 1:1



1:1 Reduction

- ▲ For CA burs ($\varnothing 2.35$)
- ▲ Latch type
- ▲ Max Speed : 30,000 min^{-1}

Model: Fx25 1:1



1:1 Direct Drive

- ▲ For CA burs ($\varnothing 2.35$)
- ▲ Push Button Chuck
- ▲ Clean Head System
- ▲ Ball Bearing
- ▲ Max Speed : 40,000 min^{-1}

Model: FX65 1:1

Straight Handpiece



1:1 Direct Drive

- ▲ For HP burs ($\varnothing 2.35$)
- ▲ Clean Head System
- ▲ Max Speed : 40,000 min^{-1}

S-Max M

Incomparable Powerful Cutting and Superb Grip

The S-Max M series contra-angles have dramatically improved durability, and feature an updated internal body design and chuck mechanism. They are NSK's next-generation standard - a marriage of ergonomic sophistication and smooth cutting feel.

- ✦ Stainless Steel Body
- ✦ Cellular Glass Optics
- ✦ Clean Head System
- ✦ Push Button Chuck (Exclude M65)



M95L: 1:5 Increasing

- ✦ Quattro Spray
- ✦ For FG burs (ø1.6)
- ✦ Ceramic Bearing
- ✦ Anti Heat System
- ✦ Max Speed: 200,000 min⁻¹



M25L: 1:1 Direct Drive

- ✦ Single Spray
- ✦ For CA burs (ø2.35)
- ✦ Max Speed: 40,000 min⁻¹

Straight Handpiece




M65: 1:1 Direct Drive

- ✦ Single Spray
- ✦ For HP burs (ø2.35)
- ✦ For CA burs (ø2.35)*
- ✦ Max Speed: 40,000 min⁻¹

*Need to insert the supplied bur stopper

DynaLED

Self Illuminating LED



Optic - NSK LED



Non Optic



- ✦ Connect to any standard air tubing coupling with any dental chair
- ✦ No need of a circuit board, tubings & bulbs
- ✦ High intensity & stable self LED illumination through the mini power generator
- ✦ Cellular glass optic - pure daylight quality illumination
- ✦ Stainless steel: durable, stable & lightweight
- ✦ Miniature Head M500LG (380,000 - 450,000 RPM) Head Size: ø10.6 x H12.4mm, 25,000 LUX
- ✦ Standard Head M600LG (330,000 - 430,000 RPM) Head Size: ø12.1 x H13.3mm, 25,000 LUX
- ✦ Clean head system
- ✦ Push-button chuck
- ✦ Quattro Spray

HANDPIECES FX PLUS with ARV

30W Power for faster cutting



Anti-Retraction Valve (ARV)




Prevents the reverse flow of debris into the handpiece thus avoiding cross-contamination.

60% Power Boost



60% Power Boost-FX Plus is dramatically more powerful with its newly designed scoop-type rotor than a normal handpiece.

Air Pressure Regulating Valve



For maintenance of a stable pressure supply to the rotor

Quattro Spray



The NSK Quattro Water Spray effectively cools the entire operating field and prevents damage to living tissue

Ceramic Bearings



Ceramic Bearings are 25% harder than conventional steel bearings. Because of less friction, the heat production & vibration are significantly reduced which increases its efficiency & durability.

Clean Head System



Anti suck back mechanism to prevent cross- contamination.

Tornado High Speed Standard Head



- ✦ Speed 3,50,000 - 4,30,000 RPM
- ✦ Light weight
- ✦ Balanced performance
- ✦ Reliable speed and torque
- ✦ Good for general dentistry
- ✦ Smooth bur rotation
- ✦ Ergonomic design
- ✦ Autoclavable upto 134°C

Tornado High Speed Mini Head

- ✦ Speed 3,50,000 - 4,30,000 RPM
- ✦ Light weight
- ✦ Compact head for posterior access
- ✦ High-speed precision
- ✦ Lightweight for reduced fatigue
- ✦ Ideal for pediatric and minimal access procedures
- ✦ Autoclavable upto 134°C
- ✦ Low noise and vibration



Tornado High Speed Super Torque Push Button



- ✦ Speed 3,50,000 - 4,30,000 RPM
- ✦ Light weight
- ✦ High torque for heavy-duty cutting
- ✦ Push-button bur release system
- ✦ Durable build
- ✦ Anti-slip grip
- ✦ Smooth, vibration-free operation
- ✦ Autoclavable upto 134°C

Tornado Low Speed Micro Motor Straight Handpiece



- ✦ Speed 35,000 - 40,000 RPM
- ✦ Light weight
- ✦ Designed for lab or extraoral procedures
- ✦ Straight body design
- ✦ Lightweight and easy to control
- ✦ Stable rotation
- ✦ Durable build
- ✦ Autoclavable upto 134°C

Tornado Low Speed Micro Motor Contra Handpiece

- ✦ Speed 35,000 - 40,000 RPM
- ✦ Light weight
- ✦ Angled head for intraoral access
- ✦ Ergonomic shape
- ✦ Excellent torque delivery
- ✦ Smooth handling
- ✦ Compatible with standard micromotors
- ✦ Autoclavable upto 134°C



Tornado Air Motor



- ✦ Speed 35,000 - 40,000 RPM
- ✦ Light weight
- ✦ Provides drive for low-speed attachments
- ✦ Lightweight and durable
- ✦ Consistent torque
- ✦ Smooth operation
- ✦ Autoclavable upto 134°C

Air Rotor Super Torque LED Handpiece

ORDER: TPL3-W-B2

CE: 2300PL-M4



- ✦ **Super Torque:** The Airotor boasts exceptional torque, allowing for efficient tooth preparations, cavity preparations, and various dental procedures. Its powerful performance ensures quick and accurate results.
- ✦ **Push Button Operation:** The push-button mechanism simplifies tool changes during procedures. With a single press, you can release the current attachment, replace it with another, and secure it firmly in place, streamlining your workflow.
- ✦ **LED Illumination:** This model features built-in LED illumination, providing clear and shadow-free lighting of the treatment area. The bright LED light enhances visibility, allowing for precise and detailed work even in hard-to-reach areas of the mouth.
- ✦ Rotation speed: 300,000-350,000 rpm
- ✦ Warranty: 12 months

ORDER: CK-08-B2

CE: 2305P-B2

- ✦ Stainless steel body for durability & corrosion resistance
- ✦ Ceramic bearings for smooth operation & extended lifespan
- ✦ Single spray system for effective cooling & irrigation
- ✦ Push Button chuck for easy bur changes
- ✦ Non-LED design for cost-effectiveness
- ✦ Rotation speed: 320,000-350,000min⁻¹
- ✦ Warranty 6 months

Air Rotor Push Button Handpiece



Straight Handpiece



ORDER: SEN-08C

CE: 1024-B2

- ✦ Ergonomic Design
- ✦ Smaller head and enhanced technology
- ✦ Smooth operation
- ✦ Comfortable Grip
- ✦ Used for Pre-clinical Lab work
- ✦ Maximum speed of 40,000 min⁻¹
- ✦ Warranty 6 months

Contra Angle Latch Type Handpiece



ORDER: CEN-21C

CE: 1024-B2

- ✦ Premium Quality Handpiece
- ✦ Ergonomic design for a comfortable grip
- ✦ Max speed: 40,000 rpm
- ✦ Warranty 6 months

Contra Angle Surgical Fiber Optic Red Ring HP 1:5

CE: 1024L-M4

- ✦ More stable with less noise
- ✦ Powerful cutting force, greatly shorten the treatment time
- ✦ Fiber optic ensures clear vision
- ✦ 1:5 Increasing Gear Ratio
- ✦ Internal irrigation for efficient and precise cooling
- ✦ Maximum speed of 200,000 min⁻¹
- ✦ Warranty 12 months



Implant Handpiece 20:1



ORDER: R20N-04C (201N)

CE: 3203CH

- ✦ Fatigue-free working thanks to optimal ergonomics
- ✦ Durable and robust
- ✦ 20:1 Reduction Gear Ratio
- ✦ External irrigation
- ✦ Warranty: 12 months

ORDER: R20L-01C(201L)

CE: 3201CH

Max Torque: 70N.cm

- ✦ Longer life compared to conventional LED bulbs
- ✦ Fatigue-free working thanks to optimal ergonomics
- ✦ Durable and robust
- ✦ 20:1 Reduction Gear Ratio
- ✦ External irrigation
- ✦ Warranty: 12 months

Implant Fiber Optic Handpiece 20:1



MICROMOTOR

NLZ E

The SMART Electric Brushless Micromotor

THE COMPACT MAKES A BIG CHANGE

- ✦ Torque adjustment in Endo Mode with reciprocation Function
- ✦ Auto-reverse function
- ✦ Flexible Installation Style with Superior Visibility & Operability
- ✦ NSK Safety Functions - 'Contra-Check & Contra-Safe

FOR SAFER CROWN CUTTING



MORE EFFICIENT ENDODONTIC TREATMENT



NLZ Endo (6:1) Reduction Reciprocating handpiece with more efficient Endodontic treatment



NSK S-Max M95 / 95 L 1:5 Electric Hand piece system

- ✦ 1:5 increasing red ring headpiece
- ✦ Quattro water spray
- ✦ Clean head system for reduced cross-contamination
- ✦ Available in optic & non-optic model
- ✦ Max. speed : 2,00,000 RPM
- ✦ Push-button chuck
- ✦ The *Reciprocating Endo Mode" can be operated with the NLZ Endo Contra-Angle handpiece & WAVE-ONE File



NLX nano (Brushless Micromotor)

A new generation of brushless micromotor as well balanced as an air turbine

- ✦ Wider clinical applications - Surgical & General
- ✦ The micromotor is more than 25% shorter and 20% lighter
- ✦ Brushless Micromotor enhances the functionality with reduced heat generation, less noise and less vibration.
- ✦ Less Aerosol production
- ✦ 32,000 LUX LED illumination for natural daylight visibility
- ✦ Non-retraction valve to prevents cross contamination through water
- ✦ Compatible contra-angle 1:5 increasing gear handpiece (Red Ring)



MICROMOTOR

CHAIR IN-BUILT
Brushless Electric Micromotor


Reliable Power. Precise Control. Everyday Performance

Designed to deliver stable performance, precise control, and long-term reliability in daily clinical procedures. Powered by advanced brushless DC motor technology, it ensures smooth torque delivery, low noise operation, and enhanced durability — making it ideal for consistent chairside efficiency.



Ideal For

General Dentistry | Prosthodontics |
Endodontics | Clinical & Laboratory Use



Brushless Motor
Stable output &
long lifespan



Internal Water Spray
Efficient cooling



Forward / Reverse
Flexible clinical
operation



Built-in Type
Easy integration
into dental units

**Engineered for Daily Clinic
Excellence**

Specification	
Control System	300-40,000 rpm
Display Type	6.2 Ncm
Rotation Direction	5Ncm-80Ncm
Speed Control	110ml/min
Memory Function	276mm X 267mm X 10mm
Safety Feature	23.4mm X L91mm
Cooling System	140g
Handpiece Interface	110ml/min
Noise Level	AC 220V 50/60Hz
Vibration	Low Vibration
Operating Mode	Continuous
Compatibility	E-Type Standard Handpieces

MICROMOTOR

ÈLEC[™] 2mini
Clinical Electric Micromotor



Tooth Prep

- ✦ World's Smallest & Most Powerful Electric Motor
- ✦ Max 200,000 RPM (1:5 Gear Ratio) & 3Ncm Torque
- ✦ Memory Function
- ✦ Powerful Optic Motor - 25,000~33,000 LUX
- ✦ Easy installation



Dental Prosthesis Removal

Controller

- ✦ Power Consumption 105 VA(Max.)
- ✦ Speed Range: 1,000 ~ 40,000 rpm
- ✦ Gear Ratio: 1:5, 1:1, 16:1, 20:1
- ✦ Program: 3



Margin of the Prosthesis

Micromotor

- ✦ Model: ELM-B40S
- ✦ Max. Speed of Motor: 40,000rpm
- ✦ Max. Torque: 3Ncm
- ✦ Max. Current: 5A
- ✦ Dimension: Ø20 x L63mm
- ✦ Weight: 68g
- ✦ LED: Fiber optic
- ✦ Internal Water Irrigation



Other Operations



Inbuilt Option
Also Available



Straight
Handpiece



Contra
Handpiece

MICROMOTOR

UNICORN[®]
MediDent
Behind The Best Indian Dentists

SAESHIN

Clinical Micromotor

- ✦ Speed upto 35,000 RPM
- ✦ One spare carbon brush set
- ✦ Low heat generation suitable for long use



CE / EC ISO 13485:2016

Clinical Micromotor Control Box

- ✦ 0-35,000 RPM
- ✦ Forward & Reverse direction selection
- ✦ Hand & Foot Operation
- ✦ Extra torque for smooth working



SAESHIN

Lab Micromotor

- ✦ Speed upto 40,000 RPM
- ✦ One spare carbon brush set
- ✦ Low heat generation suitable for long use



CE / EC ISO 13485:2016

Lab Micromotor Control Box

- ✦ 0-40,000 RPM
- ✦ Forward & Reverse direction selection
- ✦ Hand & Foot Operation
- ✦ Extra torque for smooth working



CE / EC ISO 13485:2016

LUBRIMAX 5 PRO

Multinozzle Lubrication Spray Adaptor

- ✦ **Universal Compatibility:** Adapts to various dental handpiece types and oil bottle sizes.
- ✦ **Multiple Nozzle Design:** Accommodates simultaneous lubrication of multiple handpieces.
- ✦ **Adjustable Flow Control:** Regulates oil flow to prevent over- or under-lubrication.
- ✦ **Easy Cleaning and Maintenance:** Dishwasher-safe or quick-disassembly design.
- ✦ **Space-Saving and Portable:** Compact design for convenient storage and transportation.



HI-CLEAN OIL SPRAY

Hi-Clean is a specially formulated, highly effective general handpiece & air motor lubricant. Frequent application of Oil Spray will assure handpiece & air motor performance & durability. Apply Oil Spray every time before autoclaving any handpiece / air motor

- ✦ Advanced lubricating cleaning agent
- ✦ CE & ISO certified
- ✦ FDA Approved
- ✦ Suitable for different dental handpieces & Air motors
- ✦ Safe for Autoclaving
- ✦ High Wear & Tear Prevention to mechanical parts
- ✦ Different Nozzles available for various handpieces
- ✦ Bottle Volume: 550ml



TPC Handpiece Lubricating Unit

- ✦ **Shell Lubrication Oil Integration:** Experience enhanced performance with the integration of Shell lubrication oil, ensuring smooth operation and longevity of your equipment.
- ✦ **Perfect Maintenance:** Instruments that are well-maintained last longer, reducing the need for frequent replacements.
- ✦ **Essential Functionality:** Ensures the long working life of dental handpieces, a crucial tool in dental procedures.
- ✦ **Automatic Rotational Lubrication:** This feature ensures optimum distribution of lubrication, covering all parts of the instrument.
- ✦ **Enhanced Diagnostics:** Provides clear and detailed views, enabling accurate diagnosis of oral conditions.
- ✦ **Trust and Communication:** Builds trust and rapport between dentists and patients through real-time visual explanations.



With 1 Ltr. 
Lubrication Oil Bottle

ENDODONTIC EQUIPMENT

ENDO FREE

High Performance Brushless Endo Motor

- ✦ Low wear, low heat and longer service life
- ✦ Lightweight cordless handpiece offers better hand feeling
- ✦ Compatible with Apex Locator DPEX V
- ✦ 6:1 mini contra-angle delivers broader operation field
- ✦ High performance brushless motor
- ✦ High torque and fast response
- ✦ More accurate and more stable output, enabling more efficient preparation
- ✦ Speed: 100rpm- 1500rpm
- ✦ Torque: 0.4N.cm-4.2N.cm





**360° rotatable contra-angle
more flexible operation**

DPEX V

Woodpecker Apex Locator, with more than accurate value to help you in working length determination during root canal treatment.

- ✦ 6th generation apex locator for measurement in presence of blood, pus, residual pulp or saliva etc.
- ✦ 97.71% accurate than the conventional radiography method
- ✦ Multi-frequency impedance technology precisely measure irrespective of the tooth type
- ✦ File clip, hook, file probe can be easily Autoclavable to avoid cross-contamination
- ✦ Display: Multi-color 4.5" LCD display
- ✦ Main unit weight: 385gm
- ✦ Dimensions: 138mm x 77mm x 107mm



DTE - D7 Optic Scaler

- ✦ Auto water supply function & portable for easy operation.
- ✦ Hydrogen peroxide, sodium hypochlorite, and chlorhexidine can be used under auto water supply Solenoid valve system that Improve the effect of periodontal treatment and endodontic irrigation dramatically & prevent rusting.
- ✦ Optic handpiece is detachable & autoclavable upto 134°C at 0.22MPa
- ✦ Automatic frequency tracking, automatic degenerative feedback and constant power output brings more comfortable scaling.
- ✦ Comes with 8 tips (4 S, 2 P, 1 Stain Removal), 1 Endo attachment & 4 endo files.



Scaling Perio Endo Handpiece with LED Auto water Supply



Expert in endodontic irrigation

DTE -D5 SCALER

Optic

- ✦ Detachable & autoclavable handpiece
- ✦ Works on 3 modes: General, Perio & Endo
- ✦ Automatic frequency tracking
- ✦ Microcomputer controlled
- ✦ Enhanced Endo function
- ✦ Automatic degenerative feedback for constant power output
- ✦ With 6 Titanium Scaling tips (3 S, 1 P, 1 Stain Removal) & 1 Endo attachment



DTE -D3 SCALER Non-Optic Fixed Handpiece

- ✦ Works on 2 modes: General & Perio
- ✦ Automatic frequency tracking
- ✦ Microcomputer controlled
- ✦ Automatic degenerative feedback for constant power output
- ✦ Athermic Stainless steel 5 Tips (3 S, 1 P, 1 Stain Removal)



INBUILT SCALER V2 LED Optic

- ✦ Device with Endo mode for enhanced accuracy in root canal treatment
- ✦ Detachable and autoclavable handpiece at 134° C handpiece
- ✦ Handpiece is compatible with Satelac, NSK tips
- ✦ Automatic frequency tracking facility for easy removal of hard calculus
- ✦ Automatic degenerative feedback provides a constant power output
- ✦ Athermic and golden coated tips are highly durable



SCALER HANDPIECES & TIPS

- ✦ **Efficient Plaque/Tartar Removal:** Quick and effective, ideal for challenging areas
- ✦ **Time-Saving:** Speeds up scaling procedures, optimizing clinic time
- ✦ **Precision with Patient Comfort:** Targets specific areas gently, improving patient experience
- ✦ **Ergonomic Design:** Reduces physical strain during long procedures.
- ✦ **Adjustable Settings:** Customizable for patient sensitivity and specific oral conditions
- ✦ **Increased Patient Satisfaction:** Comfortable, less invasive and faster treatments
- ✦ **Improved Oral Health Outcomes:** Aids in better hygiene management and disease prevention
- ✦ **Versatile Use:** Suitable for a variety of dental procedures.



High Resolution

Intraoral Camera with 17" HD Screen



Illuminate Your Dental Practice with Precision and Magic

Features:


- ✦ Image Sensor: CMOS 19HD sensor
- ✦ OS: Embedded operating system
- ✦ Keystroke mode: 3 buttons keystroke
- ✦ Screen Size: 17-inch screen
- ✦ Resolution: 1280 × 1024, Supports 1080P
- ✦ Display: single-screen/four-screen
- ✦ WI-FI transmission: QR code wireless transmission
- ✦ Storage: automatic storage to U disk storage
- ✦ Capacity: maximum storage is 32GB
- ✦ Image format: JPG
- ✦ Hand racket focus range: 5–50mm
- ✦ Power: 35W
- ✦ Pixel: HD Ultra High Definition

O-LIGHT PLUS LIGHT CURE UNIT

- ✦ Upgraded wide spectrum 385nm-515nm
- ✦ Poly wave Blue-violet light, it can cure all types of resins
- ✦ New style resins material contains TPO (photo initiator), can also be cured
- ✦ 360° curing - reaches every angle
- ✦ Modes: 1> High Mode – Suitable for Orthodontic Brackets, Porcelain Veneers, Post and 2> Standard Mode – Suitable for General Dental Restorative Procedures
- ✦ Light Intensity: High Mode: 2300~2500 mw/cm² Standard Mode: 1000~1200 mw/cm²
- ✦ Time Settings: High Mode: 1 Sec, 3 Sec Standard Mode: 5 Sec, 10 Sec, 15 Sec, 20 Sec



Upgraded Focused Light Output



O-Light Plus Spectral Curve & Resin Spectral Absorptivity



Metal Head Prevents Anti-Shock & Cracks



Light Hood Prevents Eyes From Blue-Ray Injury

CE / EC ISO 13485:2016

LIGHT CURE UNIT

- ✦ 1 Sec Curing of Composite Resin
- ✦ High power LED Light with imported wick from America
- ✦ High-intensity light output with strong penetration
- ✦ 360° rotatable probe
- ✦ High power Visible Blue LED light
- ✦ Wavelength: 420 – 490 nm
- ✦ Modes: High mode: 1 sec, 3 sec
- ✦ Standard Mode: 5 sec, 10 sec, 15 sec, 20 sec
- ✦ High mode for fast curing of post & core, orthodontic brackets, veneers in intensity 2300 mw/cm²
- ✦ Standard mode for curing in restoration cases in intensity 1200 mw/cm²

O-Light



1 Sec Curing

CE / EC ISO 13485:2016

ULTRACURE LIGHT CURE UNIT

- ✦ Special lens condenser design
- ✦ Broad spectrum blue-violet light with 12W high power LED light source
- ✦ 360° rotation curing head
- ✦ 2 working modes: Strong light mode: 1s, 3s, 5s and Standard mode: 10s, 20s, 30s
- ✦ 7 Magnetic special lens



1 Sec Light Curing
Broad Spectrum

CLINICAL EQUIPMENT

DIGITAL LED LIGHT CURE UNIT

- ✦ Material of shell handle: Aluminum
- ✦ Size: Diameter 23 X 160mm
- ✦ Mode: Three working mode
- ✦ Working Volt: 4.2~4.5 volts
- ✦ Electric current: 0.7 amperes
- ✦ Battery Type: Lithium-Ion
- ✦ Battery capacity : 1400Mah
- ✦ Wave Length: 420-480nm
- ✦ Luminous Intensity: 1200mW/cm² 5W



TULIP

WATER DISTILLER

The water distiller is the best in its class. This distiller completes one litre of pure steam-distilled water in 1 hour. The boil chamber and condensing coils are high-grade 304 Stainless Steel. It comes with a high-quality plastic collection bottle, the lid and handle are made of food-grade polypropylene, and the lid is removable for convenience. Distilling your own water can't get any easier, simply fill the boiling chamber, press the start button, and walk away, the distiller will automatically shut off at the end of the cycle. It's very easy and convenient.

- ✦ Easy to use, produces pure steam distilled water
- ✦ Lightweight compact design, great for home and for medical use
- ✦ Eliminates plastic bottles from the store & saves you money
- ✦ Capacity - 4 Litres
- ✦ High-quality collection bottle for the purest water



Runyes[®]
FOCUS ON DENTAL



CE / EC EN ISO 13485:2016

PRIME-DENT 7 SYRINGE HYBRID KIT

A light-cured resin-based composite used for all types of cavity preparations. An ideal choice for both anterior and posterior applications. Easy to mold, sculpt and polish to a high luster. Has high compressive strength as well as low shrinkage and resists wear and staining. Radiopaque for easy identifications in radiographs. Incisal (translucent) and dentin (opaque) shades available.



Institutional and API Products



DentXpert Dental Simulator

Precision Dentistry at Your Fingertips

For 2 Students + Four-Handed Operation

Dual Bench Dental Simulators with training and practice equipment allows the dentist & dental students to work on the simulated patient - Dental Phantom head with the look and feel close to a real patient and real dental procedure, training both their manual dexterity and problem- solving skills. Designed for universities and dental training centres, they feature a modular structure that helps to maximise space by creating self-contained learning stations. They reduce the gap between pre-clinical and clinical education. They provide a complete, ergonomic simulation that simulate lifelike situations, as in a clinical setting.



Single / Dual workbench for dental student clinical training simulation.

A complete system for 1 / 2 students reproducing the dental clinic environment and simulating realistically various clinical treatment procedures.



ITEMS DETAILS		
1	Workbench 1200*700*800mm	1 Set
2	LED Lamp	2 Set
3	Phantom With Body-Nissin Type, Silicon mask can add tube, Articulator can open and close. Mouth can open to 5cm	2 Set
4	Nissin Type Jaw-Fransaco Type AG4 or AG3, 28 pieces teeth or 32 pieces of teeth are available	2 Set
5	3-Way Syringe	2 Set
6	Dentist Stool	2 Set
7	Clean Water Bottle	2 Set
8	Waste Water Bottle	2 Set
9	Foot Control	2 Set
10	Pneumatic Suction	2 Set

DentXpert Dental Simulator

Precision Dentistry at Your Fingertips

For 2 Students

Integrated Dental Simulator allows dental students to work on the simulated patient -Dental Phantom head manikin with the look and feel close to a real patient, training both their manual dexterity and problem-solving skills.



ITEMS DETAILS		
1	Body 580*380*800mm	1 Set
2	LED Lamp	2 Set
3	Phantom with torso	2 Set
4	Dental typodont	2 Set
5	3-Way Syringe	2 Set
6	Stool	2 Set
7	Clean Water Bottle	1 Set
8	Waste Water Bottle	1 Set
9	Foot Control	2 Set
10	Pneumatic Suction	2 Set



Stool

DentXpert Dental Phantom Head

Precision Dentistry at Your Fingertips



Portable Dental Phantom Head with Transparent Cover, Adjustable Jaw Model, and Table Edge Clamp for Easy Operation (JG-C6-1)

They are series of dental practice simple phantom head models, which is used for dental school, universities and oral medicine specialized student before clinical practice teaching simulation. It has such advantages as solid structure, handsome shape, easy operation and high reliability as an ideal upgraded product for the modern dental clinics. It can make the professional theory teaching, experiment teaching and clinical teaching easy & effective.



ITEMS DETAILS		
1	With Clips	1 Piece
2	Transparent Mask	1 Piece
3	Jaw Set	1 Piece
4	Drain Pipe	1 Piece
5	Face	1 Piece

DentXpert Dental Jaw Set

Precision Dentistry at Your Fingertips



DentXpert Dental Simulator

Precision Dentistry at Your Fingertips



Dental Phantom Head Pre-clinical Training System (JG-C1)

Type: Phantom head dental simulator

Training purpose: Various types of articulator movement adjustability, cavity preparation, impression taking, implant drilling and placement, suture, face bow transfer, etc. included.

Dimension: 55.8 × 20.6 × 40.3 cm

Net weight: 6.4 Kg

Shipping weight: 7.5 Kg



Dental Manikin Head on Chair (JG-C4)

Dental manikin head on a chair refers to a training setup in which a dental manikin head, also known as a dental simulator or phantom head, is placed on a dental chair for educational purposes.

Use: In Dental Schools educational programs and practical work & students experience training

Dimension: 55.8 × 20.6 × 40.3 cm | **Net weight:** 4.5 Kg

Shipping weight: 5.6 Kg

Dental Dummy Head For Training (JG-C5)

Provides a lifelike human simulation with facial mask, drainage tube for oral pharynx, and synthetic skin for mouth opening control—ideal for realistic dental training.

Use: Dental school educational programs and student practical training.

Dimensions: 41 × 27 × 25 cm

Net Weight: 5 kg | **Shipping Weight:** 6 kg



Dentist Practice Dummy Phantom Head JG-C6-3

Dental Simulator Manikin Phantom Head Plastic Educational Dental Teeth Model with Bench Mount for Education Fix on (Dental Chair Type)

Use: In Dental Schools educational programs and practical work & students experience training

Dimension: 21.5 × 19 × 16.5 cm

Net weight: 1 Kg

Shipping weight: 1.8 Kg



API Instrument Range

API CROWN REMOVER
CROWN REMOVER (AUTOMATIC, GUN TYPE)
CROWN REMOVER (AUTOMATIC, GUN TYPE) Turkey
CROWN REMOVER (SEMI - AUTOMATIC)
CROWN REMOVER (MANUAL)
CROWN & BRIDGE HOLDING FORCEPS WITH RING
API-FORCEPS
ALLIS FORCEPS
ARTERY FORCEPS 5" / 5.5"
ARTERY FORCEPS 6" / 7"
ARTERY FORCEPS 8"
ARTICULATING PAPER FORCEPS (Str. / Cvd.)
CHEETAL FORCEPS
CROWN & BRIDGE HOLDING FORCEPS WITH RING FORCEPS – ADULT / PEDO (Regular)
FORCEPS – ADULT / PEDO # 41, 44, 45, 68, 233, 235
FORCEPS – 22R / 22L / 88R / 88L
MOSQUITO FORCEPS
ROOT SPLINTER FORCEPS
R. D. FORCEPS 99-497, 498
SINUS FORCEPS 6"
SPONGE FORCEPS 14.5 cm.
SPONGE FORCEPS 18 cm.
SUTURE FORCEPS 12 cm.
SUTURE FORCEPS 15 cm.
TISSUE FORCEPS TOOTH / NON-TOOTH
TISSUE FORCEPS - ADSON TOOTH / NON-TOOTH
TISSUE FORCEPS - ADSON TOOTH / NON-TOOTH – 7"
FORCEPS SET OF 14 (1, 4, 7, 13, 17, 18, 22, 51, 67, 74, 79, 86, 89, 90)
FORCEPS SET OF 12 (1, 7, 13, 17, 18, 73, 51A, 67A, 74N, 86, 89, 90)
PEDO FORCEPS SET OF 7,
API-ELEVATORS
ROOT ELEVATORS

ROOT ELEVATORS – ASH MODEL
ROOT ELEVATORS – CROSS BAR
ROOT ELEVATORS- WARWICK JAMES
PERIOSTAL ELEVATORS – MOLT (SMALL / LARGE)
PERIOSTAL ELEVATORS – BENQUE
PERIOSTAL ELEVATORS – OHL
PERIOSTAL ELEVATORS – FREER / ALAN
PERIOSTAL ELEVATORS – HOWARTH (Flat & Long)
ROOT ELEVATORS SET OF 13
ROOT ELEVATORS SET OF 9 (WITH CROSS BAR ELEVATORS)
ELEVATORS – ROOT TIP (SET OF 3)
ROOT ELEVATORS WARWICK GEMS - SET OF 3
ROOT ELEVATORS SET OF 3 (Hospital Pattern)
API-NEEDLE HOLDER
NEEDLE HOLDER -4" / 5" / 5.5" (STRAIGHT / CURVED)
NEEDLE HOLDER – 6" & 7.5" (STRAIGHT / CURVED)
NEEDLE HOLDER – 8" (STRAIGHT / CURVED)
NEEDLE HOLDER – ADSON
NEEDLE HOLDER WITH CUTTER - OLSON
NEEDLE HOLDER – MATHIEW / WITH RING / CASTROVIJO
NEEDLE HOLDER – SAMHA
API-RETRACTORS
CHEEK RETRACTOR – ORINGER
CHEEK RETRACTOR -UNIVERSITY OF MINNESOTA
RETRACTOR – FARABEAUF (SET OF 2) 99-423 / 99-424
RETRACTOR – AUSTIN
RETRACTOR – LARGE
RETRACTOR – MEDIUM
RETRACTOR – SMALL

API Instrument Range

API-SCISSOR
SCISSORS - GOLDMAN FOX STR / CVD / D-CVD
SCISSORS - SPENCER (SMALL)
SCISSORS - SPENCER (Large)
SCISSORS – ANGULAR
SCISSORS - CASTROVEIJO
SCISSORS - CROWN Str. / Cvd.
SCISSOR - CROWN & PLATE CUTTING
SCISSORS – MAYO 4" / 6 " Cvd. / Str. (Surgical Scissor)
SCISSORS – METZENBAUM 14.5cm - Cvd. / Str
SCISSORS - SURGICAL "Kelly" – 6" Str. / Cvd.
SCISSORS - GUM (Double Upper Curved)
SCISSORS -GUM Straight / Side Curved / Upper Curved
SCISSOR – LOCKLIN
SCISSOR – SURGICAL 6" / 8"
SCISSOR – HEATH
API-CHIESELS
CHIESELS -1mm / 2mm
CHIESELS - 3mm to 6 mm
CHIESELS - 8mm
PERIOSTAL CHIESEL – HOWARD / MEAD
ENAMAL CHIESELS -1mm - 2mm
API - PROBE
PROBE – CPITN
PROBE – GOLDMAN FOX
PROBE – MOONS
PROBE – UNC15

PROBE – NEBBERS
PROBE – MARQUES COLOUR CODED
PEOBE – WHO
API - HAND INSTRUMENTS
SCALERS
CARVERS
PROBE S/E
PROBE D/E
PLUGGERS
M M HANDLE
BURNISHERS
EXCAVATORS
CONDENSORS
PROBE - DG16
PROBE WILLIAM
CEMENT SPATULA
GRACY CURETTES
ENAMAL HATCHET
FILLING INSTRUMENTS
UNIVERSAL CURETTES 2R-2L / 4R-4L
ENAMAL CHIESELS -1mm - 2mm
GINGIVAL MARGINAL TRIMER #26, 27, 28, 29
PKT (MODELLING & CARVING) INSTRUMENTS
ENDO PROBE / SPREDERS 99-553 to 559
R.C. PLUGGER 99-569 to 572
PERIODONTEL POCKET PROBE 99-573 to 576

API Instrument Range

API PLIERS
PLIER ADAM, HOW, BIRD BEAK, BIRD BEAK-LONG TIP, OPTIC, UNIVERSAL, 3PRONG
PLIER BAND PINCHING – SET OF 2
PLIER BAND REMOVER POSTERIOR
PLIER BAND REMOVER ANTERIOR
PLIER CANINE CONTOURING / JOHNSON
PLIER CROWN CRIMPTING
PLIER DELA ROSA BAND CONTOURING
PLIER DELAROSA
PLIER NANCY
PLIERS REYNOLD
PLIER RIBAN ARCH
PLIER TWEED
PLIER WEIN GART UTILITY
PLIER WEINGART
PLIER BRACKET REMOVER DEBONDING STR / CVD
PLIER LINGUAL ARCH
PLIER CINCH
PLIER METHIEW WITH RING
PLIER CRIMPABLE HOOK PPLACEMENT
PLIER BAND FORMING
PLIER BALL & SOCKET

PLIER V BENDING
PLIER UNIVERSAL - LAB
PLIER SCHWARZ
PLIER WALDSACHS
API- INSTRUMENTS KITS
IMP. TRAY SET OF 10 (DENTULAS - PERFORATED / NON-PER.)
IMP TRAY SET OF 8 (E-DENTULAS-PERFORATED / NON-PER.)
IMP. TRAY SET OF 8 – DENTULAS – HALF
IMP. TRAY SET OF 6 (DENTULAS - PERFORATED)
IMPRESSION TRAY – HALF - ADJUSTABLE
RUBBER DAM KIT – With 10 Clamp & Clamp Holder
RUBBER DAM KIT - Paedo With 6 Clamp & Clamp Holder
ORAL SURGERY KIT (Set of 10)
MINOR / MICRO ORAL SURGERY KIT (Set of 25)
PLASTIC FILLING INSTRUMENT KIT (Set of 6) Regular
PLASTIC FILLING INSTRUMENT KIT (Set of 6) TC SOLID
P K THOMAS (CARVER) INSTRUMNETS KIT (Set of 5)
CONSERVATIVE INSTRUMENTS KIT (Set of 12, Blister Pack)
CONSERVATIVE INSTRUMENTS KIT (Set of 20)
PERIO SCALERS KIT-Set of 8
SCALERS KIT-8's (Sub-Zingawal) 1235/1, 2, 3, 4, 5, 6, 7, 8

API Instrument Range

SCALERS KIT-Sub- 7's – with eye currettes (Sub-zingawal)
SCALERS KIT-8's (Suprazingawal)
SCALER KIT Set of 3 (1235-2-3, 235-2-3, 15/30) / MANIPAL SCALERS
CLINIC SET UP KIT
ORTHO. INSTRUMENT KIT SET OF 10
COMPOSITE INSTS. INTERIOR & POSTERIOR (S/10) BLACK T.C.
COMPOSITE GOLD T.C. HOLLOW HANDLE (SET OF 6)
COMPOSITE S.S. FINISH HOLLOW HANDLE (SET OF 6)
COMPOSITE INSTRUMENTS ASSORTED GOLD/BLUE/BLACK
FORCEPS SET OF 14 (1,4,7,13,17,18,22,51,67,74,79,86,89,90) Steel Finish
API PREMIUM FORCEPS
FORCEPS SET OF 14 (1,4,7,13,17,18,22,51,67,74,79,86,89,90) Steel Finish
FORCEPS SET OF 12 (1,7,13,17,18,73,51A,67A,74N,86,89,90) Dull Finish
FORCEPS SET OF 12 (1,7,13,17,18,73,51A,67A,74N,86,89,90) T.C. BLUE
FORCEP ATRUMATIC SET OF 6
FORCEP FINGER PATTERN SET OF 7(PEDO)
FORCEP SECURE (SET OF 11)
FORCEP FINGER PATRAN DULL FINISH /S.S. FINISH ASSORTED
FORCEP T.C. BLUE ASSORTED
FORCEP SECURE ASSORTED
FORCEP ATRUMATIC ASSORTED
PERIOSTEAL ELEVATORS GLICKMAN P24G HOLLOW

SINUS LIFT INSTRUMENTS (SET OF 8)
API PREMIUM PLIERS
PLIER BAND CONTOURING JOHNSON TC
PLIER BIRDBEAK LIGHT WIRE TC
PLIER CANINE CONTOURING TC
Plier Crimpable Hook Placement with TC Tip
PLIER CROWN CRIMPTING TC TIP
PLIER DISTEL END CUTTER T.C-API
PLIER HOW (CVD) TC
PLIER HOW (STR) TC
PLIES LIGATURE WIRE CUTTER WITH TC-API
PLIER Micro Ligature Cutter TC Tip
PLIER MICRO LIGATURE WIRE CUTTER (HARD WIRE)
PLIER MICRO LIGATURE CUTTER
PLIER SEPARATING TC TIP # 99-291
PLIER THREE BEAK/ 3 PRONG TC TIP
PLIER WEIN GART UTILITY TC TIP
PLIER WEIN GART UTILITY SLIM TC TIP
PLIER -Bracket Remover DEBONDING STR / CVD TC
PLIER -V BENDING TC
API PREMIUM SCISSORS
Scissor Castroviejo STR / CVD - Small / Large T.C.
Scissor Crown Stright / Curved T.C.

API Instrument Range

Scissor Goldman Fox T.C.
Scissor Gum Angular T.C.
Scissor Gum Straight / Curved T.C.
Scissor Heath 15.5cm T.C.
Scissor Lagrange Double Curved T.C.
Scissor Metznanbaum 14.5cm
Scissor Metznanbaum 14.5cm T.C.
API OTHER PREMIUM INSTRUMENTS
Amalgam Carrier Back Push SWISS PATTERN
B P HANDLE MICRO HOLLOW RING TYPE
Bone Caliper with / without Slide Scale
Bone Chisel 3mm /4mm/ 5mm/ 7mm
Bone Collector 7mm/ 12mm
Bone File Schluger File # FS9/10S Hollow Handle
Bone File Sugarman # 1S/2S Hollow Handle
Bone File Sugarman # 3S/4S Hollow Handle
Bone Injector 2.5mm/ 3.5mm/ 4.4mm/ 7mm
Bone Mallet 17cm / 19cm
Bone Mill (Titanium Teeth)
Bone Punch Set of "2"
BONE ROUNGER Double Action
Bone Scraper Set of "2"
BUCCAL TUBE HOLDER SMALL
BUCCAL TUBE HOLDER LARGE
Caliper Castroviejo Straight / Curved
Caliper Weiss Modified Castroviejo
COMPOSITE INSTS. INTERIOR & POSTERIOR (S/10) BLACK T.C.
COMPOSITE GOLD T.C. HOLLOW HANDLE (SET OF 6)

COMPOSITE S.S. FINISH HOLLOW HANDLE (SET OF 6)
COMPOSITE INSTRUMENTS ASSORTED GOLD/BLUE/BLACK
CONSERVATIVE INSTRUMENTS (SET OF 19)
CURETTES KRAMER NAVINS PKN1
CURETTES LANGER 1/2, 3/4, 5/6
CURETTES UNIVERSAL Columbia 2R-2L / 4R-4L Hollow Handle
CURRETE MC CALL #17S/18S HOLLOW HANDLE
CURRETE MC CALL SMTc 13S/14S HOLLOW HANDLE
ROOT ELEVATORS LINDO-LEVIAN SET OF 6
ROOT ELEVATOR T.C. BLUE
ROOT ELEVATOR S.S. FINISH
ENDO-SURGICAL KIT (SET OF 13)
GRACY CURETTES (Set of 7)
GRACY CURETTES (Set of 9)
GRACY CURETTES (Set of 11)
Krikland Kinfe # 15k/16k Hollow Handle
MAMBRANE HOLDER T.C. BLUE
Needle Holder Castroviejo STR / CVD T.C.
Needle Holder DERF 12.5cm T.C.
Needle Holder DERF 16 cm T.C.
Needle Holder MATHIEW SMAHA
Needle Holder OLSEN HEGAR
Ochsenbien Chisel # CO4 Hollow Handle
Orban Knife # KO 1/2 Hollow Handle
Osteotomes Bone Chisel 7.5mm
Osteotomes Bone Chisel 7.5mm Curved

API Instrument Range

Osteotomes with / without Stoppers (Set of 12) Concave / Convex
Osteotomes with / without Stoppers (Set of 10) Concave / Convex
Osteotomes/ Bone Expander (Set of 4)
Periosteal ELEVATORS Benque # PBO Hollow Handle
Periosteal ELEVATORS BUSER PBU HOLLOW
PERIOSTAL ELEVATORS GLICKMAN P24G HOLLOW
PERIOSTAL ELEVATORS GOLDMAN FOX P14
PERIOSTAL ELEVATORS HIRSCHFELD P20
Periosteal ELEVATORS P24G Hollow Handle
PERIOSTAL ELEVATORS MOLT9 Large P9
PERIOTOME WITH 3 TIPS
P K THOMAS (CARVER) INSTRUMNETS KIT (set of 5)
PLASTIC FILLING INSTRUMENTS (SET OF 6)
PMT (Probe + Mirror with Handle+ Tweezer)
Pocket Marker GOLDMAN FOX (Left)
Pocket Marker GOLDMAN FOX (Right)
Probe UNC # PCP 15/11.5 Hollow Handle D/E
Probe UNC #PCUNC 156 Hollow Handle
Probe WHO # PCP11.5B Hollow Handle
Probe William Hollow Handle
ROOT ELEVATORS Warwick Gems Set of 3
ROOT FRAGMENTS STRIGHT/45°/90°

ROOT CANAL PLUGGER COLOUR CODED (SET OF 8)
ROOT CANAL PLUGGER COLOUR CODED
ROOT CANAL PLUGGER ASSORTED
Scaler # SH 6/7 Hollow Handle
Scaler #SCM152 Hollow Handle
Scaler 1235/5-6 Hollow Handle
Scaler Anterior # SN 137 Hollow Handle
Scaler Posterior # 204 SA Hollow Handle
SCALER POSTERIOR 204S
SCALER POSTERIOR SN135
SCALER SC NEVI -1 HOLLOW
SCALER SC NEVI -2 HOLLOW
Scaler SU 15/30 Hollow Handle
SINUS LIFT INSTRUMENTS (SET OF 8)
SINUS LIFT INSTRUMENTS ASSORTED
SUTURE PLIER
Tissue Forceps Micro Gerald 1:1 / 1:2 Teeth
Tissue Nipper
TWEEZER - With / Without Hole Handle
BRACKET HOLDING TWEEZER LOCKING BHT5
Wire Twister 13cm T.C.
Wire Twister 16 cm T.C.
CARTRIDGE SYRINGE - INTRALIGAMENTARY- INDEX FINGER PUSH



WHERE TRUST COMES FIRST



**Warranty Ke Saath Bhi
Warranty Ke Baad Bhi**

For any Sales & Support

 9599281852, 8448398852

 sales@unicorndenmart.com

Customer Care

Register Your Complaint with A Missed Call: **7065-558-558**

 011-45551250, 51, 55  97170-12081, 95994 -48518

 care@unicorndenmart.com | care1@unicorndenmart.com

Connect With



Unicorn DenMart

* Accessories shown may not be a part of standard equipment. Specifications are subject to change without notice.

Ver 02/2026



Corporate Office: 3 Local Shopping Centre, MOR Land, Near J Block DDA Market,
New Rajender Nagar, New Delhi – 110060

    /unicorndenmart.com