
NÖRSKA
SCANDINAVIAN-INSPIRED DESIGN

WELCOME TO NÖRSKA

Introduction

At Nörska, we believe lighting is more than illumination—it is a medium for connection, emotion, and timeless design. Rooted in Scandinavian heritage and handcrafted in the United States, each Nörska fixture embodies a harmonious blend of sustainable materials, refined craftsmanship, and quiet sophistication. This catalog presents our curated collection of sculptural lighting, thoughtfully designed to elevate interiors with warmth, intention, and natural beauty. Whether chosen for a residence, boutique, or hospitality setting, a Nörska piece is more than a product—it is a statement of artistry and enduring elegance.

Company Ethos

Rooted in the Scandinavian principle of Lagom—the art of balance and intentionality—this design philosophy embraces restraint, purpose, and harmony. Each fixture is thoughtfully crafted to achieve equilibrium between form and function, aesthetic beauty and everyday utility. Materials are sustainably sourced and used with care, ensuring longevity, minimizing waste, and honoring the integrity of each component. The result is lighting that feels timeless, quietly luxurious, and inherently balanced—never too much, never too little, always just right.



ABOUT US

Our Story

Founded in Colorado Springs by father and son duo Dennis and Ryan Johnson, Nörska is built on a foundation of craftsmanship, collaboration, and care. What began as a small workshop has evolved into a close-knit team of artisans, designers, and problem-solvers—each driven by a shared passion for precision, beauty, and the belief that meaningful work begins with people who take pride in what they create.

At Nörska, culture is everything. We foster an environment where creativity is encouraged, curiosity is celebrated, and every team member contributes to the character of our craft. From the first cut of hardwood to the final inspection, our process is rooted in hands-on excellence and mutual respect. We value mentorship, collaboration, and the quiet confidence that comes from doing things the right way.

Our aim is simple: to make lighting that reflects the integrity of the people who build it. We strive not only to deliver exceptional products but to cultivate lasting relationships—with our customers, our trade partners, and each other. In every detail, you'll find evidence of a company that cares deeply about its people and the work we do together.

TABLE OF CONTENTS

2 **Welcome to Nörksa**
4 **About Us**
6 **Chandelier Collection**
8 Fyra
10 Seks
14 Åtta
16 Tolv
20 Upp - Nerr Åtta
22 Karv
24 Vinkel
28 Fyra Keps
32 Åtta Keps

34 **Wall Mounted Collection**
36 Fyra Posta
38 Seks Posta
40 Åtta Posta
44 Platt
48 Lun
52 Färsk Seks
54 Färsk Tio

58 **Floor Lamp & Pendant Collection**
60 Stå
62 Luta
66 Klot

70 **Nörska Finishes**
72 Wood Type
73 Metal Finish
74 Glass Finish
75 Cord Finish

76 **Shop Photos**
78 **Sustainabilty**





LINEAR CHANDELIERS




Fyra



Seks



Åtta



Tolv




Upp-Nerr Åtta




Kärv



Vinkel




Fyra Keps



Åtta Keps







Canopy Dimensional Drawing

PRODUCT OPTIONS

Wood Type
Available in All Standard Wood Finishes

Hardware & Cord Finish
Available in All Standard Hardware and Cord Finishes

Length : 800mm (31.5") - 2400mm (94.5")

Suspension Length : Cuts-down to size

Mounting Style : Continuous Canopy, Dual Canopy

End Style : Square, Oval

ELECTRICAL

Color Temperature : 2700K, 3000K

Wattage : 16 W/m (4.88 W/ft)


Lumen Output : 1320 lm/m (402 lm/ft)

Voltage : 100VAC - 277 VAC

Dimming : TRIAC Phase-Cut, Bluetooth, Wi-Fi

CRI : 95


Continuous Canopy


Dual Canopy


Square End Style, CHA - 001


Oval End Style, CHA - 002

NÖRSKA

FYRA


Swedish for "four," Fyra embodies Scandinavian elegance. Standing at 45mm tall and 40mm wide, Fyra boasts simplicity and sleek design. Crafted from a single solid piece of hand-selected sustainable timber, its small profile ensures subtlety and allows its natural wood grain to shine. Fyra's understated sophistication redefines through organic beauty and minimalism.

CANOPY INSTALL GUIDE

CUP INSTALL GUIDE







Cup Dimensional Drawing

PRODUCT OPTIONS

Wood Type
Available in All Standard Wood Finishes

Hardware & Cord Finish
Available in All Standard Hardware and Cord Finishes

Length : 800mm (31.5") - 2400mm (94.5")

Suspension Length : Cuts-down to size

Mounting Style : Continuous Canopy, Dual Canopy

End Style : Square, Oval

ELECTRICAL

Color Temperature : 2700K, 3000K

Wattage : 16 W/m (4.88 W/ft)


Lumen Output : 1320 lm/m (402 lm/ft)

Voltage : 100VAC - 277 VAC

Dimming : TRIAC Phase-Cut, Bluetooth, Wi-Fi

CRI : 95


Continuous Canopy


Dual Canopy


Square End Style, CHA - 003


Oval End Style, CHA - 004

NÖRSKA

SEKS

Seks, Norwegian for "six," stands at a more substantial 60mm tall and 40mm wide. This minimalist chandelier strikes a perfect balance, accentuating natural wood tones without overwhelming your living space. A harmonious blend of height and refinement, Seks adds a touch of modern elegance to any home or commercial space.

CANOPY INSTALL GUIDE

CUP INSTALL GUIDE

UL CERTIFIED SAFETY US/CA E533196


10:38









Canopy Dimensional Drawing

PRODUCT OPTIONS

Wood Type
Available in All Standard Wood Finishes

Hardware & Cord Finish
Available in All Standard Hardware and Cord Finishes

Length : 800mm (31.5") - 2400mm (94.5")

Suspension Length : Cuts-down to size

Mounting Style : Continuous Canopy, Dual Canopy

End Style : Square, Oval

ELECTRICAL

Color Temperature : 2700K, 3000K

Wattage : 16 W/m (4.88 W/ft)

Lumen Output : 1320 lm/m (402 lm/ft)


Voltage : 100VAC - 277 VAC

Dimming : TRIAC Phase-Cut, Bluetooth, Wi-Fi

CRI : 95



Continuous Canopy



Dual Canopy



Square End Style, CHA - 005



Oval End Style, CHA - 006

NÖRSKA

ÅTTA


Åtta is defined by its prominent grain patterns, highlighting the natural beauty of its hand-selected timber. Swedish for "eight," Åtta's formidable profile measures 80mm tall and 40mm wide. This chandelier celebrates the nuances of the beautiful wood, showcasing natural knots, burls, and chatoyancy. Åtta reshapes any space through an artful blend of craftsmanship and character.

CANOPY INSTALL GUIDE

CUP INSTALL GUIDE







Cup Dimensional Drawing

PRODUCT OPTIONS

Wood Type
Available in All Standard Wood Finishes

Hardware & Cord Finish
Available in All Standard Hardware and Cord Finishes

Length : 800mm (31.5") - 2400mm (94.5")

Suspension Length : Cuts-down to size

Mounting Style : Continuous Canopy, Dual Canopy (Remote Driver)

End Style : Square, Oval

ELECTRICAL

Color Temperature : 2700K, 3000K

Wattage : 16 W/m (4.88 W/ft)


Lumen Output : 1320 lm/m (402 lm/ft)

Voltage : 100VAC - 277 VAC

Dimming : TRIAC Phase-Cut, Bluetooth, Wi-Fi

CRI : 95


Continuous Canopy


Dual Canopy


Square End Style, CHA - 007


Oval End Style, CHA - 008

NÖRSKA

TOLV

Meaning "twelve" in Swedish, Tolv stands tall at 120mm by 20mm wide. This chandelier delivers an extraordinary showcase of grain patterns, revealing a large cross-section of wood grain. Through meticulous sawing techniques, Tolv highlights the stunning interplay between heartwood and sapwood, creating a captivating display of natural elegance.

CANOPY INSTALL GUIDE

CUP INSTALL GUIDE











Canopy Dimensional Drawing

PRODUCT OPTIONS

Wood Type
Available in All Standard Wood Finishes

Hardware & Cord Finish
Available in All Standard Hardware and Cord Finishes

Length : 800mm (31.5") - 2400mm (94.5")

Suspension Length : Cuts-down to size

Mounting Style : Continuous Canopy, Dual Canopy (Remote Driver)

End Style : Square, Oval

ELECTRICAL

Color Temperature : 2700K, 3000K

Wattage : 32 W/m (9.76 W/ft)


Lumen Output : 2640 lm/m (804 lm/ft)

Voltage : 100VAC - 277 VAC

Dimming : TRIAC Phase-Cut, Bluetooth, Wi-Fi

CRI : 95


Continuous Canopy


Dual Canopy


Square End Style, CHA - 009


Oval End Style, CHA - 010

NÖRSKA

UPP - NERR ÅTTA

Upp-Nerr is Swedish for "up" and "down," named after its clever combination of up and down light casting. This chandelier is crafted at 80mm tall by 40mm wide, and masterfully blends ambiance and direct lighting for both residential and commercial spaces. Beautifully effective as a standalone fixture, Upp-Nerr warmly illuminates surfaces below while delicately showering the surroundings with a soft, vertical glow.


CANOPY INSTALL GUIDE

CUP INSTALL GUIDE

UL CERTIFIED SAFETY US-CA E533196







Cup Dimensional Drawing

PRODUCT OPTIONS

Wood Type
Available in All Standard Wood Finishes

Hardware & Cord Finish
Available in All Standard Hardware and Cord Finishes

Length : 800mm (31.5") - 2400mm (94.5")

Suspension Length : Cuts-down to size

Mounting Style : Continuous Canopy, Dual Canopy (Remote Driver)

ELECTRICAL

Color Temperature : 2700K, 3000K

Wattage : 16 W/m (4.88 W/ft)


Lumen Output : 1320 lm/m (402 lm/ft)

Voltage : 100VAC - 277 VAC

Dimming : TRIAC Phase-Cut, Bluetooth, Wi-Fi

CRI : 95









NÖRSKA

KÄRV

"Kärv," a minimalist marvel, blends a low profile with a recessed light design, casting an enchanting glow on the bottom rim. Crafted from a single piece of timber, it delivers an unaltered display of natural beauty, making it a refined and captivating addition to any space.

CANOPY INSTALL GUIDE


CUP INSTALL GUIDE

UL CERTIFIED SAFETY US/CA E533196



NÖRSKA





Canopy Dimensional Drawing

VINKEL

Swedish for “angle,” Vinkel earns its name for its hand-planed and sanded 10-degree angle, resulting in a distinctive and refined lighting piece that will be central to your space. Crafted from a single piece of timber,Vinkel demands perfect craftsmanship. The tapered profile, complemented by a recessed light diffuser, elegantly illuminates the bottom rim.

PRODUCT OPTIONS

Wood Type
Available in All Standard Wood Finishes

Hardware & Cord Finish
Available in All Standard Hardware and Cord Finishes

Length : 800mm (31.5”) - 2400mm (94.5”)

Suspension Length : Cuts-down to size

Mounting Style : Continuous Canopy, Dual Canopy (Remote Driver)

ELECTRICAL

Color Temperature : 2700K, 3000K

Wattage : 16 W/m (4.88 W/ft)


Lumen Output : 1320 lm/m (402 lm/ft)

Voltage : 100VAC - 277 VAC

Dimming : TRIAC Phase-Cut, Bluetooth, Wi-Fi

CRI : 95


Continuous Canopy


Dual Canopy





CANOPY INSTALL GUIDE

CUP INSTALL GUIDE


UL CERTIFIED SAFETY US/CA E533196





NÖRSKA





Cup Dimensional Drawing

PRODUCT OPTIONS

Wood Type
Available in All Standard Wood Finishes

Hardware & Cord Finish
Available in All Standard Hardware and Cord Finishes

Length : 800mm (31.5”) - 2400mm (94.5”)

Suspension Length : Cuts-down to size

Mounting Style : Continuous Canopy, Dual Canopy

ELECTRICAL

Color Temperature : 2700K, 3000K

Wattage : 16 W/m (4.88 W/ft)

Lumen Output : 1320 lm/m (402 lm/ft)

Voltage : 100VAC - 277 VAC

Dimming : TRIAC Phase-Cut, Bluetooth, Wi-Fi

CRI : 95


Continuous Canopy


Dual Canopy

FYRA KEPS

Fyra Keps is a distinguished variation of our flagship Fyra chandelier. Featuring a sleek addition of clean metal accents, Fyra Keps seamlessly marries the elegance of natural wood tones with modern sophistication. This refined blend creates an aesthetic that gracefully merges traditional and contemporary values, making Fyra Keps a standout centerpiece for any space.

CANOPY INSTALL GUIDE

CUP INSTALL GUIDE


UL CERTIFIED SAFETY US-CA E533196





NÖRSKA





Cup Dimensional Drawing

PRODUCT OPTIONS

Wood Type
Available in All Standard Wood Finishes

Hardware & Cord Finish
Available in All Standard Hardware and Cord Finishes

Length : 800mm (31.5") - 2400mm (94.5")

Suspension Length : Cuts-down to size

Mounting Style : Continuous Canopy, Dual Canopy

ELECTRICAL

Color Temperature : 2700K, 3000K

Wattage : 16 W/m (4.88 W/ft)

Lumen Output : 1320 lm/m (402 lm/ft)

Voltage : 100VAC - 277 VAC

Dimming : TRIAC Phase-Cut, Bluetooth, Wi-Fi

CRI : 95


Continuous Canopy


Dual Canopy

ÅTTA KEPS

Swedish for "eight cap," Åtta Keps transforms our signature Åtta chandelier by incorporating metal fittings and caps on each end with your choice of metal and finish. Åtta Keps achieves a harmonious fixture height, elegantly showcasing the beauty of wood grain while introducing a clean, modern metal feature. A balanced and captivating lighting solution for your space.


CANOPY INSTALL GUIDE

CUP INSTALL GUIDE

UL CERTIFIED SAFETY US-CA E533196




WALL MOUNTED



Fyra Posta



Seks Posta



Åtta Posta




Platt



Lun




Färsk Seks



Färsk Tio







Dimensional Drawing

PRODUCT OPTIONS

Wood Type
Available in All Standard Wood Finishes

Hardware Finish
Available in All Standard Hardware Finishes

Length : 400mm (15.75") - 1500mm (59")

Mounting Style : Universal Mounting

End Style : Oval, Square

Metal Accent : Metal, No - Metal

ELECTRICAL

Color Temperature : 2700K, 3000K


Wattage : 16 W/m (4.88 W/ft)


Lumen Output : 1320 lm/m (402 lm/ft)

Voltage : 100VAC - 277 VAC

Dimming : TRIAC Phase-Cut

CRI : 95


Shown with Metal Accent


Shown with Metal Accent


Square End Style, WAL - 001


Oval End Style, WAL - 001


NÖRSKA


FYRA POSTA

Fyra Posta is inspired by our flagship Fyra chandelier and introduces a wall sconce to our artful catalog. Swedish for "four post," the 40mm wide fixture body rests on two meticulously matched timber posts, which are skillfully joined to a paired base through traditional craftsmanship. This unique design allows the light to cast a warm and inviting glow directly onto the mounting surface, creating a cozy ambiance around the sconce.

INSTALL GUIDE







Dimensional Drawing

PRODUCT OPTIONS

Wood Type
Available in All Standard Wood Finishes

Hardware Finish
Available in All Standard Hardware Finishes

Length : 400mm (15.75") - 1500mm (59")

Mounting Style : Universal Mounting

End Style : Oval, Square

Metal Accent : Metal, No - Metal

ELECTRICAL

Color Temperature : 2700K, 3000K


Wattage : 16 W/m (4.88 W/ft)

Lumen Output : 1320 lm/m (402 lm/ft)

Voltage : 100VAC - 277 VAC

Dimming : TRIAC Phase-Cut

CRI : 95


Shown with Metal Accent


Shown with Metal Accent


Square End Style, WAL - 003


Oval End Style, WAL - 004

NÖRSKA


SEKS POSTA

Seks Posta builds on the elegant foundation of our flagship Fyra collection, reimagining the wall sconce with a bolder presence. Swedish for "six post," this 60mm wide fixture body rests confidently on two finely crafted timber posts, each seamlessly joined to a solid base using time-honored joinery techniques. The increased width offers a more substantial profile, while the thoughtful composition allows the light to gently illuminate the mounting surface—casting a rich, ambient glow that enhances the warmth and intimacy of any space.

INSTALL GUIDE







Dimensional Drawing

PRODUCT OPTIONS

Wood Type
Available in All Standard
Wood Finishes

Hardware Finish
Available in All Standard
Hardware Finishes

Length : 400mm (15.75") - 1500mm (59")

Mounting Style : Universal Mounting

End Style : Oval, Square

Metal Accent : Metal, No - Metal

ELECTRICAL

Color Temperature : 2700K, 3000K


Wattage : 16 W/m (4.88 W/ft)


Lumen Output : 1320 lm/m (402 lm/ft)

Voltage : 100VAC - 277 VAC

Dimming : TRIAC Phase-Cut

CRI : 95


Shown with Metal Accent


Shown with Metal Accent


Square End Style, WAL - 005


Oval End Style, WAL - 006

NÖRSKA

ÅTTA POSTA


Åtta Posta, Swedish for "eight post," employs an 80mm lamp body width akin to our Åtta chandelier but with twice the width of our Fyra Posta fixture. Åtta Posta accentuates natural beauty with simple style by ensuring a prominent exhibition of wood grain, and provides enchanting ambiance through subtle, indirect light casting.

INSTALL GUIDE









Dimensional Drawing

PRODUCT OPTIONS

Wood Type
Available in All Standard
Wood Finishes

Length : 400mm (15.75") - 1800mm (70.9")

Mounting Style : Universal Mounting

Light Cast : 2 - Sides, 4 - Sides

ELECTRICAL

Color Temperature : 2700K, 3000K


Wattage : 32 W/m (9.76 W/ft)


Lumen Output : 2640 lm/m (804 lm/ft)

Voltage : 100VAC - 277 VAC

Dimming : TRIAC Phase-Cut,
Bluetooth, Wi-Fi

CRI : 95





NÖRSKA

PLATT


Swedish for "flat," Platt elegantly showcases natural aesthetics with its 150mm width. The large cross-section, combined with multiple milling techniques, results in a captivating yet simple design. Each timber piece is hand-selected by Nörska Artisans, making Platt a distinctive and sophisticated addition to any space. Perpendicular light casting provides a warm ambient glow, emphasizing simplicity and captivating design.


INSTALL GUIDE











Dimensional Drawing

PRODUCT OPTIONS

Wood Type
Available in All Standard Wood Finishes

Glass Finish
Available in All Standard Glass Finishes

Mounting : Wall or Ceiling

ELECTRICAL

Lamping Type : G8 Bi-Pin
Bulb Included : 6w LED

Voltage : 100 - 277 VAC

Dimming : Dimmable with most incandescent and LED dimmers

Color Temperature : Bulb Dependent

CRI : Bulb Dependent

NÖRSKA

LUN


Swedish for “calm,” Lun embodies quiet elegance through minimalist form and natural warmth. A gently domed glass diffuser floats over a hand-shaped solid wood backplate, creating a soft interplay between light and grain. Designed for walls or ceilings, Lun brings a serene, ambient glow to any space—from elevated residential retreats to thoughtfully curated commercial interiors. Its restrained geometry and tactile materials make it a versatile statement of Scandinavian simplicity.


INSTALL GUIDE











Dimensional Drawing

PRODUCT OPTIONS

Wood Type
Available in All Standard Wood Finishes

Hardware Finish
Available in All Standard Hardware Finishes

Length : 400mm (15.75") - 1500mm (59")

Mounting Style : Universal Mounting

End Style : Oval, Square

Metal Accent : Metal, No - Metal

ELECTRICAL

Color Temperature : 2700K, 3000K

Wattage : 32 W/m (9.76 W/ft)


Lumen Output : 2640 lm/m (804 lm/ft)

Voltage : 100VAC - 277 VAC

Dimming : TRIAC Phase-Cut

CRI : 95


Shown with Metal Accent


Shown with Metal Accent


Square End Style, WAL - 101


Oval End Style, WAL - 102

NÖRSKA


FÄRSK SEKS

Färsk Seks incorporates contemporary Scandinavian design in its handcrafted light body. Swedish for "fresh six," Färsk Seks is suspended on milled wood posts which seamlessly terminate into its paired wood base. Casting light both vertically and onto the surface below, Färsk Seks achieves a harmonious balance between ambiance and task lighting technique.

INSTALL GUIDE







Dimensional Drawing

PRODUCT OPTIONS

Wood Type
Available in All Standard
Wood Finishes

Hardware Finish
Available in All Standard
Hardware Finishes

Length : 400mm (15.75") - 1500mm (59")

Mounting Style : Universal Mounting

End Style : Oval, Square

Metal Accent : Metal, No - Metal

ELECTRICAL

Color Temperature : 2700K, 3000K

Wattage : 32 W/m (9.76 W/ft)


Lumen Output : 2640 lm/m (804 lm/ft)

Voltage : 100VAC - 277 VAC

Dimming : TRIAC Phase-Cut

CRI : 95




Shown with Metal Accent


Square End Style, WAL - 103


Oval End Style, WAL - 104

NÖRSKA

FÄRSK TIO

Färsk Tio, Swedish for "fresh ten," redefines vanity and sconce lighting with a clean, minimal approach. This fixture casts light in both directions, creating an inviting ambiance around its paired setting. The combination of up and down glow achieves a perfect blend of ambient and task lighting, making Färsk Tio a versatile and stylish addition to any space.

INSTALL GUIDE









FLOOR LAMPS & PENDANT



Stå




Luta




Klot


ILLUSTRATORS 22







Dimensional Drawing





PRODUCT OPTIONS

Wood Type
Available in All Standard
Wood Finishes

Hardware Finish
Available in All Standard
Hardware Finishes

Length : 1200mm (47.2") - 1500mm (59")

ELECTRICAL

Color Temperature : 2700K, 3000K

Wattage : 16 W/m (4.88 W/ft)

Lumen Output : 1320 lm/m (402 lm/ft)

Voltage : 100VAC - 277 VAC

Dimming : Rheostat

CRI : 95

NÖRSKA


STÅ

Milled from a single piece of timber and anchored by a precision-machined metal base, Stå is crafted to bring accent lighting to often overlooked spaces. Swedish for "stand," Stå is infused with inviting ambiance and seamlessly introduces compatible Scandinavian simplicity to every corner of your living space.

INSTALL GUIDE


ILLUSTRATORS 22





Dimensional Drawing

PRODUCT OPTIONS

Wood Type
Available in All Standard
Wood Finishes

Length : 1200mm (47.2") - 1500mm (59")

ELECTRICAL

Color Temperature : 2700K, 3000K

Wattage : 16 W/m (4.88 W/ft)

Lumen Output : 1320 lm/m (402 lm/ft)

Voltage : 100VAC - 277 VAC

Dimming : Rheostat

CRI : 95

NÖRSKA

LUTA

Luta, which is Swedish for "lean," reimagines the conventional floor lamp. Emitting directional light along the wall it leans on, Luta casts a soft, ambient glow, creating a warm and inviting atmosphere in any space it graces. Your living area will be set apart from any other home with this uniquely designed floor lamp.









Dimensional Drawing

PRODUCT OPTIONS

Wood Type
Available in All Standard
Wood Finishes

Hardware & Cord Finish
Available in All Standard
Hardware and Cord Finishes

Glass Finish
Available in All Standard
Glass Finishes

Suspension Length : Cuts-down to size

ELECTRICAL

Lamping Type : G8 Bi-Pin
Bulb Included : 6w LED

Voltage : 100 - 277 VAC

Dimming : Dimmable with most
incandescent and
LED dimmers

Color Temperature : Bulb Dependent

CRI : Bulb Dependent

NÖRSKA

KLOT


Swedish for “globe,” Klot brings sculptural warmth to any space. Featuring a hand-milled solid wood shade paired with a 75mm opal glass diffuser, Klot balances soft geometry with refined materiality. The rounded profile showcases the natural character of each artisan-selected timber, while the blow glass globe casts a warm, ambient glow. Whether installed as a single statement or in a clustered arrangement, Klot offers timeless elegance and organic beauty to interiors both large and small.

INSTALL GUIDE



NÖRSKA FINISHES





WOOD FINISHES




Cherry



Bleached Ash



Bleached White Oak



Walnut



Ash



White Oak



Maple



Blackened Ash



Flame Blackened White Oak

METAL FINISH



Polished Natural Brass



Brushed Stainless Steel



Black Anodized Aluminum



Powder Coat White

GLASS FINISH



Opal Glass



Clear Glass



Frosted Glass



Matte Glass




Smoked Glass

CORD FINISH





Black Cotton SVT





White Cotton SVT


HOMELITE CHAIN SAWS
Makita
nova sl400
Oneida




FESTOOL




FESTOOL
OF 2200 EB
WARNING
AVERTISSEMENT
ADVERTENCIA





OUR COMMITMENT TO SUSTAINABILITY

At Nörska, our commitment to sustainability is deeply inspired by Scandinavian principles, emphasizing harmony with nature and minimal environmental impact. Just as light illuminates and brings life to spaces, we aim to illuminate the path to a sustainable future. We meticulously select eco-friendly materials, prioritizing sustainable resources in our luminaires. Our production processes are designed to minimize waste, and we continually innovate to reduce our environmental footprint. Embracing the Scandinavian concept of Lagom, we ensure our products are built to last, reducing the need for replacements and contributing to a healthier planet. Through these efforts, we strive to create beautiful, enduring pieces that respect and preserve our natural world.





719-338-7146 NORSKAUSA.COM MADE IN THE USA SALES@NORSKAUSA.COM