

**ULTRADYNE**  
AMERICAN INGENUITY

---


**LIVING CATALOG**

## ONE PIECE INTEGRITY

### OPTIMIZED FOR STRENGTH AND WEIGHT

The Ultradyme Chassis is crafted from a solid bar of 6061 T6 Aircraft Aluminum for exceptional strength and durability. The one-piece design weighs between 1.1 and 1.3 pounds, depending on the model. This makes it suitable for both hunting rifles that weigh as little as 6 pounds and long range target rifles that weigh up to 16 pounds. When paired with the Ultradyme Adjustable Butt Stock, it is lighter than most factory stocks yet has the ability to add up to 5 pounds with optional weights.

The Ultradyme Chassis is packed with features including an adjustable magazine release lever, compatibility with AICS magazines, ability to work with any Mil-Spec butt stock, a built-in Arca rail, M-LOK slots on three sides, and Dynalock technology to ensure a secure fit. The action is held in place with V-channel bedding that can accommodate free-floated barrels up to 1.35 inches in diameter.

**UD3**

**UD5**

**UD7**


MODEL	WEIGHT	LENGTH	M-LOK SLOTS	ARCA LENGTH	MAX. BARREL DIAMETER	BUTT STOCK INTERFACE	GRIP INTERFACE	MAGAZINE INTERFACE	MATERIAL	FINISH
UD3	17 oz	15.3"	8	4.2"	1.35"	Mil Spec	Mil Spec A2	AICS	6061 T6	Anodized/Cerakote®
UD5	19 oz	18.5"	14	7.7"	1.35"	Mil Spec	Mil Spec A2	AICS	6061 T6	Anodized/Cerakote®
UD7	21 oz	21.6"	20	10.8"	1.35"	Mil Spec	Mil Spec A2	AICS	6061 T6	Anodized/Cerakote®

#### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
 Eye and ear protection required.

#### ⚠ PROP 65 ⚠

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradymeusa.com](http://www.ultradymeusa.com) •   

## UD CHASSIS OFFERINGS (PRICES AND PRODUCT NUMBERS FOR STANDARD BLACK ANODIZED FINISH)

	UD3 \$299	AVAILABILITY	UD5 \$339	AVAILABILITY	UD7 \$379	AVAILABILITY
REMINGTON 700 SA RH	UD20027	2 weeks	UD20001	Available	UD20002	Available
REMINGTON 700 SA LH	UD20084	3 weeks	UD20079	5 weeks	UD20087	Available
REMINGTON 700 LA RH			UD20094	11 weeks	UD20003	3 weeks
REMINGTON 700 LA LH	UD20095	Call for Avail.	UD20096	15 weeks	UD20087	12 weeks
SAVAGE SA RH	UD20089	3 weeks	UD20004	2 weeks	UD20090	Available
SAVAGE SA LH	UD20091	10 weeks	UD20085	7 weeks	UD20092	4 weeks

### CONFIGURABLE WEIGHT COMPETITION BUILD



### LIGHTWEIGHT RETROFIT HUNTING BUILD



### .22 LR BERGARA BUILD



### CERAKOTE® COLOR CODE OPTIONS (+\$100)

#### ARMOR BLACK (AB)



#### MIDNIGHT BRONZE (MB)



#### TUNGSTEN (TU)



#### SNIPER GREY (SG)



#### NORTHERN LIGHTS (NL)



#### HABANERO RED (HR)



#### TEQUILA SUNRISE (TS)



#### TITANIUM (TI)



#### O.D. GREEN (OG)



#### COYOTE TAN (CT)



#### NOTE

Add Cerakote® color code to the end of the product number to specify desired color.

#### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
Eye and ear protection required.

#### ⚠ PROP 65 ⚠

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynusa.com](http://www.ultradynusa.com) •   

## MAXIMUM ADJUSTABILITY

### MINIMUM WEIGHT-ZERO RATTLE

The UD Adjustable Butt Stock is machined from solid 6061 T6 making it light enough for a 6-pound hunting rifle, yet strong enough to accommodate accessories and weights for a 16-pound competition rifle. It is fully adjustable with an ergonomic thumb screw and once adjusted, it stays at the desired settings without any slop or annoying rattle. It comes standard with a detachable Bag Rider and QD sling interface.

Small frame or large, nearly any shooter will be able to be custom fitted with one of the two length of pull models. The M-L Model **LOP**, ("Length of Pull"), is 12.50" to 13.75" and The L-XL **LOP** is 13.50" to 14.75". The Cheek Rest interface is also adjustable, allowing for up and down movement of 1.0" and forward and back movement of 1.25". Once a perfect fit is made, both the Cheek Rest and Length of Pull can be securely held in place by a single set screw, or the thumb screw can be utilized for the cheek rise for adjustments on the fly. The Ultradyné Recoil Pad offers even more adjustability with 21 different positions up, down, and left or right canted. The Ultradyné Adjustable Butt Stock fits any Mil Spec buffer tube interface.



**UD ADJUSTABLE BUTT STOCK, M-L**



**UD ADJUSTABLE BUTT STOCK, L-XL**



**FRONT  
ANGLE**



**REAR  
ANGLE**

### CERAKOTE® COLOR CODE OPTIONS (+\$85)

#### ARMOR BLACK (AB)



#### MIDNIGHT BRONZE (MB)



#### TUNGSTEN (TU)



#### SNIPER GREY (SG)



#### NORTHERN LIGHTS (NL)



#### HABANERO RED (HR)



#### TEQUILA SUNRISE (TS)



#### TITANIUM (TI)



#### O.D. GREEN (ODG)



#### COYOTE TAN (CT)



**NOTE:** The product numbers, as shown, relate to the anodized finish. Add Cerakote® color code to the end of the product number to specify desired color.

SPECIFICATIONS:	M-L	L-XL
Weight	18.6 oz	18.9 oz
LOP Adjustment	12.50"-13.75"	13.50"-14.75"
AR Compatible	No	No
M-LOK Slots	2	2
Cheek Rest Vertical	1.0"	1.0"
Cheek Rest Horizontal	1.25"	1.25"
Recoil Pad Vertical	0.50"	0.50"
Recoil Pad Positions	21	21
Product #	UD20062	UD20063
MSRP	\$279	\$279
Finish	Anodized/Cerakote®	Anodized/Cerakote®

### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
 Eye and ear protection required.

### ⚠ PROP 65 ⚠


Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynusa.com](http://www.ultradynusa.com) •   

## OPTIMIZE YOUR ADJUSTABLE BUTT STOCK

Ultradyme has fine-tuned the design of the Adjustable Butt Stock by offering optional weights for optimal performance in both hunting and competition settings. The Adjustable Butt Stock is already lightweight (just over 1 pound) with the principle that it is easier to add weight than to remove it from the structural design. Weight can be added by attaching one of the weighted Bag Riders. Whether you're building a lightweight hunting rifle or a heavy competition rifle, the weighted bag rider options provide the flexibility to tailor a build to your exact needs.



PRODUCT #	UPC	DESCRIPTION & WEIGHT	L x W x H	MATERIAL	FINISH	INTERFACE	MSRP
UD20068	850043428312	UD Weighted Bag Rider, 1.5 LBS	4.7" x 1.0" x 3.8"	Steel	Nitride	2-M-LOK	\$99
UD20069	850043428329	UD Weighted Bag Rider, 2.0 LBS	4.7" x .75" x 3.8"	Steel	Nitride	2-M-LOK	\$119


**WARNING**


Loud noise and flying debris hazards.  
Eye and ear protection required.


**PROP 65**


Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

## LIGHTWEIGHT DURABILITY

### SLEEK AND STABLE DESIGN

Introducing the UD Lightweight Butt Stock, crafted from solid 6061 T6 aluminum for optimal balance between weight and strength. Engineered for lightweight rifle builds without compromising durability. Adjustable in Length of Pull (LOP) from 13" to 14" with removable spacers, and three options for cheek heights, it offers tailored comfort to nearly any shooter. Additional spacers and separate cheek pieces are readily available for purchase if needed, ensuring a personalized fit. Regardless of spacer configuration out to four spacers, installation remains seamless, utilizing the same screws for all orientations.

Designed with user comfort in mind, it features an ergonomic cheek piece and a QD sling interface, catering to practical needs while remaining comfortable. Weighing in at just .875 pounds, the Lightweight Butt Stock enhances your rifle's aesthetics with it's sleek, one-piece design while minimizing additional weight. A bag rider is also available to purchase for enhanced stability.

With ten cerakote color to choose from, matching this butt stock to the UD Chassis is effortless, allowing for a cohesive, personalized look. Achieve weights as low as 1.9 pounds when paired with the UD Chassis. The butt stock is equipped with the Ultradyne recoil pad for enhanced user experience, and installation remains effortless even when adjusting spacer configurations. Being compatible with any Mil-Spec buffer tube interface allows installation to be hassle-free with the provided castle nut.



**UD LIGHTWEIGHT BUTT STOCK, LOW**



**UD LIGHTWEIGHT BUTT STOCK, MEDIUM**



**UD LIGHTWEIGHT BUTT STOCK, HIGH**



**FRONT  
ANGLE**



**REAR  
ANGLE**

### CERAKOTE® COLOR CODE OPTIONS (+\$85)

#### ARMOR BLACK (AB)



#### MIDNIGHT BRONZE (MB)



#### TUNGSTEN (TU)



#### SNIPER GREY (SG)



#### NORTHERN LIGHTS (NL)



#### HABANERO RED (HR)



#### TEQUILA SUNRISE (TS)



#### TITANIUM (TI)



#### O.D. GREEN (ODG)



#### COYOTE TAN (CT)



**NOTE:** The product numbers, as shown, relate to the anodized finish. Add Cerakote® color code to the end of the product number to specify desired color.

#### SPECIFICATIONS:

	LOW	MEDIUM	HIGH
Weight	14 oz	14 oz	14 oz
LOP Adjustment	13"-14"	13"-14"	13"-14"
AR Compatible	No	No	No
Cheek Rest Height	1.7"	1.85"	2"
Cheek Rest Length	4.7"	4.7"	4.7"
LOP Spacers Provided	2	2	2
Product #	UD20097	UD20101	UD20102
MSRP	\$179	\$179	\$179
Finish	Anodized/Cerakote®		

#### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
 Eye and ear protection required.


#### ⚠ PROP 65 ⚠

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

## CUSTOMIZE YOUR LIGHTWEIGHT BUTT STOCK

Ultradyne has optimized the design of the Lightweight Butt Stock in order to give consumers the best lightweight option that excels in durability. In order to do this we give consumers the option to add accessories to completely customize their butt stock. These accessories give adjustability and enhance performance without adding unwanted weight. All accessories are securely installed with provided hardware to leave the user with a completely stable interface to improve their shooting experience.



PRODUCT #	UPC	DESCRIPTION & WEIGHT	WEIGHT	MATERIAL	MSRP
UD20098	810140661791	UD Lightweight Bag Rider	1.3 oz	Nylon 12	\$27
UD20099	810140661807	UD Butt Stock Spacer	0.5 oz	Nylon 12	\$18
UD20103	810140662040	UD Lightweight Butt Stock Cheek Riser, Low	1.8 oz	Nylon 12	\$40
UD20104	810140662057	UD Lightweight Butt Stock Cheek Riser, Medium	1.9 oz	Nylon 12	\$40
UD20105	810140662064	UD Lightweight Butt Stock Cheek Riser, High	2.0 oz	Nylon 12	\$40


**WARNING**


Loud noise and flying debris hazards.  
 Eye and ear protection required.


**PROP 65**


Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

## ENHANCE YOUR RIFLE BUILD

Discover the ultimate convenience with Ultradyné Chassis combos, designed to streamline your rifle build. With a chassis, butt stock, and grip included, all you need to do is drop in your action and tighten the action screws. The one-piece UD Chassis delivers a lightweight foundation. Paired with the Ultradyné Lightweight Butt Stock, it beats most factory stocks in weight while offering the option to add weights and accessories.

The UD Chassis boasts a range of features, from an adjustable magazine release lever to AICS magazine compatibility. Its built-in Arca rail and M-LOK slots provide versatile attachment points, while Dynalock technology ensures a secure fit in Arca clamps.

Crafted from solid 6061 T6 aluminum, the UD Lightweight Butt Stock achieves the ideal balance between weight and durability. It's adjustable in Length of Pull (LOP) from 13" to 14" with removable spacers, and offers three cheek height options for personalized comfort. Each chassis combo comes standard with a medium height cheek piece and two LOP spacers, with additional options available for purchase.

Completing the build is the B5 Type 22 grip, adding a sleek, lightweight touch to your rifle. Enhance your build with readily available accessories and experience a tailored fit that maximizes your shooting performance.

**REM 700 SA**



**REM 700 LA**



**SAVAGE SA**



MODEL	WEIGHT	LENGTH	M-LOK SLOTS	ARCA LENGTH	MAX. BARREL DIAMETER	GRIP	MAGAZINE INTERFACE	MATERIAL	FINISH	SKU
REM 700 SA	2.2 lbs	28"	14	7.7"	1.35"	B5	AICS	6061 T6	Anodized	UD20115
REM 700 LA	2.4 lbs	28.65"	14	7.7"	1.35"	B5	AICS	6061 T6	Anodized	UD20116
Savage SA	2.2 lbs	28"	14	7.7"	1.35"	B5	AICS	6061 T6	Anodized	UD20117

### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
 Eye and ear protection required.

### ⚠ PROP 65 ⚠

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynusa.com](http://www.ultradynusa.com) •   



## NATURAL GRIP ANGLE AND STRAIGHT BACK TRIGGER PULL

The UD Double Thumb Rest Grip is designed and built for consistent accuracy. The wrist is naturally aligned with the mostly upright grip angle. Thumb Rests are provided on each side to support all shooting situations. The index finger is held away from the receiver to achieve perfectly aligned straight back pressure to the trigger.



**DOUBLE THUMB REST GRIP ON UD5 CHASSIS, LEFT & RIGHT SIDE VIEWS**

PRODUCT #	UPC	DESCRIPTION	MSRP
UD20038	850011462980	UD Double Thumb Rest Grip, RH	\$49
UD20037	850011462973	UD Double Thumb Rest Grip, LH	\$49

SPECIFICATIONS:	DOUBLE TR
Weight	2.1 oz
Height to receiver	4"
Max Grip Thickness	1.25"
Materials	ASA Thermoplastic
Finish	Cerakote
Compatibility	UD Chassis

### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
Eye and ear protection required.

### ⚠ PROP 65 ⚠

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

## LIGHTWEIGHT ARCA CLAMP FOR ARMS 17S MOUNTING SYSTEM ACCESSORIES

The UD Arca Clamp is compatible with the ARMS 17S mounting system, which is widely used by popular accessories including those from Ultradyné. This clamp is lightweight, easy to use, and provides a strong hold for your accessories.



**ARCA CLAMP WITH BARRICADE ON UD5 CHASSIS**

PRODUCT #	UPC	DESCRIPTION	MSRP
UD13016	850011462737	UD Arca Clamp	\$68

### SPECIFICATIONS:

Weight	3.2 OZ
L x W x H	1.85" x 2.6" x 0.79"
Materials	6061 T6 Aluminum
Finish	Hardcoat Anodize

### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
Eye and ear protection required.

### ⚠ PROP 65 ⚠

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynusa.com](http://www.ultradynusa.com) •   

## MULTI-FIT CLAMP

FOR ARMS 17S MOUNTING SYSTEM ACCESSORIES USING ARCA AND PICATINNY RAILS

The UD Arca-Pic Clamp is designed to securely attach accessories to Arca Rails and Picatinny Rails. It is also compatible with the ARMS 17S mounting system, which is widely used by popular accessories including those from Ultradyme. This clamp is lightweight, easy to use, and provides a strong hold for your accessories.



SHOWN WITH UD ORBIT BALLHEAD ON UD3 CHASSIS

PRODUCT #	UPC	DESCRIPTION	MSRP
UD20012	850011462683	UD Arca-Pic Clamp	\$89

### SPECIFICATIONS:

Weight	3.5 OZ
L x W x H	1.85" x 2.43" x 0.75"
Materials	6061 T6 Aluminum
Finish	Hardcoat Anodize

### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
 Eye and ear protection required.

### ⚠ PROP 65 ⚠

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradymeusa.com](http://www.ultradymeusa.com) •   

## MACHINED TO PROVIDE STABILITY

The UD Barricade is designed to securely interface with any barrier available to the shooter. It can be attached to ARMS 17S mounting Clamps, including the Ultradyné Arca Clamp, making the Barricade a useful tool when attached Arca Rails.



**UD BARRICADE + ARCA CLAMP**



**UD BARRICADE + ARCA CLAMP ON UD5 CHASSIS**

PRODUCT #	UPC	DESCRIPTION	MSRP
UD20050	850043428107	UD Barricade + Arca Clamp	\$79

### BARRICADE SPECIFICATIONS:

Weight	2.6 oz
L x W x H	2.875" x 2.0" x .95"
Materials	6061 T6 aluminum
Finish	Hardcoat Anodize

### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
Eye and ear protection required.

### ⚠ PROP 65 ⚠

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynesa.com](http://www.ultradynesa.com) •   

## PROVIDES ROCK SOLID STEADINESS WHEN ENGAGED

The UD Dynalock Barricade has two studs that can be inserted into any Ultradyne Chassis or Ultradyne Arca Rail with a simple upwards movement. When engaged, the Dynalock does not allow any forward or back movement of the Barricade. It can be attached to ARMS 17S mounting Clamps, including Ultradyne Arca and Arca-Pic Clamps, making the Dynalock Barricade rock solid.



**UD DYNALOCK BARRICADE  
+ ARCA CLAMP**



**UD DYNALOCK BARRICADE  
+ ARCA-PIC CLAMP**



**UD DYNALOCK BARRICADE + ARCA CLAMP ON UD5 CHASSIS BUILD**

PRODUCT #	UPC	DESCRIPTION	MSRP
UD20071	850043428343	UD Dynalock Barricade + Arca Clamp	\$159
UD20072	850043428350	UD Dynalock Barricade + Arca-Pic Clamp	\$199

### SPECIFICATIONS:

Weight	3.0 oz
L x W x H	2.83" x 1.95" x .94"
Materials	6061 T6 Aluminum
Finish	Hardcoat Anodize

### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
 Eye and ear protection required.

### ⚠ PROP 65 ⚠

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradyneusa.com](http://www.ultradyneusa.com) •   

## ADD PERFECTLY ALIGNED ARCA RAIL TO UD CHASSIS

The UD Spigot is a versatile and useful accessory for UD3, UD5, and UD7 Chassis systems, adding 3.25 inches of perfectly aligned Arca rail capacity. The M-LOK slots also make it possible to attach additional accessories including Picatinny rails. It is machined in the USA from 6061 T6 aluminum with a hard anodized finish.

**UD SPIGOT MOUNT, SIDE VIEW**

**UD SPIGOT MOUNT, BOTTOM VIEW**

**UD SPIGOT ON UD3 CHASSIS, SIDE VIEW**

**UD SPIGOT ON UD3 CHASSIS, BOTTOM VIEW**


### CERAKOTE® COLOR CODE OPTIONS (+\$25)

**ARMOR BLACK (AB)**

**MIDNIGHT BRONZE (MB)**

**TUNGSTEN (TU)**

**SNIPER GREY (SG)**

**NORTHERN LIGHTS (NL)**

**HABANERO RED (HR)**

**TEQUILA SUNRISE (TS)**

**TITANIUM (TI)**

**O.D. GREEN (OG)**

**COYOTE TAN (CT)**

**NOTE**

Add Cerakote® color code to the end of the product number to specify desired color.

PRODUCT #	UPC	DESCRIPTION	MSRP
UD13004	850011462850	UD Spigot	\$38

**SPECIFICATIONS:**

Weight	2.8 oz
L x W x H	4.75" x 1.5" x .448"
Arca Rail Length	3.30"
Materials	6061 T6 Aluminum
Finish	Hardcoat Anodize

**! WARNING !**

Loud noise and flying debris hazards.  
 Eye and ear protection required.

**! PROP 65 !**

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynusa.com](http://www.ultradynusa.com) •   

## ADD NIGHT VISION TO THE UD CHASSIS

The UD Bridge is a useful accessory that attaches to the M-LOK slots on each side of the UD Chassis. This provides a strong interface that positions the Picatinny rail at the right height for mounting most night vision devices. The UD Bridge is an essential component for shooters who use night vision and want to securely attach it to their UD Chassis.

**UD BRIDGE**

**UD BRIDGE ON UD5 CHASSIS**

**UD BRIDGE SIDE VIEW ON UD5 CHASSIS**


### CERAKOTE® COLOR CODE OPTIONS (+\$35)

**ARMOR BLACK (AB)**

**MIDNIGHT BRONZE (MB)**

**TUNGSTEN (TU)**

**SNIPER GREY (SG)**

**NORTHERN LIGHTS (NL)**

**HABANERO RED (HR)**

**TEQUILA SUNRISE (TS)**

**TITANIUM (TI)**

**O.D. GREEN (OG)**

**COYOTE TAN (CT)**

**NOTE**

Add Cerakote® color code to the end of the product number to specify desired color.

PRODUCT #	UPC	DESCRIPTION	MSRP
UD20021	850011462843	UD Bridge	\$129

**SPECIFICATIONS:**

Weight	5.3 oz
L x W x H	5.15" x 1.83" x 2.1"
Picatinny Slots	12
Max BBL Dia.	1.250
Materials	6061 T6 Aluminum
Finish	Hardcoat Anodize

**⚠ WARNING ⚠**

Loud noise and flying debris hazards.  
 Eye and ear protection required.

**⚠ PROP 65 ⚠**

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynusa.com](http://www.ultradynusa.com) •   





## ADD WEIGHT TO THE UD CHASSIS

**FOREARM WEIGHTS SOLD IN PAIRS**

The UD 0.5 LBS Forearm Weights are sold in pairs and are designed to be added to the UD3, UD5, and UD7 Chassis systems to help balance the firearm for improved shooting performance. These weights can be attached to the forearm of the chassis, providing added weight and stability to the firearm. This can help improve accuracy and reduce recoil, making for a more enjoyable shooting experience.



**0.5 LBS WEIGHT PAIR**



**.5 LBS WEIGHT PAIR SHOWN ON  
UD7 CHASSIS, TOP VIEW**



**.5 LBS WEIGHT PAIR SHOWN ON  
UD7 CHASSIS, SIDE VIEW**

PRODUCT #	UPC	DESCRIPTION	MSRP
UD20024	850011462836	UD Chassis 0.5 LBS Weight Pair	\$59

### SPECIFICATIONS:

Weight Each	0.25 LBS
L x W x H	3.135" x 0.425" x 0.77"
Materials	Steel
Finish	Nitride



### WARNING

Loud noise and flying debris hazards.  
Eye and ear protection required.



### PROP 65

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynusa.com](http://www.ultradynusa.com) •   





## ADD WEIGHT TO THE UD CHASSIS

### FOREARM WEIGHTS SOLD IN PAIRS

The UD 1 LBS Forearm Weights are sold in pairs and are designed to be added to the UD3, UD5, and UD7 Chassis systems to help balance the firearm for improved shooting performance. These weights can be attached to the forearm of the chassis, providing added weight and stability to the firearm. This can help improve accuracy and reduce recoil, making for a more enjoyable shooting experience.



**1 LBS WEIGHT PAIR**



**1 LBS WEIGHT PAIR SHOWN ON  
UD7 CHASSIS, TOP VIEW**



**1 LBS WEIGHT PAIR SHOWN ON  
UD7 CHASSIS, SIDE VIEW**

PRODUCT #	UPC	DESCRIPTION	MSRP
UD20025	850011462829	UD Chassis 1 LBS Weight Pair	\$79

#### SPECIFICATIONS:

Weight Each	0.5 LBS
L x W x H	3.135" x 0.425" x 1.43"
Materials	Steel
Finish	Nitride

#### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
Eye and ear protection required.

#### ⚠ PROP 65 ⚠

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynusa.com](http://www.ultradynusa.com) •

## ADAPTS SWIVEL HARRIS BIPODS TO ARCA OR PICATINNY RAILS

This Adaptor allows Swivel Type Harris Bipods to be attached to Arca or Picatinny Rails. It can be attached to ARMS 17S mounting Clamps, including Ultradyné Arca and Arca-Pic Clamps.



**UD HARRIS BIPOD ADAPTOR**



**UD HARRIS BIPOD ADAPTOR  
+ ARCA CLAMP**



**UD HARRIS BIPOD ADAPTOR  
+ ARCA-PIC CLAMP**

### UD HARRIS BIPOD ADAPTOR ON UD5 CHASSIS BUILD



PRODUCT #	UPC	DESCRIPTION	MSRP
UD13019	850011462768	UD Harris Bipod Adaptor	\$35
UD20047	850043428077	UD Harris Bipod Adaptor + Arca Clamp	\$99
UD20048	850043428084	UD Harris Bipod Adaptor + Arca-Pic Clamp	\$119

#### SPECIFICATIONS:

Weight	1.36 oz
L x W x H	1.85" x .75" x 1.25"
Materials	6061 T6 Aluminum
Finish	Hardcoat Anodize

#### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
Eye and ear protection required.

#### ⚠ PROP 65 ⚠

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.


PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynusa.com](http://www.ultradynusa.com) •   

## UPGRADE TO ARCA AND DYNALOCK

The UD Arca Dynalock Rail can be installed using the M-LOK fasteners provided or by a qualified gunsmith. By upgrading to the Arca Dynalock Rail, you can enjoy the benefits of both Arca and Dynalock accessories on your firearm. The most popular enhancement is the ability to use the Orbit Ballhead with Dynalock, all other Arca Clamp accessories are also compatible.



**UD ARCA DYNALOCK RAIL 3.00"**



**UD ARCA DYNALOCK RAIL 6.15"**



**UD ARCA DYNALOCK RAIL 9.30"**



**UD ARCA DYNALOCK RAIL 12.45"**



**UD ARCA DYNALOCK RAIL ON COMPETITOR'S CHASSIS**

PRODUCT #	UPC	DESCRIPTION	MSRP
UD20080	850043428435	UD Arca Dynalock 3.00" Rail	\$35
UD20081	850043428442	UD Arca Dynalock 6.15" Rail	\$50
UD20082	850043428459	UD Arca Dynalock 9.30" Rail	\$65
UD20083	850043428466	UD Arca Dynalock 12.45" Rail	\$80

SPECIFICATIONS:	3.00"	6.15"	9.30"	12.45"
Weight	2.1 oz	4.2 oz	6.3 oz	8.4 oz
Width	1.50"			
Height	.315"			
Material	6061 T6 Aluminum			
Finish	Hardcoat Anodize			

### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
 Eye and ear protection required.

### ⚠ PROP 65 ⚠

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynusa.com](http://www.ultradynusa.com) •   

## MAXIMUM ACCURACY, MINIMUM RECOIL FOR LONG RANGE PERFORMANCE

The Ultradyné Orbit Ballhead is designed specifically for Shooters, with the adjustment wheel strategically located under the forearm. This unique design feature allows the shooter to operate without the need to reposition the hand away from the shooting position.

The Orbit is designed to work with Arms 17S style clamps, including the Ultradyné Arca Clamp and the Ultradyné Arca-Pic Clamp. When used in combination with the UD Chassis and UD Launchpad, a full range of aiming with almost no recoil is achievable.



**UD ORBIT BALLHEAD**



**UD ORBIT BALLHEAD + UD ARCA CLAMP**



**UD ORBIT BALLHEAD + ARCA-PIC CLAMP**



**UD ORBIT BALLHEAD + ARCA-PIC CLAMP  
+ UD DYNALOCK BARRICADE**

WEIGHT	LENGTH	WIDTH	HEIGHT	THREADS	MATERIALS	FINISHES
16.3 oz	3.85"	2.49"	4.75"	3/8" - 16.0"	6061 T6 Aluminum 416 SS	Hardcoat Anodize Nitride

**⚠ WARNING ⚠**

Loud noise and flying debris hazards.  
Eye and ear protection required.

**⚠ PROP 65 ⚠**

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynéusa.com](http://www.ultradynéusa.com) •   

## ADDITIONAL IMAGES OF UD ORBIT BALLHEAD



**UD ORBIT BALLHEAD + ARCA-PIC CLAMP  
SHOWN ON UD3 CHASSIS + UD CARBON TRIPOD**



**ORBIT BALLHEAD ON UD CARBON TRIPOD  
+ UD5 CHASSIS**



**UD ORBIT BALLHEAD + ARCA-PIC CLAMP  
ON UD LAUNCH PAD**



**UD ORBIT BALLHEAD ON UD LAUNCHPAD  
+ UD7 CHASSIS**

PRODUCT #	UPC	DESCRIPTION	MSRP
UD20008	850011462805	UD Orbit Ballhead	\$179
UD20041	850043428015	UD Orbit Ballhead + UD Arca Clamp	\$199
UD20042	850043428022	UD Orbit Ballhead + Arca-Pic Clamp	\$249
UD20043	850043428039	UD Orbit Ballhead + Arca-Pic Clamp + UD Dynalock Barricade	\$279

### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
Eye and ear protection required.

### ⚠ PROP 65 ⚠

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.


PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynusa.com](http://www.ultradynusa.com) •   

## REDUCE RECOIL WITH THE UD LAUNCHPAD

The Ultradyné LaunchPad is designed to reduce recoil and maintain the natural interface between the rifle and shooter. It features a 3/8-16 thread at the top of a 7/8-inch solid steel vertical adjustment bolt that is compatible with most ballheads and gun vises. The LaunchPad is especially effective in combination with the Ultradyné Orbit Ball Head with Dynalock at the range and with the Grasp Gun Vise at the bench.

This system offers the ability to add lead shot, sandbags, or even gym weights (with the optional adapter) to the front plate. Transferring recoil of a firearm to a weighted LaunchPad by using a locking interface like UD Dynalock or Picatinny affords the user a natural shooting position with the shoulder against the buttstock and a wide range of motion for aiming.

After shooting, the LaunchPad can be easily transported to a workbench for cleaning or gunsmithing work. It can hold the firearm via Arca, Picatinny, or in a gun vise, allowing for easy manipulation and access for servicing.



**UD LAUNCHPAD**



**OPTIONAL FREEWEIGHT ADAPTOR**



**UD LAUNCHPAD + ORBIT BALLHEAD  
+ ARCA PIC**

LENGTH	WIDTH	HEIGHT	INTERFACE THREAD	VERTICAL ADJUSTMENT	WEIGHT	ADJUSTABLE FEET	FINISH
18.5"	8.0"	4.75"	3/8" - 16.0"	3.0"	10 lbs.	2	Cerakote Nitride Hardcoat Anodize

**⚠ WARNING ⚠**

Loud noise and flying debris hazards.  
Eye and ear protection required.

**⚠ PROP 65 ⚠**

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynusa.com](http://www.ultradynusa.com) •   



## ADDITIONAL IMAGES OF UD LAUNCHPAD



**UD LAUNCHPAD WITH UD7 CHASSIS**



**UD LAUNCHPAD WITH UD7 CHASSIS  
+ UD FREEWIGHT ADAPTOR**



**UD LAUNCHPAD WITH GRASP GUN VISE HOLDING TRADITIONAL RIFLE**

PRODUCT #	UPC	DESCRIPTION	MSRP
UD20014	850011462867	UD LaunchPad	\$249
UD20064	850043428275	UD LaunchPad + Orbit + Arca-Pic	\$527
UD20056	850043428152	UD LaunchPad + Orbit + Dynalock + Arca-Pic	\$636
UD20055	850043428145	UD LaunchPad + Orbit + Dynalock + Arca-Pic + Grasp Gun Vise	\$885
UD20015	850011462881	UD Freeweight Adaptor	\$79

### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
Eye and ear protection required.

### ⚠ PROP 65 ⚠

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynusa.com](http://www.ultradynusa.com) •   

## VERSATILE ASSISTANT IN THE FIELD OR AT THE BENCH

The UD Grasp has padded jaws that can be opened or closed by turning the adjustment knob. The Grasp with Arca Base can be easily attached to the Arca Clamp on the UD Orbit Ballhead, allowing for a wide range of positioning options both in the field and on a workbench. The Grasp with Panning Head is designed to accept 3/8"-16 threads and can be mounted on any tripod but is particularly well-suited for use with the UD Carbon Tripod.



**UD GRASP GUN VISE + ARCA BASE**



**UD GRASP GUN VISE + PANNING HEAD**



**UD CARBON TRIPOD + ORBIT BALLHEAD  
GRASP GUN VISE + ARCA BASE**



**UD CARBON TRIPOD  
UD GRASP GUN VISE + PANNING HEAD**

PRODUCT #	UPC	DESCRIPTION	MSRP
UD20009	850011462492	UD Grasp Gun Vise + Arca Base	\$249
UD20044	850043428046	UD Grasp Gun Vise + Panning Head	\$349

### SPECIFICATIONS:

Weight	1 lb. 3 oz
L x W x H	3.5" x 4.3" x 2.7"
Range of Jaws	1" - 3"
Material	6061 T6 Aluminum
Finish	Hardcoat Anodize

### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
Eye and ear protection required.

### ⚠ PROP 65 ⚠

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynusa.com](http://www.ultradynusa.com) •   



## STRONG, STABLE, ADAPTABLE

The Ultradyné Carbon Tripod is a versatile and durable piece of equipment that is suitable for both competition and remote hunting locations. It comes with two different stud sizes, 3/8"-16 and 1/4"-20, which accommodates a wide range of accessories such as cameras, binoculars, spotting scopes, and rifles. This tripod can support up to 50 lbs.

The UD Carbon Tripod is adjustable, making it suitable for anyone and any shooting position. It can be adjusted from 6.75" to 69.75" from the ground. The center column is also adjustable up to 12" allowing users of multiple heights the ability to look through the same optic with a quick twist of the column locking nut.

The legs of this tripod are made of multi-layered carbon, making them lightweight and compact. This makes the tripod easy to transport and set up, even in difficult or remote locations. Overall, the Ultradyné Carbon Tripod is a high-quality piece of equipment that is perfect for anyone who needs a reliable and versatile tripod.

## EXAMPLES OF UD CARBON TRIPOD CONFIGURATIONS



**CARBON  
TRIPOD**



**UD CARBON TRIPOD  
+ ORBIT BALLHEAD**



**UD CARBON TRIPOD  
+ UD GRASP GUN VISE + PANNING HEAD**

PRODUCT #	UPC	DESCRIPTION	MSRP
UD20016	850011462904	UD Carbon Tripod	\$399
UD20060	850043428190	UD Carbon Tripod + UD Grasp Gun Vise + Panning Head	\$748
UD20065	850043428282	UD Carbon Tripod + Orbit Ballhead + Arca Pic	\$677

### SPECIFICATIONS:

Weight	4 lbs. 2 oz
In Case L x W x H	21" x 4.5" x 6.5"
Feet	Rubber and Studs
4 Leg Section Diameters	1.26", 1.14", 1.02", .87"
Removable Monopod	Yes
Maximum Load	50 lbs.
Min-Max Height	6.75" - 69.75"

### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
Eye and ear protection required.

### ⚠ PROP 65 ⚠

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynusa.com](http://www.ultradynusa.com) •   

## ULTRA LIGHTWEIGHT, FULLY ADJUSTABLE

The Ultradyné Quantum Gas Block is a precision-engineered component designed to enhance the performance and versatility of the popular AR platform. Built with durability and reliability in mind, this gas block is well-suited for both professional and recreational shooters seeking optimal control over their firearm. The adjustment screw boasts 16 distinct adjustment points. Each point corresponds to a specific gas flow setting, enabling the shooter to customize the rifle's cycling characteristics to suit their individual needs. The Quantum Gas Block allows the shooter to completely control the back pressure while using a suppressor to produce the optimal shooting experience.



PRODUCT #	UPC	DESCRIPTION	MSRP
UD12001	850011462386	Quantum Gas Block, .750" Barrel	\$79
UD12002	850011462379	Quantum Gas Block, .625" Barrel	\$79
UD12003	850011462393	Quantum Gas Block, .875" Barrel	\$79
UD12004	850011462409	Quantum Gas Block, .936" Barrel	\$79

### SPECIFICATIONS:

Weight	1.7 oz
Material	416 Stainless Steel
Finish	Black Nitride
Adjustment Screw Size	3/32" Drive

### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
 Eye and ear protection required.

### ⚠ PROP 65 ⚠



Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynusa.com](http://www.ultradynusa.com) •   



## ADDITIONAL IMAGES OF QUANTUM GAS BLOCK






### **WARNING**

Loud noise and flying debris hazards.  
Eye and ear protection required.

### **PROP 65**

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynesa.com](http://www.ultradynesa.com) •   

## CLASS-LEADING PERFORMANCE

Sets the standard for performance by providing breakthrough recoil reduction and unparalleled muzzle compensation for those who refuse to settle for second best. Utilizing advanced imaging and precision instrumentation, Ultradyné engineers have created an ultra-high performance, competition level compensator. Ultradyné's V-PORT™ design mitigates muzzle rise and keeps gas from the sight picture. Experience smooth, on-target recoil compensation in a competition-legal package. Dynamount® compatible and a timing nut is included for easy installation.

*All Ultradyné muzzle devices are CNC machined stainless steel.*



**APOLLO MAX**

NAME	PRODUCT #	UPC	RATED FOR	MSRP
<b>APOLLO MAX 5.56</b> THREAD 1/2-28	UD10680	851019008286	MIN 16" BARREL: 223 REM, 5.56X45 NATO, 224 VALKYRIE, 224 WEATHERBY MAG, 22-250 REM, 222 REM MAG, 222 REM, 22 NOSLER, 220 SWIFT, 22 PPC, 22 BR, 22 HORNET, 204 RUGER, 218 BEE	\$149
<b>APOLLO MAX 6.5</b> THREAD 5/8-24	UD10260	851019008651	MIN 16" BARREL: 6.5 CREEDMOOR, 6.5 GRENDAL, 6MM REM, 6MM BR, 25-06 REM, 257 ROBERTS, 243 WSSM	\$159
<b>APOLLO MAX 7.62</b> THREAD 5/8-24	UD10710	851019008316	MIN 16" BARREL: 308 WIN, 7.62X51 NATO, 300 BLK, 300 SAVAGE, 303 SAVAGE, 30-30 WIN	\$159


**WARNING**


Loud noise and flying debris hazards.  
 Eye and ear protection required.


**PROP 65**


Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynéusa.com](http://www.ultradynéusa.com) •   

## EXTREME RECOIL REDUCTION WITH LESS PERCEIVED BLAST

Apollo S provides competition level recoil reduction and muzzle control. Ultradyné's V-PORT™ design mitigates muzzle rise and keeps gas from the sight picture. By using a scientific approach and studying thousands of recoil events, Ultradyné engineers have struck a balance between extreme recoil reduction, virtual elimination of muzzle rise, and less aggressive venting of gas. The Apollo S is perfect for shooters who want drastic recoil reduction with a less perceived blast. Dynamount® compatible and a timing nut is included for easy installation.

*All Ultradyné muzzle devices are CNC machined stainless steel.*



### APOLLO S

NAME	PRODUCT #	UPC	RATED FOR	MSRP
<b>APOLLO S 5.56</b> THREAD 1/2-28	UD10220	851019008613	MIN 14" BARREL: 223 REM, 5.56X45 NATO, 224 VALKYRIE, 224 WEATHERBY MAG, 22-250 REM, 222 REM MAG, 222 REM, 22 NOSLER, 220 SWIFT, 22 PPC, 22 BR, 22 HORNET, 204 RUGER, 218 BEE	\$129
<b>APOLLO S 6.5</b> THREAD 5/8-24	UD10250	851019008644	MIN 14" BARREL: 6.5 CREEDMOOR, 6.5 GRENDAL, 6MM REM, 6MM BR, 25-06 REM, 257 ROBERTS, 243 WSSM	\$139
<b>APOLLO S 7.62</b> THREAD 5/8-24	UD10270	851019008668	MIN 14" BARREL: 308 WIN, 7.62X51 NATO, 300 BLK, 300 SAVAGE, 303 SAVAGE, 30-30 WIN	\$139


**WARNING**


Loud noise and flying debris hazards.  
 Eye and ear protection required.


**PROP 65**



Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynesa.com](http://www.ultradynesa.com) •   

## BE YOUR OWN SPOTTER

The Apollo LR reduces recoil and muzzle rise like no other product on the market. The serious long-range shooter can concentrate on the shot and observe bullet impact due to unequalled recoil reduction and virtually zero muzzle rise. Ultradyné's V-PORT™ design not only mitigates muzzle rise but also keeps gas from the sight picture. A timing nut is included for easy installation. *All Ultradyné muzzle devices are CNC machined stainless steel.*



**APOLLO LR**

NAME	PRODUCT #	UPC	RATED FOR	MSRP
<b>APOLLO LR 6.5 0.875 BBL</b> THREAD 5/8-24	UD11180	850011462157	MIN 16" BARREL: 6.5 CREEDMOOR, 6.5 GRENDDEL, 6.5 PRC, 264 WIN MAG, 6.5 REM MAG, 260 REM, 6.5X284 NORMA, 26 NOSLER, 6MM BR, 6MM PPC, 6.5X47 LAPUA,	\$189
<b>APOLLO LR 6.5 1.0 BBL</b> THREAD 5/8-24	UD20073	850043428374	25-06 REM, 257 ROBERTS, 257 WBY MAG, 243 WSSM	\$189
<b>APOLLO LR 7MM 0.875 BBL</b> THREAD 5/8-24	UD11240	850011462096	MIN 16" BARREL: 7MM REM MAG, 7MM WSM, 7MM WBY MAG, 7MM RUM, 7MM-08 REM, 284 WIN, 280 REM, 270 WIN, 270 WSM, 270 WBY MAG, 6.8 REM SPC	\$189
<b>APOLLO LR 7MM 1.0 BBL</b> THREAD 5/8-24	UD20074	850043428381		\$189
<b>APOLLO LR 300 0.875 BBL</b> THREAD 5/8-24	UD11190	850011462010	MIN 16" BARREL: 300 WIN MAG, 30-06 SPRINGFIELD, 30-30 WIN, 300 SAVAGE, 308 NORMA, 308 WIN, 7.62X51	\$189
<b>APOLLO LR 300 1.0 BBL</b> THREAD 5/8-24	UD20075	850043428398		\$189
<b>APOLLO LR 338 0.875 BBL</b> THREAD 5/8-24	UD11200	850011462164	MIN 16" BARREL: 338 LAPUA, 338 FEDERAL, 33 NOSLER, 30 NOSLER, 338 RUM, 338 WIN MAG, 8MM REM MAG, 325 WIN	\$189
<b>APOLLO LR 338 1.0 BBL</b> THREAD 5/8-24	UD20076	850043428404		\$189

### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
Eye and ear protection required.

### ⚠ PROP 65 ⚠

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynesa.com](http://www.ultradynesa.com) •   

## ATTAIN PERFECT MUZZLE CONTROL

A tunable, high-performance compensator like no other. The adjustable ports counteract for the different variables that cause muzzle movement like shooting style, shooter's physical stature, gun weight, barrel length, and ammunition to name a few. The only way to have perfect muzzle control is to have a tunable compensator. The X1 makes this process easy with its Adjustable Port Door System which changes compensation on both the x and y-axis to enable optimal muzzle control for every shooter no matter the variables. Ultradyné's V-PORT™ design mitigates muzzle rise and keeps gas from the sight picture, and with separate left-hand and right-hand models, the redirected gas path is optimized to give the shooter the maximum amount of performance and recoil reduction with a less perceived blast. Dynamount® compatible and a timing nut is included for easy installation.

*All Ultradyné muzzle devices are CNC machined stainless steel.*


**X1**

NAME	PRODUCT #	UPC	RATED FOR	MSRP
<b>X1 5.56 - RH</b> THREAD 1/2-28	UD10200	851019008606	MIN 16" BARREL: 223 REM, 5.56X45	\$199
<b>X1 5.56 - LH</b> THREAD 1/2-28	UD10210	851019008736	MIN 16" BARREL: 223 REM, 5.56X45	\$199


**WARNING**


Loud noise and flying debris hazards.  
Eye and ear protection required.


**PROP 65**


Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynéusa.com](http://www.ultradynéusa.com) •   



## CLASS LEADING PERFORMANCE

Meticulously engineered to provide superior recoil reduction and neutralize muzzle rise with a smooth, balanced release of blast energy in a tanker-style compensator. Ultradyné's V-PORT™ design mitigates muzzle rise and keeps gas from the sight picture while the progressive 90° side ports vent combusting gases at intervals that spread out the recoil impulse for efficient, accurate follow-up shots. Dynamount® compatible and a timing nut is included for easy installation.

*All Ultradyné muzzle devices are CNC machined stainless steel.*



### PEGASUS

NAME	PRODUCT #	UPC	RATED FOR	MSRP
<b>PEGASUS 5.56</b> THREAD 1/2-28	UD11010	850011462065	223 REM 5.56X45 NATO, 224 VALKYRIE, 224 WEATHERBY MAG, 22-250 REM, 222 REM MAG, 222 REM, 22 NOSLER, 220 SWIFT, 22 PPC, 22 BR, 22 HORNET, 204 RUGER, 218 BEE	\$139
<b>PEGASUS 6.5</b> THREAD 5/8-24	UD10240	851019008637	6.5 PRC, 264 WIN MAG, 6.5 REM MAG, 260 REM, 26 NOSLER, 6.5-284 NORMA, 6.5X47 LAPUA, 6.5X55 SWEDISH, 6.5X52 CARCANO, 6.5X57 MAUSER, 6.5 CREEDMOOR, 6.5 GRENDL, 6MM REMINGTON, 6MM REM, 6MM BR, 25-06 REM, 257 WEATHERBY MAG, 257 ROBERTS, 243 WSSM	\$149
<b>PEGASUS 7.62</b> THREAD 5/8-24	UD10700	851019008309	300 WIN MAG, 300 PRC, 300 WEATHERBY MAG, 300 WSM, 30 NOSLER, 308 NORMA MAGNUM, 308 WIN, 7.62X51 NATO, 30-06 SPRINGFIELD, 300 BLK, 300 SAVAGE, 303 SAVAGE, 30-30 WIN, 7MM REM MAG, 7MM REM ULTRA MAG, 7MM WEATHERBY MAG, 7MM WSM, 7MM-08 REM, 7MM BR, 7X57 MAUSER, 284 WIN, 280 REM, 28 NOSLER, 270 WEATHERBY MAG, 270 WSM, 270 WIN, 6.8MM REM SPC	\$149

#### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
Eye and ear protection required.

#### ⚠ PROP 65 ⚠

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynusa.com](http://www.ultradynusa.com) •   



## ULTRA SMOOTH RECOIL REDUCTION

Mercury is meticulously engineered for the .223 | 5.56 caliber to provide superior recoil reduction and neutralize muzzle rise with a smooth, balanced release of blast energy. Progressive 90° side ports vent combusting gases at intervals that spread out the recoil impulse for efficient, accurate follow-up shots. Dynamount® compatible and a timing nut is included for easy installation.

*All Ultradyné muzzle devices are CNC machined stainless steel.*



**MERCURY**

NAME	PRODUCT #	UPC	RATED FOR	MSRP
<b>MERCURY 5.56</b> THREAD 1/2-28	UD10670	851019008279	223 REM, 5.56X45 NATO, 224 VALKYRIE, 224 WEATHERBY MAG, 22-250 REM, 222 REM MAG, 222 REM, 22 NOSLER, 220 SWIFT, 22 PPC, 22 BR, 22 HORNET, 204 RUGER, 218 BEE	\$119
<b>MERCURY 6.5</b> THREAD 5/8-24	UD10717	850011462584	6.5 CREEDMORE, 6.5 GRENIDEL, 6MM REM, 6MM BR, 25-06 REM, 257 ROBERT, 243 WSSM	\$129
<b>MERCURY 7.62</b> THREAD 5/8-24	UD10817	850011462577	308 WIN, 7.62X51 NATO, 300 BLK, 300 SAVAGE, 303 SAVAGE, 30/30 WIN	\$129


**WARNING**


Loud noise and flying debris hazards.  
Eye and ear protection required.


**PROP 65**


Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynesa.com](http://www.ultradynesa.com) •   

## HIGH PERFORMANCE IN A COMPACT DESIGN

Pulse provides exceptional performance in a compact design. Ultradyné's V-PORT™ design mitigates muzzle rise and keeps gas from the sight picture. Pulse strongly reduces recoil and minimizes muzzle rise helping the shooter get back on target quicker to ensure more accurate follow-up shots. The Pulse is proof that good things do come in small packages! Pulse 5.56 and Pulse 7.62 are Dynamount® compatible, and a timing nut is included for easy installation.

*All Ultradyné muzzle devices are CNC machined stainless steel.*



**PULSE 5.56 & 7.62**



**PULSE 350**



NAME	PRODUCT #	UPC	RATED FOR	MSRP
<b>PULSE 5.56</b> THREAD 1/2-28	UD11160	850011462232	MIN 16" BARREL: 223 REM, 5.56X45 NATO, 224 VALKYRIE, 224 WEATHERBY MAG, 22-250 REM, 222 REM MAG, 222 REM, 22 NOSLER, 220 SWIFT, 22 PPC, 22 BR, 22 HORNET, 204 RUGER, 218 BEE	\$89
<b>PULSE 7.62</b> THREAD 5/8-24	UD10980	850011462089	300 WIN MAG, 30-06 SPRINGFIELD, 30-30 WIN, 300 BLK, 300 SAVAGE, 308 NORMA, 308 WIN, 7.62X51	\$99
<b>PULSE 350</b> THREAD 1/2-28	UD11170	850011462133	MIN 16" BARREL: 350 LEGEND	\$99


**WARNING**


Loud noise and flying debris hazards.  
 Eye and ear protection required.


**PROP 65**


Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynousea.com](http://www.ultradynousea.com) •   

## EXTREME RECOIL REDUCTION

The choice for AK shooters seeking a high-performance muzzle device. The 2-port design is compact and lightweight but offers impressive performance that will help shooters stay on target. Ultradyné's V-PORT™ design mitigates muzzle rise and keeps gas from the sight picture. Vostok strongly reduces recoil and minimizes muzzle rise helping the shooter get back on target quicker to ensure more accurate followup shots. A crush washer is included for precision installation.

*All Ultradyné muzzle devices are CNC machined stainless steel.*



**VOSTOK**

NAME	PRODUCT #	UPC	RATED FOR	MSRP
<b>VOSTOK AK47</b> THREAD 14-1 LH	UD10870	850011462034	7.62X39	\$89

**⚠ WARNING ⚠**

Loud noise and flying debris hazards.  
Eye and ear protection required.

**⚠ PROP 65 ⚠**

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynéusa.com](http://www.ultradynéusa.com) •   

## ULTIMATE COMPENSATION REDUCTION

A superior PCC compensator from Ultradyné that allows a shooter to easily stay on target by featuring aggressive compensation ports along with added recoil reduction. This results in faster follow-up shots with increased accuracy. Ultradyné's V-PORT™ design mitigates muzzle rise and keeps gas from the sight picture. Dynamount® compatible and a timing nut is included for easy installation.

*All Ultradyné muzzle devices are CNC machined stainless steel.*



**LITHIUM**

NAME	PRODUCT #	UPC	RATED FOR	MSRP
<b>LITHIUM 9MM</b> THREAD 1/2-28	UD11030	850011462041	PCC 9MM	\$99

**⚠ WARNING ⚠**

Loud noise and flying debris hazards.  
Eye and ear protection required.

**⚠ PROP 65 ⚠**

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynéusa.com](http://www.ultradynéusa.com) •   

## FORWARD-DIRECTED SIGNATURE FOR GREATER SHOOTER COMFORT

Athena is Ultradyné's linear compensator. Muzzle rise has been optimized, with gas vented at an angle then forward. This sends a lower percent of sound and gasses back towards the shooter. Athena gives a cleaner appearance for a sleek look and is a cost-effective way to upgrade a rifle to the Dynamount® Sighting System. A timing nut is included for easy installation. A crush washer is included with the Athena AK47 model.

*All Ultradyné muzzle devices are CNC machined stainless steel.*



**ATHENA 5.56 & 7.62**



**ATHENA 350 & AK**

NAME	PRODUCT #	UPC	RATED FOR	MSRP
<b>ATHENA 5.56</b> THREAD 1/2-28	UD10660	851019008262	223 REM, 5.56X45 NATO, 224 VALKYRIE, 224 WEATHERBY MAG, 22-250 REM, 222 REM MAG, 222 REM, 22 NOSLER, 220 SWIFT, 22 PPC, 22 BR, 22 HORNET, 204 RUGER, 218 BEE	\$79
<b>ATHENA 7.62</b> THREAD 5/8-24	UD10690	851019008293	308 WIN, 7.62X51 NATO, 300 BLK, 300 SAVAGE, 303 SAVAGE, 30-30 WIN	\$89
<b>ATHENA 350</b> THREAD 1/2-28	UD11210	850011462140	350 LEGEND, 9MM	\$89
<b>ATHENA 350</b> THREAD 5/8-24	UD10856	850011462508	350 LEGEND, 9MM	\$89
<b>ATHENA AK47</b> THREAD 14-1LH	UD10850	850011462027	7.62X39	\$89



Loud noise and flying debris hazards.  
Eye and ear protection required.



Cancer and Reproductive Harm  
www.P65Warnings.ca.gov

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynusa.com](http://www.ultradynusa.com) •   

## ULTIMATE FLASH REDUCTION

Nighthawk Flash Hider is a birdcage style flash hider, engineered to reduce muzzle flash that can impair the eye's night vision in low light. A solid undercarriage decreases the chance of a dust cloud forming while shooting from a prone position. Nighthawk also reduces muzzle rise which results in faster follow-up shots with increased accuracy. Dynamount® compatible and a timing nut is included for easy installation.

*All Ultradyné muzzle devices are CNC machined stainless steel.*



### NIGHTHAWK FLASH HIDER

NAME	PRODUCT #	UPC	RATED FOR	MSRP
<b>NIGHTHAWK FLASH HIDER</b> THREAD 1/2-28	UD11000	850011462058	ANY CALIBER IF THE BARREL HAS A 1/2-28 THREAD PATTERN	\$79
<b>NIGHTHAWK FLASH HIDER</b> THREAD 5/8-24	UD11020	850011462003	ANY CALIBER IF THE BARREL HAS A 5/8-24 THREAD PATTERN	\$89



**WARNING**


Loud noise and flying debris hazards.  
Eye and ear protection required.


**PROP 65**


Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynousa.com](http://www.ultradynousa.com) •   

## DYNALIGN SIGHT PICTURE TECHNOLOGY

The ultimate BUIS. It starts with a superior always centered aperture that mounts to the barrel to ensure accuracy. Windage and elevation adjustments are both available along with the ability to set at 90 or 45 degrees. Using the C4 Dynamount® Front Sight in conjunction with the C4 Rear sight creates a perfectly concentric sight picture that allows the shooter to see the target, enables faster sight acquisition, reduces the effect of parallax, and gives the ability to consistently shoot accurately out to 600 yards and beyond.

Most of the time, shooters mount front sights on the picatinny rail of a free-float handguard. By definition, a free-float handguard doesn't move with the barrel. This means that when the handguard moves, the sights do too. Even properly-installed handguards move, whether it's from the weight of the firearm, a strong grip, or impact. Especially at the end, farthest from the point of attachment, and where most users mount sights. A small amount of movement can make a big difference in point of aim. Movement as little as 0.01 inches at the handguard means almost 2 inches at 100 yards. The solution is Dynamount®. Barrel-mounted sights for consistent aim, every time. The C4 Sight picture provides more accurate and faster target acquisition, using a purely concentric sight picture that is similar to that used by Olympic target shooters. Unlike red-dot or holographic sights, this sight picture does not obscure the target and actually enhances visibility due to the optical characteristics of apertures.

Most BUIS systems utilize a sight picture that is non-intuitive. The brain's visual systems are asked to align a circular rear aperture with a rectangular front post shape while simultaneously ignoring the "ears" that protect the front sight post. The C4's circle-within-circle sight picture allows for faster sight picture acquisition. Additionally, the use of a front aperture further reduces parallax effect which makes accuracy less dependent on precise sight alignment.

*All Ultradyné Dynamount® Sights are CNC machined stainless steel & aircraft aluminum.*



**C4 DYNAMOUNT® FRONT SIGHT**

NAME	PRODUCT #	UPC	MSRP
<b>C4 DYNAMOUNT® FOLDING REAR SIGHT</b> THREAD 1/2-28	UD10520	851019008125	\$166
<b>C4 DYNAMOUNT® FOLDING REAR SIGHT</b> THREAD 5/8-24	UD10560	851019008163	\$188


**WARNING**


Loud noise and flying debris hazards.  
Eye and ear protection required.


**PROP 65**


Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

## CONCENTRIC SIGHT PICTURE

The C4 Front & Rear Sight System is a dual aperture sighting system that is changing the way shooters think about iron sights. The C4 Rear Sight offers rock-solid performance in a compact form with a ballistically calibrated elevation system that adjusts in 50-yard increments from 200 to 600 yards. The C4 Front Sight brings precision front aperture technology to backup iron sights along with the ability to adjust both windage and elevation. Using these sights together creates a perfectly concentric sight picture that allows the shooter to see the target, enables faster sight acquisition, and gives the ability to consistently shoot accurately out to 600 yards and beyond, all with compact, foldable iron sights.

*All Ultradyné C4 Sights are CNC machined stainless steel & aircraft aluminum.*



### C4 FRONT & REAR SIGHT SYSTEM

NAME	PRODUCT #	UPC	MSRP
<b>C4 FOLDING FRONT &amp; REAR SIGHT SYSTEM</b> BDC FOR 5.56X45 M193 AMMO	UD10480	851019008088	\$299
<b>C4 FOLDING FRONT &amp; REAR SIGHT SYSTEM</b> BDC FOR 7.62X51 M80 AMMO	UD11250	850011462119	\$299
<b>C4 FOLDING REAR SIGHT</b> BDC FOR 5.56X45 M193 AMMO	UD10400	851019008002	\$179
<b>C4 FOLDING REAR SIGHT</b> BDC FOR 7.62X51 M80 AMMO	UD10410	850011462072	\$179
<b>C4 FOLDING FRONT SIGHT</b>	UD10440	851019008040	\$144


**WARNING**


Loud noise and flying debris hazards.  
Eye and ear protection required.


**PROP 65**


Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynéusa.com](http://www.ultradynéusa.com) •   





## CONCENTRIC SIGHT PICTURE

The C4 Offset Front & Rear Sight System is a dual aperture sighting system that is changing the way shooters think about iron sights. The C4 Offset Rear Sight offers rock-solid performance in a compact form with a ballistically calibrated elevation system that adjusts in 50-yard increments from 200 to 600 yards. The C4 Offset Front Sight brings precision front aperture technology to back up iron sights along with the ability to adjust both windage and elevation. Using these sights together creates a perfectly concentric sight picture that allows the shooter to see the target, enables faster sight acquisition, and gives the ability to consistently shoot accurately at targets close and far. C4 Offset Sights are your best option for back up iron sights.

*All Ultradyné C4 Sights are CNC machined stainless steel & aircraft aluminum.*



### C4 OFFSET FRONT & REAR SIGHT SYSTEM

NAME	PRODUCT #	UPC	MSRP
<b>C4 OFFSET FOLDING FRONT &amp; REAR SIGHT SYSTEM</b> 5.56X45 M193 AMMO	UD10880	851019008484	\$333
<b>C4 OFFSET FOLDING FRONT &amp; REAR SIGHT SYSTEM</b> 7.62X51 M80 AMMO	UD11430	850011462348	\$333
<b>C4 OFFSET FOLDING REAR SIGHT</b> BDC FOR 5.56X45 M193 AMMO	UD10840	8510119008446	\$188
<b>C4 OFFSET FOLDING REAR SIGHT</b> BDC FOR 7.62X51 M80 AMMO	UD10890	851019008491	\$188
<b>C4 OFFSET FOLDING FRONT SIGHT</b>	UD10860	851019008460	\$144

#### ⚠ WARNING ⚠

Loud noise and flying debris hazards.  
Eye and ear protection required.

#### ⚠ PROP 65 ⚠

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynesa.com](http://www.ultradynesa.com) •   

## DYNALIGN SIGHT PICTURE TECHNOLOGY

Packs all the high-quality features Ultradyné is known for into lightweight, compact, sight system. Fully machined from the perfect combination of 416 SS and aircraft aluminum to maximize strength and weight. The rear sight boasts a positive click oversized windage knob which serves as storage for the .070 aperture when using the ghost ring. The C2 Front Sight System makes sighting in a breeze by offering both windage and elevation adjustability. The C2 Sight combo offers a dual aperture system that features a 12 MOA front sight aperture and gives the advantage of lightning-fast target acquisition while improving accuracy. Improved accuracy is created by the enhanced clarity and reduction of parallax due to the optical characteristics of the C2 dual aperture. In addition, the C2 enables the shooter to see 100% of the target, not cover it. This promotes proper shooting techniques and allows the shooter to focus on the only thing that matters, the target!

*All Ultradyné C2 Sights are CNC machined stainless steel & aircraft aluminum.*



### C2 APERTURE FRONT & REAR SIGHT SYSTEM

NAME	PRODUCT #	UPC	MSRP
<b>C2 FOLDING APERTURE FRONT &amp; REAR SIGHT SYSTEM</b>	UD10014	851019008880	\$169
<b>C2 FOLDING APERTURE FRONT SIGHT</b>	UD10002	851019008798	\$89
<b>C2 FOLDING REAR SIGHT</b>	UD10001	851019008781	\$89


**WARNING**


Loud noise and flying debris hazards.  
 Eye and ear protection required.


**PROP 65**


Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynéusa.com](http://www.ultradynéusa.com) •   

## DYNALIGN SIGHT PICTURE TECHNOLOGY

Packs all the high-quality features Ultradyme is known for into lightweight, compact, sight system. Fully machined from the perfect combination of 416 SS and aircraft aluminum to maximize strength and weight. The rear sight boasts a positive click oversized windage knob which screams quality and serves as storage for the .070 aperture when using the ghost ring. The C2 Front Sight makes sighting in a breeze by offering both windage and elevation adjustability. When used in conjunction, the C2 combo offers a dual aperture system that features a 12 MOA front sight aperture and gives the advantage of lightning-fast target acquisition while improving accuracy. Improved accuracy is created by the enhanced clarity and reduction of parallax due to the optical characteristics of the C2 dual aperture. In addition, the C2 enables the shooter to see 100% of the target, not cover it. This promotes proper shooting techniques and allows the shooter to focus on the only thing that matters, the target!

*All Ultradyme C2 Sights are CNC machined stainless steel & aircraft aluminum.*



### C2 OFFSET APERTURE FRONT & REAR SIGHT SYSTEM

NAME	PRODUCT #	UPC	MSRP
<b>C2 OFFSET FOLDING APERTURE FRONT &amp; REAR SIGHT SYSTEM</b>	UD10012	851019008903	\$189
<b>C2 OFFSET FOLDING APERTURE FRONT SIGHT</b>	UD10009	851019008859	\$99
<b>C2 OFFSET FOLDING REAR SIGHT</b>	UD10007	851019008835	\$99


**WARNING**


Loud noise and flying debris hazards.  
 Eye and ear protection required.


**PROP 65**


Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

## DYNALIGN SIGHT PICTURE TECHNOLOGY

Packs all the high-quality features Ultradyné is known for into a lightweight, compact, front sight. Fully machined from the perfect combination of 416 SS and aircraft aluminum to maximize strength and weight. The rear sight boasts a positive click oversized windage knob which serves as storage for the .070 aperture when using the ghost ring. The C2 Front Sight makes sighting in a breeze with the fully adjustable windage and elevation knobs. In addition, the versatile front post can be set at precision shooting width or standard shooting width to match the specific needs of each shooter.

*All Ultradyné C2 Sights are CNC machined stainless steel & aircraft aluminum.*



### C2 BLADE FRONT & REAR SIGHT SYSTEM

NAME	PRODUCT #	UPC	MSRP
<b>C2 FOLDING BLADE FRONT &amp; REAR SIGHT SYSTEM</b>	UD11121	850011462256	\$ 119
<b>C2 FOLDING BLADE FRONT SIGHT</b>	UD10003	850011462249	\$ 59
<b>C2 FOLDING REAR SIGHT</b>	UD10001	851019008781	\$ 89


**WARNING**


Loud noise and flying debris hazards.  
 Eye and ear protection required.


**PROP 65**


Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

## DYNALIGN SIGHT PICTURE TECHNOLOGY

Packs all the high-quality features Ultradyme is known for into a lightweight, compact front sight. Fully machined from the perfect combination of 416 SS and aircraft aluminum to maximize strength and weight. The rear sight boasts a positive click oversized windage knob which serves as storage for the .070 aperture when using the ghost ring. The C2 Front Sight System makes sighting in a breeze with the fully adjustable windage and elevation knobs. In addition, the versatile front post can be set at precision shooting width or standard shooting width to match the specific needs of each shooter.

*All Ultradyme C2 Sights are CNC machined stainless steel & aircraft aluminum.*



### C2 OFFSET BLADE FRONT & REAR SIGHT SYSTEM

NAME	PRODUCT #	UPC	MSRP
<b>C2 OFFSET FOLDING BLADE FRONT &amp; REAR SIGHT SYSTEM</b>	UD11122	850011462270	DISCONTINUED
<b>C2 OFFSET FOLDING BLADE FRONT SIGHT</b>	UD10010	850011462263	DISCONTINUED
<b>C2 OFFSET FOLDING REAR SIGHT</b>	UD10007	851019008835	\$99


**WARNING**


Loud noise and flying debris hazards.  
Eye and ear protection required.


**PROP 65**


Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

## MUZZLE DEVICE ACCESSORIES

NAME	PRODUCT #	UPC	MSRP
OVERSIZED SHROUDED TIMING NUT .5X28 .875 BBL	UD10360	851019008767	\$29
OVERSIZED SHROUDED TIMING NUT .625X24 .875 BBL	UD10370	851019008774	\$29
MUZZLE DEVICE COLLAR .5X28	UD10920	851019008521	\$33
SHROUDED TIMING NUT .5X28 .750 BBL	UD10930	851019008538	\$33
MUZZLE DEVICE COLLAR .625X24	UD10940	851019008545	\$33
SHROUDED TIMING NUT .625X24 .750 BBL	UD10950	851019008552	\$33
OVERSIZED SHROUDED TIMING NUT .5X28 1.0 BBL	UD10960	851019008569	\$33
OVERSIZED SHROUDED TIMING NUT .625X24 1.0 BBL	UD10970	851019008576	\$33

## C4 ACCESSORIES

NAME	PRODUCT #	UPC	MSRP
C4 BLADE POST	UD10600	851019008200	\$33
C4 SIGHT POST 8 MOA	UD10610	851019008217	\$33
C4 SIGHT POST 10 MOA	UD10620	851019008224	\$33
C4 SIGHT POST 12 MOA	UD10630	851019008231	\$33
C4 SIGHT POST 14 MOA	UD10640	851019008248	\$33
C2/C4 ADJUSTMENT TOOL	UD10650	851019008255	\$33
C2/C4 REAR SIGHT APERTURE INSERT .050	UD10900	850119808507	\$33
C2 C4 REAR SIGHT APERTURE INSERT .070	UD10910	851019008514	\$33



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PO Box 271, Columbia, MO 65202 • 573.299.0900 • [www.ultradynusa.com](http://www.ultradynusa.com) •   







---

**ULTRADYNEUSA.COM • 573.299.0900**  
**PO BOX 271, COLUMBIA, MO 65202**