

ULTRADYNE

AMERICAN INGENUITY

LIVING CATALOG

SUPREME MODULARITY

COMPETITION FEATURES IN A LIGHTWEIGHT CHASSIS

All the performance of the UD Chassis, now with a Picatinny rear mount for instant-detach stocks and next-level ergonomics. The UD Picatinny Chassis refines the proven platform of the UD Chassis into a more practical, more adaptable option for the modern rifle owner. We replaced the traditional buffer-tube interface with a robust, rear Picatinny mounting point which enables the butt stock to detach quickly for compact transport or tight storage without compromising repeatable return-to-zero.

Ergonomics were a primary focus in our design. The chassis accepts our new adjustable grip so shooters can customize trigger-finger distance to their preference, and the adjustable thumb rest lets you tune positioning for repeatability and comfort. Functionally, the Picatinny Chassis remains uncompromising. It keeps compatibility with mil-spec AR grips, accepts detachable AICS magazines, and retains the integrated ARCA rail along the forend with M-LOK slots for accessories. A forward spigot location gives optional ARCA length extension, and a NV bridge mount provides a clip-on thermal/optic interface. The result: a chassis that's transportable, configurable, and purpose-built for precision.

UD3



UD 6



MODEL	WEIGHT	LENGTH	M-LOK SLOTS	ARCA LENGTH	MAX. BARREL DIAMETER	BUTT STOCK INTERFACE	GRIP INTERFACE	MAGAZINE INTERFACE	MATERIAL	FINISH
UD3	16.5 oz	16.625"	9	6.9"	1.35"	1913 Picatinny	Mil Spec A2	AICS	6061 T6	Cerakote®
UD6	19.8 oz	21.35"	18	11.8"	1.35"	1913 Picatinny	Mil Spec A2	AICS	6061 T6	Cerakote®

OFFERINGS

	SKU	PRICE
REMINGTON 700 SA UD3	UD20160	\$449
REMINGTON 700 SA UD6	UD20161	\$499
RUGER AMERICAN SA UD3	UD20163	\$449
RUGER AMERICAN SA UD6	UD20164	\$499
SAVAGE SA UD3	UD20165	\$449
SAVAGE SA UD6	UD20166	\$499

CERAKOTE® COLOR OPTIONS

ARMOR BLACK



MIDNIGHT BRONZE



SNIPER GREY



COYOTE TAN



O.D. GREEN



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.



Loud noise and flying debris hazards.
Eye and ear protection required.



Cancer and Reproductive Harm
www.P65Warnings.ca.gov

MAXIMUM MODULARITY

MINIMUM WEIGHT-ZERO RATTLE

The Gen 2 Adjustable Butt Stock is a billet-machined, adjustable butt stock built for repeatable fit and easy transport.

Designed for shooters who demand precision, modularity, and reliable fit, the Adjustable Butt Stock, Gen 2 is a purpose-built stock that attaches quickly to any 1913 Picatinny, or mil-spec buffer tube rear mounting interface, and pairs exceptionally well with our UD Chassis and Picatinny Chassis. Machined from a solid billet of 6061-T6 aluminum, the stock offers smooth, repeatable adjustments for cheek height and length-of-pull so you can dial in consistent eye-to-optic alignment and shoulder mount. Choose the fixed model for a stream-line, lightweight option, or the folding model for the ultimate compact carry and storage solution. Cerakote finish, optional bag rider, and manufactured in the USA, this stock makes your build more modular, easier to pack, and faster to configure in the field.



FIXED PICATINNY



FOLDING PICATINNY



FIXED BUFFER



FOLDING BUFFER

SPECS:

Weight
 LOP Adjustment
 AR Compatible
 Cheek Rest Vertical
 Cheek Rest Horizontal
 Product #
 Finish

FIXED PIC (\$199)

15.2 oz
 12.75"-13.75"
 Bufferless
 0.9"
 1.0"
 UD20167
 Cerakote®

FIXED BUFFER (\$199)

15.2 oz
 12.75"-13.75"
 Bufferless
 0.9"
 1.0"
 UD20184
 Cerakote®

FOLDING PIC (\$299)

16.5 oz
 12.75"-13.75"
 Bufferless
 0.9"
 1.0"
 UD20168
 Cerakote®

FOLDING BUFFER (\$299)

16.5 oz
 12.75"-13.75"
 Bufferless
 0.9"
 1.0"
 UD20185
 Cerakote®

CERAKOTE® COLOR CODE OPTIONS

ARMOR BLACK (AB)



MIDNIGHT BRONZE (MB)



COYOTE TAN (CT)



SNIPER GREY (SG)



O.D. GREEN (OG)



NOTE: Add Cerakote® color code to the end of the product number to specify desired color.

WARNING

Loud noise and flying debris hazards.
 Eye and ear protection required.

PRO 65

Cancer and Reproductive Harm
www.P65Warnings.ca.gov

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

ENHANCE YOUR RIFLE BUILD

Discover the ultimate convenience with Ultradyne Chassis combos, designed to streamline your rifle build. With a chassis, butt stock, and grip included, all you need to do is drop in your action and tighten the action screws. The one-piece Chassis delivers a lightweight foundation. Paired with the Ultradyne Gen 2 Adjustable Butt Stock in either a fixed or folding variation, it beats most factory stocks in weight while offering the option to detach for easier packing or transportation.



UD 3 PICATINNY CHASSIS FIXED COMBO



UD6 PICATINNY CHASSIS FOLDING COMBO



UD5 CHASSIS FOLDING COMBO

SPECS:	UD3 FIXED	UD6 FOLDING	UD5 FOLDING
Weight	2.3 lbs.	2.5 lbs.	2.5 lbs.
Length	25.5"	30.2"	27.8"
M-Lok Slots	9	18	14
ARCA Length	6.9"	11.8"	9.5"
Max Barrel Diameter	1.35"	1.35"	1.35"
Grip	Fab Gradus	UD Adjustable	Fab Gradus
Magazine Interface	AICS	AICS	AICS
Material	6061-T6	6061-T6	6061-T6
Finish	Cerakote	Cerakote	Cerakote
MSRP	\$579	\$749	\$599

Please view our product page on our website to see available inlets.



Loud noise and flying debris hazards.
Eye and ear protection required.



Cancer and Reproductive Harm
www.P65Warnings.ca.gov


EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

ONE PIECE INTEGRITY

OPTIMIZED FOR STRENGTH AND WEIGHT

The Ultradyne Chassis is crafted from a solid bar of 6061 T6 Aircraft Aluminum for exceptional strength and durability. The one-piece design weighs between 1.1 and 1.3 pounds, depending on the model. When paired with the Ultradyne Adjustable Butt Stock, it is lighter than most factory stocks yet has the ability to add up to 5 pounds with optional weights.

The Ultradyne Chassis is packed with features including an adjustable magazine release lever, compatibility with AICS magazines, ability to work with any Mil-Spec butt stock, a built-in Arca rail, M-LOK slots on three sides, and Dynalock technology to ensure a secure fit. The action is held in place with V-channel bedding that can accommodate free-floated barrels up to 1.35 inches in diameter.

UD3

UD5

UD7


MODEL	WEIGHT	LENGTH	M-LOK SLOTS	ARCA LENGTH	MAX. BARREL DIAMETER	BUTT STOCK INTERFACE	GRIP INTERFACE	MAGAZINE INTERFACE	MATERIAL	FINISH
UD3	17 oz	15.3"	8	4.2"	1.35"	Mil Spec	Mil Spec A2	AICS	6061 T6	Anodized/Cerakote®
UD5	19 oz	18.5"	14	7.7"	1.35"	Mil Spec	Mil Spec A2	AICS	6061 T6	Anodized/Cerakote®
UD7	21 oz	21.6"	20	10.8"	1.35"	Mil Spec	Mil Spec A2	AICS	6061 T6	Anodized/Cerakote®

⚠ WARNING ⚠

Loud noise and flying debris hazards.
 Eye and ear protection required.

⚠ PROP 65 ⚠

Cancer and Reproductive Harm
www.P65Warnings.ca.gov

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

UD CHASSIS OFFERINGS (PRICES AND PRODUCT NUMBERS FOR STANDARD BLACK ANODIZED FINISH)

	UD3 \$350	UD5 \$400	UD7 \$450
REMINGTON 700 SA RH	UD20027	UD20001	UD20002
REMINGTON 700 SA LH	UD20084	UD20079	UD20086
REMINGTON 700 LA RH	UD20093	UD20094	UD20003
REMINGTON 700 LA LH	UD20095	UD20096	UD20087
SAVAGE SA RH	DISCONTINUED	UD20004	DISCONTINUED
SAVAGE SA LH	UD20091	UD20085	UD20092
TIKKA T3 SA RH	UD20122	UD20123	DISCONTINUED
HOWA 1500 SA RH	UD20125	UD20126	DISCONTINUED
CZ 457 RH	UD20130	UD20131	UD20132
RUGER AMERICAN SA RH	UD20133	UD20134	UD20135

LIGHTWEIGHT RETROFIT HUNTING BUILD



CONFIGURABLE WEIGHT COMPETITION BUILD



CERAKOTE® COLOR CODE OPTIONS (+\$50)

ARMOR BLACK (AB)



MIDNIGHT BRONZE (MB)



COYOTE TAN (CT)



SNIPER GREY (SG)



O.D. GREEN (OG)



NOTE

Add Cerakote® color code to the end of the product number to specify desired color.



Loud noise and flying debris hazards.
Eye and ear protection required.



Cancer and Reproductive Harm
www.P65Warnings.ca.gov

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

NATURAL GRIP ANGLE AND STRAIGHT TRIGGER PULL

UD grips are designed and built for consistent accuracy. The wrist is naturally aligned with the upright grip angle. On the Double Thumb Rest Grip, thumb rests are provided on each side, and the index finger is held away from the receiver to align straight back trigger pull. The Adjustable Grip offers trigger pull length adjustment, and an adjustable thumb rest is available.



DOUBLE THUMB REST GRIP



ADJUSTABLE GRIP



PRODUCT #	UPC	DESCRIPTION	MSRP	SPECS:	UD DTR	ADJUSTABLE
UD20038	850011462980	UD Double Thumb Rest Grip, RH	\$49	Weight	2.1 oz	3.4 oz
UD20037	850011462973	UD Double Thumb Rest Grip, LH	\$49	Height to receiver	4"	4.2"
UD20169	810140664242	UD Adjustable Grip	\$79	Max Grip Thickness	1.25"	1.3"
				Materials	ASA Thermoplastic	Nylon 12
				Compatibility	UD Chassis	Picatinny Chassis



Loud noise and flying debris hazards.
 Eye and ear protection required.



Cancer and Reproductive Harm
www.P65Warnings.ca.gov

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

ADD PERFECTLY ALIGNED ARCA RAIL TO YOUR CHASSIS

The UD Spigot and Picatinny Spigot are a versatile and useful accessory for UD Chassis and Picatinny Chassis systems, adding 3.25 inches of perfectly aligned Arca rail capacity. The M-LOK slots also make it possible to attach additional accessories including Picatinny rails. It is machined from 6061 T6 aluminum with a Cerakote® finish.

UD SPIGOT

UD PICATINNY SPIGOT

UD SPIGOT ON UD3 CHASSIS, SIDE VIEW
UD PICATINNY SPIGOT ON UD6 PICATINNY CHASSIS COMBO

CERAKOTE® COLOR CODE OPTIONS
ARMOR BLACK (AB)

MIDNIGHT BRONZE (MB)

COYOTE TAN (CT)

SNIPER GREY (SG)

O.D. GREEN (OG)

NOTE

Add Cerakote® color code to the end of the product number to specify desired color.

PRODUCT #	UPC	DESCRIPTION	MSRP
UD13004	850011462850	UD Spigot	\$49
UD20177	810140664327	UD Picatinny Spigot	\$49

SPECS:	UD SPIGOT	UD PICATINNY SPIGOT
Weight	2.8 oz	2.5 oz
L x W x H	4.75" x 1.5" x .448"	4.4" x 1.5" x .45"
Arca Rail Length	3.30"	3.60"
Materials	6061 T6 Aluminum	6061 T6 Aluminum
Finish	Cerakote®	Cerakote®

⚠️ WARNING ⚠️

Loud noise and flying debris hazards.
Eye and ear protection required.

⚠️ PROP 65 ⚠️


Cancer and Reproductive Harm
www.P65Warnings.ca.gov

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

ADD NIGHT VISION TO YOUR CHASSIS

A Bridge is a useful accessory that attaches to the M-LOK slots on each side of Ultradyne Chassis. This provides a strong interface that positions the Picatinny rail of the bridge at the correct height for mounting most night vision and clip-on thermal devices. The Bridge is an essential component for shooters who use night vision and want to securely attach it to their UD Chassis, or Picatinny Chassis.

UD PICATINNY CHASSIS BRIDGE



UD PICATINNY CHASSIS BRIDGE ON CHASSIS




UD CHASSIS BRIDGE, GEN 2 ON UD CHASSIS




CERAKOTE® COLOR CODE OPTIONS

ARMOR BLACK (AB)



MIDNIGHT BRONZE (MB)



COYOTE TAN (CT)



SNIPER GREY (SG)



O.D. GREEN (OG)



NOTE

Add Cerakote® color code to the end of the product number to specify desired color.

PRODUCT #	UPC	DESCRIPTION	MSRP
UD20178	810140664372	UD Picatinny Chassis Bridge	\$89
UD20180	810140664433	UD Chassis Bridge, Gen 2	\$89

SPECIFICATIONS:

Weight	3.7 oz
L x W x H	3.9" x 1.9" x 2.1"
Picatinny Slots	7
Max BBL Dia.	1.250
Materials	6061 T6 Aluminum
Finish	Cerakote®
Compatibility	UD Chassis & Picatinny Chassis

⚠️ WARNING ⚠️

Loud noise and flying debris hazards.
Eye and ear protection required.

⚠️ PROP 65 ⚠️

Cancer and Reproductive Harm
www.P65Warnings.ca.gov

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

M-LOK THUMB SUPPORT FOR UD PICATINNY CHASSIS

The UD Adjustable Thumb Rest gives shooters a precision interface for their thumb for a more consistent point of aim. Resting your thumb on the same side as your trigger finger allows for a straight trigger pull without any torque. Providing this rest with adjustment gives ultimate customization to ensure every user can be comfortable.

UD ADJUSTABLE THUMB REST



PRODUCT #	UPC	DESCRIPTION	MSRP
UD20176	810140664310	UD Adjustable Thumb Rest	\$19

SPECIFICATIONS:

Weight	1.1 oz
Material	Nylon 12
Compatibility	Picatinny Chassis



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

ADD WEIGHT TO YOUR CHASSIS

FOREARM WEIGHTS SOLD IN PAIRS

The UD Forearm Weights are sold in pairs and are designed to be added to M-Lock slots on the forend of your Chassis to help balance the firearm for improved shooting performance. These weights can be attached to the forearm of the chassis, providing added weight and stability to the firearm. This can help improve accuracy and reduce recoil, making for a more enjoyable shooting experience.



0.5 LBS WEIGHT PAIR



1 LBS WEIGHT PAIR



1 LBS WEIGHT PAIR SHOWN ON
UD7 CHASSIS

PRODUCT #	UPC	DESCRIPTION	MSRP
UD20024	850011462836	UD Chassis 0.5 LBS Weight Pair	\$59
UD20025	850011462829	UD Chassis 1 LBS Weight Pair	\$79

SPECS:	0.5 LBS PAIR	1 LBS PAIR
Weight Each	0.25 LBS	0.5 LBS
L x W x H	3.135" x 0.425" x 0.77"	3.135" x 0.425" x 1.43"
Materials	Steel	Steel
Finish	Nitride	Nitride
Compatibility	UD Chassis & Picatinny Chassis	UD Chassis & Picatinny Chassis


WARNING
Loud noise and flying debris hazards.
Eye and ear protection required.

PRO 65
Cancer and Reproductive Harm
www.P65Warnings.ca.gov

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

ADD LENGTH TO YOUR UD BUTT STOCK

In today's shooting world, modularity is key. A 6'6" shooter and a youth hunter will have a completely different length of pull. The UD Butt Stock Spacer Kit offers an additional inch of customization, in quarter-inch increments. Four sets of screws are sent with the kit for proper fitment no matter the number of spacers in use. The kit is compatible with the UD Lightweight Butt Stock and UD Adjustable Butt Stock, Gen 2.



UD BUTT STOCK SPACER KIT



**UD BUTT STOCK SPACER KIT ON
LIGHTWEIGHT BUTTSTOCK**



**UD BUTT STOCK SPACER KIT ON
GEN 2 ADJUSTABLE STOCK**

PRODUCT #	UPC	DESCRIPTION	MSRP
UD20182	810140664495	UD Butt Stock Spacer Kit	\$39

SPECS:

Weight Per Spacer	0.3 oz
LOP Added Per Spacer	0.25"
Materials	Nylon 12
Compatibility	Lightweight and Gen 2 Adjustable Stocks



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

STABALIZE YOUR CHASSIS BUILD

The UD Adjustable Butt Stock, Gen 2 Bag Rider is easily installed onto Gen 2 Adjustable stocks to provide a stable interface. A slight angle is present in order to adjust height when utilizing a rear rest or bag



UD ADJUSTABLE BUTT STOCK, GEN 2 BAG RIDER



UD ADJUSTABLE BUTT STOCK, GEN 2 BAG RIDER ON STOCK



UD ADJUSTABLE BUTT STOCK, GEN 2 BAG RIDER ON FOLDED STOCK

PRODUCT #	UPC	DESCRIPTION	MSRP
UD20181	810140664488	UD Adjustable Butt Stock, Gen 2 Bag Rider	\$39

SPECIFICATIONS:

Weight	1.6 OZ
L x W x H	3.75" x 0.5" x 1.8"
Materials	6061-T6 Aluminum
Compatibility	Adjustable Butt Stocks, Gen 2



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

ATTACH A BIPOD TO YOUR ARCA RAIL

The UD ARCA Bipod provides a stable rest for prone or bench rest shooting. Utilizing our ARCA clamp, this bipod is easily attachable to any standard ARCA Swiss rail on the forend of your rifle. The swivel feature on the bipod allows the user to adjust, and lock it in place to provide an adjustable, stable rest in any situation. Adjustable legs provide more adaptability, and are carbon-wrapped to preserve weight.



PRODUCT #	UPC	DESCRIPTION	MSRP
UD20183	810140664501	UD ARCA Bipod	\$119

SPECS:

Weight	16.7 oz
Adjustment Range	9.4" - 14.2"
Material	6061-T6 Aluminum and Carbon



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

MAXIMUM ACCURACY, MINIMUM RECOIL FOR LONG RANGE PERFORMANCE

The Ultradyne Orbit Ballhead is designed specifically for shooters, with the adjustment wheel strategically located under the forearm. This unique design feature allows the shooter to operate without the need to reposition the hand away from the shooting position. The ballhead comes standard with the Arca-Pic Clamp and Dynalock Barricade to be utilized in every scenario. When used in combination with the UD Chassis and UD Launchpad, a full range of aiming with almost no recoil is achievable.



**UD ORBIT BALLHEAD + ARCA-PIC CLAMP
 + UD DYNALOCK BARRICADE**



UD ORBIT BALLHEAD ON UD LAUNCHPAD



ORBIT BALLHEAD ON CARBON TRIPOD

PRODUCT #	UPC	DESCRIPTION				MSRP
UD20043	850043428039	UD Orbit Ballhead + Arca-Pic Clamp + UD Dynalock Barricade				\$299
WEIGHT	LENGTH	WIDTH	HEIGHT	THREADS	MATERIALS	FINISHES
16.3 oz	3.85"	2.49"	4.75"	3/8" - 16.0"	6061 T6 Aluminum 416 SS	Hardcoat Anodize Nitride

⚠️ WARNING ⚠️

Loud noise and flying debris hazards.
 Eye and ear protection required.

⚠️ PROP 65 ⚠️

Cancer and Reproductive Harm
www.P65Warnings.ca.gov

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

REDUCE RECOIL WITH THE UD LAUNCHPAD

The Ultradyne LaunchPad is designed to reduce recoil and maintain the natural interface between the rifle and shooter. It features a 3/8-16 thread at the top of a 7/8-inch solid steel vertical adjustment bolt that comes with the UD Orbit Ball Head attached, and has the option to add the Grasp Gun Vise for bench work or clamping factory stocks.

This system offers the ability to add lead shot, sandbags, or even gym weights (with the optional adapter) to the front plate. Transferring recoil of a firearm to a weighted LaunchPad by using a locking interface like UD Dynalock or Picatinny affords the user a natural shooting position with the shoulder against the buttstock and a wide range of motion for aiming.



**UD LAUNCHPAD + ORBIT +
DYNALOCK + ARCA-PIC**



**UD LAUNCHPAD + ORBIT +
DYNALOCK + ARCA-PIC + GRASP**



**OPTIONAL FREEWEIGHT
ADAPTOR**



UD LAUNCHPAD WITH UD7 CHASSIS



**UD LAUNCHPAD WITH GRASP GUN VISE
HOLDING TRADITIONAL RIFLE**

PRODUCT #	UPC	DESCRIPTION	MSRP
UD20056	850043428152	UD LaunchPad + Orbit + Dynalock + Arca-Pic	\$499
UD20055	850043428145	UD LaunchPad + Orbit + Dynalock + Arca-Pic + Grasp Gun Vise	\$699
UD20015	850011462881	UD Freeweight Adaptor	\$79

SPECIFICATIONS:

Weight	10 lbs
L x W x H	18.5" x 8.0" x 4.75"
Interface Thread	3/8 - 16.0"
Vertical Adjustment	3.0"
Adjustable Feet	2
Finish	Cerakote, Nitride, Hardcoat Anodize



Loud noise and flying debris hazards.
Eye and ear protection required.



Cancer and Reproductive Harm
www.P65Warnings.ca.gov

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

STRONG, STABLE, ADAPTABLE

The Ultradyne Carbon Tripod is a versatile and durable piece of equipment that is suitable for both competition and remote hunting locations. It comes with two different stud sizes, 3/8"-16 and 1/4"-20, which accommodates a wide range of accessories such as cameras, binoculars, spotting scopes, and rifles. This tripod can support up to 50 lbs.

The UD Carbon Tripod is adjustable, making it suitable for anyone and any shooting position. It can be adjusted from 6.75" to 69.75" from the ground. The center column is also adjustable up to 12" allowing users of multiple heights the ability to look through the same optic with a quick twist of the column locking nut.

The legs of this tripod are made of multi-layered carbon, making them lightweight and compact. This makes the tripod easy to transport and set up, even in difficult or remote locations. Overall, the Ultradyne Carbon Tripod is a high-quality piece of equipment that is perfect for anyone who needs a reliable and versatile tripod.

EXAMPLES OF UD CARBON TRIPOD CONFIGURATIONS



PRODUCT #	UPC	DESCRIPTION	MSRP
UD20016	850011462904	UD Carbon Tripod	\$599
UD20060	850043428190	UD Carbon Tripod + UD Grasp Gun Vise + Panning Head	\$799
UD20144	810140663580	UD Carbon Tripod + Orbit Ballhead + Arca Pic + Dynalock	\$799

SPECIFICATIONS:

Weight	4 lbs. 2 oz
In Case L x W x H	21" x 4.5" x 6.5"
Feet	Rubber and Studs
4 Leg Section Diameters	1.26", 1.14", 1.02", .87"
Removable Monopod	Yes
Maximum Load	50 lbs.
Min-Max Height	6.75" - 69.75"



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

VERSATILE ASSISTANT IN THE FIELD OR AT THE BENCH

The UD Grasp has padded jaws that can be opened or closed by turning the adjustment knob. The Grasp with Arca Base can be easily attached to the Arca Clamp on the UD Orbit Ballhead, allowing for a wide range of positioning options both in the field and on a workbench. The Grasp with Panning Head is designed to accept 3/8"-16 threads and can be mounted on any tripod but is particularly well-suited for use with the UD Carbon Tripod.



UD GRASP GUN VISE



UD GRASP GUN VISE + PANNING HEAD



PRODUCT #	UPC	DESCRIPTION	MSRP
UD20009	850011462492	UD Grasp Gun Vise + Arca Base	\$99
UD20158	810140661548	UD Grasp Gun Vise + Panning Head	\$299

SPECIFICATIONS:

Weight	1 lb. 3 oz
L x W x H	3.5" x 4.3" x 2.7"
Range of Jaws	1" - 3"
Material	6061 T6 Aluminum
Finish	Hardcoat Anodize




EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

ARCA-PIC CLAMP

FOR ARMS 17S MOUNTING SYSTEM ACCESSORIES

The UD Arca-Pic Clamp is compatible with the ARMS 17S mounting system, which is widely used by popular accessories including those from Ultradyne. This clamp is lightweight, easy to use, and provides a strong hold for your accessories. The UD Arca-Pic Clamp is designed to securely attach accessories to Arca Rails and Picatinny Rails.



SHOWN WITH UD ORBIT BALLHEAD

PRODUCT #	UPC	DESCRIPTION	MSRP
UD20012	850011462683	UD Arca-Pic Clamp	\$89

ARCA PIC-CLAMP	
Weight	3.5 OZ
L x W x H	1.85" x 2.43" x 0.75"
Materials	6061 T6 Aluminum
Finish	Hardcoat Anodize



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

PROVIDES ROCK SOLID STEADINESS WHEN ENGAGED

The UD Dynalock Barricade has two studs that can be inserted into any Ultradyne Chassis or Ultradyne Dynalock Arca Rail with a simple upwards movement. When engaged, the Dynalock does not allow any forward or back movement of the Barricade. It comes standard with the Ultradyne Arca-Pic Clamp.



**UD DYNALOCK BARRICADE
+ ARCA-PIC CLAMP**



UD DYNALOCK BARRICADE ON UD5 CHASSIS BUILD

PRODUCT #	UPC	DESCRIPTION	MSRP
UD20072	850043428350	UD Dynalock Barricade + Arca-Pic Clamp	\$99

SPECIFICATIONS:

Weight	3.0 oz
L x W x H	2.83" x 1.95" x .94"
Materials	6061 T6 Aluminum
Finish	Hardcoat Anodize



Loud noise and flying debris hazards.
Eye and ear protection required.




Cancer and Reproductive Harm
www.P65Warnings.ca.gov

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

UPGRADE TO ARCA AND DYNALOCK

The UD Arca Dynalock Rail can be installed using the M-LOK fasteners provided or by a qualified gunsmith. By upgrading to the Arca Dynalock Rail, you can enjoy the benefits of both Arca and Dynalock accessories on your firearm. The most popular enhancement is the ability to use the Orbit Ballhead with Dynalock, all other Arca accessories are also compatible.



UD ARCA DYNALOCK RAIL ON COMPETITOR'S CHASSIS

PRODUCT #	UPC	DESCRIPTION	MSRP	SPECIFICATIONS:	3.00"	6.15"	9.30"	12.45"
UD20080	850043428435	UD Arca Dynalock 3.00" Rail	\$39	Weight	2.1 oz	4.2 oz	6.3 oz	8.4 oz
UD20081	850043428442	UD Arca Dynalock 6.15" Rail	\$49	Width	1.50"			
UD20082	850043428459	UD Arca Dynalock 9.30" Rail	\$59	Height	.315"			
UD20083	850043428466	UD Arca Dynalock 12.45" Rail	\$69	Material	6061 T6 Aluminum			
				Finish	Hardcoat Anodize			

⚠️ WARNING ⚠️

Loud noise and flying debris hazards.
 Eye and ear protection required.

⚠️ PROP 65 ⚠️

Cancer and Reproductive Harm
www.P65Warnings.ca.gov

EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

ULTRA LIGHTWEIGHT, FULLY ADJUSTABLE

The Ultradyne Quantum Gas Block is a precision-engineered component designed to enhance the performance and versatility of the popular AR platform. Built with durability and reliability in mind, this gas block is well-suited for both professional and recreational shooters seeking optimal control over their firearm. The adjustment screw boasts 12 distinct adjustment points. Each point corresponds to a specific gas flow setting, enabling the shooter to customize the rifle's cycling characteristics to suit their individual needs. The Quantum Gas Block allows the shooter to completely control the back pressure while using a suppressor to produce the optimal shooting experience.



PRODUCT #	UPC	DESCRIPTION	MSRP
UD12001	850011462386	Quantum Gas Block, .750" Barrel	\$79
UD12002	850011462379	Quantum Gas Block, .625" Barrel	\$79
UD12003	850011462393	Quantum Gas Block, .875" Barrel	\$79
UD12004	850011462409	Quantum Gas Block, .936" Barrel	\$79

SPECIFICATIONS:

Weight	1.7 oz
Material	416 Stainless Steel
Finish	Black Nitride
Adjustment Screw Size	3/32" Drive



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

CLASS-LEADING PERFORMANCE

Sets the standard for performance by providing breakthrough recoil reduction and unparalleled muzzle compensation for those who refuse to settle for second best. Utilizing advanced imaging and precision instrumentation, Ultradyne engineers have created an ultra-high performance, competition level compensator. Ultradyne's V-PORT™ design mitigates muzzle rise and keeps gas from the sight picture. Experience smooth, on-target recoil compensation in a competition-legal package. Dynamount® compatible and a timing nut is included for easy installation.

All Ultradyne muzzle devices are CNC machined stainless steel.



APOLLO MAX

NAME	PRODUCT #	UPC	RATED FOR	MSRP
APOLLO MAX 5.56 THREAD 1/2-28	UD10680	851019008286	MIN 16" BARREL: 223 REM, 5.56X45 NATO, 224 VALKYRIE, 224 WEATHERBY MAG, 22-250 REM, 222 REM MAG, 222 REM, 22 NOSLER, 220 SWIFT, 22 PPC, 22 BR, 22 HORNET, 204 RUGER, 218 BEE	\$149
APOLLO MAX 6.5 THREAD 5/8-24	UD10260	851019008651	MIN 16" BARREL: 6.5 CREEDMOOR, 6.5 GRENDEL, 6MM REM, 6MM BR, 25-06 REM, 257 ROBERTS, 243 WSSM	\$159
APOLLO MAX 7.62 THREAD 5/8-24	UD10710	851019008316	MIN 16" BARREL: 308 WIN, 7.62X51 NATO, 300 BLK, 300 SAVAGE, 303 SAVAGE, 30-30 WIN	\$159



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

EXTREME RECOIL REDUCTION WITH LESS PERCEIVED BLAST

Apollo S provides competition level recoil reduction and muzzle control. Ultradyne's V-PORT™ design mitigates muzzle rise and keeps gas from the sight picture. By using a scientific approach and studying thousands of recoil events, Ultradyne engineers have struck a balance between extreme recoil reduction, virtual elimination of muzzle rise, and less aggressive venting of gas. The Apollo S is perfect for shooters who want drastic recoil reduction with a less perceived blast. Dynamount® compatible and a timing nut is included for easy installation.

All Ultradyne muzzle devices are CNC machined stainless steel.



APOLLO S

NAME	PRODUCT #	UPC	RATED FOR	MSRP
APOLLO S 5.56 THREAD 1/2-28	UD10220	851019008613	MIN 14" BARREL: 223 REM, 5.56X45 NATO, 224 VALKYRIE, 224 WEATHERBY MAG, 22-250 REM, 222 REM MAG, 222 REM, 22 NOSLER, 220 SWIFT, 22 PPC, 22 BR, 22 HORNET, 204 RUGER, 218 BEE	\$129
APOLLO S 6.5 THREAD 5/8-24	UD10250	851019008644	MIN 14" BARREL: 6.5 CREEDMOOR, 6.5 GRENDEL, 6MM REM, 6MM BR, 25-06 REM, 257 ROBERTS, 243 WSSM	\$139
APOLLO S 7.62 THREAD 5/8-24	UD10270	851019008668	MIN 14" BARREL: 308 WIN, 7.62X51 NATO, 300 BLK, 300 SAVAGE, 303 SAVAGE, 30-30 WIN	\$139



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

BE YOUR OWN SPOTTER

The Apollo LR reduces recoil and muzzle rise like no other product on the market. The serious long-range shooter can concentrate on the shot and observe bullet impact due to unequaled recoil reduction and virtually zero muzzle rise. Ultradyne's V-PORT™ design not only mitigates muzzle rise but also keeps gas from the sight picture. A timing nut is included for easy installation. **All Ultradyne muzzle devices are CNC machined stainless steel.**



APOLLO LR

NAME	PRODUCT #	UPC	RATED FOR	MSRP
APOLLO LR 6.5 0.875 BBL THREAD 5/8-24	UD11180	850011462157	MIN 16" BARREL: 6.5 CREEDMOOR, 6.5 GRENDEL, 6.5 PRC, 264 WIN MAG, 6.5 REM MAG, 260 REM, 6.5X284 NORMA, 26 NOSLER, 6MM BR, 6MM PPC, 6.5X47 LAPUA,	\$189
APOLLO LR 6.5 1.0 BBL THREAD 5/8-24	UD20073	850043428374	25-06 REM, 257 ROBERTS, 257 WBY MAG, 243 WSSM	\$189
APOLLO LR 7MM 0.875 BBL THREAD 5/8-24	UD11240	850011462096	MIN 16" BARREL: 7MM REM MAG, 7MM WSM, 7MM WBY MAG, 7MM RUM, 7MM-08 REM, 7MM PRC, 284 WIN, 280 REM, 270 WIN, 270 WSM, 270 WBY MAG, 6.8 REM SPC	\$189
APOLLO LR 7MM 1.0 BBL THREAD 5/8-24	UD20074	850043428381		\$189
APOLLO LR 300 0.875 BBL THREAD 5/8-24	UD11190	850011462010	MIN 16" BARREL: 300 WIN MAG, 30-06 SPRINGFIELD, 30-30 WIN, 300 SAVAGE, 300 PRC, 308 NORMA, 308 WIN, 7.62X51	\$189
APOLLO LR 300 1.0 BBL THREAD 5/8-24	UD20075	850043428398		\$189
APOLLO LR 338 0.875 BBL THREAD 5/8-24	UD11200	850011462164	MIN 16" BARREL: 338 LAPUA, 338 FEDERAL, 33 NOSLER, 30 NOSLER, 338 RUM, 338 WIN MAG, 8MM REM MAG, 325 WIN	\$189
APOLLO LR 338 1.0 BBL THREAD 5/8-24	UD20076	850043428404		\$189



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

CLASS LEADING PERFORMANCE

Meticulously engineered to provide superior recoil reduction and neutralize muzzle rise with a smooth, balanced release of blast energy in a tanker-style compensator. Ultradyne's V-PORT™ design mitigates muzzle rise and keeps gas from the sight picture while the progressive 90° side ports vent combusting gases at intervals that spread out the recoil impulse for efficient, accurate follow-up shots. Dynamount® compatible and a timing nut is included for easy installation.

All Ultradyne muzzle devices are CNC machined stainless steel.



PEGASUS

NAME	PRODUCT #	UPC	RATED FOR	MSRP
PEGASUS 5.56 THREAD 1/2-28	UD11010	850011462065	223 REM 5.56X45 NATO, 224 VALKYRIE, 224 WEATHERBY MAG, 22-250 REM, 222 REM MAG, 222 REM, 22 NOSLER, 220 SWIFT, 22 PPC, 22 BR, 22 HORNET, 204 RUGER, 218 BEE	\$139
PEGASUS 6.5 THREAD 5/8-24	UD10240	851019008637	6.5 PRC, 264 WIN MAG, 6.5 REM MAG, 260 REM, 26 NOSLER, 6.5-284 NORMA, 6.5X47 LAPUA, 6.5X55 SWEDISH, 6.5X52 CARCANO, 6.5X57 MAUSER, 6.5 CREEDMOOR, 6.5 GRENADE, 6MM REMINGTON, 6MM REM, 6MM BR, 25-06 REM, 257 WEATHERBY MAG, 257 ROBERTS, 243 WSSM	\$149
PEGASUS 7.62 THREAD 5/8-24	UD10700	851019008309	300 WIN MAG, 300 PRC, 300 WEATHERBY MAG, 300 WSM, 30 NOSLER, 308 NORMA MAGNUM, 308 WIN, 7.62X51 NATO, 30-06 SPRINGFIELD, 300 BLK, 300 SAVAGE, 303 SAVAGE, 30-30 WIN, 7MM REM MAG, 7MM REM ULTRA MAG, 7MM WEATHERBY MAG, 7MM WSM, 7MM-08 REM, 7MM BR, 7X57 MAUSER, 284 WIN, 280 REM, 28 NOSLER, 270 WEATHERBY MAG, 270 WSM, 270 WIN, 6.8MM REM SPC	\$149



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

ULTRA SMOOTH RECOIL REDUCTION

Mercury is meticulously engineered for the .223 | 5.56 caliber to provide superior recoil reduction and neutralize muzzle rise with a smooth, balanced release of blast energy. Progressive 90° side ports vent combusting gases at intervals that spread out the recoil impulse for efficient, accurate follow-up shots. Dynamount® compatible and a timing nut is included for easy installation.

All Ultradyne muzzle devices are CNC machined stainless steel.



MERCURY

NAME	PRODUCT #	UPC	RATED FOR	MSRP
MERCURY 5.56 THREAD 1/2-28	UD10670	851019008279	223 REM, 5.56X45 NATO, 224 VALKYRIE, 224 WEATHERBY MAG, 22-250 REM, 222 REM MAG, 222 REM, 22 NOSLER, 220 SWIFT, 22 PPC, 22 BR, 22 HORNET, 204 RUGER, 218 BEE	\$99
MERCURY 6.5 THREAD 5/8-24	UD10717	850011462584	6.5 CREEDMORE, 6.5 GRENADE, 6MM REM, 6MM BR, 25-06 REM, 257 ROBERT, 243 WSSM	\$99
MERCURY 7.62 THREAD 5/8-24	UD10817	850011462577	308 WIN, 7.62X51 NATO, 300 BLK, 300 SAVAGE, 303 SAVAGE, 30/30 WIN	\$99



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

HIGH PERFORMANCE IN A COMPACT DESIGN

Pulse provides exceptional performance in a compact design. Ultradyne's V-PORT™ design mitigates muzzle rise and keeps gas from the sight picture. Pulse strongly reduces recoil and minimizes muzzle rise helping the shooter get back on target quicker to ensure more accurate follow-up shots. The Pulse is proof that good things do come in small packages! Pulse 5.56 and Pulse 7.62 are Dynamount® compatible, and a timing nut is included for easy installation.

All Ultradyne muzzle devices are CNC machined stainless steel.



PULSE 5.56 & 7.62



PULSE 350



NAME	PRODUCT #	UPC	RATED FOR	MSRP
PULSE 5.56 THREAD 1/2-28	UD11160	850011462232	MIN 16" BARREL: 223 REM, 5.56X45 NATO, 224 VALKYRIE, 224 WEATHERBY MAG, 22-250 REM, 222 REM MAG, 222 REM, 22 NOSLER, 220 SWIFT, 22 PPC, 22 BR, 22 HORNET, 204 RUGER, 218 BEE	\$79
PULSE 7.62 THREAD 5/8-24	UD10980	850011462089	300 WIN MAG, 30-06 SPRINGFIELD, 30-30 WIN, 300 BLK, 300 SAVAGE, 308 NORMA, 308 WIN, 7.62X51	\$79
PULSE 350 THREAD 1/2-28	UD11170	850011462133	MIN 16" BARREL: 350 LEGEND	\$79



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

EXTREME RECOIL REDUCTION

The choice for AK shooters seeking a high-performance muzzle device. The 2-port design is compact and lightweight but offers impressive performance that will help shooters stay on target. Ultradyne's V-PORT™ design mitigates muzzle rise and keeps gas from the sight picture. Vostok strongly reduces recoil and minimizes muzzle rise helping the shooter get back on target quicker to ensure more accurate followup shots. A crush washer is included for precision installation.

All Ultradyne muzzle devices are CNC machined stainless steel.



VOSTOK

NAME	PRODUCT #	UPC	RATED FOR	MSRP
VOSTOK AK47 THREAD 14-1 LH	UD10870	850011462034	7.62X39	\$89



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

ULTIMATE COMPENSATION REDUCTION

A superior PCC compensator from Ultradyne that allows a shooter to easily stay on target by featuring aggressive compensation ports along with added recoil reduction. This results in faster follow-up shots with increased accuracy. Ultradyne's V-PORT™ design mitigates muzzle rise and keeps gas from the sight picture. Dynamount® compatible and a timing nut is included for easy installation.

All Ultradyne muzzle devices are CNC machined stainless steel.



V-PORT
 CLEAR SIGHT SOLUTION

LITHIUM

NAME	PRODUCT #	UPC	RATED FOR	MSRP
LITHIUM 9MM THREAD 1/2-28	UD11030	850011462041	PCC 9MM	\$99



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

FORWARD-DIRECTED SIGNATURE FOR GREATER SHOOTER COMFORT

Athena is Ultradyne's linear compensator. Muzzle rise has been optimized, with gas vented at an angle then forward. This sends a lower percent of sound and gasses back towards the shooter. Athena gives a cleaner appearance for a sleek look and is a cost-effective way to upgrade a rifle to the Dynamount® Sighting System. A timing nut is included for easy installation. A crush washer is included with the Athena AK47 model.

All Ultradyne muzzle devices are CNC machined stainless steel.



ATHENA 5.56 & 7.62



ATHENA 350 & AK

NAME	PRODUCT #	UPC	RATED FOR	MSRP
ATHENA 5.56 THREAD 1/2-28	UD10660	851019008262	223 REM, 5.56X45 NATO, 224 VALKYRIE, 224 WEATHERBY MAG, 22-250 REM, 222 REM MAG, 222 REM, 22 NOSLER, 220 SWIFT, 22 PPC, 22 BR, 22 HORNET, 204 RUGER, 218 BEE	\$89
ATHENA 7.62 THREAD 5/8-24	UD10690	851019008293	308 WIN, 7.62X51 NATO, 300 BLK, 300 SAVAGE, 303 SAVAGE, 30-30 WIN	\$89
ATHENA 350 THREAD 1/2-28	UD11210	850011462140	350 LEGEND, 9MM	\$89
ATHENA 350 THREAD 5/8-24	UD10856	850011462508	350 LEGEND, 9MM	\$89
ATHENA AK47 THREAD 14-1 LH	UD10850	850011462027	7.62X39	\$89



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

ULTIMATE FLASH REDUCTION

Nighthawk Flash Hider is a birdcage style flash hider, engineered to reduce muzzle flash that can impair the eye's night vision in low light. A solid undercarriage decreases the chance of a dust cloud forming while shooting from a prone position. Nighthawk also reduces muzzle rise which results in faster follow-up shots with increased accuracy. Dynamount® compatible and a timing nut is included for easy installation.

All Ultradyne muzzle devices are CNC machined stainless steel.



NIGHTHAWK FLASH HIDER

NAME	PRODUCT #	UPC	RATED FOR	MSRP
NIGHTHAWK FLASH HIDER THREAD 1/2-28	UD11000	850011462058	ANY CALIBER IF THE BARREL HAS A 1/2-28 THREAD PATTERN	\$79
NIGHTHAWK FLASH HIDER THREAD 5/8-24	UD11020	850011462003	ANY CALIBER IF THE BARREL HAS A 5/8/24 THREAD PATTERN	\$79



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

DYNALIGN SIGHT PICTURE TECHNOLOGY

The ultimate BUIS. It starts with a superior always centered aperture that mounts to the barrel to ensure accuracy. Windage and elevation adjustments are both available along with the ability to set at 90 or 45 degrees. Using the C4 Dynamount® Front Sight in conjunction with the C4 Rear sight creates a perfectly concentric sight picture that allows the shooter to see the target, enables faster sight acquisition, reduces the effect of parallax, and gives the ability to consistently shoot accurately out to 600 yards and beyond.

Most of the time, shooters mount front sights on the picatinny rail of a free-float handguard. By definition, a free-float handguard doesn't move with the barrel. This means that when the handguard moves, the sights do too. Even properly-installed handguards move, whether it's from the weight of the firearm, a strong grip, or impact. Especially at the end, farthest from the point of attachment, and where most users mount sights. A small amount of movement can make a big difference in point of aim. Movement as little as 0.01 inches at the handguard means almost 2 inches at 100 yards. The solution is Dynamount®. Barrel-mounted sights for consistent aim, every time. The C4 Sight picture provides more accurate and faster target acquisition, using a purely concentric sight picture that is similar to that used by Olympic target shooters. Unlike red-dot or holographic sights, this sight picture does not obscure the target and actually enhances visibility due to the optical characteristics of apertures.

Most BUIS systems utilize a sight picture that is non-intuitive. The brain's visual systems are asked to align a circular rear aperture with a rectangular front post shape while simultaneously ignoring the "ears" that protect the front sight post. The C4's circle-within-circle sight picture allows for faster sight picture acquisition. Additionally, the use of a front aperture further reduces parallax effect which makes accuracy less dependent on precise sight alignment.

All Ultradyne Dynamount® Sights are CNC machined stainless steel & aircraft aluminum.



C4 DYNAMOUNT® FRONT SIGHT

NAME	PRODUCT #	UPC	MSRP
C4 DYNAMOUNT® FOLDING REAR SIGHT THREAD 1/2-28	UD10520	851019008125	\$169
C4 DYNAMOUNT® FOLDING REAR SIGHT THREAD 5/8-24	UD10560	851019008163	\$189



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

CONCENTRIC SIGHT PICTURE

The C4 Front & Rear Sight System is a dual aperture sighting system that is changing the way shooters think about iron sights. The C4 Rear Sight offers rock-solid performance in a compact form with a ballistically calibrated elevation system that adjusts in 50-yard increments from 200 to 600 yards. The C4 Front Sight brings precision front aperture technology to backup iron sights along with the ability to adjust both windage and elevation. Using these sights together creates a perfectly concentric sight picture that allows the shooter to see the target, enables faster sight acquisition, and gives the ability to consistently shoot accurately out to 600 yards and beyond, all with compact, foldable iron sights.

All Ultradyne C4 Sights are CNC machined stainless steel & aircraft aluminum.



C4 FRONT & REAR SIGHT SYSTEM

NAME	PRODUCT #	UPC	MSRP
C4 FOLDING FRONT & REAR SIGHT SYSTEM BDC FOR 5.56X45 M193 AMMO	UD10480	851019008088	\$279
C4 FOLDING FRONT & REAR SIGHT SYSTEM BDC FOR 7.62X51 M80 AMMO	UD11250	850011462119	\$279
C4 FOLDING REAR SIGHT BDC FOR 5.56X45 M193 AMMO	UD10400	851019008002	\$179
C4 FOLDING REAR SIGHT BDC FOR 7.62X51 M80 AMMO	UD10410	850011462072	\$179
C4 FOLDING FRONT SIGHT	UD10440	851019008040	\$139



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

CONCENTRIC SIGHT PICTURE

The C4 Offset Front & Rear Sight System is a dual aperture sighting system that is changing the way shooters think about iron sights. The C4 Offset Rear Sight offers rock-solid performance in a compact form with a ballistically calibrated elevation system that adjusts in 50-yard increments from 200 to 600 yards. The C4 Offset Front Sight brings precision front aperture technology to back up iron sights along with the ability to adjust both windage and elevation. Using these sights together creates a perfectly concentric sight picture that allows the shooter to see the target, enables faster sight acquisition, and gives the ability to consistently shoot accurately at targets close and far. C4 Offset Sights are your best option for back up iron sights.

All Ultradyne C4 Sights are CNC machined stainless steel & aircraft aluminum.



C4 OFFSET FRONT & REAR SIGHT SYSTEM

NAME	PRODUCT #	UPC	MSRP
C4 OFFSET FOLDING FRONT & REAR SIGHT SYSTEM 5.56X45 M193 AMMO	UD10880	851019008484	\$299
C4 OFFSET FOLDING FRONT & REAR SIGHT SYSTEM 7.62X51 M80 AMMO	UD11430	850011462348	\$299
C4 OFFSET FOLDING REAR SIGHT BDC FOR 5.56X45 M193 AMMO	UD10840	851019008446	\$189
C4 OFFSET FOLDING REAR SIGHT BDC FOR 7.62X51 M80 AMMO	UD10890	851019008491	\$189
C4 OFFSET FOLDING FRONT SIGHT	UD10860	851019008460	\$139



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

DYNALIGN SIGHT PICTURE TECHNOLOGY

Packs all the high-quality features Ultradyne is known for into lightweight, compact, sight system. Fully machined from the perfect combination of 416 SS and aircraft aluminum to maximize strength and weight. The rear sight boasts a positive click oversized windage knob which serves as storage for the .070 aperture when using the ghost ring. The C2 Front Sight System makes sighting in a breeze by offering both windage and elevation adjustability. The C2 Sight combo offers a dual aperture system that features a 12 MOA front sight aperture and gives the advantage of lightning-fast target acquisition while improving accuracy. Improved accuracy is created by the enhanced clarity and reduction of parallax due to the optical characteristics of the C2 dual aperture. In addition, the C2 enables the shooter to see 100% of the target, not cover it. This promotes proper shooting techniques and allows the shooter to focus on the only thing that matters, the target!

All Ultradyne C2 Sights are CNC machined stainless steel & aircraft aluminum.



C2 APERTURE FRONT & REAR SIGHT SYSTEM

NAME	PRODUCT #	UPC	MSRP
C2 FOLDING APERTURE FRONT & REAR SIGHT SYSTEM	UD10014	851019008880	\$179
C2 FOLDING APERTURE FRONT SIGHT	UD10002	851019008798	\$99
C2 FOLDING REAR SIGHT	UD10001	851019008781	\$99



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

DYNALIGN SIGHT PICTURE TECHNOLOGY

Packs all the high-quality features Ultradyne is known for into lightweight, compact, sight system. Fully machined from the perfect combination of 416 SS and aircraft aluminum to maximize strength and weight. The rear sight boasts a positive click oversized windage knob which screams quality and serves as storage for the .070 aperture when using the ghost ring. The C2 Front Sight makes sighting in a breeze by offering both windage and elevation adjustability. When used in conjunction, the C2 combo offers a dual aperture system that features a 12 MOA front sight aperture and gives the advantage of lightning-fast target acquisition while improving accuracy. Improved accuracy is created by the enhanced clarity and reduction of parallax due to the optical characteristics of the C2 dual aperture. In addition, the C2 enables the shooter to see 100% of the target, not cover it. This promotes proper shooting techniques and allows the shooter to focus on the only thing that matters, the target!

All Ultradyne C2 Sights are CNC machined stainless steel & aircraft aluminum.



C2 OFFSET APERTURE FRONT & REAR SIGHT SYSTEM

NAME	PRODUCT #	UPC	MSRP
C2 OFFSET FOLDING APERTURE FRONT & REAR SIGHT SYSTEM	UD10012	851019008903	\$199
C2 OFFSET FOLDING APERTURE FRONT SIGHT	UD10009	851019008859	\$109
C2 OFFSET FOLDING REAR SIGHT	UD10007	851019008835	\$109



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.

MUZZLE DEVICE ACCESSORIES

NAME	PRODUCT #	UPC	MSRP
OVERSIZED SHROUDED TIMING NUT .5X28 .875 BBL	UD10360	851019008767	\$19
OVERSIZED SHROUDED TIMING NUT .625X24 .875 BBL	UD10370	851019008774	\$19
MUZZLE DEVICE COLLAR .5X28	UD10920	851019008521	\$19
SHROUDED TIMING NUT .5X28 .750 BBL	UD10930	851019008538	\$19
MUZZLE DEVICE COLLAR .625X24	UD10940	851019008545	\$19
SHROUDED TIMING NUT .625X24 .750 BBL	UD10950	851019008552	\$19
OVERSIZED SHROUDED TIMING NUT .5X28 1.0 BBL	UD10960	851019008569	\$19
OVERSIZED SHROUDED TIMING NUT .625X24 1.0 BBL	UD10970	851019008576	\$19

C4 ACCESSORIES

NAME	PRODUCT #	UPC	MSRP
C4 BLADE POST	UD10600	851019008200	\$19
C4 SIGHT POST 8 MOA	UD10610	851019008217	\$19
C4 SIGHT POST 10 MOA	UD10620	851019008224	\$19
C4 SIGHT POST 12 MOA	UD10630	851019008231	\$19
C4 SIGHT POST 14 MOA	UD10640	851019008248	\$19
C2/C4 ADJUSTMENT TOOL	UD10650	851019008255	\$19
C2/C4 REAR SIGHT APERTURE INSERT .050	UD10900	850119808507	\$19
C2 C4 REAR SIGHT APERTURE INSERT .070	UD10910	851019008514	\$19



EXPORT NOTICE: THIS PRODUCT IS CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR) UNDER THE COMMERCE CONTROL LIST (CCL). THESE CONTROLS TAKE THE FORM OF EXPORT REGULATIONS AND LICENSE REQUIREMENTS.



ULTRADYNE
AMERICAN INGENUITY

ULTRADYNEUSA.COM • 573.299.0900
PO BOX 271, COLUMBIA, MO 65202