BRASSSheets / Plates






TABLE OF CONTENTS

| | SHEETS | 2 | |
|--------|--------------------------|---|--|
| | Sheets CW503L, CuZn20 | 3 | |
| | Sheets CW508L, CuZn37 | 3 | |
| | Sheets CW612N, CuZn39Pb2 | 3 | |
| PLATES | | | |
| | Plates CW612N, CuZn39Pb2 | 5 | |

ABOUT ALUMECO GROUP



Alumeco is a global wholesaler, founded in 1983 with headquarters in Odense, Denmark.

Alumeco Group offers a wide range of metals, so you can buy everything in one place. We offer both standardized and customized solutions, and we are ready to support you at every step. As your preferred metal partner, we ensure the best guidance, solution and quality every time.

SUBSIDIARIES











Sheets

WE OFFER VARIOUS TYPES OF BRASS SHEETS TO OUR INDUSTRIAL CUSTOMERS. SHEETS ARE GENERALLY AVAILABLE IN DIMENSION 1000X2000 MM. WE ALSO OFFER BRASS PLATES CW612N STRESS RELEIVED FROM 15 MM IN DIMENSION 1020X3020 MM. THE MOST COMMON ALLOYS ARE, CW508L, CW503L AND CW612N (PLATES).

| SHEETS CW503L, CUZN20 | | | | | | | | |
|-----------------------|--------|-------------------------------|-------------|----------------|----------------|-------------|-------------|--|
| | | 2000 x 1000 mm 2500 x 1000 mm | | 2000 x 1000 mm | 2500 x 1000 mm | | | |
| Thickness | Temper | Weight (kg) | Weight (kg) | Thickness | Temper | Weight (kg) | Weight (kg) | |
| 0.8 | Soft | 6.96 | 6.96 | 1.2 | Soft | 10.44 | | |
| 1 | Soft | 8.70 | 8.70 | 1.5 | ½ Hard | | 13.05 | |

| SHEETS CW508L, CUZN37 | | | | | | | | | |
|-----------------------|----------|-------|----------------|----------------|----------------|----------------|----------------|--|--|
| | | | 2000 x 1000 mm | 2500 x 1000 mm | 2500 x 1250 mm | 3000 x 1000 mm | 3000 x 1500 mm | | |
| hickness | Temper | Folie | Weight (kg) | | |
| 0.3 | ½ Hard | | 2.52 | | | | | | |
| 0.4 | ½ Hard | | 3.36 | | | | | | |
| 0.5 | 1/2 Hard | | 4.23 | | | | | | |
| 0.6 | 1/2 Hard | | 5.07 | | | | | | |
| 0.7 | Soft | Foil | 5.92 | | | | | | |
| 0.8 | ½ Hard | | 6.76 | | | | | | |
| 1 | ½ Hard | Foil | 8.45 | 8.45 | 10.50 | 8.45 | | | |
| 1.2 | ½ Hard | | 10.14 | | 12.68 | | | | |
| 1.25 | ½ Hard | | 10.56 | | | | | | |
| 1.5 | ½ Hard | Foil | 12.68 | 12.68 | 15.75 | | | | |
| 2 | ½ Hard | Foil | 16.90 | 16.90 | 21.13 | 16.90 | | | |
| 2.5 | ½ Hard | | 21.00 | | | | | | |
| 3 | ½ Hard | Foil | 25.35 | | 31.50 | | 38.25 | | |
| 4 | ½ Hard | | 33.80 | | | | 50.70 | | |
| 5 | ½ Hard | | 42.00 | | | | 63.00 | | |
| 6 | ½ Hard | | 50.70 | | | | | | |
| 8 | ½ Hard | | 67.60 | | | | | | |
| 10 | ½ Hard | | 84.50 | | | | | | |

| SHEETS CW612N, CUZN39PB2 | | | | | | | | | |
|--------------------------|--------|---------------|---------------|-----------|--------|---------------|---------------|--|--|
| | | 2000 x 300 mm | 2000 x 600 mm | | | 2000 x 300 mm | 2000 x 600 mm | | |
| Thickness | Temper | Weight (kg) | Weight (kg) | Thickness | Temper | Weight (kg) | Weight (kg) | | |
| 0.3 | Hard | 0.86 | | 3 | Hard | | 15.15 | | |
| 1.5 | Hard | | 7.65 | 4 | Hard | | 20.40 | | |
| 2 | Hard | | 10.20 | 5 | Hard | | 25.00 | | |



Plates

WE OFFER VARIOUS TYPES OF BRASS PLATES TO OUR INDUSTRIAL CUSTOMERS. SHEETS ARE GENERALLY AVAILABLE IN DIMENSION 1000X2000 MM. WE ALSO OFFER BRASS PLATES CW612N STRESS RELEIVED FROM 15 MM IN DIMENSION 1020X3020 MM. THE MOST COMMON ALLOYS ARE, CW508L, CW503L AND CW612N (PLATES).

PLATES CW612N, CUZN39PB2

| PLATES CW612N, CUZN39PB2 | | | | | | | | | |
|--------------------------|----------------|----------------|---------------|-----------|----------------|----------------|---------------|--|--|
| | | 3020 x 1020 mm | 3020 x 800 mm | | | 3020 x 1020 mm | 3020 x 800 mm | | |
| Thickness | Temper | Weight (kg) | Weight (kg) | Thickness | Temper | Weight (kg) | Weight (kg) | | |
| 12 | Hard as rolled | 104.04 | | 40 | Hard as rolled | 347.02 | | | |
| 15 | Hard as rolled | 130.05 | | 50 | Hard as rolled | 433.51 | | | |
| 20 | Hard as rolled | 173.40 | 136.00 | 60 | Hard as rolled | 520.20 | | | |
| 25 | Hard as rolled | 216.75 | | 80 | Hard as rolled | 693.61 | | | |
| 30 | Hard as rolled | 260.26 | | 100 | Hard as rolled | 866.99 | | | |
| 35 | Hard as rolled | 303.45 | | | | | | | |

