



JST

Solderless Splices

Butt splice (C-type Non-insulated/WSC-type Non-insulated, Vinyl or nylon-insulated)

[Type]
Batt type
Non-insulated type



Butt splice (C-type, Nylon-insulated)

[Type]
With insulator
Batt type



Butt splice (C-type, Vinyl-insulated)

[Type]
With insulator
Batt type



Closed-end splice (CE-type/SD-type)

[Type]
With insulator
Closed-end type



Copper Tubular splice (CZ-type)

[Type]
Copper tubular type



Oval type splice (CV-type)

[Type]
Non-insulated type
Batt type




Oval type splice (PV-type)

[Type]
Non-insulated type
Parallel type



Parallel splice (P-type, Non-insulated)

[Type]
Non-insulated type
Parallel type



Parallel splice (P-type, Nylon-insulated)

[Type]
With insulator
Parallel type



Parallel splice (P-type, Vinyl-insulated)

[Type]
With insulator
Parallel type



Window type butt splice (CW-type, Non-insulated)

[Type]
Non-insulated type
Butt type



Window type butt splice (CW-type, Nylon-Insulated)

[Type]
With insulator
Butt type



Window type butt splice (CW-type, Nylon-insulated with copper sleeve)

[Type]
With insulator
Batt type

